

CITATION REPORT

List of articles citing

53BP1 inhibits homologous recombination in
Brca1-deficient cells by blocking resection of DNA breaks

DOI: 10.1016/j.cell.2010.03.012
Cell, 2010, 141, 243-54.

Source: <https://exaly.com/paper-pdf/49540581/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1307	Rapid activation by interferon alpha of a latent DNA-binding protein present in the cytoplasm of untreated cells. 1989 , 86, 1203-7		199
1306	Poly ADP-ribose polymerase inhibitors: science and current clinical development. 2010 , 22, 567-72		5
1305	The interplay between BRCA1 and 53BP1 influences death, aging, senescence and cancer. 2010 , 9, 1112-6		19
1304	Assembly and function of DNA double-strand break repair foci in mammalian cells. 2010 , 9, 1219-28		260
1303	The influence of heterochromatin on DNA double strand break repair: Getting the strong, silent type to relax. 2010 , 9, 1273-82		238
1302	Coping with DNA double strand breaks. 2010 , 9, 1256-63		79
1301	Loss of 53BP1 is a gain for BRCA1 mutant cells. 2010 , 17, 423-5		19
1300	Collaboration and competition between DNA double-strand break repair pathways. 2010 , 584, 3703-8		239
1299	Time to bloom. 2010 , 1, 14		28
1298	DNA double-strand break signaling and human disorders. 2010 , 1, 15		53
1297	53BP1 loss rescues BRCA1 deficiency and is associated with triple-negative and BRCA-mutated breast cancers. 2010 , 17, 688-95		707
1296	Harnessing the complexity of DNA-damage response pathways to improve cancer treatment outcomes. 2010 , 29, 6085-98		110
1295	The function of classical and alternative non-homologous end-joining pathways in the fusion of dysfunctional telomeres. 2010 , 29, 2598-610		136
1294	TopBP1 functions with 53BP1 in the G1 DNA damage checkpoint. 2010 , 29, 3723-32		66
1293	DNA repair: Decision at the break point. 2010 , 465, 301-2		11
1292	News in brief. 2010 , 16, 502-503		1
1291	Break-induced ATR and Ddb1-Cul4(Cdt) ubiquitin ligase-dependent nucleotide synthesis promotes homologous recombination repair in fission yeast. 2010 , 24, 2705-16		43

1290	Expanded roles of the Fanconi anemia pathway in preserving genomic stability. 2010 , 24, 1680-94		239
1289	Mapping of switch recombination junctions, a tool for studying DNA repair pathways during immunoglobulin class switching. 2010 , 108, 45-109		58
1288	Inhibition of ATM kinase activity does not phenocopy ATM protein disruption: implications for the clinical utility of ATM kinase inhibitors. 2010 , 9, 4052-7		41
1287	Dangerous liaisons: Fanconi anemia and toxic nonhomologous end joining in DNA crosslink repair. 2010 , 39, 164-6		22
1286	The DNA damage response: making it safe to play with knives. 2010 , 40, 179-204		2828
1285	Origin of chromosomal translocations in lymphoid cancer. <i>Cell</i> , 2010 , 141, 27-38	56.2	226
1284	Oncogenes and tumor suppressor genes. 2010 , 2, a003236		199
1283	A DNA damage response screen identifies RHINO, a 9-1-1 and TopBP1 interacting protein required for ATR signaling. 2011 , 332, 1313-7		163
1282	The underlying mechanism for the PARP and BRCA synthetic lethality: clearing up the misunderstandings. 2011 , 5, 387-93		492
1281	miR-182-mediated downregulation of BRCA1 impacts DNA repair and sensitivity to PARP inhibitors. 2011 , 41, 210-20		355
1280	P53-binding protein 1: a new player for tumorigenesis and a new target for breast cancer treatment. 2011 , 77, 359-63		3
1279	Regulation of homologous recombination by RNF20-dependent H2B ubiquitination. 2011 , 41, 515-28		254
1278	Regulation of DNA end joining, resection, and immunoglobulin class switch recombination by 53BP1. 2011 , 42, 319-29		183
1277	Application of molecular findings to the diagnosis and management of breast disease: recent advances and challenges. 2011 , 42, 153-65		5
1276	The homologous recombination protein RAD51D mediates the processing of 6-thioguanine lesions downstream of mismatch repair. 2011 , 9, 206-14		6
1275	The potential for poly (ADP-ribose) polymerase inhibitors in cancer therapy. 2011 , 3, 257-67		60
1274	New insights into the formation and resolution of ultra-fine anaphase bridges. 2011 , 22, 906-12		76
1273	DNA double-strand break repair pathways, chromosomal rearrangements and cancer. 2011 , 22, 886-97		87

1272	A new pathway that regulates 53BP1 stability implicates cathepsin L and vitamin D in DNA repair. 2011 , 30, 3383-96	71
1271	The ubiquitin-selective segregase VCP/p97 orchestrates the response to DNA double-strand breaks. 2011 , 13, 1376-82	194
1270	Regulation of the DNA damage response and gene expression by the Dot1L histone methyltransferase and the 53BP1 tumour suppressor. 2011 , 6, e14714	33
1269	Repair at single targeted DNA double-strand breaks in pluripotent and differentiated human cells. 2011 , 6, e20514	35
1268	Human RAD18 interacts with ubiquitylated chromatin components and facilitates RAD9 recruitment to DNA double strand breaks. 2011 , 6, e23155	17
1267	Synthetic lethality: exploiting the addiction of cancer to DNA repair. 2011 , 117, 6074-82	144
1266	Tumor hypoxia and genetic alterations in sporadic cancers. 2011 , 37, 85-98	14
1265	Secondary mutations of BRCA1/2 and drug resistance. 2011 , 102, 663-9	93
1264	53BP1 nuclear bodies form around DNA lesions generated by mitotic transmission of chromosomes under replication stress. 2011 , 13, 243-53	470
1263	DNA interstrand crosslink repair and cancer. 2011 , 11, 467-80	691
1262	H2AX prevents CtIP-mediated DNA end resection and aberrant repair in G1-phase lymphocytes. 2011 , 469, 245-9	115
1261	Poly(ADP-ribose) polymerase (PARP) inhibitors: Exploiting a synthetic lethal strategy in the clinic. 2011 , 61, 31-49	144
1260	Depletion of the bloom syndrome helicase stimulates homology-dependent repair at double-strand breaks in human chromosomes. 2011 , 10, 416-26	17
1259	53BP1-mediated DNA double strand break repair: insert bad pun here. 2011 , 10, 1071-6	80
1258	The BRCA1 ubiquitin ligase and homologous recombination repair. 2011 , 585, 2836-44	35
1257	Histone tails: Directing the chromatin response to DNA damage. 2011 , 585, 2883-90	26
1256	ATMIN is required for maintenance of genomic stability and suppression of B cell lymphoma. 2011 , 19, 587-600	30
1255	More than just a focus: The chromatin response to DNA damage and its role in genome integrity maintenance. 2011 , 13, 1161-9	485

1254	Double-strand break end resection and repair pathway choice. 2011 , 45, 247-71	1027
1253	Studying therapy response and resistance in mouse models for BRCA1-deficient breast cancer. 2011 , 16, 41-50	17
1252	Biomarkers of PARP inhibitor sensitivity. 2011 , 127, 283-6	24
1251	Novel approaches to treatment of leiomyosarcomas. 2011 , 13, 316-22	9
1250	Oncogene addiction as a foundational rationale for targeted anti-cancer therapy: promises and perils. 2011 , 3, 623-36	173
1249	PARP inhibitor treatment in ovarian and breast cancer. 2011 , 35, 7-50	93
1248	Regulating the levels of key factors in cell cycle and DNA repair: new pathways revealed by lamins. 2011 , 10, 3652-7	38
1247	Hereditary breast cancer and the BRCA1-associated FANCD1/BACH1/BRIP1. 2011 , 7, 253-61	72
1246	The USP1/UAF1 complex promotes double-strand break repair through homologous recombination. 2011 , 31, 2462-9	85
1245	Regulatory networks integrating cell cycle control with DNA damage checkpoints and double-strand break repair. 2011 , 366, 3562-71	95
1244	Replication stress induces 53BP1-containing OPT domains in G1 cells. 2011 , 193, 97-108	234
1243	The splicing-factor related protein SFPQ/PSF interacts with RAD51D and is necessary for homology-directed repair and sister chromatid cohesion. 2011 , 39, 132-45	141
1242	Congenital bone marrow failure in DNA-PKcs mutant mice associated with deficiencies in DNA repair. 2011 , 193, 295-305	99
1241	Nonhomologous end joining drives poly(ADP-ribose) polymerase (PARP) inhibitor lethality in homologous recombination-deficient cells. 2011 , 108, 3406-11	390
1240	RAP80-directed tuning of BRCA1 homologous recombination function at ionizing radiation-induced nuclear foci. 2011 , 25, 685-700	180
1239	HP1alpha recruitment to DNA damage by p150CAF-1 promotes homologous recombination repair. 2011 , 193, 81-95	153
1238	A dual role for A-type lamins in DNA double-strand break repair. 2011 , 10, 2549-60	103
1237	The BRCA1-RAP80 complex regulates DNA repair mechanism utilization by restricting end resection. 2011 , 286, 13669-80	162

1236	The role of PARP in DNA repair and its therapeutic exploitation. 2011 , 105, 1114-22	201
1235	DNA double-strand break repair, immunodeficiency and the RIDDLE syndrome. 2011 , 7, 169-85	17
1234	BRCA1, PARP, and 53BP1: conditional synthetic lethality and synthetic viability. 2011 , 3, 66-74	74
1233	The epistatic relationship between BRCA2 and the other RAD51 mediators in homologous recombination. 2011 , 7, e1002148	55
1232	Epistatic relationships in the BRCA1-BRCA2 pathway. 2011 , 7, e1002183	2
1231	Genomic instability, defective spermatogenesis, immunodeficiency, and cancer in a mouse model of the RIDDLE syndrome. 2011 , 7, e1001381	64
1230	Nucleoporin NUP153 guards genome integrity by promoting nuclear import of 53BP1. 2012 , 19, 798-807	54
1229	NF- κ B regulates DNA double-strand break repair in conjunction with BRCA1-CtIP complexes. 2012 , 40, 181-95	88
1228	Mechanisms of telomere loss and their consequences for chromosome instability. 2012 , 2, 135	77
1227	The hSSB1 orthologue Obfc2b is essential for skeletogenesis but dispensable for the DNA damage response in vivo. 2012 , 31, 4045-56	23
1226	The proteasomal de-ubiquitinating enzyme POH1 promotes the double-strand DNA break response. 2012 , 31, 3918-34	103
1225	Loss of ATM kinase activity leads to embryonic lethality in mice. 2012 , 198, 295-304	80
1224	A dual role of BRCA1 in two distinct homologous recombination mediated repair in response to replication arrest. 2012 , 40, 726-38	36
1223	53BP1 deficiency combined with telomere dysfunction activates ATR-dependent DNA damage response. 2012 , 197, 283-300	19
1222	Overlapping functions between XLF repair protein and 53BP1 DNA damage response factor in end joining and lymphocyte development. 2012 , 109, 3903-8	50
1221	Addicted to PAR? A closer look at PARP inhibitor sensitivity. 2012 , 11, 3916	1
1220	UnCHKed DNA replication: A stressful matter. 2012 , 11, 3917-8	3
1219	Cyclin-dependent kinase 4/6 inhibition in cancer therapy. 2012 , 11, 3913	16

1218	New functions for ecotropic viral integration site 1 (EVI1), an oncogene causing aggressive malignant disease. 2012 , 11, 3915	5
1217	ORCA is regulated by ubiquitin-mediated degradation to control Orc2 function. 2012 , 11, 3914	
1216	Targeting Homologous Recombination Repair in Cancer. 2012 , 119-160	4
1215	DNA replication stress response involving PLK1, CDC6, POLQ, RAD51 and CLASPIN upregulation prognoses the outcome of early/mid-stage non-small cell lung cancer patients. 2012 , 1, e30	60
1214	Telomeric allelic imbalance indicates defective DNA repair and sensitivity to DNA-damaging agents. 2012 , 2, 366-375	295
1213	Redundant and nonredundant functions of ATM and H2AX in BT -lineage lymphocytes. 2012 , 189, 1372-9	8
1212	RING finger nuclear factor RNF168 is important for defects in homologous recombination caused by loss of the breast cancer susceptibility factor BRCA1. 2012 , 287, 40618-28	39
1211	Functional redundancy between repair factor XLF and damage response mediator 53BP1 in V(D)J recombination and DNA repair. 2012 , 109, 2455-60	54
1210	p97/VCP- and Lys48-linked polyubiquitination form a new signaling pathway in DNA damage response. 2012 , 11, 1062-9	33
1209	p21 promotes error-free replication-coupled DNA double-strand break repair. 2012 , 40, 8348-60	40
1208	PALB2 self-interaction controls homologous recombination. 2012 , 40, 10312-23	38
1207	Visualization of a DNA-PK/PARP1 complex. 2012 , 40, 4168-77	81
1206	The emerging role of Polycomb repressors in the response to DNA damage. 2012 , 125, 3939-48	56
1205	DNA Damage, Checkpoint Responses, and Cell Cycle Control in Aging Stem Cells. 2012 , 36-47	
1204	Triple-negative breast cancer. 2012 , 74-88	1
1203	Histone H2A.Z controls a critical chromatin remodeling step required for DNA double-strand break repair. 2012 , 48, 723-33	222
1202	Targeted gene therapies: tools, applications, optimization. 2012 , 47, 264-81	22
1201	The nucleoporin 153, a novel factor in double-strand break repair and DNA damage response. 2012 , 31, 4803-9	47

1200	TRIP12 and UBR5 suppress spreading of chromatin ubiquitylation at damaged chromosomes. <i>Cell</i> , 2012 , 150, 697-709	56.2	224
1199	Classical and alternative end-joining pathways for repair of lymphocyte-specific and general DNA double-strand breaks. 2012 , 116, 1-49		188
1198	DNA damage defines sites of recurrent chromosomal translocations in B lymphocytes. 2012 , 484, 69-74		159
1197	Profiles of genomic instability in high-grade serous ovarian cancer predict treatment outcome. 2012 , 18, 5806-15		118
1196	RNF8 regulates assembly of RAD51 at DNA double-strand breaks in the absence of BRCA1 and 53BP1. 2012 , 72, 4974-83		48
1195	Pathways for genome integrity in G2 phase of the cell cycle. 2012 , 2, 579-607		23
1194	Continuation of smoking after treatment of laryngeal cancer: an independent prognostic factor?. 2012 , 74, 250-4		13
1193	The DNA damage response and cancer therapy. 2012 , 481, 287-94		1118
1192	A Boolean network model of the FA/BRCA pathway. 2012 , 28, 858-66		33
1191	Discordance between phosphorylation and recruitment of 53BP1 in response to DNA double-strand breaks. 2012 , 11, 1432-44		40
1190	Playing the end game: DNA double-strand break repair pathway choice. 2012 , 47, 497-510		1077
1189	The histone variant macroH2A1.1 is recruited to DSBs through a mechanism involving PARP1. 2012 , 586, 3920-5		53
1188	Low p53 binding protein 1 (53BP1) expression is associated with increased local recurrence in breast cancer patients treated with breast-conserving surgery and radiotherapy. 2012 , 83, e677-83		27
1187	Regulation of DNA cross-link repair by the Fanconi anemia/BRCA pathway. 2012 , 26, 1393-408		378
1186	RNF8 and RNF168 but not HERC2 are required for DNA damage-induced ubiquitylation in chicken DT40 cells. 2012 , 11, 892-905		19
1185	Human RNF169 is a negative regulator of the ubiquitin-dependent response to DNA double-strand breaks. 2012 , 197, 189-99		93
1184	Quantitative proteomics reveal ATM kinase-dependent exchange in DNA damage response complexes. 2012 , 11, 4983-91		22
1183	The Fun30 nucleosome remodeller promotes resection of DNA double-strand break ends. 2012 , 489, 576-80		185

1182	BRCA1 functions independently of homologous recombination in DNA interstrand crosslink repair. 2012 , 46, 125-35	212
1181	Clustered mutations in yeast and in human cancers can arise from damaged long single-strand DNA regions. 2012 , 46, 424-35	302
1180	A novel function for BRCA1 in crosslink repair. 2012 , 46, 111-2	8
1179	Chromatin dynamics in DNA double-strand break repair. 2012 , 1819, 811-9	45
1178	Clinical characteristics and outcomes of BRCA-associated ovarian cancer: genotype and survival. 2012 , 205, 34-41	38
1177	[Double strand break repair, one mechanism can hide another: alternative non-homologous end joining]. 2012 , 16, 1-10	7
1176	Drug resistance in the mouse cancer clinic. 2012 , 15, 81-9	27
1175	Pathway choice in DNA double strand break repair: observations of a balancing act. 2012 , 3, 9	153
1174	The effects of deregulated DNA damage signalling on cancer chemotherapy response and resistance. 2012 , 12, 587-98	415
1173	CtIP- and ATR-dependent FANCD1 phosphorylation in response to DNA strand breaks mediated by DNA replication. 2012 , 17, 962-70	4
1172	PARP inhibitors: mechanism of action and their potential role in the prevention and treatment of cancer. 2012 , 72, 1579-90	25
1171	Proteomics of mouse BRCA1-deficient mammary tumors identifies DNA repair proteins with potential diagnostic and prognostic value in human breast cancer. 2012 , 11, M111.013334	21
1170	Evaluation of candidate biomarkers to predict cancer cell sensitivity or resistance to PARP-1 inhibitor treatment. 2012 , 11, 3837-50	125
1169	Links between genome integrity and BRCA1 tumor suppression. 2012 , 37, 418-24	84
1168	Recognition, signaling, and repair of DNA double-strand breaks produced by ionizing radiation in mammalian cells: the molecular choreography. 2012 , 751, 158-246	252
1167	The response to and repair of RAG-mediated DNA double-strand breaks. 2012 , 30, 175-202	129
1166	c-Myc suppression of DNA double-strand break repair. 2012 , 14, 1190-202	43
1165	Poly(Adenosine diphosphate-ribose) polymerase inhibitors in cancer treatment. 2012 , 26, 649-70, ix	20

1164	BRCA1-associated exclusion of 53BP1 from DNA damage sites underlies temporal control of DNA repair. 2012 , 125, 3529-34	218
1163	Sumoylation of MDC1 is important for proper DNA damage response. 2012 , 31, 3008-19	116
1162	Removal of shelterin reveals the telomere end-protection problem. 2012 , 336, 593-7	400
1161	CtIP-dependent DNA resection is required for DNA damage checkpoint maintenance but not initiation. 2012 , 197, 869-76	55
1160	RNF4, a SUMO-targeted ubiquitin E3 ligase, promotes DNA double-strand break repair. 2012 , 26, 1179-95	225
1159	The role of PARP1 in the DNA damage response and its application in tumor therapy. 2012 , 6, 156-64	56
1158	Similarities and differences between "uncapped" telomeres and DNA double-strand breaks. 2012 , 121, 117-30	47
1157	Epigenetic regulation of genomic integrity. 2012 , 121, 131-51	35
1156	BRCA1 and BRCA2: different roles in a common pathway of genome protection. 2011 , 12, 68-78	840
1155	Exo1 plays a major role in DNA end resection in humans and influences double-strand break repair and damage signaling decisions. 2012 , 11, 441-8	104
1154	Synthesis and SAR optimization of quinazolin-4(3H)-ones as poly(ADP-ribose)polymerase-1 inhibitors. 2012 , 50, 264-73	27
1153	Double strand break repair functions of histone H2AX. 2013 , 750, 5-14	144
1152	The role of BRCA1 in homologous recombination repair in response to replication stress: significance in tumorigenesis and cancer therapy. 2013 , 3, 11	29
1151	RIF1 in DNA break repair pathway choice. 2013 , 49, 840-1	23
1150	53BP1 alters the landscape of DNA rearrangements and suppresses AID-induced B cell lymphoma. 2013 , 49, 623-31	31
1149	RPA accumulation during class switch recombination represents 5P3PDNA-end resection during the S-G2/M phase of the cell cycle. 2013 , 3, 138-47	69
1148	SIRT6 recruits SNF2H to DNA break sites, preventing genomic instability through chromatin remodeling. 2013 , 51, 454-68	266
1147	Genomic instability in multiple myeloma: mechanisms and therapeutic implications. 2013 , 13 Suppl 1, S69-82	28

1146	A nervous predisposition to unrepaired DNA double strand breaks. 2013 , 12, 588-99	18
1145	An APOBEC cytidine deaminase mutagenesis pattern is widespread in human cancers. 2013 , 45, 970-6	774
1144	53BP1 expression is a modifier of the prognostic value of lymph node ratio and CA 19-9 in pancreatic adenocarcinoma. 2013 , 13, 155	10
1143	The AID-induced DNA damage response in chromatin. 2013 , 50, 309-21	63
1142	Advances in DNA Repair in Cancer Therapy. 2013 ,	
1141	RIF1 is essential for 53BP1-dependent nonhomologous end joining and suppression of DNA double-strand break resection. 2013 , 49, 858-71	433
1140	BRCA1 and CtIP suppress long-tract gene conversion between sister chromatids. 2013 , 4, 2404	39
1139	Alternative end-joining and classical nonhomologous end-joining pathways repair different types of double-strand breaks during class-switch recombination. 2013 , 191, 5751-63	37
1138	APOBEC3 cytidine deaminases in double-strand DNA break repair and cancer promotion. 2013 , 73, 3494-8	37
1137	The histone demethylase LSD1/KDM1A promotes the DNA damage response. 2013 , 203, 457-70	80
1136	Stabilization of mutant BRCA1 protein confers PARP inhibitor and platinum resistance. 2013 , 110, 17041-6	170
1135	To spread or not to spread--chromatin modifications in response to DNA damage. 2013 , 23, 156-65	37
1134	RNF168 ubiquitylates 53BP1 and controls its response to DNA double-strand breaks. 2013 , 110, 20982-7	61
1133	Interplays between ATM/Tel1 and ATR/Mec1 in sensing and signaling DNA double-strand breaks. 2013 , 12, 791-9	74
1132	Repair of strand breaks by homologous recombination. 2013 , 5, a012740	543
1131	The role of arginine methylation in the DNA damage response. 2013 , 12, 459-65	51
1130	Defining a genotoxic profile with mouse embryonic stem cells. 2013 , 238, 285-93	2
1129	Tudor: a versatile family of histone methylation ReadersP. 2013 , 38, 546-55	104

1128	Mouse models of BRCA1 and their application to breast cancer research. 2013 , 32, 25-37	44
1127	BRCA1 promoter hypermethylation, 53BP1 protein expression and PARP-1 activity as biomarkers of DNA repair deficit in breast cancer. 2013 , 13, 523	39
1126	Chromatin structure in double strand break repair. 2013 , 12, 800-10	43
1125	Modernizing the nonhomologous end-joining repertoire: alternative and classical NHEJ share the stage. 2013 , 47, 433-55	311
1124	Hybrid detectors improved time-lapse confocal microscopy of PML and 53BP1 nuclear body colocalization in DNA lesions. 2013 , 19, 360-9	20
1123	The roles of DNA polymerase β and the Y family DNA polymerases in promoting or preventing genome instability. 2013 , 743-744, 97-110	56
1122	Activation of DSB processing requires phosphorylation of CtIP by ATR. 2013 , 49, 657-67	95
1121	Mechanism of DNA resection during intrachromosomal recombination and immunoglobulin class switching. 2013 , 210, 115-23	43
1120	BRCA1 deficiency in skin epidermis leads to selective loss of hair follicle stem cells and their progeny. 2013 , 27, 39-51	23
1119	Mechanisms of resistance to PARP inhibitors--three and counting. 2013 , 3, 20-3	55
1118	53BP1 regulates DSB repair using Rif1 to control 5' end resection. 2013 , 339, 700-4	431
1117	Identification of early replicating fragile sites that contribute to genome instability. <i>Cell</i> , 2013 , 152, 620-32.2	280
1116	Non-coding RNAs in DNA damage and repair. 2013 , 587, 1832-9	66
1115	A role for BLM in double-strand break repair pathway choice: prevention of CtIP/Mre11-mediated alternative nonhomologous end-joining. 2013 , 5, 21-8	59
1114	Expression of human BRCA1 Δ 7-19 alternative splicing variant with a truncated BRCT domain in MCF-7 cells results in impaired assembly of DNA repair complexes and aberrant DNA damage response. 2013 , 25, 1186-93	23
1113	53BP1 expression in sporadic and inherited ovarian carcinoma: Relationship to genetic status and clinical outcomes. 2013 , 128, 493-9	24
1112	Regulation of DNA damage responses by ubiquitin and SUMO. 2013 , 49, 795-807	447
1111	Charity begins at home: non-coding RNA functions in DNA repair. 2013 , 14, 181-9	100

1110	Acetylation limits 53BP1 association with damaged chromatin to promote homologous recombination. 2013 , 20, 317-25	347
1109	Nucleotide-resolution DNA double-strand break mapping by next-generation sequencing. 2013 , 10, 361-5	320
1108	A cell cycle-dependent regulatory circuit composed of 53BP1-RIF1 and BRCA1-CtIP controls DNA repair pathway choice. 2013 , 49, 872-83	599
1107	A computational platform for robotized fluorescence microscopy (II): DNA damage, replication, checkpoint activation, and cell cycle progression by high-content high-resolution multiparameter image-cytometry. 2013 , 83, 344-55	15
1106	Chromatin remodeling at DNA double-strand breaks. <i>Cell</i> , 2013 , 152, 1344-54	56.2 395
1105	Shaping chromatin for repair. 2013 , 752, 45-60	26
1104	BRCA1 loss activates cathepsin L-mediated degradation of 53BP1 in breast cancer cells. 2013 , 200, 187-202	61
1103	Differential contribution of HP1 proteins to DNA end resection and homology-directed repair. 2013 , 12, 422-9	42
1102	Role of 53BP1 oligomerization in regulating double-strand break repair. 2013 , 110, 2146-51	53
1101	Therapeutic applications of PARP inhibitors: anticancer therapy and beyond. 2013 , 34, 1217-56	265
1100	Akt1 inhibits homologous recombination in Brca1-deficient cells by blocking the Chk1-Rad51 pathway. 2013 , 32, 1943-9	27
1099	The role of BRCA1 in DNA double-strand repair: past and present. 2013 , 319, 575-87	67
1098	End-joining, translocations and cancer. 2013 , 13, 443-54	262
1097	Inhibiting the DNA damage response as a therapeutic manoeuvre in cancer. 2013 , 169, 1745-65	53
1096	Ubiquitin-dependent recruitment of the Bloom syndrome helicase upon replication stress is required to suppress homologous recombination. 2013 , 32, 1778-92	37
1095	A new role for histone deacetylase 5 in the maintenance of long telomeres. 2013 , 27, 3632-42	12
1094	To trim or not to trim: progression and control of DSB end resection. 2013 , 12, 1848-60	8
1093	Prolyl isomerase PIN1 regulates DNA double-strand break repair by counteracting DNA end resection. 2013 , 50, 333-43	63

1092	53BP1 mediates productive and mutagenic DNA repair through distinct phosphoprotein interactions. <i>Cell</i> , 2013 , 153, 1266-80	56.2	247
1091	53BP1 is a reader of the DNA-damage-induced H2A Lys 15 ubiquitin mark. 2013 , 499, 50-4		471
1090	Repair of double-strand breaks by end joining. 2013 , 5, a012757		253
1089	Loss of 53BP1 causes PARP inhibitor resistance in Brca1-mutated mouse mammary tumors. 2013 , 3, 68-81		346
1088	Homologous Recombination in Mammals. 2013 , 91-120		1
1087	TDP1 and PARP1 deficiency are cytotoxic to rhabdomyosarcoma cells. 2013 , 11, 1179-92		26
1086	Differences in 53BP1 and BRCA1 regulation between cycling and non-cycling cells. 2013 , 12, 3629-39		6
1085	Stoichiometry of ubiquitin-binding proteins directs DSB repair. 2013 , 12, 3716-7		
1084	COM-1 promotes homologous recombination during <i>Caenorhabditis elegans</i> meiosis by antagonizing Ku-mediated non-homologous end joining. 2013 , 9, e1003276		59
1083	The role of ATM in the deficiency in nonhomologous end-joining near telomeres in a human cancer cell line. 2013 , 9, e1003386		22
1082	A small ubiquitin binding domain inhibits ubiquitin-dependent protein recruitment to DNA repair foci. 2013 , 12, 3749-58		15
1081	Coincident resection at both ends of random, γ -induced double-strand breaks requires MRX (MRN), Sae2 (Ctp1), and Mre11-nuclease. 2013 , 9, e1003420		29
1080	DNA double-strand break repair as determinant of cellular radiosensitivity to killing and target in radiation therapy. 2013 , 3, 113		167
1079	A high-throughput functional complementation assay for classification of BRCA1 missense variants. 2013 , 3, 1142-55		92
1078	HP1 promotes tumor suppressor BRCA1 functions during the DNA damage response. 2013 , 41, 5784-98		70
1077	A noncatalytic function of the ligation complex during nonhomologous end joining. 2013 , 200, 173-86		66
1076	ZNF365 promotes stalled replication forks recovery to maintain genome stability. 2013 , 12, 2817-28		13
1075	Putting poly (ADP-ribose) polymerase and other DNA repair inhibitors into clinical practice. 2013 , 25, 609-14		18

1074	Nonhomologous end-joining promotes resistance to DNA damage in the absence of an ADP-ribosyltransferase that signals DNA single strand breaks. 2013 , 126, 3452-61	11
1073	Metabolic modulation of chromatin: implications for DNA repair and genomic integrity. 2013 , 4, 182	20
1072	Put a RING on it: regulation and inhibition of RNF8 and RNF168 RING finger E3 ligases at DNA damage sites. 2013 , 4, 128	23
1071	Histone H4 lysine 20 methylation: key player in epigenetic regulation of genomic integrity. 2013 , 41, 2797-806	233
1070	BRCA1 interacts with Nrf2 to regulate antioxidant signaling and cell survival. 2013 , 210, 1529-44	197
1069	Senataxin, defective in the neurodegenerative disorder ataxia with oculomotor apraxia 2, lies at the interface of transcription and the DNA damage response. 2013 , 33, 406-17	123
1068	Palb2 synergizes with Trp53 to suppress mammary tumor formation in a model of inherited breast cancer. 2013 , 110, 8632-7	37
1067	Physiological modulation of endogenous BRCA1 p220 abundance suppresses DNA damage during the cell cycle. 2013 , 27, 2274-91	15
1066	The Elephant and the Blind Men: Making Sense of PARP Inhibitors in Homologous Recombination Deficient Tumor Cells. 2013 , 3, 228	81
1065	DNA repair pathways in human multiple myeloma: role in oncogenesis and potential targets for treatment. 2013 , 12, 2760-73	38
1064	ATR kinase activation in G1 phase facilitates the repair of ionizing radiation-induced DNA damage. 2013 , 41, 10334-44	52
1063	RIF1 counteracts BRCA1-mediated end resection during DNA repair. 2013 , 288, 11135-43	199
1062	DNA damage sensing by the ATM and ATR kinases. 2013 , 5,	739
1061	The deubiquitylating enzyme USP44 counteracts the DNA double-strand break response mediated by the RNF8 and RNF168 ubiquitin ligases. 2013 , 288, 16579-16587	94
1060	FIGNL1-containing protein complex is required for efficient homologous recombination repair. 2013 , 110, 10640-5	38
1059	JMJD1C demethylates MDC1 to regulate the RNF8 and BRCA1-mediated chromatin response to DNA breaks. 2013 , 20, 1425-33	73
1058	53BP1 is limiting for NHEJ repair in ATM-deficient model systems that are subjected to oncogenic stress or radiation. 2013 , 11, 1223-34	14
1057	Opposing roles for 53BP1 during homologous recombination. 2013 , 41, 9719-31	65

1056	Functional redundancy between the XLF and DNA-PKcs DNA repair factors in V(D)J recombination and nonhomologous DNA end joining. 2013 , 110, 2234-9	50
1055	Phosphorylated (pT371)TRF1 is recruited to sites of DNA damage to facilitate homologous recombination and checkpoint activation. 2013 , 41, 10268-82	14
1054	Co-operation of BRCA1 and POH1 relieves the barriers posed by 53BP1 and RAP80 to resection. 2013 , 41, 10298-311	77
1053	Prolyl isomerization: a new PIN code for DSB repair. 2013 , 12, 2717-8	5
1052	Microsatellite instability induced mutations in DNA repair genes CtIP and MRE11 confer hypersensitivity to poly (ADP-ribose) polymerase inhibitors in myeloid malignancies. 2013 , 98, 1397-406	47
1051	BRCA status in epithelial ovarian cancer: implications for management and future clinical trial design. 2013 , 3, 777-790	
1050	BRCA1 and Its Network of Interacting Partners. 2013 , 2, 40-63	29
1049	EGFR inhibitors: patient selections and clinical outcome. 2013 , 160-176	
1048	[Functions of PALB2 and BRCA2 tumor suppressors in DNA double-strand break repair]. 2013 , 29, 301-7	1
1047	PARP inhibition sensitizes to low dose-rate radiation TMPRSS2-ERG fusion gene-expressing and PTEN-deficient prostate cancer cells. 2013 , 8, e60408	82
1046	Msl2 is a novel component of the vertebrate DNA damage response. 2013 , 8, e68549	4
1045	DNA ligase IV and artemis act cooperatively to suppress homologous recombination in human cells: implications for DNA double-strand break repair. 2013 , 8, e72253	15
1044	Resistance to PARP-Inhibitors in Cancer Therapy. 2013 , 4, 18	71
1043	The ATM signaling network in development and disease. 2013 , 4, 37	101
1042	Reading, writing, and repair: the role of ubiquitin and the ubiquitin-like proteins in DNA damage signaling and repair. 2013 , 4, 45	49
1041	Controlling DNA-end resection: a new task for CDKs. 2013 , 4, 99	66
1040	Target Cancer Therapy. 2013 ,	
1039	Histone deacetylase inhibitors selectively target homology dependent DNA repair defective cells and elevate non-homologous endjoining activity. 2014 , 9, e87203	16

1038	53BP1 mediates the fusion of mammalian telomeres rendered dysfunctional by DNA-PKcs loss or inhibition. 2014 , 9, e108731	3
1037	MicroRNAs down-regulate homologous recombination in the G1 phase of cycling cells to maintain genomic stability. 2014 , 3, e02445	56
1036	Histone deacetylase inhibitor treatment induces BRCAness and synergistic lethality with PARP inhibitor and cisplatin against human triple negative breast cancer cells. 2014 , 5, 5637-50	110
1035	SETD2 is required for DNA double-strand break repair and activation of the p53-mediated checkpoint. 2014 , 3, e02482	152
1034	Mechanisms controlling the smooth muscle cell death in progeria via down-regulation of poly(ADP-ribose) polymerase 1. 2014 , 111, E2261-70	59
1033	Structural maintenance of chromosomes flexible hinge domain containing 1 (SMCHD1) promotes non-homologous end joining and inhibits homologous recombination repair upon DNA damage. 2014 , 289, 34024-32	10
1032	Small ubiquitin-like modifier (SUMO) isoforms and conjugation-independent function in DNA double-strand break repair pathways. 2014 , 289, 21289-95	12
1031	Establishment of a replication fork barrier following induction of DNA binding in mammalian cells. 2014 , 13, 1607-16	26
1030	PTIP associates with Artemis to dictate DNA repair pathway choice. 2014 , 28, 2693-8	85
1029	Differential effect of MMSET mRNA levels on survival to first-line FOLFOX and second-line docetaxel in gastric cancer. 2014 , 110, 2662-8	4
1028	Hypoxia-induced miR-424 decreases tumor sensitivity to chemotherapy by inhibiting apoptosis. 2014 , 5, e1301	59
1027	Molecular pathways: how can BRCA-mutated tumors become resistant to PARP inhibitors?. 2014 , 20, 540-7	108
1026	What is wrong with Fanconi anemia cells?. 2014 , 13, 3823-7	15
1025	A synthetic lethal screen identifies the Vitamin D receptor as a novel gemcitabine sensitizer in pancreatic cancer cells. 2014 , 13, 3839-56	23
1024	PARP Inhibitors for BRCA1/2 mutation-associated and BRCA-like malignancies. 2014 , 25, 32-40	234
1023	Nucleosome acidic patch promotes RNF168- and RING1B/BMI1-dependent H2AX and H2A ubiquitination and DNA damage signaling. 2014 , 10, e1004178	76
1022	Emergence and evolutionary analysis of the human DDR network: implications in comparative genomics and downstream analyses. 2014 , 31, 940-61	15
1021	Canonical non-homologous end joining in mitosis induces genome instability and is suppressed by M-phase-specific phosphorylation of XRCC4. 2014 , 10, e1004563	52

1020	Crosstalk between BRCA-Fanconi anemia and mismatch repair pathways prevents MSH2-dependent aberrant DNA damage responses. 2014 , 33, 1698-712	35
1019	Ubiquitination events that regulate recombination of immunoglobulin Loci gene segments. 2014 , 5, 100	4
1018	BRCA1 modulates the autophosphorylation status of DNA-PKcs in S phase of the cell cycle. 2014 , 42, 11487-501	34
1017	Next-generation sequencing of and in breast cancer patients and control subjects. 2014 , 2, 435-439	7
1016	USP28 is recruited to sites of DNA damage by the tandem BRCT domains of 53BP1 but plays a minor role in double-strand break metabolism. 2014 , 34, 2062-74	34
1015	Double-strand break repair-adox: Restoration of suppressed double-strand break repair during mitosis induces genomic instability. 2014 , 105, 1519-25	15
1014	Male fertility defect associated with disrupted BRCA1-PALB2 interaction in mice. 2014 , 289, 24617-29	44
1013	HCoDES reveals chromosomal DNA end structures with single-nucleotide resolution. 2014 , 56, 808-18	23
1012	UbcH7 regulates 53BP1 stability and DSB repair. 2014 , 111, 17456-61	30
1011	Molecular pathways: exploiting tumor-specific molecular defects in DNA repair pathways for precision cancer therapy. 2014 , 20, 5882-7	25
1010	Cancer phenotypic lethality, exemplified by the non-essential MTH1 enzyme being required for cancer survival. 2014 , 25, 1253-1255	25
1009	Genetic instability is prevented by Mrc1-dependent spatio-temporal separation of replicative and repair activities of homologous recombination: homologous recombination tolerates replicative stress by Mrc1-regulated replication and repair activities operating at S and G2 in distinct	10
1008	Effect of a poly(ADP-ribose) polymerase-1 inhibitor against esophageal squamous cell carcinoma cell lines. 2014 , 105, 202-10	10
1007	A fine-scale dissection of the DNA double-strand break repair machinery and its implications for breast cancer therapy. 2014 , 42, 6106-27	53
1006	Nuclear position dictates DNA repair pathway choice. 2014 , 28, 2450-63	128
1005	USP3 counteracts RNF168 via deubiquitinating H2A and H2AX at lysine 13 and 15. 2014 , 13, 106-14	75
1004	Chromosomal Rearrangements in Cancer: Detection and potential causal mechanisms. 2014 , 1,	39
1003	Quantitation of DNA double-strand break resection intermediates in human cells. 2014 , 42, e19	144

1002	Genome-wide profiling of genetic synthetic lethality identifies CDK12 as a novel determinant of PARP1/2 inhibitor sensitivity. 2014 , 74, 287-97	212
1001	DNA damage and lamins. 2014 , 773, 377-99	50
1000	An RNF168 fragment defective for focal accumulation at DNA damage is proficient for inhibition of homologous recombination in BRCA1 deficient cells. 2014 , 42, 7720-33	21
999	PARP-1 inhibitors and radiotherapy sensitivity: future prospects for therapy?. 2014 , 3, 281-296	2
998	Cancer risk at low doses of ionizing radiation: artificial neural networks inference from atomic bomb survivors. 2014 , 55, 391-406	41
997	Drug repurposing screen identifies lestaurtinib amplifies the ability of the poly (ADP-ribose) polymerase 1 inhibitor AG14361 to kill breast cancer associated gene-1 mutant and wild type breast cancer cells. 2014 , 16, R67	13
996	PARP3 affects the relative contribution of homologous recombination and nonhomologous end-joining pathways. 2014 , 42, 5616-32	71
995	Predictive biomarkers for cancer therapy with PARP inhibitors. 2014 , 33, 3894-907	83
994	Protein ADP-ribosylation and the cellular response to DNA strand breaks. 2014 , 19, 108-13	79
993	A role for XLF in DNA repair and recombination in human somatic cells. 2014 , 15, 39-53	19
992	HUWE1 interacts with BRCA1 and promotes its degradation in the ubiquitin-proteasome pathway. 2014 , 444, 290-5	20
991	HUWE1 interacts with BRCA1 and promotes its degradation in the ubiquitin-proteasome pathway. 2014 , 444, 549-54	28
990	ATM signalling and cancer. 2014 , 33, 3351-60	129
989	Opportunities and hurdles in the treatment of BRCA1-related breast cancer. 2014 , 33, 3753-63	24
988	53BP1, BRCA1, and the choice between recombination and end joining at DNA double-strand breaks. 2014 , 34, 1380-8	189
987	Crosstalk between ubiquitin and other post-translational modifications on chromatin during double-strand break repair. 2014 , 24, 426-34	63
986	Dephosphorylation enables the recruitment of 53BP1 to double-strand DNA breaks. 2014 , 54, 512-25	82
985	Functional overlaps between XLF and the ATM-dependent DNA double strand break response. 2014 , 16, 11-22	42

984	Cancer suppression by the chromosome custodians, BRCA1 and BRCA2. 2014 , 343, 1470-5	163
983	RIF1: a novel regulatory factor for DNA replication and DNA damage response signaling. 2014 , 15, 54-9	22
982	Transcriptionally active chromatin recruits homologous recombination at DNA double-strand breaks. 2014 , 21, 366-74	386
981	Stereospecific PARP trapping by BMN 673 and comparison with olaparib and rucaparib. 2014 , 13, 433-43	459
980	DNA double-strand break repair pathway choice and cancer. 2014 , 19, 169-75	206
979	Inhibition of DNA Repair as a Therapeutic Target. 2014 , 193-237	
978	DNA double-strand break repair in a cellular context. 2014 , 26, 243-9	100
977	Double-strand break repair: 53BP1 comes into focus. 2014 , 15, 7-18	656
976	DNA DSB repair pathway choice: an orchestrated handover mechanism. 2014 , 87, 20130685	190
975	53BP1: pro choice in DNA repair. 2014 , 24, 108-17	240
974	ATP puts the brake on DNA double-strand break repair: a new study shows that ATP switches the Mre11-Rad50-Nbs1 repair factor between signaling and processing of DNA ends. 2014 , 36, 1170-8	13
973	Targeting DNA damage response in cancer therapy. 2014 , 105, 370-88	198
972	BRCA1 establishes DNA damage signaling and pericentric heterochromatin of the X chromosome in male meiosis. 2014 , 205, 663-75	44
971	SMCHD1 accumulates at DNA damage sites and facilitates the repair of DNA double-strand breaks. 2014 , 127, 1869-74	16
970	Identification of chromosomal translocation hotspots via scan statistics. 2014 , 30, 2551-8	10
969	Role of 53BP1 in the regulation of DNA double-strand break repair pathway choice. 2014 , 181, 1-8	86
968	Histone demethylase KDM5B is a key regulator of genome stability. 2014 , 111, 7096-101	89
967	PARP1-driven poly-ADP-ribosylation regulates BRCA1 function in homologous recombination-mediated DNA repair. 2014 , 4, 1430-47	85

966	KAP-1 promotes resection of broken DNA ends not protected by γ -H2AX and 53BP1 in G ₂ phase lymphocytes. 2014 , 34, 2811-21	16
965	Functional ex vivo assay to select homologous recombination-deficient breast tumors for PARP inhibitor treatment. 2014 , 20, 4816-26	111
964	A macrohistone variant links dynamic chromatin compaction to BRCA1-dependent genome maintenance. 2014 , 8, 1049-62	145
963	MOF phosphorylation by ATM regulates 53BP1-mediated double-strand break repair pathway choice. 2014 , 8, 177-89	68
962	Somatic alterations as the basis for resistance to targeted therapies. 2014 , 232, 244-54	27
961	Concerted activities of distinct H4K20 methyltransferases at DNA double-strand breaks regulate 53BP1 nucleation and NHEJ-directed repair. 2014 , 8, 430-8	64
960	Cancer-specific defects in DNA repair pathways as targets for personalized therapeutic approaches. 2014 , 30, 326-39	179
959	Two biomarker-directed randomized trials in European and Chinese patients with nonsmall-cell lung cancer: the BRCA1-RAP80 Expression Customization (BREC) studies. 2014 , 25, 2147-2155	19
958	End resection at double-strand breaks: mechanism and regulation. 2014 , 6,	167
957	BRCA1 pathway function in basal-like breast cancer cells. 2014 , 34, 3828-42	32
956	High-risk prostate cancer: a disease of genomic instability. 2014 , 32, 1101-7	25
955	Interchromosomal homology searches drive directional ALT telomere movement and synapsis. <i>Cell</i> , 2014 , 159, 108-121	56.2 215
954	BRCA1 promotes unloading of the CMG helicase from a stalled DNA replication fork. 2014 , 56, 174-85	83
953	Quality control of homologous recombination. 2014 , 71, 3779-97	26
952	Inhibition of poly(ADP-ribosyl)ation in cancer: old and new paradigms revisited. 2014 , 1846, 201-15	69
951	Genome-wide transcriptome profiling of homologous recombination DNA repair. 2014 , 5, 3361	137
950	Mechanisms underlying mutational signatures in human cancers. 2014 , 15, 585-98	514
949	The role of double-strand break repair pathways at functional and dysfunctional telomeres. 2014 , 6, a016576	89

948	New insights into PARP inhibitors effect on cell cycle and homology-directed DNA damage repair. 2014 , 13, 1645-54	54
947	Interplay between nonsense-mediated mRNA decay and DNA damage response pathways reveals that Stn1 and Ten1 are the key CST telomere-cap components. 2014 , 7, 1259-69	14
946	Reprint of "Functional overlaps between XLF and the ATM-dependent DNA double strand break response". 2014 , 17, 52-63	3
945	Fine-tuning of DNA damage-dependent ubiquitination by OTUB2 supports the DNA repair pathway choice. 2014 , 53, 617-30	64
944	PARP inhibitors in ovarian cancer: current status and future promise. 2014 , 133, 362-9	110
943	Human RecQ helicases in DNA repair, recombination, and replication. 2014 , 83, 519-52	348
942	CtIP-mediated resection is essential for viability and can operate independently of BRCA1. 2014 , 211, 1027-36	85
941	Phosphorylation of EXO1 by CDKs 1 and 2 regulates DNA end resection and repair pathway choice. 2014 , 5, 3561	121
940	Novel roles of 125(OH)2D3 on DNA repair provide new strategies for breast cancer treatment. 2014 , 144 Pt A, 59-64	17
939	DNA damage emergency: cellular garbage disposal to the rescue?. 2014 , 33, 805-13	15
938	Review of poly (ADP-ribose) polymerase (PARP) mechanisms of action and rationale for targeting in cancer and other diseases. 2014 , 24, 15-28	301
937	Rapid analysis of chromosome aberrations in mouse B lymphocytes by PNA-FISH. 2014 ,	6
936	BRCA1 Is Required for Maintenance of Phospho-Chk1 and G2/M Arrest during DNA Cross-Link Repair in DT40 Cells. 2015 , 35, 3829-40	11
935	Lamin A/C-dependent interaction with 53BP1 promotes cellular responses to DNA damage. 2015 , 14, 162-9	43
934	A BRCA1-interacting lncRNA regulates homologous recombination. 2015 , 16, 1520-34	95
933	The distinctive cellular responses to DNA strand breaks caused by a DNA topoisomerase I poison in conjunction with DNA replication and RNA transcription. 2016 , 90, 187-94	20
932	Cell cycle-dependent inhibition of 53BP1 signaling by BRCA1. 2015 , 1, 15019	46
931	Current Status and Future Direction of PARP Inhibition in Cancer Therapy. 2015 , 325-340	

930	NSMCE2 suppresses cancer and aging in mice independently of its SUMO ligase activity. 2015 , 34, 2604-19	34
929	Ectopic expression of RNF168 and 53BP1 increases mutagenic but not physiological non-homologous end joining. 2015 , 43, 4950-61	18
928	Mechanisms and clinical applications of chromosomal instability in lymphoid malignancy. 2015 , 171, 13-28	22
927	The BRCA1 and BRCA2 Breast and Ovarian Cancer Susceptibility Genes [Implications for DNA Damage Response, DNA Repair and Cancer Therapy. 2015 ,	1
926	Inhibition of Topoisomerase (DNA) I (TOP1): DNA Damage Repair and Anticancer Therapy. 2015 , 5, 1652-70	88
925	A Novel Aspect of Tumorigenesis-BMI1 Functions in Regulating DNA Damage Response. 2015 , 5, 3396-415	24
924	Replication stress in Mammalian cells and its consequences for mitosis. 2015 , 6, 267-98	67
923	Fine-tuning the ubiquitin code at DNA double-strand breaks: deubiquitinating enzymes at work. 2015 , 6, 282	19
922	FANCI Regulates Recruitment of the FA Core Complex at Sites of DNA Damage Independently of FANCD2. 2015 , 11, e1005563	53
921	. 2015 ,	2
920	Ubiquitin-H2AX fusions render 53BP1 recruitment to DNA damage sites independent of RNF8 or RNF168. 2015 , 14, 1748-58	9
919	A PHF8 homolog in <i>C. elegans</i> promotes DNA repair via homologous recombination. 2015 , 10, e0123865	10
918	Methyllysine Recognition by the Royal Family Modules: Chromo, Tudor, MBT, Chromo Barrel, and PWWP Domains. 2015 , 49-82	1
917	Ubiquitylation, neddylation and the DNA damage response. 2015 , 5, 150018	103
916	A phase II evaluation of the potent, highly selective PARP inhibitor veliparib in the treatment of persistent or recurrent epithelial ovarian, fallopian tube, or primary peritoneal cancer in patients who carry a germline BRCA1 or BRCA2 mutation - An NRG Oncology/Gynecologic Oncology Group study. 2015 , 137, 386-91	192
915	The 9-1-1 checkpoint clamp coordinates resection at DNA double strand breaks. 2015 , 43, 5017-32	38
914	Processing by MRE11 is involved in the sensitivity of subtelomeric regions to DNA double-strand breaks. 2015 , 43, 7911-30	11
913	SETDB1, HP1 and SUV39 promote repositioning of 53BP1 to extend resection during homologous recombination in G2 cells. 2015 , 43, 7931-44	55

912	A mechanism for the suppression of homologous recombination in G1 cells. 2015 , 528, 422-6	319
911	Role of the Exocyst Complex Component Sec6/8 in Genomic Stability. 2015 , 35, 3633-45	11
910	Impairment of the non-homologous end joining and homologous recombination pathways of DNA double strand break repair: Impact on spontaneous and radiation-induced mammary and intestinal tumour risk in Apc min/+ mice. 2015 , 35, 19-26	5
909	Papillomavirus Replication. 2015 , 103-132	
908	How cancer cells hijack DNA double-strand break repair pathways to gain genomic instability. 2015 , 471, 1-11	64
907	Damage-induced BRCA1 phosphorylation by Chk2 contributes to the timing of end resection. 2015 , 14, 437-48	26
906	Aberrant recombination and repair during immunoglobulin class switching in BRCA1-deficient human B cells. 2015 , 112, 2157-62	9
905	Identification of a fragment-like small molecule ligand for the methyl-lysine binding protein, 53BP1. 2015 , 10, 1072-81	44
904	BRCA1 and CtIP promote alternative non-homologous end-joining at uncapped telomeres. 2015 , 34, 410-24	23
903	53BP1 promotes microhomology-mediated end-joining in G1-phase cells. 2015 , 43, 1659-70	45
902	The Mechanism of IgH Class Switch Recombination. 2015 , 345-362	
901	Role of the double-strand break repair pathway in the maintenance of genomic stability. 2015 , 2, e968020	15
900	CtIP: A DNA damage response protein at the intersection of DNA metabolism. 2015 , 32, 75-81	65
899	HPV 5 and 8 E6 disrupt homology dependent double strand break repair by attenuating BRCA1 and BRCA2 expression and foci formation. 2015 , 11, e1004687	29
898	Helicobacter pylori Infection Causes Characteristic DNA Damage Patterns in Human Cells. 2015 , 11, 1703-13	87
897	Functional interplay between the 53BP1-ortholog Rad9 and the Mre11 complex regulates resection, end-tethering and repair of a double-strand break. 2015 , 11, e1004928	75
896	Deciphering the BRCA1 Tumor Suppressor Network. 2015 , 290, 17724-17732	59
895	Nrf2 facilitates repair of radiation induced DNA damage through homologous recombination repair pathway in a ROS independent manner in cancer cells. 2015 , 779, 33-45	65

894	DNA damage response factors from diverse pathways, including DNA crosslink repair, mediate alternative end joining. 2015 , 11, e1004943	90
893	REV7/MAD2L2: the multitasking maestro emerges as a barrier to recombination. 2015 , 34, 1609-11	16
892	Resistance to therapy in BRCA2 mutant cells due to loss of the nucleosome remodeling factor CHD4. 2015 , 29, 489-94	100
891	Replication stress and cancer. 2015 , 15, 276-89	487
890	REV7 counteracts DNA double-strand break resection and affects PARP inhibition. 2015 , 521, 541-544	376
889	Emerging role of protein phosphatases changes the landscape of phospho-signaling in DNA damage response. 2015 , 32, 58-65	16
888	Biochemical mechanism of DSB end resection and its regulation. 2015 , 32, 66-74	82
887	USP7 deubiquitinase promotes ubiquitin-dependent DNA damage signaling by stabilizing RNF168. 2015 , 14, 1413-25	50
886	Cancer therapy and replication stress: forks on the road to perdition. 2015 , 69, 91-138	20
885	Cockayne syndrome group B protein regulates DNA double-strand break repair and checkpoint activation. 2015 , 34, 1399-416	41
884	Homologous recombination and human health: the roles of BRCA1, BRCA2, and associated proteins. 2015 , 7, a016600	415
883	Poly (ADP-ribose) polymerase inhibitors: recent advances and future development. 2015 , 33, 1397-406	254
882	The Ku heterodimer: function in DNA repair and beyond. 2015 , 763, 15-29	143
881	BRCA1 and BRCA2 protect against oxidative DNA damage converted into double-strand breaks during DNA replication. 2015 , 30, 11-20	37
880	Pancreatic cancer: BRCA mutation and personalized treatment. 2015 , 15, 1223-31	28
879	An Overview of the Molecular Mechanisms of Recombinational DNA Repair. 2015 , 7,	255
878	DNA Repair and Chromosomal Translocations. 2015 , 200, 1-37	4
877	PARP inhibitors in the management of breast cancer: current data and future prospects. 2015 , 13, 188	180

876	FBH1 Catalyzes Regression of Stalled Replication Forks. 2015 , 10, 1749-1757	63
875	Downregulation of the cancer susceptibility protein WRAP53 in epithelial ovarian cancer leads to defective DNA repair and poor clinical outcome. 2015 , 6, e1892	19
874	Homologous Recombination Deficiency: Exploiting the Fundamental Vulnerability of Ovarian Cancer. 2015 , 5, 1137-54	436
873	Resistance to PARP Inhibitors Mediated by Secondary BRCA1/2 Mutations. 2015 , 431-452	3
872	Chemical proteomics reveals a H2AX-53BP1 interaction in the DNA damage response. 2015 , 11, 807-14	66
871	Etoposide Induces Necrosis Through p53-Mediated Antiapoptosis in Human Kidney Proximal Tubule Cells. 2015 , 148, 204-19	11
870	BRCA1 Mutation: A Predictive Marker for Radiation Therapy?. 2015 , 93, 281-93	33
869	53BP1 and the LINC Complex Promote Microtubule-Dependent DSB Mobility and DNA Repair. <i>Cell</i> , 2015 , 163, 880-93	56.2 181
868	Identification of novel radiosensitizers in a high-throughput, cell-based screen for DSB repair inhibitors. 2015 , 14, 326-42	34
867	How homologous recombination maintains telomere integrity. 2015 , 124, 119-30	13
866	Genomic alterations as mediators of miRNA dysregulation in ovarian cancer. 2015 , 54, 1-19	19
865	Rad18 and Rnf8 facilitate homologous recombination by two distinct mechanisms, promoting Rad51 focus formation and suppressing the toxic effect of nonhomologous end joining. 2015 , 34, 4403-11	16
864	BRCA1, a RcomplexPprotein involved in the maintenance of genomic stability. 2015 , 282, 630-46	99
863	Enhanced non-homologous end joining contributes toward synthetic lethality of pathological RAD51C mutants with poly (ADP-ribose) polymerase. 2015 , 36, 13-24	23
862	K63-linked ubiquitination of FANCG is required for its association with the Rap80-BRCA1 complex to modulate homologous recombination repair of DNA interstand crosslinks. 2015 , 34, 2867-78	12
861	New Therapeutic Strategies in Lung Cancers. 2015 ,	0
860	A mechanism for 1,4-Benzoquinone-induced genotoxicity. 2016 , 7, 46433-46447	15
859	Targeting homologous recombination repair in cancer. 2016 , 225-275	1

858	Gynecologic Cancers: Emerging Novel Strategies for Targeting DNA Repair Deficiency. 2016 , 35, e259-68	10
857	Cellular Pathways in Response to Ionizing Radiation and Their Targetability for Tumor Radiosensitization. 2016 , 17,	215
856	Writers, Readers, and Erasers of Histone Ubiquitylation in DNA Double-Strand Break Repair. 2016 , 7, 122	26
855	The Knowns Unknowns: Exploring the Homologous Recombination Repair Pathway in <i>Toxoplasma gondii</i> . 2016 , 7, 627	3
854	53BP1 Protects against CtIP-Dependent Capture of Ectopic Chromosomal Sequences at the Junction of Distant Double-Strand Breaks. 2016 , 12, e1006230	20
853	Tudor Domains as Methyl-Lysine and Methyl-Arginine Readers. 2016 , 149-165	5
852	The Landscape of Pancreatic Cancer Therapeutic Resistance Mechanisms. 2016 , 12, 273-82	70
851	BRCA1/FANCD2/BRG1-Driven DNA Repair Stabilizes the Differentiation State of Human Mammary Epithelial Cells. 2016 , 63, 277-292	41
850	SQSTM1/p62 mediates crosstalk between autophagy and the UPS in DNA repair. 2016 , 12, 1917-1930	93
849	Hyper-active non-homologous end joining selects for synthetic lethality resistant and pathological Fanconi anemia hematopoietic stem and progenitor cells. 2016 , 6, 22167	15
848	53BP1 ablation rescues genomic instability in mice expressing Δ RING-lessPBRCA1. 2016 , 17, 1532-1541	30
847	Roles for APRIN (PDS5B) in homologous recombination and in ovarian cancer prediction. 2016 , 44, 10879-10897	8
846	Nonhomologous DNA End Joining. 2016 , 451-455	1
845	SIRT7 promotes genome integrity and modulates non-homologous end joining DNA repair. 2016 , 35, 1488-503	150
844	DNA Replication Origins in Immunoglobulin Switch Regions Regulate Class Switch Recombination in an R-Loop-Dependent Manner. 2016 , 17, 2927-2942	32
843	Increased sensitivity of BRCA defective triple negative breast tumors to plumbagin through induction of DNA Double Strand Breaks (DSB). 2016 , 6, 26631	13
842	Functional crosstalk between DNA damage response proteins 53BP1 and BRCA1 regulates double strand break repair choice. 2016 , 119, 276-81	14
841	Vitamin D/vitamin D receptor axis regulates DNA repair during oncogene-induced senescence. 2016 , 35, 5362-5376	32

840	High XIST and Low 53BP1 Expression Predict Poor Outcome after High-Dose Alkylating Chemotherapy in Patients with a BRCA1-like Breast Cancer. 2016 , 15, 190-8	36
839	Non-homologous end joining: advances and frontiers. 2016 , 48, 632-40	32
838	The democratization of gene editing: Insights from site-specific cleavage and double-strand break repair. 2016 , 44, 6-16	133
837	Regulation of DNA double-strand break repair by ubiquitin and ubiquitin-like modifiers. 2016 , 17, 379-94	207
836	Keeping homologous recombination in check. 2016 , 26, 397-8	4
835	Tetratricopeptide repeat factor XAB2 mediates the end resection step of homologous recombination. 2016 , 44, 5702-16	18
834	USP51 deubiquitylates H2AK13,15ub and regulates DNA damage response. 2016 , 30, 946-59	52
833	The nucleosome: orchestrating DNA damage signaling and repair within chromatin. 2016 , 94, 381-395	19
832	Evaluation of rucaparib and companion diagnostics in the PARP inhibitor landscape for recurrent ovarian cancer therapy. 2016 , 12, 1439-56	47
831	The Fanconi anaemia pathway: new players and new functions. 2016 , 17, 337-49	383
830	The BRCA1- Δ 11q Alternative Splice Isoform Bypasses Germline Mutations and Promotes Therapeutic Resistance to PARP Inhibition and Cisplatin. 2016 , 76, 2778-90	136
829	Mechanism and regulation of DNA end resection in eukaryotes. 2016 , 51, 195-212	229
828	Stop pulling my strings - what telomeres taught us about the DNA damage response. 2016 , 17, 364-78	104
827	Replication protein A and more: single-stranded DNA-binding proteins in eukaryotic cells. 2016 , 48, 665-70	18
826	Sharpening the ends for repair: mechanisms and regulation of DNA resection. 2016 , 48, 647-57	7
825	Unsolved mystery: the role of BRCA1 in DNA end-joining. 2016 , 57 Suppl 1, i18-i24	26
824	Unreplicated DNA remaining from unperturbed S phases passes through mitosis for resolution in daughter cells. 2016 , 113, E5757-64	78
823	A Damage-Independent Role for 53BP1 that Impacts Break Order and Igh Architecture during Class Switch Recombination. 2016 , 16, 48-55	21

822	PARP inhibitors and stratified treatment of prostate cancer. 2016 , 16, 1213-1215		6
821	Double-Strand Break Repair: Homologous Recombination in Mammalian Cells. 2016 , 337-351		1
820	Noncoding RNAs in Genome Integrity. 2016 , 425-443		1
819	53BP1 Integrates DNA Repair and p53-Dependent Cell Fate Decisions via Distinct Mechanisms. 2016 , 64, 51-64		77
818	A role for the p53 tumour suppressor in regulating the balance between homologous recombination and non-homologous end joining. 2016 , 6,		21
817	A route to new cancer therapies: the FA pathway is essential in BRCA1- or BRCA2-deficient cells. 2016 , 23, 701-3		1
816	More end resection is not merrier. 2016 , 23, 699-701		3
815	Applications of Stereotactic Radiosurgery in Neuro-Oncology. 2016 , 257-271		1
814	Hereditary breast and ovarian cancer: new genes in confined pathways. 2016 , 16, 599-612		210
813	The PARP Inhibitor AZD2461 Provides Insights into the Role of PARP3 Inhibition for Both Synthetic Lethality and Tolerability with Chemotherapy in Preclinical Models. 2016 , 76, 6084-6094		50
812	INT6/EIF3E Controls the RNF8-Dependent Ubiquitylation Pathway and Facilitates DNA Double-Strand Break Repair in Human Cells. 2016 , 76, 6054-6065		7
811	Robust reprogramming of Ataxia-Telangiectasia patient and carrier erythroid cells to induced pluripotent stem cells. 2016 , 17, 296-305		5
810	CRL4(Wdr70) regulates H2B monoubiquitination and facilitates Exo1-dependent resection. 2016 , 7, 11364		26
809	A Biobank of Breast Cancer Explants with Preserved Intra-tumor Heterogeneity to Screen Anticancer Compounds. <i>Cell</i> , 2016 , 167, 260-274.e22	56.2	274
808	HP1 regulates the localization of FANCD1 at sites of DNA double-strand breaks. 2016 , 107, 1406-1415		13
807	Synthetic lethality: the road to novel therapies for breast cancer. 2016 , 23, T39-55		12
806	RECQL4 Promotes DNA End Resection in Repair of DNA Double-Strand Breaks. 2016 , 16, 161-173		57
805	Replication fork stability confers chemoresistance in BRCA-deficient cells. 2016 , 535, 382-7		456

804	Essential Roles for Polymerase β -Mediated End Joining in the Repair of Chromosome Breaks. 2016 , 63, 662-673	135
803	An Update on Poly(ADP-ribose)polymerase-1 (PARP-1) Inhibitors: Opportunities and Challenges in Cancer Therapy. 2016 , 59, 9575-9598	111
802	Contribution of sleep to the repair of neuronal DNA double-strand breaks: evidence from flies and mice. 2016 , 6, 36804	37
801	The role of 53BP1 protein in homology-directed DNA repair: things get a bit complicated. 2016 , 23, 1902-1903	4
800	Synthetic viability by BRCA2 and PARP1/ARTD1 deficiencies. 2016 , 7, 12425	89
799	Laying a trap to kill cancer cells: PARP inhibitors and their mechanisms of action. 2016 , 8, 362ps17	343
798	SCAI promotes DNA double-strand break repair in distinct chromosomal contexts. 2016 , 18, 1357-1366	22
797	Genetic Dissection of Cancer Development, Therapy Response, and Resistance in Mouse Models of Breast Cancer. 2016 , 81, 141-150	7
796	Epigenetic changes in histone acetylation underpin resistance to the topoisomerase I inhibitor irinotecan. 2017 , 45, 1159-1176	28
795	Oral-facial-digital syndrome type I cells exhibit impaired DNA repair; unanticipated consequences of defective OFD1 outside of the cilia network. 2017 , 26, 19-32	8
794	Nuclear compartmentalization of DNA repair. 2016 , 37, 148-157	44
793	53BP1 fosters fidelity of homology-directed DNA repair. 2016 , 23, 714-21	143
792	Human BRCA1-BARD1 ubiquitin ligase activity counteracts chromatin barriers to DNA resection. 2016 , 23, 647-55	166
791	Decisions on Further Research for Predictive Biomarkers of High-Dose Alkylating Chemotherapy in Triple-Negative Breast Cancer: A Value of Information Analysis. 2016 , 19, 419-30	8
790	When Genome Maintenance Goes Badly Awry. 2016 , 62, 777-87	51
789	Chromosome thripsis by DNA double strand break clusters causes enhanced cell lethality, chromosomal translocations and 53BP1-recruitment. 2016 , 44, 7673-90	32
788	New treatment option for ovarian cancer: PARP inhibitors. 2016 , 3, 3	44
787	Evaluation of the methods to identify patients who may benefit from PARP inhibitor use. 2016 , 23, R267-85	26

786	Synthetic lethal approaches for assessing combinatorial efficacy of chemotherapeutic drugs. 2016 , 162, 69-85	22
785	Induction of DNA double-strand breaks and cellular senescence by human respiratory syncytial virus. 2016 , 7, 427-42	25
784	Targeting BRCA1 and BRCA2 Deficiencies with G-Quadruplex-Interacting Compounds. 2016 , 61, 449-460	133
783	RNF4 regulates DNA double-strand break repair in a cell cycle-dependent manner. 2016 , 15, 787-98	17
782	Platinum and PARP Inhibitor Resistance Due to Overexpression of MicroRNA-622 in BRCA1-Mutant Ovarian Cancer. 2016 , 14, 429-439	91
781	HELB Is a Feedback Inhibitor of DNA End Resection. 2016 , 61, 405-418	92
780	Role of Deubiquitinating Enzymes in DNA Repair. 2016 , 36, 524-44	44
779	Breast Molecular Profiling and Radiotherapy Considerations. 2016 , 882, 95-124	
778	Rad51c- and Trp53-double-mutant mouse model reveals common features of homologous recombination-deficient breast cancers. 2016 , 35, 4601-10	3
777	Novel Biomarkers in the Continuum of Breast Cancer. 2016 ,	9
776	DNA double-strand-break repair in higher eukaryotes and its role in genomic instability and cancer: Cell cycle and proliferation-dependent regulation. 2016 , 37-38, 51-64	164
775	Cisplatin in the modern era: The backbone of first-line chemotherapy for non-small cell lung cancer. 2016 , 44, 42-50	213
774	Nonhomologous End-Joining. 2016 , 341-362	
773	Gene Editing 20 Years Later. 2016 , 1-14	1
772	The homologous recombination component EEPD1 is required for genome stability in response to developmental stress of vertebrate embryogenesis. 2016 , 15, 957-62	13
771	Impaired TIP60-mediated H4K16 acetylation accounts for the aberrant chromatin accumulation of 53BP1 and RAP80 in Fanconi anemia pathway-deficient cells. 2016 , 44, 648-56	57
770	Homologous Recombination Repair Factors Rad51 and BRCA1 Are Necessary for Productive Replication of Human Papillomavirus 31. 2015 , 90, 2639-52	51
769	TopBP1-mediated DNA processing during mitosis. 2016 , 15, 176-83	13

768	A cell cycle-dependent BRCA1-UHRF1 cascade regulates DNA double-strand break repair pathway choice. 2016 , 7, 10201	75
767	Patching Broken DNA: Nucleosome Dynamics and the Repair of DNA Breaks. 2016 , 428, 1846-60	68
766	Repair Pathway Choices and Consequences at the Double-Strand Break. 2016 , 26, 52-64	788
765	Femtosecond near-infrared laser microirradiation reveals a crucial role for PARP signaling on factor assemblies at DNA damage sites. 2016 , 44, e27	20
764	Trial watch - inhibiting PARP enzymes for anticancer therapy. 2016 , 3, e1053594	18
763	Slx4 scaffolding in homologous recombination and checkpoint control: lessons from yeast. 2017 , 126, 45-58	12
762	A landscape of synthetic viable interactions in cancer. 2018 , 19, 644-655	6
761	High-throughput precision measurement of subcellular localization in single cells. 2017 , 91, 180-189	11
760	Mechanisms of oncogene-induced genomic instability. 2017 , 225, 49-57	9
759	Mechanisms of genome instability in Hutchinson-Gilford progeria. 2017 , 12, 49-62	
758	Targeting Plk1 to Enhance Efficacy of Olaparib in Castration-Resistant Prostate Cancer. 2017 , 16, 469-479	27
757	BRCA1 Directs the Repair Pathway to Homologous Recombination by Promoting 53BP1 Dephosphorylation. 2017 , 18, 520-532	100
756	Moonlighting at replication forks - a new life for homologous recombination proteins BRCA1, BRCA2 and RAD51. 2017 , 591, 1083-1100	92
755	CtIP-Specific Roles during Cell Reprogramming Have Long-Term Consequences in the Survival and Fitness of Induced Pluripotent Stem Cells. 2017 , 8, 432-445	6
754	PARP Inhibitors in Reproductive System Cancers: Current Use and Developments. 2017 , 77, 113-130	34
753	PARP-1 Expression Quantified by [F]FluorThanatrace: A Biomarker of Response to PARP Inhibition Adjuvant to Radiation Therapy. 2017 , 32, 9-15	14
752	TOPBP1 plays a conserved role in homologous recombination DNA repair through the coordinated recruitment of 53BP1. 2017 , 216, 623-639	30
751	NBS1 Phosphorylation Status Dictates Repair Choice of Dysfunctional Telomeres. 2017 , 65, 801-817.e4	32

750	The p53-binding protein 1-Tudor-interacting repair regulator complex participates in the DNA damage response. 2017 , 292, 6461-6467	27
749	TIRR regulates 53BP1 by masking its histone methyl-lysine binding function. 2017 , 543, 211-216	61
748	ATR inhibition disrupts rewired homologous recombination and fork protection pathways in PARP inhibitor-resistant BRCA-deficient cancer cells. 2017 , 31, 318-332	205
747	ZMYM3 regulates BRCA1 localization at damaged chromatin to promote DNA repair. 2017 , 31, 260-274	47
746	Metnase Mediates Loading of Exonuclease 1 onto Single Strand Overhang DNA for End Resection at Stalled Replication Forks. 2017 , 292, 1414-1425	13
745	Regulatory cross-talk determines the cellular levels of 53BP1 protein, a critical factor in DNA repair. 2017 , 292, 5992-6003	15
744	Differential requirements for DNA repair proteins in immortalized cell lines using alternative lengthening of telomere mechanisms. 2017 , 56, 617-631	5
743	CHD1 loss sensitizes prostate cancer to DNA damaging therapy by promoting error-prone double-strand break repair. 2017 , 28, 1495-1507	64
742	PARP inhibitors alone and in combination with other biological agents in homologous recombination deficient epithelial ovarian cancer: From the basic research to the clinic. 2017 , 114, 153-165	21
741	Therapeutic targeting and patient selection for cancers with homologous recombination defects. 2017 , 12, 565-581	26
740	The SWI/SNF ATP-dependent nucleosome remodeler promotes resection initiation at a DNA double-strand break in yeast. 2017 , 45, 5887-5900	26
739	A genetic study based on PCNA-ubiquitin fusions reveals no requirement for PCNA polyubiquitylation in DNA damage tolerance. 2017 , 54, 46-54	11
738	Predictive biomarkers for triple negative breast cancer treated with platinum-based chemotherapy. 2017 , 18, 369-378	23
737	Mechanisms of DNA damage, repair, and mutagenesis. 2017 , 58, 235-263	542
736	Mechanisms of Ubiquitin-Nucleosome Recognition and Regulation of 53BP1 Chromatin Recruitment by RNF168/169 and RAD18. 2017 , 66, 473-487.e9	51
735	Role for RIF1-interacting partner DDX1 in BLM recruitment to DNA double-strand breaks. 2017 , 55, 47-63	8
734	Endonuclease EEPD1 Is a Gatekeeper for Repair of Stressed Replication Forks. 2017 , 292, 2795-2804	24
733	PARP. 2017 , 913-934	

732	Convergent adaptation of cellular machineries in the evolution of large body masses and long life spans. 2017 , 18, 485-497	5
731	Histone ubiquitination in the DNA damage response. 2017 , 56, 92-101	111
730	NR4A2 Promotes DNA Double-strand Break Repair Upon Exposure to UVR. 2017 , 15, 1184-1196	5
729	Control of gene editing by manipulation of DNA repair mechanisms. 2017 , 28, 262-274	42
728	DNA double-strand breaks in human induced pluripotent stem cell reprogramming and long-term in vitro culturing. 2017 , 8, 73	25
727	53BP1 contributes to regulation of autophagic clearance of mitochondria. 2017 , 7, 45290	7
726	Using genetics to predict patient response to platinum-based chemotherapy. 2017 , 2, 21-32	7
725	Dual-utility NLS drives RNF169-dependent DNA damage responses. 2017 , 114, E2872-E2881	31
724	Recognition of ubiquitinated nucleosomes. 2017 , 42, 75-82	10
723	The control of DNA repair by the cell cycle. 2016 , 19, 1-9	375
722	Targeting DNA Repair in Cancer: Beyond PARP Inhibitors. 2017 , 7, 20-37	320
721	Repair, Reuse, Recycle: The Expanding Role of Autophagy in Genome Maintenance. 2017 , 27, 340-351	83
720	The BRCA1 Ubiquitin ligase function sets a new trend for remodelling in DNA repair. 2017 , 8, 116-125	29
719	Digital gene expression profiling analysis of DNA repair pathways in colon cancer stem population of HT29 cells. 2017 , 49, 90-100	4
718	PARPi focus the spotlight on replication fork protection in cancer. 2017 , 19, 1309-1310	12
717	ASF1a Promotes Non-homologous End Joining Repair by Facilitating Phosphorylation of MDC1 by ATM at Double-Strand Breaks. 2017 , 68, 61-75.e5	23
716	ACCIDENTAL DUPLICATION: Beyond interstrand crosslinks repair: Contribution of FANCD2 and other Fanconi Anemia proteins to the replication of DNA. 2017 ,	
715	BRCA1-BARD1 promotes RAD51-mediated homologous DNA pairing. 2017 , 550, 360-365	163

714	Biochemistry: Complex assistance for DNA invasion. 2017 , 550, 342-343	1
713	Ectopic expression of RAD52 and dn53BP1 improves homology-directed repair during CRISPR-Cas9 genome editing. 2017 , 1, 878-888	48
712	Spatially restricted loading of BRD2 at DNA double-strand breaks protects H4 acetylation domains and promotes DNA repair. 2017 , 7, 12921	19
711	Small-Molecule Inhibitors Targeting DNA Repair and DNA Repair Deficiency in Research and Cancer Therapy. 2017 , 24, 1101-1119	77
710	PARP inhibitors: Clinical utility and possibilities of overcoming resistance. 2017 , 147, 695-704	131
709	Redundancy between nucleases required for homologous recombination promotes PARP inhibitor resistance in the eukaryotic model organism Dictyostelium. 2017 , 45, 10056-10067	2
708	PARP2 controls double-strand break repair pathway choice by limiting 53BP1 accumulation at DNA damage sites and promoting end-resection. 2017 , 45, 12325-12339	22
707	Reading chromatin signatures after DNA double-strand breaks. 2017 , 372,	35
706	The tale of a tail: histone H4 acetylation and the repair of DNA breaks. 2017 , 372,	48
705	Bromodomain proteins: repairing DNA damage within chromatin. 2017 , 372,	25
704	BLM helicase regulates DNA repair by counteracting RAD51 loading at DNA double-strand break sites. 2017 , 216, 3521-3534	51
703	BRCA1 and BRCA2 tumor suppressors protect against endogenous acetaldehyde toxicity. 2017 , 9, 1398-1414	39
702	Nup153 and Nup50 promote recruitment of 53BP1 to DNA repair foci by antagonizing BRCA1-dependent events. 2017 , 130, 3347-3359	12
701	Regulation of repair pathway choice at two-ended DNA double-strand breaks. 2017 , 803-805, 51-55	113
700	Repression of BET activity sensitizes homologous recombination-proficient cancers to PARP inhibition. 2017 , 9,	121
699	High-Risk Alphapapillomavirus Oncogenes Impair the Homologous Recombination Pathway. 2017 , 91,	47
698	ATM and CDK2 control chromatin remodeler CSB to inhibit RIF1 in DSB repair pathway choice. 2017 , 8, 1921	33
697	DNA double-strand break repair pathway regulates PD-L1 expression in cancer cells. 2017 , 8, 1751	300

696	Repair of UV-Induced DNA Damage Independent of Nucleotide Excision Repair Is Masked by MUTYH. 2017 , 68, 797-807.e7	22
695	Mechanism of tandem duplication formation in BRCA1-mutant cells. 2017 , 551, 590-595	66
694	Characterization, Detection, and Treatment Approaches for Homologous Recombination Deficiency in Cancer. 2017 , 23, 1121-1137	28
693	Differentiation of Human Induced Pluripotent or Embryonic Stem Cells Decreases the DNA Damage Repair by Homologous Recombination. 2017 , 9, 1660-1674	24
692	Synthetic lethality and cancer. 2017 , 18, 613-623	273
691	Inhibition of RIF1 by SCAI Allows BRCA1-Mediated Repair. 2017 , 20, 297-307	17
690	G9a coordinates with the RPA complex to promote DNA damage repair and cell survival. 2017 , 114, E6054-E6063	4
689	The multifaceted roles of PARP1 in DNA repair and chromatin remodelling. 2017 , 18, 610-621	579
688	Nuclear Acetyl-CoA Production by ACLY Promotes Homologous Recombination. 2017 , 67, 252-265.e6	110
687	Interstrand Crosslink Repair as a Target for HDAC Inhibition. 2017 , 38, 822-836	34
686	Potential Strategies to Target Protein-Protein Interactions in the DNA Damage Response and Repair Pathways. 2017 , 60, 9932-9959	4
685	DNA repair genes PAXIP1 and TP53BP1 expression is associated with breast cancer prognosis. 2017 , 18, 439-449	12
684	ATM loss leads to synthetic lethality in BRCA1 BRCT mutant mice associated with exacerbated defects in homology-directed repair. 2017 , 114, 7665-7670	34
683	MCL-1 Depletion Impairs DNA Double-Strand Break Repair and Reinitiation of Stalled DNA Replication Forks. 2017 , 37,	28
682	Differences in the recruitment of DNA repair proteins at subtelomeric and interstitial I-SceI endonuclease-induced DNA double-strand breaks. 2017 , 49, 1-8	6
681	Deficiency of XLF and PAXX prevents DNA double-strand break repair by non-homologous end joining in lymphocytes. 2017 , 16, 286-295	25
680	Lengthening of high-yield production levels of monoclonal antibody-producing Chinese hamster ovary cells by downregulation of breast cancer 1. 2017 , 123, 382-389	4
679	Tumors overexpressing RNF168 show altered DNA repair and responses to genotoxic treatments, genomic instability and resistance to proteotoxic stress. 2017 , 36, 2405-2422	27

678	Recent discoveries in the molecular pathogenesis of the inherited bone marrow failure syndrome Fanconi anemia. 2017 , 31, 93-99	89
677	Transcription and DNA Damage: Holding Hands or Crossing Swords?. 2017 , 429, 3215-3229	47
676	Cell Cycle Targeted Cancer Therapies. 2017 , 1, 41-57	61
675	Precision genome editing in the CRISPR era. 2017 , 95, 187-201	82
674	Studies on DNA Damage Repair and Precision Radiotherapy for Breast Cancer. 2017 , 1026, 105-123	4
673	The DNA damage response at dysfunctional telomeres, and at interstitial and subtelomeric DNA double-strand breaks. 2018 , 92, 135-152	8
672	Fork Protection and Therapy Resistance in Hereditary Breast Cancer. 2017 , 82, 339-348	9
671	Acquired Chromosomal Abnormalities and Their Potential Formation Mechanisms in Solid Tumours. 2017 ,	
670	Targeting of the Fun30 nucleosome remodeller by the Dpb11 scaffold facilitates cell cycle-regulated DNA end resection. 2017 , 6,	34
669	53BP1 and BRCA1 control pathway choice for stalled replication restart. 2017 , 6,	43
668	Functional and mutational landscapes of BRCA1 for homology-directed repair and therapy resistance. 2017 , 6,	58
667	Current status of poly(ADP-ribose) polymerase inhibitors and future directions. 2017 , 10, 5195-5208	79
666	Reverse the Resistance to PARP Inhibitors. 2017 , 13, 198-208	52
665	Epistasis in genomic and survival data of cancer patients. 2017 , 13, e1005626	8
664	Roles of BCCIP deficiency in mammary tumorigenesis. 2017 , 19, 115	6
663	The endonuclease EEPD1 mediates synthetic lethality in RAD52-depleted BRCA1 mutant breast cancer cells. 2017 , 19, 122	22
662	Double-stranded DNA break polarity skews repair pathway choice during intrachromosomal and interchromosomal recombination. 2018 , 115, 2800-2805	10
661	β1-Integrin Impacts Rad51 Stability and DNA Double-Strand Break Repair by Homologous Recombination. 2018 , 38,	20

660	Preserving salivary gland physiology against genotoxic damage - the Touseled way. 2018 , 24, 1390-1398	8
659	Crosstalk of DNA double-strand break repair pathways in poly(ADP-ribose) polymerase inhibitor treatment of breast cancer susceptibility gene 1/2-mutated cancer. 2018 , 109, 893-899	21
658	SIRF: Quantitative in situ analysis of protein interactions at DNA replication forks. 2018 , 217, 1521-1536	29
657	A Quantitative Chemotherapy Genetic Interaction Map Reveals Factors Associated with PARP Inhibitor Resistance. 2018 , 23, 918-929	25
656	Nuclear localisation of 53BP1 is regulated by phosphorylation of the nuclear localisation signal. 2018 , 110, 137-146	8
655	Multifaceted Impact of MicroRNA 493-5p on Genome-Stabilizing Pathways Induces Platinum and PARP Inhibitor Resistance in BRCA2-Mutated Carcinomas. 2018 , 23, 100-111	47
654	RAD51 foci as a functional biomarker of homologous recombination repair and PARP inhibitor resistance in germline BRCA-mutated breast cancer. 2018 , 29, 1203-1210	160
653	DNA repair and cell cycle checkpoint defects in a mouse model of BRCAnessPare partially rescued by 53BP1 deletion. 2018 , 17, 881-891	5
652	Repeat-mediated deletions can be induced by a chromosomal break far from a repeat, but multiple pathways suppress such rearrangements. 2018 , 32, 524-536	23
651	DNA Repair Network Analysis Reveals Shieldin as a Key Regulator of NHEJ and PARP Inhibitor Sensitivity. <i>Cell</i> , 2018 , 173, 972-988.e23	56.2 213
650	Functional crosstalk between histone H2B ubiquitylation and H2A modifications and variants. 2018 , 9, 1394	32
649	Drosha drives the formation of DNA:RNA hybrids around DNA break sites to facilitate DNA repair. 2018 , 9, 532	111
648	PARP inhibitors and breast cancer: highlights and hang-ups. 2018 , 3, 83-94	3
647	53BP1 can limit sister-chromatid rupture and rearrangements driven by a distinct ultrafine DNA bridging-breakage process. 2018 , 9, 677	24
646	53BP1 Mediates ATR-Chk1 Signaling and Protects Replication Forks under Conditions of Replication Stress. 2018 , 38,	36
645	USP48 restrains resection by site-specific cleavage of the BRCA1 ubiquitin mark from H2A. 2018 , 9, 229	48
644	How cells ensure correct repair of DNA double-strand breaks. 2018 , 293, 10502-10511	141
643	The BLM Helicase: Keeping recombination honest?. 2018 , 17, 401-402	2

642	Targeting DNA repair: the genome as a potential biomarker. 2018 , 244, 586-597	28
641	Alcohol and endogenous aldehydes damage chromosomes and mutate stem cells. 2018 , 553, 171-177	183
640	Acetylation of 53BP1 dictates the DNA double strand break repair pathway. 2018 , 46, 689-703	29
639	Rad9/53BP1 protects stalled replication forks from degradation in Mec1/ATR-defective cells. 2018 , 19, 351-367	16
638	The MRE11-RAD50-NBS1 Complex Conducts the Orchestration of Damage Signaling and Outcomes to Stress in DNA Replication and Repair. 2018 , 87, 263-294	182
637	Active DNA end processing in micronuclei of ovarian cancer cells. 2018 , 18, 426	12
636	A Critical Role for Dna2 at Unwound Telomeres. 2018 , 209, 129-141	7
635	DNA damage response following X-irradiation in oral cancer cell lines HSC3 and HSC4. 2018 , 90, 1-8	2
634	Targeting the replication stress response in cancer. 2018 , 188, 155-167	80
633	Alterations in the expression of DNA damage response-related molecules in potentially preneoplastic oral epithelial lesions. 2018 , 125, 637-649	7
632	BRD4 Inhibition Is Synthetic Lethal with PARP Inhibitors through the Induction of Homologous Recombination Deficiency. 2018 , 33, 401-416.e8	138
631	From checkpoint to checkpoint: DNA damage ATR/Chk1 checkpoint signalling elicits PD-L1 immune checkpoint activation. 2018 , 118, 933-935	25
630	Beyond interstrand crosslinks repair: contribution of FANCD2 and other Fanconi Anemia proteins to the replication of DNA. 2018 , 808, 83-92	8
629	Pml nuclear body disruption cooperates in APL pathogenesis and impairs DNA damage repair pathways in mice. 2018 , 131, 636-648	23
628	BRCA-deficient mouse mammary tumor organoids to study cancer-drug resistance. 2018 , 15, 134-140	68
627	Homology-Directed Repair and the Role of BRCA1, BRCA2, and Related Proteins in Genome Integrity and Cancer. 2018 , 2, 313-336	117
626	Human sirtuin 3 (SIRT3) deacetylates histone H3 lysine 56 to promote nonhomologous end joining repair. 2018 , 61, 1-16	18
625	Tumor Suppressor Tolerance: Reversion Mutations in BRCA1 and BRCA2 and Resistance to PARP Inhibitors and Platinum.. 2018 , 2, 1-4	9

624	Ubiquitylation and SUMOylation: An Orchestrated Regulation During DNA Damage Repair. 2018,	
623	The Five Families of DNA Repair Proteins and their Functionally Relevant Ubiquitination. 2018,	
622	The Roles of Cullin RING Ligases and the Anaphase Promoting Complex/Cyclosome in the Regulation of DNA Double Strand Break Repair. 2018,	
621	PARPs in genome stability and signal transduction: implications for cancer therapy. 2018, 46, 1681-1695	41
620	Long-term treatment with the PARP inhibitor niraparib does not increase the mutation load in cell line models and tumour xenografts. 2018, 119, 1392-1400	12
619	Mechanisms of Drug Resistance in High-Grade Serous Ovarian Cancer. 2018, 32, 983-996	52
618	BRCA2 controls DNA:RNA hybrid level at DSBs by mediating RNase H2 recruitment. 2018, 9, 5376	104
617	USP1 Is Required for Replication Fork Protection in BRCA1-Deficient Tumors. 2018, 72, 925-941.e4	50
616	RAD-ical New Insights into RAD51 Regulation. 2018, 9,	52
615	The ASCIZ-DYNLL1 axis promotes 53BP1-dependent non-homologous end joining and PARP inhibitor sensitivity. 2018, 9, 5406	49
614	Role of BRCA Mutations in Cancer Treatment with Poly(ADP-ribose) Polymerase (PARP) Inhibitors. 2018, 10,	102
613	A tough row to hoe: when replication forks encounter DNA damage. 2018, 46, 1643-1651	14
612	Sae2 antagonizes Rad9 accumulation at DNA double-strand breaks to attenuate checkpoint signaling and facilitate end resection. 2018, 115, E11961-E11969	25
611	Antiparallel Coiled-Coil Interactions Mediate the Homodimerization of the DNA Damage-Repair Protein PALB2. 2018, 57, 6581-6591	7
610	MSCs inhibit tumor progression and enhance radiosensitivity of breast cancer cells by down-regulating Stat3 signaling pathway. 2018, 9, 1026	41
609	Lnk/Sh2b3 deficiency restores hematopoietic stem cell function and genome integrity in Fancd2 deficient Fanconi anemia. 2018, 9, 3915	10
608	An OB-fold complex controls the repair pathways for DNA double-strand breaks. 2018, 9, 3925	44
607	BRCA1 Mutation-Specific Responses to 53BP1 Loss-Induced Homologous Recombination and PARP Inhibitor Resistance. 2018, 24, 3513-3527.e7	39

606	53BP1: A guardian for centrosomal integrity. 2018 , 23, 1-12	0
605	A new road to cancer-drug resistance. 2018 , 563, 478-480	7
604	DYNLL1 binds to MRE11 to limit DNA end resection in BRCA1-deficient cells. 2018 , 563, 522-526	110
603	Translational Research Opportunities Regarding Homologous Recombination in Ovarian Cancer. 2018 , 19,	2
602	Harnessing accurate non-homologous end joining for efficient precise deletion in CRISPR/Cas9-mediated genome editing. 2018 , 19, 170	56
601	Chromosome Dynamics in Response to DNA Damage. 2018 , 52, 295-319	47
600	Histone H4K20 methylation mediated chromatin compaction threshold ensures genome integrity by limiting DNA replication licensing. 2018 , 9, 3704	49
599	BLMB balancing act and the involvement of FANCD1 in DNA repair. 2018 , 17, 2207-2220	8
598	Structural basis for recognition of 53BP1 tandem Tudor domain by TIRR. 2018 , 9, 2123	24
597	The CST Complex Mediates End Protection at Double-Strand Breaks and Promotes PARP Inhibitor Sensitivity in BRCA1-Deficient Cells. 2018 , 23, 2107-2118	67
596	FAM35A associates with REV7 and modulates DNA damage responses of normal and BRCA1-defective cells. 2018 , 37,	50
595	Targeting DNA Repair in Anti-Cancer Treatments. 2018 , 1-9	
594	The DNA Damage Response: Roles in Cancer Etiology and Treatment. 2018 , 11-33	
593	Inhibition of Parp1 by BMN673 Effectively Sensitizes Cells to Radiotherapy by Upsetting the Balance of Repair Pathways Processing DNA Double-Strand Breaks. 2018 , 17, 2206-2216	9
592	Mechanism of 53BP1 activity regulation by RNA-binding TIRR and a designer protein. 2018 , 25, 591-600	21
591	Chromatin-associated RNA sequencing (ChAR-seq) maps genome-wide RNA-to-DNA contacts. 2018 , 7,	74
590	Regulation of DNA repair in the absence of classical non-homologous end joining. 2018 , 68, 34-40	14
589	ATR-mediated proteome remodeling is a major determinant of homologous recombination capacity in cancer cells. 2018 , 46, 8311-8325	29

588	Dual Roles of Poly(dA:dT) Tracts in Replication Initiation and Fork Collapse. <i>Cell</i> , 2018 , 174, 1127-1142.e15.2	100
587	Histone methylation in DNA repair and clinical practice: new findings during the past 5-years. 2018 , 9, 2072-2081	36
586	Break Breast Cancer Addiction by CRISPR/Cas9 Genome Editing. 2018 , 9, 219-231	18
585	53BP1 cooperation with the REV7-shieldin complex underpins DNA structure-specific NHEJ. 2018 , 560, 122-127	148
584	Epigenomic Modifications Mediating Antibody Maturation. 2018 , 9, 355	15
583	Detection of DNA Double Strand Breaks by H2AX Does Not Result in 53bp1 Recruitment in Mouse Retinal Tissues. 2018 , 12, 286	8
582	Depletion of A-type lamins and Lap2f reduces 53BP1 accumulation at UV-induced DNA lesions and Lap2f protein is responsible for compactness of irradiated chromatin. 2018 , 119, 8146-8162	7
581	Shieldin complex promotes DNA end-joining and counters homologous recombination in BRCA1-null cells. 2018 , 20, 954-965	178
580	53BP1-RIF1-shieldin counteracts DSB resection through CST- and Polδ-dependent fill-in. 2018 , 560, 112-116	191
579	The shieldin complex mediates 53BP1-dependent DNA repair. 2018 , 560, 117-121	277
578	PARP1-dependent recruitment of the FBXL10-RNF68-RNF2 ubiquitin ligase to sites of DNA damage controls H2A.Z loading. 2018 , 7,	22
577	Molecular basis for the inhibition of the methyl-lysine binding function of 53BP1 by TIRR. 2018 , 9, 2689	12
576	Loss of E2F7 confers resistance to poly-ADP-ribose polymerase (PARP) inhibitors in BRCA2-deficient cells. 2018 , 46, 8898-8907	31
575	Genome-wide and high-density CRISPR-Cas9 screens identify point mutations in PARP1 causing PARP inhibitor resistance. 2018 , 9, 1849	189
574	The therapeutic significance of mutational signatures from DNA repair deficiency in cancer. 2018 , 9, 3292	96
573	Synthetic Lethality: From Research to Precision Cancer Nanomedicine. 2018 , 18, 337-346	14
572	Targeting Cyclin-Dependent Kinases for Treatment of Gynecologic Cancers. 2018 , 8, 303	34
571	RNF169 limits 53BP1 deposition at DSBs to stimulate single-strand annealing repair. 2018 , 115, E8286-E8295	21

570	The efficacy and safety of olaparib in the treatment of cancers: a meta-analysis of randomized controlled trials. 2018 , 10, 2553-2562	17
569	Aurora-PLK1 cascades as key signaling modules in the regulation of mitosis. 2018 , 11,	76
568	Histone Ubiquitination by the DNA Damage Response Is Required for Efficient DNA Replication in Unperturbed S Phase. 2018 , 71, 897-910.e8	48
567	Kub5-Hera Deficiency Promotes "BRCAness" and Vulnerability to PARP Inhibition in BRCA-proficient Breast Cancers. 2018 , 24, 6459-6470	8
566	Understanding the Histone DNA Repair Code: H4K20me2 Makes Its Mark. 2018 , 16, 1335-1345	19
565	Simultaneous Targeting of PARP1 and RAD52 Triggers Dual Synthetic Lethality in BRCA-Deficient Tumor Cells. 2018 , 23, 3127-3136	44
564	The Role of Noncoding RNAs in Genome Stability and Aging. 2018 , 171-200	
563	Phase separation of 53BP1 determines liquid-like behavior of DNA repair compartments. 2019 , 38, e101379	150
562	53BP1 Supports Immunoglobulin Class Switch Recombination Independently of Its DNA Double-Strand Break End Protection Function. 2019 , 28, 1389-1399.e6	8
561	PARP Inhibitor Resistance: A Tug-of-War in BRCA-Mutated Cells. 2019 , 29, 820-834	145
560	The DNA Repair Pathway as a Target for Novel Drugs in Gynecologic Cancers. 2019 , 37, 2449-2459	11
559	Diverse mechanisms of PARP inhibitor resistance in ovarian cancer. 2019 , 1872, 188307	11
558	Cadmium disrupts the DNA damage response by destabilizing RNF168. 2019 , 133, 110745	9
557	BRCA2 abrogation triggers innate immune responses potentiated by treatment with PARP inhibitors. 2019 , 10, 3143	75
556	Overcoming Resistance to PARP Inhibition. 2019 , 161-189	
555	Nanosopic analysis of 53BP1, BRCA1 and Rad51 reveals new insights in temporal progression of DNA-repair and pathway choice. 2019 , 816-818, 111675	12
554	Current Applications for Overcoming Resistance to Targeted Therapies. 2019 ,	1
553	RIF1 promotes replication fork protection and efficient restart to maintain genome stability. 2019 , 10, 3287	48

552	Stimulation of CRISPR-mediated homology-directed repair by an engineered RAD18 variant. 2019 , 10, 3395		46
551	DNA double-strand break repair-pathway choice in somatic mammalian cells. 2019 , 20, 698-714		400
550	Inadequate DNA Damage Repair Promotes Mammary Transdifferentiation, Leading to BRCA1 Breast Cancer. <i>Cell</i> , 2019 , 178, 135-151.e19	56.2	38
549	Poly(ADP-ribose) polymerase-1 antagonizes DNA resection at double-strand breaks. 2019 , 10, 2954		64
548	Premature mitotic entry induced by ATR inhibition potentiates olaparib inhibition-mediated genomic instability, inflammatory signaling, and cytotoxicity in BRCA2-deficient cancer cells. 2019 , 13, 2422-2440		34
547	AZD7648 is a potent and selective DNA-PK inhibitor that enhances radiation, chemotherapy and olaparib activity. 2019 , 10, 5065		85
546	BRCA2 deficiency instigates cGAS-mediated inflammatory signaling and confers sensitivity to tumor necrosis factor-alpha-mediated cytotoxicity. 2019 , 10, 100		49
545	LMO2 Confers Synthetic Lethality to PARP Inhibition in DLBCL. 2019 , 36, 237-249.e6		21
544	The CHK1 Inhibitor Prexasertib Exhibits Monotherapy Activity in High-Grade Serous Ovarian Cancer Models and Sensitizes to PARP Inhibition. 2019 , 25, 6127-6140		60
543	DNA damage kinase signaling: checkpoint and repair at 30 years. 2019 , 38, e101801		87
542	RAD6B Plays a Critical Role in Neuronal DNA Damage Response to Resist Neurodegeneration. 2019 , 13, 392		4
541	Moving Mountains-The BRCA1 Promotion of DNA Resection. 2019 , 6, 79		23
540	A mitotic CDK5-PP4 phospho-signaling cascade primes 53BP1 for DNA repair in G1. 2019 , 10, 4252		9
539	Rad52 Restrains Resection at DNA Double-Strand Break Ends in Yeast. 2019 , 76, 699-711.e6		18
538	Genetic determinants of cellular addiction to DNA polymerase theta. 2019 , 10, 4286		57
537	Nucleosome Remodeling by Fun30 in the DNA Damage Response. 2019 , 6, 78		7
536	Why BRCA mutations are not tumour-agnostic biomarkers for PARP inhibitor therapy. 2019 , 16, 725-726		13
535	The functional importance of lamins, actin, myosin, spectrin and the LINC complex in DNA repair. 2019 , 244, 1382-1406		10

534	CtIP-BRCA1 complex and MRE11 maintain replication forks in the presence of chain terminating nucleoside analogs. 2019 , 47, 2966-2980	12
533	BRCA1 Haploinsufficiency Is Masked by RNF168-Mediated Chromatin Ubiquitylation. 2019 , 73, 1267-1281.e7	55
532	53BP1 Deficiency Promotes Pathological Neovascularization in Proliferative Retinopathy. 2019 , 119, 439-448	3
531	53BP1 as a potential predictor of response in PARP inhibitor-treated homologous recombination-deficient ovarian cancer. 2019 , 153, 127-134	35
530	Single-strand annealing mediates the conservative repair of double-strand DNA breaks in homologous recombination-defective germ cells of <i>Caenorhabditis elegans</i> . 2019 , 75, 18-28	7
529	The lysine-specific methyltransferase KMT2C/MLL3 regulates DNA repair components in cancer. 2019 , 20,	46
528	Transition from a meiotic to a somatic-like DNA damage response during the pachytene stage in mouse meiosis. 2019 , 15, e1007439	31
527	Claspin: From replication stress and DNA damage responses to cancer therapy. 2019 , 115, 203-246	5
526	XLF and H2AX function in series to promote replication fork stability. 2019 , 218, 2113-2123	9
525	MiR-7-5p-mediated downregulation of PARP1 impacts DNA homologous recombination repair and resistance to doxorubicin in small cell lung cancer. 2019 , 19, 602	44
524	Preserving genome integrity and function: the DNA damage response and histone modifications. 2019 , 54, 208-241	36
523	Systematic Analysis of Drug Vulnerabilities Conferred by Tumor Suppressor Loss. 2019 , 27, 3331-3344.e6	16
522	PARP Inhibitors in Ovarian Cancer: The Route to "Ithaca". 2019 , 9,	35
521	DNA double-strand break repair pathway choice - from basic biology to clinical exploitation. 2019 , 18, 1423-1434	12
520	DNA Repair in Radiation Oncology. 2019 , 1-16	
519	BCL10 in cell survival after DNA damage. 2019 , 495, 301-308	2
518	LC8/DYNLL1 is a 53BP1 effector and regulates checkpoint activation. 2019 , 47, 6236-6249	18
517	Targeting ADP-ribosylation by PARP inhibitors in acute myeloid leukaemia and related disorders. 2019 , 167, 133-148	14

516	Context Matters: RNF168 Connects with PALB2 to Rewire Homologous Recombination in BRCA1 Haploinsufficiency. 2019 , 73, 1089-1091	1
515	Aberrations in DNA repair pathways in cancer and therapeutic significances. 2019 , 58, 29-46	31
514	PARP Inhibitors and the Evolving Landscape of Ovarian Cancer Management: A Review. 2019 , 33, 255-273	25
513	Women's cancers: how the discovery of BRCA genes is driving current concepts of cancer biology and therapeutics. 2019 , 13, 904	7
512	The macroH2A1.2 histone variant links ATRX loss to alternative telomere lengthening. 2019 , 26, 213-219	29
511	Mitotic functions of poly(ADP-ribose) polymerases. 2019 , 167, 33-43	25
510	BRCA1/BARD1-dependent ubiquitination of NF2 regulates Hippo-YAP1 signaling. 2019 , 116, 7363-7370	10
509	The BRCA Tumor Suppressor Network in Chromosome Damage Repair by Homologous Recombination. 2019 , 88, 221-245	52
508	Drugging in the absence of p53. 2019 , 11, 255-264	6
507	The deubiquitylating enzyme USP15 regulates homologous recombination repair and cancer cell response to PARP inhibitors. 2019 , 10, 1224	29
506	Enhancement of Precise Gene Editing by the Association of Cas9 With Homologous Recombination Factors. 2019 , 10, 365	30
505	Cis- and trans-factors affecting AID targeting and mutagenic outcomes in antibody diversification. 2019 , 141, 51-103	13
504	Dissecting PARP inhibitor resistance with functional genomics. 2019 , 54, 55-63	17
503	hCG-induced mutant BRCA1 ignites drug resistance in susceptible breast tissue. 2019 , 40, 1415-1426	3
502	Rucaparib in the landscape of PARP inhibition in ovarian cancer. 2019 , 19, 437-446	1
501	The non-homologous end-joining activity is required for Fanconi anemia fetal HSC maintenance. 2019 , 10, 114	3
500	A Novel Diagnostic Method for Thyroid Follicular Tumors Based on Immunofluorescence Analysis of p53-Binding Protein 1 Expression: Detection of Genomic Instability. 2019 , 29, 657-665	5
499	PARP Inhibitors as a Therapeutic Agent for Homologous Recombination Deficiency in Breast Cancers. 2019 , 8,	65

498	Shieldin - the protector of DNA ends. 2019 , 20,	114
497	Chromatin control in double strand break repair. 2019 , 115, 69-94	0
496	H4K20me0 recognition by BRCA1-BARD1 directs homologous recombination to sister chromatids. 2019 , 21, 311-318	81
495	The nuclear structural protein NuMA is a negative regulator of 53BP1 in DNA double-strand break repair. 2019 , 47, 2703-2715	13
494	Development and implementation of precision therapies targeting base-excision DNA repair in BRCA1-associated tumors. 2019 , 4, 11-25	1
493	Genomics and molecular mechanisms of high grade serous ovarian cancer: the 12th Biennial Rivkin Center Ovarian Cancer Research Symposium. 2019 , 29, s7-s11	1
492	Loss of TOP3B leads to increased R-loop formation and genome instability. 2019 , 9, 190222	24
491	Processes that Regulate the Ubiquitination of Chromatin and Chromatin-Associated Proteins. 2019 ,	2
490	MiR223-3p promotes synthetic lethality in BRCA1-deficient cancers. 2019 , 116, 17438-17443	16
489	An LTR retrotransposon-derived lncRNA interacts with RNF169 to promote homologous recombination. 2019 , 20, e47650	14
488	ATAD5 promotes replication restart by regulating RAD51 and PCNA in response to replication stress. 2019 , 10, 5718	18
487	Harnessing DNA Double-Strand Break Repair for Cancer Treatment. 2019 , 9, 1388	64
486	Advances in genome editing through control of DNA repair pathways. 2019 , 21, 1468-1478	146
485	Methyl-Readers and Inhibitors. 2019 , 339-399	0
484	Poly(ADP-Ribose) Polymerase Inhibitors in Pancreatic Cancer: A New Treatment Paradigms and Future Implications. 2019 , 11,	23
483	BRCA1 intronic Alu elements drive gene rearrangements and PARP inhibitor resistance. 2019 , 10, 5661	25
482	Methodologies for Improving HDR Efficiency. 2018 , 9, 691	110
481	Targeting the lysosome by an aminomethylated Riccardin D triggers DNA damage through cathepsin B-mediated degradation of BRCA1. 2019 , 23, 1798-1812	10

480	EGFR and c-MET Cooperate to Enhance Resistance to PARP Inhibitors in Hepatocellular Carcinoma. 2019 , 79, 819-829	28
479	Localized protein biotinylation at DNA damage sites identifies ZPET, a repressor of homologous recombination. 2019 , 33, 75-89	10
478	PARP Trapping Beyond Homologous Recombination and Platinum Sensitivity in Cancers. 2019 , 3, 131-150	36
477	53BP1: A key player of DNA damage response with critical functions in cancer. 2019 , 73, 110-119	40
476	ATM orchestrates the DNA-damage response to counter toxic non-homologous end-joining at broken replication forks. 2019 , 10, 87	73
475	PALB2 connects BRCA1 and BRCA2 in the G2/M checkpoint response. 2019 , 38, 1585-1596	19
474	Radiosensitivity Is an Acquired Vulnerability of PARPi-Resistant BRCA1-Deficient Tumors. 2019 , 79, 452-460	26
473	PARP inhibitors in ovarian cancer. 2019 , 73, 1-9	110
472	Resistance to PARP Inhibitors: Lessons from Preclinical Models of BRCA-Associated Cancer. 2019 , 3, 235-254	36
471	Phosphorylation of TIP60 Suppresses 53BP1 Localization at DNA Damage Sites. 2019 , 39,	6
470	Poly-ADP ribosylation in DNA damage response and cancer therapy. 2019 , 780, 82-91	33
469	DNA double-strand break repair pathway choice: the fork in the road. 2020 , 1, 10-19	10
468	Ubiquitin and the DNA double-strand break repair pathway. 2020 , 1, 69-80	3
467	Arrestin-1 regulates DNA repair by acting as an E3-ubiquitin ligase adaptor for 53BP1. 2020 , 27, 1200-1213	6
466	53BP1 Enforces Distinct Pre- and Post-resection Blocks on Homologous Recombination. 2020 , 77, 26-38.e7	56
465	TRIP13 regulates DNA repair pathway choice through REV7 conformational change. 2020 , 22, 87-96	50
464	Strong suppression of gene conversion with increasing DNA double-strand break load delimited by 53BP1 and RAD52. 2020 , 48, 1905-1924	17
463	53BP1/RIF1 signaling promotes cell survival after multifractionated radiotherapy. 2020 , 48, 1314-1326	11

462	Structural basis for shieldin complex subunit 3-mediated recruitment of the checkpoint protein REV7 during DNA double-strand break repair. 2020 , 295, 250-262	11
461	DNA damage responses in murine Pre-B cells with genetic deficiencies in damage response genes. 2020 , 19, 67-83	2
460	SET8 localization to chromatin flanking DNA damage is dependent on RNF168 ubiquitin ligase. 2020 , 19, 15-23	2
459	53BP1: a DSB escort. 2020 , 34, 7-23	88
458	Defining the mutation signatures of DNA polymerase β in cancer genomes. 2020 , 2, zcaa017	18
457	Recent advancements in PARP inhibitors-based targeted cancer therapy. 2020 , 3, 187-201	14
456	The molecular basis and disease relevance of non-homologous DNA end joining. 2020 , 21, 765-781	90
455	New approaches for targeting platinum-resistant ovarian cancer. 2021 , 77, 167-181	13
454	Roles for 53BP1 in the repair of radiation-induced DNA double strand breaks. 2020 , 93, 102915	17
453	Development of synthetic lethality in cancer: molecular and cellular classification. 2020 , 5, 241	13
452	Ubiquitin Phosphorylation at Thr12 Modulates the DNA Damage Response. 2020 , 80, 423-436.e9	13
451	Distinct roles of structure-specific endonucleases EEPD1 and Metnase in replication stress responses. 2020 , 2, zcaa008	8
450	Genome Editing for CNS Disorders. 2020 , 14, 579062	5
449	Lessons learned from understanding chemotherapy resistance in epithelial tubo-ovarian carcinoma from BRCA1 and BRCA2 mutation carriers. 2021 , 77, 110-126	9
448	Identification of regulators of poly-ADP-ribose polymerase inhibitor response through complementary CRISPR knockout and activation screens. 2020 , 11, 6118	14
447	Spatiotemporal dynamics of 53BP1 dimer recruitment to a DNA double strand break. 2020 , 11, 5776	8
446	USP7 Is a Master Regulator of Genome Stability. 2020 , 8, 717	13
445	Regulation of Error-Prone DNA Double-Strand Break Repair and Its Impact on Genome Evolution. 2020 , 9,	17

444	PARP Inhibitor Resistance Mechanisms and Implications for Post-Progression Combination Therapies. 2020 , 12,	16
443	In Vitro Assessment of the Genotoxic Hazard of Novel Hydroxamic Acid- and Benzamide-Type Histone Deacetylase Inhibitors (HDACi). 2020 , 21,	2
442	BRCA1 Mutations in Cancer: Coordinating Deficiencies in Homologous Recombination with Tumorigenesis. 2020 , 80, 4601-4609	10
441	Intrinsic ATR signaling shapes DNA end resection and suppresses toxic DNA-PKcs signaling. 2020 , 2, zcaa006	4
440	Combining PARP with ATR inhibition overcomes PARP inhibitor and platinum resistance in ovarian cancer models. 2020 , 11, 3726	61
439	Roles for the DNA-PK complex and 53BP1 in protecting ends from resection during DNA double-strand break repair. 2020 , 61, 718-726	10
438	FOXK1 Participates in DNA Damage Response by Controlling 53BP1 Function. 2020 , 32, 108018	4
437	The Chromatin Response to Double-Strand DNA Breaks and Their Repair. 2020 , 9,	14
436	Inhibitors of DNA double-strand break repair at the crossroads of cancer therapy and genome editing. 2020 , 182, 114195	5
435	DNA double-strand break end resection: a critical relay point for determining the pathway of repair and signaling. 2020 , 1, 155-171	9
434	Compromised repair of radiation-induced DNA double-strand breaks in Fanconi anemia fibroblasts in G2. 2020 , 96, 102992	4
433	Poly(ADP-ribose) polymerase inhibition: past, present and future. 2020 , 19, 711-736	81
432	SPT6-driven error-free DNA repair safeguards genomic stability of glioblastoma cancer stem-like cells. 2020 , 11, 4709	7
431	Characterization of BRCA1-deficient premalignant tissues and cancers identifies Plekha5 as a tumor metastasis suppressor. 2020 , 11, 4875	12
430	mutations in the coiled-coil domain impede Rad51 loading on DNA and mouse development. 2020 , 7, 1786345	
429	Overcoming PARP inhibitor resistance in ovarian cancer: what are the most promising strategies?. 2020 , 302, 1087-1102	14
428	Poly(ADP-Ribose) Glycohydrolase (PARG) vs. Poly(ADP-Ribose) Polymerase (PARP) - Function in Genome Maintenance and Relevance of Inhibitors for Anti-cancer Therapy. 2020 , 7, 191	18
427	Molecular Targeted Radiosensitizers. 2020 ,	

426	Degradation of 5hmC-marked stalled replication forks by APE1 causes genomic instability. 2020 , 13,	16
425	Meiotic Double-Strand Break Processing and Crossover Patterning Are Regulated in a Sex-Specific Manner by BRCA1-BARD1 in. 2020 , 216, 359-379	2
424	TRIM29 is required for efficient recruitment of 53BP1 in response to DNA double-strand breaks in vertebrate cells. 2020 , 10, 2055-2071	1
423	Beta Human Papillomavirus 8E6 Attenuates Non-Homologous End Joining by Hindering DNA-PKcs Activity. 2020 , 12,	4
422	Breast-Specific Epigenetic Regulation of DeltaNp73 and Its Role in DNA-Damage-Response of -Mutated Human Mammary Epithelial Cells. 2020 , 12,	2
421	Repair Kinetics of DNA Double Strand Breaks Induced by Simulated Space Radiation. 2020 , 10,	2
420	ERCC6L2 promotes DNA orientation-specific recombination in mammalian cells. 2020 , 30, 732-744	16
419	Histone H2A variants alpha1-extension helix directs RNF168-mediated ubiquitination. 2020 , 11, 2462	9
418	RNF8 has both KU-dependent and independent roles in chromosomal break repair. 2020 , 48, 6032-6052	6
417	The Laminopathies and the Insights They Provide into the Structural and Functional Organization of the Nucleus. 2020 , 21, 263-288	22
416	Replication Fork Remodeling and Therapy Escape in DNA Damage Response-Deficient Cancers. 2020 , 10, 670	8
415	H3K36 dimethylation by MMSET promotes classical non-homologous end-joining at unprotected telomeres. 2020 , 39, 4814-4827	6
414	The MRE11 complex: A versatile toolkit for the repair of broken DNA. 2020 , 91-92, 102869	27
413	Disassembly of the Shieldin Complex by TRIP13. 2020 , 19, 1565-1575	6
412	Clinical Implications of DNA Repair Defects in High-Grade Serous Ovarian Carcinomas. 2020 , 12,	7
411	First-Line Management of Advanced High-Grade Serous Ovarian Cancer. 2020 , 22, 64	9
410	Limiting the DNA Double-Strand Break Resectosome for Genome Protection. 2020 , 45, 779-793	16
409	Preemptive Homology-Directed DNA Repair Fosters Complex Genomic Rearrangements in Hepatocellular Carcinoma. 2020 , 13, 100796	4

408	Endogenous DNA 3PBlocks Are Vulnerabilities for BRCA1 and BRCA2 Deficiency and Are Reversed by the APE2 Nuclease. 2020 , 78, 1152-1165.e8	39
407	The role of poly(ADP-ribose) polymerase inhibitors in the treatment of cancer and methods to overcome resistance: a review. 2020 , 10, 35	35
406	Shelterin and the replisome: at the intersection of telomere repair and replication. 2020 , 60, 77-84	12
405	Ectopic RNF168 expression promotes break-induced replication-like DNA synthesis at stalled replication forks. 2020 , 48, 4298-4308	5
404	Checkpoint Responses to DNA Double-Strand Breaks. 2020 , 89, 103-133	28
403	53BP1 loss rescues embryonic lethality but not genomic instability of BRCA1 total knockout mice. 2020 , 27, 2552-2567	14
402	Changes in DNA Damage Response Markers with Treatment in Advanced Ovarian Cancer. 2020 , 12,	11
401	Poly (ADP-Ribose) Polymerase Inhibitors: Talazoparib in Ovarian Cancer and Beyond. 2020 , 20, 55-73	40
400	Copy Number Amplification of DNA Damage Repair Pathways Potentiates Therapeutic Resistance in Cancer. 2020 , 10, 3939-3951	16
399	PARP inhibitors in pancreatic cancer: molecular mechanisms and clinical applications. 2020 , 19, 49	69
398	Pharmacological methods to transcriptionally modulate double-strand break DNA repair. 2020 , 354, 187-213	1
397	Not Black or White but Shades of Gray: Homologous Recombination Deficiency as a Continuous Variable Modulated by RNF168. 2020 , 80, 2720-2721	1
396	PARP and PARG inhibitors in cancer treatment. 2020 , 34, 360-394	145
395	ATM and PRDM9 regulate SPO11-bound recombination intermediates during meiosis. 2020 , 11, 857	38
394	Significance of p53-Binding Protein 1 Nuclear Foci in Cervical Squamous Intraepithelial Lesions: Association With High-Risk Human Papillomavirus Infection and P16 Expression. 2020 , 27, 1073274819901170 ¹	1
393	Ubiquitin and ubiquitin-like molecules in DNA double strand break repair. 2020 , 10, 13	10
392	The antitumorigenic roles of BRCA1-BARD1 in DNA repair and replication. 2020 , 21, 284-299	94
391	Reversion and non-reversion mechanisms of resistance to PARP inhibitor or platinum chemotherapy in BRCA1/2-mutant metastatic breast cancer. 2020 , 31, 590-598	58

390	BRCA1 and S phase DNA repair pathways restrict LINE-1 retrotransposition in human cells. 2020 , 27, 179-191	22
389	Nudix Hydrolase NUDT16 Regulates 53BP1 Protein by Reversing 53BP1 ADP-Ribosylation. 2020 , 80, 999-1010	10
388	Low dose ionizing radiation strongly stimulates insertional mutagenesis in a H2AX dependent manner. 2020 , 16, e1008550	3
387	Biodosimetry of Low Dose Ionizing Radiation Using DNA Repair Foci in Human Lymphocytes. 2020 , 11,	19
386	Drosophila Xrcc2 regulates DNA double-strand repair in somatic cells. 2020 , 88, 102807	1
385	"An End to a Means": How DNA-End Structure Shapes the Double-Strand Break Repair Process. 2019 , 6, 153	7
384	Clustered DNA Double-Strand Breaks: Biological Effects and Relevance to Cancer Radiotherapy. 2020 , 11,	66
383	The internal region of CtIP negatively regulates DNA end resection. 2020 , 48, 5485-5498	8
382	BRCA1 and homologous recombination: implications from mouse embryonic development. 2020 , 10, 49	8
381	PHF2 regulates homology-directed DNA repair by controlling the resection of DNA double strand breaks. 2020 , 48, 4915-4927	8
380	53BP1 Accumulation in Circulating Tumor Cells Identifies Chemotherapy-Responsive Metastatic Breast Cancer Patients. 2020 , 12,	2
379	RNF168-Mediated Ubiquitin Signaling Inhibits the Viability of -Null Cancers. 2020 , 80, 2848-2860	13
378	FAM35A/SHLD2/RINN2: A novel determinant of double strand break repair pathway choice and genome stability in cancer. 2020 , 61, 709-715	2
377	A framework for understanding the functions of biomolecular condensates across scales. 2021 , 22, 215-235	125
376	RAD51: Beyond the break. 2021 , 113, 38-46	11
375	PARP inhibition in prostate cancer. 2021 , 60, 344-351	1
374	Methylation of histone H3 lysine 20: a critical analysis of the state of the field. 2021 , 53, 22-32	2
373	End resection: a key step in homologous recombination and DNA double-strand break repair. 2021 , 2, 39-50	3

372	Defective ALC1 nucleosome remodeling confers PARPi sensitization and synthetic lethality with HRD. 2021 , 81, 767-783.e11	32
371	Targeting the DNA Repair Enzyme Polymerase β In Cancer Therapy. 2021 , 7, 98-111	20
370	DYRK1A: a down syndrome-related dual protein kinase with a versatile role in tumorigenesis. 2021 , 78, 603-619	11
369	Luminal A breast cancer resistance mechanisms and emerging treatments. 2021 , 1-22	1
368	Cytoplasmic chromatin fragments-from mechanisms to therapeutic potential. 2021 , 10,	4
367	Application of Laser Microirradiation in the Investigations of Cellular Responses to DNA Damage. 2021 , 8,	3
366	Lycorine hydrochloride suppresses stress-induced premature cellular senescence by stabilizing the genome of human cells. 2021 , 20, e13307	8
365	Alternate therapeutic pathways for PARP inhibitors and potential mechanisms of resistance. 2021 , 53, 42-51	32
364	Non-coding RNAs in genome integrity. 2021 , 453-475	
363	Targeting Non-Oncogene Addiction for Cancer Therapy. 2021 , 11,	3
362	ALC1 links chromatin accessibility to PARP inhibitor response in homologous recombination-deficient cells. 2021 , 23, 160-171	37
361	DNA double-strand break repair in cancer: A path to achieving precision medicine. 2021 , 364, 111-137	6
360	RNF168 regulates R-loop resolution and genomic stability in BRCA1/2-deficient tumors. 2021 , 131,	11
359	Single-Strand Annealing in Cancer. 2021 , 22,	3
358	CIP2A is a prime synthetic-lethal target for BRCA-mutated cancers.	4
357	Molecular mechanisms of assembly and TRIP13-mediated remodeling of the human Shieldin complex. 2021 , 118,	5
356	Testicular Germ Cell Tumors Acquire Cisplatin Resistance by Rebalancing the Usage of DNA Repair Pathways. 2021 , 13,	8
355	Inhibition of ATM Induces Hypersensitivity to Proton Irradiation by Upregulating Toxic End Joining. 2021 , 81, 3333-3346	8

354	Functional interrogation of DNA damage response variants with base editing screens. <i>Cell</i> , 2021 , 184, 1081-1097.e19	56.2	37
353	MRGBP, a member of the NuA4 complex, inhibits DNA double-strand break repair. 2021 , 11, 622-632		1
352	Clinical use and mechanisms of resistance for PARP inhibitors in homologous recombination-deficient cancers. 2021 , 14, 101012		9
351	Heritable human genome editing: Research progress, ethical considerations, and hurdles to clinical practice. <i>Cell</i> , 2021 , 184, 1561-1574	56.2	6
350	DSB repair pathway choice is regulated by recruitment of 53BP1 through cell cycle-dependent regulation of Sp1. 2021 , 34, 108840		4
349	Selective killing of homologous recombination-deficient cancer cell lines by inhibitors of the RPA:RAD52 protein-protein interaction. 2021 , 16, e0248941		2
348	Shaping the BRCAness mutational landscape by alternative double-strand break repair, replication stress and mitotic aberrancies. 2021 , 49, 4239-4257		10
347	BRCA1 Expression and Outcome in Patients With -Mutant NSCLC Treated With Gefitinib Alone or in Combination With Olaparib. 2021 , 2, 100113		1
346	Super-resolution mapping of cellular double-strand break resection complexes during homologous recombination. 2021 , 118,		8
345	Loss of Nuclear DNA Ligase III Reverts PARP Inhibitor Resistance in BRCA1/53BP1 Double-deficient Cells by Exposing ssDNA Gaps.		0
344	Repair of programmed DNA lesions in antibody class switch recombination: common and unique features. 2021 , 2, 1-11		1
343	Overcoming PARPi resistance: Preclinical and clinical evidence in ovarian cancer. 2021 , 55, 100744		12
342	LIN37-DREAM Prevents DNA End Resection and Homologous Recombination at DNA Double Strand Breaks in Quiescent Cells.		
341	Critical DNA damaging pathways in tumorigenesis. 2021 ,		0
340	A Link between Replicative Stress, Lamin Proteins, and Inflammation. 2021 , 12,		2
339	Targeting Adaptation to Cancer Treatment by Drug Combinations.		
338	Small-molecule Effectors of DNA Repair Proteins: Applications for Development of Cancer Therapeutics and Research. 1-39		
337	DDX11 loss causes replication stress and pharmacologically exploitable DNA repair defects. 2021 , 118,		4

336	Replicated chromatin curtails 53BP1 recruitment in BRCA1-proficient and BRCA1-deficient cells. 2021 , 4,	6
335	RIF1 acts in DNA repair through phosphopeptide recognition of 53BP1.	0
334	Mouse Models for Deciphering the Impact of Homologous Recombination on Tumorigenesis. 2021 , 13,	2
333	Targeting the nucleotide salvage factor DNPH1 sensitizes -deficient cells to PARP inhibitors. 2021 , 372, 156-165	12
332	LINC complex regulation of genome organization and function. 2021 , 67, 130-141	10
331	BRCA1 and BRCA2 Tumor Suppressor Function in Meiosis. 2021 , 9, 668309	5
330	Interstrand Crosslink Repair: New Horizons of DNA Damage Repair.	
329	Molecular and clinical determinants of response and resistance to rucaparib for recurrent ovarian cancer treatment in ARIEL2 (Parts 1 and 2). 2021 , 12, 2487	24
328	Breast Cancer Predisposition Genes and Synthetic Lethality. 2021 , 22,	4
327	The emerging determinants of replication fork stability. 2021 , 49, 7224-7238	4
326	BRCA1: a key player at multiple stages of homologous recombination in DNA double-strand break repair. 2021 , 2, 164-174	
325	Evaluation of Calyculin A Effect on $\text{H2AX}/53\text{BP1}$ Focus Formation and Apoptosis in Human Umbilical Cord Blood Lymphocytes. 2021 , 22,	3
324	The multi-functionality of UHRF1: epigenome maintenance and preservation of genome integrity. 2021 , 49, 6053-6068	6
323	Marker-free quantification of repair pathway utilization at Cas9-induced double-strand breaks. 2021 , 49, 5095-5105	3
322	Super-Resolution Radiation Biology: From Bio-Dosimetry towards Nano-Studies of DNA Repair Mechanisms.	3
321	The RAD51-FFPE Test; Calibration of a Functional Homologous Recombination Deficiency Test on Diagnostic Endometrial and Ovarian Tumor Blocks. 2021 , 13,	2
320	The nuclear kinesin KIF18B promotes 53BP1-mediated DNA double-strand break repair. 2021 , 35, 109306	2
319	Role of Histone Methylation in Maintenance of Genome Integrity. 2021 , 12,	5

318	Non-canonical function of DGCR8 in DNA double-strand break repair signaling and tumor radioresistance. 2021 , 12, 4033	1
317	Evaluation of DNA double-strand break repair capacity in human cells: Critical overview of current functional methods. 2021 , 788, 108388	0
316	The dystonia gene THAP1 controls DNA double-strand break repair choice. 2021 , 81, 2611-2624.e10	3
315	Nonhomologous end joining: new accessory factors fine tune the machinery. 2021 , 37, 582-599	13
314	Mapping the Genetic Landscape of DNA Double-strand Break Repair.	2
313	ATM-phosphorylated SPOP contributes to 53BP1 exclusion from chromatin during DNA replication. 2021 , 7,	2
312	Eliminating hypoxic tumor cells improves response to PARP inhibitors in homologous recombination-deficient cancer models. 2021 , 131,	6
311	Pol η inhibitors unchained.. 2021 , 2, 581-583	2
310	Pol η inhibitors elicit BRCA-gene synthetic lethality and target PARP inhibitor resistance. 2021 , 12, 3636	30
309	PARP1: Structural insights and pharmacological targets for inhibition. 2021 , 103, 103125	4
308	DHX9-dependent recruitment of BRCA1 to RNA promotes DNA end resection in homologous recombination. 2021 , 12, 4126	6
307	DNA damage repair: historical perspectives, mechanistic pathways and clinical translation for targeted cancer therapy. 2021 , 6, 254	30
306	Protein phosphatase 1 acts as a RIF1 effector to suppress DSB resection prior to Shieldin action. 2021 , 36, 109383	3
305	Understanding and overcoming resistance to PARP inhibitors in cancer therapy. 2021 , 18, 773-791	31
304	Mechanisms of BRCA1-BARD1 nucleosome recognition and ubiquitylation. 2021 , 596, 438-443	16
303	Ubiquitylation in DNA double-strand break repair. 2021 , 103, 103129	2
302	To Join or Not to Join: Decision Points Along the Pathway to Double-Strand Break Repair vs. Chromosome End Protection. 2021 , 9, 708763	3
301	Moving beyond PARP Inhibition: Current State and Future Perspectives in Breast Cancer. 2021 , 22,	1

300	Structural insight into BRCA1-BARD1 complex recruitment to damaged chromatin. 2021 , 81, 2765-2777.e6	15
299	DNA Repair Pathway Choices in CRISPR-Cas9-Mediated Genome Editing. 2021 , 37, 639-656	18
298	Replication gaps are a key determinant of PARP inhibitor synthetic lethality with BRCA deficiency. 2021 , 81, 3128-3144.e7	22
297	Cellular functions of the protein kinase ATM and their relevance to human disease. 2021 , 22, 796-814	23
296	Approaches to Enhance Precise CRISPR/Cas9-Mediated Genome Editing. 2021 , 22,	0
295	Lamin B1 sequesters 53BP1 to control its recruitment to DNA damage. 2021 , 7,	3
294	ATM phosphorylates PP2A subunit A resulting in nuclear export and spatiotemporal regulation of the DNA damage response.	0
293	Chromatin dynamics and DNA replication roadblocks. 2021 , 104, 103140	1
292	Recent Advances in Enhancing the Therapeutic Index of PARP Inhibitors in Breast Cancer. 2021 , 13,	1
291	Polymerase β Coordinates Multiple Intrinsic Enzymatic Activities during DNA Repair. 2021 , 12,	1
290	Lysine Methyltransferase Inhibitors Impair H4K20me2 and 53BP1 Foci in Response to DNA Damage in Sarcomas, a Synthetic Lethality Strategy. 2021 , 9, 715126	1
289	Isorhamnetin Promotes 53BP1 Recruitment through the Enhancement of ATM Phosphorylation and Protects Mice from Radiation Gastrointestinal Syndrome. 2021 , 12,	0
288	Determinants of Homologous Recombination Deficiency in Pancreatic Cancer. 2021 , 13,	4
287	The evolving complexity of DNA damage foci: RNA, condensates and chromatin in DNA double-strand break repair. 2021 , 105, 103170	5
286	Mechanism, cellular functions and cancer roles of polymerase-theta-mediated DNA end joining. 2021 ,	10
285	Role of 53BP1 in end protection and DNA synthesis at DNA breaks. 2021 , 35, 1356-1367	4
284	DNA Double Strand Break Repair Pathways in Response to Different Types of Ionizing Radiation. 2021 , 12, 738230	3
283	LIN37-DREAM prevents DNA end resection and homologous recombination at DNA double-strand breaks in quiescent cells. 2021 , 10,	3

282	REV1-Pol η maintains the viability of homologous recombination-deficient cancer cells through mutagenic repair of PRIMPOL-dependent ssDNA gaps. 2021 , 81, 4008-4025.e7	13
281	Understanding the DNA double-strand break repair and its therapeutic implications. 2021 , 106, 103177	1
280	Revisiting the BRCA-pathway through the lens of replication gap suppression: "Gaps determine therapy response in BRCA mutant cancer". 2021 , 107, 103209	1
279	Inhibition of the DSB repair protein RAD51 potentiates the cytotoxic efficacy of doxorubicin via promoting apoptosis-related death pathways. 2021 , 520, 361-373	2
278	The RNF8 and RNF168 Ubiquitin Ligases Regulate Pro- and Anti-Resection Activities at Broken DNA Ends During Non-Homologous End Joining. 2021 , 108, 103217	2
277	Communication between chromatin and homologous recombination. 2021 , 71, 1-9	1
276	Regulation of DNA double-strand break repair pathway choice: a new focus on 53BP1. 2021 , 22, 38-46	5
275	USP39 promotes non-homologous end-joining repair by poly(ADP-ribose)-induced liquid demixing. 2021 , 49, 11083-11102	1
274	Targeting the DNA Damage Response for Radiosensitization. 2020 , 191-218	1
273	Repair of DNA Double-Strand Breaks. 2012 , 329-357	2
272	AID in Antibody Diversification: There and Back Again. 2020 , 41, 586-600	37
271	PALB2 chromatin recruitment restores homologous recombination in BRCA1-deficient cells depleted of 53BP1. 2020 , 11, 819	26
270	How do cells sense DNA lesions?. 2020 , 48, 677-691	7
269	Mechanism and significance of chromosome damage repair by homologous recombination. 2020 , 64, 779-790	4
268	Repair pathway choice for double-strand breaks. 2020 , 64, 765-777	13
267	RAP80 and BRCA1 PARsylation protect chromosome integrity by preventing retention of BRCA1-B/C complexes in DNA repair foci. 2020 , 117, 2084-2091	7
266	Directing the use of DDR kinase inhibitors in cancer treatment. 2017 , 26, 1341-1355	57
265	DHX9-dependent recruitment of BRCA1 to RNA is required to promote DNA end resection in homologous recombination.	3

264	BARD1 links histone H2A Lysine-15 ubiquitination to initiation of BRCA1-dependent homologous recombination.	10
263	DNMT3b Dysfunction Promotes DNA cleavages at Centromeric R-loops to Increase Centromere Instability.	1
262	The Tandem Duplicator Phenotype is a prevalent genome-wide cancer configuration driven by distinct gene mutations.	1
261	A critical role for Dna2 at unwound telomeres.	1
260	FAM35A associates with REV7 and modulates DNA damage responses of normal and BRCA1-defective cells.	3
259	Sae2 antagonizes Rad9 accumulation at DNA double-strand breaks to attenuate checkpoint signaling and facilitate end resection.	0
258	DNA end-resection in highly accessible chromatin produces a toxic break.	5
257	PARPi synthetic lethality derives from replication-associated single-stranded DNA gaps.	8
256	Identification of regulators of poly-ADP-ribose polymerase (PARP) inhibitor response through complementary CRISPR knockout and activation screens.	3
255	Ubiquitin-specific protease 7 sustains DNA damage response and promotes cervical carcinogenesis. 2018 , 128, 4280-4296	52
254	Germline RBBP8 variants associated with early-onset breast cancer compromise replication fork stability. 2020 , 130, 4069-4080	9
253	Stabilization of histone demethylase PHF8 by USP7 promotes breast carcinogenesis. 2016 , 126, 2205-20	104
252	RING domain-deficient BRCA1 promotes PARP inhibitor and platinum resistance. 2016 , 126, 3145-57	54
251	EEPD1 Rescues Stressed Replication Forks and Maintains Genome Stability by Promoting End Resection and Homologous Recombination Repair. 2015 , 11, e1005675	37
250	Requirement of heterogeneous nuclear ribonucleoprotein C for BRCA gene expression and homologous recombination. 2013 , 8, e61368	48
249	The 53BP1 homolog in <i>C. elegans</i> influences DNA repair and promotes apoptosis in response to ionizing radiation. 2013 , 8, e64028	11
248	Interaction between DNA Polymerase ϵ and BRCA1. 2013 , 8, e66801	12
247	Tumor mutation burden forecasts outcome in ovarian cancer with BRCA1 or BRCA2 mutations. 2013 , 8, e80023	103

246	RNF8-independent Lys63 poly-ubiquitylation prevents genomic instability in response to replication-associated DNA damage. 2014 , 9, e89997	1
245	ALDH1A1 maintains ovarian cancer stem cell-like properties by altered regulation of cell cycle checkpoint and DNA repair network signaling. 2014 , 9, e107142	96
244	Regulation of 53BP1 protein stability by RNF8 and RNF168 is important for efficient DNA double-strand break repair. 2014 , 9, e110522	24
243	KAP1 Deacetylation by SIRT1 Promotes Non-Homologous End-Joining Repair. 2015 , 10, e0123935	34
242	A Synthetic Lethal Screen Identifies DNA Repair Pathways that Sensitize Cancer Cells to Combined ATR Inhibition and Cisplatin Treatments. 2015 , 10, e0125482	76
241	Overcoming Resistance of Cancer Cells to PARP-1 Inhibitors with Three Different Drug Combinations. 2016 , 11, e0155711	13
240	Chromatin remodeler ALC1 prevents replication-fork collapse by slowing fork progression. 2018 , 13, e0192421	6
239	SHLD2 promotes class switch recombination by preventing inactivating deletions within the Igh locus. 2020 , 21, e49823	7
238	Persistent double strand break accumulation does not precede cell death in an Olaparib-sensitive BRCA-deficient colorectal cancer cell model. 2019 , 43, e20190070	3
237	A role of the 53BP1 protein in genome protection: structural and functional characteristics of 53BP1-dependent DNA repair. 2019 , 11, 2488-2511	9
236	Impact of DNA repair pathways on the cytotoxicity of piperlongumine in chicken DT40 cell-lines. 2014 , 5, 285-92	10
235	Impaired 53BP1/RIF1 DSB mediated end-protection stimulates CtIP-dependent end resection and switches the repair to PARP1-dependent end joining in G1. 2016 , 7, 57679-57693	15
234	The predictive value of 53BP1 and BRCA1 mRNA expression in advanced non-small-cell lung cancer patients treated with first-line platinum-based chemotherapy. 2013 , 4, 1572-81	18
233	Resistance to PARP inhibitors by SLFN11 inactivation can be overcome by ATR inhibition. 2016 , 7, 76534-76550	154
232	"Back to a false normality": new intriguing mechanisms of resistance to PARP inhibitors. 2017 , 8, 23891-23904	17
231	Epigenetic therapy with inhibitors of histone methylation suppresses DNA damage signaling and increases glioma cell radiosensitivity. 2017 , 8, 24518-24532	30
230	Aurora kinase B dependent phosphorylation of 53BP1 is required for resolving merotelic kinetochore-microtubule attachment errors during mitosis. 2017 , 8, 48671-48687	8
229	Phosphorylation of ribosomal protein S6 confers PARP inhibitor resistance in BRCA1-deficient cancers. 2014 , 5, 3375-85	28

228	PRPF8 is important for BRCA1-mediated homologous recombination. 2017 , 8, 93319-93337	8
227	5-Fluorouracil sensitizes colorectal tumor cells towards double stranded DNA breaks by interfering with homologous recombination repair. 2015 , 6, 12574-86	22
226	Functional isogenic modeling of BRCA1 alleles reveals distinct carrier phenotypes. 2015 , 6, 25240-51	7
225	DNA double strand break repair defect and sensitivity to poly ADP-ribose polymerase (PARP) inhibition in human papillomavirus 16-positive head and neck squamous cell carcinoma. 2015 , 6, 26995-7007	60
224	β-spectrin depletion impairs DNA damage repair. 2016 , 7, 33557-70	13
223	PARP inhibitors: clinical development, emerging differences, and the current therapeutic issues.. 2019 , 2, 665-679	8
222	Evolving insights: how DNA repair pathways impact cancer evolution. 2020 , 17, 805-827	8
221	DNA Double Strand Breaks Repair Inhibitors: Relevance as Potential New Anticancer Therapeutics. 2019 , 26, 1483-1493	8
220	Poly (ADP-Ribose) Polymerases (PARPs) and PARP Inhibitor-Targeted Therapeutics. 2019 , 19, 206-212	3
219	Brca1 is involved in tolerance to adefovir dipivoxil-induced DNA damage. 2019 , 43, 2491-2498	3
218	miR-7/SP1/TP53BP1 axis may play a pivotal role in NSCLC radiosensitivity. 2020 , 44, 2678-2690	5
217	Customized chemotherapy in metastatic non-small cell lung cancer (NSCLC). 2013 , 2, 180-8	3
216	Predictive models for customizing chemotherapy in advanced non-small cell lung cancer (NSCLC). 2013 , 2, 160-71	11
215	Exploiting the homologous recombination DNA repair network for targeted cancer therapy. 2011 , 2, 73-9	31
214	Methylated-UHRF1 and PARP1 interaction is critical for homologous recombination. 2020 , 53, 112-117	5
213	A PALB2-interacting domain in RNF168 couples homologous recombination to DNA break-induced chromatin ubiquitylation. 2017 , 6,	50
212	SIRT6 is a DNA double-strand break sensor. 2020 , 9,	49
211	The RIF1-long splice variant promotes G1 phase 53BP1 nuclear bodies to protect against replication stress. 2020 , 9,	4

210	Disruption of Chromatin Dynamics by Hypotonic Stress Suppresses HR and Shifts DSB Processing to Error-Prone SSA. 2021 , 22,	0
209	DNA-PK Promotes DNA End Resection at DNA Double Strand Breaks in G0 cells.	
208	Targeting DNA Repair Response Promotes Immunotherapy in Ovarian Cancer: Rationale and Clinical Application. 2021 , 12, 661115	1
207	ARP2/3- and resection-coupled genome reorganization facilitates translocations.	
206	The fellowship of the RING: BRCA1, its partner BARD1 and their liaison in DNA repair and cancer. 2021 , 108009	1
205	MSelection of NSCLC patients to treat with EGFR inhibitors in the era of personalized medicine. 2012 , 18-32	
204	Poly(ADP) Ribose Polymerase at the Interface of DNA Damage Signaling and DNA Repair. 2013 , 167-186	
203	IONIZING RADIATION. 2013 , 111-112	
202	DNA IS THE CRITICAL TARGET. 2013 , 113-114	
201	Longevity Assurance by Genome Maintenance. 2013 , 25-62	
200	How to live without BRCA1. 2013 , 200, 127-127	78
199	BRCA Mutation and PARP Inhibitors. 2013 , 417-447	
198	PARP. 2014 , 1-22	
197	DNA Damage Response: From Tumourigenesis to Therapy.	1
196	How to Personalize Chemotherapy in Stage IV NSCLC?. 2015 , 119-129	1
195	Synthetic Lethality with Homologous Recombination Repair Defects. 2015 , 315-344	
194	PARP Inhibitor ResistanceWhat Is Beyond BRCA1 or BRCA2 Restoration?. 2015 , 453-471	
193	DNA Repair during Class Switch Recombination. 2016 , 134-143	

- 192 Differentiation of human induced pluripotent or embryonic stem cells decreases the DNA damage response.
- 191 Customized Chemotherapy in Advanced Gastric Cancer. **2017**, 45-59
- 190 Chromatin-associated RNA sequencing (ChAR-seq) maps genome-wide RNA-to-DNA contacts.
- 189 Epistasis in genomic and survival data of cancer patients.
- 188 53BP1: keep an eye on merotely. **2017**, 8, 48527-48528 1
- 187 A quantitative chemotherapy genetic interaction map reveals new factors associated with PARP inhibitor resistance.
- 186 Genome-wide and high-density CRISPR-Cas9 screens identify point mutations in PARP1 causing PARP inhibitor resistance.
- 185 NuMA is a negative regulator of 53BP1 in DNA double-strand break repair.
- 184 A role for RNA and DNA:RNA hybrids in the modulation of DNA repair by homologous recombination.
- 183 Loss of E2F7 confers resistance to poly-ADP-ribose polymerase (PARP) inhibitors in BRCA2-deficient cells.
- 182 Transition from a meiotic to a somatic-like DNA damage response during the pachytene stage in mouse meiosis.
- 181 ATM orchestrates the DNA-damage response to counter toxic non-homologous end-joining at broken replication forks.
- 180 A histone H4K20 methylation-mediated chromatin compaction threshold ensures genome integrity by limiting DNA replication licensing.
- 179 Radiosensitivity is an acquired vulnerability of PARPi-resistant BRCA1-deficient tumors. 1
- 178 Switch-Like Phosphorylation of Wrn Integrates End-Resection With Repair of Dsbs at Replication Forks.
- 177 BRCA2 abrogation triggers innate immune responses potentiated by treatment with PARP inhibitors.
- 176 CHAPTER 17:CRISPR-based Technologies for Genome Engineering: Properties, Current Improvements and Applications in Medicine. **2019**, 400-433 1
- 175 Low Dose Ionizing Radiation Strongly Stimulates Insertional Mutagenesis in a H2AX Dependent Manner.

- 174 Rad9/53BP1 promotes crossover recombination DNA repair by limiting the Sgs1 and Mph1 helicases.
- 173 BRCA1 Mediated Homologous Recombination and S Phase DNA Repair Pathways Restrict LINE-1 Retrotransposition in Human Cells.
- 172 Integrin $\beta 4$ signaling switches DNA repair from homologous recombination to non-homologous end-joining pathway to sensitize breast cancer cells to cisplatin.
- 171 PHF2 regulates homology-directed DNA repair by controlling the resection of DNA double strand breaks.
- 170 SET8 localization to chromatin flanking DNA damage is dependent on RNF168 ubiquitin ligase.
- 169 SIRT6 is a DNA Double-Strand Break Sensor.
- 168 RIF1-Long promotes G1 phase 53BP1 nuclear bodies to protect against replication stress. 1
- 167 Reversion and non-reversion mechanisms of resistance to PARP inhibitor or platinum chemotherapy in BRCA1/2-mutant metastatic breast cancer.
- 166 Inactivation of the NHEJ Activity of DNA-PKcs Prevents Fanconi Anemia Pre-Leukemic HSC Expansion. **2019**, 12, 457-462 2
- 165 ATM and PRDM9 Regulate SPO11-bound Recombination Intermediates During Meiosis. 2
- 164 A 53BP1 Inhibitory Compound Enhances CRISPR Efficiency for Generating Knock-In Mice.
- 163 PARP5B is required for nonhomologous end joining during tumorigenesis in vivo. **2022**, 61, 85-98 2
- 162 Multimodality therapy in metastatic pancreas cancer with a mutation and durable long-term outcome: biology, intervention, or both?. **2021**, 1-5
- 161 ATR Inhibitors as Potent Modulators of DNA End Resection Capacity.
- 160 ALC1 links chromatin accessibility to PARP inhibitor response in homologous recombination deficient cells.
- 159 C. elegans BRC-1-BRD-1 functions at an early step of DSB processing and inhibits supernumerary crossovers during male meiosis.
- 158 Basal expression of RAD51 foci predicts olaparib response in patient-derived ovarian cancer xenografts. **2021**, 3
- 157 Protection of nascent DNA at stalled replication forks is mediated by phosphorylation of RIF1 intrinsically disordered region.

156 The Dystonia Gene THAP1 Controls DNA Double Strand Break Repair Choice.

155	The ups and downs of DNA repair biomarkers for PARP inhibitor therapies. 2011 , 1, 301-327	23
154	Initiation of DNA double strand break repair: signaling and single-stranded resection dictate the choice between homologous recombination, non-homologous end-joining and alternative end-joining. 2012 , 2, 249-68	40
153	PARP1 Inhibitors: antitumor drug design. 2015 , 7, 27-37	27
152	[(18)F]FluorThanatrace uptake as a marker of PARP1 expression and activity in breast cancer. 2016 , 6, 94-101	27
151	PREVENTING THE CHROMOSOMAL TRANSLOCATIONS THAT CAUSE CANCER. 2016 , 127, 176-195	7
150	Promising new treatments for pancreatic cancer in the era of targeted and immune therapies. 2019 , 9, 1871-1888	10
149	Loss of MED12 activates the TGF β pathway to promote chemoresistance and replication fork stability in BRCA-deficient cells. 2021 ,	2
148	Loss of nuclear DNA ligase III reverts PARP inhibitor resistance in BRCA1/53BP1 double-deficient cells by exposing ssDNA gaps. 2021 , 81, 4692-4708.e9	8
147	Mechanistic Insights From Single-Molecule Studies of Repair of Double Strand Breaks. 2021 , 9, 745311	0
146	Single-strand annealing: Molecular mechanisms and potential applications in CRISPR-Cas-based precision genome editing. 2021 , e2100413	0
145	DNA End Resection: Mechanism and Control. 2021 , 55, 285-307	13
144	RIF1-ASF1-mediated high-order chromatin structure safeguards genome integrity.	
143	The CIP2A-TOPBP1 axis safeguards chromosome stability and is a synthetic lethal target for BRCA-mutated cancer.. 2021 , 2, 1357-1371	4
142	WRN helicase safeguards deprotected replication forks in BRCA2-mutated cancer cells. 2021 , 12, 6561	1
141	Site-specific proteomic strategies to identify ubiquitin and SUMO modifications: Challenges and opportunities. 2021 ,	1
140	Light activation and deactivation of Cas9 for DNA repair studies. 2021 , 661, 219-249	
139	Molecular Basis of BRCA1 and BRCA2: Homologous Recombination Deficiency and Tissue-Specific Carcinogenesis. 2021 , 15-29	

138	Chrysin impairs genomic stability by suppressing DNA double-strand break repair in breast cancer cells.. 2022 , 1-13	0
137	53BP1-ACLY-SLBP-coordinated activation of replication-dependent histone biogenesis maintains genomic integrity.. 2022 ,	
136	Dual-target inhibitors of poly (ADP-ribose) polymerase-1 for cancer therapy: Advances, challenges, and opportunities.. 2021 , 230, 114094	1
135	Quantification of radiation-induced DNA double strand break repair foci to evaluate and predict biological responses to ionizing radiation. 2021 , 3,	2
134	Senescence induction dictates response to chemo- and immunotherapy in preclinical models of ovarian cancer.. 2022 , 119,	5
133	RAD51 protects against nonconservative DNA double-strand break repair through a nonenzymatic function.. 2022 ,	1
132	Targeting Oncogenic Pathways in the Era of Personalized Oncology: A Systemic Analysis Reveals Highly Mutated Signaling Pathways in Cancer Patients and Potential Therapeutic Targets.. 2022 , 14,	2
131	A single-arm, phase II study of niraparib and bevacizumab maintenance therapy in platinum-sensitive, recurrent ovarian cancer patients previously treated with a PARP inhibitor: Korean Gynecologic Oncology Group (KGOG 3056)/NIRVANA-R trial.. 2021 ,	1
130	HP1-Chromo Shadow Domain facilitates H2A ubiquitination for BRCA1 recruitment at DNA double-strand breaks.	
129	DNA Double Strand Break Repair and Its Control by Nucleosome Remodeling.. 2021 , 12, 821543	1
128	BRCA1 deficiency specific base substitution mutagenesis is dependent on translesion synthesis and regulated by 53BP1.. 2022 , 13, 226	2
127	53BP1-shieldin-dependent DSB processing in BRCA1-deficient cells requires CST-Pol ϵ primase fill-in synthesis.. 2022 , 24, 51-61	4
126	DNA damage-induced sumoylation of Sp1 induces its interaction with RNF4 and degradation in S phase to remove 53BP1 from DSBs and permit HR.. 2022 , 111, 103289	1
125	Anti-tumoural activity of the G-quadruplex ligand pyridostatin against BRCA1/2-deficient tumours.. 2022 , e14501	2
124	Second-line olaparib maintenance therapy is associated with poor response to subsequent chemotherapy in BRCA1/2-mutated epithelial ovarian cancer: A multicentre retrospective study.. 2022 ,	1
123	Assessing kinetics and recruitment of DNA repair factors using high content screens.. 2021 , 37, 110176	0
122	Molecular Mechanisms to Protect or Rearrange Genetic Information, Causing by DNA Double-Strand Breaks: Yin and Yang of DNA Double-Strand Breaks. 2021 , 59, 168-175	
121	Application of CRISPR-Based Technology in Medical Research and Disease Treatment. 2022 , 141-197	

120	A Whole Genome CRISPR/Cas9 Screening Approach for Identifying Genes Encoding DNA End-Processing Proteins.. 2022 , 2444, 15-27	
119	PARP inhibitors in ovarian cancer: overcoming resistance with combination strategies.. 2022 ,	0
118	PARP Inhibitor Applicability: Detailed Assays for Homologous Recombination Repair Pathway Components.. 2022 , 15, 165-180	1
117	Mechanism and Disease Association With a Ubiquitin Conjugating E2 Enzyme: UBE2L3.. 2022 , 13, 793610	0
116	Circulating Tumor Cells in Breast Cancer Patients: A Balancing Act between Stemness, EMT Features and DNA Damage Responses.. 2022 , 14,	0
115	Identification of Nanog as a novel inhibitor of Rad51.. 2022 , 13, 193	0
114	RIF1-ASF1-mediated high-order chromatin structure safeguards genome integrity.. 2022 , 13, 957	0
113	Altered DNA repair pathway engagement by engineered CRISPR-Cas9 nucleases.	
112	DNA repair defects in cancer and therapeutic opportunities.. 2022 , 36, 278-293	2
111	Target residence of Cas9: challenges and opportunities in genome editing. 2022 , 3, 57-69	
110	PARP Inhibitors Resistance: Mechanisms and Perspectives.. 2022 , 14,	1
109	Roles for the methyltransferase SETD8 in DNA damage repair.. 2022 , 14, 34	1
108	PARP inhibition in breast cancer: progress made and future hopes.. 2022 , 8, 47	6
107	RIF1 acts in DNA repair through phosphopeptide recognition of 53BP1.. 2022 ,	0
106	CHAMP1-POGZ counteracts the inhibitory effect of 53BP1 on homologous recombination and affects PARP inhibitor resistance.. 2022 ,	2
105	Expression of BRCA1, BRCA2, RAD51, and other DSB repair factors is regulated by CRL4.. 2022 , 113, 103320	0
104	New insights into the DNA repair pathway choice with NuA4/TIP60.. 2022 , 113, 103315	1
103	PARP Inhibition in Advanced Prostate Cancer.. 2021 , 27, 457-464	0

102	PARP Inhibitors and Myeloid Neoplasms: A Double-Edged Sword.. 2021 , 13,	6
101	Preventing and Overcoming Resistance to PARP Inhibitors: A Focus on the Clinical Landscape.. 2021 , 14,	1
100	Targeting DNA repair pathway in cancer: Mechanisms and clinical application.. 2021 , 2, 654-691	3
99	Cockayne syndrome group B protein regulates fork restart, fork progression and MRE11-dependent fork degradation in BRCA1/2-deficient cells. 2021 ,	0
98	Protection of nascent DNA at stalled replication forks is mediated by phosphorylation of RIF1 intrinsically disordered region.. 2022 , 11,	1
97	H3K4 methylation by SETD1A/BOD1L facilitates RIF1-dependent NHEJ.. 2022 ,	0
96	Targeting mutations in cancer.. 2022 , 132,	3
95	hMSH5 Regulates NHEJ and Averts Excessive Nucleotide Alterations at Repair Joints.. 2022 , 13,	
94	Data_Sheet_1.pdf. 2019 ,	
93	Image_1.pdf. 2018 ,	
92	Image_1.TIF. 2019 ,	
91	Image_2.TIF. 2019 ,	
90	Tumor-intrinsic PD-L1 promotes DNA repair in distinct cancers and suppresses PARP inhibitor-induced synthetic lethality.. 2022 ,	3
89	Targeting PARP1 to Enhance Anticancer Checkpoint Immunotherapy Response: Rationale and Clinical Implications.. 2022 , 13, 816642	1
88	Beta HPV Deregulates Double-Strand Break Repair. 2022 , 14, 948	1
87	Histone chaperone ASF1 acts with RIF1 to promote DNA end-joining in BRCA1-deficient cells.. 2022 , 101979	0
86	Exploiting replication gaps for cancer therapy.. 2022 ,	3
85	Deoxyribonucleic Acid Damage Response Defects. 2022 , 2, 195-211	

84	Role of EMT in the DNA damage response, double-strand break repair pathway choice and its implications in cancer treatment.. 2022 ,	0
83	miR-103 Derived from Bone Marrow Mesenchymal Stem Cell (BMSC) Retards the Chemo-Resistance Through Targeted-Regulation of TP53 Regulated Inhibitor of Apoptosis 1 (TRIAP1) in Breast Cancer. 2022 , 12, 1175-1181	
82	DNA-PK promotes DNA end resection at DNA double strand breaks in G cells.. 2022 , 11,	0
81	Exposure to escalating olaparib does not induce acquired resistance to PARPi and to other chemotherapeutic compounds in ovarian cancer cell lines. 2022 , 61,	0
80	Exploring the genetic space of the DNA damage response for cancer therapy through CRISPR-based screens.	0
79	Telomere Maintenance and the cGAS-STING Pathway in Cancer. 2022 , 11, 1958	
78	The reduction of oocytes and disruption of the meiotic prophase I in Fanconi Anemia E deficient mice. 2022 ,	
77	Synthetic Lethality Targeting Pol β 2022 , 13, 1101	0
76	Bi-PE: bi-directional priming improves CRISPR/Cas9 prime editing in mammalian cells. 2022 , 50, 6423-6434	1
75	The Chromatin Landscape Channels DNA Double-Strand Breaks to Distinct Repair Pathways. 10,	1
74	DNMT3b protects centromere integrity by restricting R-loop-mediated DNA damage. 2022 , 13,	0
73	The regulation of DNA end resection by chromatin response to DNA double strand breaks. 10,	0
72	DNA repair as a shared hallmark in cancer and ageing.	1
71	Role of PARP Inhibitors in Glioblastoma and Perceiving Challenges as Well as Strategies for Successful Clinical Development. 13,	1
70	DNA damage and repair in age-related inflammation.	3
69	Heterogeneity of Organization of Subcompartments in DSB Repair Foci. 13,	
68	RNA polymerase III directly participates in DNA homologous recombination. 2022 ,	
67	Heterozygotic Brca1 mutation initiates mouse genome instability at embryonic stage. 2022 , 11,	0

66	Mechanistic basis for targeting homologous recombination defective liver cancer via synthetic lethality.	
65	Nonhomologous DNA End Joining in Mammalian Cells. 2022,	
64	Beta human papillomavirus 8E6 promotes alternative end-joining.	
63	PARP Inhibitors: Clinical Limitations and Recent Attempts to Overcome Them. 2022, 23, 8412	3
62	DNA Polymerase Theta Plays a Critical Role in Pancreatic Cancer Development and Metastasis. 2022, 14, 4077	1
61	PARP inhibitor resistance in breast and gynecological cancer: Resistance mechanisms and combination therapy strategies. 13,	1
60	Targeting DNA repair with combined inhibition of NHEJ and MMEJ induces synthetic lethality in TP53-mutant cancers.	1
59	DNA double-strand break repair in male germ cells during spermatogenesis and its association with male infertility development. 2022, 118, 103386	0
58	Applications of stereotactic radiosurgery in neuro-oncology. 2022, 303-317	0
57	Genetics behind Cerebral Disease with Ocular Comorbidity: Finding Parallels between the Brain and Eye Molecular Pathology. 2022, 23, 9707	0
56	The Role of Protein Arginine Methyltransferases in DNA Damage Response. 2022, 23, 9780	2
55	Identification and characterization of mercaptopyrimidine-based small molecules as inhibitors of nonhomologous DNA end joining.	0
54	DNA-PKcs promotes fork reversal and chemoresistance. 2022,	0
53	Targeting Homologous Recombination Deficiency in Ovarian Cancer with PARP Inhibitors: Synthetic Lethal Strategies That Impact Overall Survival. 2022, 14, 4621	0
52	Multi-omics analysis reveals distinct non-reversion mechanisms of PARPi resistance in BRCA1- versus BRCA2-deficient mammary tumors.	0
51	PARP inhibitors in metastatic prostate cancer: When, who, and how?. 1-16	0
50	DDX17 is required for efficient DSB repair at DNA:RNA hybrid deficient loci.	1
49	Targeted Molecular Therapy for Ovarian Cancer Patients. 2022, 179-203	0

48	BRCA1?DNA?????????. 2022,	0
47	Distinct roles of treatment schemes and BRCA2 on the restoration of homologous recombination DNA repair and PARP inhibitor resistance in ovarian cancer.	0
46	Frankenstein Cas9: engineering improved gene editing systems. 2022, 50, 1505-1516	0
45	Biomarkers beyond BRCA: promising combinatorial treatment strategies in overcoming resistance to PARP inhibitors. 2022, 29,	0
44	Genomic and expressional dynamics of ovarian cancer cell lines in PARPi treatment revealed mechanisms of acquired resistance. 2022,	0
43	Transcriptional regulation and chromatin dynamics at DNA double-strand breaks.	0
42	Potential role of Marine Bioactive Compounds targeting signaling pathways in cancer: A review. 2022, 175330	1
41	Interplay between the DNA Damage Response and Immunotherapy Response in Cancer. 2022, 23, 13356	1
40	Exploring the DNA damage response pathway for synthetic lethality.	0
39	Networks and Islands of Genome Nano-architecture and Their Potential Relevance for Radiation Biology. 2022, 3-34	2
38	Analysis of matched primary and recurrent BRCA1/2 mutation-associated tumors identifies recurrence-specific drivers. 2022, 13,	0
37	Integrin $\beta 4$ signals through DNA damage response pathway to sensitize breast cancer cells to cisplatin. 12,	0
36	Mechanisms of PARP1 inhibitor resistance and their implications for cancer treatment. 2022, 4,	1
35	3D CRISPR screen in prostate cancer cells reveals PARP inhibitor sensitization through TBL1XR1-SMC3 interaction. 12,	0
34	ATM phosphorylates PP2A subunit A resulting in nuclear export and spatiotemporal regulation of the DNA damage response. 2022, 79,	0
33	53BP1: Keeping It under Control, Even at a Distance from DNA Damage. 2022, 13, 2390	0
32	The Adaptability of Chromosomal Instability in Cancer Therapy and Resistance. 2023, 24, 245	0
31	Temporal phosphoproteomics reveals WEE1-dependent control of 53BP1 pathway. 2022, 105806	0

- 30 Natural phytochemicals prevent side effects in BRCA-mutated ovarian cancer and PARP inhibitor treatment. 13, ○
- 29 Alpha-actinin-4 (ACTN4) selectively affects the DNA double-strand breaks repair in non-small lung carcinoma cells. **2022**, 17, ○
- 28 PRMT1 and PRMT5: on the road of homologous recombination and non-homologous end joining. ○
- 27 Targeting DNA damage response pathways in cancer. 9 ○
- 26 ATM suppresses c-Myc overexpression in the mammary epithelium in response to estrogen. **2023**, 42, 111909 ○
- 25 Targeting the DNA damage response for cancer therapy. ○
- 24 EEPD1 promotes repair of oxidatively-stressed replication forks. **2023**, 5, ○
- 23 Multiparameter single-cell proteomic technologies give new insights into the biology of ovarian tumors. ○
- 22 Synergistic effect of combined PI3 kinase inhibitor and PARP inhibitor treatment on BCR/ABL1-positive acute lymphoblastic leukemia cells. ○
- 21 Beta human papillomavirus 8E6 promotes alternative end joining. 12, ○
- 20 Cullin-5 deficiency orchestrates the tumor microenvironment to promote mammary tumor development through CREB1-CCL2 signaling. **2023**, 9, ○
- 19 Molecular genetic testing in ovarian cancer. **2023**, 11-18 ○
- 18 Chemo-phosphoproteomic profiling with ATR inhibitors berzosertib and gartisertib uncovers new biomarkers and DNA damage response regulators. ○
- 17 DNA Damage and Repair in Eye Diseases. **2023**, 24, 3916 ○
- 16 HDGFRP3 interaction with 53BP1 promotes DNA double-strand break repair. **2023**, 51, 2238-2256 ○
- 15 EXO1-mediated DNA repair by single-strand annealing is essential for BRCA1-deficient cells. ○
- 14 SLFN5-mediated chromatin dynamics sculpt higher-order DNA repair topology. **2023**, 83, 1043-1060.e10 ○
- 13 Multiomic analysis of homologous recombination-deficient end-stage high-grade serous ovarian cancer. **2023**, 55, 437-450 ○

- 12 Who dictates and when: Genetic and epigenetic dictatorships in breast cancer response and resistance to therapy. **2023**, 49-73
- 11 Fighting resistance: post-PARP inhibitor treatment strategies in ovarian cancer. **2023**, 15, 175883592311576
- 10 Case report: A de novo ERBB3 mutation develops in a gallbladder cancer patient carrying BRCA1 mutation after effective treatment with olaparib. 13,
- 9 HNRNPU facilitates antibody class-switch recombination through C-NHEJ promotion and R-loop suppression. **2023**, 42, 112284
- 8 BRCA1secondary splice-site mutations drive exon-skipping and PARP inhibitor resistance.
- 7 Dynamics of the DYNLL1/MRE11 complex regulates DNA end resection and recruitment of the Shieldin complex to DSBs.
- 6 BRCA1-BARD1 combines multiple chromatin recognition modules to bridge nascent nucleosomes.
- 5 Facing inevitable PARPi resistance: Mechanisms and therapeutic strategies for breast cancer treatment.
- 4 TRABID overexpression enables synthetic lethality to PARP inhibitor via prolonging 53BP1 retention at double-strand breaks. **2023**, 14,
- 3 Unraveling astrocyte behavior in the space brain: Radiation response of primary astrocytes. 11,
- 2 Fanconi anemia-associated chromosomal radial formation is dependent on POLI-mediated alternative end joining. **2023**, 42, 112428
- 1 USP7 - a crucial regulator of cancer hallmarks. **2023**, 1878, 188903