

CITATION REPORT

List of articles citing

Effect of thermal processing on anthocyanin stability in foods; mechanisms and kinetics of degradation

DOI: 10.1016/j.tifs.2009.07.004

Trends in Food Science and Technology, 2010, 21, 3-11.

Source: <https://exaly.com/paper-pdf/49556414/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
805	Cooked blueberries: anthocyanin and anthocyanidin degradation and their radical-scavenging activity. 2010 , 58, 9006-12		29
804	Influence of Sous Vide and water immersion processing on polyacetylene content and instrumental color of parsnip (<i>Pastinaca sativa</i>) disks. 2010 , 58, 7740-7		25
803	Pressure and temperature effects on degradation kinetics and storage stability of total anthocyanins in blueberry juice. 2010 , 58, 10076-84		110
802	Climate effects on anthocyanin accumulation and composition in the pomegranate (<i>Punica granatum</i> L.) fruit arils. 2011 , 59, 5325-34		69
801	Development of Healthy Low-Fat Snacks: Understanding the Mechanisms of Quality Changes During Atmospheric and Vacuum Frying. 2011 , 27, 408-432		46
800	Study of the influence of berry-blanching on syneresis in blueberry purées. 2011 , 1, 1502-1508		14
799	Blackberry extract attenuates oxidative stress through up-regulation of Nrf2-dependent antioxidant enzymes in carbon tetrachloride-treated rats. 2011 , 59, 11442-8		49
798	Transformation of stacked β -stabilized malvidin-3-O-glucoside Γ -catechin complexes towards polymeric structures followed by anisotropy decay study. 2011 , 44, 23-27		10
797	Effect of thermal and non thermal processing technologies on the bioactive content of exotic fruits and their products: Review of recent advances. 2011 , 44, 1875-1887		338
796	Stability of anthocyanins and ascorbic acid of high pressure processed blood orange juice during storage. 2011 , 12, 93-97		98
795	Recovery of volatile fruit juice aroma compounds by membrane technology: Sweeping gas versus vacuum membrane distillation. 2011 , 12, 388-397		39
794	Effect of impregnation using sucrose solution on stability of anthocyanin in strawberry jam. 2011 , 44, 891-895		33
793	Effect of UV-C light on anthocyanin content and other quality parameters of pomegranate juice. 2011 , 24, 790-795		116
792	Impact of processing and storage on the phenolic profiles and contents of pomegranate (<i>Punica granatum</i> L.) juices. 2011 , 233, 797-816		56
791	Identification of degradation pathways and products of cyanidin-3-sophoroside exposed to pulsed electric field. 2011 , 126, 1203-1210		38
790	Application of principal component and hierarchical cluster analysis to classify fruits and vegetables commonly consumed in Ireland based on in vitro antioxidant activity. 2011 , 24, 250-256		126
789	Anthocyanin degradation kinetics during thermal and high pressure treatments of raspberries. 2011 , 105, 513-521		57

788	Nanotechnology-Enabled Delivery Systems for Food Functionalization and Fortification. 2012 , 55-101	5
787	Study of anthocyanin stability derived from the fruit pulp of <i>Melastoma malabathricum</i> in a coating system. 2012 , 41, 223-229	5
786	Physicochemical Properties of Encapsulated Red Raspberry (<i>Rubus idaeus</i>) Powder: Influence of High-Pressure Homogenization. 2012 , 30, 484-493	35
785	The glycemic response does not reflect the in vivo starch digestibility of fiber-rich wheat products in healthy men. 2012 , 142, 258-63	49
784	Design and optimization of a semicontinuous hot-cold extraction of polyphenols from grape pomace. 2012 , 60, 5571-82	46
783	Effect of high hydrostatic pressure (HHP) processing on physicochemical properties, bioactive compounds and shelf-life of pomegranate juice. 2012 , 13, 13-22	152
782	Effect of water activity on anthocyanin degradation and browning kinetics at high temperatures (100-140°C). 2012 , 47, 106-115	18
781	Effect of high-pressure processing and milk on the anthocyanin composition and antioxidant capacity of strawberry-based beverages. 2012 , 60, 5795-802	43
780	Observation of the location and form of anthocyanin in purple potato using time-resolved fluorescence. 2012 , 16, 61-68	18
779	Anthocyanins, but not anthocyanidins, from bilberry (<i>Vaccinium myrtillus</i> L.) alleviate pruritus via inhibition of mast cell degranulation. 2012 , 77, H262-7	13
778	Kinetic modeling of anthocyanin degradation and microorganism growth during postharvest storage of açaí fruits (<i>Euterpe oleracea</i>). 2012 , 77, C1300-6	17
777	Analysis and Antioxidant Capacity of Anthocyanin Pigments. Part III: An Introduction to Sample Preparation and Extraction. 2012 , 42, 284-312	13
776	Potential use of olive mill wastewater in the preparation of functional beverages: A review. 2012 , 4, 53-65	87
775	Effect of Blanching and Drying Temperature on Polyphenolic Compound Stability and Antioxidant Capacity of Apple Pomace. 2012 , 5, 2201-2210	71
774	Blanching improves anthocyanin absorption from highbush blueberry (<i>Vaccinium corymbosum</i> L.) puree in healthy human volunteers: a pilot study. 2012 , 60, 9298-304	34
773	Evolution of phenolic compounds from color and flavor problems to health benefits. 2012 , 60, 6658-77	132
772	Processing and storage effect on berry polyphenols: challenges and implications for bioactive properties. 2012 , 60, 6678-93	80
771	High performance liquid chromatography analysis of anthocyanins in bilberries (<i>Vaccinium myrtillus</i> L.), blueberries (<i>Vaccinium corymbosum</i> L.), and corresponding juices. 2012 , 77, C340-5	72

770	Relationships between colour parameters, phenolic content and sensory changes of processed blueberry, elderberry and blackcurrant commercial juices. 2012 , 47, 1728-1736	23
769	The effect of temperature on the color of red wines. 2012 , 77, C880-5	8
768	Development of a prototype of a colourimetric temperature indicator for monitoring food quality. 2012 , 111, 21-27	58
767	Review of the effects of food processing and formulation on flavonol and anthocyanin behaviour. 2012 , 111, 208-217	133
766	Assessing the effects of different pectins addition on color quality and antioxidant properties of blackberry jam. 2013 , 7, 121	19
765	Health Properties of Apple and Pear. 2013 , 81-100	6
764	Conventional extraction techniques for phytochemicals. 2013 , 397-411	3
763	Factors influencing levels of phytochemicals in selected fruit and vegetables during pre- and post-harvest food processing operations. 2013 , 50, 497-506	155
762	Fruits and Vegetables. 2013 , 49-126	9
761	Isolation and characterization of a cyanidin-catechin pigment from adzuki bean (<i>Vigna angularis</i>). 2013 , 141, 282-8	25
760	Effects of UV-C Light Processing on Some Quality Characteristics of Grape Juices. 2013 , 6, 719-725	56
759	Influence of acidification, pasteurization, centrifugation and storage time and temperature on watermelon juice quality. 2013 , 93, 3863-9	16
758	Phenolic content of strawberry spreads during processing and storage. 2013 , 61, 9220-9	15
757	Vegetables containing phytochemicals with potential anti-obesity properties: A review. 2013 , 52, 323-333	112
756	Effect of adding elderberry juice concentrate on the quality attributes, polyphenol contents and antioxidant activity of three fibre-enriched pastas. 2013 , 54, 781-789	46
755	Effects of baking on cyanidin-3-glucoside content and antioxidant properties of black and yellow soybean crackers. 2013 , 141, 1166-74	35
754	Stabilization of grape skin anthocyanins by copigmentation with enzymatically modified isoquercitrin (EMIQ) as a copigment. 2013 , 50, 603-609	19
753	Stability of phytochemicals as sources of anti-inflammatory nutraceuticals in beverages [A review]. 2013 , 50, 480-486	45

752	Degradation kinetics of malvidin-3-glucoside and malvidin-3,5-diglucoside exposed to microwave treatment. 2013 , 61, 373-8	10
751	Clarification of red raspberry juice using microfiltration with gas backwashing: A viable strategy to maximize permeate flux and minimize a loss of anthocyanins. 2013 , 91, 473-480	40
750	Comparative effects of thermal and high pressure processing on phenolic phytochemicals in different strawberry cultivars. 2013 , 19, 57-65	70
749	Pulsed electric field, ultrasound, and thermal pretreatments for better phenolic extraction during red fermentation. 2013 , 236, 47-56	62
748	The identification of degradation products and degradation pathway of malvidin-3-glucoside and malvidin-3,5-diglucoside under microwave treatment. 2013 , 141, 3260-7	27
747	Stability of anthocyanins as pre-extrusion colouring of rice extrudates. 2013 , 50, 641-646	21
746	Functional components of grape pomace: their composition, biological properties and potential applications. 2013 , 48, 221-237	219
745	Thermal stability of selected natural red extracts used as food colorants. 2013 , 68, 11-7	92
744	Effect of Time and storage temperature on anthocyanin decay and antioxidant activity in wild blueberry (<i>Vaccinium angustifolium</i>) powder. 2013 , 61, 2999-3005	52
743	Beneficial phytochemicals in potato B review. 2013 , 50, 487-496	234
742	An Optimization Study on the Ultrasonic Treatments for <i>Saccharomyces cerevisiae</i> Inactivation in Red Grape Juice with Maintaining Critical Quality Attributes. 2013 , 36, 269-281	17
741	Electrospun soy protein isolate-based fiber fortified with anthocyanin-rich red raspberry (<i>Rubus strigosus</i>) extracts. 2013 , 52, 467-472	50
740	Stabilization of anthocyanin and skullcap flavone complexes--investigations with computer simulation and experimental methods. 2013 , 138, 491-500	18
739	Stability of anthocyanins in berry juices stored at different temperatures. 2013 , 31, 12-19	69
738	Identification and thermal stability of purple-fleshed sweet potato anthocyanins in aqueous solutions with various pH values and fruit juices. 2013 , 136, 1429-34	107
737	Approaches to understanding the contribution of anthocyanins to the antioxidant capacity of pasteurized pomegranate juices. 2013 , 141, 1630-6	39
736	Stabilization of anthocyanin extract from jaboticaba skins by encapsulation using supercritical CO ₂ as solvent. 2013 , 50, 617-624	109
735	Effects of ohmic and conventional heating on anthocyanin degradation during the processing of blueberry pulp. 2013 , 51, 79-85	71

734	Effects of jam processing on anthocyanins and antioxidant capacities of <i>Rubus coreanus</i> Miquel berry. 2013 , 22, 1607-1612	10
733	Degradation Index for quality evaluation of commercial dietary supplements of bilberry extract. 2013 , 78, S477-83	3
732	Effect of non-isothermal processing and moisture content on the anthocyanin degradation and colour kinetics of cherry pomace. 2013 , 48, 992-998	8
731	Chemical and Microbiological Changes in Blueberries and in Hypertonic Solution during Osmotic Dehydration Employing Reused Concentrate. 2013 , 36, 608-618	7
730	Pretreatment of baicalin and wogonoside with glycoside hydrolase: a promising approach to enhance anticancer potential. 2013 , 30, 2411-8	45
729	Predicting the Quality of Pasteurized Vegetables Using Kinetic Models: A Review. 2013 , 2013, 271271	19
728	Anthocyanins, phenols, and antioxidant activity in blackberry juice with plant extracts addition during heating. 2014 , 43, 333-343	3
727	Analytical standards production for the analysis of pomegranate anthocyanins by HPLC. 2014 , 17, 51-57	13
726	Launching a new food product or dietary supplement in the United States: industrial, regulatory, and nutritional considerations. 2014 , 34, 421-47	25
725	The effects of strawberry, black currant, and chokeberry extracts in a grain dietary fiber matrix on intestinal fermentation in rats. 2014 , 64, 752-761	18
724	Enhancing the health-promoting effects of tomato fruit for biofortified food. 2014 , 2014, 139873	121
723	Antioxidant activity of <i>Rafflesia kerrii</i> flower extract. 2014 , 8, 18-24	8
722	Shelf life stability of red-fleshed plum nectars: role of polyphenol fortification on quality parameters. 2014 , 49, 2307-2314	3
721	Advantages of sous-vide cooked red cabbage: Structural, nutritional and sensory aspects. 2014 , 56, 451-460	20
720	Changes in Phenolic Compounds During Storage of Pasteurized Strawberry. 2014 , 7, 1840-1846	21
719	Thermal characterization of the anthocyanins from black soybean (<i>Glycine max</i> L.) exposed to thermogravimetry. 2014 , 55, 645-649	9
718	Evaluation of Microbial Stability, Bioactive Compounds, Physicochemical Properties, and Consumer Acceptance of Pomegranate Juice Processed in a Commercial Scale Pulsed Electric Field System. 2014 , 7, 2112-2120	49
717	Application of maltodextrin and gum Arabic in microencapsulation of saffron petal's anthocyanins and evaluating their storage stability and color. 2014 , 105, 57-62	196

716	Effect of vacuum cooking treatment on physicochemical and structural characteristics of purple-flesh potato. 2014 , 49, 943-951	11
715	Thermal degradation of grape marc polyphenols. 2014 , 159, 361-6	60
714	Physical and storage properties of spray-dried blueberry pomace extract with whey protein isolate as wall material. 2014 , 137, 1-6	77
713	Effect of Storage on Anthocyanin Degradation in Black Mulberry Juice and Concentrates. 2014 , 7, 1894-1902	16
712	Composition and antioxidant activity of red fruit liqueurs. 2014 , 157, 533-9	49
711	Anthocyanins content and antioxidant capacity of Corinthian currants (<i>Vitis vinifera</i> L., var. Apyrena). 2014 , 146, 157-65	47
710	The application of response surface methodology in studying the effect of heat and high hydrostatic pressure on anthocyanins, polyphenol oxidase, and peroxidase of mulberry (<i>Morus nigra</i>) juice. 2014 , 94, 2345-56	16
709	Monte Carlo modelling of non-isothermal degradation of two cyanidin-based anthocyanins in aqueous system at high temperatures and its impact on antioxidant capacities. 2014 , 148, 342-50	20
708	Effects of processing with dry heat and wet heat on the antioxidant profile of sorghum. 2014 , 152, 210-7	59
707	Chitosan biobased and intelligent films: Monitoring pH variations. 2014 , 55, 83-89	167
706	Potent Antioxidant and Anti-Inflammatory Flavonoids in the Nutrient-Rich Amazonian Palm Fruit, <i>Açai</i> (<i>Euterpe</i> spp.). 2014 , 219-239	5
705	Thermal Stability and Hair Dye of Anthocyanin Complex from <i>Zea mays</i> L. and <i>Clitoria ternatea</i> L.. 2014 , 563, 375-378	0
704	Influence of steviol glycosides on the stability of vitamin C and anthocyanins. 2014 , 62, 11264-9	10
703	High hydrostatic pressure treatment provides persimmon good characteristics to formulate milk-based beverages with enhanced functionality. 2014 , 5, 1250-60	9
702	Impact of several pre-treatments on the extraction of phenolic compounds in winegrape varieties with different anthocyanin profiles and skin mechanical properties. 2014 , 62, 8437-51	22
701	Enzyme-assisted extraction enhancing the phenolic release from cauliflower (<i>Brassica oleracea</i> L. var. botrytis) outer leaves. 2014 , 62, 7468-76	59
700	<i>Rhoeo spathacea</i> (Swartz) Stearn leaves, a potential natural food colorant. 2014 , 7, 443-451	10
699	Aging of red wines made from hybrid grape cv. BRS Violeta: Effects of accelerated aging conditions on phenolic composition, color and antioxidant activity. 2014 , 56, 182-189	42

698	Determination of Polyphenols, Flavonoids, and Antioxidant Capacity in Dry Seeds. 2014 , 305-323	8
697	Inverse method to sequentially estimate temperature-dependent thermal conductivity of cherry pomace during nonisothermal heating. 2014 , 127, 16-23	23
696	Phenolic content and biological activity of extracts of blackcurrant fruit and leaves. 2014 , 65, 47-58	30
695	Evaluations of the mutagenicity of a pigment extract from bulb culture of <i>Hippeastrum reticulatum</i> . 2014 , 69, 237-43	5
694	The Islamic Perspective Approach on Plant Pigments as Natural Food Colourants. 2014 , 121, 193-203	8
693	Pre-drying and submerged cap winemaking: Effects on polyphenolic compounds and sensory descriptors. Part I: BRS Rbea and BRS Cora. 2015 , 75, 374-384	3
692	Science-based anti-ageing nutritional recommendations. 2015 , 333-390	
691	Comparison of monomeric anthocyanins and colour stability of fresh, concentrate and freeze-dried encapsulated cherry juice stored at 38°C. 2015 , 5, 243-251	24
690	Influence of processing on the antioxidant capacity and bioactive compounds in jellies from different blackberry cultivars. 2015 , 50, 1658-1665	16
689	Effect of Hot Water Blanching Time and Drying Temperature on the Thin Layer Drying Kinetics of and Anthocyanin Degradation in Black Carrot (<i>L.</i>) Shreds. 2015 , 53, 324-330	19
688	Bioactive Compounds and Antioxidant Activity in Different Types of Berries. 2015 , 16, 24673-706	429
687	Influence of Cultivar and Industrial Processing on Polyphenols in Concentrated Sour Cherry (<i>L.</i>) Juice. 2015 , 53, 215-222	16
686	Genetic analysis and molecular mapping of genes controlling seed coat colour in adzuki bean (<i>Vigna angularis</i>). 2015 , 206, 609-617	8
685	Color and Bioactive Compounds Characteristics on Dehydrated Sweet Cherry Products. 2015 , 8, 1716-1729	13
684	Effect of boiling on the total phenolic, anthocyanin and carotenoid concentrations of potato tubers from selected cultivars and introgressed breeding lines from native potato species. 2015 , 41, 58-65	34
683	Functional and antioxidant properties of novel snack crackers incorporated with <i>Hibiscus sabdariffa</i> by-product. 2015 , 6, 79-87	35
682	Pressurized liquid extraction of bioactive compounds from blackberry (<i>Rubus fruticosus L.</i>) residues: a comparison with conventional methods. 2015 , 77, 675-683	148
681	Comparison of Three Blanching Treatments on the Color and Anthocyanin Level of the Microwave-Assisted Spouted Bed Drying of Purple Flesh Sweet Potato. 2015 , 33, 66-71	29

680	Role of oxygen scavengers in limiting oxygen permeation into emulsions and improving stability of encapsulated retinol. 2015 , 157, 7-13	9
679	Anthocyanins During Baking: Their Degradation Kinetics and Impacts on Color and Antioxidant Capacity of Bread. 2015 , 8, 983-994	37
678	An industry perspective on natural food colour stability. 2015 , 91-130	20
677	Prunus mahaleb L. fruit extracts: a novel source for natural food pigments. 2015 , 241, 683-695	29
676	Effect of heat exposure on the colour intensity of red pigments produced by <i>Penicillium purpurogenum</i> GH2. 2015 , 164, 21-29	12
675	Effect of ultrasound on the extraction of total anthocyanins from Purple Majesty potato. 2015 , 27, 509-514	48
674	Fruit juice sonication: Implications on food safety and physicochemical and nutritional properties. 2015 , 77, 743-752	182
673	Novel natural food colourant G8000 benefits LDL- and HDL-cholesterol in humans. 2015 , 66, 439-44	
672	Preparation of a pure inoculum of acetic acid bacteria for the selective conversion of glucose in strawberry purè into gluconic acid. 2015 , 96, 35-42	14
671	Nano-encapsulation of saffron extract through double-layered multiple emulsions of pectin and whey protein concentrate. 2015 , 165, 149-155	182
670	Microbial inactivation and physicochemical properties of ultrasound processed pomegranate juice. 2015 , 78, 531-9	25
669	Physico-chemical characteristics of thermally processed purè from different strawberry genotypes. 2015 , 43, 106-118	13
668	Vacuum impregnation and air drying temperature effect on individual anthocyanins and antiradical capacity of blueberry juice included into an apple matrix. 2015 , 64, 1289-1296	53
667	Analysis of the Thermal Degradation of the Individual Anthocyanin Compounds of Black Carrot (<i>Daucus carota</i> L.): A New Approach Using High-Resolution Proton Nuclear Magnetic Resonance Spectroscopy. 2015 , 63, 7066-73	13
666	Predicting anthocyanins' isothermal and non-isothermal degradation with the endpoints method. 2015 , 187, 537-44	14
665	High concentrations of anthocyanins in genuine cherry-juice of old local Austrian <i>Prunus avium</i> varieties. 2015 , 173, 935-42	12
664	Inhibitory effects of red cabbage and sour cherry pomace anthocyanin extracts on food borne pathogens and their antioxidant properties. 2015 , 63, 8-13	26
663	Effect of novel drying techniques on the extraction of anthocyanins from bilberry press cake using supercritical carbon dioxide. 2015 , 29, 209-214	20

- 662 Thermal and UV degradation of roselle anthocyanin extract and its mixtures with poly(vinyl alcohol) in different acid. **2015**, 44, 109-115 5
- 661 NIR spectroscopy and chemometrics for the discrimination of pure, powdered, purple sweet potatoes and their samples adulterated with the white sweet potato flour. **2015**, 144, 17-23 49
- 660 Application of supercritical carbon dioxide for the preservation of strawberry juice: Microbial and physicochemical quality, enzymatic activity and the degradation kinetics of anthocyanins during storage. **2015**, 32, 101-109 43
- 659 Chemical Composition, Antioxidant Capacity, and Sensory Quality of Dried Sour Cherry Fruits pre-Dehydrated in Fruit Concentrates. **2015**, 8, 2076-2095 21
- 658 Ultrasonic Spray Drying vs High Vacuum and Microwaves Technology for Blueberries. **2015**, 70, 867-871 7
- 657 Pre-drying and submerged cap winemaking: Effects on polyphenolic compounds and sensory descriptors. Part II: BRS Carmem and Bordô (Vitis labrusca L.). **2015**, 76, 697-708 7
- 656 Changes in the flavan-3-ols, anthocyanins, and flavanols composition of cocoa beans of different Theobroma cacao L. groups affected by roasting conditions. **2015**, 241, 663-681 28
- 655 Comparative Thermal Degradation Patterns of Natural Yellow Colorants Used in Foods. **2015**, 70, 380-7 27
- 654 Studies into the Stability of 3-O-Glycosylated and 3,5-O-Diglycosylated Anthocyanins in Differently Purified Liquid and Dried Maqui (Aristotelia chilensis (Mol.) Stuntz) Preparations during Storage and Thermal Treatment. **2015**, 63, 8705-14 24
- 653 Effect of processing on phenolic antioxidants of fruits, vegetables, and grains--a review. **2015**, 55, 887-919 232
- 652 Tracing flavonoid degradation in grapes by MS filtering with stable isotopes. **2015**, 166, 448-455 17
- 651 Ultrasound-assisted enzymatic extraction (UAEE) of phytochemical compounds from mulberry (Morus nigra) must and optimization study using response surface methodology. **2015**, 63, 214-225 61
- 650 Influence of cooking on the levels of bioactive compounds in Purple Majesty potato observed via chemical and spectroscopic means. **2015**, 173, 462-7 41
- 649 Yeast mannoproteins improve thermal stability of anthocyanins at pH 7.0. **2015**, 172, 121-8 35
- 648 Effects of temperature, pH, and sunlight exposure on the color stability of strawberry juice during processing and storage. **2015**, 60, 1174-1178 14
- 647 Phytochemicals preservation in strawberry as affected by pH modulation. **2015**, 170, 74-83 11
- 646 Effect of continuous ultra-sonication on microbial counts and physico-chemical properties of blueberry (Vaccinium corymbosum) juice. **2015**, 60, 563-570 61
- 645 Effects of industrial and home-made spread processing on bilberry phenolics. **2015**, 173, 61-9 13

644	Effect of stevia and citric acid on the stability of phenolic compounds and in vitro antioxidant and antidiabetic capacity of a roselle (<i>Hibiscus sabdariffa</i> L.) beverage. 2015 , 172, 885-92	53
643	Atmospheric cold plasma inactivation of aerobic microorganisms on blueberries and effects on quality attributes. 2015 , 46, 479-484	169
642	Extraction of bioactive compounds and free radical scavenging activity of purple basil (<i>Ocimum basilicum</i> L.) leaf extracts as affected by temperature and time. 2016 , 88, 1055-68	18
641	Ascorbic acid-catalyzed degradation of cyanidin-3-O-glucoside: Proposed mechanism and identification of a novel hydroxylated product. 2016 , 6, 175-187	14
640	Storage Stability: Mechanisms of Degradation. 2016 , 181-187	
639	. 2016 ,	
638	EFFECTO DEL TIEMPO DE ALMACENAMIENTO SOBRE PROPIEDADES FISICOQUÍMICAS Y ANTIOXIDANTES DE PRODUCTOS DERIVADOS DEL FRUTO AGRAZ (<i>VACCINIUM MERIDIONALE</i> SWARTZ). 2016 , 23, 184-193	1
637	Roots and Tuber Crops as Functional Foods: A Review on Phytochemical Constituents and Their Potential Health Benefits. 2016 , 2016, 3631647	129
636	Cyanidin-3-O-glucoside: Physical-Chemistry, Foodomics and Health Effects. 2016 , 21,	131
635	Effect of Extraction and Processing Conditions on Anthocyanins of Barberry. 2016 , 40, 1407-1420	19
634	Enhanced Extraction of Phenolics and Antioxidant Capacity from Sorghum (<i>Sorghum bicolor</i> L. Moench) Shell Using Ultrasonic-Assisted Ethanol/Water Binary Solvent. 2016 , 40, 1171-1179	13
633	Effect of Storage on the Physico-Chemical and Antioxidant Properties of Strawberry and Kiwi Leathers. 2016 , 81, C569-77	22
632	Heat Processing of Blueberries and Its Effect on Their Physicochemical and Bioactive Properties. 2016 , 39, 564-572	4
631	Effects of fruit juice concentrate production on individual anthocyanin species in elderberry. 2016 , 51, 641-648	9
630	Infrared Radiation and Microwave Vacuum Combined Drying Kinetics and Quality of Raspberry. 2016 , 39, 377-390	20
629	The Effect of Blueberries on the Oxidative Stability of Pork Meatloaf During Chilled Storage. 2016 , 40, 899-909	12
628	Evaluation of bioactive compounds, chemical and technological properties of fruits byproducts powder. 2016 , 53, 4067-4075	22
627	Modelling the Colour of Strawberry Spread During Storage, Including Effects of Technical Variations. 2016 , 66, 271-276	2

626	Influence of three different concentration techniques on evaporation rate, color and phenolics content of blueberry juice. 2016 , 53, 2389-95	16
625	Extraction and purification of anthocyanins from purple-fleshed potato. 2016 , 99, 136-146	45
624	Application of the Kinetic Triplets and Geometrical Characteristics of Thermal Analysis Curves in Identifying the Main Bioactive Compounds (BC) that Govern the Thermal and Thermo-Oxidative Degradation Mechanism of Aronia melanocarpa (Black Chokeberry). 2016 , 11, 128-141	
623	Phytochemical screening and potential of natural dye colourant from pomegranate (<i>Punica granatum</i> L.). 2016 , 45, 38-44	5
622	A Comparative Study of the Quality of Strawberry Purè Preserved by Continuous Microwave Heating and Conventional Thermal Pasteurization During Long-Term Cold Storage. 2016 , 9, 1100-1112	26
621	Biosynthesis and Stability of Anthocyanins. 2016 , 71-86	4
620	Occurrence of Anthocyanins in Plants. 2016 , 35-46	
619	Modelling the stability of maltodextrin-encapsulated grape skin phenolics used as a new ingredient in apple puree. 2016 , 209, 323-31	39
618	Effects of conventional and ultrasound treatments on physicochemical properties and antioxidant capacity of floral honeys from Northern Thailand. 2016 , 15, 19-26	30
617	Evaluation of Three-Step Pretreatment Combined with Air Blast or Cryomechanical Freezing in Improving the Quality of Frozen Strawberries (<i>Fragaria ananassa</i> Duch. cv. Harunoka). 2016 , 12, 153-163	
616	Effect of cultivar and storage temperature on identification and stability of polyphenols in strawberry cloudy juices. 2016 , 54, 10-19	23
615	Inclusion of Polyphenols into Food Matrices. 2016 , 303-325	0
614	Hot water dipping: Impact on postharvest quality, individual sugars, and bioactive compounds during storage of Bonata strawberry. 2016 , 210, 150-157	30
613	Ohmic heating and pulsed vacuum effect on dehydration processes and polyphenol component retention of osmodehydrated blueberries (cv. Tifblue). 2016 , 36, 112-119	42
612	A comparative study of black mulberry juice concentrates by thermal evaporation and osmotic distillation as influenced by storage. 2016 , 38, 57-64	26
611	Effect of UV Irradiation on the Nutritional Quality and Cytotoxicity of Apple Juice. 2016 , 64, 7812-7822	23
610	Effect of Combined High Pressure-Temperature Treatments on Bioactive Compounds in Fruit Purès. 2016 , 105-130	
609	Sonication Processing on Bioactive Compound of Fluid Foods. 2016 , 131-148	

608	Effect of differently processed aabi (Euterpe oleracea Mart.) on the retention of phenolics and anthocyanins in chewy candies. 2016 , 51, 2603-2612	11
607	Stability of polyphenols in chokeberry juice treated with gas phase plasma. 2016 , 212, 323-31	77
606	Microwave-assisted drying of blueberry (Vaccinium corymbosum L.) fruits: Drying kinetics, polyphenols, anthocyanins, antioxidant capacity, colour and texture. 2016 , 212, 671-80	135
605	Investigations on Sweet Cherry Phenolic Degradation During Thermal Treatment Based on Fluorescence Spectroscopy and Inactivation Kinetics. 2016 , 9, 1706-1715	15
604	Phenolic composition of BRS Violeta red wines produced from alternative winemaking techniques: relationship with antioxidant capacity and sensory descriptors. 2016 , 242, 1913-1923	4
603	Grape juice obtained using steam extraction and other small-scale extraction methods: phenolic content, antioxidant capacity and stability during storage. 2016 , 51, 1696-1702	17
602	Determination of Nonanthocyanin Phenolic Compounds Using High-Resolution Mass Spectrometry (UHPLC-Orbitrap-MS/MS) and Impact of Storage Conditions in a Beverage Made from Strawberry by Fermentation. 2016 , 64, 1367-76	17
601	Effect of blanching on enzyme activity, color changes, anthocyanin stability and extractability of mangosteen pericarp: A kinetic study. 2016 , 178, 12-19	45
600	Degradation kinetics of anthocyanins in freeze-dried microencapsulates from lowbush blueberries (Vaccinium angustifolium Aiton) and prediction of shelf-life. 2016 , 34, 1175-1184	23
599	Enzymatic Acylation of Anthocyanin Isolated from Black Rice with Methyl Aromatic Acid Ester as Donor: Stability of the Acylated Derivatives. 2016 , 64, 1137-43	23
598	UV-C irradiation as an alternative disinfection technique: Study of its effect on polyphenols and antioxidant activity of apple juice. 2016 , 34, 344-351	61
597	Influence of hot air fluidized bed drying on quality changes of purple rice. 2016 , 34, 1462-1470	16
596	Comparison of High Hydrostatic Pressure, High-Pressure Carbon Dioxide and High-Temperature Short-Time Processing on Quality of Mulberry Juice. 2016 , 9, 217-231	40
595	Health benefits of the potato affected by domestic cooking: A review. 2016 , 202, 165-75	89
594	Nutritional impact of ohmic heating on fruits and vegetablesA review. 2016 , 2,	14
593	Use of Pigmented Maize in Both Conventional Dry-Grind and Modified Processes Using Granular Starch Hydrolyzing Enzyme. 2016 , 93, 344-351	8
592	Changes in Quality Attributes During Storage of High-Pressure and Thermally Processed Pineapple Puree. 2016 , 9, 768-791	17
591	Domestic cooking methods affect the phytochemical composition and antioxidant activity of purple-fleshed potatoes. 2016 , 197 Pt B, 1264-70	91

590	Optimization of Anthocyanin Extraction from Saffron Petals with Response Surface Methodology. 2016 , 9, 1993-2001	61
589	Degradation kinetics of total anthocyanins and formation of polymeric color in blueberry hydrothermodynamic (HTD) processing. 2016 , 171, 44-51	83
588	Effects of nonthermal preservation technologies on antioxidant activity of fruits and vegetables: A review. 2016 , 22, 440-458	9
587	The impact of different baking conditions on the stability of the extractable polyphenols in muffins enriched by strawberry, sour cherry, raspberry or black currant pomace. 2016 , 65, 946-953	33
586	Effect of thermal treatment on phenolic compounds from plum (<i>Prunus domestica</i>) extracts I: A kinetic study. 2016 , 171, 200-207	65
585	Phytochemical uptake following human consumption of Montmorency tart cherry (<i>L. Prunus cerasus</i>) and influence of phenolic acids on vascular smooth muscle cells in vitro. 2016 , 55, 1695-705	51
584	Pressure Degradation Kinetics of Anthocyanin Pigment and Visual Color of Chinese Bayberry Juice. 2016 , 19, 443-453	18
583	Production of maize tortillas and cookies from nixtamalized flour enriched with anthocyanins, flavonoids and saponins extracted from black bean (<i>Phaseolus vulgaris</i>) seed coats. 2016 , 192, 90-7	38
582	Kinetic analysis of anthocyanin degradation and polymeric colour formation in grape juice during heating. 2016 , 33, 103-108	19
581	Development and validation of a liquid chromatography method for anthocyanins in strawberry (<i>Fragaria</i> spp.) and complementary studies on stability, kinetics and antioxidant power. 2016 , 192, 566-74	20
580	Changes in the color, chemical stability and antioxidant capacity of thermally treated anthocyanin aqueous solution over storage. 2016 , 192, 516-24	54
579	The effect of high-pressure processing on colour, bioactive compounds, and antioxidant activity in smoothies during refrigerated storage. 2016 , 192, 328-35	72
578	A comparative study on the effect of conventional thermal pasteurisation, microwave and ultrasound treatments on the antioxidant activity of five fruit juices. 2016 , 22, 288-301	36
577	Anthocyanin extraction, microencapsulation, and release properties during in vitro digestion. 2016 , 32, 46-67	17
576	Multiobjective Optimization of Total Monomeric Anthocyanins and Total Flavonoids Contents in Ultrasound-Assisted Extraction from Purple Potato Tubers. 2017 , 40, e12422	2
575	Sensory Analysis and Consumers Studies of Añi Beverage After Thermal, Chlorine and Ozone Treatments of the Fruits. 2017 , 41, e12961	5
574	The food matrix affects the anthocyanin profile of fortified egg and dairy matrices during processing and in vitro digestion. 2017 , 214, 486-496	37
573	Concentration of phenolic compounds from strawberry (<i>Fragaria X ananassa</i> Duch) juice by nanofiltration membrane. 2017 , 201, 36-41	58

572	Effects of Juice Matrix and Pasteurization on Stability of Black Currant Anthocyanins during Storage. 2017 , 82, 44-52	13
571	Combining various wall materials for encapsulation of blueberry anthocyanin extracts: Optimization by artificial neural network and genetic algorithm and a comprehensive analysis of anthocyanin powder properties. 2017 , 311, 77-87	41
570	Combined effect of ultrasound, heat, and pressure on Escherichia coli O157:H7, polyphenol oxidase activity, and anthocyanins in blueberry (<i>Vaccinium corymbosum</i>) juice. 2017 , 37, 251-259	36
569	High pressure processing and thermal pasteurization of strawberry purè: quality parameters and shelf life evaluation during cold storage. 2017 , 54, 832-841	39
568	Partial purification, characterisation and thermal inactivation kinetics of peroxidase and polyphenol oxidase isolated from Kalipatti sapota (<i>Manilkara zapota</i>). 2017 , 97, 3568-3575	11
567	Roasting conditions for preserving cocoa flavan-3-ol monomers and oligomers: interesting behaviour of Criollo clones. 2017 , 97, 4001-4008	8
566	The effects of selected metal ions on the stability of red cabbage anthocyanins and total phenolic compounds subjected to encapsulation process. 2017 , 41, e13234	19
565	Effect of heat processing on thermal stability and antioxidant activity of six flavonoids. 2017 , 41, e13203	94
564	Degradation kinetics of cyanidin 3-O-glucoside and cyanidin 3-O-rutinoside during hot air and vacuum drying in mulberry (<i>Morus alba</i> L.) fruit: A comparative study based on solid food system. 2017 , 229, 574-579	39
563	Effect of ultrasound and storage time on quality attributes of strawberry juice. 2017 , 40, e12533	47
562	Functional relationships between phytochemicals and drying conditions during the processing of blackcurrant pomace into powders. 2017 , 28, 1340-1348	17
561	Effect of high hydrostatic pressure processing and squeezing pressure on some quality properties of pomegranate juice against thermal treatment. 2017 , 37, 78-92	11
560	Thermostability and degradation kinetics of tocopherols and carotenoids in palm oil, canola oil and their blends during deep-fat frying. 2017 , 82, 131-138	26
559	Thermal degradation kinetics of anthocyanins extracted from juçara (<i>Euterpe edulis</i> Martius) and "Italia" grapes (<i>Vitis vinifera</i> L.), and the effect of heating on the antioxidant capacity. 2017 , 232, 836-840	48
558	Wild blueberry polyphenol-protein food ingredients produced by three drying methods: Comparative physico-chemical properties, phytochemical content, and stability during storage. 2017 , 235, 76-85	52
557	Flavones: Food Sources, Bioavailability, Metabolism, and Bioactivity. 2017 , 8, 423-435	234
556	Antioxidant, quality and electronic tongue sensory parameters of thermosonicated blueberry nectar. 2017 , 44, 202-211	5
555	Encapsulation of anthocyanin in liposomes using supercritical carbon dioxide: Effects of anthocyanin and sterol concentrations. 2017 , 34, 159-167	78

554	Phytochemicals content and antioxidant properties of sea buckthorn (<i>Hippophae rhamnoides</i> L.) as affected by heat treatment - Quantitative spectroscopic and kinetic approaches. 2017 , 233, 442-449	33
553	The chemical and antioxidant stability of isolated low molecular weight phlorotannins. 2017 , 221, 1104-1112	47
552	Effect of carrier agents on chemical properties and sensory evaluation of spray-dried <i>Nigella sativa</i> . 2017 , 15, 448-456	2
551	Impacts of pulsed electric field and heat treatment on quality and sensory properties and microbial inactivation of pomegranate juice. 2017 , 23, 668-680	21
550	Effects of concentration method and storage time on some bioactive compounds and color of jujube (var) concentrate. 2017 , 54, 2947-2955	9
549	Influence of fruit juice processing on anthocyanin stability. 2017 , 100, 354-365	56
548	Chemical Composition of Blackberry Press Cake, Polyphenolic Extract, and Defatted Seeds, and Their Effects on Cecal Fermentation, Bacterial Metabolites, and Blood Lipid Profile in Rats. 2017 , 65, 5470-5479	20
547	Microencapsulation of an anthocyanin-rich blackberry (<i>Rubus</i> spp.) by-product extract by freeze-drying. 2017 , 84, 256-262	94
546	Strawberry puree processed by thermal, high pressure, or power ultrasound: Process energy requirements and quality modeling during storage. 2017 , 23, 293-309	15
545	Stability of polyphenols from blueberry (<i>Vaccinium corymbosum</i> L.) in fermented dairy beverage. 2017 , 41, e13305	11
544	Isabel red wines produced from grape pre-drying and submerged cap winemaking: A phenolic and sensory approach. 2017 , 81, 58-66	4
543	Effect of Ultrasound on Anthocyanins. 2017 , 485-505	0
542	The use of encapsulation to guarantee the stability of phenolic compounds. 2017 , 121-143	0
541	Spray-Drying of Antioxidant-Rich Blueberry Waste Extracts; Interplay Between Waste Pretreatments and Spray-Drying Process. 2017 , 10, 1074-1092	30
540	Evaluation of processing effects on anthocyanin content and colour modifications of blueberry (<i>Vaccinium</i> spp.) extracts: Comparison between HPLC-DAD and CIELAB analyses. 2017 , 232, 114-123	47
539	Microstructural and Physiological Changes in Plant Cell Induced by Pressure: Their Role on the Availability and Pressure-Temperature Stability of Phytochemicals. 2017 , 9, 314-334	29
538	Comparison of the kinetics of monomeric anthocyanins loss and colour changes in thermally treated Blackcurrant, Maqui Berry and Blueberry pulps from Argentina. 2017 , 7, 85-96	10
537	Phenolic Elderberry Extracts, Anthocyanins, Procyanidins, and Metabolites Influence Glucose and Fatty Acid Uptake in Human Skeletal Muscle Cells. 2017 , 65, 2677-2685	49

536	Tomato cystine-knot miniproteins possessing anti-angiogenic activity exhibit in vitro gastrointestinal stability, intestinal absorption and resistance to food industrial processing. 2017 , 221, 1346-1353	4
535	Antioxidant capacity, phenolic composition and microbial stability of aronia juice subjected to high hydrostatic pressure processing. 2017 , 39, 141-147	32
534	Folate, ascorbic acid, anthocyanin and colour changes in strawberry (<i>Fragaria Tannanasa</i>) during refrigerated storage. 2017 , 86, 652-659	11
533	Anthocyanidins and anthocyanins: colored pigments as food, pharmaceutical ingredients, and the potential health benefits. 2017 , 61, 1361779	885
532	Stabilization of anthocyanins in blackberry juice by glutathione fortification. 2017 , 8, 3459-3468	15
531	Stir-frying treatments affect the phenolics profiles and cellular antioxidant activity of <i>Adinandra nitida</i> tea (Shiyacha) in daily tea model. 2017 , 52, 1820-1827	10
530	Development of antioxidative effect in ice cream with Kalakai (<i>Stenochlaena palustris</i>) water extract. 2017 ,	3
529	Novel thin-layer chromatographic method of screening the anthocyanes containing alimentary products and precautions taken at the method development step. 2017 , 1530, 211-218	3
528	Thermal stability of primary and secondary metabolites in highbush blueberry (<i>Vaccinium corymbosum</i> L.) purees. 2017 , 76, 79-86	17
527	Kinetics of enzymatic inactivation and loss of anthocyanins and antioxidant activity in red cabbage blanched under different conditions. 2017 , 41, e12340	5
526	Impact of Food Processing on Anthocyanins. 2017 ,	4
525	Spectral and colorimetric characteristics of metal chelates of acylated cyanidin derivatives. 2017 , 221, 1088-1095	20
524	Effects of different depth of grain colour on antioxidant capacity during water imbibition in wheat (<i>Triticum aestivum</i> L.). 2017 , 97, 2750-2758	9
523	Chitosan-cellulose nanocrystal microencapsulation to improve encapsulation efficiency and stability of entrapped fruit anthocyanins. 2017 , 157, 1246-1253	75
522	Effect of Pulsed Electric Field Processing on Flavor and Color of Liquid Foods 2017 , 41, e12940	9
521	Effect of the storage time and temperature on phenolic compounds of sorghum grain and flour. 2017 , 216, 390-8	30
520	Effect of post-harvest treatment on bioactive phytochemicals of Thai black rice. 2017 , 217, 98-105	36
519	Water Extraction of Anthocyanins from Black Rice and Purification Using Membrane Separation and Resin Adsorption. 2017 , 41, e13091	17

518	Inactivation of <i>Toxoplasma gondii</i> on blueberries using low dose irradiation without affecting quality. 2017 , 73, 981-985	13
517	Influence of juice processing factors on quality of black chokeberry pomace as a future resource for colour extraction. 2017 , 217, 409-417	38
516	Storage stability of phenolic compounds in powdered BRS Violeta grape juice microencapsulated with protein and maltodextrin blends. 2017 , 214, 308-318	86
515	Anthocyanins degradation during storage of <i>Hibiscus sabdariffa</i> extract and evolution of its degradation products. 2017 , 214, 234-241	101
514	Comparative Study on the Effect of Heat Treatment and Sonication on the Quality of Barberry (<i>Berberis Vulgaris</i>) Juice. 2017 , 41, e12956	17
513	Processing black mulberry into jam: effects on antioxidant potential and in vitro bioaccessibility. 2017 , 97, 3106-3113	30
512	Processing of Parboiled Wheat Noodles Fortified with Pulsed Ultrasound Pomegranate (<i>Punica granatum</i> L. var. Malas) Peel Extract. 2017 , 10, 379-393	12
511	Conventional and Novel Thermal Processing Used for the Improvement of Bioactive Phytochemicals in Fruits and Vegetables. 2017 , 649-676	
510	Development of edible films from tapioca starch and agar, enriched with red cabbage (<i>Brassica oleracea</i>) as a sausage deterioration bio-indicator. 2017 , 109, 012031	7
509	Microencapsulation of Natural Anthocyanin from Purple Rosella Calyces by Freeze Drying. 2017 , 909, 012084	1
508	Multiple response optimization of blueberry juice depectinization. 2017 , 47,	4
507	Composition, Nutritional, and Therapeutic Values of Fruit and Berry Wines. 2017 , 177-226	0
506	Sweet Potato Anthocyanins. 2017 , 279-355	2
505	Optimization of the Ultrasound-Assisted Extraction of Phenolic Compounds from <i>Brosimum alicastrum</i> Leaves and the Evaluation of Their Radical-Scavenging Activity. 2017 , 22,	8
504	Polyphenols. 2017 , 203-258	10
503	Applications of Recovered Bioactive Compounds in Food Products. 2017 , 233-266	6
502	The Effect of High Pressure Techniques on the Stability of Anthocyanins in Fruit and Vegetables. 2017 , 18,	64
501	Antioxidant Potential of Fruit Juice with Added Chokeberry Powder (<i>Aronia melanocarpa</i>). 2017 , 22,	14

500	Phenolics and Ascorbic Acid Related to Antioxidant Activity of MaoFruit Juice and Their Thermal Stability Study (Review Article). 2017 , 33, 74-86	3
499	Aβ ₁₋₄₂ (Euterpe oleracea) and Bacaba (Oenocarpus bacaba) as Functional Food. 2017 ,	3
498	LCMS/MS and UPLC-UV Evaluation of Anthocyanins and Anthocyanidins during Rabbiteye Blueberry Juice Processing. 2017 , 3, 56	24
497	Anthocyanin Contents Enhancement with Gamma Irradiated Mutagenesis in Blackberry (Rubus fruticosus). 2017 , 12, 1934578X1701200	1
496	Effect of thermal treatment, microwave, and pulsed electric field processing on the antimicrobial potential of aβ ₁₋₄₂ (Euterpe oleracea), stevia (Stevia rebaudiana Bertoni), and ginseng (Panax quinquefolius L.) extracts. 2018 , 90, 98-104	20
495	The Influence of Different Air-Drying Conditions on Bioactive Compounds and Antioxidant Activity of Berries. 2018 , 66, 2714-2723	39
494	Modulating analytical characteristics of thermovinified Carignan musts and the volatile composition of the resulting wines through the heating temperature. 2018 , 257, 7-14	14
493	Effect of preheat treatment of milk proteins on their interactions with cyanidin-3-O-glucoside. 2018 , 107, 394-405	37
492	Effect of pulsed light treatment on the phytochemical, volatile, and sensorial attributes of lactic-acid-fermented mulberry juice. 2018 , 21, 213-228	15
491	Encapsulation of purple corn and blueberry extracts in alginate-pectin hydrogel particles: Impact of processing and storage parameters on encapsulation efficiency. 2018 , 107, 414-422	49
490	Hibiscus sabdariffa anthocyanins-rich extract: Chemical stability, in vitro antioxidant and antiproliferative activities. 2018 , 113, 187-197	68
489	Stability of phenolic compounds and antioxidant capacity of concentrated mulberry juice-enriched dried-minced pork slices during preparation and storage. 2018 , 89, 187-195	20
488	High-performance liquid chromatography for the analytical characterization of anthocyanins in Vaccinium myrtillus L. (bilberry) fruit and food products. 2018 , 410, 3559-3571	15
487	Impact of wall material physicochemical characteristics on the stability of encapsulated phytochemicals: A review. 2018 , 107, 227-247	58
486	Characterisation of Nanostructured Potato Starch Powders with Blackberry (Rubus fruticosus Var. Brazos) Juice. 2018 , 95, 144-156	1
485	The kinetics of thermal degradation of polyphenolic compounds from elderberry (Sambucus nigra L.) extract. 2018 , 24, 361-369	18
484	Ultrasound improves antimicrobial effect of sodium dichloroisocyanurate to reduce Salmonella Typhimurium on purple cabbage. 2018 , 269, 12-18	48
483	Analysis, Identification, and Quantification of Anthocyanins in Fruit Juices. 2018 , 693-737	2

482	Extraction and characterization of anthocyanins from <i>Nitraria tangutorun</i> bobr. dry fruit and evaluation of their stability in aqueous solution and taurine-contained beverage. 2018 , 12, 937-948	5
481	Comparative analysis of <i>Hibiscus sabdariffa</i> (roselle) hot and cold extracts in respect to their potential for α -glucosidase inhibition. 2018 , 250, 236-244	37
480	Determination of drying kinetics and quality parameters of grape pomace dried with a heat pump dryer. 2018 , 260, 152-159	45
479	Optimization of free radical scavenging capacity and pH of <i>Hylocereus polyrhizus</i> peel by Response Surface Methodology. 2018 , 131, 012051	1
478	Effect of storage on quality attributes of lactic-acid-fermented mulberry juice subjected to combined pulsed light and ultrasonic pasteurization treatment. 2018 , 12, 1763-1771	5
477	Addition of sucrose during the blueberry heating process is good or bad? Evaluating the changes of anthocyanins/anthocyanidins and the anticancer ability in HepG-2 cells. 2018 , 107, 509-517	14
476	Grain and sweet sorghum (<i>Sorghum bicolor</i> L. Moench) serves as a novel source of bioactive compounds for human health. 2018 , 58, 2867-2881	38
475	High-pressure recovery of anthocyanins from grape skin pomace (<i>Vitis vinifera</i> cv. Teran) at moderate temperature. 2018 , 42, e13342	33
474	Effect of chlorogenic acid on spectral properties and stability of acylated and non-acylated cyanidin-3-O-glycosides. 2018 , 240, 940-950	19
473	Use of nonthermal technologies in the production of functional beverages from vegetable ingredients to preserve heat-labile phytochemicals. 2018 , 42, e13506	8
472	The effect of genotype and drying condition on the bioactive compounds of sour cherry pomace. 2018 , 244, 635-645	12
471	Black carrot polyphenols: effect of processing, storage and digestion – an overview. 2018 , 17, 379-395	19
470	Combination of hydrothermodynamic (HTD) processing and different drying methods for natural blueberry leather. 2018 , 87, 470-477	26
469	Optimal drying and storage conditions for purple rice based on expected high quality. 2018 , 42, e13502	6
468	Roselle (<i>Hibiscus sabdariffa</i>) by-product as functional ingredient: effect of thermal processing and particle size reduction on bioactive constituents and functional, morphological, and structural properties. 2018 , 12, 135-144	10
467	Polyphenols, ascorbic acid and antioxidant capacity of commercial nutritional drinks, fruit juices, smoothies and teas. 2018 , 53, 188-198	16
466	Microencapsulation of saffron anthocyanins using β -glucan and β -cyclodextrin: Microcapsule characterization, release behaviour & antioxidant potential during in-vitro digestion. 2018 , 109, 435-442	67
465	Evaluation of microfiltration and heat treatment on the microbiological characteristics, phenolic composition and volatile compound profile of pomegranate (<i>Punica granatum</i> L.) juice. 2018 , 98, 3324-3332	14

464	Microencapsulation of Color and Flavor in Confectionery Products. 2018 , 457-494	3
463	Colorants. 2018 , 169-218	0
462	Natural Food Pigments and Colorants. 2018 , 1-35	3
461	Kinetics of colour changes in pasteurised strawberry juice during storage. 2018 , 216, 42-51	52
460	Effect of Paper Matrix on the Properties of the Ammonia Gas Indicator Label. 2018 , 1120, 012032	
459	The Effects of Added Water and Grinding Temperature on Stability and Degradation Kinetics of Antioxidant Activity, Phenolic Compounds, and Ascorbic Acid in Ground Apples. 2018 , 83, 3019-3026	5
458	Nutritional and Functional Attributes of Fruit Products. 2018 , 45-66	1
457	Black Chokeberry (<i>Aronia melanocarpa</i> (Michx.) Elliot) Fruits and Functional Drinks Differ Significantly in Their Chemical Composition and Antioxidant Activity. 2018 , 2018, 1-11	25
456	Effect of sucrose on pH and thermal stability of anthocyanin, total phenolic content, and antioxidant activity of senduduk (<i>Melastoma malabathricum</i>) fruit extract. 2018 ,	
455	Red cabbage washing with acidic electrolysed water: effects on microbial quality and physicochemical properties. 2018 , 2, 229-237	7
454	Effects of drum drying on physical and antioxidant properties of riceberry flour. 2018 , 52, 445-450	9
453	Anthocyanins: Nutrition and Health. 2018 , 1-37	2
452	Encapsulation of anthocyanin-rich extract from blackberry residues by spray-drying, freeze-drying and supercritical antisolvent. 2018 , 340, 553-562	42
451	A Comprehensive Study on the Biological Activity of Elderberry Extract and Cyanidin 3--Glucoside and Their Interactions with Membranes and Human Serum Albumin. 2018 , 23,	11
450	Storage Temperature Impacts on Anthocyanins Degradation, Color Changes and Haze Development in Juice of "Merlot" and "Ruby" Grapes (). 2018 , 5, 100	14
449	Food processing and its impact on phenolic constituents in food. 2018 , 4, 1507782	17
448	The use of an innovative inverse numerical modeling method for the evaluation and parameter estimation of barberry anthocyanins ultrasound assisted extraction. 2018 , 133, 1-11	9
447	The feasibility study of natural pigments as food colorants and seasonings pigments safety on dried tofu coloring. 2018 , 7, 220-228	10

446	Vulnerability of anthocyanins to the components of a thin-layer chromatographic system and comprehensive screening of anthocyanes in alimentary products. 2018 , 1572, 137-144	0
445	Improving Quality Parameters of Functional Strawberry Juices: Optimization of Prebiotic Fiber Enrichment and Geraniol Treatment. 2018 , 11, 2110-2124	10
444	Phenolic Composition Stability and Antioxidant Activity of Sour Cherry Liqueurs. 2018 , 23,	9
443	Evaluation of Consumer Acceptance and Quality of Thermally and High Hydrostatic Pressure Processed Blueberries and Cherries Subjected to Cellulose Nanofiber (CNF) Incorporated Water-Resistant Coating Treatment. 2018 , 11, 1412-1421	4
442	Increased thermal stability of anthocyanins at pH 4.0 by guar gum in aqueous dispersions and in double emulsions W/O/W. 2018 , 117, 665-672	32
441	Degradation kinetics of anthocyanins and polyphenols during storage of red apple juice produced from red-fleshed apples. 2018 , 244, 1741-1750	13
440	Obtaining Multiple Coproducts from Red Grape Pomace via Anthocyanin Extraction and Biogas Production. 2018 , 66, 8045-8053	10
439	Cherry (<i>Prunus avium</i>) phenolic compounds for antioxidant preservation at food interfaces. 2018 , 239, 15-25	17
438	Effects of Microwave Power on Extraction Kinetic of Anthocyanin from Blueberry Powder considering Absorption of Microwave Energy. 2018 , 2018, 1-13	22
437	Montmorillonite as a reinforcement and color stabilizer of gelatin films containing acerola juice. 2018 , 165, 1-7	14
436	Berry Phenolic Antioxidants - Implications for Human Health?. 2018 , 9, 78	104
435	Polyphenols of coloured-flesh potatoes as native antioxidants in stored fried snacks. 2018 , 97, 597-602	14
434	Biofortified Vegetables for Improved Postharvest Quality: Special Reference to High-Pigment Tomatoes. 2018 , 435-454	2
433	Impact of Thermal Degradation of Cyanidin-3-O-Glucoside of Haskap Berry on Cytotoxicity of Hepatocellular Carcinoma HepG2 and Breast Cancer MDA-MB-231 Cells. 2018 , 7,	16
432	Effect of Processing on Bioactive Compounds, Physicochemical and Rheological Characteristics of Juřra, Banana and Strawberry Smoothie. 2018 , 73, 222-227	9
431	Studying the thin-layer drying kinetics and qualitative characteristics of dehydrated saffron petals. 2018 , 42, e13677	3
430	Spray-dried polyphenolic extract from Italian black rice (<i>Oryza sativa</i> L., var. Artemide) as new ingredient for bakery products. 2018 , 269, 603-609	32
429	Storage conditions modulate the metabolomic profile of a black raspberry nectar with minimal impact on bioactivity. 2018 , 9, 4593-4601	4

428	Effect of the process, temperature, light and oxygen on naringin extraction and the evolution of its antioxidant activity. 2018 , 53, 2754-2760	13
427	Challenges in Optimal Utilization of Bioactive Molecules Clinically. 2018 , 1-28	
426	Effects of Nonthermal Plasma Technology on Functional Food Components. 2018 , 17, 1379-1394	52
425	Extraction of anthocyanins from haskap berry pulp using supercritical carbon dioxide: Influence of co-solvent composition and pretreatment. 2018 , 98, 237-244	21
424	Influence of different pectinolytic enzymes on bioactive compound content, antioxidant potency, colour and turbidity of chokeberry juice. 2018 , 244, 1907-1920	9
423	Are Processed Bilberry Products a Good Source of Phenolics?. 2018 , 83, 1856-1861	7
422	Discolouration of raw and cooked coloured fleshed potatoes differing in anthocyanins and polyphenols content. 2019 , 54, 92-101	8
421	Update on natural food pigments - A mini-review on carotenoids, anthocyanins, and betalains. 2019 , 124, 200-205	158
420	Anthocyanins in Food. 2019 , 10-17	5
419	Stability of polyphenolic extracts from red grape skins after thermal treatments. 2019 , 73, 195-203	5
418	Pressurized liquid extraction of bioactive compounds from grape marc. 2019 , 240, 105-113	70
417	Degradation of anthocyanins and polymeric color formation during heat treatment of purple sweet potato extract at different pH. 2019 , 274, 460-470	58
416	Corinthian raisins (<i>Vitis vinifera</i> L., var. Apyrena) antioxidant and sugar content as affected by the drying process: a 3-year study. 2019 , 99, 915-922	14
415	Chemical Composition of Mango (<i>L.</i>) Fruit: Nutritional and Phytochemical Compounds. 2019 , 10, 1073	86
414	Interactions of Anthocyanins with Pectin and Pectin Fragments in Model Solutions. 2019 , 67, 9344-9353	19
413	Polyphenols: Bioaccessibility and bioavailability of bioactive components. 2019 , 309-332	12
412	An efficient method for anthocyanins lipophilization based on enzyme retention in membrane systems. 2019 , 300, 125167	6
411	Rice Flour and Bran Enriched with Blueberry Polyphenols Increases Storage Stability and Decreases Arsenic Content in Bran. 2019 , 8,	2

410	Clarifying effect of different clarifying agents on chaenomeles juice and wine. 2019 ,	1
409	Comparison of the bioactive potential of Roselle (<i>Hibiscus sabdariffa</i> L.) calyx and its by-product: Phenolic characterization by UPLC-QTOF MS and their anti-obesity effect in vivo. 2019 , 126, 108589	18
408	Caracterizaci3n y estabilidad de un extracto rico en antocianinas a partir de corteza de gulupa. 2019 , 48, 27-32	3
407	Improving the shelf-life of food products by nano/micro-encapsulated ingredients. 2019 , 159-200	5
406	A Novel Process for Preparing Instant Riceberry Using Fluidized Bed Drying Assisted with Swirling Compressed-Air: Kinetic Aspects. 2019 , 12, 1422-1434	6
405	Physicochemical properties and bioactive compounds of different varieties of sweetpotato flour treated with high hydrostatic pressure. 2019 , 299, 125129	15
404	Influence of low-pressure nonthermal dielectric barrier discharge plasma on chlorpyrifos reduction in tomatoes. 2019 , 42, e13242	14
403	Ultrasound-Assisted Extraction of Two Types of Antioxidant Compounds (TPC and TA) from Black Chokeberry (<i>Aronia melanocarpa</i> L.): Optimization of the Individual and Simultaneous Extraction Methods. 2019 , 9, 456	12
402	Reformulation as a Strategy for Developing Healthier Food Products. 2019 ,	1
401	Effects of Ultrasound Processing on Physicochemical Parameters, Antioxidants, and Color Quality of Bayberry Juice. 2019 , 2019, 1-12	7
400	Gluten-free crispbread with freeze-dried blackberry: quality and mineral composition. 2019 , 17, 841-849	2
399	Effect of Extraction Method and Thermosonication on Apple Juice Quality. 2019 , 9, 3977	3
398	Active Edible Films Based on Arrowroot Starch with Microparticles of Blackberry Pulp Obtained by Freeze-Drying for Food Packaging. 2019 , 11,	14
397	New Functional Ingredients Based on Microencapsulation of Aqueous Anthocyanin-Rich Extracts Derived from Black Rice (L.). 2019 , 24,	15
396	Management of anthocyanin amount and composition in genus <i>Ribes</i> using interspecific hybridisation. 2019 , 247, 123-129	9
395	Anthocyanins: Nutrition and Health. 2019 , 1097-1133	1
394	Positive and negative effects of polyphenol incorporation in baked foods. 2019 , 284, 90-99	59
393	Challenges in Optimal Utilization of Bioactive Molecules Clinically. 2019 , 109-136	3

392	Design and testing of an electrospun nanofiber mat as a pH biosensor and monitor the pH associated quality in fresh date fruit (Rutab). 2019 , 75, 76-84	47
391	Enzymatic acylation of blackcurrant (<i>Ribes nigrum</i>) anthocyanins and evaluation of lipophilic properties and antioxidant capacity of derivatives. 2019 , 281, 189-196	46
390	Natural color pigments: oxidative stability and degradation kinetics during storage in thermally pasteurized vegetable purees. 2019 , 99, 5934-5945	19
389	The Influence of Chemical Structure and the Presence of Ascorbic Acid on Anthocyanins Stability and Spectral Properties in Purified Model Systems. 2019 , 8,	19
388	Chemical-physical characteristics, polyphenolic content and total antioxidant activity of three Italian-grown pomegranate cultivars. 2019 , 16, 9-14	19
387	Boiling and steaming induced changes in secondary metabolites in three different cultivars of pak choi (<i>Brassica rapa</i> subsp. <i>chinensis</i>). 2019 , 82, 103232	4
386	Valorizations of Sweet Cherries Skins Phytochemicals by Extraction, Microencapsulation and Development of Value-Added Food Products. 2019 , 8,	7
385	Thermosonication applied on camu-camu nectars processing: Effect on bioactive compounds and quality parameters. 2019 , 116, 212-218	13
384	Anthocyanins, non-anthocyanin phenolics, tocopherols and antioxidant capacity of açai juice (<i>Euterpe oleracea</i>) as affected by high pressure processing and thermal pasteurization. 2019 , 55, 88-96	40
383	Brassica-enriched wheat bread: Unraveling the impact of ontogeny and breadmaking on bioactive secondary plant metabolites of pak choi and kale. 2019 , 295, 412-422	16
382	Extraction and Identification of Anthocyanins in Corn Cob and Corn Husk from Cacahuacintle Maize. 2019 , 84, 954-962	13
381	Effects of gamma radiation on the stability and degradation kinetics of phenolic compounds and antioxidant activity during storage of (<i>Oryza sativa</i> L.) black rice flour. 2019 , 62,	10
380	Physiochemistry of blackberries (<i>Rubus</i> L. subgenus <i>Rubus</i> Watson) affected by red drupelet reversion. 2019 , 153, 183-190	8
379	Thermal and Photochemical Stability of Anthocyanins from Black Carrot, Grape Juice, and Purple Sweet Potato in Model Beverages in the Presence of Ascorbic Acid. 2019 , 67, 5647-5660	26
378	Color stability of fruit yogurt during storage. 2019 , 56, 1997-2009	25
377	Effects of heat, ultrasound, and microwave processing on the stability and antioxidant activity of delphinidin and petunidin. 2019 , 43, e12818	14
376	Flour and Bread From Black, Purple, and Blue-Colored Wheats. 2019 , 75-88	1
375	Phenolic composition and antioxidant activities of saskatoon berry fruit and pomace. 2019 , 290, 168-177	17

374	A review of new directions in managing fruit and vegetable processing by-products. <i>Trends in Food Science and Technology</i> , 2019 , 88, 207-219	15.3	85
373	Assessment of Ultrasound Assisted Extraction as an Alternative Method for the Extraction of Anthocyanins and Total Phenolic Compounds from Maqui Berries (<i>Aristotelia chilensis</i> (Mol.) Stuntz). 2019 , 9, 148		18
372	Multivariate Analysis Illuminates the Effects of Vacuum Drying on the Extractable and Nonextractable Polyphenols Profile of Loquat Fruit. 2019 , 84, 726-737		15
371	Kinetics of Phytochemicals Degradation During Thermal Processing of Fruits Beverages. 2019 , 407-440		3
370	Anthocyanin composition and storage degradation kinetics of anthocyanins-based natural food colourant from purple-fleshed sweet potato. 2019 , 54, 2529-2539		17
369	Red Chicory (<i>Cichorium intybus</i>) Extract Rich in Anthocyanins: Chemical Stability, Antioxidant Activity, and Antiproliferative Activity In Vitro. 2019 , 84, 990-1001		25
368	Effect of microwave power on drying kinetics, structure, color, and antioxidant activities of corncob. 2019 , 42, e13021		4
367	Copigmentation with Sinapic Acid Improves the Stability of Anthocyanins in High-Pressure-Processed Strawberry Purees. 2019 , 2019, 1-8		6
366	Natural Food Pigments and Colorants. 2019 , 867-901		20
365	Effect of monoglyceride content on the solubility and chemical stability of β -carotene in organogels. 2019 , 106, 83-91		20
364	Influences of stir-frying and baking on flavonoid profile, antioxidant property, and hydroxymethylfurfural formation during preparation of blueberry-filled pastries. 2019 , 287, 167-175		15
363	Effects of thermal pasteurization on jambolan tropical juice bioactive compounds. 2019 , 121, 2821-2834		2
362	Application of Thermal Kinetic Models in Liquid Foods and Beverages with Reference to Ascorbic Acid, Anthocyanin and Furan β Review. 2019 , 11, 1-13		2
361	The Influence of Inulin on the Retention of Polyphenolic Compounds during the Drying of Blackcurrant Juice. 2019 , 24,		8
360	Thermal and oxidative stability of curcumin encapsulated in yeast microcarriers. 2019 , 275, 1-7		24
359	Characterization of the batter and gluten-free cake from extruded red rice flour. 2019 , 102, 197-204		17
358	Aqueous hibiscus extract as a potential natural pH indicator incorporated in natural polymeric films. 2019 , 19, 47-55		46
357	Microencapsulation of anthocyanin extract from purple rice bran using modified rice starch and its effect on rice dough rheology. 2019 , 124, 573-581		24

356	Effect of water activity on extractable polyphenols and some physical properties of Hibiscus sabdariffa L. calyces. 2019 , 13, 687-696	6
355	Strategies to reduce microbial risk and improve quality of fresh and processed strawberries: A review. 2019 , 52, 197-212	26
354	Evaluation of kinetic parameters in prevention of quality loss in stored almond pastes with added natural antioxidant. 2019 , 56, 483-490	5
353	Quantity assessment of polyphenols, glycoalkaloids and saponins in Solanum scabrum berries of different genetic sources and maturity by HPLC/UV-visible/MS methods. 2019 , 99, 3578-3587	4
352	Physicochemical, thermal, and rheological properties of nixtamalized blue-corn flours and masas added with huitlacoche (Ustilago maydis) paste. 2019 , 278, 601-608	9
351	Decimal reduction energies of UV-C-irradiated spoilage yeasts in coconut liquid endosperm. 2019 , 290, 170-179	9
350	Production of core-shell nanofibers from zein and tragacanth for encapsulation of saffron extract. 2019 , 122, 272-279	64
349	Microencapsulation of anthocyanin compounds extracted from blueberry (Vaccinium spp.) by spray drying: Characterization, stability and simulated gastrointestinal conditions. 2019 , 89, 742-748	48
348	Bioactive films of arrowroot starch and blackberry pulp: Physical, mechanical and barrier properties and stability to pH and sterilization. 2019 , 275, 417-425	51
347	Effect of pH, temperature and time of extraction on the antioxidant properties of Vaccinium meridionale Swartz. 2019 , 9, 39-49	4
346	Evaluation of the protection and release rate of bougainvillea (Bougainvillea spectabilis) extracts encapsulated in alginate beads. 2019 , 40, 1065-1074	8
345	Effect of incorporation of blackberry particles on the physicochemical properties of edible films of arrowroot starch. 2019 , 37, 448-457	22
344	Evaluation of Industrial Sour Cherry Liquor Wastes as an Ecofriendly Source of Added Value Chemical Compounds and Energy. 2020 , 11, 201-210	5
343	Optimizing the extraction of anthocyanins from purple passion fruit peel using response surface methodology. 2020 , 14, 185-193	2
342	Microencapsulation by spray-drying of polyphenols extracted from red chicory and red cabbage: Effects on stability and color properties. 2020 , 307, 125535	29
341	Novel pH-sensitive films containing curcumin and anthocyanins to monitor fish freshness. 2020 , 100, 105438	100
340	Phytonutrients: structure-function relationship, health benefits, stability, and fate during processing. 2020 , 1-22	1
339	Evaluation of Phytochemicals, Antioxidants, Trace Elements in Kigelia africana Fruit Extracts and Chemical Profiling Analysis Using UHPLC-qTOF-MS Spectrometry. 2020 , 195, 679-695	10

338	Antioxidant and phytoestrogenic activities of puffed black soybeans (<i>Glycine max</i>). 2020 , 118, 108780	3
337	Influence of spray drying on bioactive compounds of blackberry pulp microencapsulated with arrowroot starch and gum arabic mixture. 2020 , 37, 65-76	8
336	Storage stability of dried raspberry foam as a snack product: Effect of foam structure and microwave-assisted freeze drying on the stability of plant bioactives and ascorbic acid. 2020 , 270, 109779	20
335	The Link between Polyphenol Structure, Antioxidant Capacity and Shelf-Life Stability in the Presence of Fructose and Ascorbic Acid. 2020 , 25,	14
334	Effect of the Modifications on the Physicochemical and Biological Properties of β -Glucan-A Critical Review. 2019 , 25,	19
333	The potential of anthocyanins from blueberries as a natural dye for cotton: A combined experimental and theoretical study. 2020 , 176, 108180	34
332	Characteristics of Cornelian cherry sour non-alcoholic beers brewed with the special yeast <i>Saccharomyces ludwigii</i> . 2020 , 312, 125968	18
331	Effect of extraction conditions on phenolic compounds and antioxidant properties of koreeb (<i>Dactyloctenium aegyptium</i>) seeds flour. 2020 , 14, 799-808	6
330	Combination of thermal and dual-frequency sonication processes for optimum microbiological and antioxidant properties in cherry tomato. 2020 , 44, e14325	6
329	Anthocyanins in Food. 2020 , 1-52	
328	Anthocyanin-loaded double Pickering emulsion stabilized by octenylsuccinate quinoa starch: Preparation, stability and in vitro gastrointestinal digestion. 2020 , 152, 1233-1241	23
327	Thermal processing of raspberry pulp: Effect on the color and bioactive compounds. 2020 , 124, 469-477	5
326	Low anthocyanin plum nectar does not impact cognition, blood pressure and gut microbiota in healthy older adults: A randomized crossover trial. 2020 , 82, 74-87	4
325	Influence of Different Sweeteners on the Stability of Anthocyanins from Cornelian Cherry Juice. 2020 , 9,	3
324	Novel complex coacervates based on Zedo gum, cress seed gum and gelatin for loading of natural anthocyanins. 2020 , 164, 3349-3360	12
323	Modeling of drying and rehydration kinetics of <i>Rosa pimpinellifolia</i> fruits: Toward formulation and optimization of a new tea with high antioxidant properties. 2020 , 43, e13486	8
322	Ethanol shock enhances the recovery of anthocyanin from lowbush blueberry. 2020 , 28, 3096-3102	2
321	Bacterial growth and biological properties of <i>Cymbopogon schoenanthus</i> and <i>Ziziphus lotus</i> are modulated by extraction conditions. 2020 , 136, 109534	2

320	Thermostability of bioactive compounds during roasting process of coffee beans. 2020 , 6, e05508	4
319	Sustainable performance of cold-set gelation in the confectionery manufacturing and its effects on perception of sensory quality of jelly candies. 2020 , 1, 100005	2
318	Physicochemical changes of barberry juice concentrated by liquid desiccant-assisted solar system and conventional methods during the evaporation process. 2021 , 58, 4370-4381	
317	Anthocyanins in Brassicaceae: composition, stability, bioavailability, and potential health benefits. 2020 , 1-15	7
316	The degradation rules of anthocyanins from eggplant peel and antioxidant capacity in fortified model food system during the thermal treatments. 2020 , 38, 100701	7
315	Selected purple-fleshed sweet potato genotypes with high anthocyanin contents. 2020 , 456, 012023	2
314	The effect of Roselle calyces extract on the chemical and sensory properties of cupcakes. 2020 , 736, 062015	1
313	Effect of steviol glycosides as sugar substitute on the probiotic fermentation in milk gels enriched with red beetroot (<i>Beta vulgaris</i> L.) bioactive compounds. 2020 , 134, 109851	6
312	Stability of Phenolic Compounds in Grape Stem Extracts. 2020 , 9,	8
311	Effect of Stand-Alone and Combined Ultraviolet and Ultrasound Treatments on Physicochemical and Microbial Characteristics of Pomegranate Juice. 2020 , 10, 5458	4
310	The changes of moisture content, total phenolic content and pasting profile caused by parboiling process of black rice. 2020 , 443, 012004	1
309	Chemical/Color Stability and Rheological Properties of Cyanidin-3-Glucoside in Deep Eutectic Solvents as a Gateway to Design Task-Specific Bioactive Compounds. 2020 , 8, 16184-16196	6
308	Smart monitoring of gas/temperature changes within food packaging based on natural colorants. 2020 , 19, 2885-2931	26
307	Assessment of the formation of A-type proanthocyanidin by model reaction to blueberry extract and epicatechin. 2020 , 134, 110169	0
306	Methods of Incorporating Plant-Derived Bioactive Compounds into Films Made with Agro-Based Polymers for Application as Food Packaging: A Brief Review. 2020 , 12,	26
305	Interactions between whey proteins and cranberry juice after thermal or non-thermal processing during gastrointestinal digestion. 2020 , 11, 7661-7680	5
304	Evaluation of Antioxidant and Anti-Inflammatory Activity of Anthocyanin-Rich Water-Soluble Aronia Dry Extracts. 2020 , 25,	15
303	Changes in Quality Characteristics of Strawberry Juice After Equivalent High Pressure, Ultrasound, and Pulsed Electric Fields Processes. 2020 , 13, 601	4

302	Kinetics of Enzymatic Synthesis of Cyanidin-3-Glucoside Lauryl Ester and Its Physicochemical Property and Proliferative Effect on Intestinal Probiotics. 2020 , 9,	4
301	Anthocyanins: A Comprehensive Review of Their Chemical Properties and Health Effects on Cardiovascular and Neurodegenerative Diseases. 2020 , 25,	82
300	Evaluation of the status quo of polyphenols analysis: Part II-Analysis methods and food processing effects. 2020 , 19, 3219-3240	4
299	Influences of Postharvest Storage and Processing Techniques on Antioxidant and Nutraceutical Properties of <i>Rubus idaeus</i> L.: A Mini-Review. 2020 , 6, 105	2
298	Thermal Degradation Kinetics of Anthocyanins Extracted from Purple Maize Flour Extract and the Effect of Heating on Selected Biological Functionality. 2020 , 9,	11
297	Thermal Degradation Kinetics and pH-Rate Profiles of Iriflophenone 3,5-C- β -D-diglycoside, Iriflophenone 3-C- β -D-Glucoside and Mangiferin in Leaf Extract. 2020 , 25,	1
296	Black Chokeberry Fruit Polyphenols: A Valuable Addition to Reduce Lipid Oxidation of Muffins Containing Xylitol. 2020 , 9,	4
295	Application of Natural Pigments in Ordinary Cooked Ham. 2020 , 25,	5
294	pH-dependent antioxidant stability of black rice anthocyanin complexed with cycloamylose. 2020 , 129, 109474	12
293	Physicochemical stability and in vitro bioaccessibility of phenolic compounds and anthocyanins from Thai rice bran extracts. 2020 , 329, 127157	9
292	Phenolic composition by UHPLC-Q-TOF-MS/MS and stability of anthocyanins from <i>Clitoria ternatea</i> L. (butterfly pea) blue petals. 2020 , 331, 127341	17
291	Characterization of submicron emulsion processed by ultrasound homogenization to protect a bioactive extract from sea grape (<i>L.</i>). 2020 , 29, 1365-1372	2
290	Effect of hot air drying on the polyphenol profile of Hongjv (<i>Citrus reticulata</i> Blanco, CV. Hongjv) peel: A multivariate analysis. 2020 , 44, e13174	4
289	Processing influences on food polyphenol profiles and biological activity. 2020 , 32, 90-102	25
288	Evaluation of Lyophilized Myrtle Pulp Powder Stability During Storage. 2020 , 8, 138	
287	A comparative study on the phenolic bioaccessibility, antioxidant and inhibitory effects on carbohydrate-digesting enzymes of maca and mashua powders. 2020 , 131, 109798	0
286	Effects of blanching on extraction and stability of anthocyanins from blueberry peel. 2020 , 14, 2854-2861	4
285	New insights into red plant pigments: more than just natural colorants.. 2020 , 10, 24669-24682	28

284	Anthocyanin-fucoidan nanocomplex for preventing carcinogen induced cancer: Enhanced absorption and stability. 2020 , 586, 119597	11
283	Fate of Polyphenols and Antioxidant Activity of Barley during Processing. 2020 , 1-36	2
282	The biological activities of the spiderworts (Tradescantia). 2020 , 317, 126411	3
281	In vitro gastrointestinal digestion and fecal fermentation reveal the effect of different encapsulation materials on the release, degradation and modulation of gut microbiota of blueberry anthocyanin extract. 2020 , 132, 109098	25
280	Coupling osmotic dehydration with heat treatment for green papaya impregnated with blackberry juice solution. 2020 , 55, 2551-2561	2
279	Phytochemicals and Traditional Use of Two Southernmost Chilean Berry Fruits: Murta (Turcz) and Calafate (Lam.). 2020 , 9,	10
278	Effect of temperature on stability of anthocyanins, ascorbic acid and color in strawberry and raspberry jams. 2020 , 316, 126297	31
277	Bioactive compounds and in vitro antioxidant activity assessment of GM Bt eggplant-III (Noyantara) and stability upon boiling. 2020 , 14, 1383-1390	1
276	Comparative Study on the Stability and Antioxidant Activity of Six Pyranoanthocyanins Based on Malvidin-3-glucoside. 2020 , 68, 2783-2794	19
275	Nano/microencapsulation of anthocyanins; a systematic review and meta-analysis. 2020 , 132, 109077	57
274	Thermal degradation kinetics of total anthocyanins in apple pulp and transient processing simulations. 2020 , 2, 1	3
273	Antioxidant activity analysis of nanoencapsulated food ingredients. 2020 , 617-664	
272	Effects of cyclodextrin, whey protein, and soy protein on the thermal and storage stability of anthocyanins obtained from purple-fleshed sweet potatoes. 2020 , 320, 126655	25
271	The Impact of Maltodextrin and Inulin on the Protection of Natural Antioxidants in Powders Made of Saskatoon Berry Fruit, Juice, and Pomace as Functional Food Ingredients. 2020 , 25,	6
270	Degradation kinetics of pelargonidin-3-(p-coumaroyl)diglucoside-5-(malonyl)glucoside and pelargonidin-3-(feruloyl)diglucoside-5-(malonyl)glucoside in red radish during air-impingement jet drying. 2020 , 127, 109390	6
269	Pecan ((Wagenh.) K. Koch) Nut Shell as an Accessible Polyphenol Source for Active Packaging and Food Colorant Stabilization. 2020 , 8, 6700-6712	10
268	Analysis of the Anthocyanin Degradation in Blue Honeysuckle Berry under Microwave Assisted Foam-Mat Drying. 2020 , 9,	10
267	Modelling the recovery of biocompounds from peach waste assisted by pulsed electric fields or thermal treatment. 2021 , 290, 110196	10

266	Microencapsulation of the Extract from <i>Euterpe edulis</i> Co-product: An Alternative to Add Value to Fruit Agro-Chain. 2021 , 12, 1803-1814	
265	Effect of dehydration on phenolic compounds and antioxidant activity of blackcurrant (<i>Ribes nigrum</i> L.) pomace. 2021 , 56, 600-607	9
264	Ultrasound assisted extraction of bioactive compounds from BRS Violet grape pomace followed by alginate-Ca encapsulation. 2021 , 338, 128101	12
263	Bioactive compounds, antioxidant activity, and sensory qualities of red-fleshed apples dried by different methods. 2021 , 136, 110302	17
262	Thermal processing under oxygen-free condition of blueberry puree: Effect on anthocyanin, ascorbic acid, antioxidant activity, and enzyme activities. 2021 , 342, 128345	8
261	Action mode of cranberry anthocyanin on physiological and morphological properties of <i>Staphylococcus aureus</i> and its application in cooked meat. 2021 , 94, 103632	12
260	The impact of chemical structure on polyphenol bioaccessibility, as a function of processing, cell wall material and pH: A model system. 2021 , 289, 110304	11
259	Polymers and protein-associated vesicles for the microencapsulation of anthocyanins from grape skins used for food applications. 2021 , 101, 2676-2686	3
258	Effect of vacuum grinding on the stability of anthocyanins, ascorbic acid, and oxidative enzyme activity of strawberry. 2021 , 136, 110304	6
257	Ultraviolet Treatment of Opaque Liquid Foods: From Theory to Practice. 2021 , 182-209	2
256	Thermal treatment of apple puree under oxygen-free condition: Effect on phenolic compounds, ascorbic acid, antioxidant activities, color, and enzyme activities. 2021 , 39, 100802	10
255	Impact of processing and storage conditions on color stability of strawberry puree: The role of PPO reactions revisited. 2021 , 294, 110402	10
254	Simultaneous separation and preliminary purification of anthocyanins from <i>Rosa pimpinellifolia</i> L. fruits by microwave assisted aqueous two-phase extraction. 2021 , 125, 170-180	7
253	Chemometric contribution for deeper understanding of thermally-induced changes of polyphenolics and the formation of hydroxymethyl-L-furfural in chokeberry powders. 2021 , 342, 128335	3
252	Application of deep eutectic solvents as a green and biodegradable media for extraction of anthocyanin from black carrots. 2021 , 138, 110775	11
251	Quantitative analysis and visualization of moisture and anthocyanins content in purple sweet potato by VisNIR hyperspectral imaging. 2021 , 45, e15128	4
250	Model-free and model-based analysis of thermo-oxidative response of wolfberries: A new developed mechanistic scheme. 2021 , 343, 128530	0
249	Survival of <i>Lactobacillus casei</i> and functional characteristics of reduced sugar red beetroot yoghurt with natural sugar substitutes. 2021 , 74, 148-160	8

248	UV Processing and Storage of Liquid and Solid Foods: Quality, Microbial, Enzymatic, Nutritional, Organoleptic, Composition and Properties Effects. 2021 , 277-305		1
247	Incorporation of polyphenols in baked products. 2021 , 98, 207-252		2
246	Extraction of bioactive compounds from juñra pulp (<i>Euterpe edulis</i> M.) is affected by ultrasonic power and temperature. 45,		2
245	Application of ultrasound to obtain food additives and nutraceuticals. 2021 , 111-141		2
244	Novel approaches in anthocyanin research - Plant fortification and bioavailability issues. <i>Trends in Food Science and Technology</i> , 2021 ,	15:3	15
243	Alterations of natural pigments. 2021 , 265-327		2
242	Effects of pH, High Pressure Processing, and Ultraviolet Light on Carotenoids, Chlorophylls, and Anthocyanins of Fresh Fruit and Vegetable Juices. 2021 , 2, 113		4
241	Effect of Storage Conditions and Time on the Polyphenol Content of Wheat Flours. 2021 , 9, 248		8
240	Development of Colorimetric pH Indicator Paper Using Anthocyanin for Rapid Quality Monitoring of Liquid Food. 2021 , 5, 41-49		0
239	Phytochemicals in cancer treatment. 2021 , 125-160		
238	Production and Quality Evaluation of Young Thai Jasmine Rice Flake Using Drum Dryer. 2021 , 302, 02008		
237	Effect of drying on physicochemical and functional properties of stingless bee honey. 2021 , 45, e15328		1
236	Quality characteristics, nutraceutical profile, and storage stability of functional beverage prepared from jujube (<i>Ziziphus jujuba</i> var <i>vulgaris</i>) fruit. 2021 , 45, e15201		3
235	Encapsulation of Anthocyanins into Nanoliposome Composed of Rapeseed Lecithin: A Comprehensive Study on Physicochemical Characteristics and Biocompatibility. 2021 , 10,		5
234	Clarification of <i>Byrsonima ligustrifolia</i> Extract by Porous Membranes: Retention of Bioactive Compounds and Stability During Storage. 2021 , 14, 518-529		1
233	A Roadmap to Modulated Anthocyanin Compositions in Carrots. 2021 , 10,		3
232	Anthocyanin Structure and pH Dependent Extraction Characteristics from Blueberries () and Chokeberries () in Subcritical Water State. 2021 , 10,		8
231	Mathematical modelling to enhance winemaking efficiency: a review of red wine colour and polyphenol extraction and evolution. 2021 , 27, 219-233		3

230	Functionalization of whey protein isolate fortified with blackcurrant concentrate by spray-drying and freeze-drying strategies. 2021 , 141, 110025	8
229	Eggplant Peels as a Valuable Source of Anthocyanins: Extraction, Thermal Stability and Biological Activities. 2021 , 10,	6
228	Antiglycating Effect of Phenolics from the Chilean Currant under Thermal Treatment. 2021 , 10,	2
227	Two-Steps of Gelation System Enhanced the Stability of Syzygium cumini Anthocyanins by Encapsulation with Sodium Alginate, Maltodextrin, Chitosan and Gum Arabic. 2021 , 29, 3679-3692	3
226	Kinetics Drying of Blackberry Bagasse and Degradation of Anthocyanins and Bioactive Properties. 2021 , 10,	1
225	Effects of Pulsed Electric Fields and Ultrasound Processing on Proteins and Enzymes: A Review. 2021 , 9, 722	9
224	Co-Microencapsulated Black Rice Anthocyanins and Lactic Acid Bacteria: Evidence on Powders Profile and In Vitro Digestion. 2021 , 26,	2
223	Current developments in the oral drug delivery of fucoidan. 2021 , 598, 120371	4
222	Anthocyanins Recovered from Agri-Food By-Products Using Innovative Processes: Trends, Challenges, and Perspectives for Their Application in Food Systems. 2021 , 26,	10
221	Optimization of pressurized liquid extraction and ultrasound methods for recovery of anthocyanins present in jambolan fruit (<i>Syzygium cumini</i> L.). 2021 , 127, 77-89	9
220	Spray-dried polymeric microparticles fabrication for improvement of Homnil rice extract stability. 2021 , 98, 946-957	
219	The Potential of High-Anthocyanin Purple Rice as a Functional Ingredient in Human Health. 2021 , 10,	12
218	Functional relationship of vegetable colors and bioactive compounds: Implications in human health. 2021 , 92, 108615	10
217	Red beet (<i>Beta vulgaris</i>) betalains and grape (<i>Vitis vinifera</i>) anthocyanins as colorants in white currant juice - Effect of storage on degradation kinetics, color stability and sensory properties. 2021 , 348, 128995	6
216	The effect of thermal processing and storage on the color stability of strawberry puree originating from different cultivars. 2021 , 145, 111270	5
215	<i>Berberis crataegina</i> DC. as a novel natural food colorant source: ultrasound-assisted extraction optimization using response surface methodology and thermal stability studies.	2
214	Chemical composition, bioactive compounds extraction, and observed biological activities from jussara (<i>Euterpe edulis</i>): The exotic and endangered Brazilian superfruit. 2021 , 20, 3192-3224	3
213	Influence of drying temperature on anthocyanin and moisture contents in purple waxy corn kernel using a tunnel dryer. 2021 , 25, 100886	4

212	Changes in Elderberry (<i>Sambucus nigra</i> L.) Juice Concentrate Polyphenols during Storage. 2021 , 11, 6941	4
211	Glycosides changed the stability and antioxidant activity of pelargonidin. 2021 , 147, 111581	3
210	lipid-lowering properties of the fruits of two [(L.) Spreng] cultivars as affected by maturity stage and thermal processing.. 2021 , 2, 100020	
209	Characterization of Anthocyanin Associated Purple Sweet Potato Starch and Peel-Based pH Indicator Films. 2021 , 10,	11
208	A Review of the Current Knowledge of Thermal Stability of Anthocyanins and Approaches to Their Stabilization to Heat. 2021 , 10,	10
207	Cyanidin-3--glucoside and its phenolic metabolites ameliorate intestinal diseases via modulating intestinal mucosal immune system: potential mechanisms and therapeutic strategies. 2021 , 1-19	3
206	Anthocyanins and Functional Compounds Change in a Third-Generation Snacks Prepared Using Extruded Blue Maize, Black Bean, and Chard: An Optimization. 2021 , 10,	0
205	Synthesis of porous starch microgels for the encapsulation, delivery and stabilization of anthocyanins. 2021 , 302, 110552	9
204	Impact of storage conditions on the structure and functionality of starch/polyvinyl alcohol films containing <i>Lycium ruthenicum</i> anthocyanins. 2021 , 29, 100693	5
203	Development of intelligent/active food packaging film based on TEMPO-oxidized bacterial cellulose containing thymol and anthocyanin-rich purple potato extract for shelf life extension of shrimp. 2021 , 29, 100709	10
202	Effect of Organic Solvents and Water Extraction on the Phytochemical Profile and Antioxidant Activity of <i>Clitoria ternatea</i> Flowers.	3
201	Destabilisation and stabilisation of anthocyanins in purple-fleshed sweet potatoes: A review. <i>Trends in Food Science and Technology</i> , 2021 , 116, 1141-1154	15-3 3
200	Active-intelligent film based on pectin from watermelon peel containing beetroot extract to monitor the freshness of packaged chilled beef. 2021 , 119, 106751	11
199	Preparation of green and sustainable colorimetric cotton assay using natural anthocyanins for sweat sensing. 2021 , 190, 894-903	7
198	Quality characteristics of sand, pan and microwave roasted pigmented wheat (<i>Triticum aestivum</i>). 2021 , 365, 130372	4
197	Strawberry-hydrocolloids dried by continuous cast-tape drying to produce leather and powder. 2021 , 121, 107041	3
196	Improved colorimetric analysis for subtle changes of powdered anthocyanins extracted from <i>Lycium ruthenicum</i> Murr. 2022 , 371, 131080	1
195	Thermal degradation of cyanidin-3-O-glucoside: Mechanism and toxicity of products. 2022 , 370, 131018	1

194	A comprehensive review on innovative and advanced stabilization approaches of anthocyanin by modifying structure and controlling environmental factors. 2022 , 366, 130611	8
193	Fabrication and characterization of β -cyclodextrin-epichlorohydrin grafted carboxymethyl chitosan for improving the stability of Cyanidin-3-glucoside. 2022 , 370, 130933	4
192	Comparative elucidation of colour, volatile and phenolic profiles of black carrot (<i>Daucus carota</i> L.) pomace and powders prepared by five different drying methods. 2022 , 369, 130941	7
191	Changes in structure and phenolic profiles during processing of steamed bread enriched with purple sweetpotato flour. 2022 , 369, 130578	3
190	Impact of High-Pressure Homogenization on the Extractability and Stability of Phytochemicals. 2021 , 4,	6
189	Anthocyanins in Food. 2021 , 371-421	
188	Purple-fleshed sweet potato genotypes as the ingredients for crisps and noodle making. 2021 , 306, 01048	1
187	Natural deep eutectic solvents for sustainable extraction of pigments and antioxidants from agri-processing waste. 2021 , 747-785	
186	Comparative study of conventional steam cooking and microwave cooking on cooked pigmented rice texture and their phenolic antioxidant. 2020 , 8, 965-972	14
185	Undesired Chemical Alterations and Process-Related Causes. The Role of Thermal Control and the Management of Thermal Machines. 2016 , 41-54	11
184	Changes in the Color, Chemical Stability and Antioxidant Capacity of Thermally Treated Anthocyanin Aqueous Solution Over Storage. 2017 , 49-65	1
183	Anthocyanins as Functional Ingredients in Biscuits: Their Stability, Antioxidant Capacity, and Preventive Effect on Retarding Lipid Oxidation. 2017 , 103-114	1
182	β -Cyclodextrin-assisted extraction and green chromatographic analysis of <i>Hibiscus sabdariffa</i> L. anthocyanins and the effects of gallic/ferulic/caffeic acids on their stability in beverages. 2018 , 12, 2475-2483	6
181	Polyphenol patterns to trace sweet () and tart () varieties in cherry jam. 2017 , 54, 2316-2323	7
180	Stabilizing effect of montmorillonite on acerola juice anthocyanins. 2018 , 245, 966-973	33
179	Changes in the biochemical, hematological and histopathological parameters in STZ-Induced diabetic rats and the ameliorative effect of fruit extract. 2020 , 6, e03989	13
178	The influence of nanodelivery systems on the antioxidant activity of natural bioactive compounds. 2020 , 1-24	2
177	Thermal Treatment Effects in Fruit Juices. 2012 , 363-386	8

176	The Fatty Acid Profile and Oxidative Stability of Meat from Turkeys Fed Diets Enriched with n-3 Polyunsaturated Fatty Acids and Dried Fruit Pomaces as a Source of Polyphenols. 2017 , 12, e0170074	19
175	Inheritance analysis and mapping of quantitative trait loci (QTL) controlling individual anthocyanin compounds in purple barley (<i>Hordeum vulgare</i> L.) grains. 2017 , 12, e0183704	10
174	Chemometric analysis reveals influences of hot air drying on the degradation of polyphenols in red radish. 2020 , 16,	2
173	Stability evaluation of juġra, banana and strawberry pasteurized smoothie during storage. 2020 , 40, 387-393	3
172	Nutrients, Bioactive Compounds and Bioactivity: The Health Benefits of Sweet Cherries (<i>Prunus avium</i> L.). 2019 , 15, 208-227	19
171	Influence of Steam Treatment and Drying on Carrots Composition and Concentration of Phenolics, Organic Acids and Carotenoids. 2018 , 72, 103-112	4
170	Matrix- and Technology-Dependent Stability and Bioaccessibility of Strawberry Anthocyanins during Storage. 2020 , 10,	4
169	Changes in bioaccessibility, phenolic content and antioxidant capacity of novel crackers with turmeric (<i>Curcuma longa</i> L.) and mahaleb (<i>Prunus mahaleb</i> L.) powders. 2019 , 11, 107-116	3
168	Antioxidant Activity of <i>Archidendron pauciflorum</i> , <i>Syzygium oleana</i> , <i>Mangifera indica</i> , <i>Theobroma cacao</i> and <i>Cinnamomum burmannii</i> Young Leaves and Their Application as Jelly Drink Colourants. 2018 , 17, 492-499	1
167	Development of temperature indicator prototype: Cardpaper coated with chitosan intelligent films. 2014 , 03, 5-10	4
166	CHANGES IN ANTIOXIDANT AND PHYSICOCHEMICAL PROPERTIES OF INDONESIAN BLACK RICE FLOUR (VAR. BANJARNEGARA AND BANTUL) DURING NO-DIE EXTRUSION COOKING. 2018 , 29, 164-174	2
165	Degradation Kinetics of Anthocyanin Pigment Solutions from Purple-fleshed Sweet Potato Cultivars. 2011 , 24, 559-566	5
164	Nonthermal Processing Technologies for Stabilization and Enhancement of Bioactive Compounds in Foods. 1	5
163	Changes in Antioxidant Properties and Amounts of Bioactive Compounds during Simulated In Vitro Digestion of Wheat Bread Enriched with Plant Extracts. 2021 , 26,	0
162	Antioxidant activities of blueberry hot water extracts with different extraction condition. 2015 , 22, 428-436	2
161	Quality of strawberry grown in Brazilian tropical humid conditions for breeding programs. 2016 , 71, 151-160	3
160	Proximate and Sensory Properties of Red Sweet Potatoes (<i>Ipomea batatas</i> (L.) Lam.) on Various Cooking Process. 2016 , 21, 1-6	
159	Chapter 6 Effects of Food Processing Techniques on Secondary Metabolites. 2016 , 233-254	

158 Literature Review. **2017**, 5-14

157 Effect of thermal pasteurization and high pressure processing on bioactive properties in strawberry juice. **2016**, 10, 1

156 Introduction. **2017**, 1-4

155 Anthocyanins During Baking: Their Degradation Kinetics and Impacts on Color and Antioxidant Capacity of Bread. **2017**, 67-86

154 Chapter 6 Effects of Food Processing Techniques on Secondary Metabolites. **2016**, 233-254

153 Monte Carlo Modelling of Non-isothermal Degradation of Two Cyanidin-Based Anthocyanins in Aqueous System at High Temperatures and its Impact on Antioxidant Capacities. **2017**, 15-31

152 Physicochemical properties of mulberry extract and silk protein added yogurt fermented with lactic acid bacteria isolated from vinegar and kimchi. **2018**, 61, 17-23

151 Factors affecting anthocyanin stability and antioxidant activity of Ma-kiang (*Cleistocalyx nervosum* var. *paniala*) juice. **2018**, 417-422

150 Reformulating Bread to Enhance Health Benefits Using Phytochemicals and Through Strategic Structuring. **2019**, 219-233

149 Storage Stability of Spray Dried *Nigella Sativa* (*Ranunculaceae* Family) Instant Beverage Powder: Effect of Carrier Agents on the Physicochemical, Phenolic Compounds and Antioxidant Properties. **2019**, 7, 648-661

148  **2019**, 160-168

147 Bioactive's Characterization, Biological Activities, and In Silico Studies of Red Onion (*L.*) Skin Extracts. **2021**, 10, 3

146 Anthocyanins: Coloured Bioactive Compounds in Potatoes. **2020**, 173-189

145 STABILITY OF CHITOSAN-TRIPOLYPHOSPHATE COMPLEX-ENCAPSULATED ANTHOCYANIN AT HIGH WATER ACTIVITY. **2020**, 31, 171-179

144 Untargeted Chemometrics Evaluation of the Effect of Juicing Technique on Phytochemical Profiles and Antioxidant Activities in Common Vegetables. **2021**, 1, 77-87 2

143 Polyphenols. **2022**, 243-312 1

142 Degradation kinetics and in vitro digestive stability of selected bioactive compounds from a beverage formulated with butterfly pea flowers. **2022**, 52,

141 Potential micro-/nano-encapsulation systems for improving stability and bioavailability of anthocyanins: An updated review. **2021**, 1-24 5

- 140 Spouted Bed Drying of Fruit Pulps: A Case Study on Drying of Graviola (*Annona muricata*) Pulp. **2021**, 105-150 0
- 139 A technical strategy to prolong anthocyanins thermal stability in formulated purple potato (*Solanum tuberosum* L. cv Bora valley) processed by hot-melt extrusion. 2
- 138 Exploring thermosonication as non-chemical disinfection technology for strawberries. 1
- 137 Cranberry () Juice Precipitate Pigmentation Is Mainly Polymeric Colors and Has Limited Impact on Soluble Anthocyanin Loss. **2021**, 10, 2
- 136 DFT study of the stabilization effect on anthocyanins secondary interactions.. **2021**, 3, 100057
- 135 The Impact of Microwave on the Storage, Stability, and Bioavailability of Anthocyanins from Different Sources in Food Systems. **2021**, 201-216
- 134 Impact of Food Processing on Anthocyanins. **2021**, 141-164
- 133 High Pressure. **2021**, 165-184
- 132 Enhanced thermal stability of anthocyanins through natural polysaccharides from Angum gum and cress seed gum.. **2022**, 0
- 131 Ultrasound-assisted natural deep eutectic solvent extraction of anthocyanin from black carrots: Optimization, cytotoxicity, in-vitro bioavailability and stability. **2022**, 132, 99-113 2
- 130 Ordered hydrocolloids networks as delivery vehicles of nutraceuticals: Optimal encapsulation of curcumin and resveratrol. **2022**, 126, 107466 1
- 129 Postharvest treatments with radio frequency for 10 and 20 kg batches of black beans (*Phaseolus vulgaris* L.). 0
- 128 Pigmented Potatoes: A Potential Panacea for Food and Nutrition Security and Health?. **2022**, 11, 3
- 127 Blueberry Phenolic Composition and Improved Stability by Microencapsulation. **2022**, 15, 750 1
- 126 A New Insight into the Degradation of Anthocyanins: Reversible versus the Irreversible Chemical Processes.. **2022**, 0
- 125 The effects of different drying methods on the in vitro bioaccessibility of phenolics, antioxidant capacity, minerals and morphology of black Babel grape. **2022**, 158, 113185 2
- 124 Impact of using cocoa bean shell powder as a substitute for wheat flour on some of chocolate cake properties.. **2022**, 381, 132215 2
- 123 Effects of Ultrasonic Treatment on Color, Carotenoid Content, Enzyme Activity, Rheological Properties and Microstructure of Pumpkin Juice During Storage. 2

122	Improvement of drying efficiency and quality attributes of blueberries using innovative far-infrared radiation heating assisted pulsed vacuum drying (FIR-PVD). 2022 , 102948	8
121	Biological potential and technological applications of red fruits: An overview. 2022 , 100014	1
120	Effects of Processing and Storage Conditions on Functional Properties of Powdered Blueberry Pomace. 2022 , 14, 1839	0
119	Delineating the behavior of Berberis anthocyanin/ β -cyclodextrin inclusion complex in vitro: A molecular dynamics approach. 2022 , 157, 113090	1
118	Chlorpyrifos pesticide reduction in soybean using cold plasma and ozone treatments. 2022 , 159, 113193	4
117	Anthocyanins: Factors Affecting Their Stability and Degradation.. 2021 , 10,	15
116	Cinética da degradação térmica de antocianinas de alaybil (<i>Vaccinium floribundum</i> Kunth) e macha-macha (<i>Gaultheria glomerata</i> (Cav.) Sleumer). 25,	1
115	Valorization of Sweet Cherry (<i>Prunus avium</i>) Wastes as a Source of Advanced Bioactive Compounds. 2022 , 559-579	
114	Thermal degradation kinetics of myrtle leaves ethanol extract (<i>Myrtus communis</i> L.): effect on phenolic compounds content and antioxidant activity. 1	
113	A review on enzymatic acylation as a promising opportunity to stabilizing anthocyanins.. 2022 , 1-20	0
112	Grape Pomace Valorization by Extraction of Phenolic Polymeric Pigments: A Review. 2022 , 10, 469	1
111	Bioactive compounds of two orange-fleshed sweet potato cultivars (<i>Ipomoea batatas</i> (L.) Lam.) in fresh, stored and processed roots. 2022 , 100061	1
110	Anthocyanins: Dietary Sources, Bioavailability, Human Metabolic Pathways, and Potential Anti-Neuroinflammatory Activity.	0
109	Analyzing the Interaction between Anthocyanins and Native or Heat-Treated Whey Proteins Using Infrared Spectroscopy.. 2022 , 27,	1
108	Effect of Temperatures on Polyphenols during Extraction. 2022 , 12, 2107	11
107	Effects of ultrasonic treatment on color, carotenoid content, enzyme activity, rheological properties, and microstructure of pumpkin juice during storage.. 2022 , 84, 105974	2
106	Thermal Degradation of Antioxidant Compounds: Effects of Parameters, Thermal Degradation Kinetics, and Formulation Strategies. 1	0
105	The content of bioactive substances and their antioxidant effects in the European blueberry (<i>Vaccinium myrtillus</i> L.) influenced by different ways of their processing.	0

104	Genetic Diversity and Health Properties of Polyphenols in Potato.. 2022 , 11,	1
103	Innovative Process Coupling Short Steam Blanching with Vacuum Flash-Expansion Produces in One Single Stage High-Quality Purple Passion Fruit Smoothies.. 2022 , 11,	1
102	Effect of Soybean Protein Isolate-7s on Delphinidin-3--Glucoside from Purple Corn Stability and Their Interactional Characterization.. 2022 , 11,	
101	Impact of the agglomeration process on the flow, reconstitution, and antioxidant properties of an Andean berry powder mix. 2022 , 1-18	
100	Are the apocarotenoids content and colorimetric traits of saffron (<i>Crocus sativus</i> L.) affected by some post harvesting operations?. 2022 , 97, 101967	0
99	Color fading in lotus (<i>Nelumbo nucifera</i>) petals is manipulated both by anthocyanin biosynthesis reduction and active degradation.. 2022 , 179, 100-107	1
98	Stability of natural food colorants derived from onion leaf wastes.. 2022 , 386, 132750	0
97	Low-oxygen pulping combined with high hydrostatic pressure improve the stability of blueberry pulp anthocyanins and color during storage. 2022 , 138, 108991	0
96	Chemical Ingredients of Fresh and Dry Wild Mushrooms from Bosnia and Herzegovina. 2021 , 13, 244	0
95	Kinetic Modelling of Changes in Phenolic Contents of Thermosonicated Strawberry Nectar During Storage.	
94	Kinetic study on peroxidase inactivation and anthocyanin degradation of black cherry tomatoes (<i>Solanum lycopersicum</i> cv. OG) during blanching. 2021 , 67, 60-69	
93	Evaluation of Freeze Drying and Electrospinning Techniques for Saffron Encapsulation and Storage Stability of Encapsulated Bioactives. 2021 , 5, 326	2
92	Role of Oak Ellagitannins in the Synthesis of Vitisin A and in the Degradation of Malvidin 3--Glucoside: An Approach in Wine-Like Model Systems.. 2022 ,	
91	Pigmented flower extracts of plant species from the Geraniaceae and Lamiaceae families as natural food colourants: Anthocyanin composition, thermal and oxidative stability.	0
90	Why Black Flowers? An Extreme Environment and Molecular Perspective of Black Color Accumulation in the Ornamental and Food Crops.. 2022 , 13, 885176	1
89	Ifs and buts of non-thermal processing technologies for plant-based drinks' bioactive compounds.. 2022 , 10820132221094724	0
88	INVESTIGATION OF THERMOSONICATED STRAWBERRY NECTAR QUALITY DURING STORAGE AND KINETIC MODELLING. 481-492	
87	Effects of Ultrafiltration Combined with High-Pressure Processing, Ultrasound and Heat Treatments on the Quality of a Blueberry-Grape-Pineapple-Cantaloupe Juice Blend.	

86	Optimization of the pulse electric field assisted extraction of black rice grain for antioxidant and sirtuin1 enzyme stimulation activities.. 2022 , 12, 6459	1
85	Updated insights into anthocyanin stability behavior from bases to cases: Why and why not anthocyanins lose during food processing.. 2022 , 1-33	0
84	Strategy for anthocyanins production: From efficient green extraction to novel microbial biosynthesis.. 2022 , 1-16	2
83	Multivariate Analysis as Tool for Optimization of Anthocyanins Extraction from Jambolan (<i>Syzygium cumini</i> L.). 1	0
82	Inhibition effect of high hydrostatic pressure combined with epigallocatechin gallate treatments on pectin methylesterase in orange juice and model system.. 2022 , 390, 133147	1
81	Improvement of stability and lipophilicity of pelargonidin-3-glucoside by enzymatic acylation with aliphatic dicarboxylic acid.. 2022 , 389, 133077	0
80	Fabrication and characterization of a smart film based on cassava starch and pomegranate peel powder for monitoring lamb meat freshness.	1
79	Protective Effect and Mechanism of Soybean Insoluble Dietary Fiber on the Color Stability of Malvidin-3-O-glucoside. 2022 , 11, 1474	0
78	Enzyme-assisted extraction of anthocyanins and other phenolic compounds from blackcurrant (<i>Ribes nigrum</i> L.) press cake: From processing to bioactivities. 2022 , 391, 133240	2
77	Effects of Hot Air Drying on Drying Kinetics and Anthocyanin Degradation of Blood-Flesh Peach. 2022 , 11, 1596	1
76	Novel Zero Headspace Solid-Liquid Extraction for the Recovery of Polyphenolic Fractions from Grape Pomace. 2022 , 10, 1112	0
75	Effect of heat treatment and storage on anthocyanins levels in food plants. 2022 , 33-38	
74	The Benefits of Anthocyanins against Obesity-Induced Inflammation. 2022 , 12, 852	2
73	The effects of β -lactoglobulin on cyanidin-3-O-glucoside antioxidant activity and bioaccessibility after heat treatment. 2022 , 157, 111494	0
72	Application, emerging health benefits, and dosage effects of blackcurrant food formats. 2022 , 95, 105147	1
71	Effects of roasting conditions on anthocyanin, total phenolic content, and antioxidant capacity in pigmented and non-pigmented rice varieties. 2021 , 23, 73-82	1
70	Complexation of Anthocyanin-Bound Blackcurrant Pectin and Whey Protein: Effect of pH and Heat Treatment. 2022 , 27, 4202	0
69	A Review on Anthocyanins: Coloured Pigments as Food, Pharmaceutical Ingredients and the Potential Health Benefits. 2022 , 547-550	

68	Effects of Sweet Potato Powder Selected Based on the Polar Paradox Hypothesis on Oil Oxidation in the Preparation of Deep-Fried Croquettes. 2022 , 27, 248-256	
67	Colorful and health improving Chinese steamed bread fortified by anthocyanin-rich extract of butterfly pea flower.	2
66	Assessment of the stability of compounds belonging to neglected phenolic classes and flavonoid sub-classes using reaction kinetic modeling. 1-28	0
65	Nanoencapsulated Anthocyanin as a Functional Ingredient: Technological Application and Future Perspectives. 2022 , 112707	2
64	Ultrasound treatment degrades, changes the color, and improves the antioxidant activity of the anthocyanins in red radish. 2022 , 165, 113761	1
63	Protective effect of amino acids on the stability of bayberry anthocyanins and the interaction mechanism between l-methionine and cyanidin-3-O-glycoside. 2022 , 396, 133689	
62	Promoting the preservation of strawberry by supercritical CO ₂ drying. 2022 , 133789	0
61	Thermal stability enhancement of berry anthocyanins by co-pigmentation with extracts from natural sources. 2022 , 18, 537-545	1
60	Application of raw industrial sweetpotato hydrolysates for butanol production by <i>Clostridium beijerinckii</i> NCIMB 8052.	
59	Rheological properties of thermally or non-thermally treated juice/nectar/puree: A review.	
58	Quality Characteristics, Anthocyanin Stability and Antioxidant Activity of Apple (<i>Malus domestica</i>) and Black Chokeberry (<i>Aronia melanocarpa</i>) Juice Blends. 2022 , 11, 2027	
57	Anthocyanin-rich extracts from Cornelian cherry pomace as a natural food colorant: a spectroscopic and LC-QTOF-MS study.	
56	Valorization of <i>Miscanthus x giganteus</i> for sustainable recovery of anthocyanins and enhanced production of sugars. 2022 , 369, 133508	0
55	Innovative air-impingement jet drying of red cabbage: Kinetic description and prediction of the degradation of cyanidin-3-diglucoside-5-glucoside and cyanidin. 2022 , 15, 100422	1
54	Carotenoid fates in plant foods: Chemical changes from farm to table and nutrition. 1-19	1
53	Different Food Processing Technologies: A General Background. 2022 , 37-89	0
52	Influence of Ohmic Heating on Food Bioactives. 2022 , 397-426	0
51	Anthocyanins in Different Food Matrices: Recent Updates on Extraction, Purification and Analysis Techniques. 1-32	0

50	An updated review on the stability of anthocyanins regarding the interaction with food proteins and polysaccharides. 2022 , 21, 4378-4401	1
49	Antioxidative Properties and Acrylamide Content of Functional Wheat-Flour Cookies Enriched with Wild-Grown Fruits. 2022 , 27, 5531	0
48	Fluidised bed agglomeration of strawberry powder mix obtained for spray drying. 2022 , 1-18	0
47	In vitro bioaccessibility of polyphenolic compounds: the effect of dissolved oxygen and bile. 2022 , 134490	2
46	Dynamic changes in flavonoids content during congou black tea processing. 2022 , 114073	1
45	Effect of an oxygen-free atmosphere during heating on anthocyanin, organic acid, and color of strawberry puree. 2022 , 50, 102065	2
44	Anthocyanin Content of Crackers and Bread Made with Purple and Blue Wheat Varieties. 2022 , 27, 7180	1
43	Thermal and nonthermal pretreatment methods for the extraction of anthocyanins: A review.	1
42	Antioxidants from Hyeronima macrocarpa Berries Loaded on Nanocellulose: Thermal and Antioxidant Stability. 2022 , 27, 6661	0
41	Effect of microfluidization on quality characteristics of sapodilla (<i>Manilkara achras</i> L.) juice. 2022 , 112089	0
40	Selection of salt tolerant lines at cell level using gamma ray with callus and suspension culture techniques in black carrots (<i>Daucus carota</i> L. ssp. <i>sativus</i> var. <i>atrorubens</i> Alef.). 2022 , 190, 110523	0
39	Jamun (<i>Syzygium cumini</i> (L.) Skeels): The conventional underutilized multifunctional plant-an exotic gleam into its food and functional significance. 2023 , 191, 115873	0
38	Effect of red beet cooking water on yoghurt's physico-chemical, textural and antioxidant characteristics. 108201322211373	0
37	Effect of cold plasma on different polyphenol compounds: A review.	0
36	A review on green pressure processing of fruit juices using microfluidization: Quality, safety and preservation. 2022 , 2, 100235	0
35	Protein-binding approaches for improving bioaccessibility and bioavailability of anthocyanins.	1
34	Thermal and pH stability of <i>Justicia spicigera</i> (Mexican honeysuckle) pigments: Application of mathematical probabilistic models to predict pigments stability. 2023 , 6, 100158	0
33	Non-alcohol rose-apple antioxidant drink with halal fish collagen hydrolysate. 2022 ,	1

32	In silico optimization of anthocyanin extraction from gladiolus flower extracts and evaluation of its antioxidant potential.	0
31	Effect of heat treatment on phenolic composition and radical scavenging activity of olive leaf extract at different pH conditions: a spectroscopic and kinetic study.	0
30	Ultrasound-assisted extraction of phenolic compounds in blackthorn (<i>Prunus spinosa</i> L.): characterization, antioxidant activity and optimization by response surface methodology.	0
29	Optimization of Mulberry Extract Foam-Mat Drying Process Parameters. 2022 , 27, 8570	1
28	Novel dimethylacrylamide/gelatin/rosehip based smart hydrogels as a color sensor in food packaging materials.	0
27	Anthocyanins from <i>Aronia melanocarpa</i> Bound to Amylopectin Nanoparticles: Tissue Distribution and In Vivo Oxidative Damage Protection.	0
26	Investigation of the difference in color enhancement effect on cyanidin-3-O-glucoside by different phenolic acids and the interaction mechanism. 2023 , 135409	1
25	pH-dependent color response of cellulose-based time-temperature indicators impregnated with red cabbage extract.	0
24	Advances in the Chemistry, Analysis and Adulteration of Anthocyanin Rich-Berries and Fruits: 2000-2022. 2023 , 28, 560	2
23	Effect of high pressure pretreatment on the drying characteristics of the beetroot (<i>Beta vulgaris</i>) cubes. 2023 , 11, 100493	0
22	Improved thermal stability of roselle anthocyanin by co-pigmented with oxalic acid: Preparation, characterization and enhancement mechanism. 2023 , 410, 135407	0
21	Anthocyanins: Metabolic Digestion, Bioavailability, Therapeutic Effects, Current Pharmaceutical/Industrial Use, and Innovation Potential. 2023 , 12, 48	2
20	Processing colored grains to optimize product quality. 2023 , 267-286	0
19	Stability Kinetics of Anthocyanins of Grumixama Berries (<i>Eugenia brasiliensis</i> Lam.) during Thermal and Light Treatments. 2023 , 12, 565	0
18	Physicochemical properties of carrot (<i>Daucus carota</i> L.) milk produce from rotary extraction. 43,	0
17	Effect of Heat/Moisture Treatment on Crystallinity, Digestibility Properties, Bioactive Compounds, and Antioxidant Activity of Purple Rice (<i>Oryza sativa</i> L. indica) Flour. 2023 , 11, 969	1
16	Ultrasonic-assisted immersion of parboiled treatment improves head rice yield and nutrition of black rice and provides a softer texture of cooked black rice. 2023 , 95, 106378	0
15	Correlation between color parameters and bioactive compound content during cocoa seed transformation under controlled process conditions. 2023 , 53, 102526	0

14	FTIR spectra, antioxidant capacity and degradation kinetics of maize anthocyanin extract under variable process conditions. 2023 , 3, 100282	○
13	In vitro and in vivo bioaccessibility, antioxidant activity, and color of red radish anthocyanins as influenced by different drying methods. 2023 , 18, 100633	○
12	Recent trends in non-thermal plasma and plasma activated water: Effect on quality attributes, mechanism of interaction and potential application in food & agriculture. 2023 , 2, 100249	○
11	SOME PHYSICOCHEMICAL AND SENSORY PROPERTIES OF HAZELNUT BEVERAGES ENRICHED WITH VIT-C SOURCE FRUITS AND SHELF LIFE. 185-198	○
10	Cellulose nanofiber-based multifunctional films integrated with carbon dots and anthocyanins from Brassica oleracea for active and intelligent food packaging applications. 2023 , 233, 123567	1
9	Comparison of high pressure and thermal pasteurization on the quality parameters of strawberry products: a review. 2023 , 32, 729-747	○
8	Combining eutectic solvents and pressurized liquid extraction coupled in-line with solid-phase extraction to recover, purify and stabilize anthocyanins from Brazilian berry waste. 2023 , 25, 1884-1897	○
7	Effect of the Enzymatic Treatment of Phenolic-Rich Pigments from Purple Corn (Zea mays L.): Evaluation of Thermal Stability and Alpha-Glucosidase Inhibition.	○
6	Using HPLC-MS/MS to Determine the Loss of Primary and Secondary Metabolites in the Dehydration Process of Apple Slices. 2023 , 12, 1201	○
5	Effect of Ultrasonic, Thermal and Enzymatic Treatment of Mash on Yield and Content of Bioactive Compounds in Strawberry Juice. 2023 , 13, 4268	○
4	Encapsulation of Sorghum Leaf Red Dye: Biological and Physicochemical Properties and Effect on Stability. 2023 , 12, 1646	○
3	Phytochemical-Rich Colored Noodles Fortified with an Aqueous Extract of Clitoria ternatea Flowers. 2023 , 12, 1686	○
2	Sonoprocessing improves phenolics profile, antioxidant capacity, structure, and product qualities of purple corn pericarp extract. 2023 , 106418	○
1	Combined Pulsed Vacuum Osmotic Dehydration and Convective Air-Drying Process of Jambolan Fruits. 2023 , 12, 1785	○