

# Evolutionary conservation of the transcriptional network of terpene biosynthesis

Trends in Plant Science

15, 625-632

DOI: [10.1016/j.tplants.2010.08.007](https://doi.org/10.1016/j.tplants.2010.08.007)

Citation Report

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Gene expression in developing fibres of Upland cotton ( <i>Gossypium hirsutum</i> L.) was massively altered by domestication. <i>BMC Biology</i> , 2010, 8, 139.   | 3.8 | 87        |
| 2  | Senescence-associated Barley NAC (NAM, ATAF1,2, CUC) Transcription Factor Interacts with Radical-induced Cell Death 1 through a Disordered Regulatory Domain. <i>Journal of Biological Chemistry</i> , 2011, 286, 35418-35429. | 3.4 | 84        |
| 3  | Overexpression of constitutively active <i>Arabidopsis</i> RabG3b promotes xylem development in transgenic poplars. <i>Plant, Cell and Environment</i> , 2011, 34, 2212-2224.  | 5.7 | 24        |
| 4  | A NAC domain protein family contributing to the regulation of wood formation in poplar. <i>Plant Journal</i> , 2011, 67, 499-512.  | 5.7 | 182       |
| 5  | NAC domain function and transcriptional control of a secondary cell wall master switch. <i>Plant Journal</i> , 2011, 68, 1104-1114.  | 5.7 | 112       |
| 6  | SND2, a NAC transcription factor gene, regulates genes involved in secondary cell wall development in <i>Arabidopsis</i> fibres and increases fibre cell area in <i>Eucalyptus</i> . <i>BMC Plant Biology</i> , 2011, 11, 173. | 3.6 | 164       |
| 7  | Biotechnological improvement of lignocellulosic feedstock for enhanced biofuel productivity and processing. <i>Plant Biotechnology Reports</i> , 2011, 5, 1-7.   | 1.5 | 13        |
| 8  | Dissection of the Transcriptional Program Regulating Secondary Wall Biosynthesis during Wood Formation in Poplar. <i>Plant Physiology</i> , 2011, 157, 1452-1468.  | 4.8 | 220       |
| 9  | Transcriptional Activation of Secondary Wall Biosynthesis by Rice and Maize NAC and MYB Transcription Factors. <i>Plant and Cell Physiology</i> , 2011, 52, 1856-1871.   | 3.1 | 270       |
| 10 | Secondary wall NAC binding element (SNBE), a key cis-acting element required for target gene activation by secondary wall NAC master switches. <i>Plant Signaling and Behavior</i> , 2011, 6, 1282-1285.                       | 2.4 | 37        |
| 11 | Cotton fiber: a powerful single-cell model for cell wall and cellulose research. <i>Frontiers in Plant Science</i> , 2012, 3, 104.   | 3.6 | 286       |
| 12 | Xylem cell death: emerging understanding of regulation and function. <i>Journal of Experimental Botany</i> , 2012, 63, 1081-1094.  | 4.8 | 179       |
| 13 | Transcription Factors of Lotus: Regulation of Isoflavonoid Biosynthesis Requires Coordinated Changes in Transcription Factor Activity. <i>Plant Physiology</i> , 2012, 159, 531-547.   | 4.8 | 64        |
| 14 | MYB46 and MYB83 Bind to the SMRE Sites and Directly Activate a Suite of Transcription Factors and Secondary Wall Biosynthetic Genes. <i>Plant and Cell Physiology</i> , 2012, 53, 368-380.                                     | 3.1 | 325       |
| 15 | Transcriptional Regulation of the Lignin Biosynthetic Pathway Revisited: New Players and Insights. <i>Advances in Botanical Research</i> , 2012, 61, 173-218.  | 1.1 | 28        |
| 16 | On "Off Switches for Secondary Cell Wall Biosynthesis. <i>Molecular Plant</i> , 2012, 5, 297-303.  | 8.3 | 186       |
| 17 | The promoter region of the <i>Zinnia elegans</i> basic peroxidase isoenzyme gene contains cis-elements responsive to nitric oxide and hydrogen peroxide. <i>Planta</i> , 2012, 236, 327-342.                                   | 3.2 | 15        |
| 18 | Role of recently evolved miRNA regulation of sunflower <i>HaWRKY6</i> in response to temperature damage. <i>New Phytologist</i> , 2012, 195, 766-773.  | 7.3 | 118       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Engineering of plants with improved properties as biofuels feedstocks by vessel-specific complementation of xylan biosynthesis mutants. <i>Biotechnology for Biofuels</i> , 2012, 5, 84.                                       | 6.2 | 97        |
| 20 | Progress in the biological synthesis of the plant cell wall: new ideas for improving biomass for bioenergy. <i>Current Opinion in Biotechnology</i> , 2012, 23, 330-337.   | 6.6 | 79        |
| 21 | Natural Hypolignification Is Associated with Extensive Oligolignol Accumulation in Flax Stems. <i>Plant Physiology</i> , 2012, 158, 1893-1915.   | 4.8 | 82        |
| 22 | Deep EST profiling of developing fenugreek endosperm to investigate galactomannan biosynthesis and its regulation. <i>Plant Molecular Biology</i> , 2012, 79, 243-258.   | 3.9 | 32        |
| 23 | Functional characterization of the switchgrass ( <i>Panicum virgatum</i> ) R2R3-MYB transcription factor PvMYB4 for improvement of lignocellulosic feedstocks. <i>New Phytologist</i> , 2012, 193, 121-136.                    | 7.3 | 264       |
| 24 | The Class II KNOX gene KNAT7 negatively regulates secondary wall formation in <i>Arabidopsis</i> and is functionally conserved in <i>Populus</i> . <i>New Phytologist</i> , 2012, 194, 102-115.                                | 7.3 | 186       |
| 25 | Isolation and Partial Characterization of an R2R3MYB Transcription Factor from the Bamboo Species <i>Fargesia fungosa</i> . <i>Plant Molecular Biology Reporter</i> , 2012, 30, 131-138.                                       | 1.8 | 4         |
| 26 | The developing xylem transcriptome and genome-wide analysis of alternative splicing in <i>Populus trichocarpa</i> (black cottonwood) populations. <i>BMC Genomics</i> , 2013, 14, 359.   | 2.8 | 76        |
| 27 | Identification of molecular processes needed for vascular formation through transcriptome analysis of different vascular systems. <i>BMC Genomics</i> , 2013, 14, 217.   | 2.8 | 21        |
| 28 | Characterization of expressed sequence tags from developing fibers of <i>Gossypium barbadense</i> and evaluation of insertion-deletion variation in tetraploid cultivated cotton species. <i>BMC Genomics</i> , 2013, 14, 170. | 2.8 | 8         |
| 29 | The interacting MYB75 and KNAT7 transcription factors modulate secondary cell wall deposition both in stems and seed coat in <i>Arabidopsis</i> . <i>Planta</i> , 2013, 237, 1199-1211.  | 3.2 | 78        |
| 30 | Induced somatic sector analysis of cellulose synthase (CesA) promoter regions in woody stem tissues. <i>Planta</i> , 2013, 237, 799-812.   | 3.2 | 14        |
| 31 | The PmNAC1 gene is induced by auxin and expressed in differentiating vascular cells in callus cultures of <i>Passiflora</i> . <i>Plant Cell, Tissue and Organ Culture</i> , 2013, 115, 275-283.                                | 2.3 | 8         |
| 32 | Diversity and cis-element architecture of the promoter regions of cellulose synthase genes in <i>Eucalyptus</i> . <i>Tree Genetics and Genomes</i> , 2013, 9, 989-1004.  | 1.6 | 3         |
| 33 | Cellular Aspects of Wood Formation. <i>Plant Cell Monographs</i> , 2013, , .   | 0.4 | 32        |
| 34 | The R2R3-MYB-Like Regulatory Factor EOBI, Acting Downstream of EOBI, Regulates Scent Production by Activating ODO1 and Structural Scent-Related Genes in <i>Petunia</i> . <i>Plant Cell</i> , 2013, 24, 5089-5105.             | 6.6 | 114       |
| 35 | Polar Auxin Transport. <i>Signaling and Communication in Plants</i> , 2013, , .  | 0.7 | 18        |
| 36 | Xylem tissue specification, patterning, and differentiation mechanisms. <i>Journal of Experimental Botany</i> , 2013, 64, 11-31.   | 4.8 | 197       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Functions of rice NAC transcriptional factors, ONAC122 and ONAC131, in defense responses against Magnaporthe grisea. Plant Molecular Biology, 2013, 81, 41-56.  | 3.9 | 113       |
| 38 | Hormone interactions in xylem development: a matter of signals. Plant Cell Reports, 2013, 32, 867-883.  | 5.6 | 48        |
| 39 | Transcriptional Regulation of Wood Formation in Tree Species. Plant Cell Monographs, 2013, , 141-158.   | 0.4 | 7         |
| 40 | Post mortem function of <i>At</i> MYC9 in xylem vessel elements. New Phytologist, 2013, 200, 498-510.   | 7.3 | 117       |
| 41 | Phytohormones in Japanese Mugwort Gall Induction by a Gall-Inducing Gall Midge. Bioscience, Biotechnology and Biochemistry, 2013, 77, 1942-1948.  | 1.3 | 58        |
| 42 | Phloem parenchyma transfer cells in Arabidopsis – an experimental system to identify transcriptional regulators of wall ingrowth formation. Frontiers in Plant Science, 2013, 4, 102.                   | 3.6 | 24        |
| 43 | Navigating the transcriptional roadmap regulating plant secondary cell wall deposition. Frontiers in Plant Science, 2013, 4, 325.   | 3.6 | 124       |
| 44 | Regulation of secondary wall synthesis and cell death by NAC transcription factors in the monocot Brachypodium distachyon. Journal of Experimental Botany, 2013, 64, 1333-1343.                         | 4.8 | 78        |
| 45 | Neighboring Parenchyma Cells Contribute to Arabidopsis Xylem Lignification, while Lignification of Interfascicular Fibers Is Cell Autonomous. Plant Cell, 2013, 25, 3988-3999.                          | 6.6 | 138       |
| 46 | The Transcriptomics of Secondary Growth and Wood Formation in Conifers. Molecular Biology International, 2013, 2013, 1-12.  | 1.7 | 22        |
| 47 | Functional characterization of the orthologs of <i>At</i> NST1/2 in Glycine soja ( <i>G</i> abaceae) and the evolutionary implications. Journal of Systematics and Evolution, 2013, 51, 693-703.        | 3.1 | 10        |
| 48 | The Poplar MYB Master Switches Bind to the SMRE Site and Activate the Secondary Wall Biosynthetic Program during Wood Formation. PLoS ONE, 2013, 8, e69219.   | 2.5 | 130       |
| 49 | Identification of novel transcription factors regulating secondary cell wall formation in Arabidopsis. Frontiers in Plant Science, 2013, 4, 189.  | 3.6 | 106       |
| 50 | Transcriptomic Analysis of Fiber Strength in Upland Cotton Chromosome Introgression Lines Carrying Different Gossypium barbadense Chromosomal Segments. PLoS ONE, 2014, 9, e94642.                      | 2.5 | 14        |
| 52 | Plant biotechnology for lignocellulosic biofuel production. Plant Biotechnology Journal, 2014, 12, 1174-1192.   | 8.3 | 96        |
| 53 | Databases for Bioenergy-Related Enzymes. , 2014, , 95-107.  |     | 2         |
| 54 | Cellulose Synthesis and Its Regulation. The Arabidopsis Book, 2014, 12, e0169.  | 0.5 | 119       |
| 55 | Genetic Determinants for Enzymatic Digestion of Lignocellulosic Biomass Are Independent of Those for Lignin Abundance in a Maize Recombinant Inbred Population. Plant Physiology, 2014, 165, 1475-1487. | 4.8 | 51        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 56 | Xylem. Current Biology, 2014, 24, R1149.  | 3.9  | 2         |
| 57 | PtKOR1 is required for secondary cell wall cellulose biosynthesis in Populus. Tree Physiology, 2014, 34, 1289-1300.   | 3.1  | 43        |
| 58 | Intron-Mediated Alternative Splicing of WOOD-ASSOCIATED NAC TRANSCRIPTION FACTOR1B Regulates Cell Wall Thickening during Fiber Development in <i>Populus</i> Species. Plant Physiology, 2014, 164, 765-776.                       | 4.8  | 123       |
| 59 | Spatial gradients in cell wall composition and transcriptional profiles along elongating maize internodes. BMC Plant Biology, 2014, 14, 27.   | 3.6  | 50        |
| 60 | The MYB46/MYB83-mediated transcriptional regulatory programme is a gatekeeper of secondary wall biosynthesis. Annals of Botany, 2014, 114, 1099-1107.   | 2.9  | 152       |
| 61 | Opposite action of R2R3-MYBs from different subgroups on key genes of the shikimate and monolignol pathways in spruce. Journal of Experimental Botany, 2014, 65, 495-508.   | 4.8  | 34        |
| 62 | Systems and synthetic biology approaches to alter plant cell walls and reduce biomass recalcitrance. Plant Biotechnology Journal, 2014, 12, 1207-1216.  | 8.3  | 46        |
| 63 | Aberrant phenotype and transcriptome expression during fiber cell wall thickening caused by the mutation of the <i>lm</i> gene in immature fiber ( <i>im</i> ) mutant in <i>Gossypium hirsutum</i> L. BMC Genomics, 2014, 15, 94. | 2.8  | 25        |
| 64 | Large-scale screening of transcription factor-promoter interactions in spruce reveals a transcriptional network involved in vascular development. Journal of Experimental Botany, 2014, 65, 2319-2333.                            | 4.8  | 59        |
| 65 | Pod shattering resistance associated with domestication is mediated by a NAC gene in soybean. Nature Communications, 2014, 5, 3352.   | 12.8 | 177       |
| 66 | Lignin bioengineering. Current Opinion in Biotechnology, 2014, 26, 189-198.   | 6.6  | 126       |
| 67 | Xylan biosynthesis. Current Opinion in Biotechnology, 2014, 26, 100-107.  | 6.6  | 249       |
| 68 | The formation of wood and its control. Current Opinion in Plant Biology, 2014, 17, 56-63.   | 7.1  | 126       |
| 69 | <i>AtMYB41</i> activates ectopic suberin synthesis and assembly in multiple plant species and cell types. Plant Journal, 2014, 80, 216-229.   | 5.7  | 172       |
| 70 | Arabidopsis VASCULAR-RELATED UNKNOWN PROTEIN1 Regulates Xylem Development and Growth by a Conserved Mechanism That Modulates Hormone Signaling. Plant Physiology, 2014, 164, 1991-2010.   | 4.8  | 5         |
| 71 | Regulation of galactomannan biosynthesis in coffee seeds. Journal of Experimental Botany, 2014, 65, 323-337.  | 4.8  | 27        |
| 72 | Complexity of the transcriptional network controlling secondary wall biosynthesis. Plant Science, 2014, 229, 193-207.   | 3.6  | 124       |
| 73 | Molecular cloning, characterization, and expression analysis of <i>LeMYB1</i> from <i>Lithospermum erythrorhizon</i> . Biologia Plantarum, 2014, 58, 436-444.   | 1.9  | 11        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Transcriptome sequencing and profiling of expressed genes in cambial zone and differentiating xylem of Japanese cedar ( <i>Cryptomeria japonica</i> ). <i>BMC Genomics</i> , 2014, 15, 219.   | 2.8 | 48        |
| 75 | A survey of plant and algal genomes and transcriptomes reveals new insights into the evolution and function of the cellulose synthase superfamily. <i>BMC Genomics</i> , 2014, 15, 260.   | 2.8 | 63        |
| 76 | Comparative genomic analysis of the R2R3 MYB secondary cell wall regulators of Arabidopsis, poplar, rice, maize, and switchgrass. <i>BMC Plant Biology</i> , 2014, 14, 135.   | 3.6 | 74        |
| 77 | Programmes of cell death and autolysis in tracheary elements: when a suicidal cell arranges its own corpse removal. <i>Journal of Experimental Botany</i> , 2014, 65, 1313-1321.  | 4.8 | 96        |
| 79 | The NAC transcription factor family in maritime pine ( <i>Pinus Pinaster</i> ): molecular regulation of two genes involved in stress responses. <i>BMC Plant Biology</i> , 2015, 15, 254.   | 3.6 | 54        |
| 80 | Exogenous GA3 Application Enhances Xylem Development and Induces the Expression of Secondary Wall Biosynthesis Related Genes in <i>Betula platyphylla</i> . <i>International Journal of Molecular Sciences</i> , 2015, 16, 22960-22975. | 4.1 | 34        |
| 81 | Functional Characterization of NAC and MYB Transcription Factors Involved in Regulation of Biomass Production in Switchgrass ( <i>Panicum virgatum</i> ). <i>PLoS ONE</i> , 2015, 10, e0134611.   | 2.5 | 68        |
| 82 | NAC-MYB-based transcriptional regulation of secondary cell wall biosynthesis in land plants. <i>Frontiers in Plant Science</i> , 2015, 6, 288.  | 3.6 | 344       |
| 83 | Seed shattering: from models to crops. <i>Frontiers in Plant Science</i> , 2015, 6, 476.  | 3.6 | 114       |
| 84 | Short day transcriptomic programming during induction of dormancy in grapevine. <i>Frontiers in Plant Science</i> , 2015, 6, 834.   | 3.6 | 48        |
| 85 | Comparative proteomic analysis of <i>Populus trichocarpa</i> early stem from primary to secondary growth. <i>Journal of Proteomics</i> , 2015, 126, 94-108.   | 2.4 | 22        |
| 86 | Metabolomic and transcriptomic insights into how cotton fiber transitions to secondary wall synthesis, represses lignification, and prolongs elongation. <i>BMC Genomics</i> , 2015, 16, 477.   | 2.8 | 72        |
| 87 | Cellulose-hemicellulose interaction in wood secondary cell-wall. <i>Modelling and Simulation in Materials Science and Engineering</i> , 2015, 23, 085010.   | 2.0 | 71        |
| 88 | A R2R3-MYB transcription factor that is specifically expressed in cotton ( <i>Gossypium</i> ) Tj ETQq1 1 0.784314 rgBT /Overl<br><i>Arabidopsis</i>. <i>Physiologia Plantarum</i> , 2015, 154, 420-432.                                 | 5.2 | 51        |
| 89 | Comparative interrogation of the developing xylem transcriptomes of two wood-forming species: <i>Populus trichocarpa</i> and <i>Eucalyptus grandis</i> . <i>New Phytologist</i> , 2015, 206, 1391-1405.                                 | 7.3 | 47        |
| 90 | Molecular control of wood formation in trees. <i>Journal of Experimental Botany</i> , 2015, 66, 4119-4131.  | 4.8 | 148       |
| 91 | Comprehensive Analysis Suggests Overlapping Expression of Rice ONAC Transcription Factors in Abiotic and Biotic Stress Responses. <i>International Journal of Molecular Sciences</i> , 2015, 16, 4306-4326.                             | 4.1 | 67        |
| 92 | A role for OVATE FAMILY PROTEIN1 (OFP1) and OFP4 in a BLH6-KNAT7 multi-protein complex regulating secondary cell wall formation in <i>Arabidopsis thaliana</i> . <i>Plant Signaling and Behavior</i> , 2015, 10, e1033126.              | 2.4 | 50        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 93  | Phosphorylation is an on/off switch for 5-hydroxyconiferaldehyde <i>O</i> -methyltransferase activity in poplar monolignol biosynthesis. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 8481-8486. | 7.1 | 60        |
| 94  | Poplar PdMYB221 is involved in the direct and indirect regulation of secondary wall biosynthesis during wood formation. Scientific Reports, 2015, 5, 12240.   | 3.3 | 52        |
| 95  | Biomass recalcitrance: a multi-scale, multi-factor, and conversion-specific property: Fig. 1.. Journal of Experimental Botany, 2015, 66, 4109-4118.   | 4.8 | 197       |
| 96  | Subgroup-specific intrinsic disorder profiles of arabidopsis NAC transcription factors: Identification of functional hotspots. Plant Signaling and Behavior, 2015, 10, e1010967.  | 2.4 | 12        |
| 97  | Transcript profiling of Populus tomentosa genes in normal, tension, and opposite wood by RNA-seq. BMC Genomics, 2015, 16, 164.  | 2.8 | 58        |
| 98  | The <i>Arabidopsis</i> NAC transcription factor NST2 functions together with SND1 and NST1 to regulate secondary wall biosynthesis in fibers of inflorescence stems. Plant Signaling and Behavior, 2015, 10, e989746.                           | 2.4 | 53        |
| 99  | Genome-wide analysis reveals dynamic changes in expression of microRNAs during vascular cambium development in Chinese fir, Cunninghamia lanceolata. Journal of Experimental Botany, 2015, 66, 3041-3054.                                       | 4.8 | 37        |
| 100 | Regulation of secondary cell wall biosynthesis by poplar R2R3 MYB transcription factor PtrMYB152 in Arabidopsis. Scientific Reports, 2014, 4, 5054.   | 3.3 | 106       |
| 101 | Editorial: An Emerging View of Plant Cell Walls as an Apoplastic Intelligent System. Plant and Cell Physiology, 2015, 56, 177-179.  | 3.1 | 18        |
| 102 | Brachypodium distachyon as a Model Species to Understand Grass Cell Walls. Plant Genetics and Genomics: Crops and Models, 2015, , 197-217.  | 0.3 | 2         |
| 103 | Modular organization of the white spruce ( <i>Picea glauca</i> ) transcriptome reveals functional organization and evolutionary signatures. New Phytologist, 2015, 207, 172-187.  | 7.3 | 35        |
| 104 | BEL1-LIKE HOMEODOMAIN6 and KNOTTED ARABIDOPSIS THALIANA7 Interact and Regulate Secondary Cell Wall Formation via Repression of <i>REVOLUTA</i> . Plant Cell, 2015, 26, 4843-4861.   | 6.6 | 124       |
| 105 | Structural, evolutionary and functional analysis of the <i>NAC</i> domain protein family in <i>Eucalyptus</i> . New Phytologist, 2015, 206, 1337-1350.  | 7.3 | 69        |
| 106 | Bioethanol from maize cell walls: genes, molecular tools, and breeding prospects. GCB Bioenergy, 2015, 7, 591-607.  | 5.6 | 19        |
| 107 | Secondary Cell Walls: Biosynthesis, Patterned Deposition and Transcriptional Regulation. Plant and Cell Physiology, 2015, 56, 195-214.  | 3.1 | 360       |
| 108 | The <i>Eucalyptus grandis</i> <i>R2R3MYB</i> transcription factor family: evidence for woody growth-related evolution and function. New Phytologist, 2015, 206, 1364-1377.  | 7.3 | 107       |
| 109 | Designer Plants for Biofuels: A Review. Current Metabolomics, 2016, 4, 49-55.   | 0.5 | 10        |
| 110 | Genetic Engineering for Secondary Xylem Modification: Unraveling the Genetic Regulation of Wood Formation. , 2016, , 193-211.   |     | 1         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 111 | Identification of Candidate Transcriptional Regulators of Epidermal Transfer Cell Development in <i>Vicia faba</i> Cotyledons. <i>Frontiers in Plant Science</i> , 2016, 7, 717.                       | 3.6 | 6         |
| 112 | Biosynthesis and Metabolic Fate of Phenylalanine in Conifers. <i>Frontiers in Plant Science</i> , 2016, 7, 1030.   | 3.6 | 98        |
| 113 | Genetic variations and miRNA–target interactions contribute to natural phenotypic variations in <i>Populus</i> . <i>New Phytologist</i> , 2016, 212, 150-160.  | 7.3 | 17        |
| 114 | Co-localization of QTLs for pod fiber content and pod shattering in F2 and backcross populations between yardlong bean and wild cowpea. <i>Molecular Breeding</i> , 2016, 36, 1.                       | 2.1 | 45        |
| 115 | Transcriptome analyses of seed development in grape hybrids reveals a possible mechanism influencing seed size. <i>BMC Genomics</i> , 2016, 17, 898.   | 2.8 | 39        |
| 116 | Genetic architecture of wood properties based on association analysis and co-expression networks in white spruce. <i>New Phytologist</i> , 2016, 210, 240-255.   | 7.3 | 43        |
| 117 | <i>Eucalyptus</i> hairy roots, a fast, efficient and versatile tool to explore function and expression of genes involved in wood formation. <i>Plant Biotechnology Journal</i> , 2016, 14, 1381-1393.  | 8.3 | 54        |
| 118 | Conifer genomics and adaptation: at the crossroads of genetic diversity and genome function. <i>New Phytologist</i> , 2016, 209, 44-62.  | 7.3 | 73        |
| 119 | To Have and to Hold. <i>Current Topics in Developmental Biology</i> , 2016, 119, 63-109.   | 2.2 | 53        |
| 120 | Regulation of plant secondary metabolism and associated specialized cell development by MYBs and bHLHs. <i>Phytochemistry</i> , 2016, 131, 26-43.  | 2.9 | 143       |
| 121 | Silencing of the potato <i>StNAC103</i> gene enhances the accumulation of suberin polyester and associated wax in tuber skin. <i>Journal of Experimental Botany</i> , 2016, 67, 5415-5427.             | 4.8 | 56        |
| 123 | Evolutionary and Expression Analysis Provides Evidence for the Plant Glutamate-like Receptors Family is Involved in Woody Growth-related Function. <i>Scientific Reports</i> , 2016, 6, 32013.         | 3.3 | 16        |
| 124 | Cotton Fiber Biotechnology: Potential Controls and Transgenic Improvement of Elongation and Cell Wall Thickening. <i>Sustainable Development and Biodiversity</i> , 2016, , 127-153.                   | 1.7 | 5         |
| 125 | Fiber Plants. <i>Sustainable Development and Biodiversity</i> , 2016, , .  | 1.7 | 6         |
| 126 | A stress-associated <i>NAC</i> transcription factor ( <i>SINAC35</i> ) from tomato plays a positive role in biotic and abiotic stresses. <i>Physiologia Plantarum</i> , 2016, 158, 45-64.              | 5.2 | 92        |
| 127 | Transcriptional regulation of vascular cambium activity during the transition from juvenile to mature stages in <i>Cunninghamia lanceolata</i> . <i>Journal of Plant Physiology</i> , 2016, 200, 7-17. | 3.5 | 19        |
| 128 | Functional Analysis of Cellulose and Xyloglucan in the Walls of Stomatal Guard Cells of <i>Arabidopsis</i> . <i>Plant Physiology</i> , 2016, 170, 1398-1419.   | 4.8 | 75        |
| 129 | Development of functional modules based on co-expression patterns for cell-wall biosynthesis related genes in rice. <i>Journal of Plant Biology</i> , 2016, 59, 1-15.                                  | 2.1 | 18        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 130 | Spatially and temporally restricted expression of PtrMYB021 regulates secondary cell wall formation in Arabidopsis. Journal of Plant Biology, 2016, 59, 16-23.                                      | 2.1 | 9         |
| 131 | Genetics and Genomics of Brachypodium. Plant Genetics and Genomics: Crops and Models, 2016, , .   | 0.3 | 22        |
| 132 | Resistance of Plants to Cu Stress. , 2016, , 69-114.  |     | 7         |
| 133 | Changes in cell wall polysaccharide composition, gene transcription and alternative splicing in germinating barley embryos. Journal of Plant Physiology, 2016, 191, 127-139.                        | 3.5 | 11        |
| 134 | SIMYB1 and SIMYB2 , two new MYB genes from tomato, transcriptionally regulate cellulose biosynthesis in tobacco. Journal of Integrative Agriculture, 2017, 16, 65-75.                               | 3.5 | 13        |
| 135 | Beyond Genomics: Studying Evolution with Gene Coexpression Networks. Trends in Plant Science, 2017, 22, 298-307.  | 8.8 | 96        |
| 136 | EliteTreeâ„¢: an advanced biomass tree crop technology that features greater wood density and accelerated stem growth. Biofuels, Bioproducts and Biorefining, 2017, 11, 521-533.                    | 3.7 | 7         |
| 137 | Identifying gene coexpression networks underlying the dynamic regulation of woodâ€™forming tissues in <i>Populus</i> under diverse environmental conditions. New Phytologist, 2017, 214, 1464-1478. | 7.3 | 56        |
| 138 | PtoMYB156 is involved in negative regulation of phenylpropanoid metabolism and secondary cell wall biosynthesis during wood formation in poplar. Scientific Reports, 2017, 7, 41209.                | 3.3 | 87        |
| 139 | BLISS: A Bioorthogonal Dual-Labeling Strategy to Unravel Lignification Dynamics in Plants. Cell Chemical Biology, 2017, 24, 326-338.  | 5.2 | 41        |
| 140 | Digital gene expression profiling of flax ( <i>Linum usitatissimum</i> L.) stem peel identifies genes enriched in fiber-bearing phloem tissue. Gene, 2017, 626, 32-40.                              | 2.2 | 23        |
| 141 | Transcriptomics and proteomics reveal genetic and biological basis of superior biomass crop Miscanthus. Scientific Reports, 2017, 7, 13777.   | 3.3 | 13        |
| 142 | Genetic connection between cell-wall composition and grain yield via parallel QTL analysis in indica and japonica subspecies. Scientific Reports, 2017, 7, 12561.                                   | 3.3 | 11        |
| 143 | Regulation of secondary cell wall biosynthesis by a <sc>NAC</sc> transcription factor from <i>Miscanthus</i>. Plant Direct, 2017, 1, e00024.  | 1.9 | 19        |
| 144 | QTL analysis of four main stem bark traits using a GBS-SNP-based high-density genetic map in ramie. Scientific Reports, 2017, 7, 13458.   | 3.3 | 34        |
| 145 | SmMYB36, a Novel R2R3-MYB Transcription Factor, Enhances Tanshinone Accumulation and Decreases Phenolic Acid Content in <i>Salvia miltiorrhiza</i> Hairy Roots. Scientific Reports, 2017, 7, 5104.  | 3.3 | 97        |
| 146 | Functional Characterization of Populus PsnSHN2 in Coordinated Regulation of Secondary Wall Components in Tobacco. Scientific Reports, 2017, 7, 42.  | 3.3 | 52        |
| 147 | Mediator Complex Subunits MED2, MED5, MED16, and MED23 Genetically Interact in the Regulation of Phenylpropanoid Biosynthesis. Plant Cell, 2017, 29, 3269-3285.                                     | 6.6 | 46        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 148 | The essence of NAC gene family to the cultivation of drought-resistant soybean ( <i>Glycine max</i> L. Merr.) cultivars. <i>BMC Plant Biology</i> , 2017, 17, 55.  | 3.6 | 74        |
| 149 | A Combined Comparative Transcriptomic, Metabolomic, and Anatomical Analyses of Two Key Domestication Traits: Pod Dehiscence and Seed Dormancy in Pea ( <i>Pisum</i> sp.). <i>Frontiers in Plant Science</i> , 2017, 8, 542.                      | 3.6 | 53        |
| 150 | Divergent Evolutionary Patterns of NAC Transcription Factors Are Associated with Diversification and Gene Duplications in Angiosperm. <i>Frontiers in Plant Science</i> , 2017, 8, 1156.   | 3.6 | 14        |
| 151 | Transcriptome analysis provides insights into xylogenesis formation in Moso bamboo ( <i>Phyllostachys</i> ) Tj ETQq1 1 0.784314 rgBT /Overdo   | 3.3 | 36        |
| 152 | The Receptor-Like Kinase AtVRLK1 Regulates Secondary Cell Wall Thickening. <i>Plant Physiology</i> , 2018, 177, 671-683.   | 4.8 | 52        |
| 153 | KNAT7 positively regulates xylan biosynthesis by directly activating <i>IRX9</i> expression in <i>Arabidopsis</i> . <i>Journal of Integrative Plant Biology</i> , 2018, 60, 514-528.   | 8.5 | 38        |
| 154 | Overexpression of transcription factor SINAC35 enhances the chilling tolerance of transgenic tomato. <i>Biologia Plantarum</i> , 2018, 62, 479-488.  | 1.9 | 14        |
| 155 | Engineering abiotic stress response in plants for biomass production. <i>Journal of Biological Chemistry</i> , 2018, 293, 5035-5043.   | 3.4 | 43        |
| 156 | Change in lignin structure, but not in lignin content, in transgenic poplar overexpressing the rice master regulator of secondary cell wall biosynthesis. <i>Physiologia Plantarum</i> , 2018, 163, 170-182.                                     | 5.2 | 19        |
| 157 | ZmNST3 and ZmNST4 are master switches for secondary wall deposition in maize ( <i>Zea mays</i> L.). <i>Plant Science</i> , 2018, 266, 83-94.   | 3.6 | 26        |
| 158 | <i>PpNAC1</i> , a main regulator of phenylalanine biosynthesis and utilization in maritime pine. <i>Plant Biotechnology Journal</i> , 2018, 16, 1094-1104.   | 8.3 | 29        |
| 159 | Recent Advances in the Transcriptional Regulation of Secondary Cell Wall Biosynthesis in the Woody Plants. <i>Frontiers in Plant Science</i> , 2018, 9, 1535.  | 3.6 | 110       |
| 160 | Genome wide characterization of barley NAC transcription factors enables the identification of grain-specific transcription factors exclusive for the Poaceae family of monocotyledonous plants. <i>PLoS ONE</i> , 2018, 13, e0209769.           | 2.5 | 22        |
| 161 | Genes and gene clusters related to genotype and drought-induced variation in saccharification potential, lignin content and wood anatomical traits in <i>Populus nigra</i> . <i>Tree Physiology</i> , 2018, 38, 320-339.                         | 3.1 | 35        |
| 162 | Genome-wide identification and comprehensive analysis of the NAC transcription factor family in <i>Sesamum indicum</i> . <i>PLoS ONE</i> , 2018, 13, e0199262.   | 2.5 | 29        |
| 163 | Current Models for Transcriptional Regulation of Secondary Cell Wall Biosynthesis in Grasses. <i>Frontiers in Plant Science</i> , 2018, 9, 399.  | 3.6 | 120       |
| 164 | <i>Brachypodium distachyon</i> <i>SECONDARY WALL ASSOCIATED MYB1</i> is a positive regulator of secondary cell wall thickening in <i>Brachypodium distachyon</i> and is not found in the Brassicaceae. <i>Plant Journal</i> , 2018, 96, 532-545. | 5.7 | 20        |
| 165 | Characterization of a ripening-related transcription factor FcNAC1 from <i>Fragaria chiloensis</i> fruit. <i>Scientific Reports</i> , 2018, 8, 10524.  | 3.3 | 44        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 166 | Co-expression network of transcription factors reveal ethylene-responsive element-binding factor as key regulator of wood phenotype in <i>Eucalyptus tereticornis</i> . 3 Biotech, 2018, 8, 315.  | 2.2 | 5         |
| 167 | NAC Transcription Factors in Woody Plants. Progress in Botany Fortschritte Der Botanik, 2018, , 195-222.  | 0.3 | 3         |
| 168 | The developmental dynamics of the <i>Populus</i> stem transcriptome. Plant Biotechnology Journal, 2019, 17, 206-219.  | 8.3 | 112       |
| 169 | Gene regulatory networks for lignin biosynthesis in switchgrass <i>(Panicum virgatum)</i> . Plant Biotechnology Journal, 2019, 17, 580-593.   | 8.3 | 96        |
| 170 | Identification and characterization of cherry ( <i>Cerasus pseudocerasus</i> G. Don) genes responding to parthenocarpy induced by GA3 through transcriptome analysis. BMC Genetics, 2019, 20, 65. | 2.7 | 15        |
| 171 | Regulation of Cell Wall Thickening by a Medley of Mechanisms. Trends in Plant Science, 2019, 24, 853-866.   | 8.8 | 34        |
| 172 | Cellulose and Hemicellulose Synthesis and Their Regulation in Plant Cells. Biologically-inspired Systems, 2019, , 303-353.  | 0.2 | 4         |
| 173 | Genome-Wide Investigation of the NAC Gene Family and Its Potential Association with the Secondary Cell Wall in Moso Bamboo. Biomolecules, 2019, 9, 609.   | 4.0 | 19        |
| 174 | Expression profiles of cell-wall related genes vary broadly between two common maize inbreds during stem development. BMC Genomics, 2019, 20, 785.  | 2.8 | 8         |
| 175 | Genomic resources for energy cane breeding in the post genomics era. Computational and Structural Biotechnology Journal, 2019, 17, 1404-1414.   | 4.1 | 38        |
| 176 | Overexpression of a serine hydroxymethyltransferase increases biomass production and reduces recalcitrance in the bioenergy crop <i>Populus</i> . Sustainable Energy and Fuels, 2019, 3, 195-207. | 4.9 | 27        |
| 177 | Loss of Wood Formation Genes in Monocot Genomes. Genome Biology and Evolution, 2019, 11, 1986-1996.   | 2.5 | 20        |
| 178 | Functional Analysis of the PgCesA3 White Spruce Cellulose Synthase Gene Promoter in Secondary Xylem. Frontiers in Plant Science, 2019, 10, 626.   | 3.6 | 5         |
| 179 | Identification and functional evaluation of accessible chromatin associated with wood formation in <i>Eucalyptus grandis</i> . New Phytologist, 2019, 223, 1937-1951.                             | 7.3 | 10        |
| 180 | Genetic Modification of Biomass to Alter Lignin Content and Structure. Industrial & Engineering Chemistry Research, 2019, 58, 16190-16203.  | 3.7 | 23        |
| 181 | Lignin biosynthesis and its integration into metabolism. Current Opinion in Biotechnology, 2019, 56, 230-239.   | 6.6 | 440       |
| 182 | Overexpression of MusaNAC68 reduces secondary wall thickness of xylem tissue in banana. Plant Biotechnology Reports, 2019, 13, 151-160.   | 1.5 | 17        |
| 183 | Biosynthesis and Regulation of Secondary Cell Wall. Progress in Botany Fortschritte Der Botanik, 2019, , 189-226.   | 0.3 | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 184 | Endoplasmic reticulumâ€“localized UBC34 interaction with lignin repressors MYB221 and MYB156 regulates the transactivity of the transcription factors in <i>Populus tomentosa</i> . BMC Plant Biology, 2019, 19, 97.             | 3.6  | 20        |
| 186 | The R2R3 MYB transcription factor MYB189 negatively regulates secondary cell wall biosynthesis in <i>Populus</i> . Tree Physiology, 2019, 39, 1187-1200.   | 3.1  | 42        |
| 187 | The transcription factor MYB2 acts as a negative regulator of secondary cell wall thickening in anther and stem. Gene, 2019, 702, 158-165.   | 2.2  | 4         |
| 188 | NAC transcription factors in plant immunity. Phytopathology Research, 2019, 1, .   | 2.4  | 121       |
| 189 | Exogenous Application of Phytohormones Promotes Growth and Regulates Expression of Wood Formation-Related Genes in <i>Populus simonii</i> Å— <i>P. nigra</i> . International Journal of Molecular Sciences, 2019, 20, 792.       | 4.1  | 19        |
| 190 | Molecular Mechanism of Xylogenesis in Moso Bamboo ( <i>Phyllostachys edulis</i> ) Shoots during Cold Storage. Polymers, 2019, 11, 38.  | 4.5  | 9         |
| 191 | OsKNAT7 Bridges Secondary Cell Wall Formation and Cell Growth Regulation. Plant Physiology, 2019, 181, 385-386.  | 4.8  | 9         |
| 192 | Rice Homeobox Protein KNAT7 Integrates the Pathways Regulating Cell Expansion and Wall Stiffness. Plant Physiology, 2019, 181, 669-682.  | 4.8  | 44        |
| 193 | Induction of PrMADS10 on the lower side of bent pine tree stems: potential role in modifying plant cell wall properties and wood anatomy. Scientific Reports, 2019, 9, 18981.  | 3.3  | 2         |
| 194 | Genome-Wide Identification of R2R3-MYB Transcription Factors Regulating Secondary Cell Wall Thickening in Cotton Fiber Development. Plant and Cell Physiology, 2019, 60, 687-701.  | 3.1  | 28        |
| 195 | Digging in wood: New insights in the regulation of wood formation in tree species. Advances in Botanical Research, 2019, 89, 201-233.  | 1.1  | 14        |
| 196 | Vascular tissue development in plants. Current Topics in Developmental Biology, 2019, 131, 141-160.  | 2.2  | 47        |
| 197 | Assessment of agronomic parameters and gene expression profiling of flax ( <i>Linum usitatissimum</i> L.) upon treatment with brassinosteroid and its biosynthetic inhibitor. Industrial Crops and Products, 2019, 128, 270-281. | 5.2  | 4         |
| 198 | <scp>CAD</scp>1 and <scp>CCR</scp>2 protein complex formation in monolignol biosynthesis in <i>Populus trichocarpa</i>. New Phytologist, 2019, 222, 244-260.   | 7.3  | 43        |
| 199 | Inferring biosynthetic and gene regulatory networks from <i>Artemisia annua</i> RNA sequencing data on a credit card-sized ARM computer. Biochimica Et Biophysica Acta - Gene Regulatory Mechanisms, 2020, 1863, 194429.         | 1.9  | 12        |
| 200 | A cotton NAC domain transcription factor, GhFSN5, negatively regulates secondary cell wall biosynthesis and anther development in transgenic <i>Arabidopsis</i> . Plant Physiology and Biochemistry, 2020, 146, 303-314.         | 5.8  | 24        |
| 201 | NST- and SND-subgroup NAC proteins coordinately act to regulate secondary cell wall formation in cotton. Plant Science, 2020, 301, 110657.   | 3.6  | 15        |
| 202 | A comprehensive review on leguminous galactomannans: structural analysis, functional properties, biosynthesis process and industrial applications. Critical Reviews in Food Science and Nutrition, 2022, 62, 443-465.            | 10.3 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 203 | Editorial: Biofuels and Bioenergy. <i>Frontiers in Plant Science</i> , 2020, 11, 621380.  | 3.6 | 0         |
| 204 | Microanalytical techniques for phenotyping secondary xylem. <i>IAWA Journal</i> , 2020, 41, 356-389.  | 2.7 | 4         |
| 205 | Regulation of Lignin Biosynthesis by Post-translational Protein Modifications. <i>Frontiers in Plant Science</i> , 2020, 11, 914.   | 3.6 | 20        |
| 206 | EgPHI-1, a PHOSPHATE-INDUCED-1 gene from <i>Eucalyptus globulus</i> , is involved in shoot growth, xylem fiber length and secondary cell wall properties. <i>Planta</i> , 2020, 252, 45.                        | 3.2 | 6         |
| 207 | Genome-Wide Analysis of the Role of NAC Family in Flower Development and Abiotic Stress Responses in <i>Cleistogenes songorica</i> . <i>Genes</i> , 2020, 11, 927.  | 2.4 | 10        |
| 208 | Weeping candidate genes screened using comparative transcriptomic analysis of weeping and upright progeny in an <i>F1</i> population of <i>Prunus mume</i> . <i>Physiologia Plantarum</i> , 2020, 170, 318-334. | 5.2 | 9         |
| 209 | The MYB transcription factor CiMYB42 regulates limonoids biosynthesis in citrus. <i>BMC Plant Biology</i> , 2020, 20, 254.  | 3.6 | 21        |
| 210 | Genome wide association mapping and candidate gene analysis for pod shatter resistance in <i>Brassica juncea</i> and its progenitor species. <i>Molecular Biology Reports</i> , 2020, 47, 2963-2974.            | 2.3 | 14        |
| 211 | Comparative Transcriptome Analysis Reveals Stem Secondary Growth of Grafted <i>Rosa rugosa</i> "Rosea" Scion and <i>R. multiflora</i> "Inermis" Rootstock. <i>Genes</i> , 2020, 11, 228.                        | 2.4 | 6         |
| 212 | DNA methylation of LDOX gene contributes to the floral colour variegation in peach. <i>Journal of Plant Physiology</i> , 2020, 246-247, 153116.   | 3.5 | 17        |
| 213 | Comparative transcriptomics of stem bark reveals genes associated with bast fiber development in <i>Boehmeria nivea</i> L. gaud (ramie). <i>BMC Genomics</i> , 2020, 21, 40.                                    | 2.8 | 21        |
| 214 | Genome-wide transcriptomic analysis during rhizome development of ginger ( <i>Zingiber officinale</i> ) Tj ETQq1 1 0.784314 rgBT /Overlock Horticulturae, 2020, 264, 109154.                                    | 3.6 | 9         |
| 215 | Functional divergence of <i>Populus</i> MYB158 and MYB189 gene pair created by whole genome duplication. <i>Journal of Systematics and Evolution</i> , 2020, , .  | 3.1 | 2         |
| 216 | Salt and Drought Stress Tolerance in Plants. <i>Signaling and Communication in Plants</i> , 2020, , .   | 0.7 | 24        |
| 217 | AtMYB92 enhances fatty acid synthesis and suberin deposition in leaves of <i>Nicotiana benthamiana</i> . <i>Plant Journal</i> , 2020, 103, 660-676.   | 5.7 | 39        |
| 218 | Contribution of phenylpropanoid metabolism to plant development and plant-environment interactions. <i>Journal of Integrative Plant Biology</i> , 2021, 63, 180-209.  | 8.5 | 509       |
| 219 | Major latex protein-like encoding genes contribute to <i>Rhizoctonia solani</i> defense responses in sugar beet. <i>Molecular Genetics and Genomics</i> , 2021, 296, 155-164.                                   | 2.1 | 20        |
| 220 | Regulation of Plant Responses to Salt Stress. <i>International Journal of Molecular Sciences</i> , 2021, 22, 4609.  | 4.1 | 361       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 221 | Comparative transcriptomic analysis of seed coats with high and low lignin contents reveals lignin and flavonoid biosynthesis in <i>Brassica napus</i> . <i>BMC Plant Biology</i> , 2021, 21, 246.                    | 3.6 | 12        |
| 222 | A Comparative Analysis of Transcription Networks Active in Juvenile and Mature Wood in <i>Populus</i> . <i>Frontiers in Plant Science</i> , 2021, 12, 675075.   | 3.6 | 7         |
| 223 | An <i>Arabidopsis</i> expression predictor enables inference of transcriptional regulators for gene modules. <i>Plant Journal</i> , 2021, 107, 597-612.   | 5.7 | 11        |
| 224 | Genome-Wide Transcriptomic Analysis Reveals the Gene Regulatory Network Controlled by SRL1 in Regulating Rice Leaf Rolling. <i>Journal of Plant Growth Regulation</i> , 2022, 41, 2292-2304.                          | 5.1 | 1         |
| 225 | Phylogenetic Occurrence of the Phenylpropanoid Pathway and Lignin Biosynthesis in Plants. <i>Frontiers in Plant Science</i> , 2021, 12, 704697.   | 3.6 | 49        |
| 226 | Identification and Characterization of Secondary Wall-Associated NAC Genes and Their Involvement in Hormonal Responses in Tobacco ( <i>Nicotiana tabacum</i> ). <i>Frontiers in Plant Science</i> , 2021, 12, 712254. | 3.6 | 5         |
| 227 | Wood Formation under Severe Drought Invokes Adjustment of the Hormonal and Transcriptional Landscape in Poplar. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9899.                                  | 4.1 | 17        |
| 228 | Posttranscriptional regulation of cellulose synthase genes by small RNAs derived from cellulose synthase antisense transcripts. <i>Plant Direct</i> , 2021, 5, e347.  | 1.9 | 1         |
| 229 | Sugarcane cell suspension reveals major metabolic changes under different nitrogen starvation regimes. <i>Bragantia</i> , 0, 80, .  | 1.3 | 2         |
| 230 | Towards Redesigning Cellulose Biosynthesis for Improved Bioenergy Feedstocks. , 2014, , 183-193.  |     | 1         |
| 231 | NAC Transcription Factors in Drought and Salinity Tolerance. <i>Signaling and Communication in Plants</i> , 2020, , 351-366.  | 0.7 | 4         |
| 232 | Auxin Transport and Signaling in Leaf Vascular Patterning. <i>Signaling and Communication in Plants</i> , 2013, , 129-154.  | 0.7 | 1         |
| 233 | Tailoring Plant Cell Wall Composition and Architecture for Conversion to Liquid Hydrocarbon Biofuels. , 2015, , 63-82.  |     | 2         |
| 234 | Modifying plant cell walls for bioenergy production.. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> , 0, , 1-10.   | 1.0 | 2         |
| 235 | Tomato NAC Transcription Factor SISR1 Positively Regulates Defense Response against Biotic Stress but Negatively Regulates Abiotic Stress Response. <i>PLoS ONE</i> , 2014, 9, e102067.                               | 2.5 | 65        |
| 236 | <i>Arabidopsis</i> NAC Domain Proteins, VND1 to VND5, Are Transcriptional Regulators of Secondary Wall Biosynthesis in Vessels. <i>PLoS ONE</i> , 2014, 9, e105726.   | 2.5 | 169       |
| 237 | Systematic Analysis and Identification of Stress-Responsive Genes of the NAC Gene Family in <i>Brachypodium distachyon</i> . <i>PLoS ONE</i> , 2015, 10, e0122027.  | 2.5 | 61        |
| 238 | Overexpression of <i>MusaMYB31</i> , a R2R3 type MYB transcription factor gene indicate its role as a negative regulator of lignin biosynthesis in banana. <i>PLoS ONE</i> , 2017, 12, e0172695.                      | 2.5 | 39        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 239 | NAC Transcription Factors as Positive or Negative Regulators during Ongoing Battle between Pathogens and Our Food Crops. International Journal of Molecular Sciences, 2021, 22, 81.                                      | 4.1 | 46        |
| 240 | ATL54, a ubiquitin ligase gene related to secondary cell wall formation, is transcriptionally regulated by MYB46. Plant Biotechnology, 2013, 30, 503-509.  | 1.0 | 10        |
| 241 | Transcriptional regulatory network controlling secondary cell wall biosynthesis and biomass production in vascular plants. African Journal of Biotechnology, 2012, 11, .   | 0.6 | 8         |
| 242 | In vitro Culture: A Tool for Phytoremediation Purposes. , 2014, , 46-65.   |     | 0         |
| 246 | Cellulose biosynthesis in plants - the concerted action of CESA and non-CESA proteins. Biologia Plantarum, 0, 64, 363-377.   | 1.9 | 5         |
| 249 | Integrated Transcriptomic and Proteomic Analysis in the Roadmap of the Xylem Development Stage in Populus tomentosa. Frontiers in Plant Science, 2021, 12, 724559.   | 3.6 | 2         |
| 250 | A systems genetics approach reveals PbrNSC as a regulator of lignin and cellulose biosynthesis in stone cells of pear fruit. Genome Biology, 2021, 22, 313.  | 8.8 | 32        |
| 251 | Regulation of lignin biosynthesis by an atypical bHLH protein CmHLB in <i>Chrysanthemum</i> . Journal of Experimental Botany, 2022, 73, 2403-2419.   | 4.8 | 15        |
| 252 | Identification and Functional Analysis of the CgNAC043 Gene Involved in Lignin Synthesis from Citrusgrandis ‘San Hong’. Plants, 2022, 11, 403.   | 3.5 | 11        |
| 253 | Enhancement of Secondary Cell Wall Formation in Poplar Xylem Using a Self-Reinforced System of Secondary Cell Wall-Related Transcription Factors. Frontiers in Plant Science, 2022, 13, 819360.                          | 3.6 | 6         |
| 254 | Cell wall biology of the moss <i>Physcomitrium patens</i> . Journal of Experimental Botany, 2022, 73, 4440-4453.   | 4.8 | 10        |
| 255 | Genome-wide identification of MYB family genes potentially related to SCW biogenesis in Korla pear fruit. European Journal of Horticultural Science, 2021, 86, 663-673.  | 0.7 | 0         |
| 256 | Down-regulation of OsMYB103L distinctively alters beta-1,4-glucan polymerization and cellulose microfibrils assembly for enhanced biomass enzymatic saccharification in rice. Biotechnology for Biofuels, 2021, 14, 245. | 6.2 | 14        |
| 257 | Molecular understanding of wood formation in trees. Forestry Research, 2022, 2, 0-0.   | 1.1 | 8         |
| 261 | Genome-Wide Investigation of NAC Family Genes Potentially Related to SCW Biogenesis in Korla Pear Fruit. Plant Molecular Biology Reporter, 2022, 40, 674-686.  | 1.8 | 2         |
| 262 | The R2R3-MYB transcription factor VcMYB4a inhibits lignin biosynthesis in blueberry ( <i>Vaccinium</i> ) Tj ETQq1 1 0.784314 rgBT 1.6 Overlook   | 1.6 | 7         |
| 263 | Single-walled carbon nanotubes promotes wood formation in Populus davidiana – P. bolleana. Plant Physiology and Biochemistry, 2022, 184, 137-143.  | 5.8 | 2         |
| 264 | Transcriptional regulation of fleshy fruit texture. Journal of Integrative Plant Biology, 2022, 64, 1649-1672.   | 8.5 | 44        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 265 | A protoxylem pathway to evolution of pith? An hypothesis based on the Early Devonian euphyllophyte <i>Leptocentroxyla</i> . <i>Annals of Botany</i> , 2022, 130, 785-798.   | 2.9 | 2         |
| 266 | Analyzing lignin biosynthesis pathways in rattan using improved co-expression networks of NACs and MYBs. <i>BMC Plant Biology</i> , 2022, 22, .   | 3.6 | 4         |
| 267 | The Regulation of Xylem Development by Transcription Factors and Their Upstream MicroRNAs. <i>International Journal of Molecular Sciences</i> , 2022, 23, 10134.  | 4.1 | 8         |
| 268 | Combinatorial analysis of transcription and metabolism reveals the regulatory network associated with antioxidant substances in waxy corn. <i>Food Quality and Safety</i> , 2022, 6, .  | 1.8 | 2         |
| 269 | FvNST1b NAC Protein Induces Secondary Cell Wall Formation in Strawberry. <i>International Journal of Molecular Sciences</i> , 2022, 23, 13212.  | 4.1 | 5         |
| 270 | Lignin engineering in forest trees: From gene discovery to field trials. <i>Plant Communications</i> , 2022, 3, 100465.   | 7.7 | 18        |
| 271 | In silico analysis of key regulatory networks related to microfibril angle in <i>Populus trichocarpa</i> Hook.. , 0, , .  |     | 0         |
| 272 | The PtoTCP20-miR396d-PtoGRF15 module regulates secondary vascular development in <i>Populus</i> . <i>Plant Communications</i> , 2023, 4, 100494.  | 7.7 | 6         |
| 274 | HbNST1 is a positive regulator of the lignin accumulation in strawflower bracts. <i>Horticultural Plant Journal</i> , 2023, , .   | 5.0 | 0         |
| 275 | Expression and functional analysis of NAC transcription factors under five diverse growth stages reveal their regulatory roles during wood formation in Chinese cedar ( <i>Cryptomeria fortunei</i> ) Tj ETQq1 1 0.784314 $\frac{1}{10}$ /Overlock 10 TFS |     |           |
| 276 | Transcription factors of lignin biosynthesis respond to cold and drought in <i>Eucalyptus urograndis</i> . <i>Theoretical and Experimental Plant Physiology</i> , 2023, 35, 17-30.  | 2.4 | 0         |
| 277 | OsCCRL1 is Essential for Phenylpropanoid Metabolism in Rice Anthers. <i>Rice</i> , 2023, 16, .  | 4.0 | 3         |
| 278 | CcNAC1 by Transcriptome Analysis Is Involved in Sudan Grass Secondary Cell Wall Formation as a Positive Regulator. <i>International Journal of Molecular Sciences</i> , 2023, 24, 6149.   | 4.1 | 1         |
| 279 | Moderate Salinity Stress Increases the Seedling Biomass in Oilseed Rape ( <i>Brassica napus</i> L.). <i>Plants</i> , 2023, 12, 1650.  | 3.5 | 4         |
| 280 | Genetic dissection of crown root traits and their relationships with aboveground agronomic traits in maize. <i>Journal of Integrative Agriculture</i> , 2023, 22, 3394-3407.  | 3.5 | 3         |
| 281 | Bnt05G007257, a Novel NAC Transcription Factor, Predicts Developmental and Synthesis Capabilities of Fiber Cells in Ramie ( <i>Boehmeria nivea</i> L.). <i>Agronomy</i> , 2023, 13, 1575.   | 3.0 | 0         |
| 282 | The OsbHLH002/OsICE1-OSH1 module orchestrates secondary cell wall formation in rice. <i>Cell Reports</i> , 2023, 42, 112702.  | 6.4 | 3         |
| 283 | Integrating ATAC-seq and RNA-seq to identify differentially expressed genes with chromatin-accessible changes during photosynthetic establishment in <i>Populus</i> leaves. <i>Plant Molecular Biology</i> , 2023, 113, 59-74.                            | 3.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 284 | Functional investigation of five R2R3-MYB transcription factors associated with wood development in Eucalyptus using DAP-seq-ML. Plant Molecular Biology, 2023, 113, 33-57.                  | 3.9 | 0         |
| 285 | Mitigating biomass recalcitrance for plantâ€based bioenergy production. , 2023, 1, 122-141.  |     | 0         |
| 286 | A NAC Transcription Factor RsSND1 Regulating Secondary Cell Wall Deposition Involves in Fleshy Taproot Formation in Radish (Raphanus sativus L.). Journal of Plant Growth Regulation, 0, , . | 5.1 | 0         |
| 287 | Cloning and functional characterization of a cinnamate 4-hydroxylase gene from the hornwort Anthoceros angustus. Plant Science, 2024, 341, 111989.   | 3.6 | 0         |
| 288 | Lignin Biosynthesis and Its Diversified Roles in Disease Resistance. Genes, 2024, 15, 295.   | 2.4 | 0         |