

Metal Oxide Gas Sensors: Sensitivity and Influencing Factors

Sensors

10, 2088-2106

DOI: 10.3390/s100302088

Citation Report

#	ARTICLE	IF	CITATIONS
2	Solvent-mediated threshold voltage shift in solution-processed transparent oxide thin-film transistors. Applied Physics Letters, 2010, 97, 092105.	1.5	14
3	Nanomaterials for cross-reactive sensor arrays. MRS Bulletin, 2010, 35, 797-803.	1.7	147
4	Significant enhancement of the sensing characteristics of In ₂ O ₃ nanowires by functionalization with Pt nanoparticles. Nanotechnology, 2010, 21, 415502.	1.3	69
5	Sol-gel synthesis of TiO ₂ nano powder and study of their gas sensing performance using thick film resistors. , 2011, , .		1
6	Electrochemical Fabrication of Copper-Based Hybrid Microstructures and Mechanism of Formation of Related Hierarchical Structures on Polypyrrole Films. Journal of Physical Chemistry C, 2011, 115, 20076-20083.	1.5	13
7	Porous Hot-Wire Metal Oxides Thin Films in Hydrogen Sensing. Procedia Engineering, 2011, 25, 300-303.	1.2	1
8	Manganese doped Zinc oxide thin film hydrogen gas sensor at reduced operating temperature. , 2011, , .		3
9	Thin polyaniline and polyaniline/carbon nanocomposite films for gas sensing. Thin Solid Films, 2011, 519, 4123-4127.	0.8	54
10	Differential Solute Gas Response in Ionic-Liquid-Based QCM Arrays: Elucidating Design Factors Responsible for Discriminative Explosive Gas Sensing. Analytical Chemistry, 2011, 83, 7823-7833.	3.2	48
11	Photocatalytic Titanium Dioxide Nanostructures for Self-Regenerating Relative Humidity Sensors. IEEE Sensors Journal, 2011, 11, 1713-1719.	2.4	6
12	Tunable optical and nano-scale electrical properties of WO ₃ and Ag-WO ₃ nanocomposite thin films. Journal of Materials Science, 2011, 46, 3560-3567.	1.7	14
13	Growth behavior and sensing properties of nanograins in CuO nanofibers. Chemical Engineering Journal, 2011, 172, 550-556.	6.6	100
14	Room temperature sensing properties of networked GaN nanowire sensors to hydrogen enhanced by the Ga ₂ Pd ₅ nanodot functionalization. International Journal of Hydrogen Energy, 2011, 36, 2313-2319.	3.8	37
15	Effect of aluminium doping on structural and gas sensing properties of zinc oxide thin films deposited by spray pyrolysis. Sensors and Actuators B: Chemical, 2011, 156, 943-948.	4.0	50
16	Chemical State Analysis of Tin Oxide Films by Voltammetric Reduction. Journal of the Electrochemical Society, 2011, 158, C341.	1.3	12
17	Effect of Post-Deposition Annealing Treatment on the Structural, Optical and Gas Sensing Properties of TiO ₂ Thin Films. Key Engineering Materials, 0, 510-511, 467-474.	0.4	12
18	Effect of top-down nanomachining on electrical conduction properties of TiO ₂ nanostructure-based chemical sensors. Nanotechnology, 2012, 23, 095302.	1.3	6
19	ZnO nanoflake based metal-insulator-metal methane sensor for underground coalmine application. , 2012, , .		0

#	ARTICLE	IF	CITATIONS
20	Fabrication and investigation of gas sensing properties of Nb-doped TiO ₂ nanotubular arrays. Nanotechnology, 2012, 23, 235706.	1.3	51
21	Increasing the sensitivity and selectivity of Metal Oxide gas sensors by controlling the sensitive layer polarization. , 2012, , .		2
22	Nanocrystalline Gadolinium doped Ceria (Ce _{0.8} Gd _{0.2} O ₃) for oxygen sensor and solid oxide fuel cell applications. , 2012, , .		4
23	Growth and gas sensing properties of self-assembled chain-like ZnO nanostructures. , 2012, , .		1
25	Extreme chemical sensitivity of nonlinear conductivity in charge-ordered LuFe ₂ O ₄ . Scientific Reports, 2012, 2, 330.	1.6	13
26	Detailing Ionosorption over TiO ₂ , ZrO ₂ , and HfO ₂ from First Principles. Journal of Physical Chemistry C, 2012, 116, 16573-16581.	1.5	17
27	Hydrogen Gas Sensors Based on Semiconductor Oxide Nanostructures. Sensors, 2012, 12, 5517-5550.	2.1	358
28	Synthesis of Nanograined ZnO Nanowires and Their Enhanced Gas Sensing Properties. ACS Applied Materials & Interfaces, 2012, 4, 3650-3656.	4.0	178
29	Enhancement of Hydrogen Gas Sensing of Nanocrystalline Nickel Oxide by Pulsed-Laser Irradiation. ACS Applied Materials & Interfaces, 2012, 4, 4651-4657.	4.0	62
30	Chemical sensing investigations on ZnIn ₂ O ₃ nanowires. Sensors and Actuators B: Chemical, 2012, 171-172, 244-248.	4.0	34
31	Theory of gas sensitivity of nanostructured MOX layers: Charge carrier self-exhaustion approach. Sensors and Actuators B: Chemical, 2012, 175, 234-245.	4.0	10
32	Growth and Gas Sensing Properties of Self-Assembled Chain-Like ZnO Nanostructures. Procedia Engineering, 2012, 47, 762-765.	1.2	1
33	Array of sensors for detection of gaseous malodors in organic decomposition products. Sensors and Actuators B: Chemical, 2012, 174, 349-354.	4.0	15
34	Chromium oxide thin films by Ultrasonic Nebulized Spray Pyrolysis of Aqueous Combustion Mixture for gas sensing application. , 2012, , .		4
35	In situ growth of Au nanoparticles on the surfaces of Cu ₂ O nanocubes for chemical sensors with enhanced performance. RSC Advances, 2012, 2, 7647.	1.7	52
36	Realization of an open space ensemble for nanowires: a strategy for the maximum response in resistive sensors. Journal of Materials Chemistry, 2012, 22, 6716.	6.7	60
37	Aerogel nanocomposites of ZnO-SnO ₂ as efficient photocatalysts for the degradation of rhodamine B. Catalysis Science and Technology, 2012, 2, 922.	2.1	39
38	Conduction mechanism and gas sensing properties of CoFe ₂ O ₄ nanocomposite thick films for H ₂ S gas. Talanta, 2012, 89, 183-188.	2.9	28

#	ARTICLE	IF	CITATIONS
39	Nanotechnology for sustainability: what does nanotechnology offer to address complex sustainability problems?. Journal of Nanoparticle Research, 2012, 14, 1.	0.8	27
40	Characterization and hydrogen gas sensing properties of TiO ₂ thin films prepared by sol-gel method. Applied Surface Science, 2012, 259, 270-275.	3.1	58
41	Porous silicon with embedded metal oxides for gas sensing applications. Journal of Non-Crystalline Solids, 2012, 358, 590-595.	1.5	70
42	First-Principles Calculations of Clean and Defected ZnO Surfaces. Journal of Physical Chemistry C, 2012, 116, 21391-21400.	1.5	33
43	Metal Oxide Nanostructures and Their Gas Sensing Properties: A Review. Sensors, 2012, 12, 2610-2631.	2.1	938
44	Nanostructured cadmium oxide thin films for hydrogen sensor. International Journal of Hydrogen Energy, 2012, 37, 18575-18578.	3.8	35
45	A highly sensitive methane sensor with nickel alloy microheater on micromachined Si substrate. Solid-State Electronics, 2012, 76, 84-90.	0.8	40
46	Highly sensitive and selective ethanol sensor based on micron-sized zinc oxide porous-shell hollow spheres. Materials Research Bulletin, 2012, 47, 2178-2181.	2.7	13
47	A Survey on Gas Sensing Technology. Sensors, 2012, 12, 9635-9665.	2.1	1,116
48	Chip-to-chip SnO ₂ nanowire network sensors for room temperature H ₂ detection. , 2012, , .		0
49	Synthesis, Self-Assembly, and High Performance in Gas Sensing of X-Shaped Iron Oxide Crystals. ACS Applied Materials & Interfaces, 2012, 4, 5698-5703.	4.0	48
50	Smelling heart failure from human skin odor with an electronic nose. , 2012, 2012, 4034-7.		13
52	MEA Design for Improved Cathode Durability under Startup Shutdown Automotive Conditions. ECS Meeting Abstracts, 2012, , .	0.0	0
53	Superior Functionality by Design: Selective Ozone Sensing Realized by Rationally Constructed High-index ZnO Surfaces. Small, 2012, 8, 3307-3314.	5.2	23
54	Effect of In incorporation on the structural, electrical, and gas sensing properties of ZnO films. Journal of Materials Science, 2012, 47, 6979-6985.	1.7	22
55	Porous SnO ₂ nanoflowers derived from tin sulfide precursors as high performance gas sensors. CrystEngComm, 2012, 14, 6654.	1.3	31
56	Metallo-porphyrin zinc as gas sensitive material for colorimetric gas sensors on planar optical waveguides. Microsystem Technologies, 2012, 18, 925-930.	1.2	17
57	A new approach to gas sensing with nanotechnology. Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences, 2012, 370, 2448-2473.	1.6	133

#	ARTICLE	IF	CITATIONS
58	Effects of Ti doping at the reduced SnO ₂ (110) surface with different oxygen vacancies: a first principles study. <i>Theoretical Chemistry Accounts</i> , 2012, 131, 1.	0.5	6
59	Nitrogen modified metal oxide surfaces. <i>Catalysis Today</i> , 2012, 181, 95-101.	2.2	15
60	Investigation of porous hot-wire WO ₃ thin films for gas sensing application. <i>Microelectronic Engineering</i> , 2012, 90, 51-54.	1.1	3
61	Room temperature CO sensing of selectively grown networked ZnO nanowires by Pd nanodot functionalization. <i>Sensors and Actuators B: Chemical</i> , 2012, 168, 8-13.	4.0	80
62	Comparison of the gas sensing performance of SnO ₂ thin film and SnO ₂ nanowire sensors. <i>Sensors and Actuators B: Chemical</i> , 2012, 165, 110-118.	4.0	128
63	Pulse-like highly selective gas sensors based on ZnO nanostructures synthesized by a chemical route: Effect of in doping and Pd loading. <i>Sensors and Actuators B: Chemical</i> , 2012, 166-167, 678-684.	4.0	30
64	Electrodeposition of TiO ₂ –RuO ₂ –IrO ₂ coating on titanium substrate. <i>Superlattices and Microstructures</i> , 2012, 51, 842-853.	1.4	34
65	Synthesis and characterization of catalytic metal semiconductor-doped siliceous materials with ordered structure for chemical sensing. <i>Journal of Porous Materials</i> , 2013, 20, 1119-1128.	1.3	2
66	PdO Nanoflake Thin Films for CO Gas Sensing at Low Temperatures. <i>Journal of Physical Chemistry C</i> , 2013, 117, 15593-15601.	1.5	38
67	Au-decorated WO ₃ cross-linked nanodomains for ultrahigh sensitive and selective sensing of NO ₂ and C ₂ H ₅ OH. <i>RSC Advances</i> , 2013, 3, 10452.	1.7	77
68	Structure and gas sensing properties of nanocrystalline Fe-doped ZnO films prepared by spin coating method. <i>Journal of Materials Science</i> , 2013, 48, 4305-4312.	1.7	22
69	Context-Adaptive Multimodal Wireless Sensor Network for Energy-Efficient Gas Monitoring. <i>IEEE Sensors Journal</i> , 2013, 13, 328-338.	2.4	164
70	Photonic crystal for gas sensing. <i>Journal of Materials Chemistry C</i> , 2013, 1, 6087.	2.7	134
71	Hierarchical structured tungsten oxide nanocrystals via hydrothermal route: microstructure, formation mechanism and humidity sensing. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 112, 1033-1042.	1.1	7
72	Enhanced acetone sensing characteristics by decorating Au nanoparticles on ZnO flower-like structures. <i>Applied Physics A: Materials Science and Processing</i> , 2013, 111, 1151-1157.	1.1	12
73	Identification of initial drift in semiconductor gas sensors caused by temperature variation. , 2013, , .		9
74	A hydrogen/methane sensor based on niobium tungsten oxide nanorods synthesised by hydrothermal method. <i>Sensors and Actuators B: Chemical</i> , 2013, 184, 118-129.	4.0	37
75	Photoactivated $\{m \text{ TiO}_2\}_2$ Gas Chromatograph Detector for Diverse Chemical Compounds Sensing at Room Temperature. <i>IEEE Sensors Journal</i> , 2013, 13, 1725-1729.	2.4	7

#	ARTICLE	IF	CITATIONS
76	Design and Synthesis of High Performance Multifunctional Ultrathin Hematite Nanoribbons. ACS Applied Materials & Interfaces, 2013, 5, 11995-12004.	4.0	48
77	Analysis and optimization of carbon nanotubes and graphene sensors based on adsorption-desorption kinetics. Applied Physics Letters, 2013, 103, .	1.5	21
78	Facile synthesis of highly stable and porous Cu ₂ O/CuO cubes with enhanced gas sensing properties. Sensors and Actuators B: Chemical, 2013, 188, 533-539.	4.0	97
79	ZnO Nanoparticles as Ethanol Gas Sensors and the Effective Parameters on Their Performance. Journal of Materials Science and Technology, 2013, 29, 393-400.	5.6	20
80	Nanostructured copper oxides as ethanol vapour sensors. Sensors and Actuators B: Chemical, 2013, 185, 620-627.	4.0	118
81	Variable tunneling barriers in FEBID based PtC metal-matrix nanocomposites as a transducing element for humidity sensing. Nanotechnology, 2013, 24, 305501.	1.3	50
82	Tin Dioxide“Carbon Heterostructures Applied to Gas Sensing: Structure-Dependent Properties and General Sensing Mechanism. Journal of Physical Chemistry C, 0, , 130916143757006.	1.5	14
83	Specific CH ₄ gas sensor based on tungsten carbide/SnO ₂ core-shell modified interdigitated electrode. , 2013, , .		1
84	A UV light enhanced TiO ₂ /graphene device for oxygen sensing at room temperature. RSC Advances, 2013, 3, 22185.	1.7	41
85	Copper(II) oxide nanowire array hydrogen sensor via facile large area contact integration. , 2013, , .		0
86	Study on sensing properties of Pt/Fe/Zn decorated SnO ₂ sensor for dissolved CO in transformer oil. , 2013, , .		0
87	Tuning the bias sensing layer: A new way to greatly improve Metal-Oxide gas sensors selectivity. , 2013, , .		0
88	Gas sensing response analysis of p-type porous chromium oxide thin films. Journal of Materials Chemistry C, 2013, 1, 8167.	2.7	59
89	Enhanced Cl ₂ sensing performance by decorating discrete Au nanoparticles on octahedral CdIn ₂ O ₄ crystals. CrystEngComm, 2013, 15, 2929.	1.3	3
90	Nanocomposites of polyaniline and titania nanoparticles for gas sensors. Physica Status Solidi (A) Applications and Materials Science, 2013, 210, 2341-2347.	0.8	17
91	Nanoporous Nb ₂ O ₅ hydrogen gas sensor. Sensors and Actuators B: Chemical, 2013, 176, 149-156.	4.0	123
92	Synthesis of nanoporous tin oxide layers by electrochemical anodization. Electrochimica Acta, 2013, 104, 549-557.	2.6	59
93	Gas sensitivity of ZnO-based ceramics to vapors of saturated monohydric alcohols. Materials Chemistry and Physics, 2013, 140, 31-36.	2.0	9

#	ARTICLE	IF	CITATIONS
94	NO ₂ -sensing properties of WO ₃ nanorods prepared by glancing angle DC magnetron sputtering. Sensors and Actuators B: Chemical, 2013, 176, 685-691.	4.0	93
95	Planar platform for temperature dependent four-wire impedance spectroscopy – A novel tool to characterize functional materials. Sensors and Actuators B: Chemical, 2013, 187, 174-183.	4.0	5
96	Hydrothermally formed functional niobium oxide doped tungsten nanorods. Nanotechnology, 2013, 24, 495501.	1.3	15
97	Detection of volatile organic compounds as biomarkers in breath analysis by different analytical techniques. Bioanalysis, 2013, 5, 2287-2306.	0.6	79
98	Sensitization of TiO ₂ /SnO ₂ nanocomposites for gas detection. Sensors and Actuators B: Chemical, 2013, 189, 251-259.	4.0	33
99	Ferroelectric characterization of aligned barium titanate nanofibres. Journal Physics D: Applied Physics, 2013, 46, 105304.	1.3	23
100	Active temperature modulation of metal-oxide sensors for quantitative analysis of gas mixtures. Sensors and Actuators B: Chemical, 2013, 185, 201-210.	4.0	49
101	Nanostructured ceria thin film for ethanol and trimethylamine sensing. Sensors and Actuators B: Chemical, 2013, 177, 19-26.	4.0	34
102	Synthesis, Characterization, and Humidity Detection Properties of Nb ₂ O ₅ Nanorods and SnO ₂ /Nb ₂ O ₅ Heterostructures. Journal of Physical Chemistry C, 2013, 117, 10086-10094.	1.5	41
103	A highly selective room temperature ammonia sensor using spray deposited zinc oxide thin film. Sensors and Actuators B: Chemical, 2013, 183, 459-466.	4.0	223
104	ZnO/Al ₂ O ₃ /CeO ₂ composite with enhanced gas sensing performance. Sensors and Actuators B: Chemical, 2013, 177, 1134-1141.	4.0	52
105	Surface and gas sensing properties of nanocrystalline nickel oxide thin films. Applied Surface Science, 2013, 276, 291-297.	3.1	92
106	Evolution of hydrogen gas sensing properties of sol-gel derived nickel oxide thin film. Sensors and Actuators B: Chemical, 2013, 182, 125-133.	4.0	58
107	Functional properties of ZnO films prepared by thermal oxidation of metallic films. Journal of Applied Physics, 2013, 113, .	1.1	5
108	Study on Ni-doped ZnO films as gas sensors. Applied Surface Science, 2013, 280, 598-604.	3.1	85
109	Aerosol-assisted delivery of precursors for chemical vapour deposition: expanding the scope of CVD for materials fabrication. Dalton Transactions, 2013, 42, 9406.	1.6	224
110	Metal oxide nanowire gas sensors for indoor and outdoor environmental monitoring. , 2013, , .		0
111	ZnO – Ag ceramics for ethanol sensors. Ceramics International, 2013, 39, 2323-2330.	2.3	14

#	ARTICLE	IF	CITATIONS
112	CO gas sensing properties of direct-patternable TiO ₂ thin films containing multi-wall carbon nanotubes. Thin Solid Films, 2013, 529, 89-93.	0.8	21
113	Sensors and imaging for wound healing: A review. Biosensors and Bioelectronics, 2013, 41, 30-42.	5.3	352
114	Carbon nanotube/TiO ₂ ; nanotube hybrid films as resistive gas sensor. , 2013, , .		2
115	Improvement sensitivity humidity sensor based on ZnO/SnO ₂ cubic structure. IOP Conference Series: Materials Science and Engineering, 2013, 46, 012005.	0.3	19
116	Carbon nanotube and metal oxide hybrid materials for gas sensing. , 2013, , 386-407.		20
117	Evolutionary robotics approach to odor source localization. Neurocomputing, 2013, 121, 481-497.	3.5	22
118	Gas sensing studies of an n-n heterojunction metal oxide semiconductor sensor array based on WO ₃ and ZnO composites. , 2013, , .		5
119	An electronic nose for detection pollutant odorant and olfaction classification using neural network. , 2013, , .		2
120	Fabrication of nanocrystalline SnO ₂ using electron stimulated oxidation. Nanotechnology, 2013, 24, 205303.	1.3	4
121	Kinetic parameter estimation and fluctuation analysis of CO at SnO ₂ single nanowires. Nanotechnology, 2013, 24, 315501.	1.3	30
122	Pd-Doped SnO ₂ -Based Sensor Detecting Characteristic Fault Hydrocarbon Gases in Transformer Oil. Journal of Nanomaterials, 2013, 2013, 1-9.	1.5	34
123	Flame-Made Pt-Loaded TiO ₂ Thin Films and Their Application as H ₂ Gas Sensors. Journal of Nanomaterials, 2013, 2013, 1-8.	1.5	11
124	Effect of Pd and Au Sensitization of Bath Deposited Flowerlike TiO ₂ Thin Films on CO Sensing and Photocatalytic Properties. Journal of Chemistry, 2013, 2013, 1-8.	0.9	11
125	Structure of Hydrogen Gas Sensing TiO ₂ Thin Films Prepared by Sol-Gel Method and their Comparison with Magnetron Sputtered Films. Key Engineering Materials, 2013, 543, 293-296.	0.4	5
126	Sensing Performance of Precisely Ordered TiO ₂ Nanowire Gas Sensors Fabricated by Electron-Beam Lithography. Sensors, 2013, 13, 865-874.	2.1	108
127	TREFEX: Trend Estimation and Change Detection in the Response of MOX Gas Sensors. Sensors, 2013, 13, 7323-7344.	2.1	10
128	High Sensitivity Humidity Sensor Based on ZnSnO ₃ Composite Nanocube. Key Engineering Materials, 2013, 594-595, 872-876.	0.4	0
129	Thin film metal oxide gas sensor array for gas detection. Proceedings of SPIE, 2013, , .	0.8	1

#	ARTICLE	IF	CITATIONS
130	Ethanol Sensing Properties of Tin Oxide Doped Using Silver Nanoparticles. <i>Advanced Materials Research</i> , 2013, 829, 600-604.	0.3	2
131	ETHANOL SENSOR OF CdO/Al ₂ O ₃ /CeO ₂ OBTAINED FROM Ce-DOPED LAYERED DOUBLE HYDROXIDES WITH HIGH RESPONSE AND SELECTIVITY. <i>Functional Materials Letters</i> , 2013, 06, 1350035.	0.7	5
132	Electrostatic drift effects on near-surface defect distribution in TiO ₂ . <i>Applied Physics Letters</i> , 2013, 103, 141601.	1.5	19
133	MEA Design for Improved Cathode Durability under Startup Shutdown Automotive Conditions. <i>ECS Transactions</i> , 2013, 50, 711-721.	0.3	1
134	Hierarchically nanostructured materials for sustainable environmental applications. <i>Frontiers in Chemistry</i> , 2013, 1, 18.	1.8	62
135	Chemical State Analysis of Tin Oxide Films by Voltammetry using Ammonia Buffer as the Supporting Electrolyte. <i>Zairyo To Kankyo/ Corrosion Engineering</i> , 2013, 62, 16-21.	0.0	2
136	Nanostructured and thin film titania for extended gate FET-based sensor applications. , 2014, , .		0
137	Bimetallic nanoparticles for optimizing CMOS integrated SnO ₂ gas sensor devices. , 2014, , .		2
138	Photoactivated Metal-Oxide Gas Sensing Nanomesh by Using Nanosphere Lithography. <i>Materials Research Society Symposia Proceedings</i> , 2014, 1675, 139-144.	0.1	0
139	SYNTHESIS OF ZnO NANOPARTICLES-REDUCED GRAPHENE OXIDE COMPOSITES AND THEIR INTRINSIC GAS SENSING PROPERTIES. <i>Surface Review and Letters</i> , 2014, 21, 1450086.	0.5	11
140	Characterization of Nanocrystalline p-CuO/n-Si Hetrojunction Prepared by RF-Sputtering. <i>Advanced Materials Research</i> , 0, 1024, 120-123.	0.3	0
141	Sensor selection for outdoor air quality monitoring. , 2014, , .		0
142	A Low-Power Integrated Humidity CMOS Sensor by Printing-on-Chip Technology. <i>Sensors</i> , 2014, 14, 9247-9255.	2.1	8
143	Fabrication of a Miniature Zinc Aluminum Oxide Nanowire Array Gas Sensor and Application for Environmental Monitoring. <i>International Journal of Photoenergy</i> , 2014, 2014, 1-7.	1.4	5
144	Developments in Semiconducting Oxide-Based Gas-Sensing Materials. , 2014, , 205-219.		9
145	Enhanced Ethanol Gas Sensing Properties of SnO ₂ -Core/ZnO-Shell Nanostructures. <i>Sensors</i> , 2014, 14, 14586-14600.	2.1	73
146	Dynamic Response of CoSb ₂ O ₆ Trirutile-Type Oxides in a CO ₂ Atmosphere at Low-Temperatures. <i>Sensors</i> , 2014, 14, 15802-15814.	2.1	23
147	An Integrated Low-Power Lock-In Amplifier and Its Application to Gas Detection. <i>Sensors</i> , 2014, 14, 15880-15899.	2.1	20

#	ARTICLE	IF	CITATIONS
148	Temperature drift identification in semiconductor gas sensors. , 2014, , .		3
149	Monitoring household garbage odors in urban areas through distribution maps. , 2014, , .		10
150	Electrical characterization of H ₂ S adsorption on hexagonal WO ₃ nanowire at room temperature. Journal of Applied Physics, 2014, 116, 164310.	1.1	10
152	An investigation into the influence of zinc precursor on the microstructural, photoluminescence, and gas-sensing properties of ZnO nanoparticles. Journal of Nanoparticle Research, 2014, 16, 1.	0.8	19
153	Recognition of O ₂ concentration using WO ₃ gas sensor and principal component analysis. , 2014, , .		2
154	Correlating defect induced ferromagnetism and gas sensing properties of undoped tin oxide sensors. Applied Physics Letters, 2014, 104, .	1.5	34
155	Sensing different mixtures of H ₂ , CH ₄ and CO through an array of chemiresistors. , 2014, , .		1
156	Anomalous growth of multi-phased and multi-dimensional Manganese oxideâ€Metal (Fe, Co and Ni) oxide nanostructures: Synthesis and optical limiting properties. Journal of Alloys and Compounds, 2014, 611, 82-90.	2.8	5
157	Performance of graphene, carbon nanotube, and gold nanoparticle chemiresistor sensors for the detection of petroleum hydrocarbons in water. Journal of Nanoparticle Research, 2014, 16, 1.	0.8	29
158	Highly sensitive and selective hydrogen sulfide and toluene sensors using Pd functionalized WO ₃ nanofibers for potential diagnosis of halitosis and lung cancer. Sensors and Actuators B: Chemical, 2014, 193, 574-581.	4.0	210
159	Controlled synthesis and structure tunability of photocatalytically active mesoporous metal-based stannate nanostructures. Applied Surface Science, 2014, 296, 53-60.	3.1	24
160	Highly selective n-butanol gas sensor based on mesoporous SnO ₂ prepared with hydrothermal treatment. Sensors and Actuators B: Chemical, 2014, 201, 153-159.	4.0	134
161	MOCVD grown ZnO thin film gas sensors: Influence of microstructure. Sensors and Actuators A: Physical, 2014, 213, 52-58.	2.0	33
162	Single electronic traps in tin and zinc oxides. Nanotechnologies in Russia, 2014, 9, 151-156.	0.7	1
163	Metal oxide SAW E-nose employing PCA and ANN for the identification of binary mixture of DMMP and methanol. Sensors and Actuators B: Chemical, 2014, 200, 147-156.	4.0	47
164	Reassembly and Oxidation of a Silver Nanoparticle Bilayer Probed by in Situ X-ray Reciprocal Space Mapping. Journal of Physical Chemistry C, 2014, 118, 7195-7201.	1.5	3
165	Development of Zn ₂ SnO ₄ thin films deposited by spray pyrolysis method and their utility for NO ₂ gas sensors at moderate operating temperature. Journal of Analytical and Applied Pyrolysis, 2014, 107, 233-241.	2.6	63
166	Highly sensitive and selective acetone sensor based on C-doped WO ₃ for potential diagnosis of diabetes mellitus. Sensors and Actuators B: Chemical, 2014, 199, 210-219.	4.0	154

#	ARTICLE	IF	CITATIONS
167	Investigation of doped-gadolinium zirconate nanomaterials for high-temperature hydrogen sensor applications. <i>Journal of Materials Science</i> , 2014, 49, 4735-4750.	1.7	12
168	Influence of copper doping on structural, optical and sensing properties of spray deposited zinc oxide thin films. <i>Journal of Alloys and Compounds</i> , 2014, 582, 414-419.	2.8	78
169	CuO nanostructures: Synthesis, characterization, growth mechanisms, fundamental properties, and applications. <i>Progress in Materials Science</i> , 2014, 60, 208-337.	16.0	1,086
170	Directional reduction of graphene oxide sheets using photocatalytic activity of ZnO nanowires for the fabrication of a high sensitive oxygen sensor. <i>Sensors and Actuators B: Chemical</i> , 2014, 195, 92-97.	4.0	23
171	Microwave-assisted growth of In ₂ O ₃ nanoparticles on WO ₃ nanoplates to improve H ₂ S-sensing performance. <i>Journal of Materials Chemistry A</i> , 2014, 2, 18867-18874.	5.2	88
172	Heterogeneous metal-oxide nanowire micro-sensor array for gas sensing. <i>Materials Research Express</i> , 2014, 1, 025002.	0.8	11
173	Enhanced gas sensing performance of tin dioxide-based nanoparticles for a wide range of concentrations of hydrogen gas. <i>RSC Advances</i> , 2014, 4, 18512.	1.7	27
174	Effect of Au Nanorods on Potential Barrier Modulation in Morphologically Controlled Au@Cu ₂ O Core-Shell Nanoreactors for Gas Sensor Applications. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 7491-7497.	4.0	75
175	Correlation between the microstructure of copper oxide thin film and its gas sensing response. , 2014, , .		0
176	Hydrothermally grown porous FeVO ₄ nanorods and their integration as active material in gas-sensing devices. <i>Journal of Materials Chemistry A</i> , 2014, 2, 1862-1868.	5.2	66
177	A composite of a graphene oxide derivative as a novel sensing layer in an organic field-effect transistor. <i>Journal of Materials Chemistry C</i> , 2014, 2, 4539-4544.	2.7	32
178	Controllable synthesis of yolk-shell-structured metal oxides with seven to ten components for finding materials with superior lithium storage properties. <i>Nanoscale</i> , 2014, 6, 12421-12425.	2.8	20
179	Probing the highly efficient room temperature ammonia gas sensing properties of a luminescent ZnO nanowire array prepared via an AAO-assisted template route. <i>Dalton Transactions</i> , 2014, 43, 5713-5720.	1.6	50
180	Solvothermal synthesis of ZnO-decorated γ -Fe ₂ O ₃ nanorods with highly enhanced gas-sensing performance toward n-butanol. <i>Journal of Materials Chemistry A</i> , 2014, 2, 13283-13292.	5.2	164
181	Fe ₃ O ₄ / γ -Fe ₂ O ₃ Nanoparticle Multilayers Deposited by the Langmuir-Blodgett Technique for Gas Sensors Application. <i>Langmuir</i> , 2014, 30, 1190-1197.	1.6	73
182	The ethanol-sensing properties of porous GaN nanofibers synthesized by electrospinning. <i>Sensors and Actuators B: Chemical</i> , 2014, 202, 1010-1018.	4.0	38
183	Gas permeable silver nanowire electrode for realizing vertical type sensitive gas sensor. <i>Organic Electronics</i> , 2014, 15, 2769-2774.	1.4	22
184	Room-temperature gas sensor using carbon nanotube with cobalt oxides. <i>Sensors and Actuators B: Chemical</i> , 2014, 204, 596-601.	4.0	56

#	ARTICLE	IF	CITATIONS
185	Gas-sensing properties of multi-walled carbon-nanotube sheet coated with NiO. Carbon, 2014, 78, 156-163.	5.4	27
186	Ultrasensitive QRS made by supramolecular assembly of functionalized cyclodextrins and graphene for the detection of lung cancer VOC biomarkers. Journal of Materials Chemistry B, 2014, 2, 6571-6579.	2.9	48
187	Nanoscale metal oxide-based heterojunctions for gas sensing: A review. Sensors and Actuators B: Chemical, 2014, 204, 250-272.	4.0	1,465
188	Recent progress in design, synthesis, and applications of one-dimensional TiO ₂ nanostructured surface heterostructures: a review. Chemical Society Reviews, 2014, 43, 6920-6937.	18.7	726
189	Ethylene detection methods in post-harvest technology: A review. Sensors and Actuators B: Chemical, 2014, 203, 187-196.	4.0	54
190	Synthesis of highly dispersed ZnO nanoparticles on graphene surface and their acetylene sensing properties. Sensors and Actuators B: Chemical, 2014, 205, 338-344.	4.0	67
191	Experimental demonstration of the universal energy level alignment rule at oxide/organic semiconductor interfaces. Physical Review B, 2014, 89, .	1.1	31
192	Multivalence Ce and Sn Oxide Doped Materials with Controlled Porosity for Renewable Energy Applications. Industrial & Engineering Chemistry Research, 2014, 53, 7829-7839.	1.8	9
193	Resonantly excited ZnO nanowires for fabrication of high sensitivity gas sensor. Current Applied Physics, 2014, 14, 227-231.	1.1	16
194	Effect of Palladium Additives on the Functional Characteristics of Semiconductor Hydrogen Sensors Based on Nanosized SnO ₂ . Theoretical and Experimental Chemistry, 2014, 50, 115-120.	0.2	10
195	Studying the interaction of methane and oxygen with the surface of a porous silicon-ferromagnetic metal nanocomposite. Technical Physics Letters, 2014, 40, 421-423.	0.2	0
196	Highly Ordered Mesoporous Tungsten Oxides with a Large Pore Size and Crystalline Framework for H ₂ S Sensing. Angewandte Chemie - International Edition, 2014, 53, 9035-9040.	7.2	250
197	Preparation and Xylene Sensing Properties of Co ₃ O ₄ Nanofibers. International Journal of Applied Ceramic Technology, 2014, 11, 619-625.	1.1	45
198	Hydrogen sensing behavior of Pt-coated mesoporous anodic titania. Materials Chemistry and Physics, 2014, 148, 579-584.	2.0	3
199	Nickel/Iron Oxide Nanocrystals with a Nonequilibrium Phase: Controlling Size, Shape, and Composition. Chemistry of Materials, 2014, 26, 4796-4804.	3.2	34
200	Al-doping induced formation of oxygen-vacancy for enhancing gas-sensing properties of SnO ₂ NTs by electrospinning. Sensors and Actuators B: Chemical, 2014, 198, 62-69.	4.0	107
201	Gas Sensing Studies of a n-n Hetero-Junction Array Based on WO ₃ and ZnO Composites. IEEE Sensors Journal, 2014, 14, 3137-3147.	2.4	22
202	Hydrothermal synthesis of sodium vanadium oxide nanorods for gas sensing application. Sensors and Actuators B: Chemical, 2014, 202, 803-809.	4.0	32

#	ARTICLE	IF	CITATIONS
203	Au/Fe ₂ O ₃ Nanocomposites as Selective NO ₂ Gas Sensors. Journal of Physical Chemistry C, 2014, 118, 11813-11819.	1.5	81
204	One-pot synthesis of Au-loaded SnO ₂ nanofibers and their gas sensing properties. Sensors and Actuators B: Chemical, 2014, 202, 38-45.	4.0	48
205	Carbon dioxide resistive sensor based on titanium oxide nanowires doped with potassium. Micro and Nano Letters, 2014, 9, 248-250.	0.6	3
206	Macroporous silicon for spectroscopic CO ₂ detection. , 2014, , .		5
207	Metal oxide gas sensors upon various temperature-induced profiles. Proceedings of SPIE, 2014, , .	0.8	0
208	Gas sensing performance of TiO ₂ -Al ₂ O ₃ pellets. , 2015, , .		2
210	Analyzing the kinetic response of tin oxide-carbon and tin oxide-CNT composites gas sensors for alcohols detection. AIP Advances, 2015, 5, .	0.6	15
211	Effect of thermal treatment on Zn nanodisks. AIP Advances, 2015, 5, .	0.6	7
212	Ultra-low power sensing platform for personal health and personal environmental monitoring. , 2015, , .		6
213	Three-dimensional SnO ₂ Nanowire Networks for Multifunctional Applications: From High-temperature Stretchable Ceramics to Ultrasensitive Sensors. Advanced Electronic Materials, 2015, 1, 1500081.	2.6	116
214	Electrodeposition of WO ₃ Nanoparticles for Sensing Applications. , 0, , .		13
215	Nanostructured Tungsten Oxide Composite for High-Performance Gas Sensors. Sensors, 2015, 15, 27035-27046.	2.1	10
216	Quantitative Ethylene Measurements with MO _x Chemiresistive Sensors at Different Relative Air Humidities. Sensors, 2015, 15, 28088-28098.	2.1	23
217	SnO ₂ Nanostructure as Pollutant Gas Sensors: Synthesis, Sensing Performances, and Mechanism. Advances in Materials Science and Engineering, 2015, 2015, 1-14.	1.0	57
218	Research on Acetylene Sensing Properties and Mechanism of SnO ₂ -Based Chemical Gas Sensor Decorated with Sm ₂ O ₃ . Journal of Nanotechnology, 2015, 2015, 1-7.	1.5	13
219	Hydrothermal Growth and Hydrogen Selective Sensing of Nickel Oxide Nanowires. Journal of Nanomaterials, 2015, 2015, 1-8.	1.5	15
220	Effect of Pt doping on the gas sensing properties of porous chromium oxide films through a kinetic response analysis approach. RSC Advances, 2015, 5, 27509-27516.	1.7	26
221	Flexible Technologies for Self-Powered Wearable Health and Environmental Sensing. Proceedings of the IEEE, 2015, 103, 665-681.	16.4	166

#	ARTICLE	IF	CITATIONS
222	CO ₂ sensing of La _{0.875} Ca _{0.125} FeO ₃ in wet vapor: a comparison of experimental results and first-principles calculations. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 13733-13742.	1.3	17
223	Performance analysis of different plasmonic metallic nanoparticles using for ultra-sensitive optical sensor. , 2015, , .		1
224	Processing of integrated gas sensor devices. , 2015, , .		3
225	Electrospray-printed nanostructured graphene oxide gas sensors. <i>Nanotechnology</i> , 2015, 26, 505301.	1.3	38
226	Hydrogen Detection With a Gas Sensor Array – Processing and Recognition of Dynamic Responses Using Neural Networks. <i>Metrology and Measurement Systems</i> , 2015, 22, 3-12.	1.4	13
227	Preparation and Characterization of ZnO Nanowires and their Applications in CO ₂ Gas Sensors. <i>Materials Today: Proceedings</i> , 2015, 2, 5714-5719.	0.9	28
228	CO ₂ sensing properties of La _{1-x} Ba _x FeO ₃ thick film and packed powder sensors. <i>RSC Advances</i> , 2015, 5, 103073-103081.	1.7	18
229	Fiber-optic ammonia sensor using Ag/SnO ₂ thin films: optimization of thickness of SnO ₂ film using electric field distribution and reaction factor. <i>Applied Optics</i> , 2015, 54, 8712.	2.1	37
230	Enhancement of the O ₂ gas sensing properties of mesoporous Sr _{0.9} La _{0.1} TiO ₃ films by increasing the pore connectivity. <i>RSC Advances</i> , 2015, 5, 66384-66390.	1.7	8
231	Optical investigations of ZnO layers affected by some selected gases in the aspect of their application in optical gas sensors. <i>Bulletin of the Polish Academy of Sciences: Technical Sciences</i> , 2015, 63, 829-836.	0.8	11
232	Zinc oxide thin film/nanorods based lossy mode resonance hydrogen sulphide gas sensor. <i>Materials Research Express</i> , 2015, 2, 095003.	0.8	22
233	SnO ₂ based gas sensors: Why it is so popular?. , 2015, , .		0
234	Obtaining a Well-Aligned ZnO Nanotube Array Using the Hydrothermal Growth Method / Labi Sakārtotu Zno Nanocauru ¼ Kopu legāna, Izmantojot Hidrotermālo Metodi. <i>Latvian Journal of Physics and Technical Sciences</i> , 2015, 52, 28-40.	0.4	10
235	Remarkable Improvement of Gas-Sensing Abilities in p-type Oxide Nanowires by Local Modification of the Hole-Accumulation Layer. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 647-652.	4.0	67
236	Enhanced humidity-sensing response of metal oxide coated carbon nanotube. <i>Sensors and Actuators A: Physical</i> , 2015, 223, 11-17.	2.0	51
237	Hydrothermal synthesis of ternary Fe ₂ O ₃ -ZnO-Au nanocomposites with high gas-sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2015, 209, 889-897.	4.0	109
238	Studies on NO ₂ gas sensing properties of sprayed Co _{1-x} Mn _x Fe ₂ O ₄ (0 ≤ x ≤ 0.5) spinel ferrite thin films. <i>Ceramics International</i> , 2015, 41, 7394-7401.	2.3	22
239	Semiconductor metal oxide compounds based gas sensors: A literature review. <i>Frontiers of Materials Science</i> , 2015, 9, 14-37.	1.1	105

#	ARTICLE	IF	CITATIONS
240	VO ₂ nanorods for efficient performance in thermal fluids and sensors. <i>Nanoscale</i> , 2015, 7, 6159-6172.	2.8	70
241	Highly sensitive amorphous InGaZnO films for ppb-level ozone sensing: Effects of deposition temperature. <i>Sensors and Actuators B: Chemical</i> , 2015, 211, 354-358.	4.0	25
242	Characterization and acetone gas sensing properties of electrospun TiO ₂ nanorods. <i>Superlattices and Microstructures</i> , 2015, 81, 107-113.	1.4	53
243	Synergistic effect of tungsten on gas sensing characteristics of chromium oxide based gas sensor. <i>Indian Journal of Physics</i> , 2015, 89, 151-156.	0.9	3
244	Sub-ppm electrical detection of hydrogen sulfide gas at room temperature based on printed copper acetate-gold nanoparticle composite films. <i>RSC Advances</i> , 2015, 5, 13525-13529.	1.7	15
245	Zinc oxide nanowire gas sensors: Fabrication, functionalisation and devices. <i>Materials Science and Technology</i> , 2015, 31, 1681-1697.	0.8	40
246	Anodized nanoporous WO ₃ Schottky contact structures for hydrogen and ethanol sensing. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7994-8001.	5.2	71
247	The CO gas sensing properties of direct-patternable SnO ₂ films containing graphene or Ag nanoparticles. <i>New Journal of Chemistry</i> , 2015, 39, 2256-2260.	1.4	20
248	Zinc Oxide Nanostructures for NO ₂ Gas Sensor Applications: A Review. <i>Nano-Micro Letters</i> , 2015, 7, 97-120.	14.4	649
249	From the Surface Reaction Control to Gas-Diffusion Control: The Synthesis of Hierarchical Porous SnO ₂ Microspheres and Their Gas-Sensing Mechanism. <i>Journal of Physical Chemistry C</i> , 2015, 119, 15963-15976.	1.5	66
250	Quasi-one-dimensional metal-oxide-based heterostructural gas-sensing materials: A review. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 1570-1585.	4.0	208
251	Anodization of sputtered metallic films: The microstructural connection. <i>Scripta Materialia</i> , 2015, 105, 18-21.	2.6	4
252	Realization of ppb-Scale Toluene-Sensing Abilities with Pt-Functionalized SnO ₂ -ZnO Core-Shell Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 17199-17208.	4.0	87
253	The effect of ego-motion on environmental monitoring. <i>Science of the Total Environment</i> , 2015, 533, 8-16.	3.9	16
254	Sensor Array Design for Complex Sensing Tasks. <i>Annual Review of Analytical Chemistry</i> , 2015, 8, 287-310.	2.8	37
255	Effects of Pt Decoration on the CO Sensing Reaction Mechanism of PdO Nanoflakes Thin Films. <i>Journal of Physical Chemistry C</i> , 2015, 119, 17278-17287.	1.5	8
256	The effect of noble metal (Au, Pd and Pt) nanoparticles on the gas sensing performance of SnO ₂ -based sensors: a case study on the {221} high-index faceted SnO ₂ octahedra. <i>CrystEngComm</i> , 2015, 17, 6308-6313.	1.3	159
257	Performance and Stress Analysis of Metal Oxide Films for CMOS-Integrated Gas Sensors. <i>Sensors</i> , 2015, 15, 7206-7227.	2.1	50

#	ARTICLE	IF	CITATIONS
258	Graphene-metal oxide nanohybrids for toxic gas sensor: A review. <i>Sensors and Actuators B: Chemical</i> , 2015, 221, 1170-1181.	4.0	582
259	Humidity Sensor Based on PEDOT:PSS and Zinc Stannate Nano-composite. <i>Journal of Electronic Materials</i> , 2015, 44, 3992-3999.	1.0	37
260	Hydrogen sensing properties of the ZnO thin films and their enhanced gas sensing performance. <i>RSC Advances</i> , 2015, 5, 61230-61238.	4.0	10
261	Vertically ordered SnO_2 nanobamboos for substantially improved detection of volatile reducing gases. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17939-17945.	1.7	92
262	Dioxo-Fluoroalkoxide Tungsten(VI) Complexes for Growth of WO_3 Thin Films by Aerosol-Assisted Chemical Vapor Deposition. <i>Inorganic Chemistry</i> , 2015, 54, 7536-7547.	5.2	40
263	Fabrication of highly sensitive gas sensor based on Au functionalized WO_3 composite nanofibers by electrospinning. <i>Sensors and Actuators B: Chemical</i> , 2015, 220, 1112-1119.	1.9	10
264	Selective recognition of hydrogen sulfide using template and catalyst free grown ZnO nanorods. <i>RSC Advances</i> , 2015, 5, 54952-54962.	4.0	138
265	Surface Plasmon Resonance-Based Fiber Optic Chlorine Gas Sensor Utilizing Indium-Oxide-Doped Tin Oxide Film. <i>Journal of Lightwave Technology</i> , 2015, 33, 2770-2776.	1.7	29
266	Fabrication and Characterization of a SPR Based Fiber Optic Sensor for the Detection of Chlorine Gas Using Silver and Zinc Oxide. <i>Materials</i> , 2015, 8, 2204-2216.	2.7	26
267	A Study of a QCM Sensor Based on TiO_2 Nanostructures for the Detection of NO_2 and Explosives Vapours in Air. <i>Sensors</i> , 2015, 15, 9563-9581.	1.3	56
268	Multiplexed Gas Sensor Based on Heterogeneous Metal Oxide Nanomaterial Array Enabled by Localized Liquid-Phase Reaction. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 10152-10161.	2.1	63
269	Sensing properties of undoped and Pt-doped SnO_2 thin films deposited by chemical spray. <i>Materials Science in Semiconductor Processing</i> , 2015, 37, 143-150.	4.0	50
270	Effect of NaOH molar concentration on morphology, optical and ferroelectric properties of hydrothermally grown CuO nanoplates. <i>Materials Science in Semiconductor Processing</i> , 2015, 38, 72-80.	1.9	10
271	Acetylene gas sensing properties of an Ag-loaded hierarchical ZnO nanostructure-decorated reduced graphene oxide hybrid. <i>Sensors and Actuators B: Chemical</i> , 2015, 216, 33-40.	1.9	57
272	Highly selective ethanol sensing properties of hydrothermally synthesized cerium orthovanadate (CeVO_4) nanorods. <i>Materials Letters</i> , 2015, 154, 144-147.	4.0	56
273	A Customized Metal Oxide Semiconductor-Based Gas Sensor Array for Onion Quality Evaluation: System Development and Characterization. <i>Sensors</i> , 2015, 15, 1252-1273.	1.3	24
274	Comparison of gas sensing properties of spray pyrolysed VO_x thin films. <i>Journal of Materials Science: Materials in Electronics</i> , 2015, 26, 5052-5059.	2.1	51
275		1.1	19

#	ARTICLE	IF	CITATIONS
276	Determining the Oxidation State of Small, Hydroxylated Metal-Oxide Nanoparticles with Infrared Absorption Spectroscopy. <i>Chemistry of Materials</i> , 2015, 27, 2965-2972.	3.2	15
277	Improvement of a Real Gas-Sensor for the Origin of Methane Selectivity Degradation by $\hat{\mu}$ -XAFS Investigation. <i>Nano-Micro Letters</i> , 2015, 7, 255-260.	14.4	11
278	Fabrication, structure and hydrogen-gas-sensing properties of multiple networked GaN nanostructure gas sensors. <i>Journal of the Korean Physical Society</i> , 2015, 66, 1062-1066.	0.3	1
279	Fast testing for explosive properties of mg-scale samples by thermal activation and classification by physical and chemical properties. <i>Sensors and Actuators B: Chemical</i> , 2015, 215, 70-76.	4.0	5
280	Graphene-Based Composite Materials for Chemical Sensor Application. <i>Nanoscience and Technology</i> , 2015, , 65-101.	1.5	11
281	Development and Integration of a Solar Powered Unmanned Aerial Vehicle and a Wireless Sensor Network to Monitor Greenhouse Gases. <i>Sensors</i> , 2015, 15, 4072-4096.	2.1	114
282	Exhaled breath analysis by electronic nose in respiratory diseases. <i>Expert Review of Molecular Diagnostics</i> , 2015, 15, 933-956.	1.5	52
283	Hydrogen gas sensor based on metal oxide nanoparticles decorated graphene transistor. <i>Nanoscale</i> , 2015, 7, 10078-10084.	2.8	163
284	Effect of silver additive on electrical conductivity and methane sensitivity of SnO ₂ . <i>Materials Science in Semiconductor Processing</i> , 2015, 35, 38-44.	1.9	39
285	Hollow V ₂ O ₅ Nanoassemblies for High-Performance Room-Temperature Hydrogen Sensors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 8480-8487.	4.0	59
286	Fe ²⁺ /O ³⁻ -PdO doped SnO ₂ based room temperature operable LPG sensor. , 2015, , .		0
287	Synthesis and highly enhanced acetylene sensing properties of Au nanoparticle-decorated hexagonal ZnO nanorings. <i>RSC Advances</i> , 2015, 5, 87132-87138.	1.7	20
288	Carbon dioxide gas sensing properties of ordered oxygen deficient perovskite LnBaCo ₂ O ₅₊ (Ln = La, Tj ETQq0 0 0 rgBT /Overlock 10 Tf	4.9	22
289	Design and flight testing of an integrated solar powered UAV and WSN for remote gas sensing. , 2015, , .		22
290	Gas Sensor Application of Hydrothermally Growth TiO ₂ Nanorods. <i>Procedia Engineering</i> , 2015, 120, 1162-1165.	1.2	39
291	Ba ^N @Graphene: Highly Sensitive and Selective Gas Sensor. <i>Journal of Physical Chemistry C</i> , 2015, 119, 24827-24836.	1.5	112
292	The effect of sensor temperature and MO _x layer thickness on the sensitivity of SnO ₂ - and WO ₃ -based chemiresistive sensors to ethylene gas. <i>Proceedings of SPIE</i> , 2015, , .	0.8	2
293	Near Room Temperature, Fast-Response, and Highly Sensitive Triethylamine Sensor Assembled with Au-Loaded ZnO/SnO ₂ Core-Shell Nanorods on Flat Alumina Substrates. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 19163-19171.	4.0	249

#	ARTICLE	IF	CITATIONS
294	Synthesis and characterization of SnO ₂ nanowires grown by CVD for application as gas sensors. , 2015, , .		2
295	Compact device for CO ₂ ; optical sensing using macroporous silicon photonic crystals. , 2015, , .		0
296	Metal-core@metal oxide-shell nanomaterials for gas-sensing applications: a review. Journal of Nanoparticle Research, 2015, 17, 1.	0.8	126
297	Tunable macro-mesoporous ZnO nanostructures for highly sensitive ethanol and acetone gas sensors. RSC Advances, 2015, 5, 101910-101916.	1.7	31
298	Porous NiO nanosheets self-grown on alumina tube using a novel flash synthesis and their gas sensing properties. RSC Advances, 2015, 5, 4880-4885.	1.7	52
299	Hierarchical Fe ₂ O ₃ @WO ₃ nanostructures with ultrahigh specific surface areas: microwave-assisted synthesis and enhanced H ₂ S-sensing performance. RSC Advances, 2015, 5, 328-337.	1.7	65
300	Quantitative correlation between air induced changes of electronic parameters and morphological features of copper phthalocyanine thin film surfaces. Materials Chemistry and Physics, 2015, 149-150, 574-581.	2.0	5
301	Nanosecond pulsed laser induced generation of open macro porosity on sintered ZnO pellet surface. Applied Surface Science, 2015, 325, 139-144.	3.1	0
302	Conductometric biosensors for high throughput screening of pathogens in food. , 2015, , 315-326.		8
303	Improving gas-sensing properties of electrospun In ₂ O ₃ nanotubes by Mg acceptor doping. Sensors and Actuators B: Chemical, 2015, 207, 313-320.	4.0	76
304	Low temperature acetylene gas sensor based on Ag nanoparticles-loaded ZnO-reduced graphene oxide hybrid. Sensors and Actuators B: Chemical, 2015, 207, 362-369.	4.0	194
305	Increasing energy efficiency and sensitivity with simple sensor platforms. Talanta, 2015, 132, 87-95.	2.9	15
306	Recent advances in inkjet printing synthesis of functional metal oxides. Particuology, 2015, 19, 1-13.	2.0	75
307	Gas sensing properties of zinc stannate (Zn ₂ SnO ₄) nanowires prepared by carbon assisted thermal evaporation process. Journal of Alloys and Compounds, 2015, 618, 455-462.	2.8	75
308	Some causes of differences in the NH ₃ concentration measured with the semiconductor sensors by one manufacturer. Research in Agricultural Engineering, 2016, 62, 190-197.	0.5	0
310	Tin Oxide Nanoparticles Produced by Spark Ablation: Synthesis and Gas Sensing Properties. Oriental Journal of Chemistry, 2016, 32, 2909-2913.	0.1	4
311	A Novel Gas Sensor Based on MgSb ₂ O ₆ Nanorods to Indicate Variations in Carbon Monoxide and Propane Concentrations. Sensors, 2016, 16, 177.	2.1	30
312	Gas Sensing Studies of an n-n Hetero-Junction Array Based on SnO ₂ and ZnO Composites. Chemosensors, 2016, 4, 3.	1.8	18

#	ARTICLE	IF	CITATIONS
313	A Single Nanobelt Transistor for Gas Identification: Using a Gas-Dielectric Strategy. <i>Sensors</i> , 2016, 16, 917.	2.1	4
314	CO Gas Sensing Properties of Pure and Cu-Incorporated SnO ₂ Nanoparticles: A Study of Cu-Induced Modifications. <i>Sensors</i> , 2016, 16, 1283.	2.1	32
315	Towards Enhanced Gas Sensor Performance with Fluoropolymer Membranes. <i>Sensors</i> , 2016, 16, 1605.	2.1	17
316	Planar Indium Tin Oxide Heater for Improved Thermal Distribution for Metal Oxide Micromachined Gas Sensors. <i>Sensors</i> , 2016, 16, 1612.	2.1	12
317	A Photoactivated Gas Detector for Toluene Sensing at Room Temperature Based on New Coral-Like ZnO Nanostructure Arrays. <i>Sensors</i> , 2016, 16, 1820.	2.1	9
318	Investigation of Gas-Sensing Property of Acid-Deposited Polyaniline Thin-Film Sensors for Detecting H ₂ S and SO ₂ . <i>Sensors</i> , 2016, 16, 1889.	2.1	18
319	Synthesis, Characterization, and Sensor Applications of Spinel ZnCo ₂ O ₄ Nanoparticles. <i>Sensors</i> , 2016, 16, 2162.	2.1	26
320	Transition-Metal-Doped p-Type ZnO Nanoparticle-Based Sensory Array for Instant Discrimination of Explosive Vapors. <i>Small</i> , 2016, 12, 1369-1377.	5.2	78
321	Surface Superoxide Complex Defects-Boosted Ultrasensitive ppb-Level NO ₂ Gas Sensors. <i>Small</i> , 2016, 12, 1420-1424.	5.2	62
322	Nanoscale Thermal Management of Single SnO ₂ Nanowire: pico-Joule Energy Consumed Molecule Sensor. <i>ACS Sensors</i> , 2016, 1, 997-1002.	4.0	56
323	Diverse Adsorption/Desorption Abilities Originating from the Nanostructural Morphology of VOC Gas Sensing Devices Based on Molybdenum Trioxide Nanorod Arrays. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600252.	1.9	21
324	Controllable synthesis of ultrathin vanadium oxide nanobelts via an EDTA-mediated hydrothermal process. <i>Chinese Physics B</i> , 2016, 25, 027307.	0.7	3
325	MOF Thin Film-Coated Metal Oxide Nanowire Array: Significantly Improved Chemiresistor Sensor Performance. <i>Advanced Materials</i> , 2016, 28, 5229-5234.	11.1	492
326	Microplasmas for direct, substrate-independent deposition of nanostructured metal oxides. <i>Applied Physics Letters</i> , 2016, 109, 033110.	1.5	7
327	An analytical description for the elastic compression of metallic polyhedral nanoparticles. <i>AIP Advances</i> , 2016, 6, 085113.	0.6	6
328	Development of double spiral MEMS hotplate using front-side etching cavity for gas sensors. <i>AIP Conference Proceedings</i> , 2016, .	0.3	1
329	A density functional theory study of the adsorption behaviour of CO ₂ on Cu ₂ O surfaces. <i>Journal of Chemical Physics</i> , 2016, 145, 044709.	1.2	55
330	Modeling the diffusion/absorption response of a nanopore coated microporous silicon interface. <i>Journal of Applied Physics</i> , 2016, 119, .	1.1	2

#	ARTICLE	IF	CITATIONS
331	Multiparametric methane sensor for environmental monitoring. Proceedings of SPIE, 2016, , .	0.8	2
332	Promoting effect of adding carbon nanotubes on sensing characteristics of ZnO hollow sphere-based gas sensors to detect volatile organic compounds. Materials Chemistry and Physics, 2016, 176, 12-23.	2.0	30
333	Achieving selectivity from the synergistic effect of Cr and Pt activated SnO ₂ thin film gas sensors. Sensors and Actuators B: Chemical, 2016, 236, 208-217.	4.0	40
334	The γ -Fe ₂ O ₃ /g-C ₃ N ₄ heterostructural nanocomposites with enhanced ethanol gas sensing performance. Journal of Alloys and Compounds, 2016, 685, 84-90.	2.8	97
335	Ion exchange conversion of solid electrolyte, potassium sodiostannate, into isomorphous metastable sodium stannate. Mendeleev Communications, 2016, 26, 246-247.	0.6	3
336	The anisotropy of oxygen vacancy migration in SrTiO ₃ . Journal of Physics Condensed Matter, 2016, 28, 225001.	0.7	19
337	The effect of Ag adsorption on the structural, electronic, and optical properties of the ZnO. http://www.elsevier.com/xml/xocs/dtd xmlns:xs="http://www.w3.org/2001/XMLSchema" xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance" xmlns:ja="http://www.elsevier.com/xml/ja/dtd" xmlns:mml="http://www.w3.org/1998/Math/MathML" xmlns:tb="http://www.elsevier.com/xml/common/table/dtd" xmlns:sb="http://www.elsevier.co	1.9	2
338	H ₂ S gas sensing properties of undoped and Ti doped ZnO thin films deposited by chemical spray pyrolysis. Journal of Alloys and Compounds, 2016, 684, 428-437.	2.8	29
339	H ₂ S detection using low-cost SnO ₂ nano-particle Bi-layer OFETs. Sensors and Actuators B: Chemical, 2016, 235, 378-385.	4.0	26
340	Au-loaded mesoporous WO ₃ : Preparation and n-butanol sensing performances. Sensors and Actuators B: Chemical, 2016, 236, 67-76.	4.0	92
341	Synthesis of In ₂ O ₃ /graphene heterostructure and their hydrogen gas sensing properties. Ceramics International, 2016, 42, 11490-11495.	2.3	62
342	Polyaniline/Cu ₂ ZnSnS ₄ heterojunction based room temperature LPG sensor. Journal of Materials Science: Materials in Electronics, 2016, 27, 7505-7508.	1.1	24
343	Nano-array integrated monolithic devices: toward rational materials design and multi-functional performance by scalable nanostructures assembly. CrystEngComm, 2016, 18, 2980-2993.	1.3	23
344	Reduced graphene oxide-transition metal hybrids as p-type semiconductors for acetaldehyde sensing. Inorganic Chemistry Frontiers, 2016, 3, 842-848.	3.0	28
345	Au-deposited porous single-crystalline ZnO nanoplates for gas sensing detection of total volatile organic compounds. RSC Advances, 2016, 6, 37750-37756.	1.7	23
346	Preparation and characterization of nanocrystalline nickel ferrite thin films for development of a gas sensor at room temperature. Journal of Materials Science: Materials in Electronics, 2016, 27, 8047-8054.	1.1	18
347	Hydrogen sensing properties of sputtered ZnO films decorated with Pt nanoparticles. Ceramics International, 2016, 42, 12378-12384.	2.3	56
348	A hydrogen sensor based on orientation aligned TiO ₂ thin films with low concentration detecting limit and short response time. Sensors and Actuators B: Chemical, 2016, 234, 192-200.	4.0	73

#	ARTICLE	IF	CITATIONS
349	Ion beam engineering of morphological, structural and optical properties of Au/SnO ₂ hybrid nanostructured thin films. <i>Journal of Alloys and Compounds</i> , 2016, 680, 155-162.	2.8	13
350	Enhancement of gas-sensing abilities in p-type ZnWO ₄ by local modification of Pt nanoparticles. <i>Analytica Chimica Acta</i> , 2016, 927, 107-116.	2.6	26
351	Methanol sensing properties of honeycomb-like SnO ₂ grown on silicon nanoporous pillar array. <i>Journal of Alloys and Compounds</i> , 2016, 682, 170-175.	2.8	27
352	Highly sensitive and selective hydrogen gas sensor using sputtered grown Pd decorated MnO ₂ nanowalls. <i>Sensors and Actuators B: Chemical</i> , 2016, 234, 8-14.	4.0	114
353	Recent advances in engineered graphene and composites for detection of volatile organic compounds (VOCs) and non-invasive diseases diagnosis. <i>Carbon</i> , 2016, 110, 97-129.	5.4	128
354	Synthesis and Characterization of Tin(IV) Oxide Obtained by Chemical Vapor Deposition Method. <i>Nanoscale Research Letters</i> , 2016, 11, 343.	3.1	30
355	Two dimensional and layered transition metal oxides. <i>Applied Materials Today</i> , 2016, 5, 73-89.	2.3	400
356	The effect of growth conditions and vacancies on the electronic, optical and photocatalytic properties of the ZnO. <i>Materials Chemistry and Physics</i> , 2016, 182, 200-207.	0.784314	14
357	Analysis of electronic properties of pseudobrookite thick films with possible application for NO gas sensing. , 2016, , .		5
358	Tuning of Structural and Optical Properties of Graphene/ZnO Nanolaminates. <i>Journal of Physical Chemistry C</i> , 2016, 120, 23716-23725.	1.5	75
359	Membranes: Polymer Nanocomposite Membranes for Wastewater Purification. , 2016, , 498-507.		0
360	Metal Oxides: Nanostructured Metal Oxides for Gas Sensing Applications. , 2016, , 552-567.		0
361	Integrated Strategy toward Self-Powering and Selectivity Tuning of Semiconductor Gas Sensors. <i>ACS Sensors</i> , 2016, 1, 1256-1264.	4.0	28
362	Farming of maize-like zinc oxide via a modified SILAR technique as a selective and sensitive nitrogen dioxide gas sensor. <i>RSC Advances</i> , 2016, 6, 90916-90922.	1.7	46
363	Crowd-sourced air quality studies: A review of the literature & portable sensors. <i>Trends in Environmental Analytical Chemistry</i> , 2016, 11, 23-34.	5.3	83
364	A Facile Synthesis of Pd-Decorated SnO ₂ Nanocomposites with Open Porous Hierarchical Architectures for Gas Sensors. <i>Journal of the American Ceramic Society</i> , 2016, 99, 3770-3774.	1.9	16
365	Structural, optical and gas sensing properties of Ag-SnO ₂ plasmonic nanocomposite thin films. <i>Ceramics International</i> , 2016, 42, 17237-17242.	2.3	37
366	Online decorrelation of humidity and temperature in chemical sensors for continuous monitoring. <i>Chemometrics and Intelligent Laboratory Systems</i> , 2016, 157, 169-176.	1.8	87

#	ARTICLE	IF	CITATIONS
367	An efficient pure polyimide ammonia sensor. <i>Journal of Materials Chemistry C</i> , 2016, 4, 7790-7797.	2.7	20
368	Facile microwave-assisted hydrothermal synthesis of hexagonal sodium tungsten bronze and its high response to NO ₂ . <i>Materials Letters</i> , 2016, 185, 197-200.	1.3	13
369	Physical vapor deposited highly oriented V ₂ O ₅ thin films for electrocatalytic oxidation of hydrazine. <i>RSC Advances</i> , 2016, 6, 82581-82590.	1.7	34
370	A review of recent developments in tin dioxide composites for gas sensing application. <i>Journal of Industrial and Engineering Chemistry</i> , 2016, 44, 1-22.	2.9	106
371	Chelation-assisted soft-template synthesis of ordered mesoporous zinc oxides for low concentration gas sensing. <i>Journal of Materials Chemistry A</i> , 2016, 4, 15064-15071.	5.2	93
372	Fast response ammonia sensors based on TiO ₂ and NiO nanostructured bilayer thin films. <i>RSC Advances</i> , 2016, 6, 77636-77643.	1.7	62
373	Detecting hydrogen using graphene quantum dots/WO ₃ thin films. <i>Materials Research Express</i> , 2016, 3, 116407.	0.8	26
374	Heterogeneous Sensitization of Metal-Organic Framework Driven Metal@Metal Oxide Complex Catalysts on an Oxide Nanofiber Scaffold Toward Superior Gas Sensors. <i>Journal of the American Chemical Society</i> , 2016, 138, 13431-13437.	6.6	352
375	Influence of copper incorporation in CdS: Structural and morphological studies. <i>Materials Chemistry and Physics</i> , 2016, 184, 101-109.	2.0	33
376	Optical and electrical properties of ZnO nanocrystal thin films passivated by atomic layer deposited Al ₂ O ₃ . <i>Metals and Materials International</i> , 2016, 22, 723-729.	1.8	8
377	High-response and selective hydrogen sensing properties of porous ZnO nanotubes. <i>Current Applied Physics</i> , 2016, 16, 1263-1269.	1.1	19
378	Application of Chemical Sensors and Sensor Matrixes to Air Quality Evaluation. <i>Comprehensive Analytical Chemistry</i> , 2016, , 267-294.	0.7	6
379	Basis adaptation for the stochastic nonlinear Poisson-Boltzmann equation. <i>Journal of Computational Electronics</i> , 2016, 15, 1393-1406.	1.3	13
380	Low temperature hydrogen sensing using reduced graphene oxide and tin oxide nanoflowers based hybrid structure. <i>Semiconductor Science and Technology</i> , 2016, 31, 125014.	1.0	28
381	Stress Considerations for System-on-Chip Gas Sensor Integration in CMOS Technology. <i>IEEE Transactions on Device and Materials Reliability</i> , 2016, 16, 483-495.	1.5	3
382	Investigations on the effect of gamma-ray irradiation on the gas sensing properties of SnO ₂ nanoparticles. <i>Nanotechnology</i> , 2016, 27, 385502.	1.3	26
385	Catalytically Doped Semiconductors for Chemical Gas Sensing: Aerogel-Like Aluminum-Containing Zinc Oxide Materials Prepared in the Gas Phase. <i>Advanced Functional Materials</i> , 2016, 26, 3424-3437.	7.8	42
386	NanodrÄhte in Chemo- und Biosensoren: aktueller Stand und Fahrplan fÄ¼r die Zukunft. <i>Angewandte Chemie</i> , 2016, 128, 1286-1302.	1.6	10

#	ARTICLE	IF	CITATIONS
387	Nanowire Chemical/Biological Sensors: Status and a Roadmap for the Future. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 1266-1281.	7.2	237
388	Nanostructured PdO Thin Film from Langmuir-Blodgett Precursor for Room-Temperature H_2 Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 16997-17003.	4.0	34
389	Detection of hazardous volatile organic compounds (VOCs) by metal oxide nanostructures-based gas sensors: A review. <i>Ceramics International</i> , 2016, 42, 15119-15141.	2.3	866
390	Highly selective NH_3 gas sensor based on Au loaded ZnO nanostructures prepared using microwave-assisted method. <i>Journal of Colloid and Interface Science</i> , 2016, 479, 127-138.	5.0	116
391	Investigation on the Electrical and Methane Gas-Sensing Properties of ZnO Thin Films Produced by Different Methods. <i>Journal of Electronic Materials</i> , 2016, 45, 4881-4889.	1.0	16
392	The advances of Co_3O_4 as gas sensing materials: A review. <i>Journal of Alloys and Compounds</i> , 2016, 686, 753-768.	2.8	177
393	Ultra-low NO_2 detection by gamma WO_3 synthesized by Reactive Spray Deposition Technology. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 163-172.	4.0	34
394	Highly proton conducting MoS_2 /graphene oxide nanocomposite based chemoresistive humidity sensor. <i>RSC Advances</i> , 2016, 6, 57424-57433.	1.7	90
395	Characterization of a carbon xerogel-based sensor for detection of acetone, ethanol, and methanol vapors. <i>Sensors and Actuators B: Chemical</i> , 2016, 231, 440-449.	4.0	12
396	Microfabricated test structures for thermal gas sensor. , 2016, , .		3
397	A fast response/recovery of hydrophobic Pd/ V_2O_5 thin films for hydrogen gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2016, 236, 16-26.	4.0	78
398	High-Resolution p-Type Metal Oxide Semiconductor Nanowire Array as an Ultrasensitive Sensor for Volatile Organic Compounds. <i>Nano Letters</i> , 2016, 16, 4508-4515.	4.5	156
399	Relationships among growth mechanism, structure and morphology of PEALD TiO_2 films: the influence of O_2 plasma power, precursor chemistry and plasma exposure mode. <i>Nanotechnology</i> , 2016, 27, 305701.	1.3	35
400	Detection of low ppm carbon monoxide with charge ordered $LuFe_2O_4$ gas sensor – A novel sensing mechanism. <i>Ceramics International</i> , 2016, 42, 14944-14948.	2.3	11
401	Structural, textural, surface chemistry and sensing properties of mesoporous Pr, Zn modified SnO_2 – TiO_2 powder composites. <i>Ceramics International</i> , 2016, 42, 14992-14998.	2.3	5
402	Molybdenum and tungsten oxide based gas sensors for high temperature detection of environmentally hazardous sulfur species. <i>Sensors and Actuators B: Chemical</i> , 2016, 237, 262-274.	4.0	50
403	Ultrafast and Reversible Gas-Sensing Properties of ZnO Nanowire Arrays Grown by Hydrothermal Technique. <i>Journal of Physical Chemistry C</i> , 2016, 120, 3019-3025.	1.5	105
404	Enhanced performance of $\gamma-Fe_2O_3:WO_3$ nanocomposite towards selective acetone vapor detection. <i>Ceramics International</i> , 2016, 42, 7309-7314.	2.3	17

#	ARTICLE	IF	CITATIONS
405	Effective Ammonia Detection Using n-ZnO/p-NiO Heterostructured Nanofibers. IEEE Sensors Journal, 2016, 16, 2477-2483.	2.4	129
406	Facile preparation of porous In ₂ TiO ₅ rutile composite nanotubes by electrospinning and sensitivity enhancement in NO ₂ gas at room temperature. Journal of Colloid and Interface Science, 2016, 466, 72-79.	5.0	11
407	Application of electrochemical sensors and sensor matrixes for measurement of odorous chemical compounds. TrAC - Trends in Analytical Chemistry, 2016, 77, 1-13.	5.8	90
408	A high-performance flexible NO ₂ sensor based on WO ₃ NPs decorated on MWCNTs and RGO hybrids on PI/PET substrates. Sensors and Actuators B: Chemical, 2016, 224, 738-746.	4.0	62
409	Chemiresistive gas sensor for the sensitive detection of nitrogen dioxide based on nitrogen doped graphene nanosheets. RSC Advances, 2016, 6, 1527-1534.	1.7	70
410	Low level NO ₂ detection under humid background and associated sensing mechanism for mesoporous SnO ₂ . Sensors and Actuators B: Chemical, 2016, 231, 166-174.	4.0	32
411	CO sensing properties of SnO ₂ -CeO ₂ mixed oxides. Reaction Kinetics, Mechanisms and Catalysis, 2016, 117, 551-563.	0.8	11
412	The role of surface electron accumulation and bulk doping for gas-sensing explored with single-crystalline In ₂ O ₃ thin films. Sensors and Actuators B: Chemical, 2016, 236, 909-916.	4.0	41
413	Ni _{0.9} Zn _{0.1} O/ZnO nanocomposite prepared by malonate coprecipitation route for gas sensing. Sensors and Actuators B: Chemical, 2016, 231, 520-528.	4.0	16
414	Enhanced Gas Sensitivity and Selectivity on Aperture-Controllable 3D Interconnected Macro-Mesoporous ZnO Nanostructures. ACS Applied Materials & Interfaces, 2016, 8, 8583-8590.	4.0	60
415	Glancing angle deposited WO ₃ nanostructures for enhanced sensitivity and selectivity to NO ₂ in gas mixture. Sensors and Actuators B: Chemical, 2016, 229, 92-99.	4.0	28
416	Template-free preparation of mesoporous single crystal In ₂ O ₃ achieving superior ethanol gas sensing performance. RSC Advances, 2016, 6, 14615-14619.	1.7	18
417	The effect of Pd on the H ₂ and VOC sensing properties of TiO ₂ nanorods. Sensors and Actuators B: Chemical, 2016, 229, 692-700.	4.0	72
418	Assembly of bulbous ZnO nanorods to bulbous nanoflowers and their high selectivity towards formaldehyde. Journal of Materials Science: Materials in Electronics, 2016, 27, 4966-4971.	1.1	5
419	Sensing mechanism of low temperature NO ₂ sensing with top-bottom electrode (TBE) geometry. Sensors and Actuators B: Chemical, 2016, 236, 874-884.	4.0	14
420	Investigation of CO ₂ reaction with copper oxide nanoparticles for room temperature gas sensing. Journal of Materials Chemistry A, 2016, 4, 5294-5302.	5.2	59
421	Degradation mechanism of a high-performance real micro gas sensor, as determined by spatially resolved XAFS. Physical Chemistry Chemical Physics, 2016, 18, 7374-7380.	1.3	3
422	Selectively enhanced sensing performance for oxidizing gases based on ZnO nanoparticle-loaded electrospun SnO ₂ nanotube heterostructures. RSC Advances, 2016, 6, 28419-28427.	1.7	19

#	ARTICLE	IF	CITATIONS
423	Synthesis of ZnO Nanoparticles onto Sepiolite Needles and Determination of Their Sensitivity toward Humidity, NO ₂ and H ₂ . Journal of Materials Science and Technology, 2016, 32, 573-582.	5.6	15
424	Fabrication of Nanocomposites of SnO ₂ and MgAl ₂ O ₄ for Gas Sensing Applications. Journal of Electronic Materials, 2016, 45, 2193-2205.	1.0	10
425	Highly sensitive and selective ethanol and acetone gas sensors by adding some dopants (Mn, Fe, Co, Ni) onto hexagonal ZnO plates. RSC Advances, 2016, 6, 7838-7845.	1.7	73
426	DFT investigation on molecular structure of zirconia nanoparticle and its adsorption structures with elementary gases. Journal of Molecular Structure, 2016, 1108, 187-194.	1.8	6
427	Theoretical study of the NO, NO ₂ , CO, SO ₂ , and NH ₃ adsorptions on multi-diameter single-wall MoS ₂ nanotube. Journal Physics D: Applied Physics, 2016, 49, 045106.	1.3	22
428	Selective detection of low concentration toluene gas using Pt-decorated carbon nanotubes sensors. Sensors and Actuators B: Chemical, 2016, 227, 157-168.	4.0	82
429	Two novel methods for evaluating the performance of OTFT gas sensors. Sensors and Actuators B: Chemical, 2016, 230, 176-183.	4.0	12
430	Nb-doped TiO ₂ sol-gel films for CO sensing applications. Materials Science in Semiconductor Processing, 2016, 42, 397-404.	1.9	35
431	Analysis and Review of Tin Oxide-Based Chemoresistive Gas Sensor. IETE Technical Review (Institution) Tj ETQq0 0 0 rgBT /Overlock 10 T	2.1	27
432	Ultra sensitive NO ₂ gas detection using the reduced graphene oxide coated etched fiber Bragg gratings. Sensors and Actuators B: Chemical, 2016, 223, 481-486.	4.0	59
433	Stress in three-dimensionally integrated sensor systems. Microelectronics Reliability, 2016, 61, 3-10.	0.9	3
434	Analysis of Factors for Improving Functionality of Tin Oxide Gas Sensor. IETE Technical Review (Institution of Electronics and Telecommunication Engineers, India), 2016, 33, 122-129.	2.1	9
435	Pristine ZnO and SnO ₂ films for sensing of volatile organic compounds. Microsystem Technologies, 2017, 23, 3027-3031.	1.2	10
436	Structural, optical and electrical properties of sputtered NiO thin films for gas detection. Applied Surface Science, 2017, 395, 208-213.	3.1	32
437	Optical and EPR studies of Cu ²⁺ doped SnO ₂ thin films by spray pyrolysis. Materials Research Innovations, 2017, 21, 102-105.	1.0	11
438	Room temperature NH ₃ detection of Ti/graphene devices promoted by visible light illumination. Journal of Materials Chemistry C, 2017, 5, 1113-1120.	2.7	25
439	Enhanced ammonia sensing by Sn doped ZnO films prepared by a low-cost fully automated nebulizer spray technique. Journal of Materials Science: Materials in Electronics, 2017, 28, 6335-6344.	1.1	14
440	Temperature dependent selectivity towards ethanol and acetone of Dy ³⁺ -doped In ₂ O ₃ nanoparticles. Chemical Physics Letters, 2017, 670, 37-45.	1.2	26

#	ARTICLE	IF	CITATIONS
441	Versatile approaches to tune a nanocolumnar structure for optimized electrical properties of In ₂ O ₃ based gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 894-901.	4.0	23
442	Enhanced gas sensing characteristics of the flower-like ZnFe ₂ O ₄ /ZnO microstructures. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 902-909.	4.0	40
443	In Situ Localized Growth of Ordered Metal Oxide Hollow Sphere Array on Microheater Platform for Sensitive, Ultra-Fast Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 2634-2641.	4.0	81
444	Reduced graphene oxide-SnO ₂ nanocomposite thin film based CNG/PNG sensor. <i>Sensors and Actuators B: Chemical</i> , 2017, 245, 590-598.	4.0	18
445	Composites of Fe ₂ O ₃ nanosheets with polyaniline: Preparation, gas sensing properties and sensing mechanism. <i>Sensors and Actuators B: Chemical</i> , 2017, 245, 34-43.	4.0	42
446	Design, fabrication, and characterization of bridge-type micro-hotplates with an SU-8 supporting layer for a smart gas sensing system. <i>Journal of Micromechanics and Microengineering</i> , 2017, 27, 024003.	1.5	7
447	Synthesis and enhanced gas sensing properties of flower-like ZnO/Fe ₂ O ₃ core-shell nanorods. <i>Ceramics International</i> , 2017, 43, 5934-5940.	2.3	27
448	Fast response of sprayed vanadium pentoxide (V ₂ O ₅) nanorods towards nitrogen dioxide (NO ₂) gas detection. <i>Applied Surface Science</i> , 2017, 403, 540-550.	3.1	70
449	Graphene-tungsten oxide nanocomposites with highly enhanced gas-sensing performance. <i>Journal of Alloys and Compounds</i> , 2017, 705, 659-667.	2.8	24
450	H ₂ sensor based on tapered optical fiber coated with MnO ₂ nanostructures. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 421-427.	4.0	26
451	A novel ion selective gas sensor based on pulsed atmospheric pressure chemical ionization and ion-ion-recombination. <i>Sensors and Actuators B: Chemical</i> , 2017, 246, 252-257.	4.0	7
452	Synthesis, characterization and acetone gas sensing applications of Ag-doped ZnO nanoneedles. <i>Ceramics International</i> , 2017, 43, 6765-6770.	2.3	97
453	Synthesis of In ₂ O ₃ nanoparticle/TiO ₂ nanobelt heterostructures for near room temperature ethanol sensing. <i>RSC Advances</i> , 2017, 7, 11503-11509.	1.7	35
454	Control of SnO ₂ films by epitaxy and helium implantation. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	1
455	Systematic study of inorganic functionalization of ZnO nanorods by Sol-Gel method. <i>Journal of Physics: Conference Series</i> , 2017, 786, 012022.	0.3	2
456	Nanoscale PdO Catalyst Functionalized Co ₃ O ₄ Hollow Nanocages Using MOF Templates for Selective Detection of Acetone Molecules in Exhaled Breath. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 8201-8210.	4.0	240
457	Ethylene detection using TiO ₂ /WO ₃ composite sensor for fruit ripening applications. <i>Sensor Review</i> , 2017, 37, 147-154.	1.0	35
458	Nanopowder Metal Oxide for Photoluminescent Gas Sensing. <i>Nanoscale Research Letters</i> , 2017, 12, 132.	3.1	36

#	ARTICLE	IF	CITATIONS
459	The selective flow of volatile organic compounds in conductive polymer-coated microchannels. <i>Scientific Reports</i> , 2017, 7, 42299.	1.6	31
460	External field-assisted laser ablation in liquid: An efficient strategy for nanocrystal synthesis and nanostructure assembly. <i>Progress in Materials Science</i> , 2017, 87, 140-220.	16.0	275
461	Optically Sintered 2D RuO ₂ Nanosheets: Temperature- Controlled NO ₂ Reaction. <i>Advanced Functional Materials</i> , 2017, 27, 1606026.	7.8	54
462	Structural, optical and magnetic properties of SnO ₂ quantum dot. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 7713-7723.	1.1	4
463	Ammonia gas sensor based on flexible polyaniline films for rapid detection of spoilage in protein-rich foods. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 7760-7768.	1.1	68
464	Downsizing gas sensors based on semiconducting metal oxide: Effects of electrodes on gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 949-956.	4.0	31
465	Comparative study on gas sensing properties of rare earth (Tb, Dy and Er) doped ZnO sensor. <i>Journal of Physics and Chemistry of Solids</i> , 2017, 105, 23-34.	1.9	139
466	The effect of Co and In combinational or individual doping on the structural, optical and selective sensing properties of ZnO nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2017, 247, 228-237.	4.0	36
467	An emphatic study on role of spill-over sensitization and surface defects on NO ₂ gas sensor properties of ultralong ZnO@Au heterojunction NRs. <i>Journal of Alloys and Compounds</i> , 2017, 712, 811-821.	2.8	47
468	Direct Catalyst-free Chemical Vapor Deposition of ZnO Nanowire Array UV Photodetectors with Enhanced Photoresponse Speed. <i>Advanced Engineering Materials</i> , 2017, 19, 1700101.	1.6	34
469	Cross-sensitivity of metal oxide gas sensor to ambient temperature and humidity: Effects on gas distribution mapping. <i>AIP Conference Proceedings</i> , 2017, , .	0.3	9
470	Study of tungsten films deposited by DC sputtering dedicated to integrated heaters. <i>Journal of Vacuum Science and Technology B: Nanotechnology and Microelectronics</i> , 2017, 35, 031204.	0.6	5
471	(110) Facet of rutile-structured GeO ₂ : an <i>ab initio</i> investigation. <i>Molecular Physics</i> , 2017, 115, 1598-1605.	0.8	4
472	Chemical Vapor Deposition Synthesis and Optical Properties of Nb ₂ O ₅ Thin Films with Hybrid Functional Theoretical Insight into the Band Structure and Band Gaps. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 18031-18038.	4.0	54
473	NO ₂ sensing properties of porous fibrous reticulated WO ₃ thin films. <i>Journal of Analytical and Applied Pyrolysis</i> , 2017, 125, 9-16.	2.6	42
474	Fast response of hydrogen sensor using palladium nanocube-TiO ₂ nanofiber composites. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 18754-18761.	3.8	37
475	Gold-tin co-sensitized ZnO layered porous nanocrystals: enhanced responses and anti-humidity. <i>RSC Advances</i> , 2017, 7, 20273-20280.	1.7	12
476	Nanogenerators for Self-Powered Gas Sensing. <i>Nano-Micro Letters</i> , 2017, 9, 45.	14.4	119

#	ARTICLE	IF	CITATIONS
477	Sensing characteristics of nanocrystalline bismuth oxide clad-modified fiber optic gas sensor. <i>Optics and Lasers in Engineering</i> , 2017, 95, 78-82.	2.0	34
478	Micropatterning of metal oxide nanofibers by electrohydrodynamic (EHD) printing towards highly integrated and multiplexed gas sensor applications. <i>Sensors and Actuators B: Chemical</i> , 2017, 250, 574-583.	4.0	74
479	Effect of film thickness on NO ₂ gas sensing properties of sprayed orthorhombic nanocrystalline V ₂ O ₅ thin films. <i>Applied Surface Science</i> , 2017, 416, 511-520.	3.1	58
480	Miniaturised MOX based sensors for pollutant and explosive gases detection. <i>Sensors and Actuators B: Chemical</i> , 2017, 249, 647-655.	4.0	21
481	The Effect of Ar/O ₂ and H ₂ O Plasma Treatment of SnO ₂ Nanoparticles and Nanowires on Carbon Monoxide and Benzene Detection. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 15733-15743.	4.0	27
482	A High-Sensitivity Gas Sensor Toward Methanol Using ZnO Microrods: Effect of Operating Temperature. <i>Journal of Electronic Materials</i> , 2017, 46, 2476-2482.	1.0	41
483	Palladium decorated silicon carbide nanocauliflowers for hydrogen gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 694-699.	4.0	44
484	Gas sensing in 2D materials. <i>Applied Physics Reviews</i> , 2017, 4, .	5.5	600
485	Zinc oxide hierarchical nanostructures as potential NO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2017, 251, 551-563.	4.0	115
486	Fabrication of highly c-axis Mg doped ZnO on c-cut sapphire substrate by rf sputtering for hydrogen sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 11979-11986.	1.1	8
487	SbSI Nanosensors: from Gel to Single Nanowire Devices. <i>Nanoscale Research Letters</i> , 2017, 12, 97.	3.1	23
488	Insights into the stability of Pt nanoparticles supported on antimony-doped tin oxide in different potential ranges. <i>Electrochimica Acta</i> , 2017, 245, 993-1004.	2.6	37
489	Ether gas-sensor based on Au nanoparticles-decorated ZnO microstructures. <i>Results in Physics</i> , 2017, 7, 1818-1823.	2.0	18
490	Nitrogen Dioxide Gas Sensor Based on Monolayer SnS: A First-Principle Study. <i>IEEE Electron Device Letters</i> , 2017, 38, 983-986.	2.2	55
491	High performance hydrogen sensor based on Mn implanted ZnO nanowires array fabricated on ITO substrate. <i>Materials Science and Engineering C</i> , 2017, 77, 245-256.	3.8	22
492	Electrical and optical properties of ZnO/WO ₃ nanocomposite and its application as a solid-state humidity sensor. <i>Bulletin of Materials Science</i> , 2017, 40, 253-262.	0.8	20
493	Thermal stability of ZnO thin films fabricated by pulsed laser deposition. <i>Materials Science in Semiconductor Processing</i> , 2017, 66, 21-25.	1.9	40
494	A carbon dioxide gas sensor based on cobalt oxide containing barium carbonate. <i>Sensors and Actuators B: Chemical</i> , 2017, 248, 987-992.	4.0	40

#	ARTICLE	IF	CITATIONS
495	Effect of precursor solutions on ZnO film via solution precursor plasma spray and corresponding gas sensing performances. <i>Applied Surface Science</i> , 2017, 412, 683-689.	3.1	16
496	Microwave-assisted synthesis of Fe-doped NiO nanofoams assembled by porous nanosheets for fast response and recovery gas sensors. <i>Materials Research Express</i> , 2017, 4, 045015.	0.8	12
497	Highly sensitive and selective trimethylamine sensors based on WO ₃ nanorods decorated with Au nanoparticles. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2017, 90, 109-115.	1.3	30
498	Tungsten Sulfide Nanoflakes: Synthesis by Electrospinning and Their Gas Sensing Properties. <i>Zeitschrift Fur Naturforschung - Section A Journal of Physical Sciences</i> , 2017, 72, 375-381.	0.7	10
499	Temperature-Controlled Synthesis of Porous CuO Particles with Different Morphologies for Highly Sensitive Detection of Triethylamine. <i>Crystal Growth and Design</i> , 2017, 17, 2158-2165.	1.4	92
500	Improvement in Sensing Responses to Ammonia Gas for Gas Sensors With Separately Designed Sensing Element Using ALD-Grown ZnO Nanoparticles and Read-Out Element of Top-Gate In-Ga-Zn-O Thin-Film Transistor. <i>IEEE Transactions on Electron Devices</i> , 2017, 64, 2350-2356.	1.6	8
501	Self-assembly biomimetic fern leaf-like γ -Fe ₂ O ₃ for sensing inflammable 1-butanol gas. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 29-35.	4.0	29
502	Palladium/ γ -Fe ₂ O ₃ nanoparticle mixtures for acetone and NO ₂ gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2017, 243, 895-903.	4.0	38
504	Enhanced room-temperature NO ₂ gas sensing with TeO ₂ /SnO ₂ brush- and bead-like nanowire hybrid structures. <i>Nanotechnology</i> , 2017, 28, 045501.	1.3	19
505	Rapid measurement of room temperature ionic liquid electrochemical gas sensor using transient double potential amperometry. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 658-666.	4.0	36
506	Design, fabrication, and characterization of low-power gas sensors based on organic-inorganic nano-composite. <i>Organic Electronics</i> , 2017, 42, 284-292.	1.4	42
507	Modulation of electronic properties of tin oxide nanobelts via thermal control of surface oxygen defects. <i>Nanotechnology</i> , 2017, 28, 055701.	1.3	2
508	Arrays of Ultrathin CdS Nanoflakes with High-Energy Surface for Efficient Gas Detection. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 602-609.	4.0	38
509	Carbon monoxide detection with CMOS integrated thin film SnO ₂ gas sensor. <i>Materials Today: Proceedings</i> , 2017, 4, 7128-7131.	0.9	17
510	The critical impact of temperature gradients on Pt filament failure. <i>Microelectronics Reliability</i> , 2017, 78, 118-125.	0.9	13
511	Development of an environmental chamber for evaluating the performance of low-cost air quality sensors under controlled conditions. <i>Atmospheric Environment</i> , 2017, 171, 82-90.	1.9	67
512	A framework for analysing E-Nose data based on fuzzy set multiple linear regression: Paddy quality assessment. <i>Sensors and Actuators A: Physical</i> , 2017, 267, 200-209.	2.0	30
513	Surface properties of sulphur based surface modified $\text{In-Cu}_2\text{O}$ thin films for enhanced liquefied petroleum gas sensing. <i>Journal Physics D: Applied Physics</i> , 2017, 50, 485304.	1.3	4

#	ARTICLE	IF	CITATIONS
514	Synthesis of ZnO comb-like nanostructures for high sensitivity H_2S gas sensor fabrication at room temperature. <i>Bulletin of Materials Science</i> , 2017, 40, 1061-1068.	0.8	14
516	Gas-sensing enhancement methods for hydrothermal synthesized SnO ₂ -based sensors. <i>Nanotechnology</i> , 2017, 28, 452002.	1.3	22
517	Effect of the composition and structure of metal oxide nanocomposites on the sensor process when detecting reducing gases. <i>Russian Journal of Physical Chemistry A</i> , 2017, 91, 1609-1620.	0.1	5
518	Micropatternable Double-Faced ZnO Nanoflowers for Flexible Gas Sensor. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32876-32886.	4.0	147
519	Ab Initio Thermodynamic Investigation of Monolayer Stability of Multicomponent Metal Oxides: M _x O _y /ZnO(0001) and M _x O _y /TiO ₂ (110) (M = Pd, Ru, Ni, Pt, Au, Zn). <i>Journal of Physical Chemistry C</i> , 2017, 121, 21439-21448.	1.5	5
520	High-performance ethanol gas sensor using TiO ₂ nanostructures. <i>European Physical Journal Plus</i> , 2017, 132, 1.	1.2	8
521	Hydrogen gas sensing performance of polyaniline/titania/nickel oxide nanocomposite at room temperature. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2017, 224, 40-47.	1.7	5
522	Growth and properties of nanostructured titanium dioxide deposited by supersonic plasma jet deposition. <i>Applied Surface Science</i> , 2017, 425, 407-415.	3.1	15
523	A novel CO and C ₃ H ₈ sensor made of CuSb ₂ O ₆ nanoparticles. <i>Ceramics International</i> , 2017, 43, 13635-13644.	2.3	20
524	Gas sensing properties of (MoO ₃) _{0.4} (V ₂ O ₅) _{0.6} microsheets: Effect of Pd sensitization. <i>Vacuum</i> , 2017, 144, 135-144.	1.6	8
525	Improved sensing characteristics of methane over ZnO nano sheets upon implanting defects and foreign atoms substitution. <i>Nanotechnology</i> , 2017, 28, 415502.	1.3	17
526	Novel thermal barrier oxides for electronics thermal management: an assessment of WO ₃ . <i>Journal of Materials Science: Materials in Electronics</i> , 2017, 28, 16021-16025.	1.1	2
527	Porous silicon filled with Pd/WO ₃ -ZnO composite thin film for enhanced H ₂ gas-sensing performance. <i>RSC Advances</i> , 2017, 7, 39666-39675.	1.7	40
528	Plasmonic Crystal-Based Gas Sensor Toward an Optical Nose Design. <i>IEEE Sensors Journal</i> , 2017, 17, 6210-6223.	2.4	21
529	Novel p-n heterojunction Co ₃ O ₄ /AlOOH composites materials for gas sensing at room temperature. <i>Journal of Alloys and Compounds</i> , 2017, 727, 514-521.	2.8	22
530	Porous NiO-WO ₃ heterojunction nanofibers fabricated by electrospinning with enhanced gas sensing properties. <i>RSC Advances</i> , 2017, 7, 40499-40509.	1.7	59
531	A new approach to flexible humidity sensors using graphene quantum dots. <i>Journal of Materials Chemistry C</i> , 2017, 5, 8966-8973.	2.7	56
532	Facile preparation of molybdenum (VI) oxide Modified graphene oxide nanocomposite for specific enrichment of phosphopeptides. <i>Journal of Chromatography A</i> , 2017, 1521, 36-43.	1.8	33

#	ARTICLE	IF	CITATIONS
533	Quasi physisorptive two dimensional tungsten oxide nanosheets with extraordinary sensitivity and selectivity to NO ₂ . <i>Nanoscale</i> , 2017, 9, 19162-19175.	2.8	81
534	3D integrated monolayer graphene@Si CMOS RF gas sensor platform. <i>Npj 2D Materials and Applications</i> , 2017, 1, .	3.9	38
535	Efficient Gas-Sensing for Formaldehyde with 3D Hierarchical Co ₃ O ₄ Derived from Co ₅ -Based MOF Microcrystals. <i>Inorganic Chemistry</i> , 2017, 56, 14111-14117.	1.9	81
536	Improving the hydrogen gas sensitivity of WO ₃ thin films by modifying the deposition angle and thickness of different promoter layers. <i>International Journal of Hydrogen Energy</i> , 2017, 42, 29620-29628.	3.8	19
537	Structure-property relationships in NO _x sensor materials composed of arrays of vanadium oxide nanoclusters. <i>Solid State Sciences</i> , 2017, 74, 1-7.	1.5	2
538	Synthesis of a Co ₃ O ₄ @gold/MWCNT/polypyrrole hybrid composite for DMMP detection in chemical sensors. <i>RSC Advances</i> , 2017, 7, 50912-50919.	1.7	20
539	MOF-derived hierarchical ZnO/ZnFe ₂ O ₄ hollow cubes for enhanced acetone gas-sensing performance. <i>RSC Advances</i> , 2017, 7, 34609-34617.	1.7	58
540	Enhancement of Gas Sensitivity For MoO ₃ Nanobelt Sensor by Thermionic Field Emission. , 2017, 1, 1-4.		0
541	Enhancement of the hydrogen gas sensitivity by large distribution of c -axis preferred orientation in highly Ga-doped ZnO polycrystalline thin films. <i>Materials Science in Semiconductor Processing</i> , 2017, 68, 322-326.	1.9	15
542	Liquid flame spray fabrication of WO ₃ -reduced graphene oxide nanocomposites for enhanced O ₃ -sensing performances. <i>Ceramics International</i> , 2017, 43, 13185-13192.	2.3	21
543	Electronic Nose Functionality for Breath Gas Analysis during Parabolic Flight. <i>Microgravity Science and Technology</i> , 2017, 29, 201-207.	0.7	5
544	Synthesis of SnO ₂ nano-dodecahedrons with high-energy facets and their sensing properties to SO ₂ at low temperature. <i>Journal of Alloys and Compounds</i> , 2017, 723, 595-601.	2.8	40
545	Portable cyber-physical system for indoor and outdoor gas sensing. <i>Sensors and Actuators B: Chemical</i> , 2017, 252, 983-990.	4.0	15
546	RF sputtered SnO ₂ : NiO thin films as sub-ppm H ₂ S sensor operable at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2017, 242, 389-403.	4.0	78
547	UV-LED Photo-activated Chemical Gas Sensors: A Review. <i>Critical Reviews in Solid State and Materials Sciences</i> , 2017, 42, 416-432.	6.8	164
548	Advanced Mechatronics and MEMS Devices II. <i>Microsystems and Nanosystems</i> , 2017, , .	0.1	10
549	Electrochemically Derived Oxide Nanoform-Based Gas Sensor Devices: Challenges and Prospects with MEMS Integration. <i>Microsystems and Nanosystems</i> , 2017, , 297-328.	0.1	1
550	Highly enhanced acetone sensing performance of porous C-doped WO ₃ hollow spheres by carbon spheres as templates. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 597-607.	4.0	92

#	ARTICLE	IF	CITATIONS
551	Enhanced performance of novel calcium/aluminum co-doped zinc oxide for CO ₂ sensors. <i>Sensors and Actuators B: Chemical</i> , 2017, 239, 36-44.	4.0	88
552	Benefits and limitations of Pt nanoparticles supported on highly porous antimony-doped tin dioxide aerogel as alternative cathode material for proton-exchange membrane fuel cells. <i>Applied Catalysis B: Environmental</i> , 2017, 201, 381-390.	10.8	70
553	Bioelectronic nose: Current status and perspectives. <i>Biosensors and Bioelectronics</i> , 2017, 87, 480-494.	5.3	127
554	Zn doped MoO ₃ nanobelts and the enhanced gas sensing properties to ethanol. <i>Applied Surface Science</i> , 2017, 393, 377-384.	3.1	78
555	New insight into the gas sensing performance of SnO ₂ Nanorod-assembled urchins based on their assembly density. <i>Ceramics International</i> , 2017, 43, 728-735.	2.3	20
556	Design, fabrication, and characterization of portable gas sensors based on spinel ferrite nanoparticles embedded in organic membranes. <i>Sensors and Actuators B: Chemical</i> , 2017, 241, 1179-1187.	4.0	46
557	Hybrid layer-by-layer (LbL) films of polyaniline, graphene oxide and zinc oxide to detect ammonia. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 795-801.	4.0	81
558	Fabrication of ultra-high sensitive and selective CH ₄ room temperature gas sensing of TiO ₂ nanorods: Detailed study on the annealing temperature. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 402-419.	4.0	88
559	Highly sensitive acetone gas sensor based on ultrafine γ -Fe ₂ O ₃ nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2017, 238, 923-927.	4.0	126
560	Unconventional Synthesis of γ -Fe ₂ O ₃ : Excellent Low-Concentration Ethanol Sensing Performance. <i>Journal of Electronic Materials</i> , 2017, 46, 478-487.	1.0	8
561	Electrospun Iron-Based Fibers for Use in MEMS Sensors. <i>Journal of Microelectromechanical Systems</i> , 2017, 26, 987-989.	1.7	0
562	Investigation into Tin-Germanium Oxide Films Deposited from Aqueous Solutions and Their Application to Metallizations on Glass. <i>Journal of the Electrochemical Society</i> , 2017, 164, D1066-D1072.	1.3	1
563	Metal nanostructures: from clusters to nanocatalysis and sensors. <i>Physics-Uspexhi</i> , 2017, 60, 1236-1267.	0.8	15
564	Room-temperature H ₂ S Gas Sensor Based on Au-doped ZnFe ₂ O ₄ Yolk-shell Microspheres. <i>Analytical Sciences</i> , 2017, 33, 945-951.	0.8	17
565	Transparent heaters made by ultrasonic spray pyrolysis of SnO ₂ on soda-lime glass substrates. <i>Journal of Physics: Conference Series</i> , 2017, 939, 012011.	0.3	0
566	A method of accelerated regeneration for a microfluidic gas sensor. , 2017, , .		0
567	Alcohol Sensing Properties of Titanium Dioxide and Barium Nitrate Oxide Microstructure Device. <i>Procedia Engineering</i> , 2017, 216, 58-65.	1.2	0
568	Effect of Modification/Doping on Gas Sensing Properties of SnO ₂ . <i>Nano Research & Applications</i> , 2017, 03, .	0.2	8

#	ARTICLE	IF	CITATIONS
569	Smart Sensor Systems for Wearable Electronic Devices. <i>Polymers</i> , 2017, 9, 303.	2.0	185
570	Impact of Temperature and UV Irradiation on Dynamics of NO ₂ Sensors Based on ZnO Nanostructures. <i>Nanomaterials</i> , 2017, 7, 312.	1.9	33
571	Deposition Rate Influence in O ₃ Sensing Response of Sputtered ZnO Thin Films. <i>Proceedings (mdpi)</i> , 2017, 1, 429.	0.2	3
572	Odor-Sensing System to Support Social Participation of People Suffering from Incontinence. <i>Sensors</i> , 2017, 17, 58.	2.1	12
573	Electrospinning Hetero-Nanofibers In ₂ O ₃ /SnO ₂ of Homotype Heterojunction with High Gas Sensing Activity. <i>Sensors</i> , 2017, 17, 1822.	2.1	30
574	Wireless Distributed Environmental Sensor Networks for Air Pollution Measurement—The Promise and the Current Reality. <i>Sensors</i> , 2017, 17, 2263.	2.1	39
575	New ZnO-Based Glass Ceramic Sensor for H ₂ and NO ₂ Detection. <i>Sensors</i> , 2017, 17, 2538.	2.1	6
576	Monitoring the Wobbe Index of Natural Gas Using Fiber-Enhanced Raman Spectroscopy. <i>Sensors</i> , 2017, 17, 2714.	2.1	28
577	Surface Acoustic Wave (SAW) for Chemical Sensing Applications of Recognition Layers. <i>Sensors</i> , 2017, 17, 2716.	2.1	122
578	Chemical sensors based on hybrid nanomaterials for food analysis. , 2017, , 205-244.		12
579	The Morphologies of the Semiconductor Oxides and Their Gas-Sensing Properties. <i>Sensors</i> , 2017, 17, 2779.	2.1	69
580	Characterization of Reduced Graphene Oxide (rGO)-Loaded SnO ₂ Nanocomposite and Applications in C ₂ H ₂ Gas Detection. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 19.	1.3	40
581	Two-Dimensional Zinc Oxide Nanostructures for Gas Sensor Applications. <i>Chemosensors</i> , 2017, 5, 17.	1.8	134
582	How Sensors Might Help Define the External Exposome. <i>International Journal of Environmental Research and Public Health</i> , 2017, 14, 434.	1.2	73
583	Effect of Precursor Concentration on Structural Optical and Electrical Properties of NiO Thin Films Prepared by Spray Pyrolysis. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-10.	1.5	37
584	Gas Sensing Properties of NiSb ₂ O ₆ Micro- and Nanoparticles in Propane and Carbon Monoxide Atmospheres. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-9.	1.5	18
585	Facile Synthesis, Microstructure, and Gas Sensing Properties of NdCo ₃ Nanoparticles. <i>Journal of Nanomaterials</i> , 2017, 2017, 1-10.	1.5	10
586	TiO ₂ /Pt/TiO ₂ Sandwich Nanostructures: Towards Alcohol Sensing and UV Irradiation-Assisted Recovery. <i>Journal of Chemistry</i> , 2017, 2017, 1-7.	0.9	5

#	ARTICLE	IF	CITATIONS
587	CeO ₂ Enhanced Ethanol Sensing Performance in a CdS Gas Sensor. <i>Sensors</i> , 2017, 17, 1577.	2.1	21
588	Design, fabrication, characterization and packaging of bottom gate and nano-porous TiO ₂ /In ₂ O ₃ based FET. , 2017, , .		1
589	Synthesis Characterization of Nanostructured ZnCo ₂ O ₄ with High Sensitivity to CO Gas. , 2017, , .		0
590	Highly Sensitive Sensors Based on Metal-Oxide Nanocolumns for Fire Detection. <i>Sensors</i> , 2017, 17, 303.	2.1	34
591	Gas sensing and capturing based on two-dimensional layered materials: Overview from theoretical perspective. <i>Wiley Interdisciplinary Reviews: Computational Molecular Science</i> , 2018, 8, e1361.	6.2	101
592	<i>In situ</i> diffraction studies on reversible oxygen uptake and release in AFe ₂ O ₄ + $\hat{\Gamma}$ (A= Lu, Yb, Y, and In). <i>Journal of Materials Chemistry A</i> , 2018, 6, 4801-4810.	5.2	8
593	Aluminum oxo-fluoride clusters: A first principle investigation of stability, synthetic considerations, and the interaction with water. <i>Journal of Computational Chemistry</i> , 2018, 39, 1208-1214.	1.5	2
594	CeO ₂ /TiO ₂ core/shell nanoparticles as quantitative gas sensor at room temperature. <i>Sensor Review</i> , 2018, 38, 458-466.	1.0	9
595	Fabrication of conductive graphene oxide-WO ₃ composite nanofibers by electrospinning and their enhanced acetone gas sensing properties. <i>Sensors and Actuators B: Chemical</i> , 2018, 264, 128-138.	4.0	121
596	Room-Temperature Ammonia Gas Sensing Using Mixed-Valent CuCo ₂ O ₄ Nanoplatelets: Performance Enhancement through Stoichiometry Control. <i>ACS Omega</i> , 2018, 3, 1977-1982.	1.6	44
597	Barium hexaferrite thick-films for ozone detection at low temperature. <i>Solid State Ionics</i> , 2018, 320, 24-32.	1.3	10
598	MEMS-Based Gas Sensor Using PdO-Decorated TiO ₂ Thin Film for Highly Sensitive and Selective H ₂ Detection with Low Power Consumption. <i>Electronic Materials Letters</i> , 2018, 14, 305-313.	1.0	12
599	A review on chemiresistive room temperature gas sensors based on metal oxide nanostructures, graphene and 2D transition metal dichalcogenides. <i>Mikrochimica Acta</i> , 2018, 185, 213.	2.5	502
600	Well-Tuned Surface Oxygen Chemistry of Cation Off-Stoichiometric Spinel Oxides for Highly Selective and Sensitive Formaldehyde Detection. <i>Chemistry of Materials</i> , 2018, 30, 2018-2027.	3.2	64
601	Highly selective and sensitive chemoresistive humidity sensors based on rGO/MoS ₂ van der Waals composites. <i>Journal of Materials Chemistry A</i> , 2018, 6, 5016-5024.	5.2	132
602	Toward Adequate Operation of Amorphous Oxide Thin-Film Transistors for Low-Concentration Gas Detection. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 10185-10193.	4.0	50
603	Fabrication of porous silicon filled Pd/SiC nanocauliflower thin films for high performance H ₂ gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 264, 10-19.	4.0	52
604	Correlation between excited d-orbital electron lifetime in polaron dynamics and coloration of WO ₃ upon ultraviolet exposure. <i>Applied Surface Science</i> , 2018, 440, 1244-1251.	3.1	15

#	ARTICLE	IF	CITATIONS
605	Analysis of the dynamics of an active control of the surface potential in metal oxide gas sensors. Computers and Chemical Engineering, 2018, 113, 1-10.	2.0	3
606	AACVD and gas sensing properties of nickel oxide nanoparticle decorated tungsten oxide nanowires. Journal of Materials Chemistry C, 2018, 6, 5181-5192.	2.7	30
607	Highly Ammonia Sensing Using Direct In Situ Electro-Deposited Polypyrrole-Dodecylbenzene Sulfonic Acid Film on ITO Coated Flexible Substrates. Macromolecular Research, 2018, 26, 511-520.	1.0	14
608	Ni: Fe ₂ O ₃ , Mg: Fe ₂ O ₃ and Fe ₂ O ₃ thin films gas sensor application. Physica B: Condensed Matter, 2018, 541, 14-18.	1.3	27
609	An electrical circuit model for additive-modified SnO ₂ ceramics. Materials Research Express, 2018, 5, 056303.	0.8	0
610	A Model for Safe Transport of Critical Patients in Unmanned Drones with a "Watch" Style Continuous Anesthesia Sensor. Journal of the Electrochemical Society, 2018, 165, B3071-B3077.	1.3	11
611	Effect of pyrolysis process parameters on electrical, physical, chemical and electro-chemical properties of SU-8-derived carbon structures fabricated using the C-MEMS process. Materials Today: Proceedings, 2018, 5, 9669-9682.	0.9	28
612	An Ultrastable Ionic Chemiresistor Skin with an Intrinsically Stretchable Polymer Electrolyte. Advanced Materials, 2018, 30, e1706851.	11.1	75
613	Fabrication and Characterization of Titanium Dioxide Based Pd/TiO ₂ /Si MOS Sensor for Hydrogen Gas. IEEE Sensors Journal, 2018, 18, 3952-3959.	2.4	16
614	Ammonia Sensing Using a Composite of Graphene Oxide and Conducting Polymer. Physica Status Solidi - Rapid Research Letters, 2018, 12, 1800037.	1.2	18
615	ZnO-carbon nanofibers for stable, high response, and selective H ₂ S sensors. Nanotechnology, 2018, 29, 275501.	1.3	29
616	Sensor Properties of Nanostructured Systems Based on Indium Oxide with Co ₃ O ₄ or ZrO ₂ Additives. Russian Journal of Physical Chemistry B, 2018, 12, 129-134.	0.2	13
617	Fabrication of Co ₃ O ₄ /PEI-GO composites for gas-sensing applications at room temperature. Materials Research Bulletin, 2018, 102, 108-115.	2.7	20
618	Studies on gas sensing behavior of ZnNb ₂ O ₆ nano composite towards hydrogen. Materials Today Communications, 2018, 15, 30-35.	0.9	3
619	Hollow Pt-Functionalized SnO ₂ Hemipill Network Formation Using a Bacterial Skeleton for the Noninvasive Diagnosis of Diabetes. ACS Sensors, 2018, 3, 661-669.	4.0	37
620	Characteristics of MEH-PPV/Si and MEH-PPV/PS Heterojunctions as NO ₂ Gas Sensors. Silicon, 2018, 10, 1345-1350.	1.8	4
621	Enhanced ethanol sensing properties based on spherical-coral-like SnO ₂ nanorods decorated with Fe ₂ O ₃ nanocrystallites. Sensors and Actuators B: Chemical, 2018, 261, 505-514.	4.0	43
622	Synthesis, characterization and hydrogen sensing properties of nanosized colloidal rhodium oxides prepared by Pulsed Laser Ablation in water. Sensors and Actuators B: Chemical, 2018, 262, 79-85.	4.0	11

#	ARTICLE	IF	CITATIONS
623	Photochemistry and the role of light during the submerged photosynthesis of zinc oxide nanorods. <i>Scientific Reports</i> , 2018, 8, 177.	1.6	19
624	Strategic Synthesis of SiO ₂ -Modified Porous Co ₃ O ₄ Nano-Octahedra Through the Nanocoordination Polymer Route for Enhanced and Selective Sensing of H ₂ Gas over NO _x . <i>ACS Omega</i> , 2018, 3, 648-661.	1.6	30
625	High sensitivity and selectivity of CaCu ₃ Ti ₄ O ₁₂ -ZnO composites towards acetone gas at room temperature. <i>Ceramics International</i> , 2018, 44, 6904-6911.	2.3	30
626	A study on gaseous extinguishing agent sensing with a simple measurement method. <i>Measurement Science and Technology</i> , 2018, 29, 035105.	1.4	10
627	Preparation of Cu, Ni and Co oxides by a citric acid-aided route. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018, 132, 503-512.	2.0	10
628	Alcohol gas sensors capable of wireless detection using In ₂ O ₃ /Pt nanoparticles and Ag nanowires. <i>Sensors and Actuators B: Chemical</i> , 2018, 259, 825-832.	4.0	45
629	Tuning of material properties of ZnO thin films grown by plasma-enhanced atomic layer deposition at room temperature. <i>Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films</i> , 2018, 36, .	0.9	35
630	Investigation of Pt and Pd Modified WO ₃ and ZnO Based Thin Film Sensors for Ethanol Sensing. <i>Journal of Materials Engineering and Performance</i> , 2018, 27, 2635-2642.	1.2	14
631	Sensing mechanism of ethanol and acetone at room temperature by SnO ₂ nano-columns synthesized by aerosol routes: theoretical calculations compared to experimental results. <i>Journal of Materials Chemistry A</i> , 2018, 6, 2053-2066.	5.2	82
632	Nanoscale PtO ₂ Catalysts-Loaded SnO ₂ Multichannel Nanofibers toward Highly Sensitive Acetone Sensor. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 2016-2025.	4.0	96
633	NH ₃ sensing properties of surface modified Ce-doped nanostructured ZnO thin films prepared by spray pyrolysis method. <i>Sensors and Actuators A: Physical</i> , 2018, 269, 435-443.	2.0	9
634	Controlled Pore Sizes in Monolayer C ₂ N Act as Ultrasensitive Probes for Detection of Gaseous Pollutants (HF, HCN, and H ₂ S). <i>Journal of Physical Chemistry C</i> , 2018, 122, 2248-2258.	1.5	53
635	Effect of solution concentration on physicochemical and NO ₂ gas sensing properties of sprayed MoO ₃ nanobelts. <i>Thin Solid Films</i> , 2018, 648, 50-61.	0.8	18
636	Microwave plasma annealing of sol-gel deposited tantalum oxide and zinc oxide films. <i>Vacuum</i> , 2018, 149, 336-342.	1.6	10
637	Semiconductor metal oxide gas sensors: A review. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2018, 229, 206-217.	1.7	1,446
638	High-Sensitivity Sensor Using C ₆₀ -Single Molecule Transistor. <i>IEEE Sensors Journal</i> , 2018, 18, 248-254.	2.4	17
639	Facile synthesis of mesoporous ZnO sheets assembled by small nanoparticles for enhanced NO ₂ sensing performance at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2018, 270, 207-215.	4.0	42
640	Metal Oxide Particles and Their Prospects for Applications. , 2018, , 3-42.		20

#	ARTICLE	IF	CITATIONS
641	Deposition and characterization of ultrathin intrinsic zinc oxide (i-ZnO) films by radio frequency (RF) sputtering for propane gas sensing application. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 15682-15692.	1.1	24
642	Au@NiO core-shell nanoparticles as a p-type gas sensor: Novel synthesis, characterization, and their gas sensing properties with sensing mechanism. <i>Sensors and Actuators B: Chemical</i> , 2018, 268, 223-231.	4.0	162
643	Improvement of gas-adsorption performances of Ag-functionalized monolayer MoS ₂ surfaces: A first-principles study. <i>Journal of Applied Physics</i> , 2018, 123, .	1.1	14
644	Fabrication of three-layered ZnO-CuO-SnO ₂ hybrid nanostructures n-p-n hetero-junctions. <i>Integrated Ferroelectrics</i> , 2018, 187, 63-69.	0.3	2
645	Design and engineering of ionization gas sensor based on Mn nano-flower sculptured thin film as cathode and a stainless steel ball as anode. <i>Sensors and Actuators B: Chemical</i> , 2018, 266, 620-636.	4.0	59
646	W-Air. , 2018, 2, 1-25.		54
647	High-performance ethanol sensors based on hematite fluffy microtubes assembled with interconnected ultrafine nanorods. <i>Materials Letters</i> , 2018, 222, 88-91.	1.3	4
648	Improving the ozone gas-sensing properties of CuWO ₄ nanoparticles. <i>Journal of Alloys and Compounds</i> , 2018, 748, 411-417.	2.8	44
649	Improved Sensitivity with Low Limit of Detection of a Hydrogen Gas Sensor Based on rGO-Loaded Ni-Doped ZnO Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 11116-11124.	4.0	137
650	An Innovative Method for the Removal of Toxic SO _x Molecules from Environment by TiO ₂ /Stanene Nanocomposites: A First-Principles Study. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2018, 28, 1901-1913.	1.9	8
651	Direct growth of Al-doped ZnO ultrathin nanosheets on electrode for ethanol gas sensor application. <i>Applied Surface Science</i> , 2018, 447, 173-181.	3.1	69
652	Recent advances in quartz enhanced photoacoustic sensing. <i>Applied Physics Reviews</i> , 2018, 5, .	5.5	174
653	Flexible Ultraviolet and Ambient Light Sensor Based on a Nanomaterial Network Fabricated Using Selective and Localized Wet Chemical Reactions. <i>Langmuir</i> , 2018, 34, 4132-4141.	1.6	3
654	Effect of Fe and Co doping on ethanol sensing property of powder-based ZnO nanostructures prepared by sol-gel method. <i>Journal of Sol-Gel Science and Technology</i> , 2018, 86, 255-265.	1.1	31
655	Zeolitic imidazolate framework-coated acoustic sensors for room temperature detection of carbon dioxide and methane. <i>Nanoscale</i> , 2018, 10, 8075-8087.	2.8	84
656	H ₂ S Sensing in Dry and Humid H ₂ Environment With p-Type CuO Thick-Film Gas Sensors. <i>IEEE Sensors Journal</i> , 2018, 18, 3502-3508.	2.4	15
657	Tuning Material Properties of Oxides and Nitrides by Substrate Biasing during Plasma-Enhanced Atomic Layer Deposition on Planar and 3D Substrate Topographies. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 13158-13180.	4.0	85
658	Effects of annealing temperature on the H ₂ -sensing properties of Pd-decorated WO ₃ nanorods. <i>Applied Physics A: Materials Science and Processing</i> , 2018, 124, 1.	1.1	5

#	ARTICLE	IF	CITATIONS
659	Enhanced Gas Sensing Properties of Liquid-Processed Semiconducting Tungsten Chalcogenide (WX_{1-x} , X = O and S) Based Hybrid Nanomaterials. <i>IEEE Sensors Journal</i> , 2018, 18, 3494-3501.	2.4	25
660	Nanomaterial-based gas sensors: A review. <i>Instrumentation Science and Technology</i> , 2018, 46, 115-145.	0.9	94
661	Ordered porous metal oxide semiconductors for gas sensing. <i>Chinese Chemical Letters</i> , 2018, 29, 405-416.	4.8	134
662	Investigating time-resolved response of micro thermal conductivity sensor under various modes of operation. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 771-777.	4.0	23
663	Pd impregnated gallia: tin oxide nanocomposite—An excellent high temperature carbon monoxide sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 254, 437-447.	4.0	9
664	Highly monodispersed mesoporous, heterojunction ZnO@Au micro-spheres for trace-level detection of NO ₂ gas. <i>Microporous and Mesoporous Materials</i> , 2018, 255, 156-165.	2.2	35
665	Iron and carbon codoped WO ₃ with hierarchical walnut-like microstructure for highly sensitive and selective acetone sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 27-37.	4.0	76
667	All villi-like metal oxide nanostructures-based chemiresistive electronic nose for an exhaled breath analyzer. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 295-302.	4.0	51
668	Fe ₂ O ₃ nanoporous network fabricated from Fe ₃ O ₄ /reduced graphene oxide for high-performance ethanol gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 3275-3283.	4.0	120
669	Acidic and catalytic co-functionalization for tuning the sensitivity of sulfated tin oxide modified by ruthenium oxide to ammonia gas. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 3523-3532.	4.0	13
670	Palladium (Pd) sensitized molybdenum trioxide (MoO ₃) nanobelts for nitrogen dioxide (NO ₂) gas detection. <i>Solid-State Electronics</i> , 2018, 139, 21-30.	0.8	38
671	Silver nanowires-single walled carbon nanotubes heterostructure chemiresistors. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 7-17.	4.0	18
672	Influence of post-deposition annealing and the ITO underlayer on the properties of hybrid TiO ₂ /ITO nanocomposite for enhanced hydrogen sensing at room temperature. <i>Ceramics International</i> , 2018, 44, 993-1001.	2.3	8
673	A review on efficient self-heating in nanowire sensors: Prospects for very-low power devices. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 797-811.	4.0	59
674	Porous silicon ZnO/SnO ₂ structures for CO ₂ detection. <i>Journal of Alloys and Compounds</i> , 2018, 731, 853-863.	2.8	55
675	Ambient temperature selective ammonia gas sensor based on SnO ₂ -APTES modifications. <i>Sensors and Actuators B: Chemical</i> , 2018, 256, 440-447.	4.0	48
676	Recent advances in carbon material-based NO ₂ gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1788-1804.	4.0	223
677	Kinetics of response of ZnO-Ag ceramics for resistive gas sensor to the impact of methane, and its analysis using a stretched exponential function. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1680-1686.	4.0	9

#	ARTICLE	IF	CITATIONS
678	Study of interaction mechanism of metal phthalocyanines dispersed sol-gel glasses with chemical vapours. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1849-1868.	4.0	11
679	Highly sensitive acetone-sensing properties of Pt-decorated CuFe ₂ O ₄ nanotubes prepared by electrospinning. <i>Ceramics International</i> , 2018, 44, 2856-2863.	2.3	59
680	Surface functionalized nanocellulose as a veritable inclusionary material in contemporary bioinspired applications: A review. <i>Journal of Applied Polymer Science</i> , 2018, 135, 46065.	1.3	70
681	Zinc modified cadmium titanite nanoparticles: Electrical and room temperature methanol sensing properties. <i>Ceramics International</i> , 2018, 44, 4751-4757.	2.3	7
682	Room temperature humidity sensors based on rGO/MoS ₂ hybrid composites synthesized by hydrothermal method. <i>Sensors and Actuators B: Chemical</i> , 2018, 258, 775-782.	4.0	121
683	Ammonia vapour sensing properties of <i>in situ</i> polymerized conducting PANI-nanofiber/WS ₂ nanosheet composites. <i>New Journal of Chemistry</i> , 2018, 42, 735-745.	1.4	64
684	Comparing different ITO-metal thin film structures for ethanol and carbon dioxide sensing application. <i>Sensor Review</i> , 2018, 38, 34-43.	1.0	5
685	Sensing performance of reduced graphene oxide-Fe doped WO ₃ hybrids to NO ₂ and humidity at room temperature. <i>Applied Surface Science</i> , 2018, 434, 126-133.	3.1	48
686	Enhanced formaldehyde sensing properties of IrO ₂ -loaded porous foam-like Ga _{1.4} In _{0.6} O ₃ nanofibers with ultrathin pore walls. <i>Journal of Alloys and Compounds</i> , 2018, 732, 856-862.	2.8	6
687	Creation of oxygen vacancies to activate WO ₃ for higher efficiency dye-sensitized solar cells. <i>Sustainable Energy and Fuels</i> , 2018, 2, 403-412.	2.5	45
688	Exploiting Synergies in Catalysis and Gas Sensing using Noble Metal-Loaded Oxide Composites. <i>ChemCatChem</i> , 2018, 10, 864-880.	1.8	50
689	Yolk-shelled ZnCo ₂ O ₄ microspheres: Surface properties and gas sensing application. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 906-915.	4.0	197
690	Zinc peroxide combustion promoter in preparation of CuO layers for conductometric CO ₂ sensing. <i>Sensors and Actuators B: Chemical</i> , 2018, 257, 1027-1034.	4.0	24
691	A facile synthesis of hybrid nanocomposites of reduced graphene oxide/ZnO and its surface modification characteristics for ozone sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 3074-3086.	1.1	19
692	Thiol group functionalization of mesoporous SiO ₂ SBA-15 using supercritical CO ₂ . <i>Microporous and Mesoporous Materials</i> , 2018, 256, 147-154.	2.2	18
693	Room temperature vanadium dioxide-carbon nanotube gas sensors made via continuous hydrothermal flow synthesis. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 1119-1129.	4.0	57
694	Transfer of preheat-treated SnO ₂ via a sacrificial bridge-type ZnO layer for ethanol gas sensor. <i>Sensors and Actuators B: Chemical</i> , 2018, 255, 70-77.	4.0	12
695	Current Progress of Nanomaterials in Molecularly Imprinted Electrochemical Sensing. <i>Critical Reviews in Analytical Chemistry</i> , 2018, 48, 15-32.	1.8	78

#	ARTICLE	IF	CITATIONS
696	Testing the performance of field calibration techniques for low-cost gas sensors in new deployment locations: across a county line and across Colorado. Atmospheric Measurement Techniques, 2018, 11, 6351-6378.	1.2	21
697	Influence of carrier mobility on sensitivity of room-temperature-operation CO ₂ sensor based on SnO ₂ thin film. Japanese Journal of Applied Physics, 2018, 57, 115503.	0.8	6
698	Modification in the properties of SnO ₂ and TiO ₂ nanocomposite thin films by low energy ion irradiation. Integrated Ferroelectrics, 2018, 193, 88-99.	0.3	4
699	Smart Materials for Wearable Healthcare Devices. , 0, , .		4
700	Modified CNTs for NO ₂ detection. , 2018, , .		1
701	Electronic Nose System and Principal Component Analysis Technique for Gases Identification. , 2018, , 167-180.		6
702	Low Temperature and Highly Selective H ₂ Sensing System Using WO ₃ -ZnO Heterostructure Decorated with Pd Nanoparticle. , 2018, , .		0
703	Water-Based Indium Tin Oxide Nanoparticle Ink for Printed Toluene Vapours Sensor Operating at Room Temperature. Sensors, 2018, 18, 3246.	2.1	16
704	Recent Advances and Techniques in the Hazardous Gases Detection. , 2018, , 1-19.		1
705	Electronic nose dataset for beef quality monitoring in uncontrolled ambient conditions. Data in Brief, 2018, 21, 2414-2420.	0.5	29
706	ITO-Nano-Titania Gas Sensors at Adsorption of Ethanol, Acetone and Water Molecules. , 2018, , .		0
707	Electron Exchange Process Control Between Silver Nanoparticles and Metal-Oxides for Highly Selective Gas Detection. , 2018, , .		0
708	In Operando Impedance Spectroscopic Analysis on NiO@WO ₃ Nanorod Heterojunction Random Networks for Room-Temperature H ₂ S Detection. ACS Omega, 2018, 3, 18685-18693.	1.6	18
709	Non-Linear Machine Learning with Active Sampling for MOX Drift Compensation. , 2018, , .		3
710	Impact of Different Ratios of Fluorine, Oxygen, and Hydroxyl Surface Terminations on Ti ₃ C ₂ T _x MXene as Ammonia Sensor: A First-Principles Study. , 2018, , .		18
711	Selective Functionalization of High-Resolution Cu ₂ O Nanopatterns via Galvanic Replacement for Highly Enhanced Gas Sensing Performance. Sensors, 2018, 18, 4438.	2.1	6
712	Research Advances of Amorphous Metal Oxides in Electrochemical Energy Storage and Conversion. Small, 2019, 15, e1804371.	5.2	202
714	Determination of the Optimal Sensing Temperature in Pt/Ta ₂ O ₅ /MoO ₃ Schottky Contacted Nanobelt Straddling Heterojunction. Sensors, 2018, 18, 3770.	2.1	7

#	ARTICLE	IF	CITATIONS
715	Optimization of the Pt Nanoparticle Size and Calcination Temperature for Enhanced Sensing Performance of Pt-Decorated In ₂ O ₃ Nanorods. Journal of the Korean Physical Society, 2018, 73, 1444-1451.	0.3	10
716	Near room temperature sensing of nitric oxide using SnO ₂ /Ni-decorated natural cellulosic graphene nanohybrid film. Journal of Materials Science: Materials in Electronics, 2018, 29, 20162-20171.	1.1	21
717	Theodor. , 2018, , .		9
718	Two-Dimensional Transition Metal Dichalcogenides and Metal Oxide Hybrids for Gas Sensing. ACS Sensors, 2018, 3, 2045-2060.	4.0	376
719	Designer Perfect Light Absorption Using Ultrathin Lossless Dielectrics on Absorptive Substrates. Advanced Optical Materials, 2018, 6, 1800672.	3.6	26
720	Tailoring of the chlorine sensing properties of substituted metal phthalocyanines non-covalently anchored on single-walled carbon nanotubes. RSC Advances, 2018, 8, 32719-32730.	1.7	14
721	Semiconductor Ceramic Mn _{0.5} Fe _{1.5} O ₃ -Fe ₂ O ₃ from Natural Minerals as Ethanol Gas Sensors. IOP Conference Series: Materials Science and Engineering, 2018, 367, 012041.	0.3	2
722	2D Materials for Gas Sensing Applications: A Review on Graphene Oxide, MoS ₂ , WS ₂ and Phosphorene. Sensors, 2018, 18, 3638.	2.1	382
724	A review on flexible gas sensors: From materials to devices. Sensors and Actuators A: Physical, 2018, 284, 209-231.	2.0	164
725	Characteristic Study of Doped ZnO Thin Film. , 2018, , .		3
726	Dual Transduction Surface Acoustic Wave Gas Sensor for VOC Discrimination. IEEE Electron Device Letters, 2018, 39, 1920-1923.	2.2	28
727	2D Metal Chalcogenide Nanopatterns by Block Copolymer Lithography. Advanced Functional Materials, 2018, 28, 1804508.	7.8	41
728	Mesoporous silica mediated synthesis of γ -Fe ₂ O ₃ porous structures and their application as humidity sensors. Journal of Materials Science: Materials in Electronics, 2018, 29, 20506-20516.	1.1	13
729	Hydrogenation and Dehydrogenation of Hydrophobic Pd-Capped Vertically Aligned Porous Ti Nanoflake Thin Film. Jom, 2018, 70, 2179-2184.	0.9	14
730	Carbon Monoxide Sensing Technologies for Next-Generation Cyber-Physical Systems. Sensors, 2018, 18, 3443.	2.1	68
731	Investigation of ZnO thin-film sensing properties for CO ₂ detection: effect of Mn doping. Journal of Theoretical and Applied Physics, 2018, 12, 219-225.	1.4	33
732	Structural, Topography, and Optical Properties of Ba ²⁺ -Doped Mn ₃ O ₄ Thin Films for Ammonia Gas Sensing Application. Physica Status Solidi (A) Applications and Materials Science, 2018, 215, 1800379.	0.8	21
733	Fabrication of three-dimensional zinc oxide nanoflowers for high-sensitivity fiber-optic ammonia gas sensors. Applied Optics, 2018, 57, 7924.	0.9	29

#	ARTICLE	IF	CITATIONS
734	6.10 Electrically Conductive Nanocomposites. , 2018, , 248-314.		3
735	Morphologyâ€Controlled Aluminumâ€Doped Zinc Oxide Nanofibers for Highly Sensitive NO ₂ Sensors with Full Recovery at Room Temperature. Advanced Science, 2018, 5, 1800816.	5.6	48
736	Heptazine based organic framework as a chemiresistive sensor for ammonia detection at room temperature. Journal of Materials Chemistry A, 2018, 6, 18389-18395.	5.2	61
737	An overview: Facet-dependent metal oxide semiconductor gas sensors. Sensors and Actuators B: Chemical, 2018, 277, 604-633.	4.0	286
738	Fabrication of shrub-like CuO porous films by a top-down method for high-performance ethanol gas sensor. Vacuum, 2018, 157, 332-339.	1.6	37
739	High-Performance Nanowire Hydrogen Sensors by Exploiting the Synergistic Effect of Pd Nanoparticles and Metalâ€Organic Framework Membranes. ACS Applied Materials & Interfaces, 2018, 10, 34765-34773.	4.0	135
740	Influence of porosity on the properties of nanostructured tin oxide thin film. Materials Research Express, 2018, 5, 116406.	0.8	7
741	Polytetrafluoroethylene bindered hematite (Fe ₂ O ₃) nanostructure for ammonia gas detection at room temperature. Materials Research Express, 2018, 5, 125002.	0.8	6
742	Mesoporous titania films templated by cellulose nanocrystals: morphological and spectrophotometric properties. Cellulose, 2018, 25, 6591-6602.	2.4	5
743	Dimensional effect of ZnO nanorods on gas-sensing performance. Journal Physics D: Applied Physics, 2018, 51, 435101.	1.3	35
744	Optical CO ₂ Gas Sensing Based on TiO ₂ Thin Films of Diverse Thickness Decorated with Silver Nanoparticles. Advances in Materials Science and Engineering, 2018, 2018, 1-12.	1.0	15
745	Sensitivity Tests of Pellets Made from Manganese Antimonate Nanoparticles in Carbon Monoxide and Propane Atmospheres. Sensors, 2018, 18, 2299.	2.1	19
746	Highly Sensitive, Temperature-Independent Oxygen Gas Sensor Based on Anatase TiO ₂ Nanoparticle Grafted, 2D Mixed Valent VO _x Nanoflakelets. ACS Sensors, 2018, 3, 1811-1821.	4.0	55
747	Pentacene Coated Atop of Ultrathin InN Gas Sensor Device for the Selective Sensing of Ammonia Gas for Liver Malfunction Application. ECS Journal of Solid State Science and Technology, 2018, 7, Q3208-Q3214.	0.9	4
748	Weak Ferromagnetic in Band Gap Engineered Cr ₂ O ₃ Doped with Fe ₂ O ₃ Doped. , 2018, , .		0
749	Exploring NiO nanosize structures for ammonia sensing. Journal of Materials Science: Materials in Electronics, 2018, 29, 11870-11877.	1.1	19
750	Investigation of the role of deposition rate on optical, microstructure and ethanol sensing characteristics of nanostructured Sn doped In ₂ O ₃ films. Materials Research Bulletin, 2018, 106, 49-56.	2.7	14
751	Technology review: prototyping platforms for monitoring ambient conditions. International Journal of Environmental Health Research, 2018, 28, 253-279.	1.3	8

#	ARTICLE	IF	CITATIONS
752	Photoluminescence properties of SnO ₂ nanoparticles: Effect of solvents. <i>Optik</i> , 2018, 169, 314-320.	1.4	38
753	NO ₂ gas sensing properties of sprayed composite porous MoO ₃ -V ₂ O ₅ thin films. <i>Materials Chemistry and Physics</i> , 2018, 216, 294-304.	2.0	33
754	Chemically Modified Polyaniline for the Detection of Volatile Biomarkers of Minimal Sensitivity to Humidity and Bending. <i>Advanced Healthcare Materials</i> , 2018, 7, e1800232.	3.9	23
755	Bimodally Porous WO ₃ Microbelts Functionalized with Pt Catalysts for Selective H ₂ S Sensors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 20643-20651.	4.0	87
756	Facile preparation of hierarchical Sb-doped In ₂ O ₃ microstructures for acetone detection. <i>Sensors and Actuators B: Chemical</i> , 2018, 270, 304-311.	4.0	70
757	Application of a novel S ₃ nanowire gas sensor device in parallel with GC-MS for the identification of Parmigiano Reggiano from US and European competitors. <i>Journal of Food Engineering</i> , 2018, 236, 36-43.	2.7	13
758	Structural, optical and gas sensing properties of vertically well-aligned ZnO nanowires grown on graphene/Si substrate by thermal evaporation method. <i>Materials Characterization</i> , 2018, 141, 296-317.	1.9	31
759	Key processing of porous and fibrous LaCoO ₃ nanostructures for successful CO and propane sensing. <i>Ceramics International</i> , 2018, 44, 15402-15410.	2.3	23
760	Hybrid nanomaterials designed for volatile organic compounds sensors: A review. <i>Materials and Design</i> , 2018, 156, 154-166.	3.3	128
761	Chemical sensing with 2D materials. <i>Chemical Society Reviews</i> , 2018, 47, 4860-4908.	18.7	513
762	The enhanced ethanol sensing properties obtained by the introduction of NiO into ZnO/SnO ₂ mixed metal oxides. <i>Journal of Solid State Chemistry</i> , 2018, 265, 345-352.	1.4	5
763	Synthesis of Pd-loaded mesoporous SnO ₂ hollow spheres for highly sensitive and stable methane gas sensors. <i>RSC Advances</i> , 2018, 8, 24268-24275.	1.7	53
764	Design and Optimization of an Al Doped ZnO in Si-Slot for Gas Sensing. <i>IEEE Photonics Journal</i> , 2018, 10, 1-10.	1.0	5
765	Nanorods to nanosheets structural evolution of Ni _x Zn _{1-x} O for NO ₂ gas sensing application. <i>Journal of Alloys and Compounds</i> , 2018, 766, 941-951.	2.8	15
766	Low operating temperature CO sensor prepared using SnO ₂ nanoparticles. <i>Journal of Electroceramics</i> , 2018, 41, 28-36.	0.8	6
767	Synthesis and inkjet printing of sol-gel derived tin oxide ink for flexible gas sensing application. <i>Journal of Materials Science</i> , 2018, 53, 12750-12761.	1.7	20
768	CO and C ₃ H ₈ sensing performance of coatings obtained from TiO ₂ -powders. <i>Journal of Materials Science: Materials in Electronics</i> , 2018, 29, 15808-15813.	1.1	1
769	Mid-infrared photonic gas sensing using a silicon waveguide and an integrated emitter. <i>Sensors and Actuators B: Chemical</i> , 2018, 274, 60-65.	4.0	30

#	ARTICLE	IF	CITATIONS
770	Structural, Optical and Sensing Behavior of Neodymium-Doped Vanadium Pentoxide Thin Films. Iranian Journal of Science and Technology, Transaction A: Science, 2018, 42, 2375-2386.	0.7	11
771	Development of scalable planar MEMS technology for low power operated ethanol sensor. Journal of Micromechanics and Microengineering, 2018, 28, 105020.	1.5	3
772	Humidity Sensing Properties of Transparent Sputter-Coated Indium-Tin Oxide and Printed Polymer Structures. IEEE Sensors Journal, 2018, 18, 7358-7364.	2.4	15
773	Investigation on Structural, Morphological, Optical and Ammonia Sensing Properties Indium Doped Nano Crystalline ZnO Thin Films Synthesized by Spray Pyrolysis Technique. Sensing and Imaging, 2018, 19, 1.	1.0	5
774	Oxygen Vacancy Enhanced Gas-Sensing Performance of CeO ₂ /Graphene Heterostructure at Room Temperature. Analytical Chemistry, 2018, 90, 9821-9829.	3.2	77
775	Novel Co ₃ O ₄ nanocrystalline chain material as a high performance gas sensor at room temperature. Journal of Alloys and Compounds, 2018, 768, 190-197.	2.8	29
776	Improving the sensitive and selective of trace amount ozone sensor on Indium-Gallium-Zinc Oxide thin film by ultraviolet irradiation. Sensors and Actuators B: Chemical, 2018, 273, 1713-1718.	4.0	22
777	Highly selective real-time detection of breath acetone by using ZnO quantum dots with a miniaturized gas chromatographic column. Sensors and Actuators B: Chemical, 2018, 274, 527-532.	4.0	29
778	Porous Zinc Oxide Thin Films: Synthesis Approaches and Applications. Coatings, 2018, 8, 67.	1.2	55
779	Sensing Technologies for Detection of Acetone in Human Breath for Diabetes Diagnosis and Monitoring. Diagnostics, 2018, 8, 12.	1.3	163
780	Response Optimization of a Chemical Gas Sensor Array using Temperature Modulation. Electronics (Switzerland), 2018, 7, 54.	1.8	9
781	A Survey on Sensor Calibration in Air Pollution Monitoring Deployments. IEEE Internet of Things Journal, 2018, 5, 4857-4870.	5.5	195
782	Fabrication of a P3HT-ZnO Nanowires Gas Sensor Detecting Ammonia Gas. Sensors, 2018, 18, 37.	2.1	16
783	Plant Pest Detection Using an Artificial Nose System: A Review. Sensors, 2018, 18, 378.	2.1	134
784	Using a Second Order Sigma-Delta Control to Improve the Performance of Metal-Oxide Gas Sensors. Sensors, 2018, 18, 654.	2.1	7
785	Cavity-Enhanced Raman Spectroscopy for Food Chain Management. Sensors, 2018, 18, 709.	2.1	23
786	Gas Sensing Properties of p-Co ₃ O ₄ /n-TiO ₂ Nanotube Heterostructures. Sensors, 2018, 18, 956.	2.1	34
787	Least Squares Neural Network-Based Wireless E-Nose System Using an SnO ₂ Sensor Array. Sensors, 2018, 18, 1446.	2.1	40

#	ARTICLE	IF	CITATIONS
788	On Sensing Nitro-Group Containing Compounds Using Thin Planar Arrays of Titanium Dioxide Nanowires. IEEE Sensors Journal, 2018, 18, 6927-6936.	2.4	2
789	Comparative Study of Drift Compensation Methods for Environmental Gas Sensors. IOP Conference Series: Earth and Environmental Science, 2018, 117, 012031.	0.2	6
790	A programmable dynamic range and digital output rate oscillator-based readout interface for MEMS resistive and capacitive sensors. , 2018, , .		8
791	Facile one-step synthesis of TiO ₂ microrods surface modified with Cr ₂ O ₃ nanoparticles for acetone sensor applications. Journal of Materials Science: Materials in Electronics, 2018, 29, 14546-14556.	1.1	20
792	MOF-derived synthesis of mesoporous In/Ga oxides and their ultra-sensitive ethanol-sensing properties. Journal of Materials Chemistry A, 2018, 6, 14930-14938.	5.2	37
793	Low-Temperature Ionic Layer Adsorption and Reaction Grown Anatase TiO ₂ Nanocrystalline Films for Efficient Perovskite Solar Cell and Gas Sensor Applications. Scientific Reports, 2018, 8, 11016.	1.6	36
794	Synthesis and characterization of cobalt antimonate nanostructures and their study as potential CO and CO ₂ sensor at low temperatures. Journal of Materials Science: Materials in Electronics, 2018, 29, 15632-15642.	1.1	10
795	A Comparative Study of Chemically and Biologically Synthesized MgO Nanomaterial for Liquefied Petroleum Gas Detection. Journal of Electronic Materials, 2018, 47, 3468-3473.	1.0	17
796	Gas diffusion and evaporation control using EWOD actuation of ionic liquid microdroplets for gas sensing applications. Sensors and Actuators B: Chemical, 2018, 267, 647-654.	4.0	9
797	A new CO ₂ detection system based on the trirutile-type CoSb ₂ O ₆ oxide. Journal of Materials Science: Materials in Electronics, 2018, 29, 15741-15753.	1.1	13
798	Determination of Effective Oxygen Adsorption Species for CO Sensing Based on Electric Properties of Indium Oxide. Journal of the Electrochemical Society, 2018, 165, B275-B280.	1.3	19
799	Au decoration of vertical hematite nanotube arrays for further selective detection of acetone in exhaled breath. Sensors and Actuators B: Chemical, 2018, 274, 587-594.	4.0	35
800	Measuring Vapor and Liquid Concentrations for Binary and Ternary Systems in a Microbubble Distillation Unit via Gas Sensors. Chemosensors, 2018, 6, 31.	1.8	2
801	Prominent NO ₂ gas sensor based on ZnO nanowires grown by thermal evaporation. AIP Conference Proceedings, 2018, , .	0.3	0
802	Selective discrimination of hazardous gases using one single metal oxide resistive sensor. Sensors and Actuators B: Chemical, 2018, 277, 121-128.	4.0	54
803	Investigation of the Gas-Sensing Performance of Electrospun TiO ₂ Nanofiber-Based Sensors for Ethanol Sensing. IEEE Sensors Journal, 2018, 18, 7365-7374.	2.4	22
804	Sensing of ammonia gas by undoped and aluminum-doped tin oxide nanoparticles by Raman spectroscopy. Pramana - Journal of Physics, 2018, 91, 1.	0.9	0
805	Synthesis of ZnMn ₂ O ₄ Nanoparticles by a Microwave-Assisted Colloidal Method and their Evaluation as a Gas Sensor of Propane and Carbon Monoxide. Sensors, 2018, 18, 701.	2.1	43

#	ARTICLE	IF	CITATIONS
806	Revealing the Relationship between Energy Level and Gas Sensing Performance in Heteroatom-Doped Semiconducting Nanostructures. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 29795-29804.	4.0	74
807	Assessing a low-cost methane sensor quantification system for use in complex rural and urban environments. <i>Atmospheric Measurement Techniques</i> , 2018, 11, 3569-3594.	1.2	38
808	High temperature hydrogen gas sensing property of GaN prepared from In-GaOOH . <i>Sensors and Actuators B: Chemical</i> , 2018, 276, 388-396.	4.0	35
809	High-Performance Flexible ZnO Nanorod UV/Gas Dual Sensors Using Ag Nanoparticle Templates. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 31505-31514.	4.0	41
810	Coral-Like $\text{Cu}_x\text{Ni}_{(1-x)}\text{O}$ -Based Resistive Sensor for Humidity and VOC Detection. <i>IEEE Sensors Journal</i> , 2018, 18, 6078-6084.	2.4	13
811	Mechanism of room temperature oxygen sensor based on nanocrystalline TiO_2 film. <i>Journal of Physics: Conference Series</i> , 2018, 995, 012066.	0.3	3
812	Two-dimensional materials for gas sensors: from first discovery to future possibilities. <i>Surface Innovations</i> , 2018, 6, 205-230.	1.4	25
813	Prospects and Challenges of Volatile Organic Compound Sensors in Human Healthcare. <i>ACS Sensors</i> , 2018, 3, 1246-1263.	4.0	179
814	Tuning Coating Thickness of Iron Tetraphenyl Porphyrin on Single Walled Carbon Nanotubes by Annealing: Effect on Benzene Sensing Performance. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2018, 215, 1700956.	0.8	9
815	Cu_2O @PNIPAM core-shell microgels as novel inkjet materials for the preparation of CuO hollow porous nanocubes gas sensing layers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 7249-7256.	2.7	10
816	High performance gas sensing based on nano rods of nickel ferrite fabricated by a facile solvothermal route. <i>Materials Research Express</i> , 2018, 5, 065056.	0.8	5
817	A Bifacial SnO_2 Thin-Film Ethanol Gas Sensor. <i>IEEE Electron Device Letters</i> , 2018, 39, 1223-1225.	2.2	14
818	Graphene-supported 2D transition metal oxide heterostructures. <i>Journal of Materials Chemistry A</i> , 2018, 6, 13509-13537.	5.2	103
819	White paper on the future of plasma science and technology in plastics and textiles. <i>Plasma Processes and Polymers</i> , 2019, 16, 1700228.	1.6	73
820	Molecular Sensors for NMR-Based Detection. <i>Chemical Reviews</i> , 2019, 119, 195-230.	23.0	82
821	Effect of substrate temperature on physicochemical and gas sensing properties of sprayed orthorhombic V_2O_5 thin films. <i>Measurement: Journal of the International Measurement Confederation</i> , 2019, 131, 223-234.	2.5	20
822	A Generic ROS Based System for Rapid Development and Testing of Algorithms for Autonomous Ground and Aerial Vehicles. <i>Studies in Computational Intelligence</i> , 2019, , 113-153.	0.7	6
823	Electrospun Nanofibers for Label-Free Sensor Applications. <i>Sensors</i> , 2019, 19, 3587.	2.1	60

#	ARTICLE	IF	CITATIONS
824	High-Output Triboelectric Nanogenerator Based on Dual Inductive and Resonance Effects-Controlled Highly Transparent Polyimide for Self-Powered Sensor Network Systems. <i>Advanced Energy Materials</i> , 2019, 9, 1901987.	10.2	73
825	Graphene as superior material for detection of volatile organic compounds. , 2019, , 183-193.		2
826	Hierarchical Metal Oxide Wrinkles as Responsive Chemical Sensors. <i>ACS Applied Nano Materials</i> , 2019, 2, 5520-5526.	2.4	8
827	Sensors for CO Based on Semiconductor Nanomaterials Pd/SnO ₂ . <i>Theoretical and Experimental Chemistry</i> , 2019, 55, 201-206.	0.2	3
828	Î ² -Ga ₂ O ₃ nanowires and thin films for metal oxide semiconductor gas sensors: Sensing mechanisms and performance enhancement strategies. <i>Journal of Materiomics</i> , 2019, 5, 542-557.	2.8	83
829	TiO ₂ based sensor with butterfly wing configurations for fast acetone detection at room temperature. <i>Journal of Materials Chemistry C</i> , 2019, 7, 11118-11125.	2.7	38
830	Chemoresistive materials for electronic nose: Progress, perspectives, and challenges. <i>Informa- Materi- ly</i> , 2019, 1, 289-316.	8.5	123
831	Nb ₂ O ₅ thin film-based conductometric sensor for acetone monitoring. , 2019, , .		10
832	Ionic-Activated Chemiresistive Gas Sensors for Room-Temperature Operation. <i>Small</i> , 2019, 15, e1902065.	5.2	34
833	High-index faceted metal oxide micro-/nanostructures: a review on their characterization, synthesis and applications. <i>Nanoscale</i> , 2019, 11, 15739-15762.	2.8	74
834	Heating Method Effect on SnO Micro-Disks as NO ₂ Gas Sensor. <i>Frontiers in Materials</i> , 2019, 6, .	1.2	11
835	Precision and Limits of Detection for Selected Commercially Available, Low-Cost Carbon Dioxide and Methane Gas Sensors. <i>Sensors</i> , 2019, 19, 3157.	2.1	41
836	MOF-based devices for detection and removal of environmental pollutants. , 2019, , 383-426.		7
837	Influences of platinum doping concentrations and operation temperatures on oxygen sensitivity of Pt/SnO ₂ /Pt resistive gas sensors. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 14813-14821.	1.1	3
838	Facile synthesis and gas sensing properties of hollow urchin-like SnO ₂ nanospheres synthesized by template-free hydrothermal route. <i>Materials Letters</i> , 2019, 254, 324-328.	1.3	11
839	CO ₂ Sensing Behavior of Calcium-Doped ZnO Thin Film: A Study To Address the Cross-Sensitivity of CO ₂ in H ₂ and CO Environment. <i>Langmuir</i> , 2019, 35, 10267-10275.	1.6	27
840	Incorporation of metal nanoparticles in soda-lime glass sensors for enhancing selective sensing. <i>Sensors and Actuators B: Chemical</i> , 2019, 296, 126673.	4.0	11
841	Enhancement of sensitivity and selectivity of Î±-Fe ₂ O ₃ nanorod gas sensors by ZnO nanoparticles decoration. <i>Materials Science in Semiconductor Processing</i> , 2019, 102, 104603.	1.9	28

#	ARTICLE	IF	CITATIONS
842	Facile Synthesis of Nano-Diced SnO ₂ –ZnO Composite by Chemical Route for Gas Sensor Application. <i>Journal of Electronic Materials</i> , 2019, 48, 6269-6279.	1.0	18
843	Application of SnO ₂ Nanoparticles and Zeolites in Coal Mine Methane Sensors. <i>Materials Research</i> , 2019, 22, .	0.6	10
844	Development of tungsten doped Ni-Zn nano-ferrites with fast response and recovery time for hydrogen gas sensing application. <i>Results in Physics</i> , 2019, 15, 102531.	2.0	31
845	High sensitive and low-concentration sulfur dioxide (SO ₂) gas sensor application of heterostructure NiO-ZnO nanodisks. <i>Sensors and Actuators B: Chemical</i> , 2019, 298, 126870.	4.0	209
846	Construction of novel hybrid PdO–ZnO p–n heterojunction nanostructures as a high-response sensor for acetaldehyde gas. <i>CrystEngComm</i> , 2019, 21, 5084-5094.	1.3	57
847	Electrospun Ceramic Nanofibers and Hybrid-Nanofiber Composites for Gas Sensing. <i>ACS Applied Nano Materials</i> , 2019, 2, 4026-4042.	2.4	70
848	Electronic Structure and Theoretical Aspects on Sensing Application of 2D Materials. , 2019, , 145-203.		7
849	Gas Sensors Based on Two-Dimensional Materials and Its Mechanisms. , 2019, , 205-258.		18
850	Influence of Oxygen Vacancies in Gas Sensors Based on Tin Dioxide Nanostructure: A First Principles Study. <i>Proceedings (mdpi)</i> , 2019, 14, .	0.2	0
851	Development of instrumentation setup for discrimination of analytes using principal component analysis. <i>Engineering Research Express</i> , 2019, 1, 025014.	0.8	0
852	Realization of H ₂ S sensing by Pd-functionalized networked CuO nanowires in self-heating mode. <i>Sensors and Actuators B: Chemical</i> , 2019, 299, 126965.	4.0	54
853	A Compact, Reliable and Efficient 16 Channel Power Supply for the Automated Screening of Semiconducting Metal Oxide Gas Sensors. <i>Electronics (Switzerland)</i> , 2019, 8, 882.	1.8	2
854	Nitrogenated holey graphene (C ₂ N) surface as highly selective electrochemical sensor for ammonia. <i>Journal of Molecular Liquids</i> , 2019, 296, 111929.	2.3	69
855	Performance evaluation of light weight gas sensor system suitable for airborne applications against co-location gas analysers over Delhi. <i>Science of the Total Environment</i> , 2019, 697, 134016.	3.9	7
856	Kelvin probe force microscopy work function characterization of transition metal oxide crystals under ongoing reduction and oxidation. <i>Beilstein Journal of Nanotechnology</i> , 2019, 10, 1596-1607.	1.5	11
857	Dry process of transferring MO _x nanowires used for gas sensing applications. <i>Materials Today: Proceedings</i> , 2019, 7, 930-933.	0.9	1
858	Improved ethanol vapor sensing properties of sputtered ZnO films by doping Ta. <i>Materials Today Communications</i> , 2019, 21, 100680.	0.9	2
859	Optical fiber coated Zinc Oxide (ZnO) nanorods decorated with Palladium (Pd) for hydrogen sensing. <i>Optical Materials</i> , 2019, 96, 109291.	1.7	8

#	ARTICLE	IF	CITATIONS
860	Orthogonal Sensors for the Trace Detection of Explosives. , 2019, 3, 1-4.		4
861	Synthesis of CuO@CdS composite nanowires and their ultrasensitive ethanol sensing properties. Inorganic Chemistry Frontiers, 2019, 6, 238-247.	3.0	27
862	Synthesis of Co ³⁺ Doped TiO ₂ by Co-precipitation Route and Its Gas Sensing Properties. Frontiers in Materials, 2019, 6, .	1.2	19
863	Electrochemical sensor for environmental monitoring system: A review. AIP Conference Proceedings, 2019, , .	0.3	21
864	Fabrication of gold nanorod@zinc oxide nanocomposite on gap-fingered integrated interdigitated aluminum electrodes and their response to electrolytes. Applied Physics A: Materials Science and Processing, 2019, 125, 1.	1.1	20
866	Substrate temperature effect on microstructure, oxygen adsorption and ethanol sensing response of sprayed In ₂ S ₃ films. Journal of Materials Science: Materials in Electronics, 2019, 30, 20069-20078.	1.1	2
867	A 450- μ S A 128-dB Dynamic Range A/D CMOS Interface for MOX Gas Sensors. IEEE Sensors Journal, 2019, 19, 12069-12078.	2.4	17
868	Heat-Assisted Screen Printing of High-Aspect-Ratio Microstructures. IEEE Transactions on Components, Packaging and Manufacturing Technology, 2019, 9, 2122-2126.	1.4	1
869	Titanium Carbide MXene as NH ₃ Sensor: Realistic First-Principles Study. Journal of Physical Chemistry C, 2019, 123, 29794-29803.	1.5	78
870	Inkjet-printed CMOS-integrated graphene@metal oxide sensors for breath analysis. Npj 2D Materials and Applications, 2019, 3, .	3.9	30
871	Effect of annealing on humidity sensing properties of Sm-doped SnO ₂ thin films. Journal of Materials Research and Technology, 2019, 8, 5862-5866.	2.6	9
872	A novel approach to a fully inkjet printed SnO ₂ -based gas sensor on a flexible foil. Journal of Materials Chemistry C, 2019, 7, 12343-12353.	2.7	46
873	GaN/Ga ₂ O ₃ Core/Shell Nanowires Growth: Towards High Response Gas Sensors. Applied Sciences (Switzerland), 2019, 9, 3528.	1.3	13
874	Synthesis and characterization of SWCNTs/ZnO hybrid nanocomposite for sensor applications. Materials Research Express, 2019, 6, 1050c5.	0.8	5
875	Enhanced NO Gas Performance of (002)-Oriented Zinc Oxide Nanostructure Thin Films. IEEE Access, 2019, 7, 155446-155454.	2.6	9
876	Interface and surface properties of oxide@organic hybrid nanostructures. Frontiers of Nanoscience, 2019, , 215-256.	0.3	2
877	Facile tilted sputtering process (TSP) for enhanced H ₂ S gas response over selectively loading Pt nanoparticles on SnO ₂ thin films. Sensors and Actuators B: Chemical, 2019, 300, 127009.	4.0	22
878	Thermoelectric-based temperature control for rapid heating and cooling. IOP Conference Series: Materials Science and Engineering, 2019, 546, 032026.	0.3	3

#	ARTICLE	IF	CITATIONS
879	Review of the Performance of Low-Cost Sensors for Air Quality Monitoring. Atmosphere, 2019, 10, 506.	1.0	227
880	CVD Grown Cuprous Oxide Thin Film Based High Performance Chemiresistive Ammonia Gas Sensors. IEEE Sensors Journal, 2019, 19, 11759-11766.	2.4	16
881	Control of Surface Potential in WO ₃ Gas Sensors Using UV Light. , 2019, , .		1
882	Novel Concept for Room Temperature NO ₂ Detection: Using Metal Oxides as Resistive Gas Dosimeters. , 2019, , .		0
883	Cementing Mesoporous ZnO with Silica for Controllable and Switchable Gas Sensing Selectivity. Chemistry of Materials, 2019, 31, 8112-8120.	3.2	58
884	High performance room temperature gas sensor based on novel morphology of zinc oxide nanostructures. Transactions of Nonferrous Metals Society of China, 2019, 29, 143-156.	1.7	28
885	Hydrogen Sulfide Gas Sensing Capabilities of Solution Processed Vanadium Pentoxide Nanosheets. IEEE Nanotechnology Magazine, 2019, 18, 932-939.	1.1	8
886	A Gas Mixture Prediction Model Based on the Dynamic Response of a Metal-Oxide Sensor. Micromachines, 2019, 10, 598.	1.4	11
887	Growth and characterization of undoped and aluminium doped zinc oxide thin films for SO ₂ gas sensing below threshold value limit. Applied Surface Science, 2019, 496, 143724.	3.1	18
888	Solid State Electronic Sensors for Detection of Carbon Dioxide. Sensors, 2019, 19, 3848.	2.1	11
889	Novel Operation Strategy to Obtain a Fast Gas Sensor for Continuous ppb-Level NO ₂ Detection at Room Temperature Using ZnO's A Concept Study with Experimental Proof. Sensors, 2019, 19, 4104.	2.1	15
890	C ₂ H ₅ OH sensing properties of solid-state mediated BiOBr nanoplates. Sensors and Actuators B: Chemical, 2019, 300, 126987.	4.0	11
891	<i>In Situ</i> Observation of Metal to Metal Oxide Progression: A Study of Charge Transfer Phenomenon at Ru-CuO Interfaces. ACS Nano, 2019, 13, 12425-12437.	7.3	22
892	Electronic Noses in Medical Diagnostics. Current Medicinal Chemistry, 2019, 26, 197-215.	1.2	49
893	Fabrication of Iron Oxide Nanoparticles via Submerged Photosynthesis and the Morphologies under Different Light Sources. ISIJ International, 2019, 59, 2352-2358.	0.6	5
894	Genetic, structural, and functional diversity of low and high-affinity siderophores in strains of nitrogen fixing <i>Azotobacter chroococcum</i> . Metallomics, 2019, 11, 201-212.	1.0	21
895	Laser-induced periodic surface structures on ZnO thin film for high response NO ₂ detection. Applied Surface Science, 2019, 476, 569-575.	3.1	30
896	Adsorption of NO and NO ₂ molecules on defected-graphene and ozone-treated graphene: First-principles analysis. Surface Science, 2019, 684, 28-36.	0.8	39

#	ARTICLE	IF	CITATIONS
897	High Response CO Sensor Based on a Polyaniline/SnO ₂ Nanocomposite. <i>Polymers</i> , 2019, 11, 184.	2.0	47
898	Sensing Devices of Semiconducting Metal Oxides Gas Sensors. , 2019, , 153-173.		4
899	NO ₂ gas sensing performance enhancement based on reduced graphene oxide decorated V ₂ O ₅ thin films. <i>Nanotechnology</i> , 2019, 30, 224001.	1.3	25
900	Semiconductor Metal Oxides as Chemoresistive Sensors for Detecting Volatile Organic Compounds. <i>Sensors</i> , 2019, 19, 233.	2.1	157
901	Improved Sensing Capability of Integrated Semiconducting Metal Oxide Gas Sensor Devices. <i>Sensors</i> , 2019, 19, 374.	2.1	21
902	Semiconducting Metal Oxides for Gas Sensing. , 2019, , .		36
903	Metal oxide nanostructures for sensor applications. <i>Semiconductor Science and Technology</i> , 2019, 34, 043001.	1.0	201
904	Understanding Semiconducting Metal Oxide Gas Sensors. , 2019, , 1-22.		0
905	Semiconducting Metal Oxides: Composition and Sensing Performance. , 2019, , 77-103.		2
906	Integration Technologies in Gas Sensor Application. , 2019, , 175-193.		2
907	Real-time selective detection of 2-chloroethyl ethyl sulfide (2-CEES) using an Al-doped ZnO quantum dot sensor coupled with a packed column for gas chromatography. <i>Sensors and Actuators B: Chemical</i> , 2019, 284, 444-450.	4.0	32
908	Facile synthesis of SnO ₂ -graphene composites employing nonthermal plasma and SnO ₂ nanoparticles-dispersed ethanol. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 175301.	1.3	8
909	Enhanced Peroxidase Mimetic Activity of Porous Iron Oxide Nanoflakes. <i>ChemNanoMat</i> , 2019, 5, 506-513.	1.5	44
910	Semiconducting Metal Oxides: Microstructure and Sensing Performance. , 2019, , 105-135.		1
911	Conduction mechanisms in one dimensional core-shell nanostructures for gas sensing: A review. <i>Sensors and Actuators B: Chemical</i> , 2019, 295, 127-143.	4.0	150
912	NiO nanoparticle-decorated SnO ₂ nanosheets for ethanol sensing with enhanced moisture resistance. <i>Microsystems and Nanoengineering</i> , 2019, 5, 21.	3.4	58
913	Experimental and theoretical study on the excellent amine-sensing performance of Au decorated WO ₃ needle-like nanocomposites. <i>Materials Chemistry and Physics</i> , 2019, 234, 122-132.	2.0	13
914	The Dependence of Crystal Plane on Hydrogen Sensing Properties of ZnO Bulk Substrates. <i>ECS Journal of Solid State Science and Technology</i> , 2019, 8, Q85-Q88.	0.9	4

#	ARTICLE	IF	CITATIONS
915	Ammonia gas sensors: A comprehensive review. <i>Talanta</i> , 2019, 204, 713-730.	2.9	359
916	Structural and electrochemical properties of ZnCo ₂ O ₄ nanoparticles synthesized by hydrothermal method. <i>Vacuum</i> , 2019, 167, 307-312.	1.6	39
917	Hydrogen sensing characteristics of perovskite based calcium doped BiFeO ₃ thin films. <i>International Journal of Hydrogen Energy</i> , 2019, 44, 18648-18656.	3.8	29
918	Flame Synthesis of Nanostructured Transition Metal Oxides: Trends, Developments, and Recent Advances. , 2019, , 201-263.		2
919	Oxygen-Defective Ultrathin BiVO ₄ Nanosheets for Enhanced Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 23495-23502.	4.0	81
920	Effects of Operating Parameters on Ionic Liquid Membrane to Remove Humidity in a Green Continuous Process. <i>Membranes</i> , 2019, 9, 65.	1.4	2
921	High-Performance Sensor Based on Thin-Film Metallic Glass/Ultra-nanocrystalline Diamond/ZnO Nanorod Heterostructures for Detection of Hydrogen Gas at Room Temperature. <i>Chemistry - A European Journal</i> , 2019, 25, 10385-10393.	1.7	22
922	Improvement of sensing properties for SnO ₂ gas sensor by tuning of exposed crystal face. <i>Sensors and Actuators B: Chemical</i> , 2019, 296, 126655.	4.0	84
923	A simple and efficient room temperature silylation of diverse functional groups with hexamethyldisilazane using CeO ₂ nanoparticles as solid catalysts. <i>Molecular Catalysis</i> , 2019, 474, 110357.	1.0	3
924	Developing a Low-Cost Wearable Personal Exposure Monitor for Studying Respiratory Diseases Using Metal-Oxide Sensors. <i>IEEE Sensors Journal</i> , 2019, 19, 8252-8261.	2.4	40
925	Synthesis and characterization of ZnO-MWCNT nanocomposites for 1-butanol sensing application at room temperature. <i>Physica B: Condensed Matter</i> , 2019, 570, 139-147.	1.3	32
926	Gas Sensor by Direct Growth and Functionalization of Metal Oxide/Metal Sulfide Core-Shell Nanowires on Flexible Substrates. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 24298-24307.	4.0	65
927	CO ₂ and SO ₂ Interactions with Methylated Poly(ethylenimine)-Functionalized Capacitive Micromachined Ultrasonic Transducers (CMUTs): Gas Sensing and Degradation Mechanism. <i>ACS Applied Electronic Materials</i> , 2019, 1, 1150-1161.	2.0	14
928	Recent progress and perspectives of gas sensors based on vertically oriented ZnO nanomaterials. <i>Advances in Colloid and Interface Science</i> , 2019, 270, 1-27.	7.0	141
929	One-step synthesis of micro-/mesoporous SnO ₂ spheres by solvothermal method for toluene gas sensor. <i>Ceramics International</i> , 2019, 45, 15435-15444.	2.3	50
930	Impact Ionization Induced by Accelerated Photoelectrons for Wide-Range and Highly Sensitive Detection of Volatile Organic Compounds at Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 20491-20499.	4.0	3
931	Room-Temperature NO ₂ Gas Sensing with Ultra-Sensitivity Activated by Ultraviolet Light Based on SnO ₂ Monolayer Array Film. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900376.	1.9	38
932	Light-assisted recovery of reacted MoS ₂ for reversible NO ₂ sensing at room temperature. <i>Nanotechnology</i> , 2019, 30, 355504.	1.3	48

#	ARTICLE	IF	CITATIONS
933	Ultra-fast and highly selective room-temperature formaldehyde gas sensing of Pt-decorated MoO ₃ nanobelts. <i>Journal of Alloys and Compounds</i> , 2019, 797, 666-675.	2.8	88
934	Characterization of CuO-doped tin dioxide thin films prepared by pulsed-laser deposition for gas-sensing applications. <i>Proceedings of the Institution of Mechanical Engineers, Part N: Journal of Nanomaterials, Nanoengineering and Nanosystems</i> , 2019, 233, 17-25.	0.5	1
935	NO gas sensor based on ZnGa ₂ O ₄ epilayer grown by metalorganic chemical vapor deposition. <i>Scientific Reports</i> , 2019, 9, 7459.	1.6	50
936	Application of an Array of Metal-Oxide Semiconductor Gas Sensors in an Assistant Personal Robot for Early Gas Leak Detection. <i>Sensors</i> , 2019, 19, 1957.	2.1	51
937	Synthesis and characterization of Sm ₂ O ₃ nanorods for application as a novel CO gas sensor. <i>Applied Surface Science</i> , 2019, 487, 793-800.	3.1	28
938	Fabrication of polyaniline-graphene/polystyrene nanocomposites for flexible gas sensors. <i>RSC Advances</i> , 2019, 9, 12496-12506.	1.7	31
939	Comparative study on gas sensing by a Schottky diode electrode prepared with graphene-semiconductor-polymer nanocomposites. <i>RSC Advances</i> , 2019, 9, 11484-11492.	1.7	51
940	Operating temperature dependence of sensitivity in Ag-TiO ₂ Schottky type gas sensors. <i>Materials Research Express</i> , 2019, 6, 085905.	0.8	7
941	A Novel Graphene-Based Nanosensor for Detection of Ethanol Gas. <i>Iranian Journal of Science and Technology, Transaction A: Science</i> , 2019, 43, 2227-2237.	0.7	3
942	Mesoporous WO ₃ Nanofibers With Crystalline Framework for High-Performance Acetone Sensing. <i>Frontiers in Chemistry</i> , 2019, 7, 266.	1.8	32
943	CuO-ZnO p-n junction enhanced oxygen sensing property of polypyrrole nanocomposite at room temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 9989-9998.	1.1	12
944	MOCVD growth and characterization of TiO ₂ thin films for hydrogen gas sensor application. <i>Materials Research Express</i> , 2019, 6, 076313.	0.8	11
945	An Intelligent IoT-Based Food Quality Monitoring Approach Using Low-Cost Sensors. <i>Symmetry</i> , 2019, 11, 374.	1.1	94
946	MOF-derived Fe ₂ O ₃ : Phase control and effects of phase composition on gas sensing performance. <i>Sensors and Actuators B: Chemical</i> , 2019, 292, 171-179.	4.0	83
947	Ten Nanometer Scale WO ₃ /CuO Heterojunction Nanochannel for an Ultrasensitive Chemical Sensor. <i>Analytical Chemistry</i> , 2019, 91, 6850-6858.	3.2	27
948	Baseline Drift Improvement Through Investigating a Novel Ag Doped SnO ₂ /ZnO Nanocomposite for Selective Ethanol Detection. <i>IEEE Nanotechnology Magazine</i> , 2019, 18, 412-420.	1.1	3
949	Evolution and growth mechanism of hexagonal ZnO nanorods and their LPG sensing response at low operating temperature. <i>Sensors and Actuators A: Physical</i> , 2019, 293, 207-214.	2.0	21
950	Improved Sensitivity of Fe-Fe ₂ O ₃ Nanoparticle-Decorated ZnO Nanowire Gas Sensor for CO. <i>Sensors</i> , 2019, 19, 1903.	2.1	20

#	ARTICLE	IF	CITATIONS
951	Electronic and Dielectric Properties of MoV-Oxide (M1 Phase) under Alkane Oxidation Conditions. Journal of Physical Chemistry C, 2019, 123, 13269-13282.	1.5	20
952	Response of TiO ₂ /MWCNT/B ₂ O ₃ gas sensor to hydrogen using different organic binder. Materials Science in Semiconductor Processing, 2019, 99, 140-148.	1.9	24
953	Effect of noble metal functionalization and film thickness on sensing properties of sprayed TiO ₂ ultra-thin films. Sensors and Actuators A: Physical, 2019, 293, 242-258.	2.0	19
954	Metal Oxide Thin Films Prepared by Magnetron Sputtering Technology for Volatile Organic Compound Detection in the Microwave Frequency Range. Materials, 2019, 12, 877.	1.3	41
955	Octahedral SnO ₂ /Graphene Composites with Enhanced Gas-Sensing Performance at Room Temperature. ACS Applied Materials & Interfaces, 2019, 11, 12958-12967.	4.0	54
956	Pd-loaded SnO ₂ hierarchical nanospheres for a high dynamic range H ₂ S micro sensor. RSC Advances, 2019, 9, 5987-5994.	1.7	25
957	Batch-fabricated CO gas sensor in large-area (8-inch) with sub-10 mW power operation. Sensors and Actuators B: Chemical, 2019, 289, 153-159.	4.0	28
958	Natural Source-Based Graphene as Sensitising Agents for Air Quality Monitoring. Scientific Reports, 2019, 9, 3798.	1.6	32
959	Fe ₂ O ₃ Polyhedral Nanoparticles Enclosed by Different Crystal Facets: Tunable Synthesis, Formation Mechanism Analysis, and Facets-Dependent n-Butanol Sensing Properties. Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2019, 645, 447-456.	0.6	7
960	Probing the impact of surface reactivity on charge transport in dimensional phase changed tungsten films. Journal of Materials Science: Materials in Electronics, 2019, 30, 8278-8285.	1.1	2
961	Designed synthesis of Ag-functionalized Ni-doped In ₂ O ₃ nanorods with enhanced formaldehyde gas sensing properties. Journal of Materials Chemistry C, 2019, 7, 7219-7229.	2.7	49
962	Room temperature ethanol gas sensing performance of CeO ₂ /In ₂ O ₃ heterostructured nanocomposites. AIP Conference Proceedings, 2019, , .	0.3	4
963	Preparation of (002)-oriented ZnO for CO gas sensor. Materials Research Express, 2019, 6, 064003.	0.8	5
964	Gas identification with graphene plasmons. Nature Communications, 2019, 10, 1131.	5.8	154
965	Nano Pt-decorated transparent solution-processed oxide semiconductor sensor with ppm detection capability. RSC Advances, 2019, 9, 6193-6198.	1.7	2
966	Molybdenum Trioxide (MoO ₃) Nanoribbons for Ultrasensitive Ammonia (NH ₃) Gas Detection: Integrated Experimental and Density Functional Theory Simulation Studies. ACS Applied Materials & Interfaces, 2019, 11, 10697-10706.	4.0	174
967	Dispersed WO ₃ nanoparticles with porous nanostructure for ultrafast toluene sensing. Sensors and Actuators B: Chemical, 2019, 289, 195-206.	4.0	59
968	Advanced Micro- and Nano-Gas Sensor Technology: A Review. Sensors, 2019, 19, 1285.	2.1	375

#	ARTICLE	IF	CITATIONS
969	Understanding the ability of low-cost MO _x sensors to quantify ambient VOCs. Atmospheric Measurement Techniques, 2019, 12, 1441-1460.	1.2	40
970	The high-speed ultraviolet photodetector of ZnO nanowire Schottky barrier based on the triboelectric-nanogenerator-powered surface-ionic-gate. Nano Energy, 2019, 60, 680-688.	8.2	62
971	Effect of Functional and Electron Correlation on the Structure and Spectroscopy of the Al ₂ O ₃ (001)â€”H ₂ O Interface. Journal of Physical Chemistry Letters, 2019, 10, 2031-2036.	2.1	22
972	Thickness effect of ZnO/PPC gas sensor on the sensing properties of NO ₂ gas. AIP Conference Proceedings, 2019, , .	0.3	4
973	Sensitivity enhancement in photoionization detector using microelectrodes with integrated 1D nanostructures. Sensors and Actuators B: Chemical, 2019, 288, 618-624.	4.0	20
974	High-Performance, Room Temperature Hydrogen Sensing With a Cu-BTC/Polyaniline Nanocomposite Film on a Quartz Crystal Microbalance. IEEE Sensors Journal, 2019, 19, 4789-4795.	2.4	21
975	Novel Route from a Wurtzite to a Rock-Salt Structure in CoO Nanocrystals: In Situ Transmission Electron Microscopy Study. Journal of Physical Chemistry C, 2019, 123, 10689-10694.	1.5	9
976	Nanocrystalline tin oxide coatings on etched optical fiber Bragg grating for hydrogen sulfide detection. Journal of Vacuum Science and Technology A: Vacuum, Surfaces and Films, 2019, 37, 031502.	0.9	4
977	Correlation of synthesis parameters to the phase segregation and lattice strain in tungsten oxide nanoparticles. Materials Research Express, 2019, 6, 075019.	0.8	7
978	Selective ammonia sensor based on copper oxide/reduced graphene oxide nanocomposite. Journal of Alloys and Compounds, 2019, 788, 422-428.	2.8	75
979	Polycrystalline SnO ₂ Visibleâ€”Lightâ€”Transparent CO ₂ Sensor Integrated with NiO/ZnO Solar Cell for Selfâ€”Powered Devices. Physica Status Solidi (A) Applications and Materials Science, 2019, 216, 1800749.	0.8	10
980	NO ₂ sensing properties of porous Au-incorporated tungsten oxide thin films prepared by solution process. Sensors and Actuators B: Chemical, 2019, 286, 512-520.	4.0	45
981	Simple and cost-effective sonochemical preparation of ternary NZnOâ€”Mn ₂ O ₃ @rGO nanohybrid: a potential electrode material for supercapacitor and ammonia sensing. Ionics, 2019, 25, 3351-3362.	1.2	5
982	ZnO/MoS ₂ -Based Enhanced Humidity Sensor Prototype With Android App Interface for Mobile Platform. IEEE Sensors Journal, 2019, 19, 3993-3999.	2.4	25
983	Gas Adsorption at Metal Sites for Enhancing Gas Sensing Performance of ZnO@ZIF-71 Nanorod Arrays. Langmuir, 2019, 35, 3248-3255.	1.6	40
984	Application of Electronic Nose and Tongue for Beverage Quality Evaluation. , 2019, , 229-254.		4
985	Enhanced room temperature gas sensing properties of low temperature solution processed ZnO/CuO heterojunction. BMC Chemistry, 2019, 13, 4.	1.6	43
986	Synthesis of 1D Î±-MoO ₃ /0D ZnO heterostructure nanobelts with enhanced gas sensing properties. Journal of Alloys and Compounds, 2019, 788, 248-256.	2.8	35

#	ARTICLE	IF	CITATIONS
987	A fiber-tip photoacoustic sensor for in-situ trace gas detection. Review of Scientific Instruments, 2019, 90, 023102.	0.6	23
988	Sensitivity Optimization of a Microstructured Optical Fiber Ammonia Gas Sensor by Means of Tuning the Thickness of a Metal Oxide Nano-Coating. IEEE Sensors Journal, 2019, 19, 4982-4991.	2.4	15
989	Analysis of Unusual and Instantaneous Overshoot of Response Transients in Gas Sensors. Physica Status Solidi - Rapid Research Letters, 2019, 13, 1800683.	1.2	16
990	Rational shape control of porous Co ₃ O ₄ assemblies derived from MOF and their structural effects on n-butanol sensing. Journal of Hazardous Materials, 2019, 371, 352-361.	6.5	96
991	P-p heterojunction of polymer/hierarchical mesoporous LaFeO ₃ microsphere as CO ₂ gas sensing under high humidity. Applied Surface Science, 2019, 479, 1029-1038.	3.1	34
992	A review of exhaled breath: a key role in lung cancer diagnosis. Journal of Breath Research, 2019, 13, 034001.	1.5	56
993	SnO ₂ Nanosheets for Selective Alkene Gas Sensing. ACS Applied Nano Materials, 2019, 2, 1820-1827.	2.4	92
994	Evanescent wave ammonia sensor: influence of nanocrystalline TiO ₂ on V ₂ O ₅ and MoO ₃ . Micro and Nano Letters, 2019, 14, 1372-1375.	0.6	0
995	Hydrogen Gas Sensing of TiO ₂ /MWCNT Thick Film via Screen-Printing Technique. , 2019, , .		2
996	Characterization of SnO ₂ Thin Films Fabricated by Chemical Spray Pyrolysis. , 2019, , .		1
997	The I-V characteristics of hydrothermal growth ZnO nanorods. Journal of Physics: Conference Series, 2019, 1402, 066020.	0.3	1
998	Activate Zeolite Filter: A gas sensor signal stabilization and enhancement. , 2019, , .		0
999	Optimization in NH ₃ gas response of WO ₃ nanorods based sensor array. , 2019, , .		4
1000	Ultrasensitive ammonia (NH ₃) gas sensor: DFT Simulation-Directed Selection of High-Performance Metal-Doped Molybdenum Tri-oxide (±-MoO ₃) Nanoribbons for NH ₃ Detection. , 2019, , .		1
1001	Chemical and Structural Configuration of Pt-Doped Metal Oxide Thin Films Prepared by Atomic Layer Deposition. Chemistry of Materials, 2019, 31, 9673-9683.	3.2	8
1002	A Review of Chipless Remote Sensing Solutions Based on RFID Technology. Sensors, 2019, 19, 4829.	2.1	36
1003	Smart gas sensor arrays powered by artificial intelligence. Journal of Semiconductors, 2019, 40, 111601.	2.0	59
1004	Preparation of poison gas sensor from WO ₃ nanostructure by pulsed laser deposition. , 2019, , .		6

#	ARTICLE	IF	CITATIONS
1005	Facile fabrication of cobalt-doped SnO ₂ for gaseous ethanol detection and the catalytic mechanism of cobalt. CrystEngComm, 2019, 21, 7528-7534.	1.3	17
1006	Resistive gas sensors based on metal-oxide nanowires. Journal of Applied Physics, 2019, 126, .	1.1	148
1007	Laser-engineered oxygen vacancies for improving the NO ₂ sensing performance of SnO ₂ nanowires. Journal of Materials Chemistry A, 2019, 7, 27205-27211.	5.2	33
1008	Amorphous InGaZnO and metal oxide semiconductor devices: an overview and current status. Journal of Materials Chemistry C, 2019, 7, 12388-12414.	2.7	81
1009	Ultrafast Detection of Low Acetone Concentration Displayed by Au-Loaded LaFeO ₃ Nanobelts owing to Synergetic Effects of Porous 1D Morphology and Catalytic Activity of Au Nanoparticles. ACS Omega, 2019, 4, 19018-19029.	1.6	24
1010	High Efficiency Crumpled Carbon Nanotube Heaters for Low Drift Hydrogen Sensing. Sensors, 2019, 19, 3878.	2.1	16
1011	Ultra-sensitive H ₂ S sensing at ppb concentrations by barely crystalline WO _x /W thin film. Materials Research Express, 2019, 6, 125907.	0.8	0
1012	Synthesis of Zinc Oxide (ZnO) " Graphene Nanocomposite as CO Gas Sensor Application. , 2019, , .		1
1013	Palladium Sensitive Thin Film on Micro Hotplate for Fast Response/Recovery. , 2019, , .		0
1014	Sensitivity Improvement of Urchin-Like ZnO Nanostructures Using Two-Dimensional Electron Gas in MgZnO/ZnO. Sensors, 2019, 19, 5195.	2.1	6
1015	Stable and sensitive amino-functionalized graphene/polyaniline nanofiber composites for room-temperature carbon dioxide sensing. RSC Advances, 2019, 9, 41240-41247.	1.7	12
1016	Graphene Plasmonic Metasurface for Beam Forming and Gas Sensing. , 2019, , .		1
1017	Information-Based Search for an Atmospheric Release Using a Mobile Robot: Algorithm and Experiments. IEEE Transactions on Control Systems Technology, 2019, 27, 2388-2402.	3.2	50
1018	Influence of noble metal loading and effect of temperature on the hydrogen sensing behavior of the platinum sensitized titania nanotubes. Materials Research Express, 2019, 6, 015006.	0.8	7
1019	Ultrasonic spray pyrolysis synthesis of nitrogen-doped porous Fe/C composites from glycerol for hexavalent chromium removal. Materials Chemistry and Physics, 2019, 221, 29-33.	2.0	11
1020	Fe ₂ O ₃ nanoparticles-decorated MoO ₃ nanobelts for enhanced chemiresistive gas sensing. Journal of Alloys and Compounds, 2019, 782, 672-678.	2.8	60
1021	Exploring wide bandgap metal oxides for perovskite solar cells. APL Materials, 2019, 7, .	2.2	54
1022	Heterojunction Based on Rh-Decorated WO ₃ Nanorods for Morphological Change and Gas Sensor Application Using the Transition Effect. Chemistry of Materials, 2019, 31, 207-215.	3.2	71

#	ARTICLE	IF	CITATIONS
1023	Breathprinting Based Diagnosis, Selected Case Study: U-BIOPRED Project. , 2019, , 33-48.		1
1024	Electrically-Transduced Chemical Sensors Based on Two-Dimensional Nanomaterials. Chemical Reviews, 2019, 119, 478-598.	23.0	521
1025	High-performance formaldehyde adsorption on CuO/ZnO composite nanofiber coated QCM sensors. Journal of Alloys and Compounds, 2019, 783, 608-616.	2.8	50
1026	AACVD Grown WO ₃ Nanoneedles Decorated With Ag/Ag ₂ O Nanoparticles for Oxygen Measurement in a Humid Environment. IEEE Sensors Journal, 2019, 19, 826-832.	2.4	7
1027	Investigation on synthesis and characterization of Fe-doped Al ₂ O ₃ nanocrystals by new sol-gel precursors. Materials Research Express, 2019, 6, 025029.	0.8	23
1028	Development of MgO:TiO ₂ thin films for gas sensor applications. Ceramics International, 2019, 45, 2917-2921.	2.3	65
1029	Hybrid Cr/TiO ₂ /ITO nanoporous film prepared by novel two step deposition for room temperature hydrogen sensing. Physica B: Condensed Matter, 2019, 553, 182-189.	1.3	6
1030	An Ultrasensitive and Ultraspecific Hydrogen Sensor Based on Defect-Dominated Electron Scattering in Pt Nanowire Arrays. Advanced Materials Interfaces, 2019, 6, 1801304.	1.9	13
1032	Low concentration ammonia sensing performance of Pd incorporated indium tin oxide. Journal of Alloys and Compounds, 2019, 780, 245-255.	2.8	15
1033	Highly efficient ethanol gas sensor based on hierarchical SnO ₂ /Zn ₂ SnO ₄ porous spheres. Sensors and Actuators B: Chemical, 2019, 282, 339-346.	4.0	97
1034	Cabbage-shaped zinc-cobalt oxide (ZnCo ₂ O ₄) sensing materials: Effects of zinc ion substitution and enhanced formaldehyde sensing properties. Journal of Colloid and Interface Science, 2019, 537, 520-527.	5.0	30
1035	Hierarchical hollow MoS ₂ microspheres as materials for conductometric NO ₂ gas sensors. Sensors and Actuators B: Chemical, 2019, 282, 259-267.	4.0	119
1036	Leakage Monitoring in Inflatable Space Antennas: A Perspective to Sensitive Detection of Helium and Nitrogen Gases. Energy, Environment, and Sustainability, 2019, , 209-222.	0.6	2
1037	Sensors for Automotive and Aerospace Applications. Energy, Environment, and Sustainability, 2019, , .	0.6	14
1038	Humidity sensing characteristics of Sb ₂ O ₃ thin films with transitional electrical behavior. Sensors and Actuators A: Physical, 2019, 285, 134-141.	2.0	20
1039	Gas Sensing with Iridium Oxide Nanoparticle Decorated Carbon Nanotubes. Sensors, 2019, 19, 113.	2.1	20
1040	On-chip sensor solution for hydrogen gas detection with the anodic niobium-oxide nanorod arrays. Sensors and Actuators B: Chemical, 2019, 284, 723-735.	4.0	19
1041	Sub-ppm acetone gas sensing properties of free-standing ZnO nanorods. Journal of Electroceramics, 2019, 42, 147-155.	0.8	16

#	ARTICLE	IF	CITATIONS
1042	Ultrasensitive Detection of VOCs Using a High-Resolution CuO/Cu ₂ O/Ag Nanopattern Sensor. <i>Advanced Functional Materials</i> , 2019, 29, 1808319.	7.8	117
1043	Nanotechnology on Toxic Gas Detection and Treatment. , 2019, , 275-297.		5
1044	Highly selective and sensitive O ₂ plasma treated sputtered thin film sensor for sub-ppm level NH ₃ detection at room temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2019, 30, 3144-3155.	1.1	4
1045	Microwave-assisted preparation of hierarchical CuO@rGO nanostructures and their enhanced low-temperature H ₂ S-sensing performance. <i>Applied Surface Science</i> , 2019, 476, 107-114.	3.1	53
1046	Effect of microwave irradiation on the electrical and optical properties of SnO ₂ thin films. <i>Ceramics International</i> , 2019, 45, 7723-7729.	2.3	27
1047	Construction and enhanced low-temperature H ₂ S-sensing performance of novel hierarchical CuO@WO ₃ nanocomposites. <i>Journal of Alloys and Compounds</i> , 2019, 785, 367-373.	2.8	28
1048	The influences of temperature, humidity, and O ₂ on electrical properties of graphene FETs. <i>Sensors and Actuators B: Chemical</i> , 2019, 285, 116-122.	4.0	35
1049	Wide-gap metal oxide nanocomposites with fractal-percolation structure for chemoresistive-type adsorption sensors. <i>AIP Conference Proceedings</i> , 2019, , .	0.3	0
1050	Adsorption/desorption kinetics of nitric oxide on zinc oxide nano film sensor enhanced by light irradiation and gold-nanoparticles decoration. <i>Sensors and Actuators B: Chemical</i> , 2019, 281, 262-272.	4.0	41
1051	Modeling and analysis of an Ni:ZnO-based Schottky pattern for NO ₂ detection. <i>Journal of Computational Electronics</i> , 2019, 18, 300-307.	1.3	24
1053	Conducting Nanomaterial Sensor Using Natural Receptors. <i>Chemical Reviews</i> , 2019, 119, 36-93.	23.0	159
1054	MOF-Derived 1D Fe ₂ O ₃ /NiFe ₂ O ₄ heterojunction as efficient sensing materials of acetone vapors. <i>Sensors and Actuators B: Chemical</i> , 2019, 281, 885-892.	4.0	75
1055	Enhanced Gas-Sensing Response of Zinc Oxide Nanorods Synthesized via Hydrothermal Route for Nitrogen Dioxide Gas. <i>Journal of Electronic Materials</i> , 2019, 48, 589-595.	1.0	23
1056	Bilayer Au nanoparticle-decorated WO ₃ porous thin films: On-chip fabrication and enhanced NO ₂ gas sensing performances with high selectivity. <i>Sensors and Actuators B: Chemical</i> , 2019, 280, 192-200.	4.0	61
1057	Hydrogen sulfide sensors based on PANI/f-SWCNT polymer nanocomposite thin films prepared by electrochemical polymerization. <i>Journal of Science: Advanced Materials and Devices</i> , 2019, 4, 143-149.	1.5	48
1058	Hydrogen Sulfide (H ₂ S) Gas Sensor: A Review. <i>IEEE Sensors Journal</i> , 2019, 19, 2394-2407.	2.4	96
1059	Printable Fabrication of a Fully Integrated and Self-Powered Sensor System on Plastic Substrates. <i>Advanced Materials</i> , 2019, 31, e1804285.	11.1	148
1060	Gas Convertor and Storage. <i>Interface Science and Technology</i> , 2019, 27, 387-437.	1.6	4

#	ARTICLE	IF	CITATIONS
1061	A simple route for the preparation of nanostructured GdCoO ₃ via the solution method, as well as its characterization and its response to certain gases. Results in Physics, 2019, 12, 475-483.	2.0	20
1062	Facile synthesis of SnO ₂ -Fe ₂ O ₃ core-shell nanostructures and their 2-methoxyethanol gas sensing characteristics. Journal of Alloys and Compounds, 2019, 780, 523-533.	2.8	32
1063	Hollow Micro/Nanostructured Ceria-Based Materials: Synthetic Strategies and Versatile Applications. Advanced Materials, 2019, 31, e1800592.	11.1	87
1064	Towards carbon monoxide sensors based on europium doped cerium dioxide. Applied Surface Science, 2019, 464, 692-699.	3.1	41
1065	Influence of surface defects and preferential orientation in nanostructured Ce-doped SnO ₂ thin films by nebulizer spray deposition for lowering the LPG sensing temperature to 150°C. Ionics, 2019, 25, 809-826.	1.2	17
1066	Rapid detection and classification of citrus fruits infestation by Bactrocera dorsalis (Hendel) based on electronic nose. Postharvest Biology and Technology, 2019, 147, 156-165.	2.9	48
1067	Effects of precursor composition used in solution precursor plasma spray on the properties of ZnO coatings for CO ₂ and UV light sensing. Surface and Coatings Technology, 2019, 371, 395-400.	2.2	9
1068	Electrospinning preparation of Pd@Co ₃ O ₄ -ZnO composite nanofibers and their highly enhanced VOC sensing properties. Materials Research Bulletin, 2019, 109, 255-264.	2.7	44
1069	Photoluminescent properties of complex metal oxide nanopowders for gas sensing. Applied Nanoscience (Switzerland), 2019, 9, 775-780.	1.6	12
1070	Macroporous Silicon (MPS) with Embedded NiO Thin Film for CO ₂ Gas Sensing. Arabian Journal for Science and Engineering, 2019, 44, 521-529.	1.7	7
1071	Controlled joule-heating of suspended glassy carbon wires for localized chemical vapor deposition. Carbon, 2020, 156, 329-338.	5.4	6
1072	P-type gas-sensing behavior of Ga ₂ O ₃ /Al ₂ O ₃ nanocomposite with high sensitivity to NO _x at room temperature. Journal of Alloys and Compounds, 2020, 814, 152284.	2.8	25
1073	Investigations on room temperature dual sensitization of ZnO nanostructures towards fish quality biomarkers. Sensors and Actuators B: Chemical, 2020, 304, 127082.	4.0	23
1074	Embedded SnO ₂ /Diatomaceous earth composites for fast humidity sensing and controlling properties. Sensors and Actuators B: Chemical, 2020, 303, 127137.	4.0	22
1075	Facile and simple synthesis of novel iron oxide foam and used as acetone gas sensor with sub-ppm level. Journal of Alloys and Compounds, 2020, 815, 152406.	2.8	56
1076	Enhanced sensing performance of ZnO nanostructures-based gas sensors: A review. Energy Reports, 2020, 6, 46-62.	2.5	359
1077	Sol-gel autocombustion synthesis of zinc oxide foam decorated with holes and its use as acetic acid gas sensor at sub-ppm level. Ceramics International, 2020, 46, 3304-3310.	2.3	22
1078	Nanostructured tin oxide materials for the sub-ppm detection of indoor formaldehyde pollution. Talanta, 2020, 208, 120396.	2.9	9

#	ARTICLE	IF	CITATIONS
1079	Fabrication of low temperature and fast response H ₂ S gas sensor based on organic-metal oxide hybrid nanocomposite membrane. <i>Organic Electronics</i> , 2020, 76, 105486.	1.4	47
1080	Microwave-enhanced pyrolysis grown nanostructured SnO ₂ thin films for near room temperature LPG detection and the impedance analysis. <i>Sensors and Actuators A: Physical</i> , 2020, 301, 111755.	2.0	7
1081	Humidity sensing and breath analyzing applications of TiO ₂ slanted nanorod arrays. <i>Sensors and Actuators A: Physical</i> , 2020, 301, 111758.	2.0	17
1082	Hybrid materials with carbon nanotubes for gas sensing. , 2020, , 185-222.		6
1083	Breath Acetone Sensors as Non-Invasive Health Monitoring Systems: A Review. <i>IEEE Sensors Journal</i> , 2020, 20, 5-31.	2.4	65
1084	Controlled synthesis and CO sensing potentials of size-tunable highly-uniform mesoporous Co ₃ O ₄ nanospheres. <i>Journal of Alloys and Compounds</i> , 2020, 816, 152524.	2.8	6
1085	Field and laboratory performance evaluations of 28 gas-phase air quality sensors by the AQ-SPEC program. <i>Atmospheric Environment</i> , 2020, 220, 117092.	1.9	21
1086	Porosity controlled 3D SnO ₂ spheres via electrostatic spray: Selective acetone sensors. <i>Sensors and Actuators B: Chemical</i> , 2020, 304, 127350.	4.0	47
1087	Metal-oxide semiconductors for carbon monoxide (CO) gas sensing: A review. <i>Applied Materials Today</i> , 2020, 18, 100483.	2.3	151
1088	Ethanol Detection at the Parts per Billion Level with Single-stranded DNA-Modified Graphene Field-Effect Transistors. <i>Physica Status Solidi (B): Basic Research</i> , 2020, 257, 1900376.	0.7	13
1089	L-glycine-assisted synthesis of SnO ₂ /Pd nanoparticles and their application in detection of biodeteriorating fungi. <i>Materials Chemistry and Physics</i> , 2020, 240, 122172.	2.0	9
1090	Environa™ chamber for performance evaluation of low-cost sensors. <i>Atmospheric Environment</i> , 2020, 223, 117264.	1.9	15
1091	Electronic Nose and Its Applications: A Survey. <i>International Journal of Automation and Computing</i> , 2020, 17, 179-209.	4.5	202
1092	Synthesis of ZrO_2 nanostructure for gas sensing application. <i>Bulletin of Materials Science</i> , 2020, 43, 1.	0.8	5
1093	Recent advances in two-dimensional-material-based sensing technology toward health and environmental monitoring applications. <i>Nanoscale</i> , 2020, 12, 3535-3559.	2.8	318
1094	VOC gas sensor based on hollow cubic assembled nanocrystal Zn ₂ SnO ₄ for breath analysis. <i>Sensors and Actuators A: Physical</i> , 2020, 302, 111834.	2.0	50
1095	Multi-dimensional templated synthesis of hierarchical Fe ₂ O ₃ /NiO composites and their superior ethanol sensing properties promoted by nanoscale p-n heterojunctions. <i>Dalton Transactions</i> , 2020, 49, 1300-1310.	1.6	18
1096	One-pot synthesis and gas sensitivity of SnO ₂ nanoparticles prepared using two Sn salts of SnCl ₄ ·5H ₂ O and SnCl ₂ ·2H ₂ O. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	11

#	ARTICLE	IF	CITATIONS
1097	Tailoring oxygen sensing characteristics of Co ₃ O ₄ nanostructures through Gd doping. <i>Ceramics International</i> , 2020, 46, 9498-9506.	2.3	31
1098	Uniform hierarchical tetradecahedral SnO ₂ /Zn ₂ SnO ₄ composites for ultrafast response/recovery and selective gas detection at room temperature. <i>Chemical Physics Letters</i> , 2020, 741, 137067.	1.2	8
1099	Glycothermal Synthesis of VO ₂ (B) Nanoparticles for Gas Sensing Application. <i>Journal of Nanoscience and Nanotechnology</i> , 2020, 20, 1946-1954.	0.9	14
1100	WO ₃ processed by direct laser interference patterning for NO ₂ detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127226.	4.0	12
1101	Fabrication techniques for coupling advanced nanomaterials to transducers. , 2020, , 103-124.		1
1102	Monitoring perishable food. , 2020, , 289-314.		2
1103	Catalyst-induced gas-sensing selectivity in ZnO nanoribbons: Ab-initio investigation at room temperature. <i>Applied Surface Science</i> , 2020, 505, 144602.	3.1	8
1105	Fast response and highly selective nitrogen dioxide gas sensor based on Zinc Stannate thin films. <i>Materials Science for Energy Technologies</i> , 2020, 3, 36-42.	1.0	19
1106	MWCNT and Fe ₂ O ₃ embedded rGO-nanosheets based hybrid structure for room temperature chloroform detection using fast response/recovery cantilever based sensors. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127457.	4.0	21
1107	Recent developments in emerging two-dimensional materials and their applications. <i>Journal of Materials Chemistry C</i> , 2020, 8, 387-440.	2.7	501
1108	Oxygen vacancy engineering of self-doped SnO _{2-x} nanocrystals for ultrasensitive NO ₂ detection. <i>Journal of Materials Chemistry C</i> , 2020, 8, 487-494.	2.7	76
1109	Methanol and Humidity Capacitive Sensors Based on Thin Films of MOF Nanoparticles. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 4155-4162.	4.0	113
1110	Pore-Size-Tuned Graphene Oxide Membrane as a Selective Molecular Sieving Layer: Toward Ultrasensitive Chemiresistors. <i>Analytical Chemistry</i> , 2020, 92, 957-965.	3.2	38
1111	Structural analyses of polyaniline-titanium oxide composite for acetone detection. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1574-1584.	1.1	7
1112	Synthesis of MnSb ₂ O ₆ powders through a simple low-temperature method and their test as a gas sensor. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 7359-7372.	1.1	10
1113	Tunable formation of nanostructured SiC/SiOC core-shell for selective detection of SO ₂ . <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127485.	4.0	25
1114	The effect of light irradiation on the gas-sensing properties of nanocomposites based on ZnO and Ag nanoparticles. <i>Applied Surface Science</i> , 2020, 505, 144625.	3.1	30
1115	Compositing strategies to enhance the performance of chemiresistive CO ₂ gas sensors. <i>Materials Science in Semiconductor Processing</i> , 2020, 107, 104820.	1.9	54

#	ARTICLE	IF	CITATIONS
1116	A scalable screen-printed high performance ZnO-UV and Gas Sensor: Effect of solution combustion. <i>Materials Science in Semiconductor Processing</i> , 2020, 107, 104828.	1.9	22
1117	Exposed crystal facets of WO ₃ nanosheets by phase control on NO ₂ -sensing performance. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 610-620.	1.1	34
1118	Recent advances in black phosphorus and transition metal dichalcogenide-based electronic and optoelectronics devices. , 2020, , 251-312.		3
1119	Synthesis of Zinc Oxide Nanoparticles Through Hybrid Machining Process and Their Application in Supercapacitors. <i>Journal of Electronic Materials</i> , 2020, 49, 1541-1549.	1.0	10
1120	Al doped narcissus-like ZnO for enhanced NO ₂ sensing performance: An experimental and DFT investigation. <i>Sensors and Actuators B: Chemical</i> , 2020, 305, 127489.	4.0	71
1121	Facile control of room temperature nitrogen dioxide gas selectivity induced by copper oxide nanoplatelets. <i>Journal of Colloid and Interface Science</i> , 2020, 560, 755-768.	5.0	26
1122	Effect of Pd-decoration on the sensing properties of ZnO nanostructures. <i>Thin Solid Films</i> , 2020, 693, 137693.	0.8	16
1123	Influence of working temperature on the structure and gas-sensing properties of ⁵⁷ FeOOH submicron spheres. <i>Materials Science in Semiconductor Processing</i> , 2020, 107, 104857.	1.9	5
1124	Size-tunable ferromagnetic ZnFe ₂ O ₄ nanoparticles and their ethanol detection capabilities. <i>Applied Surface Science</i> , 2020, 508, 144863.	3.1	35
1125	Ammonia gas adsorption study on graphene oxide based sensing device under different humidity conditions. <i>Materials Chemistry and Physics</i> , 2020, 242, 122485.	2.0	24
1126	Reliable Tin dioxide based nanowire networks as ultraviolet solar radiation sensors. <i>Sensors and Actuators A: Physical</i> , 2020, 302, 111825.	2.0	11
1127	A High-Efficiency Driver Circuit for a Gas-Sensor Microheater Based on a Switch-Mode DC-to-DC Converter. <i>Sensors</i> , 2020, 20, 5367.	2.1	2
1128	Advancements in Microfabricated Gas Sensors and Microanalytical Tools for the Sensitive and Selective Detection of Odors. <i>Sensors</i> , 2020, 20, 5478.	2.1	27
1129	Highly sensitive and selective sensing of acetone and hydrogen sulfide using metal phthalocyanine based carbon nanotube hybrids. <i>Applied Surface Science</i> , 2020, 532, 147314.	3.1	13
1130	Review on exploration of graphene in the design and engineering of smart sensors, actuators and soft robotics. <i>Chemical Engineering Journal Advances</i> , 2020, 4, 100034.	2.4	40
1131	A review on hybrid and flexible CO ₂ gas sensors. <i>Synthetic Metals</i> , 2020, 270, 116602.	2.1	35
1132	Gas sensing behavior of ZnO thick film sensor towards H ₂ S, NH ₃ , LPG and CO ₂ .. <i>Journal of Physics: Conference Series</i> , 2020, 1644, 012060.	0.3	10
1133	Acidity of surface-infiltrated binary oxides as a sensitive descriptor of oxygen exchange kinetics in mixed conducting oxides. <i>Nature Catalysis</i> , 2020, 3, 913-920.	16.1	52

#	ARTICLE	IF	CITATIONS
1134	Gallium Nitride (GaN) Nanostructures and Their Gas Sensing Properties: A Review. <i>Sensors</i> , 2020, 20, 3889.	2.1	48
1135	Ammonia Sensing by Sn ^{1x} V ^x O ² Mesoporous Nanoparticles. <i>ACS Applied Nano Materials</i> , 2020, 3, 7572-7579.	2.4	12
1136	Nanomaterials as Toxic Gas Sensors and Biosensors. <i>Nanotechnology in the Life Sciences</i> , 2020, , 389-430.	0.4	4
1137	Enhancement and Optimization in Sensing Characteristics of Ammonia Gas Sensor Based on Light Assisted Nanostructured WO ₃ Thin Film. <i>IEEE Sensors Journal</i> , 2020, 20, 14617-14623.	2.4	24
1138	Exfoliated MoSe ₂ Nanosheets Doped on the Surface of ZnO Nanorods for Hydrogen Sensing Applications. <i>ACS Applied Nano Materials</i> , 2020, 3, 12139-12147.	2.4	24
1139	Graphene Oxide Wrapped Hollow SnO ₂ Sphere for Room Temperature Formaldehyde Sensing: An Insight Through Computational Analysis & Experimental Study. <i>IEEE Transactions on Electron Devices</i> , 2020, 67, 3767-3774.	1.6	15
1140	Acetone sensing applications of Ag modified TiO ₂ porous nanoparticles synthesized via facile hydrothermal method. <i>Applied Surface Science</i> , 2020, 533, 147383.	3.1	52
1141	Modifying the crystal structures of Fe ₂ O ₃ -doped NiO epitaxial thin films grown at room temperature by controlling the oxygen partial pressure. <i>Applied Surface Science</i> , 2020, 533, 147432.	3.1	3
1142	3D ordered porous SnO ₂ with a controllable pore diameter for enhanced formaldehyde sensing performance. <i>Functional Materials Letters</i> , 2020, 13, 2051044.	0.7	2
1143	Room-Temperature Gas Sensors Under Photoactivation: From Metal Oxides to 2D Materials. <i>Nano-Micro Letters</i> , 2020, 12, 164.	14.4	201
1144	Development of lightweight polypropylene/carbon fiber composites for its application in shielding of electromagnetic interference in X-band. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 14088-14100.	1.1	13
1145	Innovative Approach to Photo-Chemiresistive Sensing Technology: Surface-Fluorinated SnO ₂ for VOC Detection. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 37320-37329.	4.0	19
1146	Synthesis, characterization, and NH ₃ gas sensing application of Zn doped cobalt oxide nanoparticles. <i>Inorganic Chemistry Communication</i> , 2020, 120, 108145.	1.8	20
1147	Regulation of intrinsic physicochemical properties of metal oxide nanomaterials for energy conversion and environmental detection applications. <i>Journal of Materials Chemistry A</i> , 2020, 8, 17326-17359.	5.2	33
1148	Fabrication of a hydrazine chemical sensor based on facile synthesis of doped NZO nanostructure materials. <i>New Journal of Chemistry</i> , 2020, 44, 13018-13029.	1.4	25
1149	Environmental chemical sensing using small drones: A review. <i>Science of the Total Environment</i> , 2020, 748, 141172.	3.9	109
1150	Two-dimensional semiconducting covalent organic nanosheets for highly sensitive and stable NO ₂ sensing under humid conditions. <i>Journal of Materials Chemistry A</i> , 2020, 8, 19246-19253.	5.2	29
1151	Perfectly Aligned, Air-Suspended Nanowire Array Heater and Its Application in an Always-On Gas Sensor. <i>Advanced Functional Materials</i> , 2020, 30, 2004448.	7.8	9

#	ARTICLE	IF	CITATIONS
1152	Fast Selective Sensing of Nitrogen-Based Gases Utilizing $\hat{\Gamma}$ -MnO ₂ -Epitaxial Graphene-Silicon Carbide Heterostructures for Room Temperature Gas Sensing. Journal of Microelectromechanical Systems, 2020, 29, 846-852.	1.7	6
1153	New Insights towards High-Temperature Ethanol-Sensing Mechanism of ZnO-Based Chemiresistors. Sensors, 2020, 20, 5602.	2.1	13
1154	Morphology control of aluminum nitride (AlN) for a novel high-temperature hydrogen sensor. International Journal of Minerals, Metallurgy and Materials, 2020, 27, 1560-1567.	2.4	13
1155	Printed, Fully Metal Oxide, Capacitive Humidity Sensors Using Conductive Indium Tin Oxide Inks. ACS Applied Electronic Materials, 2020, 2, 3593-3600.	2.0	48
1156	Donated free electrons induced enhancement in the NH ₃ sensing ability of ZnO thin films - Effect of terbium loading. Sensors and Actuators A: Physical, 2020, 316, 112376.	2.0	12
1157	Chemiresistive Hydrogen Sensors: Fundamentals, Recent Advances, and Challenges. ACS Nano, 2020, 14, 14284-14322.	7.3	143
1158	Au Nanoparticles Decorated Mesoporous SiO ₂ -WO ₃ Hybrid Materials with Improved Pore Connectivity for Ultratrace Ethanol Detection at Low Operating Temperature. Small, 2020, 16, e2004772.	5.2	37
1159	Synthesis and Ethanol Sensing Properties of SnO ₂ Nanoparticles in SnO ₂ Nanotubes Composite. Russian Journal of Physical Chemistry A, 2020, 94, 2306-2311.	0.1	6
1160	Surface Molecular Separator for Selective Gas Sensing. Industrial & Engineering Chemistry Research, 2020, 59, 17894-17900.	1.8	9
1161	A highly sensitive, selective and room temperature operatable formaldehyde gas sensor using chemiresistive g-C ₃ N ₄ /ZnO. Materials Advances, 2020, 1, 2781-2788.	2.6	11
1162	Selective H ₂ sensing using lanthanum doped zinc oxide thin film: A study of temperature dependence H ₂ sensing effect on carrier reversal activity. Journal of Applied Physics, 2020, 128, .	1.1	9
1163	Cocaine by-product detection with metal oxide semiconductor sensor arrays. RSC Advances, 2020, 10, 28464-28477.	1.7	6
1164	Employment of Nb ₂ O ₅ thin-films for ethanol sensing. , 2020, , .		3
1165	Nanostructure morphology influences in electrical properties of titanium dioxide thin films. Journal of Materials Research, 2020, 35, 3012-3020.	1.2	4
1166	Enhancing room temperature ethanol sensing using electrospun Ag-doped SnO ₂ -ZnO nanofibers. Journal of Materials Science: Materials in Electronics, 2020, 31, 17212-17224.	1.1	7
1167	Novel approaches for highly selective, room-temperature gas sensors based on atomically dispersed non-precious metals. Journal of Materials Chemistry A, 2020, 8, 23784-23794.	5.2	6
1168	A Quartz Crystal Microbalance Based Portable Gas Sensing Platform for On-Demand Human Breath Monitoring. IEEE Access, 2020, 8, 146166-146171.	2.6	4
1169	LPG SENSING PROPERTY OF NICKEL DOPED CdS THIN FILM SYNTHESISED BY SILAR METHOD. Advances in Materials and Processing Technologies, 2020, , 1-11.	0.8	3

#	ARTICLE	IF	CITATIONS
1170	Enhanced, stable, humidity-tolerant xylene sensing using ordered macroporous NiO/ZrO ₂ nanocomposites. <i>Sensors and Actuators B: Chemical</i> , 2020, 324, 128648.	4.0	24
1171	High Electronically Conductive Tungsten Phosphate Glass-Ceramics. <i>Nanomaterials</i> , 2020, 10, 2515.	1.9	7
1172	Insights in the Application of Stoichiometric and Non-Stoichiometric Titanium Oxides for the Design of Sensors for the Determination of Gases and VOCs (TiO ₂ ~ ^x and TiO ₂ n~ ¹ vs. TiO ₂). <i>Sensors</i> , 2020, 20, 6833.	2.1	74
1173	Improvement of the structural and electrical properties of PMMA/PANI-MA blends synthesized by interfacial in situ polymerization in a continuous organic phase. <i>Polymer Bulletin</i> , 2022, 79, 37-63.	1.7	3
1174	Cu/graphene interdigitated electrodes with various copper thicknesses for UV-illumination-enhanced gas sensors at room temperature. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 25769-25779.	1.3	3
1175	Evaluation of Low-Cost Sensors for Weather and Carbon Dioxide Monitoring in Internet of Things Context. <i>IoT</i> , 2020, 1, 286-308.	2.3	10
1176	Accelerated Stress Tests and Statistical Reliability Analysis of Metal-Oxide/GaN Nanostructured Sensor Devices. <i>IEEE Transactions on Device and Materials Reliability</i> , 2020, 20, 742-747.	1.5	6
1177	Palladium-Doped Tin Oxide Nanosensor for the Detection of the Air Pollutant Carbon Monoxide Gas. <i>Sensors</i> , 2020, 20, 5889.	2.1	5
1179	Strain Control of a NO Gas Sensor Based on Ga-Doped ZnO Epilayers. <i>ACS Applied Electronic Materials</i> , 2020, 2, 1365-1372.	2.0	24
1180	Near-Infrared Laser-Annealed IZO Flexible Device as a Sensitive H ₂ S Sensor at Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 24984-24991.	4.0	14
1181	Perovskite-sensitized $\text{Ti}^{2+}\text{-Ga}^{2+}\text{O}^{3-}$ nanorod arrays for highly selective and sensitive NO ₂ detection at high temperature. <i>Journal of Materials Chemistry A</i> , 2020, 8, 10845-10854.	5.2	21
1182	Seed-Assisted Growth of TiO ₂ Nanowires by Thermal Oxidation for Chemical Gas Sensing. <i>Nanomaterials</i> , 2020, 10, 935.	1.9	14
1183	Hydrothermal synthesis of Au@SnO ₂ hierarchical hollow microspheres for ethanol detection. <i>Sensors and Actuators B: Chemical</i> , 2020, 319, 128299.	4.0	44
1184	Editors' Choice Review Solid-State Electrochemical Carbon Dioxide Sensors: Fundamentals, Materials and Applications. <i>Journal of the Electrochemical Society</i> , 2020, 167, 037567.	1.3	32
1185	Peculiarities of photoluminescence in gas ambient of doped ZnO nanopowders. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 5003-5008.	1.6	6
1186	WO ₃ and Ionic Liquids: A Synergic Pair for Pollutant Gas Sensing and Desulfurization. <i>Metals</i> , 2020, 10, 475.	1.0	8
1187	Review of Gravimetric Sensing of Volatile Organic Compounds. <i>ACS Sensors</i> , 2020, 5, 1514-1534.	4.0	77
1188	Local grain-to-grain conductivity in an SnO ₂ -V ₂ O ₅ nanocomposite ethanol sensor. <i>Nanotechnology</i> , 2020, 31, 344001.	1.3	11

#	ARTICLE	IF	CITATIONS
1189	Enhanced NO ₂ sensing properties of Pt/WO ₃ films grown by glancing angle deposition. <i>Ceramics International</i> , 2020, 46, 21388-21394.	2.3	19
1190	Graphene-Based Hydrogen Gas Sensors: A Review. <i>Processes</i> , 2020, 8, 633.	1.3	35
1191	Elucidating the role of electrophoretic mobility for increasing yield in the electrophoretic deposition of nanomaterials. <i>Journal of Colloid and Interface Science</i> , 2020, 570, 109-115.	5.0	11
1192	One-Dimensional Nanostructured Oxide Chemoresistive Sensors. <i>Langmuir</i> , 2020, 36, 6326-6344.	1.6	87
1193	A novel ppm level ethanol sensor based on La loaded ITO impregnated with Pd and Sb additives. <i>Microchemical Journal</i> , 2020, 158, 105146.	2.3	7
1194	One-Step Fabrication of Nanocrystalline Nanonetwork SnO ₂ Gas Sensors by Integrated Multilaser Processing. <i>Advanced Materials Technologies</i> , 2020, 5, 2000281.	3.0	10
1195	Hydrothermally synthesized porous ZnO nanosheets for methane sensing at lower temperature. <i>Journal of Porous Materials</i> , 2020, 27, 1363-1368.	1.3	7
1196	Characterization of metal oxide gas sensors via optical techniques. <i>Analytical and Bioanalytical Chemistry</i> , 2020, 412, 4575-4584.	1.9	10
1197	Synthesis of nanocrystalline ZnS/TiO ₂ films for enhanced NO ₂ gas sensing. <i>Thin Solid Films</i> , 2020, 709, 138190.	0.8	13
1198	Nanoflake assembled hierarchical porous flower-like Fe ₂ O ₃ with large specific surface area for enhanced acetone sensing. <i>Functional Materials Letters</i> , 2020, 13, 2051038.	0.7	3
1199	Novel Approaches of Nanocerium with Magnetic, Photoluminescent, and Gas-Sensing Properties. <i>ACS Omega</i> , 2020, 5, 14879-14889.	1.6	16
1200	Low-Humidity Sensing Properties of Multi-Layered Graphene Grown by Chemical Vapor Deposition. <i>Sensors</i> , 2020, 20, 3174.	2.1	5
1201	Functional Nanomaterials. <i>Materials Horizons</i> , 2020, , .	0.3	16
1202	Heterobilayer CaS/CaSe: A promising sensor for environmental toxic NO ₂ gas with high selectivity and sensitivity. <i>Applied Surface Science</i> , 2020, 528, 146996.	3.1	30
1203	Single resistive sensor for selective detection of multiple VOCs employing SnO ₂ hollowspheres and machine learning algorithm: A proof of concept. <i>Sensors and Actuators B: Chemical</i> , 2020, 321, 128484.	4.0	66
1204	Effect of an alkali hydroxide concentration on the structural, optical, and surface morphological properties of ZnO nanoparticles. <i>Applied Physics A: Materials Science and Processing</i> , 2020, 126, 1.	1.1	20
1205	iHWG-MOX: A Hybrid Breath Analysis System via the Combination of Substrate-Integrated Hollow Waveguide Infrared Spectroscopy with Metal Oxide Gas Sensors. <i>ACS Sensors</i> , 2020, 5, 1033-1039.	4.0	19
1206	Quantification of Ethanol by Metal-Oxide-Based Resistive Sensors: A Review. <i>Journal of Electronic Materials</i> , 2020, 49, 3009-3024.	1.0	22

#	ARTICLE	IF	CITATIONS
1207	Reviewâ€”Recent Advances in Electrochemical Impedance Spectroscopy Based Toxic Gas Sensors Using Semiconducting Metal Oxides. Journal of the Electrochemical Society, 2020, 167, 037572.	1.3	97
1208	Frontiers of graphene and 2D material-based gas sensors for environmental monitoring. 2D Materials, 2020, 7, 032002.	2.0	103
1209	Expanding the horizons of covalent organic frameworks to electrochemical sensors; A case study of CTF-FUM. Microporous and Mesoporous Materials, 2020, 300, 110146.	2.2	30
1210	Design of functional composite and all-inorganic nanostructured materials <i>via</i> infiltration of polymer templates with inorganic precursors. Journal of Materials Chemistry C, 2020, 8, 10604-10627.	2.7	29
1211	Liquid Metal-Based Route for Synthesizing and Tuning Gas-Sensing Elements. ACS Sensors, 2020, 5, 1177-1189.	4.0	34
1212	Geometrically Structured Nanomaterials for Nanosensors, NEMS, and Nanosieves. Advanced Materials, 2020, 32, e1907082.	11.1	26
1213	Conductive polymers and metal oxide polymeric composites for nanostructures and nanodevices. , 2020, , 243-271.		9
1214	Gas Sensing Performance of Pristine and Monovacant C6BN Monolayers Evaluated by Density Functional Theory and the Nonequilibrium Greenâ€™s Function Formalism. Journal of Physical Chemistry C, 2020, 124, 5853-5860.	1.5	18
1215	W-doped indium oxide synthesized via hydrothermal route for low-temperature ozone sensing. Solid State Ionics, 2020, 347, 115271.	1.3	7
1216	Machine-intelligent inkjet-printed \pm -Fe2O3/rGO towards NO2 quantification in ambient humidity. Sensors and Actuators B: Chemical, 2020, 321, 128446.	4.0	20
1217	Study of Thin Film Tin Oxide for Reliability as Gas Sensing Material. , 2020, , .		0
1218	Nanomaterial-based gas sensor for environmental science and technology. , 2020, , 229-252.		2
1219	Using gas-phase air quality sensors to disentangle potential sources in a Los Angeles neighborhood. Atmospheric Environment, 2020, 233, 117519.	1.9	14
1220	Self-Powered Gas Sensor Based on a Photovoltaic Cell and a Colorimetric Film with Hierarchical Micro/Nanostructures. ACS Applied Materials & Interfaces, 2020, 12, 39024-39032.	4.0	24
1221	Hydrogen Sensors Using 2â€”Dimensional Materials: A Review. ChemistrySelect, 2020, 5, 7277-7297.	0.7	23
1222	A highly sensitive and selective optical waveguide sensor based on a porphyrin-coated ZnO film. Sensors and Actuators A: Physical, 2020, 309, 111918.	2.0	10
1223	Oxygen adsorption properties of small cobalt oxide clusters: application feasibility as oxygen gas sensors. Physical Chemistry Chemical Physics, 2020, 22, 14889-14899.	1.3	6
1224	Ultrasensitive Detection of Electrolyte Leakage from Lithium-Ion Batteries by Ionically Conductive Metal-Organic Frameworks. Matter, 2020, 3, 904-919.	5.0	42

#	ARTICLE	IF	CITATIONS
1225	Sample Preparation of TiO ₂ ; Added ZnO Using Powder Metallurgy Route and its Characteristics. Materials Science Forum, 0, 981, 78-83.	0.3	2
1226	A Micromachined Metal Oxide Composite Dual Gas Sensor System for Principal Component Analysis-Based Multi-Monitoring of Noxious Gas Mixtures. Micromachines, 2020, 11, 24.	1.4	6
1227	High Sensitive and Selective Minisensor for Acetone Monitoring. IEEE Transactions on Instrumentation and Measurement, 2020, 69, 3308-3316.	2.4	9
1228	Visible Light-Driven p-Type Semiconductor Gas Sensors Based on CaFe ₂ O ₄ Nanoparticles. Sensors, 2020, 20, 850.	2.1	16
1229	Optimization of Au:CuO Nanocomposite Thin Films for Gas Sensing with High-Resolution Localized Surface Plasmon Resonance Spectroscopy. Analytical Chemistry, 2020, 92, 4349-4356.	3.2	22
1230	MoS ₂ -Based Nanomaterials for Room-Temperature Gas Sensors. Advanced Materials Technologies, 2020, 5, 1901062.	3.0	138
1231	Editors' Choice Critical Review A Critical Review of Solid State Gas Sensors. Journal of the Electrochemical Society, 2020, 167, 037570.	1.3	112
1232	CLIP: Carbon Dioxide testing suitable for Low power microelectronics and IOT interfaces using Room temperature Ionic Liquid Platform. Scientific Reports, 2020, 10, 2557.	1.6	24
1233	Printed gas sensors. Chemical Society Reviews, 2020, 49, 1756-1789.	18.7	216
1234	An optogalvanic gas sensor based on Rydberg excitations. Journal of Physics B: Atomic, Molecular and Optical Physics, 2020, 53, 094001.	0.6	4
1235	Flow Compensated Gas Sensing Array for Improved Performances in Breath-Analysis Applications. , 2020, 4, 1-4.		5
1236	Construction of Cr ₂ O ₃ :ZnO Nanostructured Thin Film Prepared by Pulsed Laser Deposition Technique for NO ₂ Gas Sensor. Transactions on Electrical and Electronic Materials, 2020, 21, 355-365.	1.0	5
1237	Nanocomposite films for absorption and decomposition of sick-building syndrome gases. , 2020, , 251-272.		0
1238	Utilizing ZnO Nanorods for CO gas detection by SPR technique. Optics Communications, 2020, 463, 125490.	1.0	14
1240	Fully Integrated Indium Gallium Zinc Oxide NO ₂ Gas Detector. ACS Sensors, 2020, 5, 984-993.	4.0	72
1241	Highly Sensitive Detection of Benzene, Toluene, and Xylene Based on CoPP-Functionalized TiO ₂ Nanoparticles with Low Power Consumption. ACS Sensors, 2020, 5, 754-763.	4.0	48
1242	Metal oxides nanoparticles via sol-gel method: a review on synthesis, characterization and applications. Journal of Materials Science: Materials in Electronics, 2020, 31, 3729-3749.	1.1	314
1243	Gas-sensing properties of ITO materials with different morphologies prepared by sputtering. SN Applied Sciences, 2020, 2, 1.	1.5	11

#	ARTICLE	IF	CITATIONS
1244	2D layered MoS ₂ based gas sensor for indoor pollutant formaldehyde gas sensing applications. Materials Letters, 2020, 264, 127385.	1.3	24
1245	Solution-Processed SnSe ₂ Heterostructure Layers for Ultrasensitive NO ₂ Detection. Chemistry - A European Journal, 2020, 26, 3870-3876.	1.7	43
1246	Formaldehyde sensor based on FSP-made AgOx-doped SnO ₂ nanoparticulate sensing films. Sensors and Actuators B: Chemical, 2020, 309, 127705.	4.0	22
1247	A reliable chemiresistive sensor of nickel-doped tin oxide (Ni-SnO ₂) for sensing carbon dioxide gas and humidity. RSC Advances, 2020, 10, 3796-3804.	1.7	30
1248	Transition metal dichalcogenides-based flexible gas sensors. Sensors and Actuators A: Physical, 2020, 303, 111875.	2.0	125
1249	A resonant single frequency molecular detector with high sensitivity and selectivity for gas mixtures. Scientific Reports, 2020, 10, 1537.	1.6	6
1250	Synthesis of CoFe ₂ O ₄ nanocubes. Nano	1.9	10
1251	Curating Metal-Organic Frameworks To Compose Robust Gas Sensor Arrays in Dilute Conditions. ACS Applied Materials & Interfaces, 2020, 12, 6546-6564.	4.0	25
1252	Monolithic Micro Light-Emitting Diode/Metal Oxide Nanowire Gas Sensor with Microwatt-Level Power Consumption. ACS Sensors, 2020, 5, 563-570.	4.0	87
1253	Development of LTCC micro-hotplate with PTC temperature sensor for gas sensing applications. International Journal of Applied Ceramic Technology, 2020, 17, 1430-1439.	1.1	10
1254	SnO ₂ /Au multilayer heterostructure for efficient CO sensing. Materials Chemistry and Physics, 2020, 244, 122741.	2.0	17
1255	State-of-the-art of methane sensing materials: A review and perspectives. TrAC - Trends in Analytical Chemistry, 2020, 125, 115820.	5.8	29
1256	Superior sensitivity of metal functionalized boron carbide (BC ₃) monolayer towards carbonaceous pollutants. Applied Surface Science, 2020, 512, 145637.	3.1	15
1257	Hydrogen Sensing Performance of ZnO Schottky Diodes in Humid Ambient Conditions with PMMA Membrane Layer. Sensors, 2020, 20, 835.	2.1	14
1258	Fabrication of interdigitated electrode (IDE) based ZnO sensors for room temperature ammonia detection. Journal of Alloys and Compounds, 2020, 824, 153900.	2.8	19
1259	Highly selective and sensitive WO ₃ nanoflakes based ammonia sensor. Materials Science in Semiconductor Processing, 2020, 110, 104969.	1.9	36
1260	Deposition of anti-fog coatings on glass substrates using the jet of an open-air microwave argon plasma at atmospheric pressure. Plasma Processes and Polymers, 2020, 17, 1900229.	1.6	11
1261	A facile method for preparation of uniformly decorated-spherical SnO ₂ by CuO nanoparticles for highly responsive toluene detection at high temperature. Journal of Materials Science and Technology, 2020, 51, 119-129.	5.6	29

#	ARTICLE	IF	CITATIONS
1262	Deformation-induced charge redistribution in ceria thin film at room temperature. <i>Acta Materialia</i> , 2020, 191, 70-80.	3.8	4
1263	High response methane sensor based on Au-modified hierarchical porous nanosheets-assembled ZnO microspheres. <i>Materials Chemistry and Physics</i> , 2020, 250, 123027.	2.0	38
1264	Design of Hollow Nanofibrous Structures using Electrospinning: An Aspect of Chemical Sensor Applications. <i>ChemNanoMat</i> , 2020, 6, 1014-1027.	1.5	16
1265	Femtosecond laser surface engineering of biopolymer ceramic scaffolds coated with ZnO by low temperature atomic layer deposition method. <i>Optical and Quantum Electronics</i> , 2020, 52, 1.	1.5	2
1266	Fiber-based Surface Plasmon Resonance Sensor for Lead Ion Detection in Aqueous Solution. <i>Plasmonics</i> , 2020, 15, 1369-1376.	1.8	18
1267	Cd(OH) ₂ @ZnO nanowires thin-film transistor and UV photodetector with a floating ionic gate tuned by a triboelectric nanogenerator. <i>Nano Energy</i> , 2020, 73, 104808.	8.2	31
1268	SWCNTs-based MEMS gas sensor array and its pattern recognition based on deep belief networks of gases detection in oil-immersed transformers. <i>Sensors and Actuators B: Chemical</i> , 2020, 312, 127998.	4.0	36
1269	Humidity impedimetric sensor based on vanadium pentoxide xerogel modified screen-printed graphite electrochemical cell. <i>Talanta</i> , 2020, 216, 121003.	2.9	10
1270	The effect of morphology on the ozone-gas sensing properties of zinc oxide sputtered films. <i>Thin Solid Films</i> , 2020, 703, 137975.	0.8	16
1271	The Functionalized Single-Walled Carbon Nanotubes Gas Sensor With Pd Nanoparticles for Hydrogen Detection in the High-Voltage Transformers. <i>Frontiers in Chemistry</i> , 2020, 8, 174.	1.8	19
1272	Nitrogen-Doped Carbon Dots Induced Enhancement in CO ₂ Sensing Response From ZnO@Porous Silicon Hybrid Structure. <i>Frontiers in Chemistry</i> , 2020, 8, 291.	1.8	18
1273	Metal Oxide Gas Sensors by Nanostructures. , 0, , .		13
1274	CuO Nanoparticles/Ti ₃ C ₂ T _x MXene Hybrid Nanocomposites for Detection of Toluene Gas. <i>ACS Applied Nano Materials</i> , 2020, 3, 4755-4766.	2.4	162
1275	The impact of carrier gas on room-temperature trace nitrogen dioxide sensing of ZnO nanowire-integrated film under UV illumination. <i>Ceramics International</i> , 2020, 46, 16056-16061.	2.3	38
1276	Enhancing ZnO nanowire gas sensors using Au/Fe ₂ O ₃ hybrid nanoparticle decoration. <i>Nanotechnology</i> , 2020, 31, 325505.	1.3	7
1277	Colorectal Cancer Study with Nanostructured Sensors: Tumor Marker Screening of Patient Biopsies. <i>Nanomaterials</i> , 2020, 10, 606.	1.9	10
1278	Volatile organic compound gas sensors based on methylammonium lead iodide perovskite operating at room temperature. <i>RSC Advances</i> , 2020, 10, 12982-12987.	1.7	48
1279	Recent Progress and Perspectives on Polyurethane Membranes in the Development of Gas Sensors. <i>Critical Reviews in Analytical Chemistry</i> , 2020, , 1-12.	1.8	5

#	ARTICLE	IF	CITATIONS
1280	Preparation of palladium oxide nanoparticles supported on tin oxide nanofibers via modified electrospinning for ultra-low ppb NO ₂ detection. <i>Materials Today: Proceedings</i> , 2021, 36, 1-9.	0.9	4
1281	A facile microwave route for fabrication of NiO/rGO hybrid sensor with efficient CO ₂ and acetone gas sensing performance using clad modified fiber optic method. <i>Optik</i> , 2021, 226, 165970.	1.4	29
1282	Gas sensor towards n-butanol at low temperature detection: Hierarchical flower-like Ni-doped Co ₃ O ₄ based on solvent-dependent synthesis. <i>Sensors and Actuators B: Chemical</i> , 2021, 328, 129028.	4.0	133
1283	Enhanced acetone sensing properties of Pt@Al-doped ZnO core-shell nanoparticles. <i>Sensors and Actuators B: Chemical</i> , 2021, 329, 129153.	4.0	20
1284	Synthesis and characterization of zirconium (IV) and vanadium (III) doped C_eO_2 . <i>Sensors and Actuators A: Physical</i> , 2021, 329, 129153.	2.0	14
1285	Development of Nano-SnO ₂ and SnO ₂ :V ₂ O ₅ Thin Films for Selective Gas Sensor Devices. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 669-686.	1.7	1
1286	Enhanced NO ₂ and SO ₂ sensor response under ambient conditions by polyol synthesized Ni doped SnO ₂ nanoparticles. <i>Journal of Alloys and Compounds</i> , 2021, 854, 157276.	2.8	48
1287	Polypyrrole and associated hybrid nanocomposites as chemiresistive gas sensors: A comprehensive review. <i>Materials Science in Semiconductor Processing</i> , 2021, 121, 105332.	1.9	61
1288	UV photoelectric properties of aligned TiO ₂ nanotubes with different wall thickness. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2021, 126, 114467.	1.3	7
1289	Classification and Regression of Binary Hydrocarbon Mixtures using Single Metal Oxide Semiconductor Sensor With Application to Natural Gas Detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 129012.	4.0	22
1290	Synthesis and characterization of cobalt oxide (Co ₃ O ₄) nanoparticles. <i>Materials Today: Proceedings</i> , 2021, 41, 269-271.	0.9	18
1291	Fabrication of enhanced sensitive and selective porous indium oxide nanocube sensor for NO ₂ detection. <i>Ceramics International</i> , 2021, 47, 2430-2440.	2.3	20
1292	Enhanced gas sensing properties for formaldehyde based on ZnO/Zn ₂ SnO ₄ composites from one-step hydrothermal synthesis. <i>Journal of Alloys and Compounds</i> , 2021, 850, 156606.	2.8	45
1293	rGO decorated NiO-BiVO ₄ heterojunction for detection of NO ₂ at low temperature. <i>Sensors and Actuators B: Chemical</i> , 2021, 329, 128912.	4.0	26
1294	DWTLSTM for electronic nose signal processing in beef quality monitoring. <i>Sensors and Actuators B: Chemical</i> , 2021, 326, 128931.	4.0	63
1295	FET-type gas sensors: A review. <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129240.	4.0	108
1296	Novel p-type Ag-WO ₃ nano-composite for low-cost electronics, photocatalysis, and sensing: synthesis, characterization, and application. <i>Journal of Alloys and Compounds</i> , 2021, 864, 158108.	2.8	13
1297	Ultrasensitive yttrium modified tin oxide thin film based sub-ppb level NO ₂ detector. <i>Sensors and Actuators B: Chemical</i> , 2021, 329, 129169.	4.0	19

#	ARTICLE	IF	CITATIONS
1298	MXene/SnO ₂ heterojunction based chemical gas sensors. <i>Sensors and Actuators B: Chemical</i> , 2021, 329, 129275.	4.0	157
1299	Porous silicon/ $\sqrt{2}$ -MoO ₃ nanohybrid based fast and highly sensitive CO ₂ gas sensors. <i>Vacuum</i> , 2021, 184, 109983.	1.6	41
1300	Rational surface modification of ZnO with siloxane polymers for room-temperature-operated thin-film transistor-based gas sensors. <i>Applied Surface Science</i> , 2021, 542, 148704.	3.1	17
1301	M.A.T.H: Methanol vapor analytics through handheld sensing platform. <i>Electrochimica Acta</i> , 2021, 368, 137624.	2.6	16
1302	Mesoporous WO ₃ modified by Au nanoparticles for enhanced trimethylamine gas sensing properties. <i>Dalton Transactions</i> , 2021, 50, 970-978.	1.6	33
1303	Gas sensing behavior of ZnO toward H ₂ at temperatures below 300°C and its dependence on humidity and Pt-decoration. <i>Applied Surface Science</i> , 2021, 541, 148551.	3.1	36
1304	Differential Microwave Resonator Sensor for Real-Time Monitoring of Volatile Organic Compounds. <i>IEEE Sensors Journal</i> , 2021, 21, 6105-6114.	2.4	38
1305	NH ₃ sensing performance of Pt-doped WO ₃ ·0.33H ₂ O microshuttles induced from scheelite leaching solution. <i>Vacuum</i> , 2021, 184, 109936.	1.6	16
1306	Multi-scale modeling of distortion in the non-flat 3D woven composite part manufactured using resin transfer molding. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 140, 106145.	3.8	11
1307	Theoretical study of the adsorption of gas molecules on Mg-embedded boron carbide (C ₃ B) nanosheets: Implications for gas sensors. <i>Computational and Theoretical Chemistry</i> , 2021, 1194, 113055.	1.1	1
1308	Reducing the destructive effect of ambient humidity variations on gas detection capability of a temperature modulated gas sensor by calcium chloride. <i>Sensors and Actuators B: Chemical</i> , 2021, 331, 129091.	4.0	31
1309	Enhanced response of the photoactive gas sensor on formaldehyde using porous SnO ₂ @TiO ₂ heterostructure driven by gas-flow thermal evaporation and atomic layer deposition. <i>Ceramics International</i> , 2021, 47, 5985-5992.	2.3	24
1310	Functionalization of zirconium-based metal-organic frameworks for gas sensing applications. <i>Journal of Hazardous Materials</i> , 2021, 403, 124104.	6.5	42
1311	Recent advances in energy-saving chemiresistive gas sensors: A review. <i>Nano Energy</i> , 2021, 79, 105369.	8.2	282
1312	Flame spray pyrolysis synthesis and H ₂ S sensing properties of CuO-doped SnO ₂ nanoparticles. <i>Proceedings of the Combustion Institute</i> , 2021, 38, 6743-6751.	2.4	20
1313	Development of cost effective NO ₂ gas sensor based on V ₂ O ₅ micro-flowers. <i>Applied Nanoscience (Switzerland)</i> , 2021, 11, 55-62.	1.6	4
1314	Energy profiles by DFT methods for CO and NO catalytic adsorption over ZnO surfaces. <i>Catalysis Today</i> , 2021, 360, 38-45.	2.2	16
1315	Application of polyvinyl alcohol/polypropylene/zinc oxide nanocomposites as sensor: modeling approach. <i>Optical and Quantum Electronics</i> , 2021, 53, 1.	1.5	9

#	ARTICLE	IF	CITATIONS
1316	Effect of charge storage engineering on the NO ₂ gas sensing properties of a WO ₃ FET-type gas sensor with a horizontal floating-gate. <i>Nanoscale</i> , 2021, 13, 9009-9017.	2.8	18
1317	Boosted interfacial charge transfer in SnO ₂ /SnSe ₂ heterostructures: toward ultrasensitive room-temperature H ₂ S detection. <i>Inorganic Chemistry Frontiers</i> , 2021, 8, 2068-2077.	3.0	23
1318	Air Quality Measurement Using Low-Cost Sensors—A Review. <i>Lecture Notes in Networks and Systems</i> , 2021, , 505-516.	0.5	0
1319	Investigating Simultaneous Effects of Flow Rate and Chamber Structure on the Performance of Metal Oxide Gas Sensors. <i>IEEE Sensors Journal</i> , 2021, 21, 21612-21621.	2.4	7
1320	Zinc Oxide Thin-Film Transistor with Catalytic Electrodes for Hydrogen Sensing at Room Temperature. <i>IEEE Nanotechnology Magazine</i> , 2021, 20, 303-310.	1.1	8
1321	Chemically Synthesized Novel Materials for Gas-Sensing Applications Based on Metal Oxide Nanostructure. , 2021, , 807-820.		0
1322	Boosting the sensing properties of resistive-based gas sensors by irradiation techniques: a review. <i>Nanoscale</i> , 2021, 13, 4728-4757.	2.8	33
1323	Recent advances in 2D black phosphorus based materials for gas sensing applications. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3773-3794.	2.7	51
1324	Electrochemically active site-rich nanocomposites of two-dimensional materials as anode catalysts for direct oxidation fuel cells: new age beyond graphene. <i>Nanoscale Advances</i> , 2021, 3, 3681-3707.	2.2	13
1325	Optimization of SnO ₂ -Based CMOS-Integrated Gas Sensors by Mono-, Bi- and Trimetallic Nanoparticles. <i>Proceedings (mdpi)</i> , 2020, 56, 43.	0.2	1
1326	The role of surface stoichiometry in NO ₂ gas sensing using single and multiple nanobelts of tin oxide. <i>Physical Chemistry Chemical Physics</i> , 2021, 23, 9733-9742.	1.3	6
1327	Nanostructured hydroxyapatite biomaterial as gas sensor. , 2021, , 439-466.		5
1328	Roles of structure and electron mobilization in enhanced ethanol sensing by Al doped SnO ₂ nanoparticles. <i>Materials Advances</i> , 2021, 2, 3760-3769.	2.6	12
1329	Synthesis and characterization of one dimensional ZnO nanorods. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	0
1330	Pd doped SnO ₂ based room temperature operable resistive sensor for the detection of ethanol vapors. <i>Materials Today: Proceedings</i> , 2021, 46, 6437-6444.	0.9	4
1331	Gas sensing performance of 2D nanomaterials/metal oxide nanocomposites: a review. <i>Journal of Materials Chemistry C</i> , 2021, 9, 8776-8808.	2.7	115
1332	Effective Parameter of Nano-CuO Coating on CO Gas-Sensing Performance and Heat Transfer Efficiency. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 6557-6566.	1.7	4
1333	Socio-economic demands and challenges for non-invasive disease diagnosis through a portable breathalyzer by the incorporation of 2D nanosheets and SMO nanocomposites. <i>RSC Advances</i> , 2021, 11, 21216-21234.	1.7	25

#	ARTICLE	IF	CITATIONS
1334	Self-Assembled Monolayers Coated Porous SnO ₂ Film Gas Sensor with Reduced Humidity Influence. Sensors, 2021, 21, 610.	2.1	4
1335	Polymer bonded Graphene- LaNiSbWO ₄ nanocomposite (G-LaNiSbWO ₄ -PPy) for CO ₂ sensing performance under normal temperature condition. Inorganic and Nano-Metal Chemistry, 2021, 51, 1803-1812.	0.9	8
1336	High-performance electrically transduced hazardous gas sensors based on low-dimensional nanomaterials. Nanoscale Advances, 2021, 3, 6254-6270.	2.2	14
1337	Recent advancements in liquefied petroleum gas sensors: A topical review. Sensors International, 2021, 2, 100091.	4.9	12
1338	Graphene-based gas sensors, working principles and sensing parameters. , 2021, , 459-486.		1
1339	Sniffing speeds up chemical detection by controlling air-flows near sensors. Nature Communications, 2021, 12, 1232.	5.8	13
1340	A Gas Sensor for Application as a Propane Leak Detector. Journal of Sensors, 2021, 2021, 1-11.	0.6	5
1341	Development of polyaniline/ZnO-Ru nanocomposite as a potential LPG sensing material operable at room temperature. Journal of Materials Science: Materials in Electronics, 2021, 32, 6110-6122.	1.1	4
1342	Recent developments of nanomaterials-based conductive type methane sensors. Rare Metals, 2021, 40, 1515-1527.	3.6	23
1343	Design of highly sensitive and selective ethanol sensor based on $\text{Fe}_2\text{O}_3/\text{Nb}_2\text{O}_5$ heterostructure. Nanotechnology, 2021, 32, 195503.	1.3	17
1344	A review on mechanisms and recent developments in p-n heterojunctions of 2D materials for gas sensing applications. Journal of Materials Science, 2021, 56, 9575-9604.	1.7	64
1345	Effect of pulsed laser annealing on optical and structural properties of ZnO:Eu thin film. Journal of Materials Science, 2021, 56, 11414-11425.	1.7	5
1346	Synthesis of ZnAl ₂ O ₄ and Evaluation of the Response in Propane Atmospheres of Pellets and Thick Films Manufactured with Powders of the Oxide. Sensors, 2021, 21, 2362.	2.1	10
1347	Phosphorene Oxide Quantum Dots Decorated ZnO Nanostructure-Based Hydrogen Gas Sensor. IEEE Sensors Journal, 2021, 21, 7283-7290.	2.4	10
1348	A Fully Integrated Gas Detection System With Programmable Heating Voltage and Digital Output Rate for Gas Sensor Array. IEEE Sensors Journal, 2021, 21, 6821-6829.	2.4	7
1349	Carbon nanotubes-based sensor for ammonia gas detection – an overview. Polimery, 2021, 66, 175-186.	0.4	18
1350	Morphology-controlled synthesis of CeO ₂ nanocrystals and their facet-dependent gas sensing properties. Sensors and Actuators B: Chemical, 2021, 330, 129374.	4.0	76
1351	Fabrication and characterization of Au/Cr and Cr/Au Multilayered plasmonic nanofilms for sensing applications. Journal of Materials Research and Technology, 2021, 11, 1868-1880.	2.6	4

#	ARTICLE	IF	CITATIONS
1352	Review of Dissolved CO and H ₂ Measurement Methods for Syngas Fermentation. <i>Sensors</i> , 2021, 21, 2165.	2.1	6
1353	Humidity effects on SnO ₂ and (SnTiNb) ₂ O ₃ sensors response to CO and two-dimensional calibration treatment. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2021, 265, 115013.	1.7	9
1354	An Attention-Based Deep Sequential GRU Model for Sensor Drift Compensation. <i>IEEE Sensors Journal</i> , 2021, 21, 7908-7917.	2.4	24
1355	Photodeposition of Pt Nanoparticles on Co ₃ O ₄ Nanocubes for Detection of Acetone at Part-Per-Billion Levels. <i>ACS Applied Nano Materials</i> , 2021, 4, 2752-2759.	2.4	20
1356	Novel microrecycled ZnO nanoparticles decorated macroporous 3D graphene hybrid aerogel for efficient detection of NO ₂ at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2021, 330, 129278.	4.0	33
1357	Fluorine-Induced Surface Metallization for Ammonia Synthesis under Photoexcitation up to 1550 nm. <i>Angewandte Chemie</i> , 2021, 133, 11273-11279.	1.6	0
1358	Gas Sensor Based on Semihydrogenated and Semifluorinated h-BN for SF ₆ Decomposition Components Detection. <i>IEEE Transactions on Electron Devices</i> , 2021, 68, 1878-1885.	1.6	12
1359	Fluorine-Induced Surface Metallization for Ammonia Synthesis under Photoexcitation up to 1550 nm. <i>Angewandte Chemie - International Edition</i> , 2021, 60, 11173-11179.	7.2	21
1360	The role of some metal ions in enhancement of photocatalytic activity of Fe ₂ O ₃ -V ₂ O ₅ binary oxide. <i>Turkish Journal of Chemistry</i> , 2021, 45, 348-361.	0.5	2
1361	High-Throughput Nanoparticle Chemisorption Printing of Chemical Sensors with High-Wiring-Density Electrodes. <i>Electronic Materials</i> , 2021, 2, 72-81.	0.9	0
1362	Iridium oxide films as propane sensors. <i>Thin Solid Films</i> , 2021, 724, 138617.	0.8	6
1363	Cobalt Doped SnO ₂ Thin Film for Detection of Vapor Phase Hydrogen Peroxide. <i>Armenian Journal of Physics</i> , 0, , 8-18.	0.0	0
1364	The Key Role of Active Sites in the Development of Selective Metal Oxide Sensor Materials. <i>Sensors</i> , 2021, 21, 2554.	2.1	67
1365	Ultrasensitive Sensors Based on PdO@SrFe ₂ O ₄ Nanosphere-Modified Fibers for Real-Time Monitoring of Ethanol Gas. <i>ACS Applied Electronic Materials</i> , 2021, 3, 1732-1746.	2.0	17
1366	Effective adsorption of A-series chemical warfare agents on graphdiyne nanoflake: a DFT study. <i>Journal of Molecular Modeling</i> , 2021, 27, 117.	0.8	26
1367	Indium phosphide nanowires: Synthesis and integration into a gas sensing device. <i>Sensors and Actuators B: Chemical</i> , 2021, 333, 129552.	4.0	10
1368	Review: Influences of Semiconductor Metal Oxide Properties on Gas Sensing Characteristics. <i>Frontiers in Sensors</i> , 2021, 2, .	1.7	105
1369	Recent Development of Gas Sensing Platforms Based on 2D Atomic Crystals. <i>Research</i> , 2021, 2021, 9863038.	2.8	29

#	ARTICLE	IF	CITATIONS
1370	Metal Oxide Based Heterojunctions for Gas Sensors: A Review. <i>Nanomaterials</i> , 2021, 11, 1026.	1.9	77
1371	Metal-Oxide Based Nanomaterials: Synthesis, Characterization and Their Applications in Electrical and Electrochemical Sensors. <i>Sensors</i> , 2021, 21, 2494.	2.1	79
1372	MoS ₂ -PVP Nanocomposites Decorated ZnO Microsheets for Efficient Hydrogen Detection. <i>IEEE Sensors Journal</i> , 2021, 21, 8878-8885.	2.4	15
1373	Metal Oxide-Based Photocatalytic Paper: A Green Alternative for Environmental Remediation. <i>Catalysts</i> , 2021, 11, 504.	1.6	43
1374	Fiber optic gas sensor response of hydrothermally synthesized nanocrystalline bismuth tungstate to methanol. <i>Materials Letters</i> , 2021, 288, 129337.	1.3	8
1375	Photoluminescence in gas of (Ca) Mg-doped ZnO nanopowders. <i>Applied Nanoscience (Switzerland)</i> , 2022, 12, 1169-1174.	1.6	2
1376	Highly sensitive NO ₂ sensor based on ZnO nanostructured thin film prepared by SILAR technique. <i>Sensors and Actuators B: Chemical</i> , 2021, 335, 129678.	4.0	19
1377	MoS ₂ nanoworm thin films for NO ₂ gas sensing application. <i>Thin Solid Films</i> , 2021, 725, 138625.	0.8	26
1378	Ultrasensitive NO ₂ gas sensor with insignificant NH ₃ -interference based on a few-layered mesoporous graphene. <i>Sensors and Actuators B: Chemical</i> , 2021, 335, 129657.	4.0	27
1379	Needleless Electrospun Magnetic Carbon Nanofiber Mats for Sensor Applications. <i>Engineering Proceedings</i> , 2021, 6, .	0.4	4
1380	The effect of Ag loading on gas sensor properties of TiO ₂ nanorods. <i>Thin Solid Films</i> , 2021, 726, 138662.	0.8	27
1381	Metal-oxide gas sensors for exhaled-breath analysis: a review. <i>Measurement Science and Technology</i> , 2021, 32, 102004.	1.4	28
1382	High gas sensor performance of WO ₃ nanofibers prepared by electrospinning. <i>Journal of Alloys and Compounds</i> , 2021, 864, 158745.	2.8	64
1383	Synthesis, Characterization and Applications of Spinel Cobaltite Nanomaterials. <i>Current Pharmaceutical Biotechnology</i> , 2021, 22, 773-792.	0.9	7
1384	Emerging 2D metal oxides and their applications. <i>Materials Today</i> , 2021, 45, 142-168.	8.3	164
1385	Ultra-highly sensitive detection of ppb-level acetone gas using novel multicore-shell porous zinc oxide microspheres. <i>Ceramics International</i> , 2021, 47, 13745-13755.	2.3	9
1386	Influence of Zr Additive on the Chemical Reduction Behaviour of MoO ₃ in Carbon Monoxide Atmosphere. <i>Solid State Phenomena</i> , 0, 317, 173-179.	0.3	0
1387	Photo-conductance of thin microstructured WO ₃ films in the vicinity of the edge of fundamental absorption band. , 2021, , .		0

#	ARTICLE	IF	CITATIONS
1388	Effect of temperature and humidity on the sensing performance of TiO ₂ nanowire-based ethanol vapor sensors. <i>Nanotechnology</i> , 2021, 32, 325501.	1.3	35
1389	Humidity compensation based on power-law response for MOS sensors to VOCs. <i>Sensors and Actuators B: Chemical</i> , 2021, 334, 129601.	4.0	33
1390	Significant SRS sensing behavior of hydrothermally silver decorated sandwiched-like vanadia (Ag@V ₂ O ₅) nanosheets toward ethanol. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	2
1391	Employment of Titanium dioxide thin film on NO ₂ gas sensing. <i>Journal of Physics: Conference Series</i> , 2021, 1879, 032061.	0.3	1
1392	Effect of post-oxidation processes and thickness of SnO ₂ films prepared by vacuum evaporation on CO gas sensing characteristics. <i>Ceramics International</i> , 2021, 47, 13015-13022.	2.3	9
1393	Simple preparation of Ni/CuO nanocomposites with superior sensing activity toward the detection of methane gas. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	15
1394	Effect of NiS nanosheets on the butanone sensing performance of ZnO hollow spheres under humidity conditions. <i>Sensors and Actuators B: Chemical</i> , 2021, 334, 129684.	4.0	31
1395	All-Electrical High-Sensitivity, Low-Power Dual-Mode Gas Sensing and Recovery with a WSe ₂ /MoS ₂ pn Heterodiode. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 30785-30796.	4.0	24
1396	Edge-enriched WS ₂ nanosheets on carbon nanofibers boosts NO ₂ detection at room temperature. <i>Journal of Hazardous Materials</i> , 2021, 411, 125120.	6.5	132
1397	Selective Discrimination of VOCs Applying Gas Sensing Kinetic Analysis over a Metal Oxide-Based Chemiresistive Gas Sensor. <i>ACS Sensors</i> , 2021, 6, 2218-2224.	4.0	78
1398	Progress towards a novel NO ₂ gas sensor based on SnO ₂ /RGO hybrid sensors by a facial hydrothermal approach. <i>Diamond and Related Materials</i> , 2021, 116, 108418.	1.8	25
1399	Influences of Work Function Changes in NO ₂ and H ₂ S Adsorption on Pd-Doped ZnGa ₂ O ₄ (111) Thin Films: First-Principles Studies. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5259.	1.3	6
1400	Fiber-integrated hollow-core light cage for gas spectroscopy. <i>APL Photonics</i> , 2021, 6, .	3.0	6
1401	The Heterostructures of CuO and SnO _x for NO ₂ Detection. <i>Sensors</i> , 2021, 21, 4387.	2.1	7
1402	Direct integration of carbon nanotubes on a suspended Pt microheater for hydrogen gas sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 19626-19634.	1.1	8
1403	Highly sensitive and selective ultrasonically nebulized V ₂ O ₅ thin films towards ethanol and NO ₂ gas detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 337, 129811.	4.0	12
1404	Characteristics of highly sensitive and selective nitric oxide gas sensors using defect-functionalized single-walled carbon nanotubes at room temperature. <i>Applied Surface Science</i> , 2021, 550, 149250.	3.1	32
1405	Graphene-Based Hybrid Functional Materials. <i>Small</i> , 2021, 17, e2100514.	5.2	31

#	ARTICLE	IF	CITATIONS
1406	Efficient Photothermal Generation by Nanoscale Light Trapping in a Forest of Silicon Nanowires. Journal of Physical Chemistry C, 2021, 125, 14134-14140.	1.5	14
1407	Sensing Properties of NiO Loaded SnO ₂ Nanoparticlesâ€™ Specific Selectivity to H ₂ S. Chemosensors, 2021, 9, 125.	1.8	4
1408	Gas sensing materials roadmap. Journal of Physics Condensed Matter, 2021, 33, 303001.	0.7	49
1409	Chlorine-terminated Titanium Carbide MXene as Nitrogen Oxide Gas Sensor: A First-Principles Study. , 2021, , .		4
1410	Bridging Nanowires for Enhanced Gas Sensing Properties. Crystals, 2021, 11, 743.	1.0	3
1411	Low-Cost Outdoor Air Quality Monitoring and Sensor Calibration. ACM Transactions on Sensor Networks, 2021, 17, 1-44.	2.3	79
1412	An Ensemble Learning Method for Robot Electronic Nose with Active Perception. Sensors, 2021, 21, 3941.	2.1	3
1413	Hydrogen chemoresistive sensor for the analysis of gut health. , 2021, , .		0
1414	Significance of sensors for industry 4.0: Roles, capabilities, and applications. Sensors International, 2021, 2, 100110.	4.9	118
1415	A comprehensive comparison study on magnetic behaviour, defects-related emission and Ni substitution to clarify the origin of enhanced acetone detection capabilities. Sensors and Actuators B: Chemical, 2021, 339, 129860.	4.0	9
1416	Adsorption of nitrogen-based gases on different layers of blue phosphorene oxides. Journal of Materials Science, 2021, 56, 15824-15843.	1.7	2
1417	Î±-MnO ₂ Nanowires as Potential Scaffolds for a High-Performance Formaldehyde Gas Sensor Device. Coatings, 2021, 11, 860.	1.2	7
1418	Substituted 2D Janus WSSe monolayers as efficient nanosensor toward toxic gases. Journal of Applied Physics, 2021, 130, .	1.1	16
1419	Understanding and optimization of graphene gas sensors. Applied Physics Letters, 2021, 119, 013104.	1.5	27
1420	Adsorption-Semiconductor Sensor Based on Nanosized SnO ₂ for Early Warning of Indoor Fires. , 0, , .		0
1421	MoS ₂ nanosheets-decorated SnO ₂ nanofibers for enhanced SO ₂ gas sensing performance and classification of CO, NH ₃ and H ₂ gases. Analytica Chimica Acta, 2021, 1167, 338576.	2.6	29
1422	Smart batteries: requirements of the automotive world. , 2021, , .		2
1423	One-Dimensional Nanomaterials in Resistive Gas Sensor: From Material Design to Application. Chemosensors, 2021, 9, 198.	1.8	52

#	ARTICLE	IF	CITATIONS
1424	Evolution of a facile and novel general strategy for fabricating single and mixed 3d-block transition metal hydroxide/oxide films for innumerable applications. <i>Materials Chemistry and Physics</i> , 2021, 266, 124534.	2.0	0
1425	The Exposome in the Era of the Quantified Self. <i>Annual Review of Biomedical Data Science</i> , 2021, 4, 255-277.	2.8	10
1426	Expanding Horizons of Metal Oxide-Based Chemical and Electrochemical Sensors. <i>Electroanalysis</i> , 2021, 33, 1979-1996.	1.5	7
1427	Oxygen vacancy engineering and superior sensing properties of hematite prepared via a one-step treatment. <i>Sensors and Actuators B: Chemical</i> , 2021, 339, 129907.	4.0	14
1428	Principles of odor coding in vertebrates and artificial chemosensory systems. <i>Physiological Reviews</i> , 2022, 102, 61-154.	13.1	34
1429	Self-Assembled 2D Networks of Metal Oxide Nanomaterials Enabling Sub-ppm Level Breathalyzers. <i>ACS Sensors</i> , 2021, 6, 3195-3203.	4.0	11
1430	Sensing and Delineating Mixed-VOC Composition in the Air Using a Single Metal Oxide Sensor. <i>Clean Technologies</i> , 2021, 3, 519-533.	1.9	3
1431	SnO ₂ nanostructured materials used as gas sensors for the detection of hazardous and flammable gases: A review. <i>Nano Materials Science</i> , 2022, 4, 339-350.	3.9	57
1432	Prospects and Challenges of MXenes as Emerging Sensing Materials for Flexible and Wearable Breath-Based Biomarker Diagnosis. <i>Advanced Healthcare Materials</i> , 2021, 10, e2100970.	3.9	41
1433	Development of a Novel Gas-Sensing Platform Based on a Network of Metal Oxide Nanowire Junctions Formed on a Suspended Carbon Nanomesh Backbone. <i>Sensors</i> , 2021, 21, 4525.	2.1	5
1434	Low-Dimensional Nanostructures Based on Cobalt Oxide (Co ₃ O ₄) in Chemical-Gas Sensing. <i>Chemosensors</i> , 2021, 9, 197.	1.8	29
1435	Cesium tungsten bronze nanostructures and their highly enhanced hydrogen gas sensing properties at room temperature. <i>International Journal of Hydrogen Energy</i> , 2021, 46, 25752-25762.	3.8	18
1436	Room temperature gas sensing mechanism of SnO ₂ towards chloroform: Comparing first principles calculations with sensing experiments. <i>Applied Surface Science</i> , 2021, 554, 149603.	3.1	9
1437	Development of Indium Titanium Zinc Oxide Thin Films Used as Sensing Layer in Gas Sensor Applications. <i>Coatings</i> , 2021, 11, 807.	1.2	5
1438	Highly sensitive gas sensing platforms based on field effect Transistor-A review. <i>Analytica Chimica Acta</i> , 2021, 1172, 338575.	2.6	26
1439	Promoted H ₂ splitting on ZnO by pre-adsorbed formic acid. <i>Journal of Catalysis</i> , 2021, 400, 212-217.	3.1	5
1440	Insights into nano-heterostructured materials for gas sensing: a review. <i>Multifunctional Materials</i> , 2021, 4, 032002.	2.4	40
1441	Polymer-layered oxygen sensor design and testing. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 22506-22516.	1.1	2

#	ARTICLE	IF	CITATIONS
1442	Synthesis and applications of nano-MgO and composites for medicine, energy, and environmental remediation: a review. <i>Environmental Chemistry Letters</i> , 2021, 19, 4415-4454.	8.3	40
1443	Improvement of Gas Sensing of Uniform Ag ₃ PO ₄ Nanoparticles to NH ₃ under the Assistant of LED Lamp with Low Power Consumption at Room Temperature. <i>ChemistrySelect</i> , 2021, 6, 8338-8344.	0.7	4
1444	Evaluation of spray pyrolysed In:ZnO nanostructures for CO gas sensing at low concentration. <i>Journal of Materials Science: Materials in Electronics</i> , 2021, 32, 22599-22616.	1.1	10
1445	The gas sensor utilizing CeO ₂ nanorods for the low temperature detection of hydrogen. <i>Inorganic Chemistry Communication</i> , 2021, 130, 108692.	1.8	15
1446	Hydrogen-Terminated Diamond Surface as a Gas Sensor: A Comparative Study of Its Sensitivities. <i>Sensors</i> , 2021, 21, 5390.	2.1	6
1447	LPG gas sensor activities of CeO ₂ -Fe ₂ O ₃ nanocomposite thin film at optimum temperature. <i>Applied Physics A: Materials Science and Processing</i> , 2021, 127, 1.	1.1	10
1448	Ultra-responsive and selective of formic acid sensors based on flame-made SnO ₂ nanoparticles loaded with core-shell Ir-IrO ₂ nanocatalysts. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129973.	4.0	11
1449	Influence of the aluminium doping on the physical and gas sensing properties of SnO ₂ for H ₂ gas detection. <i>Sensors and Actuators B: Chemical</i> , 2021, 340, 129633.	4.0	36
1450	Graphene Loading with Polypyrrole Nanoparticles for Trace-Level Detection of Ammonia at Room Temperature. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 40909-40921.	4.0	24
1451	Influence of Ce ³⁺ Modification on Physicochemical Characteristics of SnO ₂ Nanoparticles. <i>Journal of Electronic Materials</i> , 2021, 50, 6344-6352.	1.0	2
1452	Electronic nose system based on a functionalized capacitive micromachined ultrasonic transducer (CMUT) array for selective detection of plant volatiles. <i>Sensors and Actuators B: Chemical</i> , 2021, 341, 130001.	4.0	7
1453	Green Synthesis of Nanomaterials. <i>Nanomaterials</i> , 2021, 11, 2130.	1.9	88
1454	New insights on temperature dependent electrical properties of samarium doped tin oxide thin films. <i>Journal of Physics: Conference Series</i> , 2021, 2007, 012069.	0.3	0
1455	MOS Sensors Array for the Discrimination of Lung Cancer and At-Risk Subjects with Exhaled Breath Analysis. <i>Chemosensors</i> , 2021, 9, 209.	1.8	17
1456	Solvent-Dependent Synthesis of Okra-Shaped Co ₃ O ₄ for Acetone Gas Detection at Low Operation Temperatures. <i>ACS Applied Electronic Materials</i> , 2021, 3, 3400-3410.	2.0	9
1457	Unintended Carbon-Related Impurity and Negative Bias Instability in High-Mobility Oxide TFTs. <i>IEEE Electron Device Letters</i> , 2021, 42, 1319-1322.	2.2	32
1458	Effect of Ag Addition on the Gas-Sensing Properties of Nanostructured Resistive-Based Gas Sensors: An Overview. <i>Sensors</i> , 2021, 21, 6454.	2.1	30
1459	Influence of calcination temperature on the gas-sensing performance of 3D porous SnO ₂ to formaldehyde. <i>Journal of Dispersion Science and Technology</i> , 0, , 1-11.	1.3	1

#	ARTICLE	IF	CITATIONS
1460	Hydrothermal synthesis of WO ₃ film on rough surface to analyze methanol gas at room temperature. Materials Research Express, 2021, 8, 095503.	0.8	3
1461	Room Temperature Hydrogen Sensor Using Schottky Contacted Zinc Oxide Thin-Film Transistor: A Comprehensive Investigation. IEEE Transactions on Electron Devices, 2021, 68, 4637-4643.	1.6	3
1462	MEMS Gas Sensors: A Review. IEEE Sensors Journal, 2021, 21, 18381-18397.	2.4	75
1463	Effect of Pt catalyst on the sensor performance of WO ₃ nanoflakes towards hazardous gases. Journal of Materials Science: Materials in Electronics, 2021, 32, 25376.	1.1	2
1464	Bismuth-Based Gas Sensors: A Comprehensive Review. Journal of Electronic Materials, 2021, 50, 6060-6072.	1.0	3
1465	Spinel ferrites gas sensors: a review of sensing parameters, mechanism and the effects of ion substitution. Critical Reviews in Solid State and Materials Sciences, 2022, 47, 807-836.	6.8	11
1466	Ternary Holey Carbon Nanohorns/TiO ₂ /PVP Nanohybrids as Sensing Films for Resistive Humidity Sensors. Coatings, 2021, 11, 1065.	1.2	3
1467	Development and performance testing of a miniaturized multi-sensor system combining MOX and PID for potential UAV application in TIC, VOC and CWA dispersion scenarios. European Physical Journal Plus, 2021, 136, 1.	1.2	8
1468	Methods and mechanisms of gas sensor selectivity. Critical Reviews in Solid State and Materials Sciences, 2022, 47, 416-435.	6.8	31
1469	Recent Trends in Exhaled Breath Diagnosis Using an Artificial Olfactory System. Biosensors, 2021, 11, 337.	2.3	25
1470	Improving anti-humidity property of In ₂ O ₃ based NO ₂ sensor by fluorocarbon plasma treatment. Sensors and Actuators B: Chemical, 2021, 344, 130268.	4.0	25
1471	Heterostructure-based devices with enhanced humidity stability for H ₂ gas sensing applications in breath tests and portable batteries. Sensors and Actuators A: Physical, 2021, 329, 112804.	2.0	17
1472	Hematite rhombuses for chemiresistive ozone sensors: Experimental and theoretical approaches. Applied Surface Science, 2021, 563, 150209.	3.1	8
1473	ZnO@SiO ₂ /rGO core/shell nanocomposite: A superior sensitive, selective and reproducible performance for 1-propanol gas sensor at room temperature. Materials Chemistry and Physics, 2021, 271, 124884.	2.0	16
1474	Flexible stimuli-responsive materials for smart personal protective equipment. Materials Science and Engineering Reports, 2021, 146, 100629.	14.8	16
1475	Acceptance and dissociation of $\langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si3.svg" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi mathvariant="normal"} \rangle \text{NO} \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mn} \rangle 2 \langle \text{mml:mn} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math xmlns:mml="http://www.w3.org/1998/Math/MathML" altimg="si1.svg" \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:mi mathvariant="normal"} \rangle \text{MnO}_2 \langle \text{mml:mrow} \rangle \langle \text{mml:mi} \rangle \langle \text{mml:mrow} \rangle \langle \text{mml:math} \rangle$	0.8	8
1476	Application feasibility of palladium-decorated reduced graphene oxide as a CH ₄ gas nano-sensor from the perspective of the van der Waals corrected DFT computations. Physica E: Low-Dimensional Systems and Nanostructures, 2021, 134, 114866.	1.3	4
1477	SnO ₂ @Co ₃ O ₄ pores composites for CO ₂ gas sensing at low operating temperature. Microporous and Mesoporous Materials, 2021, 326, 111343.	2.2	10

#	ARTICLE	IF	CITATIONS
1478	Pseudo Electron Injection in Amine-Modified MoS ₂ -Based Sensor for Humidity Monitoring. IEEE Transactions on Electron Devices, 2021, 68, 5173-5178.	1.6	1
1479	Effects of IGZO film thickness on H ₂ S gas sensing performance: Response, excessive recovery, low-frequency noise, and signal-to-noise ratio. Sensors and Actuators B: Chemical, 2021, 344, 130148.	4.0	20
1480	Polydopamine-modified SnO ₂ nanofiber composite coated QCM gas sensor for high-performance formaldehyde sensing. Sensors and Actuators B: Chemical, 2021, 345, 130299.	4.0	71
1481	Metal-organic frameworks based nanostructure platforms for chemo-resistive sensing of gases. Coordination Chemistry Reviews, 2021, 445, 214073.	9.5	19
1482	Enhanced ammonia detection of gas sensors based on square-like tungsten oxide loaded by Pt nanoparticles. Sensors and Actuators B: Chemical, 2021, 347, 130621.	4.0	29
1483	CO ₂ sensing behavior of vertically aligned Si Nanowire/ZnO structures. Materials Science in Semiconductor Processing, 2021, 134, 106028.	1.9	9
1484	Parts per billion sensitive, highly selective ambient operable, ammonia sensor with supramolecular nanofibres as active element. Sensors and Actuators B: Chemical, 2021, 347, 130634.	4.0	8
1485	Fabrication and characterization of Ag-Decorated indium-tin-oxide nanoparticle based ethanol sensors using an enhanced electrophoretic method. Ceramics International, 2021, 47, 30504-30513.	2.3	6
1486	An ultra-high sensitive ethanol sensor through amending surface-functionalized groups by novel acidic synthesis methods. Sensors and Actuators B: Chemical, 2021, 347, 130654.	4.0	7
1487	One-pot wet chemical synthesis of reduced graphene oxide-zinc oxide nanocomposites for fast and selective ammonia sensing at room temperature. Sensors and Actuators A: Physical, 2021, 331, 112965.	2.0	22
1488	Janus WSe monolayer adsorbed with transition-metal atoms (Fe, Co and Ni): excellent performance for gas sensing and CO catalytic oxidation. Applied Surface Science, 2021, 565, 150558.	3.1	17
1489	Reduced graphene oxide (rGO) decorated ZnO-SnO ₂ : A ternary nanocomposite towards improved low concentration VOC sensing performance. Journal of Alloys and Compounds, 2021, 881, 160406.	2.8	27
1490	Hydrangea-type bismuth molybdate as a room-temperature smoke and humidity sensor. Sensors and Actuators B: Chemical, 2021, 348, 130643.	4.0	11
1491	Gas sensing performance of sprayed NiO thin films toward NO ₂ gas. Journal of Alloys and Compounds, 2021, 885, 160908.	2.8	54
1492	Superior gas sensing properties of $\text{In}_2\text{O}_3/\text{SnO}_2$ nanocomposites. Sensors and Actuators B: Chemical, 2021, 348, 130643.	1.4	6
1493	Application of a solid-phase microextraction-gas chromatography-mass spectrometry/metal oxide sensor system for detection of antibiotic susceptibility in urinary tract infection-causing Escherichia coli – A proof of principle study. Advances in Medical Sciences, 2022, 67, 1-9.	0.9	16
1494	Applications of TiO ₂ in sensor devices. , 2021, , 527-581.		4
1495	First-principles study of pristine and metal decorated blue phosphorene for sensing toxic H ₂ S, SO ₂ and NO ₂ molecules. Applied Physics A: Materials Science and Processing, 2021, 127, 1.	1.1	5

#	ARTICLE	IF	CITATIONS
1496	Chemical Sensors: Conductometric Gas Sensors. , 2023, , 189-208.		2
1497	A Review of Actuation and Sensing Mechanisms in MEMS-Based Sensor Devices. Nanoscale Research Letters, 2021, 16, 16.	3.1	144
1498	Advances in the designs and mechanisms of MoO ₃ nanostructures for gas sensors: a holistic review. Materials Advances, 2021, 2, 4190-4227.	2.6	52
1499	Future perspectives of perovskite solar cells: Metal oxide-based inorganic hole-transporting materials. , 2021, , 181-219.		5
1500	The Ketogenic Diet: Breath Acetone Sensing Technology. Biosensors, 2021, 11, 26.	2.3	20
1501	Tin, Titanium, Tantalum, Vanadium and Niobium Oxide Based Sensors to Detect Colorectal Cancer Exhalations in Blood Samples. Molecules, 2021, 26, 466.	1.7	9
1502	Using Head-Mounted Ethanol Sensors to Monitor Olfactory Information and Determine Behavioral Changes Associated with Ethanol-Plume Contact during Mouse Odor-Guided Navigation. ENeuro, 2021, 8, ENEURO.0285-20.2020.	0.9	6
1503	Light-excited chemiresistive sensors integrated on LED microchips. Journal of Materials Chemistry A, 2021, 9, 16545-16553.	5.2	7
1504	Designing hierarchical porosity in tin oxide monoliths and their application as a solid acid catalyst. New Journal of Chemistry, 2021, 45, 17558-17565.	1.4	0
1506	Semiconductor Nanomaterials for Gas Sensor Applications. Environmental Chemistry for A Sustainable World, 2020, , 305-355.	0.3	2
1507	Doped Zinc Oxide Sensors for Hexanal Detection. Lecture Notes in Electrical Engineering, 2020, , 279-285.	0.3	3
1508	Characteristics of Transition Metal Oxides. Springer Series in Materials Science, 2020, , 91-123.	0.4	32
1509	Enhancement of Nanocomposite for Humidity Sensor Application. Engineering Materials, 2014, , 15-30.	0.3	5
1510	Graphene Oxide (GO) Nanocomposite Based Room Temperature Gas Sensor. Materials Horizons, 2020, , 303-328.	0.3	1
1511	Conducting Polymer Nanocomposite-Based Gas Sensors. Materials Horizons, 2020, , 399-431.	0.3	4
1512	Nanofibers for Gas Sensing. Progress in Optical Science and Photonics, 2020, , 133-153.	0.3	2
1513	Colossal Humidioresistance Inducement in Magnesium Ferrite Thin Film Led to Green Energy Device Invention: Hydroelectric Cell. Materials Horizons, 2020, , 389-411.	0.3	4
1514	Enhanced nitrogen dioxide sensing properties of Ni ₄ Cr ₁ /SnO ₂ heterostructures. Ceramics International, 2020, 46, 19311-19317.	2.3	6

#	ARTICLE	IF	CITATIONS
1515	Unequivocal evidence of enhanced room temperature sensing properties of clad modified Nd doped mullite Bi ₂ Fe ₄ O ₉ in fiber optic gas sensor. Journal of Alloys and Compounds, 2020, 838, 155603.	2.8	25
1516	Carbon nitride 2-D surface as a highly selective electrochemical sensor for V-series nerve agents. Journal of Molecular Liquids, 2020, 311, 113357.	2.3	38
1517	Facile h-MoO ₃ synthesis for NH ₃ gas sensing application at moderate operating temperature. Sensors and Actuators B: Chemical, 2020, 325, 128974.	4.0	46
1518	Effect of Crystal Defect on Gas Sensing Properties of Co ₃ O ₄ Nanoparticles. ACS Sensors, 2020, 5, 1665-1673.	4.0	52
1519	Ultrahigh sensitivity with excellent recovery time for NH ₃ and NO ₂ in pristine and defect mediated Janus WSSe monolayers. Physical Chemistry Chemical Physics, 2020, 22, 13903-13922.	1.3	42
1520	SnO ₂ -ZnO-Fe ₂ O ₃ tri-composite based room temperature operated dual behavior ammonia and ethanol sensor for ppb level detection. Nanoscale, 2020, 12, 19732-19745.	2.8	4
1521	Effect of guanidinium chloride in eliminating O ₂ electron extraction barrier on a SnO ₂ surface to enhance the efficiency of perovskite solar cells. RSC Advances, 2020, 10, 19513-19520.	1.7	14
1522	Titanium Dioxide Thin Films as Methane Gas Sensors. IEEE Sensors Journal, 2016, 16, 8890-8896.	2.4	37
1523	Development of SnO ₂ @rGO Hybrid Nanocomposites through Complexometric Approach for Multi-Dimensional Electrochemical Application. Journal of the Electrochemical Society, 2020, 167, 167518.	1.3	3
1524	Recent developments in electrospun ZnO nanofibers: A short review. Journal of Engineered Fibers and Fabrics, 2020, 15, 155892501989968.	0.5	16
1525	Peculiarities of Deposition Times on Gas Sensing Behaviour of Vanadium Oxide Thin Films. Acta Physica Polonica A, 2016, 129, 1245-1251.	0.2	18
1526	The binary oxide NiO-CuO nanocomposite based thick film sensor for the acute detection of Hydrogen Sulphide gas vapours. Material Science Research India, 2020, 17, 260-269.	0.9	4
1527	A review of nanostructured thin films for gas sensing and corrosion protection. Mediterranean Journal of Chemistry, 2018, 7, 433-451.	0.3	15
1528	Autonomous multi-species environmental gas sensing using drone-based Fourier-transform infrared spectroscopy. Optics Express, 2019, 27, 9578.	1.7	25
1529	Integration of MEMS IR detectors with MIR waveguides for sensing applications. Optics Express, 2020, 28, 11524.	1.7	32
1530	Optical properties of tungsten trioxide, palladium, and platinum thin films for functional nanostructures engineering. Optics Express, 2020, 28, 32049.	1.7	18
1531	Platinum containing sensor nanomaterials based on tin dioxide to detect methane in air. Functional Materials, 2018, 25, 741-747.	0.4	12
1532	H ₂ S Gas Sensor Based on SnO ₂ and CuO Nanoparticles. STEM Fellowship Journal, 2015, 1, 21-26.	0.5	3

#	ARTICLE	IF	CITATIONS
1533	High Sensitivity Methane Sensor By Chemically Deposited Nanocrystalline ZnO Thin Film. International Journal on Smart Sensing and Intelligent Systems, 2010, 3, 605-620.	0.4	18
1534	Wavelet Transform Smoothing Filters for Metal Oxide Gas Sensor Signal Cleaning. International Journal on Smart Sensing and Intelligent Systems, 2014, 7, 1-5.	0.4	4
1535	Promotional effect of nitric acid treatment on co sensing properties of SnO ₂ /MWCNT nanocomposites. Processing and Application of Ceramics, 2016, 10, 97-105.	0.4	11
1537	Review on: TiO ₂ Thin Film as a Metal Oxide Gas Sensor. Journal of Chemical Reviews, 2020, 2, 114-121.	3.5	56
1538	Preparation and Characterization of CuO Thin Films Prepared by Spray Pyrolysis Technique for Ethanol Gas Sensing Application. Asian Journal of Applied Sciences, 2014, 7, 671-684.	0.4	15
1539	Sensing Behaviour of Some Nanocomposite Systems. Soft Nanoscience Letters, 2013, 03, 12-15.	0.8	2
1540	Sensing of gaseous malodors characteristic of landfills and waste treatment plants. Journal of Sensors and Sensor Systems, 2014, 3, 61-67.	0.6	1
1541	High-temperature CO ₂ /HC gas sensors to optimize firewood combustion in low-power fireplaces. Journal of Sensors and Sensor Systems, 2017, 6, 237-246.	0.6	19
1542	Use of Gas-Sensor Array Technology in Lung Cancer Diagnosis. Journal of Sensor Science and Technology, 2013, 22, 249-255.	0.1	5
1543	Recent Trends of Light-enhanced Metal Oxide Gas Sensors: Review. Journal of Sensor Science and Technology, 2016, 25, 103-109.	0.1	34
1544	Metal Oxide Nanocolumns for Extremely Sensitive Gas Sensors. Journal of Sensor Science and Technology, 2016, 25, 184-188.	0.1	8
1545	Design of Semiconducting Gas Sensors for Room-Temperature Operation. Journal of Sensor Science and Technology, 2020, 29, 1-6.	0.1	4
1546	NO ₂ Sensing Characteristics of Si MOSFET Gas Sensor Based on Thickness of WO ₃ Sensing Layer. Journal of Sensor Science and Technology, 2020, 29, 14-18.	0.1	6
1547	Conducting Polymer Nanofibers based Sensors for Organic and Inorganic Gaseous Compounds. Asian Journal of Atmospheric Environment, 2020, 14, 85-104.	0.4	12
1548	A Study & Real Time Monitoring of Metal Oxide Semiconductor (MOS) Gas Sensor. IOSR Journal of Electronics and Communication Engineering, 2016, 01, 07-12.	0.1	5
1549	Low-dimensional HfS ₂ as SO ₂ adsorbent and gas sensor: effect of water and sulfur vacancies. Physical Chemistry Chemical Physics, 2021, 23, 23655-23666.	1.3	7
1550	Type discrimination and concentration prediction towards ethanol using a machine learning-enhanced gas sensor array with different morphology-tuning characteristics. Physical Chemistry Chemical Physics, 2021, 23, 23933-23944.	1.3	13
1551	High Selectivity Hydrogen Gas Sensor Using Pd/ZnO Tapered Optical Fiber. IOP Conference Series: Materials Science and Engineering, 2021, 1176, 012019.	0.3	4

#	ARTICLE	IF	CITATIONS
1552	CO2 sensing properties of WO ₃ powder: experimental and theoretical studies. Applied Physics A: Materials Science and Processing, 2021, 127, 1.	1.1	7
1553	Synergistic Ni single atoms and oxygen vacancies on SnO ₂ nanorods toward promoting SO ₂ gas sensing. Sensors and Actuators B: Chemical, 2022, 351, 130983.	4.0	32
1554	Diffusive Representation: A Powerful Method to Analyze Temporal Signals from Metal-Oxide Gas Sensors Used in Pulsed Mode. Electronics (Switzerland), 2021, 10, 2578.	1.8	0
1555	Enhanced Propanol Response Behavior of ZnFe ₂ O ₄ NP-Based Active Sensing Layer Induced by Film Thickness Optimization. Processes, 2021, 9, 1791.	1.3	4
1556	Metal Oxide Nanostructure-Based Gas Sensor for Carbon Dioxide Detection. Latvian Journal of Physics and Technical Sciences, 2021, 58, 15-26.	0.4	2
1557	Thin Film Gas Sensors Based on Planetary Ball-Milled Zinc Oxide Nanoparticles: Effect of Milling Parameters on Sensing Performance. Applied Sciences (Switzerland), 2021, 11, 9676.	1.3	5
1558	Preparation of Powders Containing Sb, Ni, and O for the Design of a Novel CO and C ₃ H ₈ Sensor. Applied Sciences (Switzerland), 2021, 11, 9536.	1.3	2
1559	Electrical Response of the Spinel ZnAl ₂ O ₄ and Its Application in the Detection of Propane Gas. Applied Sciences (Switzerland), 2021, 11, 9488.	1.3	2
1560	Synthesis and Sensing Properties of Pd Nanoparticle-Functionalized SnO ₂ Nanowires. Journal of Sensor Science and Technology, 2011, 20, 289-293.	0.1	1
1561	8.4.5 Enhancement of gas sensing properties by Functionalization of Networked SnO ₂ Nanowires with Metal Nanoparticles. , 2012, , .		0
1562	Nanotechnology for sustainability: what does nanotechnology offer to address complex sustainability problems?. , 2012, , 371-390.		4
1563	Sensing Properties of Au Nanoparticle-Functionalized ZnO Nanowires by β -Ray Radiolysis. Journal of Sensor Science and Technology, 2012, 21, 180-185.	0.1	0
1564	Graphite Based Sensor for LPG and CO Detection. Environmental Science and Engineering, 2014, , 409-412.	0.1	1
1565	Development of Metal Oxide Gas Sensors for Environmental Security Monitoring: An Overview. Advances in Intelligent Systems and Computing, 2015, , 215-227.	0.5	0
1566	Fabrication of Stack-Structured Gas Sensor of La _x Co _{1-x} O ₃ / Li _{1.3} Al _{0.3} Ti _{1.7} (PO ₄) ₃ and Its NO _x Sensing Properties. Korean Journal of Materials Research, 2015, 25, 423-428.	0.1	0
1567	Sensing Properties of WO ₃ as Thin Film Prepared by PVD towards Methanol Vapor. International Letters of Chemistry, Physics and Astronomy, 0, 64, 27-33.	0.0	0
1568	Design of Metal Oxide Hollow Structures Using Soft-templating Method for High-Performance Gas Sensors. Journal of Sensor Science and Technology, 2016, 25, 178-183.	0.1	1
1569	Optically Induced Semiconductor Gas Sensor: Acetone Detection Range using Continuous and Cyclic Optical Irradiation Types. IFMBE Proceedings, 2018, , 330-333.	0.2	0

#	ARTICLE	IF	CITATIONS
1570	Utilization of ZnO nanorods growth on a tip of plastic optical fiber toward the realization of low-cost CO and CO ₂ gas sensor. Journal of Nanophotonics, 2017, 11, 1.	0.4	0
1571	Properties of Urchin-Structured Zinc Oxide Nanorods Gas Sensor by Using Polystyrene Sphere Array. Korean Journal of Materials Research, 2017, 27, 658-663.	0.1	1
1573	One quantum sensor for all gases: cavity-enhanced Raman spectroscopy for food-chain monitoring. , 2018, , .		0
1574	Influence of near UV irradiation on ZnO nanomaterials NO ₂ gas sensing properties. , 2018, , .		1
1575	Oxygen detection with zinc oxide nanoparticle structures. , 2019, , .		0
1576	Recent Advances and Techniques in the Hazardous Gases Detection. , 2019, , 1293-1310.		0
1577	Light irradiation effect on the gas sensing properties of the ZnO nanostructures. , 2019, , .		0
1578	Incorporation of High-Altitude Balloon Experiment in High School Science Classrooms. Creative Education, 2019, 10, 262-272.	0.2	2
1579	Fabrication and Characterization of Hexagonal Tungsten Oxide Nanopowders for High Performance Gas Sensing Application. Journal of Korean Powder Metallurgy Institute, 2019, 26, 28-33.	0.2	0
1580	Near field electrospinning of nanowires for multi-modal hydrogen sensing. , 2019, , .		0
1581	Optical gas sensing properties of gold-nanoparticle incorporated LSTO films at high temperature. , 2019, , .		0
1583	High-Performance Gas Sensors Based on Nanostructured Metal Oxide Heterojunctions. Materials Horizons, 2020, , 19-70.	0.3	1
1584	ARDUINO BASED SMART IoT FOOD QUALITY MONITORING. , 2020, 04, 592-597.		1
1585	Continuous methane concentration measurements at the Greenland ice sheet-atmosphere interface using a low-cost, low-power metal oxide sensor system. Atmospheric Measurement Techniques, 2020, 13, 3319-3328.	1.2	6
1586	Semiconductor Metal Oxide Nanoparticles: A Review for the Potential of H ₂ S Gas Sensor Application. Earthline Journal of Chemical Sciences, 0, , 199-208.	0.0	3
1587	Simulation and fabrication of an ammonia gas sensor based on PEDOT:PSS. Sensor Review, 2021, ahead-of-print, .	1.0	1
1588	Improve the Formaldehyde Gas-Sensing Performance of 3D Porous SnO ₂ by Controlling the Calcination Time and the Amount of Holmium Doped. Journal of Electronic Materials, 0, , 1.	1.0	2
1589	W-Sn Mixed Oxides: New Materials for Gas Sensing. Lecture Notes in Electrical Engineering, 2020, , 315-320.	0.3	0

#	ARTICLE	IF	CITATIONS
1590	Influence of Oxygen Vacancies in Gas Sensors Based on Metal-Oxide Semiconductors: A First-Principles Study. Lecture Notes in Electrical Engineering, 2020, , 309-314.	0.3	3
1591	Suspended graphene arrays for gas sensing applications. 2D Materials, 2021, 8, 025006.	2.0	15
1593	State of Art of Spinel Ferrites Enabled Humidity Sensors. Topics in Mining, Metallurgy and Materials Engineering, 2021, , 437-475.	1.4	2
1594	Ferrites as an Alternative Source of Renewable Energy for Hydroelectric Cell. Topics in Mining, Metallurgy and Materials Engineering, 2021, , 399-436.	1.4	1
1595	NOX ORO TARÅAI MATUOTI SKIRTO ELEKTROCHEMINIO JUTIKLIO SU VOLFRAMO TRIOKSIDU TYRIMAI IR VERTINIMAS. , 0, , .		0
1596	Ammonia gas sensing with tin oxide thin film sensor and coplanar microheater. AIP Conference Proceedings, 2020, , .	0.3	0
1597	Fuzzy Logic-Based Decision Support for Paddy Quality Estimation in Food Godown. Lecture Notes in Electrical Engineering, 2020, , 279-286.	0.3	1
1598	Metrology for Atmospheric Environment. , 2020, , 639-689.		2
1599	ZnO thin film based ethanol sensor derived by RF sputtering technique. AIP Conference Proceedings, 2020, , .	0.3	1
1600	2D monocrystalline nanostructures of cobalt oxide Co3O4 for sensing individual molecules. , 2020, , .		0
1602	A Lowâ€Power CuSCN Hydrogen Sensor Operating Reversibly at Room Temperature. Advanced Functional Materials, 2022, 32, 2102635.	7.8	8
1603	Metal-Organic-Frameworks: Low Temperature Gas Sensing and Air Quality Monitoring. Chemosensors, 2021, 9, 316.	1.8	13
1604	Scalably Nanomanufactured Atomically Thin Materialsâ€Based Wearable Health Sensors. Small Structures, 2022, 3, 2100120.	6.9	16
1605	Morphology-driven gas sensing by fabricated fractals: A review. Beilstein Journal of Nanotechnology, 2021, 12, 1187-1208.	1.5	8
1606	High efficiency planar perovskite solar cell by surface disorder removal on mesoporous tin oxide. Surfaces and Interfaces, 2022, 28, 101584.	1.5	2
1607	Enhanced NO2 gas sensing performance by hierarchical CuOâ€Co3O4 spheres. Sensors and Actuators B: Chemical, 2022, 352, 131068.	4.0	36
1608	Revealing the correlation between gas selectivity and semiconductor energy band structure derived from off-stoichiometric spinel CdGa2O4. Sensors and Actuators B: Chemical, 2022, 352, 131039.	4.0	8
1609	Nanostructured Metal Oxide Gas Sensor. , 0, , 180-221.		0

#	ARTICLE	IF	CITATIONS
1610	Nanostructured Metal Oxide Gas Sensor. , 0, , 1213-1253.		0
1611	Thin Film Metal Oxides for Displays and Other Optoelectronic Applications. Environmental Chemistry for A Sustainable World, 2021, , 185-250.	0.3	5
1612	Comparing the Application of Gas Sensor Fabrication of Nanomaterials ZnO Fabricated by Hydrothermal and Chemical Vapor Deposition Method. Lecture Notes in Networks and Systems, 2021, , 254-261.	0.5	1
1614	Nanostructured Gas Sensors for Health Care: An Overview. Journal of Personalized Nano Medicine, 2015, 1, 10-23.	0.8	4
1615	Characterization of NO ₂ gas sensing for ZnO nanostructure grown hydrothermally on porous silicon. Optik, 2022, 249, 168300.	1.4	32
1616	Internet of things in food industry. , 2022, , 287-303.		1
1617	Experimental and density functional theory computational studies on highly sensitive ethanol gas sensor based on Au-decorated ZnO nanoparticles. Thin Solid Films, 2022, 741, 139014.	0.8	12
1618	Combined chemoresistive and in situ FTIR spectroscopy study of nanoporous NiO films for light-activated nitrogen dioxide and acetone gas sensing. Sensors and Actuators B: Chemical, 2022, 353, 131125.	4.0	24
1619	Fast and complete recovery of TMDs-decorated rGO fiber gas sensors at room temperature. Applied Surface Science, 2022, 578, 151832.	3.1	18
1620	Development of a method of 3D manipulation of individual ZnO nanowires using shape memory nanotweezers. , 2021, , .		0
1621	Niobium Pentaoxide Thin-Film Gas Sensor for Portable Acetone Sensing. , 2021, , .		0
1622	Fabrication of a UV Photodetector Based on n-TiO ₂ /p-CuMnO ₂ Heterostructures. Coatings, 2021, 11, 1380.	1.2	20
1623	Growth and characterization of NiWO nanorod films prepared by reactive magnetron co-sputtering with oblique angle deposition. Vacuum, 2022, 196, 110777.	1.6	2
1624	Thermal oxidation impact on the optoelectronic and hydrogen sensing properties of p-type copper oxide thin films. Materials Research Bulletin, 2022, 147, 111646.	2.7	16
1625	Multi-staged sol-gel synthesis of Mg doped ZnO/CuO core-shell heterojunction nanocomposite: dopant induced and interface growth response. Journal of Sol-Gel Science and Technology, 2021, 100, 388-403.	1.1	4
1626	Carbon monoxide gas sensor based on an Fe ₂ O ₃ /reduced graphene oxide quantum dots composite film integrated Michelson interferometer. Measurement Science and Technology, 2022, 33, 035102.	1.4	6
1627	Magnetic Carbon Nanofiber Mats for Prospective Single Photon Avalanche Diode (SPAD) Sensing Applications. Sensors, 2021, 21, 7873.	2.1	5
1628	The effect of graphene and cobalt on ethanol sensing performance of ZnO based sensor prepared by sol-gel method. Japanese Journal of Applied Physics, 2022, 61, 017001.	0.8	9

#	ARTICLE	IF	CITATIONS
1629	Aldehyde Gas Detection using Nanostructured ZnO-based Gas Sensor fabricated via Horizontal Vapor Phase Growth Technique. <i>Journal of Physics: Conference Series</i> , 2021, 2015, 012102.	0.3	2
1630	Bimetallic Two-Dimensional Metal-Organic Frameworks for the Chemiresistive Detection of Carbon Monoxide. <i>Angewandte Chemie</i> , 2022, 134, e202113665.	1.6	5
1631	Design of MoS ₂ /graphene heterostructure thin film sensors for high performance NO ₂ gas sensor applications. <i>Journal of Physics: Conference Series</i> , 2021, 2070, 012131.	0.3	4
1632	Mobility-stability trade-off in oxide thin-film transistors. <i>Nature Electronics</i> , 2021, 4, 800-807.	13.1	115
1633	RHINOS: A lightweight portable electronic nose for real-time odor quantification in wastewater treatment plants. <i>IScience</i> , 2021, 24, 103371.	1.9	27
1634	Bimetallic Two-Dimensional Metal-Organic Frameworks for the Chemiresistive Detection of Carbon Monoxide. <i>Angewandte Chemie - International Edition</i> , 2022, 61, e202113665.	7.2	21
1636	Covalent organic frameworks as multifunctional materials for chemical detection. <i>Chemical Society Reviews</i> , 2021, 50, 13498-13558.	18.7	114
1637	The effect of GaN nanostructure layers on the toxic gas sensor sensitivity. <i>AIP Conference Proceedings</i> , 2021, , .	0.3	0
1638	Engineered Electroactive Solutions for Electrochemical Detection of Tuberculosis-Associated Volatile Organic Biomarkers. <i>IEEE Sensors Journal</i> , 2022, 22, 2984-2992.	2.4	0
1639	Theoretical Approach to Evaluate the Gas-Sensing Performance of Graphene Nanoribbon/Oligothiophene Composites. <i>ACS Omega</i> , 2022, 7, 2260-2274.	1.6	6
1640	Metal oxide nanomaterial-based sensors for monitoring environmental NO ₂ and its impact on the plant ecosystem: a review. <i>Sensors & Diagnostics</i> , 2022, 1, 106-129.	1.9	34
1641	Characterization of Ti/SnO ₂ Interface by X-ray Photoelectron Spectroscopy. <i>Nanomaterials</i> , 2022, 12, 202.	1.9	1
1642	Enhanced triethylamine gas sensing and photocatalytic performance of Sn doped NiO (SNO) nanoparticles. <i>Inorganic Chemistry Communication</i> , 2022, 136, 109104.	1.8	15
1643	Noble metal nanoparticle decorated tungsten diselenide nanosheets for ultrasensitive detection of NO ₂ at room temperature. <i>Journal of Alloys and Compounds</i> , 2022, 899, 163166.	2.8	14
1644	Preparation of nanocrystalline Pd/SnO ₂ thin films deposited on alumina substrate by reactive magnetron sputtering for efficient CO gas sensing. <i>Materials Research Bulletin</i> , 2022, 148, 111692.	2.7	26
1645	Enhanced ppb-level formaldehyde sensing performance over Pt deposited SnO ₂ nanospheres. <i>Journal of Alloys and Compounds</i> , 2022, 899, 163230.	2.8	16
1646	H ₂ S sensing material Pt-WO ₃ nanorods with excellent comprehensive performance. <i>Journal of Alloys and Compounds</i> , 2022, 900, 163398.	2.8	17
1647	Detection Characteristics and Sensing Mechanism of Metal-doped SnO ₂ -based H ₂ Gas Sensor. , 2020, , .		0

#	ARTICLE	IF	CITATIONS
1648	Selective detection of multiple VOCs employing zinc oxide nanorods and principle component. , 2020, , .		1
1649	IoT Aroma Sensor Module to Determine Beverage Alcohol Grade. , 2021, , .		2
1650	Discrimination of VOCs along with concentration change detection applying a combination of DWT and Machine Learning tools. , 2021, , .		0
1651	Novel synthesis of amorphous CP@HfO ₂ nanomaterials for high-performance electrochemical sensing of 2-naphthol. Journal of Nanostructure in Chemistry, 2023, 13, 423-438.	5.3	3
1652	Visible Light Driven Ultrasensitive and Selective NO ₂ Detection in Tin Oxide Nanoparticles with Sulfur Doping Assisted by Cysteine. Small, 2022, 18, e2106613.	5.2	14
1653	The influence of rare earth (RE) dopants on structural, optical and gas sensing properties of spray deposited PbO thin films, where RE = Ce, Nd and Eu. Pramana - Journal of Physics, 2022, 96, 1.	0.9	0
1654	Complementary Metal Oxide Semiconductor-Compatible Top-Down Fabrication of a Ni/NiO Nanobeam Room Temperature Hydrogen Sensor Device. ACS Applied Electronic Materials, 2022, 4, 87-91.	2.0	3
1655	Metal loaded nano-carbon gas sensor array for pollutant detection * . Nanotechnology, 2022, 33, 195501.	1.3	7
1656	High Accuracy Real-Time Multi-Gas Identification by a Batch-Uniform Gas Sensor Array and Deep Learning Algorithm. ACS Sensors, 2022, 7, 430-440.	4.0	60
1657	Dopant-mediated surface charge imbalance for enhancing the performance of metal oxide chemiresistive gas sensors. Journal of Materials Chemistry C, 2022, 10, 1968-1976.	2.7	13
1658	Solid-state gas sensors: sensing mechanisms and materials. Bulletin of Materials Science, 2022, 45, 1.	0.8	6
1659	Nanosensors for detecting nutrient losses from soil (as gaseous ammonia and nitrous oxide, and/or) Tj ETQq1 1 0.784314 rgBT /Overbo		
1660	Oxygen sensing with individual ZnO:Sb micro-wires: effects of temperature and light exposure on the sensitivity and stability. Royal Society Open Science, 2022, 9, 211243.	1.1	1
1661	Flash-thermochemical engineering of phase and surface activity on metal oxides. Chem, 2022, 8, 1014-1033.	5.8	14
1662	Introducing Graphene-Indium Oxide Electrochemical Sensor for Detecting Ethanol in Aqueous Samples with CCD-RSM Optimization. Chemosensors, 2022, 10, 42.	1.8	11
1663	Oxide/ZIF Hybrid Nanofiber Yarns: Heightened Surface Activity for Exceptional Chemiresistive Sensing. Advanced Materials, 2022, 34, e2105869.	11.1	29
1664	Recent developments in properties and applications of metal oxides. , 2022, , 95-111.		2
1665	Nanostructured Metal Oxide Semiconductors towards Greenhouse Gas Detection. Chemosensors, 2022, 10, 57.	1.8	14

#	ARTICLE	IF	CITATIONS
1666	MXenes and their composites: emerging materials for gas sensing and biosensing. , 2022, , 241-279.		0
1667	Room-Temperature Chemiresistive Gas Sensing of SnO ₂ Nanowires: A Review. Journal of Inorganic and Organometallic Polymers and Materials, 2022, 32, 741-772.	1.9	21
1668	Selective photoactive gas detection of CO and HCHO using highly porous SnO ₂ and SnO ₂ @TiO ₂ heterostructure. Sensors and Actuators B: Chemical, 2022, 358, 131486.	4.0	7
1669	Gate-controlled gas sensor utilizing 1D“2D hybrid nanowires network. IScience, 2022, 25, 103660.	1.9	4
1670	MXene Heterostructures as Perspective Materials for Gas Sensing Applications. Sensors, 2022, 22, 972.	2.1	26
1671	Nanoparticle design and assembly for p-type metal oxide gas sensors. Nanoscale, 2022, 14, 3387-3397.	2.8	17
1672	Recent Advancement in Pd-Decorated Nanostructures for Its Catalytic and Chemiresistive Gas Sensing Applications: A Review. Topics in Catalysis, 0, , 1.	1.3	7
1673	Development of nano-sensor and biosensor as an air pollution detection technique for the foreseeable future. Comprehensive Analytical Chemistry, 2022, , 163-188.	0.7	2
1674	Classification of Two Volatiles Using an eNose Composed by an Array of 16 Single-Type Miniature Micro-Machined Metal-Oxide Gas Sensors. Sensors, 2022, 22, 1120.	2.1	10
1675	Ultrahigh sensitive and selective triethylamine sensor based on h-BN modified MoO ₃ nanowires. Advanced Powder Technology, 2022, 33, 103432.	2.0	19
1676	Amorphous molybdenum trioxide thin films for gas sensing applications. Sensors and Actuators A: Physical, 2022, 335, 113355.	2.0	6
1677	Optimization of channel structure and bias condition for signal-to-noise ratio improvement in Si-based FET-type gas sensor with horizontal floating-gate. Sensors and Actuators B: Chemical, 2022, 357, 131398.	4.0	12
1678	Hierarchical mesoporous zinc oxide microspheres for ethanol gas sensor. Sensors and Actuators B: Chemical, 2022, 357, 131333.	4.0	44
1679	Carbon SH-SAW-Based Electronic Nose to Discriminate and Classify Sub-ppm NO ₂ . Sensors, 2022, 22, 1261.	2.1	8
1680	Green synthesis of tin oxide based nanoparticles using Terminalia bellirica seed extract: impact of operating temperature and antimony dopant on sensitivity for carbon dioxide gas sensing application. Materials Technology, 2022, 37, 2339-2346.	1.5	8
1681	Three-Layer PdO/CuWO ₄ /CuO System for Hydrogen Gas Sensing with Reduced Humidity Interference. Nanomaterials, 2021, 11, 3456.	1.9	7
1682	Regulating Co-Mof Arrays Films to Construct Co ₃ o ₄ In-Situ Sensors for Ultrasensitive and Highly Selective Triethylamine Detection. SSRN Electronic Journal, 0, , .	0.4	0
1683	Comparative Study of Polypyrrole/Zinc Oxide Nanocomposites Synthesized by Different Methods. Springer Proceedings in Physics, 2022, , 601-607.	0.1	0

#	ARTICLE	IF	CITATIONS
1684	Gas Sensors. , 2023, , 185-208.		4
1686	Emission Source Detection and Leak Rate Estimation Using Point Measurements of Concentration. , 2022, , .		1
1687	A Review of Mechanical and Chemical Sensors for Automotive Li-Ion Battery Systems. Sensors, 2022, 22, 1763.	2.1	8
1688	Recent Development of Hierarchical Metal Oxides Based Gas Sensors: From Gas Sensing Performance to Applications. Advanced Sustainable Systems, 2022, 6, .	2.7	39
1689	Competitive Detection of Volatile Compounds from Food Degradation by a Zinc Oxide Sensor. Applied Sciences (Switzerland), 2022, 12, 2261.	1.3	5
1690	Disordered-nanoparticleâ€“based etalon for ultrafast humidity-responsive colorimetric sensors and anti-counterfeiting displays. Science Advances, 2022, 8, eabm8598.	4.7	77
1691	The SnO2/MXene Composite Ethanol Sensor Based on MEMS Platform. Chemosensors, 2022, 10, 109.	1.8	18
1692	A review of MEMS-based metal oxide semiconductors gas sensor in Mainland China. Journal of Micromechanics and Microengineering, 2022, 32, 054003.	1.5	17
1693	Performance Optimization of Apodized <sc>FBG</sc> Biomedical Sensor for Variation in Temperature and Presence of Noise. IEEJ Transactions on Electrical and Electronic Engineering, 0, , .	0.8	2
1694	Optical-luminescence properties of ZnO and TiO2 nanopowders obtained by pulsed laser reactive ablation. Journal of Materials Science: Materials in Electronics, 0, , .	1.1	0
1695	Toward practical gas sensing with rapid recovery semiconducting carbon nanotube film sensors. Science China Information Sciences, 2022, 65, 1.	2.7	13
1696	Synthesis and characterization of semiconducting oxide nanoparticles and hybrid composites with energy-related applications. , 2022, , .		2
1697	Micro-Electromechanical Systems-based Sensors and Their Applications. Applied Science and Convergence Technology, 2022, 31, 40-45.	0.3	17
1698	Assessing over Time Performance of an eNose Composed of 16 Single-Type MOX Gas Sensors Applied to Classify Two Volatiles. Chemosensors, 2022, 10, 118.	1.8	8
1699	Low- and Medium-Cost Sensors for Tropospheric Ozone Monitoringâ€“Results of an Evaluation Study in WrocÅaw, Poland. Atmosphere, 2022, 13, 542.	1.0	2
1700	A Review of Gas Measurement Set-Ups. Sensors, 2022, 22, 2557.	2.1	9
1701	Laser modification of Auâ€“CuOâ€“Au structures for improved electrical and electro-optical properties. Nanotechnology, 2022, 33, 245205.	1.3	6
1702	A review on intense pulsed light process as post-treatment for metal oxide thin films and nanostructures for device application. Nanotechnology, 2022, 33, 272001.	1.3	4

#	ARTICLE	IF	CITATIONS
1703	Introducing efficient and stable Palladium@Titanium dioxide/carbon nitride nanosheet: Accelerating surface reactions for the selective detection of ethanol in a wide concentration range. <i>Ceramics International</i> , 2022, 48, 9824-9834.	2.3	6
1704	Eco-Friendly Disposable WS ₂ Paper Sensor for Sub-ppm NO ₂ Detection at Room Temperature. <i>Nanomaterials</i> , 2022, 12, 1213.	1.9	13
1705	Highly stable, fast responsive Mo ₂ C _x MXene sensors for room temperature carbon dioxide detection. <i>Microporous and Mesoporous Materials</i> , 2022, 336, 111872.	2.2	23
1706	Effects of Electrode Structure on H ₂ S Sensing and Low-Frequency Noise Characteristics in In ₂ O ₃ -Based Resistor-Type Gas Sensors. <i>IEEE Sensors Journal</i> , 2022, 22, 6311-6320.	2.4	6
1707	SILAR synthesis of SnO ₂ @ZnO nanocomposite sensor for selective ethanol gas. <i>Bulletin of Materials Science</i> , 2022, 45, 1.	0.8	6
1708	Gas Sensing and Thermoelectric Properties of Hybrid Composite Films Based on PEDOT:PSS and SnO ₂ Nanostructures. <i>Physica Status Solidi (A) Applications and Materials Science</i> , 2022, 219, .	0.8	3
1709	Unsupervised modelling of rice aroma change during ageing based on electronic nose coupled with bio-inspired algorithms. <i>Biosystems Engineering</i> , 2022, 216, 132-146.	1.9	9
1710	Gas sensing devices based on two-dimensional materials: a review. <i>Nanotechnology</i> , 2022, 33, 252001.	1.3	36
1711	Physicochemical investigations of Pd ₂₊ substituted ZnO nanoflowers for liquefied petroleum gas sensing. <i>Journal of Materials Science: Materials in Electronics</i> , 0, , 1.	1.1	0
1712	Highly sensitive formaldehyde sensors based on CuO/ZnO composite nanofibrous mats using porous cellulose acetate fibers as templates. <i>International Journal of Biological Macromolecules</i> , 2022, 206, 653-660.	3.6	12
1713	Robust Advanced Sensor System for Determination of Volatile Organic Compounds (VOC). , 2021, , .		0
1714	Facile green synthesis of CoFe ₂ O ₄ nanoparticles using hibiscus extract and their application in humidity sensing properties. <i>Inorganic and Nano-Metal Chemistry</i> , 0, , 1-8.	0.9	7
1715	Humidity Dependence of Commercial Thick and Thin-Film MOX Gas Sensors under UV Illumination. , 2021, 10, .		0
1716	Conductive Stimuli-Responsive Coordination Network Linked with Bismuth for Chemiresistive Gas Sensing. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 60306-60318.	4.0	8
1717	Synthesis, Characterization, and NH ₃ Sensing Properties of (Zn _{0.7}) ₂ Ti _{0.3} ETQq0 0 0 rgBT /Overlock 10 Tf 50 187 Conference Series, 2021, 2114, 012040.	0.3	2
1718	Synthesis of p-Si-n/CuO-p/Cu ₂ O-n heterostructure for CO ₂ gas sensing at room temperature. <i>Applied Physics A: Materials Science and Processing</i> , 2022, 128, 1.	1.1	11
1719	Effect of Cr on ZrO ₂ nanostructures for gas sensing investigation. <i>Bulletin of Materials Science</i> , 2021, 44, 1.	0.8	1
1720	Low-Operating-Temperature NO ₂ Sensor Based on a CeO ₂ /ZnO Heterojunction. <i>Sensors</i> , 2021, 21, 8269.	2.1	16

#	ARTICLE	IF	CITATIONS
1721	Fugitive Emission Monitoring System Using Land-Based Sensors for Industrial Applications. , 2021, , .		2
1722	One-Dimensional Metal Oxide Nanostructures for Chemical Sensors. , 0, , .		2
1723	Gold Nanomaterialsâ€”Implemented Wearable Sensors for Healthcare Applications. Advanced Functional Materials, 2022, 32, .	7.8	70
1724	Proximity-field nanopatterning for high-performance chemical and mechanical sensor applications based on 3D nanostructures. Applied Physics Reviews, 2022, 9, .	5.5	10
1725	Gas sensing properties of high energy facet exposed octahedral SnO ₂ nanoparticles. Materials Today: Proceedings, 2022, , .	0.9	1
1726	Theoretical insights into interaction energy, IR intensity and Raman activity enhancements of H ₂ O adsorbed on Mg containing Zn ₃ O ₃ nanoclusters: A computational study. Computational and Theoretical Chemistry, 2022, 1212, 113708.	1.1	3
1727	Room temperature sputtered nanocrystalline SnO ₂ thin films sensitized with Pd nanoparticles for high performance CO gas sensing application. Optical Materials, 2022, 128, 112362.	1.7	14
1730	Metal oxide semiconducting nanomaterials for air quality gas sensors: operating principles, performance, and synthesis techniques. Mikrochimica Acta, 2022, 189, 196.	2.5	46
1731	Low-Cost Formaldehyde Sensor Evaluation and Calibration in a Controlled Environment. IEEE Sensors Journal, 2022, 22, 11791-11802.	2.4	4
1733	Selectivity and sensitivity nonstoichiometric manganese dioxide doped Cu, Y, and Co. AIP Conference Proceedings, 2022, , .	0.3	0
1734	Design and Study of Silk Cocoon-ZnO Micro-Nanocomposite based Gas Sensor for Detection of Flammable Gas at Room Temperature. Asian Journal of Chemistry, 2022, 34, 1291-1296.	0.1	1
1735	Gas Sensors Based on Porous Ceramic Bodies of MSnO ₃ Perovskites (M = Ba, Ca, Zn): Formation and Sensing Properties towards Ethanol, Acetone, and Toluene Vapours. Molecules, 2022, 27, 2889.	1.7	6
1736	Preparation and Characterization of PEDOT:PSS/TiO ₂ Micro/Nanofiber-Based Gas Sensors. Polymers, 2022, 14, 1780.	2.0	3
1737	Correction Model for Metal Oxide Sensor Drift Caused by Ambient Temperature and Humidity. Sensors, 2022, 22, 3301.	2.1	12
1738	Calculated characterisation of a sensitive gas sensor based onâ€”PEDOT:PSS. IET Circuits, Devices and Systems, 0, , .	0.9	1
1739	Photoactive semiconducting metal oxides: Hydrogen gas sensing mechanisms. International Journal of Hydrogen Energy, 2022, 47, 18208-18227.	3.8	12
1740	Enhancement of the ozone-sensing properties of ZnO through chemical-etched surface texturing. Journal of Nanoparticle Research, 2022, 24, .	0.8	7
1741	Piezo/Triboelectric Effect Driven Selfâ€”Powered Gas Sensor for Environmental Sensorâ€”Networks. Energy Technology, 2022, 10, .	1.8	13

#	ARTICLE	IF	CITATIONS
1742	Graphene-based nanocomposites sensors for detection of ammonia. <i>International Journal of Environmental Analytical Chemistry</i> , 0, , 1-25.	1.8	6
1743	Synthesis, characterization, and sensitivity tests of a novel sensor based on barium antimonate powders. <i>Materials Today Communications</i> , 2022, 31, 103579.	0.9	2
1744	Electronic noses based on metal oxide semiconductor sensors for detecting crop diseases and insect pests. <i>Computers and Electronics in Agriculture</i> , 2022, 197, 106988.	3.7	35
1745	Nanostructured metal oxide semiconductor-based gas sensors: A comprehensive review. <i>Sensors and Actuators A: Physical</i> , 2022, 341, 113578.	2.0	107
1746	Electrochemical sensing of heptazine graphitic C ₃ N ₄ quantum dot for chemical warfare agents; a quantum chemical approach. <i>Materials Science in Semiconductor Processing</i> , 2022, 148, 106753.	1.9	18
1748	Structural, morphological, and gas sensing properties of Co-doped ZnO nanoparticles. <i>Journal of the Australian Ceramic Society</i> , 2022, 58, 793-802.	1.1	8
1749	Gas Sensing Technology for the Detection and Early Warning of Battery Thermal Runaway: A Review. <i>Energy & Fuels</i> , 2022, 36, 6038-6057.	2.5	35
1750	Development of Air Quality Boxes Based on Low-Cost Sensor Technology for Ambient Air Quality Monitoring. <i>Sensors</i> , 2022, 22, 3830.	2.1	6
1751	Gas Sensors Based on Titanium Oxides (Review). <i>Coatings</i> , 2022, 12, 699.	1.2	31
1752	Chlorination in the pandemic times: The current state of the art for monitoring chlorine residual in water and chlorine exposure in air. <i>Science of the Total Environment</i> , 2022, 838, 156193.	3.9	6
1753	State of the Art of Chemosensors in a Biomedical Context. <i>Chemosensors</i> , 2022, 10, 199.	1.8	3
1754	Ultra-selective tin oxide-based chemiresistive gas sensor employing signal transform and machine learning techniques. <i>Analytica Chimica Acta</i> , 2022, 1217, 339996.	2.6	19
1755	Mosaic growth induced magnetic anisotropy in double perovskite PrBaCo ₂ O ₅ + δ thin films. <i>Acta Materialia</i> , 2022, 234, 118040.	3.8	3
1756	Thermal Stability and Utilisation of 1d-Nanostructured Co ₃ O ₄ Rods Derived by Simple Solvothermal Processing. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1757	Investigating Organic Vapor Sensing Properties of Composite Carbon Nanotube-Zinc Oxide Nanowire. <i>Chemosensors</i> , 2022, 10, 205.	1.8	9
1758	Hollow spherical ZnO with mesoporous shell for highly enhanced gas sensitivity and selectivity. <i>Chemistry - an Asian Journal</i> , 0, , .	1.7	0
1760	Đ“Đ,Đ±Đ°Đ,Đ ¹ SnO ₂ <Co>/ĐœĐ;ĐŁĐĐĐ ĐĐμĐ ^{1/2} ĐĐ ^{3/4} ĐĐ»Đ•Đ ^{3/4} Đ±Đ ^{1/2} ĐĐ°ĐÑĐÑfĐĐμĐ ^{1/2} Đ,Đ•Đ ^{1/2} Đ,Đ•Đ°Đ,ĐÑ... Đ°Đ ^{3/4} Đ ^{1/2} Đ†ĐμĐ		
1761	Flexible SnO ₂ â•Coâ†MWCNT Sensor for Detection Low Concentrations of Hydrogen Peroxide Vapors. <i>Journal of Contemporary Physics</i> , 2022, 57, 133-139.	0.1	2

#	ARTICLE	IF	CITATIONS
1762	Effect of the deposition method and substrate on an ultra-stable CoV2O6 hydrogen gas sensor, operating at room temperature. <i>Microelectronic Engineering</i> , 2022, 262, 111819.	1.1	4
1763	Regulating Co-MOF array films to construct Co3O4 in-situ sensors for ultrasensitive and highly selective triethylamine detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132147.	4.0	13
1764	Classifying Gas Data Measured Under Multiple Conditions Using Deep Learning. <i>IEEE Access</i> , 2022, 10, 68138-68150.	2.6	2
1765	Zinc oxide-decorated graphene oxide nanocomposites for industrial volatile organic compound chemical sensor applications. , 2022, , 219-249.		0
1766	Direct Laser Writing of Microscale Metal Oxide Gas Sensors from Liquid Precursors. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 28163-28173.	4.0	10
1767	Green Synthesis of Metal Oxides Semiconductors for Gas Sensing Applications. <i>Sensors</i> , 2022, 22, 4669.	2.1	23
1768	Dealuminated Zeolite Y/SnO2 Nanoparticle Hybrid Sensors for Detecting Trace Levels of Propanol as a Lung Cancer Biomarker. <i>ACS Applied Nano Materials</i> , 2022, 5, 9170-9178.	2.4	4
1769	Pd-WO3 chemiresistive sensor with reinforced self-assembly for hydrogen detection at room temperature. <i>Sensors and Actuators B: Chemical</i> , 2022, 368, 132236.	4.0	15
1770	Catechol sensor based on pristine and transition metal embedded holey graphyne: a first-principles density functional theory study. <i>Journal of Materials Chemistry B</i> , 2022, 10, 5958-5967.	2.9	14
1771	Optical and optoelectronic metal oxide-based sensors; (optical sensors, principle, computational) Tj ETQq1 1 0.784314 rgBT 6Overloc		
1772	Highly Selective H2s Sensing of Co12 Cluster and Zn/Co12 Composites Based MemS Sensors. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1773	Facet-dependent gas sensing properties of metal oxide nanostructures. , 2022, , 1-25.		1
1774	Combination of machine learning and intelligent sensors in real-time quality control of alcoholic beverages. <i>Food Science and Technology</i> , 0, 42, .	0.8	1
1775	Metal oxide semiconductor thin-film transistors for gas sensing applications. , 2022, , 25-45.		1
1776	Analysis of Parameters Influence in a MOX Gas Sensor Model. , 2022, , .		1
1777	Spray-deposited iron oxide thin films for the detection of ammonia at room temperature. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 17064-17078.	1.1	5
1778	Optimizing Urban Air Pollution Detection Systems. <i>Sensors</i> , 2022, 22, 4767.	2.1	12
1780	Nanocrystalline Spinel CoFe2O4 Thin Films Deposited via Microwave-Assisted Synthesis for Sensing Application. <i>Journal of Electronic Materials</i> , 0, , .	1.0	1

#	ARTICLE	IF	CITATIONS
1781	Semiconductor-Type Gas Sensors Based on Fe_3O_4 Nanoparticles and Its Derivatives in Conjunction with SnO_2 and Graphene. <i>Chemosensors</i> , 2022, 10, 267.	1.8	4
1783	Classification of Three Volatiles Using a Single-Type eNose with Detailed Class-Map Visualization. <i>Sensors</i> , 2022, 22, 5262.	2.1	4
1784	A novel design and fabrication of self-heated In_2O_3 nanowire gas sensor on glass for ethanol detection. <i>Sensors and Actuators A: Physical</i> , 2022, 345, 113769.	2.0	24
1785	Synthesis of the oxide NiSb_2O_6 and its electrical characterization in toxic atmospheres for its application as a gas sensor. <i>Journal of Materials Science: Materials in Electronics</i> , 2022, 33, 18268-18283.	1.1	2
1786	MEMS based metal oxide semiconductor carbon dioxide gas sensor. <i>Micro and Nano Engineering</i> , 2022, 16, 100156.	1.4	5
1787	Low temperature operated ZTO thin film transistor based gas sensor for selective detection of H_2S . <i>Materials Science in Semiconductor Processing</i> , 2022, 150, 106927.	1.9	7
1788	Skin-Inspired Thermoreceptors-Based Electronic Skin for Biomimicking Thermal Pain Reflexes. <i>Advanced Science</i> , 2022, 9, .	5.6	47
1789	Design, fabrication, and calibration of the Building Environment and Occupancy (BEVO) Beacon: A rapidly-deployable and affordable indoor environmental quality monitor. <i>Building and Environment</i> , 2022, 222, 109432.	3.0	6
1790	Selection of Classifiers to Enhance Efficacy of Metal/Organic Hybrid Sensor Array for VOC and Toxic Gas Identification. <i>IEEE Sensors Journal</i> , 2022, 22, 19136-19143.	2.4	2
1791	An IOT Based Smart Home Security Prototype Using IFTTT Alert System. , 2022, , .		7
1792	Fast and noninvasive electronic nose for sniffing out COVID-19 based on exhaled breath-print recognition. <i>Npj Digital Medicine</i> , 2022, 5, .	5.7	30
1793	Nanosheet-type tin oxide gas sensor array for mental stress monitoring. <i>Scientific Reports</i> , 2022, 12, .	1.6	4
1794	A Family of 2D-MXenes: Synthesis, Properties, and Gas Sensing Applications. <i>ACS Sensors</i> , 2022, 7, 2132-2163.	4.0	30
1795	VOC Sensors Based on Nanoparticles and Nanorods of Nickel Ferrite. <i>IEEE Sensors Journal</i> , 2022, 22, 16464-16471.	2.4	4
1796	Flexible sensor based on multi-walled carbon nanotube- SnO_2 nanocomposite material for hydrogen detection. <i>Advances in Natural Sciences: Nanoscience and Nanotechnology</i> , 2022, 13, 035003.	0.7	5
1797	Nanostructured NiO Thin Film for Ammonia Sensing at Elevated Temperatures. <i>Journal of Electronic Materials</i> , 2022, 51, 6356-6368.	1.0	4
1798	A Sensitive Acetone Sensor Based on WS_2/WO_3 Nanosheets with p-n Heterojunctions. <i>ACS Applied Nano Materials</i> , 2022, 5, 12592-12599.	2.4	10
1799	First-Principles Study of the Gas Sensing of Benzene and Formaldehyde by Ag_2O - and CuO -Modified MoSe_2 Nanosheets. <i>ACS Applied Nano Materials</i> , 2022, 5, 12907-12914.	2.4	8

#	ARTICLE	IF	CITATIONS
1800	Long-lasting stability and low-concentration SO ₂ gas detection aptitude of Sn-doped alumina sensors. <i>Materials Chemistry and Physics</i> , 2022, 291, 126691.	2.0	7
1801	CO ₂ monitoring system for storage of grains and seeds. <i>Revista Engenharia Na Agricultura - REVENG</i> , 0, 30, 273-282.	0.2	0
1802	Metal oxide nanofibers based chemiresistive H ₂ S gas sensors. <i>Coordination Chemistry Reviews</i> , 2022, 471, 214752.	9.5	28
1803	Selective detection of urea as milk adulterant using LMR based Fiber Optic Probe. <i>Journal of Food Composition and Analysis</i> , 2022, 114, 104825.	1.9	7
1804	Shedding light on the initial growth of ZnO during plasma-enhanced atomic layer deposition on vapor-deposited polymer thin films. <i>Applied Surface Science</i> , 2022, 604, 154619.	3.1	7
1805	The effect of reaction temperature on structural and morphological properties of Mn ₂ O ₃ nanoparticles and its application of electrochemical and gas sensor. <i>Materials Technology</i> , 2022, 37, 3051-3062.	1.5	3
1806	Review "Recent Advances in MoS ₂ and Its Derivatives-Based Two-Dimensional Gas Sensors. <i>ECS Journal of Solid State Science and Technology</i> , 2022, 11, 097003.	0.9	4
1807	Ultrafine Pt nanoparticles deposited on SiC nanosheets achieved by wet impregnation for enhanced high-temperature hydrogen gas sensing. <i>Vacuum</i> , 2022, 205, 111479.	1.6	2
1808	Recent advances in multifunctional materials for gas sensing applications. <i>Journal of Environmental Chemical Engineering</i> , 2022, 10, 108543.	3.3	18
1809	Y and Al co-doped ZnO-nanopowder based ultrasensitive trace ethanol sensor: A potential breath analyzer for fatty liver disease and drunken driving detection. <i>Sensors and Actuators B: Chemical</i> , 2022, 372, 132611.	4.0	17
1810	A convenient method to validate the gas flow of a CFD-CT simulation applied on a packed bed used in gas biofiltration through residence time distributions. <i>Chemical Engineering Journal</i> , 2023, 451, 138795.	6.6	5
1811	Field Calibration of Low-Cost Mos Voc Sensors and Application for Source Characterization. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1812	Zeolitic Imidazolate Framework-Derived N-Zno/P-Co ₃ O ₄ Heterojunction by Ion-Etching Method for Superior Co Toxic Gas Sensor. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1813	On-substrate fabrication of a self-activated nanostructured ZnO gas sensor. <i>Nanoscale Advances</i> , 2022, 4, 4481-4489.	2.2	2
1814	First-Principles Investigation of Adsorption Behaviors, Electronic, Optical, and Gas-Sensing Properties of the Pure and Pd-Decorated Ge ₂ Monolayers. <i>SSRN Electronic Journal</i> , 0, , .	0.4	0
1816	Fabrication of a graphene-based sensor to detect the humidity and the temperature of a metal body with imprecise data analysis. <i>RSC Advances</i> , 2022, 12, 21297-21308.	1.7	11
1817	A 0.5-ms 47.5-nJ Resistor-to-Digital Converter for Resistive BTEX Sensor Achieving 0.1-to-5 ppb Resolution. <i>IEEE Journal of Solid-State Circuits</i> , 2023, 58, 827-837.	3.5	4
1818	Gas Sensors Based on Metal Oxide. , 2022, , 179-199.		3

#	ARTICLE	IF	CITATIONS
1819	Mixed metal oxide nanocomposites for environmental remediation. , 2022, , 425-477.		0
1820	A Novel Pathway to Construct Gas Concentration Prediction Model in Real-World Applications: Data Augmentation; Fast Prediction; and Interpolation and Extrapolation. SSRN Electronic Journal, 0, , .	0.4	0
1821	Investigation of Sensing Characteristics for the Detection of Formaldehyde Using a Multichannel Data Acquisition System and Semiconductor Metal Oxide Sensor. Sensing and Imaging, 2022, 23, .	1.0	0
1822	Quick NO Gas Sensing by Ti-Doped Flower-like Rod-like ZnO Structures Synthesized by the SILAR Method. ACS Applied Materials & Interfaces, 2022, 14, 41555-41570.	4.0	10
1824	Zeolitic imidazolate framework-derived n-ZnO/p-Co ₃ O ₄ heterojunction by ion-etching method for superior CO toxic gas sensor. Sensors and Actuators B: Chemical, 2023, 374, 132717.	4.0	20
1825	Model Development for Alcohol Concentration in Exhaled Air at Low Temperature Using Electronic Nose. Chemosensors, 2022, 10, 375.	1.8	1
1826	Recent advancements in the applicability of SnO ₂ -based photo-catalysts for hydrogen production: challenges and solutions. Waste Disposal & Sustainable Energy, 2022, 4, 179-192.	1.1	11
1827	Synthesis of Porous Hierarchical In ₂ O ₃ Nanostructures with High Methane Sensing Property at Low Working Temperature. Nanomaterials, 2022, 12, 3081.	1.9	2
1828	A Multimodal Sensing Device for Simultaneous Measurement of Dissolved Oxygen and Hydrogen Ions by Monolithic Integration of FET-Based Sensors. Sensors, 2022, 22, 6669.	2.1	3
1829	CO ₂ electrochemical sensor based on two-dimensional MoTe ₂ nanoplates: the effect of annealing, Mo and Te concentrations. Journal of Materials Science: Materials in Electronics, 0, , .	1.1	0
1830	Toxic Gas Detectors Based on a MnSb ₂ O ₆ Oxide Chemical Sensor. , 0, , .		0
1831	Characterization of inexpensive metal oxide sensor performance for trace methane detection. Atmospheric Measurement Techniques, 2022, 15, 5117-5128.	1.2	6
1832	Polyethyleneimine-like Chromium Oxide Nanocomposite Sensor with Patterned Copper Clad as a Substrate for CO ₂ Detection. Journal of Electronic Materials, 2022, 51, 6416-6430.	1.0	3
1833	Algorithms for Automatic Data Validation and Performance Assessment of MOX Gas Sensor Data Using Time Series Analysis. Algorithms, 2022, 15, 360.	1.2	0
1835	Toward a Gas Sensor Interface Circuit-A Review. IEEE Sensors Journal, 2022, 22, 18253-18265.	2.4	7
1836	Metallic and metal oxide-derived nanohybrid as a tool for biomedical applications. Biomedicine and Pharmacotherapy, 2022, 155, 113791.	2.5	21
1837	Environmental gas sensors based on electroactive hybrid organic-inorganic nanocomposites using nanostructured materials. Physical Chemistry Chemical Physics, 2022, 24, 28680-28699.	1.3	5
1838	Advances of Semiconductor Gas Sensing Materials, Structures, and Algorithms for Breath Analysis. Bioanalytical Reviews, 2022, , .	0.1	1

#	ARTICLE	IF	CITATIONS
1839	Tin Oxide Based Hybrid Nanostructures for Efficient Gas Sensing. <i>Molecules</i> , 2022, 27, 7038.	1.7	16
1840	Development of Tetrapod Zinc Oxide-Based UV Sensor for Precision Livestock Farming and Productivity. <i>Biosensors</i> , 2022, 12, 837.	2.3	5
1841	Building a Sensor Benchmark for E-Nose Based Lung Cancer Detection: Methodological Considerations. <i>Chemosensors</i> , 2022, 10, 444.	1.8	3
1842	Perspective "Doped ZnO Nanostructures Based on Ultraviolet Photosensors. , 2022, 1, 043602.		15
1843	Evaluating a Novel Gas Sensor for Ambient Monitoring in Automated Life Science Laboratories. <i>Sensors</i> , 2022, 22, 8161.	2.1	4
1844	2D Van der Waals Heterostructures for Chemical Sensing. <i>Advanced Functional Materials</i> , 2022, 32, .	7.8	34
1845	TiO ₂ Gas Sensors Combining Experimental and DFT Calculations: A Review. <i>Nanomaterials</i> , 2022, 12, 3611.	1.9	8
1846	Application of a Single-Type eNose to Discriminate the Brewed Aroma of One Caffeinated and Decaffeinated Encapsulated Espresso Coffee Type. <i>Chemosensors</i> , 2022, 10, 421.	1.8	1
1847	Thermal Stability and Utilization of 1D-Nanostructured Co ₃ O ₄ Rods Derived by Simple Solvothermal Processing. <i>Catalysts</i> , 2022, 12, 1162.	1.6	0
1848	Gas Sensor Array with Pattern Recognition Algorithms for Highly Sensitive and Selective Discrimination of Trimethylamine. <i>Advanced Intelligent Systems</i> , 2022, 4, .	3.3	11
1849	Enhanced CO Gas Sensing with DFT Optimized PbS Loading on ZnO and CrZnO Nanocomposites. <i>Sustainability</i> , 2022, 14, 13978.	1.6	5
1850	Photocatalytic and Antibacterial Activity of CoFe ₂ O ₄ Nanoparticles from Hibiscus rosa-sinensis Plant Extract. <i>Nanomaterials</i> , 2022, 12, 3668.	1.9	12
1851	Facile Synthesis of Co ₃ O ₄ /CoMoO ₄ Heterostructure Nanosheets for Enhanced Acetone Detection. <i>ACS Sensors</i> , 2022, 7, 3540-3550.	4.0	13
1852	Nanocellulose Aerogels. <i>Nanoscience and Technology</i> , 2023, , 107-139.	1.5	0
1853	Humidity-Independent Methane Gas Detection in Gd _{0.2} La _{0.2} Ce _{0.2} Hf _{0.2} Zr _{0.2} O ₈ -Based Sensor Using Polynomial Regression Analysis. <i>IEEE Electron Device Letters</i> , 2022, 43, 2153-2156.	2.2	3
1854	Highly sensitive electrospun SnO ₂ -ZnO composite nanofibers for low concentration ethanol detection. , 2022, , .		1
1855	Gas Sensor and Sensitivity. , 0, , .		1
1856	Evaluation of MgCo ₂ O ₄ Nanoparticles as a Gas Sensor for the Detection of Acetone in the Diabetic and Non-Diabetic Range. <i>Electronic Materials Letters</i> , 2023, 19, 66-75.	1.0	6

#	ARTICLE	IF	CITATIONS
1857	Self-Powered Humidity Sensors Based on SnS ₂ Nanosheets. ACS Applied Nano Materials, 2022, 5, 17123-17132.	2.4	8
1858	Development and Field Validation of Low-Cost Metal Oxide Nanosensors for Tropospheric Ozone Monitoring in Rural Areas. Chemosensors, 2022, 10, 478.	1.8	3
1859	Nanostructured Diamond Composites for Multifunctional Sensing Applications. Chemosensors, 2022, 10, 488.	1.8	2
1860	Effect of dopant oxidation states on enhanced low ppm CO sensing by copper doped zinc oxide. Materials Chemistry and Physics, 2023, 295, 127047.	2.0	6
1861	Conductometric Gas Sensors. , 2023, , 564-580.		0
1862	In situ laser-assisted synthesis and patterning of graphene foam composites as a flexible gas sensing platform. Chemical Engineering Journal, 2023, 456, 140956.	6.6	10
1863	Innovations in the synthesis of graphene nanostructures for bio and gas sensors. , 2023, 145, 213234.		9
1864	Sensing Properties of WO ₃ as Thin Film Prepared by PVD towards Methanol Vapor. International Letters of Chemistry, Physics and Astronomy, 0, 64, 27-33.	0.0	0
1865	Enhanced volatile organic compound sensing properties of BiFeO ₃ by carbon fibres addition. Processing and Application of Ceramics, 2022, 16, 310-320.	0.4	1
1866	Improved Hydrogen Gas Sensing Performance of Carbon Nanotube Synthesized Using Microwave Oven. IEEE Sensors Journal, 2023, 23, 1033-1041.	2.4	3
1867	Improving Urban Air Quality Monitoring in Delhi, India: Reflections on Low-Cost Air Quality Sensors (LCAQS) and Participatory Engagement. Environment and Urbanization ASIA, 2022, 13, 265-283.	0.9	2
1868	Adsorption behaviors of the Sc ₂ C(OH) ₂ monolayer for small gas molecules: A first-principles study. Computational and Theoretical Chemistry, 2023, 1221, 113936.	1.1	0
1869	High-performance a-ITZO TFTs with high bias stability enabled by self-aligned passivation using a-GaOx. Applied Physics Letters, 2022, 121, .	1.5	6
1870	Machine Learning-Assisted Gas-Specific Fingerprint Detection/Classification Strategy Based on Mutually Interactive Features of Semiconductor Gas Sensor Arrays. Electronics (Switzerland), 2022, 11, 3884.	1.8	0
1871	Hydrogen Sensor on the Base of Nanocrystalline SiC Films. Lecture Notes in Networks and Systems, 2023, , 412-419.	0.5	0
1872	Laser Processed Hybrid Lead-Free Thin Films for SAW Sensors. Materials, 2022, 15, 8452.	1.3	0
1873	Nitrous Oxide Is No Laughing Matter: A Historical Review of Nitrous Oxide Gas-Sensing Capabilities Highlighting the Need for Further Exploration. ACS Sensors, 2022, 7, 3598-3610.	4.0	11
1874	First-Principles Investigation of Adsorption Behaviors and Electronic, Optical, and Gas-Sensing Properties of Pure and Pd-Decorated GeS ₂ Monolayers. ACS Omega, 2022, 7, 46440-46451.	1.6	7

#	ARTICLE	IF	CITATIONS
1875	Reduced graphene oxide coated poly-methyl methacrylate beads based thermoplastic polyurethane nanocomposites for gas sensing applications. <i>Polymer-Plastics Technology and Materials</i> , 2023, 62, 790-799.	0.6	1
1876	Heterogeneous stacking of reduced graphene oxide on ZnO nanowires for NO ₂ gas sensors with dramatically improved response and high sensitivity. <i>Sensors and Actuators B: Chemical</i> , 2023, 379, 133196.	4.0	20
1877	High-sensitivity detection of ethane and ethylene using gamma-irradiated ZnO chemiresistors. <i>Measurement: Sensors</i> , 2022, 24, 100600.	1.3	1
1878	Elektronik Burun Metal Oksit Yarı İletken Sensörlerin Gözde Analizlerinde Kullanılması. <i>Akademik Gözde</i> , 0, 454-473.	0.5	0
1879	Metal oxide semiconductors for gas sensing. <i>Engineering Reports</i> , 2023, 5, .	0.9	33
1880	Micro-gas sensor with a suspended micro-heater for ammonia gas detection. <i>Journal of Micromechanics and Microengineering</i> , 2023, 33, 015004.	1.5	1
1881	Low-resistivity gas sensors based on the In ₂ O ₃ -Ga ₂ O ₃ mixed compounds films. <i>Materials Today Communications</i> , 2023, 34, 105241.	0.9	3
1882	Origin of enhanced conductivity in low dose ion irradiated oxides. <i>AIP Advances</i> , 2023, 13, 015211.	0.6	1
1883	Ammonia gas sensing performance of Co/Ni co-doped CdS thin films by chemical bath deposition. <i>Journal of Materials Science: Materials in Electronics</i> , 2023, 34, .	1.1	5
1884	Laser-Patterned Porous Carbon/ZnO Nanostructure Composites for Selective Room-Temperature Sensing of Volatile Organic Compounds. <i>ACS Applied Nano Materials</i> , 2023, 6, 966-975.	2.4	3
1885	Metal Oxide Nanoparticles: Synthesis, Properties, Characterization, and Applications. , 2023, , 103-144.		5
1886	Gas sensors and factors influencing sensing mechanism with a special focus on MOS sensors. <i>Journal of Materials Science</i> , 2023, 58, 559-582.	1.7	17
1887	CuO-decorated MOF derived ZnO polyhedral nanostructures for exceptional H ₂ S gas detection. <i>Chemosphere</i> , 2023, 317, 137827.	4.2	39
1888	E-Nose System Based on Fourier Series for Gases Identification and Concentration Estimation From Food Spoilage. <i>IEEE Sensors Journal</i> , 2023, 23, 3342-3351.	2.4	9
1889	A Review of Gas Measurement Practices and Sensors for Tunnels. <i>Sensors</i> , 2023, 23, 1090.	2.1	2
1890	Optical hydrogen sensing with high-Q guided-mode resonance of Al ₂ O ₃ /WO ₃ /Pd nanostructure. <i>Scientific Reports</i> , 2023, 13, .	1.6	1
1891	Fabrication, characterization, and gas sensing performance of Chromium doped WO ₃ nanoflakes. <i>Semiconductor Science and Technology</i> , 0, , .	1.0	0
1892	Highly sensitive NO ₂ gas sensor based on ZnO nanoarray modulated by oxygen vacancy with Ce doping. <i>Sensors and Actuators B: Chemical</i> , 2023, 379, 133294.	4.0	27

#	ARTICLE	IF	CITATIONS
1893	Stimulation in fullerene for adsorbing pollutant gases: A review. <i>Chemical Physics Impact</i> , 2023, 6, 100156.	1.7	2
1894	ZnO Nanostructure Based Gas Sensors: Critical Review Based on their Synthesis and Morphology Towards Various Oxidizing and Reducing Gases. <i>Current Nanomaterials</i> , 2023, 8, 336-360.	0.2	0
1895	Review: 3-Aminopropyltriethoxysilane (APTES) Deposition Methods on Oxide Surfaces in Solution and Vapor Phases for Biosensing Applications. <i>Biosensors</i> , 2023, 13, 36.	2.3	23
1896	Influence of defects upon mechanical properties of oxide materials. , 2023, , 253-280.		0
1897	Graphene-based gas sensors. , 2023, , 127-147.		0
1898	Structural transition and photoluminescence behavior of $(V_2O_5)_{1-x}(Ag_{0.33}V_2O_5)_x$ ($x = 0$ to 0.1) nanocomposites. <i>Results in Chemistry</i> , 2023, 5, 100802.	0.9	2
1899	Role of point defects in gas sensing effects of metal oxides. , 2023, , 611-635.		0
1900	DP-IINK: A Framework for Drift Prediction With Inter- and Intranode Knowledge Transfer With Less Data. <i>IEEE Sensors Journal</i> , 2023, 23, 5892-5900.	2.4	0
1901	Zinc oxide based gas sensors and their derivatives: a critical review. <i>Journal of Materials Chemistry C</i> , 2023, 11, 3906-3925.	2.7	18
1902	Metal oxide-assisted heterostructures: At a glance. , 2023, , 3-42.		0
1903	Carbon nanomaterials-based gas sensors. , 2023, , 25-49.		0
1904	Mechanochemical Synthesis of TiO ₂ -CeO ₂ Mixed Oxides Utilized as a Screen-Printed Sensing Material for Oxygen Sensor. <i>Sensors</i> , 2023, 23, 1313.	2.1	3
1905	Molybdenum Carbide Nanoflakes Synthesized Using a Facile Method for 2-Nitrotoluene Sensing at Room Temperature. <i>IEEE Sensors Journal</i> , 2023, 23, 5543-5551.	2.4	2
1906	An Alternative Approach for the Synthesis of Zinc Aluminate Nanoparticles for CO and Propane Sensing Applications. <i>Chemosensors</i> , 2023, 11, 105.	1.8	2
1907	Role of defect engineering in revealing the electronic and sensing applications of Janus WSSe monolayer. <i>Journal of Materials Chemistry C</i> , 2023, 11, 4219-4234.	2.7	2
1908	Design of a Multi-Channel Gas Sensor Detection System Based on STM32 Microcontroller and LabVIEW. <i>Journal of Nanoelectronics and Optoelectronics</i> , 2023, 18, 17-24.	0.1	5
1909	Defect-Engineering of 2D Dichalcogenide VSe ₂ to Enhance Ammonia Sensing: Acumens from DFT Calculations. <i>Biosensors</i> , 2023, 13, 257.	2.3	6
1910	Covalent Triazine Framework C ₆ N ₆ as an Electrochemical Sensor for Hydrogen-Containing Industrial Pollutants. A DFT Study. <i>Nanomaterials</i> , 2023, 13, 1121.	1.9	3

#	ARTICLE	IF	CITATIONS
1911	Facile synthesis, characterization and acetone sensing properties of n-type WO ₃ , SnO ₂ and VO ₂ semiconducting materials and their cobalt doped performance: Outstanding SnO ₂ -Co acetone selectivity and sensitivity. Materials Research Bulletin, 2023, 164, 112288.	2.7	5
1912	High performance conductimetric sensor for detection of trace triethylamine based on the metalloporphyrin 2D-conjugated polymer assisted with a phosphating strategy. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2023, 666, 131289.	2.3	2
1913	Insights on the host precursor role play in the chemiresistive gas sensing properties of nebulizer spray-coated CuO films. Physica B: Condensed Matter, 2023, 659, 414852.	1.3	2
1914	Development of p-type zinc oxide nanorods on zirconium-based metallic glass nanotube arrays by facile hydrothermal method for gas sensing applications. Chemical Engineering Journal, 2023, 463, 142381.	6.6	5
1915	Recent advances of ferromagnetism in traditional antiferromagnetic transition metal oxides. Journal of Magnetism and Magnetic Materials, 2023, 569, 170428.	1.0	1
1916	Metal Oxide Gas Sensors to Study Acetone Detection Considering Their Potential in the Diagnosis of Diabetes: A Review. Molecules, 2023, 28, 1150.	1.7	5
1917	CO ₂ gas sensing properties of graphitic carbon nitride (g-C ₃ N ₄) thin films. Diamond and Related Materials, 2023, 133, 109736.	1.8	6
1918	Recent development and prospects for metal Selenide-based gas sensors. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 2023, 290, 116333.	1.7	7
1919	Double-Layer Carbon Encapsulated Co Particles Combined with Ionic Liquid for Enhancing Electrochemical Detection of Oxygen. ACS Sustainable Chemistry and Engineering, 2023, 11, 3023-3035.	3.2	3
1920	On-Site Detection of Volatile Organic Compounds (VOCs). Molecules, 2023, 28, 1598.	1.7	21
1921	The effect of VOC and environmental parameters on ozone sensors performance. Advances in Building Energy Research, 2023, 17, 172-192.	1.1	0
1922	Sandwich-Structured In ₂ S ₃ /In ₂ O ₃ /In ₂ S ₃ Hollow Nanofibers as Sensing Materials for Ethanol Detection. ACS Applied Nano Materials, 2023, 6, 2625-2635.	2.4	5
1923	Reproducibility and Repeatability Tests on (SnTiNb)O ₂ Sensors in Detecting ppm-Concentrations of CO and Up to 40% of Humidity: A Statistical Approach. Sensors, 2023, 23, 1983.	2.1	4
1924	Optimization of the hydrogen response characteristics of halogen-doped SnO ₂ . Scientific Reports, 2023, 13, .	1.6	4
1925	Biotechnology for e-noses: types and biomaterials. , 2023, , 225-238.		0
1926	Non-ROS-Mediated Cytotoxicity of ZnO and CuO in ML-1 and CA77 Thyroid Cancer Cell Lines. International Journal of Molecular Sciences, 2023, 24, 4055.	1.8	3
1927	Environmental Applications of Zeolites: Hydrophobic Sn-BEA as a Selective Gas Sensor for Exhaust Fumes. Chemistry, 2023, 5, 334-347.	0.9	3
1928	Highly Selective Detection of Hydrogen Sulfide by Simple Cu-CNTs Nanocomposites. Journal of Carbon Research, 2023, 9, 25.	1.4	3

#	ARTICLE	IF	CITATIONS
1929	Sensor to Electronics Applications of Graphene Oxide through AZO Grafting. <i>Nanomaterials</i> , 2023, 13, 846.	1.9	17
1930	Plasma-Polymerized and Iodine-Doped Polyvinyl Acetate for Volatile Organic Compound Gas Sensing Applications. <i>ACS Applied Polymer Materials</i> , 2023, 5, 1882-1890.	2.0	5
1931	Functional nanomaterials in flexible gas sensors: recent progress and future prospects. <i>Materials Today Chemistry</i> , 2023, 29, 101428.	1.7	18
1932	Application of Deep Learning Network for Humidity Compensation of Semiconductor Metal Oxide Gas Sensors. , 2023, , .		0
1933	Porous Carbon-Based Sensors and Their Applications. <i>Materials Horizons</i> , 2023, , 381-404.	0.3	0
1934	2D material-based sensing devices: an update. <i>Journal of Materials Chemistry A</i> , 2023, 11, 6016-6063.	5.2	16
1935	New Class of Sensors: Smart Materials Finds Their Way. , 2023, , 83-94.		0
1936	Multi-Channel MEMS-FAIMS Gas Sensor for VOCs Detection. <i>Micromachines</i> , 2023, 14, 608.	1.4	2
1937	Room Temperature Detection of Chlorpyrifos Using Thermally Oxidized Manganese and Copper Thin Films. <i>ECS Journal of Solid State Science and Technology</i> , 2023, 12, 037005.	0.9	0
1938	Machine Learning-Assisted Sensor Based on CsPbBr ₃ @ZnO Nanocrystals for Identifying Methanol in Mixed Environments. <i>ACS Sensors</i> , 2023, 8, 1252-1260.	4.0	13
1939	Highly sensitive pure molybdenum trioxide thin films at a higher annealing temperature for liquefied petroleum gas and humidity sensing at room temperature. <i>Applied Physics A: Materials Science and Processing</i> , 2023, 129, .	1.1	2
1940	Ex-Solution Hybrids Functionalized on Oxide Nanofibers for Highly Active and Durable Catalytic Materials. <i>ACS Nano</i> , 2023, 17, 5842-5851.	7.3	7
1941	WS ₂ and WS ₂ -ZnO Chemiresistive Gas Sensors: The Role of Analyte Charge Asymmetry and Molecular Size. <i>ACS Sensors</i> , 2023, 8, 1630-1638.	4.0	11
1942	H ₂ gas sensing properties of a Pd/ZnO:Eu nanosensor. , 2023, , .		0
1943	Synthesizing Metal Oxide Semiconductors on Doped Si/SiO ₂ Flexible Fiber Substrates for Wearable Gas Sensing. <i>Research</i> , 2023, 6, .	2.8	4
1944	Fabrication and electrical surface characterization of pellets of V ₂ O ₅ nanostructures for robust and portable gas sensor applications. <i>Applied Physics A: Materials Science and Processing</i> , 2023, 129, .	1.1	6
1945	High sensitivity carbon monoxide detector using iron tetraphenyl porphyrin functionalized reduced graphene oxide. , 2023, 18, .		6
1946	Electrochemical Immunosensor for the Determination of Antibodies against Prostate-Specific Antigen Based on ZnO Nanostructures. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5803.	1.8	2

#	ARTICLE	IF	CITATIONS
1947	N-Butanol sensor based on electrospun Al doped ZnFe ₂ O ₄ nanofibers. Journal of the Taiwan Institute of Chemical Engineers, 2023, 145, 104820.	2.7	3
1948	Enhanced room temperature gas sensing performance of ZnO with atomic-level Pt catalysts facilitated by the polydopamine mediator. , 2023, 42, 100069.		2
1949	Gas-sensing properties and applications of MXenes. MRS Bulletin, 2023, 48, 261-270.	1.7	3
1950	Diseño y ejecución de un sensor para medir la calidad del aire en ambientes laborales. Human Review, 2023, 19, 1-22.	0.0	0
1951	A Variational Bayesian Blind Calibration Approach for Air Quality Sensor Deployments. IEEE Sensors Journal, 2023, 23, 7129-7141.	2.4	2
1952	Dispersion stability of tin(IV) oxide nanoparticles in polar solvents and water aided by ultrasonication. Japanese Journal of Applied Physics, 2023, 62, 035002.	0.8	1
1953	CuO Nanowires-based Resistive Sensor for Accurate Classification of Multiple Vapors. IEEE Sensors Journal, 2023, , 1-1.	2.4	0
1954	Study of the Effect of Ce ³⁺ on the Gas Sensitivity and Magnetic Properties of Cu _x Ce _{0.3} Ni _{0.7} Fe ₂ O ₄ Ferrite Nanoparticles. Materials Science Forum, 0, 1083, 3-12.		
1956	Synergistic impact of cationic surfactants on the performance of ZTO for supercapacitor applications. Materials Today: Proceedings, 2023, , .	0.9	0
1957	Oxygen vacancies mediated \pm -MoO ₃ Nano-ribbons by Cu doping for highly sensitive, selective and rapid detection of hazardous NO ₂ for gas sensor application. Sensors and Actuators B: Chemical, 2023, 389, 133810.	4.0	3
1958	Gas response enhancement of nanocrystalline LaFeO ₃ perovskite prepared using the microwave-assisted solution method. Journal of Materials Science: Materials in Electronics, 2023, 34, .	1.1	3
1959	Development of new co-planar platform configuration of MOX gas sensor. Applied Physics A: Materials Science and Processing, 2023, 129, .	1.1	3
1960	Ammonia gas detection by solution combustion-processed pristine & Ti-doped ZnO transparent films: a reverse effect of doping on gas response. Journal of Materials Science: Materials in Electronics, 2023, 34, .	1.1	2
1961	Functionalized nanofibers for gas and volatile organic compound sensing. , 2023, , 531-577.		1
1975	Environmental Fate Descriptors for Screening Nanotoxicity and Pollutant Sensing. Environmental Contamination Remediation and Management, 2023, , 95-137.	0.5	0
1981	Oxide thin films grown by sputtering technique. , 2023, , 73-108.		0
1984	Sol-Gel Production of Semiconductor Metal Oxides for Gas Sensor Applications. , 0, , .		0
1988	Band-gap engineering of ceramic coatings. , 2023, , 39-88.		0

#	ARTICLE	IF	CITATIONS
1989	Comprehensive review of gallium nitride (GaN)-based gas sensors and their dynamic responses. Journal of Materials Chemistry C, 0, , .	2.7	1
1995	A Review of the High-Performance Gas Sensors Using Machine Learning. , 2023, , 163-198.		0
1996	Nanosensors for crop protection. , 2023, , 323-349.		0
2004	Transition metal dichalcogenides and hybrids for electrochemical sensing. , 2023, , 199-224.		0
2009	Influence of calcination temperature on microstructural features and ethanol sensing behaviours of mesoporous SnO ₂ powder synthesized by soft-template method. AIP Conference Proceedings, 2023, , .	0.3	0
2012	A Review on Chemiresistive Hybrid Zinc Oxide and Nanocomposites for Gas Sensing. Industrial & Engineering Chemistry Research, 2023, 62, 11259-11278.	1.8	4
2015	Advanced Approaches in Micro- and Nano-sensors for Harsh Environmental Applications: A Review. , 2023, , 585-612.		0
2021	Developments in semiconducting oxide based gas sensing materials. , 2023, , .		0
2022	CVD-Grown MoS ₂ Nanosheets-Based Gas Sensor for Low-Limit Detection of NO ₂ Gas. Lecture Notes in Electrical Engineering, 2023, , 439-447.	0.3	0
2028	Selected Metal Oxides Thin Films for Gas-Sensing Application in The Microwave Frequency Range. , 2023, , .		0
2032	Integration Technologies in Gas Sensor Application. , 2023, , 299-324.		0
2036	Selective Detection of H ₂ S Gas Using a Tin (II) Sulfide Based Chemiresistive Sensor with Schottky Contact. , 2023, , .		0
2037	Classification of Gas Sensor Data Using Multiclass SVM. Lecture Notes in Networks and Systems, 2023, , 1333-1344.	0.5	0
2054	Research progress of electronic nose technology in exhaled breath disease analysis. Microsystems and Nanoengineering, 2023, 9, .	3.4	6
2062	Sensing Devices of Semiconducting Metal Oxide Gas Sensors. , 2023, , 271-297.		0
2064	First Principle based Studies for Efficient NO ₂ Gas Sensors on MoSe ₂ and WSe ₂ . , 2023, , .		1
2068	NOSEwrist: Natural Olfactory Substitution and Extension wrist. , 2023, , .		0
2069	Understanding Semiconducting Metal Oxide Gas Sensors. , 2023, , 1-32.		0

#	ARTICLE	IF	CITATIONS
2070	Semiconducting Metal Oxides: Microstructure and Sensing Performance. , 2023, , 149-187.		0
2071	Semiconducting Metal Oxides: Composition and Sensing Performance. , 2023, , 105-147.		0
2079	Advances in Three-Dimensional Metal Oxide-Based Nanostructures for Biological Gas-Sensing Applications. , 2023, , 53-65.		0
2102	Calibration of a metal oxide sensor for ammonia detection targeting IoT solutions. , 2023, , .		0
2105	Cube-Shaped Inorganic Perovskite Bismuth Ferrite Nanostructures as Highly Efficient Hydrogen Gas Sensors. , 2023, , .		0
2116	Advances in Gas Sensors. , 2024, , 1-41.		0
2120	Thick Film Interdigitated Electrode Graphite and Carbon Nanotube on Flexible Substrate for Hydrogen Gas Detection. , 2023, , .		0
2135	Modelling and Characterization of an Electro-Thermal MEMS Device for Gas Property Determination. , 2023, , .		0
2137	Spike-time encoding of gas concentrations using neuromorphic analog sensory front-end. , 2023, , .		0
2140	Fundamentals of electrical gas sensors. , 2024, , 27-50.		0
2141	Humidity sensors based on solid-state metal-oxide hybrids. , 2024, , 347-392.		0
2142	QCM and SAW gas and VOC sensors based on metal oxide composites (principles, fabrication, sensing) Tj ETQq1 1 0.784314rgBT /Ove		0
2147	Boron Nitride and Its Hybrids: Synthesis, Properties and Potential Applications. Engineering Materials, 2024, , 1-29.	0.3	0
2153	Gas and Humidity Sensors. , 2024, , 1-34.		0
2158	Effect of pre-heating conditions on MOS gas sensors towards acetone vapor. , 2023, , .		0
2173	Data Processing Procedure for Real-Time Odour Concentration Estimation at Industrial Plant Fenceline by Sensor-Based Tools. , 0, , .		0