

CITATION REPORT

List of articles citing

New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk

DOI: 10.1038/ng.520

Nature Genetics, 2010, 42, 105-16.

Source: <https://exaly.com/paper-pdf/49614103/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1852	.		
1851	.		
1850	Fibrosis pulmonar experimental en la rata (desencadenada por suero anti-mbg). 1986 , 22, 106-110	1	
1849	[The prevalence of asthma among the Spanish athletes participating in the Barcelona Olympic Games]. 1994 , 30, 419-20	4	
1848	A genome-wide association study identifies protein quantitative trait loci (pQTLs). 2008 , 4, e1000072	331	
1847	Research highlights from the latest articles in diabetes research. 2010 , 7, 245-248		
1846	Genetic variants of the protein kinase C-beta 1 gene and development of end-stage renal disease in patients with type 2 diabetes. 2010 , 304, 881-9	49	
1845	Update on nonalcoholic fatty liver disease: genes involved in nonalcoholic fatty liver disease and associated inflammation. 2010 , 13, 391-6	24	
1844	Genetics of type 2 diabetes. 2010 , 13, 471-7	26	
1843	Current Opinion in Clinical Nutrition and Metabolic Care. Current world literature. 2010 , 13, 486-509		
1842	A weighted false discovery rate control procedure reveals alleles at FOXA2 that influence fasting glucose levels. 2010 , 86, 440-6	26	
1841	Variants at DGKB/TMEM195, ADRA2A, GLIS3 and C2CD4B loci are associated with reduced glucose-stimulated beta cell function in middle-aged Danish people. 2010 , 53, 1647-55	76	
1840	Type 2 diabetes risk alleles near ADCY5, CDKAL1 and HHEX-IDE are associated with reduced birthweight. 2010 , 53, 1908-16	56	
1839	Evaluating the discriminative power of multi-trait genetic risk scores for type 2 diabetes in a northern Swedish population. 2010 , 53, 2155-62	39	
1838	Genetic variants affecting incretin sensitivity and incretin secretion. 2010 , 53, 2289-97	32	
1837	Etiology of type 1 diabetes. 2010 , 32, 457-67	378	
1836	Genetische Studien zum Typ-2-Diabetes. 2010 , 6, 203-209	3	

1835	Type 2 Diabetes and Genetics, 2010: Translating Knowledge into Understanding. 2010 , 4, 437-445	3
1834	Genetics of atherothrombosis and thrombophilia. 2010 , 12, 159-66	14
1833	Common genetic variation influences the heterogeneity of response to oral glucose. 2010 , 10, 249-51	1
1832	The genetics of insulin resistance: Where's Waldo?. 2010 , 10, 476-84	27
1831	From genetic association to molecular mechanism. 2010 , 10, 452-66	27
1830	Physiologic characterization of type 2 diabetes-related loci. 2010 , 10, 485-97	41
1829	Genome-wide association studies and large-scale collaborations in epidemiology. 2010 , 25, 525-9	11
1828	Genetic variation of the interleukin-1 family and nongenetic factors determining the interleukin-1 receptor antagonist phenotypes. 2010 , 59, 1520-7	15
1827	Cardiovascular disease risk factors, type 2 diabetes mellitus, and the Framingham Heart Study. 2010 , 20, 90-5	108
1826	Identification of genetic factors associated with Type 2 Diabetes in Saudis: The lessons from European studies. 2010 , 2, 133-136	1
1825	Meta-analysis of sex-specific genome-wide association studies. 2010 , 34, 846-53	69
1824	Obesity and diabetes genes are associated with being born small for gestational age: results from the Auckland Birthweight Collaborative study. 2010 , 11, 125	47
1823	No association between variation in the NR4A1 gene locus and metabolic traits in white subjects at increased risk for type 2 diabetes. 2010 , 11, 84	6
1822	GCKR gene functional variants in type 2 diabetes and metabolic syndrome: do the rare variants associate with increased carotid intima-media thickness?. 2010 , 9, 79	23
1821	The TCF7L2 diabetes risk variant is associated with HbA _{1c} levels: a genome-wide association meta-analysis. 2010 , 74, 471-8	29
1820	Genome-wide association identifies SKIV2L and MYRIP as protective factors for age-related macular degeneration. 2010 , 11, 609-21	53
1819	Genetic variation in GIPR influences the glucose and insulin responses to an oral glucose challenge. <i>Nature Genetics</i> , 2010 , 42, 142-8	36.3 527
1818	Variants in ADCY5 and near CCNL1 are associated with fetal growth and birth weight. <i>Nature Genetics</i> , 2010 , 42, 430-5	36.3 184

1817	Twelve type 2 diabetes susceptibility loci identified through large-scale association analysis. <i>Nature Genetics</i> , 2010 , 42, 579-89	36.3	1449
1816	A genome-wide association study in the Japanese population identifies susceptibility loci for type 2 diabetes at UBE2E2 and C2CD4A-C2CD4B. <i>Nature Genetics</i> , 2010 , 42, 864-8	36.3	214
1815	Meta-analysis identifies 13 new loci associated with waist-hip ratio and reveals sexual dimorphism in the genetic basis of fat distribution. <i>Nature Genetics</i> , 2010 , 42, 949-60	36.3	724
1814	Association analyses of 249,796 individuals reveal 18 new loci associated with body mass index. <i>Nature Genetics</i> , 2010 , 42, 937-48	36.3	2267
1813	Inborn variation in metabolism. <i>Nature Genetics</i> , 2010 , 42, 97-8	36.3	15
1812	Channelopathies converge on TRPV4. <i>Nature Genetics</i> , 2010 , 42, 98-100	36.3	63
1811	Erratum: New genetic loci implicated in fasting glucose homeostasis and their impact on type 2 diabetes risk. <i>Nature Genetics</i> , 2010 , 42, 464-464	36.3	15
1810	Variation across the allele frequency spectrum. <i>Nature Genetics</i> , 2010 , 42, 648-50	36.3	23
1809	Preempting and preventing drug-induced liver injury. <i>Nature Genetics</i> , 2010 , 42, 650-1	36.3	24
1808	High glucose, no cry. 2010 , 16, 1074-6		1
1807	A sweet path toward tolerance in the gut. 2010 , 16, 1076-7		4
1806	Type 2 diabetes mellitus and risk of malignancy: is there a strategy to identify a subphenotype of patients with increased susceptibility to endogenous and exogenous hyperinsulinism?. 2011 , 28, 276-86		20
1805	Population Genetics and Pharmacogenetics. 2010 , 171-188		
1804	A new statistic to evaluate imputation reliability. 2010 , 5, e9697		47
1803	Analyses and comparison of imputation-based association methods. 2010 , 5, e10827		26
1802	Common polymorphisms in MTNR1B, G6PC2 and GCK are associated with increased fasting plasma glucose and impaired beta-cell function in Chinese subjects. 2010 , 5, e11428		55
1801	Association of rs780094 in GCKR with metabolic traits and incident diabetes and cardiovascular disease: the ARIC Study. 2010 , 5, e11690		47
1800	Evaluation of the association between the AC3 genetic polymorphisms and obesity in a Chinese Han population. 2010 , 5, e13851		20

1799	Integrated genetic and epigenetic analysis identifies haplotype-specific methylation in the FTO type 2 diabetes and obesity susceptibility locus. 2010 , 5, e14040	193
1798	Hyperglycemia and Adverse Pregnancy Outcome (HAPO) study: common genetic variants in GCK and TCF7L2 are associated with fasting and postchallenge glucose levels in pregnancy and with the new consensus definition of gestational diabetes mellitus from the International Association of Diabetes and Pregnancy Study Groups. 2010 , 59, 2682-9	77
1797	Impact of single nucleotide polymorphisms and of clinical risk factors on new-onset diabetes mellitus in HIV-infected individuals. 2010 , 51, 1090-8	21
1796	Use of mouse models in studying type 2 diabetes mellitus. 2011 , 13, e1	20
1795	Detailed physiologic characterization reveals diverse mechanisms for novel genetic Loci regulating glucose and insulin metabolism in humans. 2010 , 59, 1266-75	211
1794	Interactions of dietary whole-grain intake with fasting glucose- and insulin-related genetic loci in individuals of European descent: a meta-analysis of 14 cohort studies. 2010 , 33, 2684-91	112
1793	Acute cytokine-mediated downregulation of the zinc transporter ZnT8 alters pancreatic beta-cell function. 2010 , 206, 159-69	43
1792	The homeobox protein Prox1 is a negative modulator of ERR{alpha}/PGC-1{alpha} bioenergetic functions. 2010 , 24, 537-42	105
1791	The genetics of obesity and the metabolic syndrome. 2010 , 10, 86-108	47
1790	Common variants at 10 genomic loci influence hemoglobin A1C levels via glycemic and nonglycemic pathways. 2010 , 59, 3229-39	314
1789	Genetic variation of the FADS1 FADS2 gene cluster and n-6 PUFA composition in erythrocyte membranes in the European Prospective Investigation into Cancer and Nutrition-Potsdam study. 2010 , 104, 1748-59	57
1788	Association between familial atrial fibrillation and risk of new-onset atrial fibrillation. 2010 , 304, 2263-9	212
1787	Fifth Santorini Conference Biologie Prospective 2010. 2010 , 48,	
1786	The genetics of type 2 diabetes: what have we learned from GWAS?. 2010 , 1212, 59-77	264
1785	Genetic variants at 2q24 are associated with susceptibility to type 2 diabetes. 2010 , 19, 2706-15	164
1784	Racial/ethnic differences in association of fasting glucose-associated genomic loci with fasting glucose, HOMA-B, and impaired fasting glucose in the U.S. adult population. 2010 , 33, 2370-7	18
1783	Redefining disease. 2010 , 10, 584-94	11
1782	Identification of new genetic risk variants for type 2 diabetes. 2010 , 6, e1001127	168

1781	Large-scale genome-wide association studies consortia: blessing, burden, or necessity?. 2010 , 3, 396-8	2
1780	Association of nephrolithiasis and gene for glucose transporter type 9 (SLC2A9): study of 145 patients. 2010 , 51, 48-53	12
1779	Interactions between genetic variants in glucose transporter type 9 (SLC2A9) and dietary habits in serum uric acid regulation. 2010 , 51, 40-7	9
1778	Genome-wide association studies of serum magnesium, potassium, and sodium concentrations identify six Loci influencing serum magnesium levels. 2010 , 6, e1001045	144
1777	Common inherited variation in mitochondrial genes is not enriched for associations with type 2 diabetes or related glycemic traits. 2010 , 6, e1001058	366
1776	Common variants in SLC17A3 gene affect intra-personal variation in serum uric acid levels in longitudinal time series. 2010 , 51, 32-9	11
1775	Combined effects of 19 common variations on type 2 diabetes in Chinese: results from two community-based studies. 2010 , 5, e14022	68
1774	Predictive value of 8 genetic loci for serum uric acid concentration. 2010 , 51, 23-31	13
1773	Diagnostik eines Diabetesrisikos Der EZScan Eine neue, einfache, validierte Methode. 2010 , 8, 208-212	1
1772	Cutting the Fat: The Genetic Dissection of Body Weight. 2010 , 94, 197-212	5
1771	Neural plasticity, human genetics, and risk for alcohol dependence. 2010 , 91, 53-94	25
1770	Genetics of type 1 diabetes: what's next?. 2010 , 59, 1561-71	218
1769	Genome-wide association study and premature ovarian failure. 2010 , 71, 218-21	24
1768	L'apnè obstructive du sommeil chez les patients diabétiques. 2010 , 4, 203	
1767	Du nouveau dans la génétique du diabète néonatal ! Garin I, Edghill EL, Akerman I, et al, Recessive mutations in the INS gene result in neonatal diabetes through reduced insulin biosynthesis. Proc Natl Acad Sci USA 2010 Jan 10 [Epub ahead of print].. 2010 , 4, 203	
1766	Du nouveau dans la génétique du diabète de type 2 !. 2010 , 4, 203	
1765	Genetic variants in MTNR1B affecting insulin secretion. 2010 , 42, 387-93	32
1764	Transcriptional regulation of glucose sensors in pancreatic β cells and liver: an update. 2010 , 10, 5031-53	29

1763	Additive effect of multiple genetic variants on the risk of coronary artery disease. 2010 , 63, 925-33	9
1762	Genética. 2010 , 9, 155-159	
1761	Early life nutrition and metabolic programming. 2010 , 1212, 78-96	115
1760	Synthetic associations in the context of genome-wide association scan signals. 2010 , 19, R137-44	45
1759	Circadian integration of metabolism and energetics. 2010 , 330, 1349-54	1253
1758	The emerging genetics of type 2 diabetes. 2010 , 16, 407-16	115
1757	Global epigenomic analysis of primary human pancreatic islets provides insights into type 2 diabetes susceptibility loci. 2010 , 12, 443-55	168
1756	Neurocognitive phenotypes and genetic dissection of disorders of brain and behavior. 2010 , 68, 218-30	20
1755	The hypothalamic clock and its control of glucose homeostasis. 2010 , 21, 402-10	76
1754	Impact of repeated measures and sample selection on genome-wide association studies of fasting glucose. 2010 , 34, 665-73	30
1753	Efecto aditivo de diferentes variantes genéticas en el riesgo de cardiopatía isquémica. 2010 , 63, 925-933	20
1752	Genomics, type 2 diabetes, and obesity. 2010 , 363, 2339-50	696
1751	Incidence of and risk factors for type-2 diabetes in a general population: the Tromsø Study. 2010 , 38, 768-75	35
1750	Pharmacogenetics of Anti-Diabetes Drugs. 2010 , 3, 2610-2646	70
1749	Effects of aging, body mass index, plasma lipid profiles, and smoking on human plasma N-glycans. 2010 , 20, 959-69	174
1748	Epidemiology of type 2 diabetes and cardiovascular disease: translation from population to prevention: the Kelly West award lecture 2009. 2010 , 33, 1865-71	59
1747	Inherited destiny? Genetics and gestational diabetes mellitus. 2011 , 3, 18	17
1746	Erythrocyte membrane phospholipid fatty acids, desaturase activity, and dietary fatty acids in relation to risk of type 2 diabetes in the European Prospective Investigation into Cancer and Nutrition (EPIC)-Potsdam Study. 2011 , 93, 127-42	192

1745	Genomic convergence among ERR β , PROX1, and BMAL1 in the control of metabolic clock outputs. 2011 , 7, e1002143	75
1744	Genomics of cardiovascular disease. 2011 , 365, 2098-109	194
1743	Metabolic Basis of Obesity. 2011 ,	3
1742	Genome-wide association study identifies loci influencing concentrations of liver enzymes in plasma. <i>Nature Genetics</i> , 2011 , 43, 1131-8	363 415
1741	Contemporary human genetic strategies in aging research. 2011 , 10, 191-200	14
1740	Cardiovascular diseases and genome-wide association studies. 2011 , 412, 1697-701	19
1739	The Lin28/let-7 axis regulates glucose metabolism. 2011 , 147, 81-94	649
1738	Association between parental history of diabetes and type 2 diabetes genetic risk scores in the PPP-Botnia and Framingham Offspring Studies. 2011 , 93, e76-e79	17
1737	Genome-wide association identifies nine common variants associated with fasting proinsulin levels and provides new insights into the pathophysiology of type 2 diabetes. 2011 , 60, 2624-34	285
1736	Biomarkers for the prediction of type 2 diabetes and cardiovascular disease. 2011 , 90, 52-66	129
1735	Estrogen related receptors (ERRs): a new dawn in transcriptional control of mitochondrial gene networks. 2011 , 11, 544-52	131
1734	SIRT3 deficiency and mitochondrial protein hyperacetylation accelerate the development of the metabolic syndrome. 2011 , 44, 177-90	568
1733	Isolation of mouse pancreatic alpha, beta, duct and acinar populations with cell surface markers. 2011 , 339, 144-50	35
1732	GCKR mutations in Japanese families with clustered type 2 diabetes. 2011 , 102, 453-60	5
1731	Polymorphisms in FADS1 and FADS2 alter desaturase activity in young Caucasian and Asian adults. 2011 , 103, 171-8	97
1730	GLUT2 (SLC2A2) is not the principal glucose transporter in human pancreatic beta cells: implications for understanding genetic association signals at this locus. 2011 , 104, 648-53	115
1729	Endoplasmic reticulum stress and pancreatic β cell death. 2011 , 22, 266-74	245
1728	Genome-wide association study of diabetic retinopathy in a Taiwanese population. 2011 , 118, 642-8	109

1727	Variants at the endocannabinoid receptor CB1 gene (CNR1) and insulin sensitivity, type 2 diabetes, and coronary heart disease. 2011 , 19, 2031-7		13
1726	Large-scale genome-wide association studies in East Asians identify new genetic loci influencing metabolic traits. <i>Nature Genetics</i> , 2011 , 43, 990-5	36.3	229
1725	Genome-wide association studies and type 2 diabetes. 2011 , 10, 52-60		82
1724	Human metabolic individuality in biomedical and pharmaceutical research. 2011 , 477, 54-60		728
1723	The type 2 diabetes and insulin-resistance locus near IRS1 is a determinant of HDL cholesterol and triglycerides levels among diabetic subjects. 2011 , 216, 157-60		22
1722	Genetics of non-alcoholic fatty liver disease and associated metabolic disorders. 2011 , 27, 186-197		1
1721	New type 2 diabetes risk genes provide new insights in insulin secretion mechanisms. 2011 , 93 Suppl 1, S9-24		55
1720	Type 2 diabetes across generations: from pathophysiology to prevention and management. 2011 , 378, 169-81		614
1719	Comparative Genetic Analysis of Type 1 Diabetes and Inflammatory Bowel Disease. 2011 ,		
1718	The search for genetic risk factors of type 2 diabetes mellitus. 2011 , 35, 12-22		26
1717	The Role of Single Nucleotide Polymorphisms of Untranslated Regions (Utrs) in Insulin Resistance Pathogenesis in Patients with Type 2 Diabetes. 2011 ,		2
1716	A Polymorphism Within the Connective Tissue Growth Factor (CTGF) Gene has No Effect on Non-Invasive Markers of Beta-Cell Area and Risk of Type 2 Diabetes. 2011 , 31, 241-246		6
1715	Genome-wide association analysis identifies variants associated with nonalcoholic fatty liver disease that have distinct effects on metabolic traits. 2011 , 7, e1001324		629
1714	Genetic variants of diabetes risk and incident cardiovascular events in chronic coronary artery disease. 2011 , 6, e16341		6
1713	A genome-wide association study confirms previously reported loci for type 2 diabetes in Han Chinese. 2011 , 6, e22353		49
1712	Effects of 16 genetic variants on fasting glucose and type 2 diabetes in South Asians: ADCY5 and GLIS3 variants may predispose to type 2 diabetes. 2011 , 6, e24710		50
1711	Association of new loci identified in European genome-wide association studies with susceptibility to type 2 diabetes in the Japanese. 2011 , 6, e26911		48
1710	Association of six single nucleotide polymorphisms with gestational diabetes mellitus in a Chinese population. 2011 , 6, e26953		63

1709	The birth weight lowering C-allele of rs900400 near LEKR1 and CCNL1 associates with elevated insulin release following an oral glucose challenge. 2011 , 6, e27096	12
1708	Two common genetic variants near nuclear-encoded OXPPOS genes are associated with insulin secretion in vivo. 2011 , 164, 765-71	24
1707	Type 2 diabetes, genomics, and nursing: necessary next steps to advance the science into improved, personalized care. 2011 , 29, 281-302	0
1706	Genetics of Type 2 diabetes in Asian Indians. 2011 , 1, 309-324	5
1705	Genetics of type 2 diabetes: the GWAS era and future perspectives [Review]. 2011 , 58, 723-39	116
1704	Genome-wide association studies of Type 2 diabetes: are these ready to make an impact in the clinic?. 2011 , 1, 379-387	
1703	Was taugt zum Screening am besten?. 2011 , 5, 26-32	
1702	Exome sequencing in a family segregating for celiac disease. 2011 , 80, 138-47	16
1701	Effect of sulphonylurea treatment on glycaemic control is related to TCF7L2 genotype in patients with type 2 diabetes. 2011 , 13, 89-91	58
1700	Dorothy Hodgkin Lecture 2010. From hype to hope? A journey through the genetics of Type 2 diabetes. 2011 , 28, 132-40	14
1699	Sequencing PDX1 (insulin promoter factor 1) in 1788 UK individuals found 5% had a low frequency coding variant, but these variants are not associated with Type 2 diabetes. 2011 , 28, 681-4	10
1698	Genetic variants and the metabolic syndrome: a systematic review. 2011 , 12, 952-67	107
1697	Genetics of type 2 diabetes: pathophysiologic and clinical relevance. 2011 , 41, 679-92	91
1696	Genome-wide association scan allowing for epistasis in type 2 diabetes. 2011 , 75, 10-9	29
1695	Adiponectin and resistin gene polymorphisms in association with their respective adipokine levels. 2011 , 75, 370-82	26
1694	β -adrenoceptor regulation of blood glucose homeostasis. 2011 , 108, 365-70	74
1693	Common variants near ATM are associated with glycemic response to metformin in type 2 diabetes. <i>Nature Genetics</i> , 2011 , 43, 117-20	36.3 319
1692	Identification of an imprinted master trans regulator at the KLF14 locus related to multiple metabolic phenotypes. <i>Nature Genetics</i> , 2011 , 43, 561-4	36.3 253

1691	From expression QTLs to personalized transcriptomics. 2011 , 12, 277-82	122
1690	Genome-wide association studies and systems biology: together at last. 2011 , 27, 493-8	30
1689	Genetic variation within the TRPM5 locus associates with prediabetic phenotypes in subjects at increased risk for type 2 diabetes. 2011 , 60, 1325-33	33
1688	Circadian disruption and SCN control of energy metabolism. 2011 , 585, 1412-26	79
1687	Differential sensitivity to adrenergic stimulation underlies the sexual dimorphism in the development of diabetes caused by Irs-2 deficiency. 2011 , 81, 279-88	11
1686	Implications of genome wide association studies for the understanding of type 2 diabetes pathophysiology. 2011 , 81, 471-7	42
1685	Molecular and genetic features of zinc transporters in physiology and pathogenesis. 2011 , 3, 662-74	215
1684	New IBD genetics: common pathways with other diseases. 2011 , 60, 1739-53	418
1683	Meta-analysis of Dense Genecentric Association Studies Reveals Common and Uncommon Variants Associated with Height. 2011 , 88, 6-18	103
1682	Association study of type 2 diabetes genetic susceptibility variants and risk of pancreatic cancer: an analysis of PanScan-I data. 2011 , 22, 877-83	48
1681	Single nucleotide polymorphisms within functional regions of genes implicated in insulin action and association with the insulin resistant phenotype. 2011 , 349, 187-93	14
1680	Does inbreeding affect N-glycosylation of human plasma proteins?. 2011 , 285, 427-32	2
1679	AKT1 polymorphisms are associated with risk for metabolic syndrome. 2011 , 129, 129-39	22
1678	Type 2 diabetes and obesity: genomics and the clinic. 2011 , 130, 41-58	62
1677	Genetic variation within the NR1H2 gene encoding liver X receptor α associates with insulin secretion in subjects at increased risk for type 2 diabetes. 2011 , 89, 75-81	20
1676	A role for coding functional variants in HNF4A in type 2 diabetes susceptibility. 2011 , 54, 111-9	24
1675	Adenylyl cyclase 8 is central to glucagon-like peptide 1 signalling and effects of chronically elevated glucose in rat and human pancreatic beta cells. 2011 , 54, 390-402	60
1674	Association of indices of liver and adipocyte insulin resistance with 19 confirmed susceptibility loci for type 2 diabetes in 6,733 non-diabetic Finnish men. 2011 , 54, 563-71	34

1673	Replication of genome-wide association studies (GWAS) loci for fasting plasma glucose in African-Americans. 2011 , 54, 783-8	67
1672	The diabetogenic VPS13C/C2CD4A/C2CD4B rs7172432 variant impairs glucose-stimulated insulin response in 5,722 non-diabetic Danish individuals. 2011 , 54, 789-94	26
1671	The heritability of beta cell function parameters in a mixed meal test design. 2011 , 54, 1043-51	9
1670	Variants of ADRA2A are associated with fasting glucose, blood pressure, body mass index and type 2 diabetes risk: meta-analysis of four prospective studies. 2011 , 54, 1710-9	27
1669	Homozygous carriers of the G allele of rs4664447 of the glucagon gene (GCG) are characterised by decreased fasting and stimulated levels of insulin, glucagon and glucagon-like peptide (GLP)-1. 2011 , 54, 2820-31	14
1668	Ant colony optimisation to identify genetic variant association with type 2 diabetes. 2011 , 181, 1609-1622	27
1667	Genetic determinants of variability in glycated hemoglobin (HbA(1c)) in humans: review of recent progress and prospects for use in diabetes care. 2011 , 11, 562-9	23
1666	Evaluation of four novel genetic variants affecting hemoglobin A1c levels in a population-based type 2 diabetes cohort (the HUNT2 study). 2011 , 12, 20	10
1665	Associations of common polymorphisms in GCKR with type 2 diabetes and related traits in a Han Chinese population: a case-control study. 2011 , 12, 66	19
1664	Studies of a genetic variant in HK1 in relation to quantitative metabolic traits and to the prevalence of type 2 diabetes. 2011 , 12, 99	4
1663	Novel adiponectin-resistin (AR) and insulin resistance (IRAR) indexes are useful integrated diagnostic biomarkers for insulin resistance, type 2 diabetes and metabolic syndrome: a case control study. 2011 , 10, 8	43
1662	Fatty acid desaturase (FADS) gene polymorphisms and insulin resistance in association with serum phospholipid polyunsaturated fatty acid composition in healthy Korean men: cross-sectional study. 2011 , 8, 24	30
1661	Meta-analysis of gene-environment interaction: joint estimation of SNP and SNP \times environment regression coefficients. 2011 , 35, 11-8	121
1660	Rapid testing of gene-gene interactions in genome-wide association studies of binary and quantitative phenotypes. 2011 , 35, 800-8	9
1659	Transethnic meta-analysis of genomewide association studies. 2011 , 35, 809-22	218
1658	Genome-wide association studies (GWAS): impact on elucidating the aetiology of diabetes. 2011 , 27, 685-96	26
1657	Meta-analysis of published studies identified eight additional common susceptibility loci for Crohn's disease and ulcerative colitis. 2011 , 17, 2407-15	84
1656	Variants and haplotypes of TCF7L2 are associated with β cell function in patients with newly diagnosed type 2 diabetes: the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 1. 2011 , 96, E389-93	32

1655	CUBN is a gene locus for albuminuria. 2011 , 22, 555-70	170
1654	Genetic variations of β_2 -adrenergic receptors illuminate the diversity of receptor functions. 2011 , 67, 161-90	7
1653	Relevance of TNF- α gene polymorphisms in nonalcoholic fatty liver disease. 2011 , 5, 155-8	6
1652	Variants near CCNL1/LEKR1 and in ADCY5 and fetal growth characteristics in different trimesters. 2011 , 96, E810-5	19
1651	World Congress on Insulin Resistance, Diabetes, and Cardiovascular Disease: part 2. 2011 , 34, e126-31	4
1650	Triglyceride response to an intensive lifestyle intervention is enhanced in carriers of the GCKR Pro446Leu polymorphism. 2011 , 96, E1142-7	32
1649	Physiology: On time metabolism. 2011 , 480, 466-7	9
1648	Glucose metabolism gene variants modulate the risk of pancreatic cancer. 2011 , 4, 758-66	21
1647	Global gene expression profiles of subcutaneous adipose and muscle from glucose-tolerant, insulin-sensitive, and insulin-resistant individuals matched for BMI. 2011 , 60, 1019-29	80
1646	Circadian rhythms, sleep, and metabolism. 2011 , 121, 2133-41	390
1645	Characterization of the human SLC30A8 promoter and intronic enhancer. 2011 , 47, 251-9	13
1644	Updated genetic score based on 34 confirmed type 2 diabetes Loci is associated with diabetes incidence and regression to normoglycemia in the diabetes prevention program. 2011 , 60, 1340-8	153
1643	A bivariate genome-wide approach to metabolic syndrome: STAMPEED consortium. 2011 , 60, 1329-39	194
1642	Genetics of type 2 diabetes. 2011 , 57, 241-54	113
1641	Associations of common genetic variants with age-related changes in fasting and postload glucose: evidence from 18 years of follow-up of the Whitehall II cohort. 2011 , 60, 1617-23	14
1640	Sleep epidemiology—a rapidly growing field. 2011 , 40, 1431-7	151
1639	Association of genetic Loci with glucose levels in childhood and adolescence: a meta-analysis of over 6,000 children. 2011 , 60, 1805-12	83
1638	Genetic variations in the α_2A -adrenoreceptor are associated with blood pressure response to the agonist dexmedetomidine. 2011 , 4, 179-87	17

1637	A principal components-based clustering method to identify variants associated with complex traits. 2011 , 71, 50-8	7
1636	Impairment of peripheral circadian clocks precedes metabolic abnormalities in ob/ob mice. 2011 , 152, 1347-54	101
1635	Mouse models and the interpretation of human GWAS in type 2 diabetes and obesity. 2011 , 4, 155-64	32
1634	Genetic risk reclassification for type 2 diabetes by age below or above 50 years using 40 type 2 diabetes risk single nucleotide polymorphisms. 2011 , 34, 121-5	145
1633	Biochemical characterization of human ZIP13 protein: a homo-dimerized zinc transporter involved in the spondylocheiro dysplastic Ehlers-Danlos syndrome. 2011 , 286, 40255-65	114
1632	Association of a MTNR1B gene variant with fasting glucose and HOMA-B in children and adolescents with high BMI-SDS. 2011 , 164, 205-12	25
1631	Mendelian randomization studies do not support a role for raised circulating triglyceride levels influencing type 2 diabetes, glucose levels, or insulin resistance. 2011 , 60, 1008-18	60
1630	Modulation of the transactivation function and stability of Krüppel-like zinc finger protein Gli-similar 3 (Glis3) by Suppressor of Fused. 2011 , 286, 22077-89	26
1629	Effects of 34 risk loci for type 2 diabetes or hyperglycemia on lipoprotein subclasses and their composition in 6,580 nondiabetic Finnish men. 2011 , 60, 1608-16	65
1628	Genetic predisposition to long-term nondiabetic deteriorations in glucose homeostasis: Ten-year follow-up of the GLACIER study. 2011 , 60, 345-54	46
1627	Generation of N-ethyl-N-nitrosourea (ENU) diabetes models in mice demonstrates genotype-specific action of glucokinase activators. 2011 , 286, 39560-72	12
1626	Discovery of a novel site regulating glucokinase activity following characterization of a new mutation causing hyperinsulinemic hypoglycemia in humans. 2011 , 286, 19118-26	17
1625	Association of a fasting glucose genetic risk score with subclinical atherosclerosis: The Atherosclerosis Risk in Communities (ARIC) study. 2011 , 60, 331-5	39
1624	Genetic associations with metabolic syndrome and its quantitative traits by race/ethnicity in the United States. 2011 , 9, 475-82	8
1623	Association of variations in the FTO, SCG3 and MTMR9 genes with metabolic syndrome in a Japanese population. 2011 , 56, 647-51	61
1622	Cumulative effects of genetic risk variants on the development of common atherosclerosis. 2011 , 9, 295-8	
1621	Genetic defects in human pericentrin are associated with severe insulin resistance and diabetes. 2011 , 60, 925-35	44
1620	Total zinc intake may modify the glucose-raising effect of a zinc transporter (SLC30A8) variant: a 14-cohort meta-analysis. 2011 , 60, 2407-16	81

1619	Low-coverage sequencing: implications for design of complex trait association studies. 2011 , 21, 940-51	231
1618	A phenomics-based strategy identifies loci on APOC1, BRAP, and PLCG1 associated with metabolic syndrome phenotype domains. 2011 , 7, e1002322	78
1617	Proteins encoded in genomic regions associated with immune-mediated disease physically interact and suggest underlying biology. 2011 , 7, e1001273	383
1616	Genetic determinants of plasma triglycerides. 2011 , 52, 189-206	187
1615	Fasting insulin reflects heterogeneous physiological processes: role of insulin clearance. 2011 , 301, E402-8	42
1614	Genetic loci associated with plasma phospholipid n-3 fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. 2011 , 7, e1002193	257
1613	Fine-mapping diabetes-related traits, including insulin resistance, in heterogeneous stock rats. 2012 , 44, 1013-26	36
1612	A genome-wide association meta-analysis of circulating sex hormone-binding globulin reveals multiple Loci implicated in sex steroid hormone regulation. 2012 , 8, e1002805	116
1611	Metabolic signatures of insulin resistance in 7,098 young adults. 2012 , 61, 1372-80	224
1610	Heritability and genetic correlations explained by common SNPs for metabolic syndrome traits. 2012 , 8, e1002637	155
1609	Identification of novel type 2 diabetes candidate genes involved in the crosstalk between the mitochondrial and the insulin signaling systems. 2012 , 8, e1003046	17
1608	Uncovering networks from genome-wide association studies via circular genomic permutation. 2012 , 2, 1067-75	45
1607	The metabochip, a custom genotyping array for genetic studies of metabolic, cardiovascular, and anthropometric traits. 2012 , 8, e1002793	395
1606	Stratifying type 2 diabetes cases by BMI identifies genetic risk variants in LAMA1 and enrichment for risk variants in lean compared to obese cases. 2012 , 8, e1002741	162
1605	Novel loci for adiponectin levels and their influence on type 2 diabetes and metabolic traits: a multi-ethnic meta-analysis of 45,891 individuals. 2012 , 8, e1002607	326
1604	Genetic risk score constructed using 14 susceptibility alleles for type 2 diabetes is associated with the early onset of diabetes and may predict the future requirement of insulin injections among Japanese individuals. 2012 , 35, 1763-70	71
1603	Gestational diabetes mellitus: a positive predictor of type 2 diabetes?. 2012 , 2012, 721653	8
1602	New susceptibility loci associated with kidney disease in type 1 diabetes. 2012 , 8, e1002921	176

1601	Genetic variants, prediagnostic circulating levels of insulin-like growth factors, insulin, and glucose and the risk of colorectal cancer: the Multiethnic Cohort study. 2012 , 21, 810-20	32
1600	Genetic predisposition to dyslipidemia and type 2 diabetes risk in two prospective cohorts. 2012 , 61, 745-52	60
1599	A novel FADS1 isoform potentiates FADS2-mediated production of eicosanoid precursor fatty acids. 2012 , 53, 1502-12	36
1598	A single-nucleotide polymorphism in ANK1 is associated with susceptibility to type 2 diabetes in Japanese populations. 2012 , 21, 3042-9	86
1597	Association of type 2 diabetes susceptibility variants with advanced prostate cancer risk in the Breast and Prostate Cancer Cohort Consortium. 2012 , 176, 1121-9	57
1596	Pancreatic beta-cell function and type 2 diabetes risk: quantify the causal effect using a Mendelian randomization approach based on meta-analyses. 2012 , 21, 5010-8	14
1595	Genotype prediction of adult type 2 diabetes from adolescence in a multiracial population. 2012 , 130, e1235-42	37
1594	Genetic origins of low birth weight. 2012 , 15, 258-64	28
1593	Finding genes and variants for lipid levels after genome-wide association analysis. 2012 , 23, 98-103	39
1592	DNA methylation and hepatic insulin resistance and steatosis. 2012 , 15, 350-6	24
1591	Recent insights into the relation of Δ^5 desaturase and Δ^6 desaturase activity to the development of type 2 diabetes. 2012 , 23, 4-10	99
1590	Ancestral effect on HOMA-IR levels quantitated in an American population of Mexican origin. 2012 , 35, 2591-3	13
1589	Sex-specific differences in effect size estimates at established complex trait loci. 2012 , 41, 1376-82	18
1588	Novel Target Identification Technologies for the Personalised Therapy of Type II Diabetes and Obesity. 2012 , 12, 183-207	2
1587	Intake levels of dietary long-chain PUFAs modify the association between genetic variation in FADS and LDL-C. 2012 , 53, 1183-9	55
1586	Genome-wide association analysis identifies TYW3/CRYZ and NDST4 loci associated with circulating resistin levels. 2012 , 21, 4774-80	33
1585	Cyclic AMP dynamics in the pancreatic β cell. 2012 , 117, 355-69	75
1584	From genotype to human β cell phenotype and beyond. 2012 , 4, 323-32	11

1583	Genetic variations in polyunsaturated fatty acid metabolism--implications for child health?. 2012 , 60 Suppl 3, 8-17		33
1582	Evaluation of the association between the ADRA2A genetic polymorphisms and type 2 diabetes in a Chinese Han population. 2012 , 16, 1424-7		8
1581	TRIB1 constitutes a molecular link between regulation of sleep and lipid metabolism in humans. 2012 , 2, e97		21
1580	Large-scale association analyses identify new loci influencing glycemic traits and provide insight into the underlying biological pathways. <i>Nature Genetics</i> , 2012 , 44, 991-1005	36.3	621
1579	Sleep is unlikely to be the key mediator between stress and CVD. 2012 , 9, 598-598		0
1578	Expression-based genome-wide association study links the receptor CD44 in adipose tissue with type 2 diabetes. 2012 , 109, 7049-54		109
1577	Hyperglycemia and a common variant of GCKR are associated with the levels of eight amino acids in 9,369 Finnish men. 2012 , 61, 1895-902		195
1576	Clinical validation of genetic markers for improved risk estimation. 2012 , 19, 25-32		7
1575	Weight-loss diets modify glucose-dependent insulinotropic polypeptide receptor rs2287019 genotype effects on changes in body weight, fasting glucose, and insulin resistance: the Preventing Overweight Using Novel Dietary Strategies trial. 2012 , 95, 506-13		67
1574	Genome-wide analysis of DNA methylation differences in muscle and fat from monozygotic twins discordant for type 2 diabetes. 2012 , 7, e51302		148
1573	Predicting diabetes: our relentless quest for genomic nuggets. 2012 , 35, 193-5		13
1572	No interactions between previously associated 2-hour glucose gene variants and physical activity or BMI on 2-hour glucose levels. 2012 , 61, 1291-6		21
1571	Genome-wide association study identifies novel loci association with fasting insulin and insulin resistance in African Americans. 2012 , 21, 4530-6		65
1570	Genes related to diabetes may be associated with pancreatic cancer in a population-based case-control study in Minnesota. 2012 , 41, 50-3		20
1569	A complex pattern of agreement between oscillometric and tonometric measurement of arterial stiffness in a population-based sample. 2012 , 30, 1444-52		7
1568	Improved insulin sensitivity after treatment with PPAR α and PPAR γ ligands is mediated by genetically modulated transcripts. 2012 , 22, 484-97		23
1567	A multi-cohort study of polymorphisms in the GH/IGF axis and physical capability: the HALCYon programme. 2012 , 7, e29883		10
1566	Association of LIN28B with adult adiposity-related traits in females. 2012 , 7, e48785		12

1565	Genetic risk factors for type 2 diabetes: insights from the emerging genomic evidence. 2012 , 10, 147-55	19
1564	Associations of apolipoprotein A5 (APOA5), glucokinase (GCK) and glucokinase regulatory protein (GCKR) polymorphisms and lifestyle factors with the risk of dyslipidemia and dysglycemia in Japanese - a cross-sectional data from the J-MICC Study. 2012 , 59, 589-99	23
1563	Transcriptomic and metabolomic profiling of chicken adipose tissue in response to insulin neutralization and fasting. 2012 , 13, 441	73
1562	A genome-wide association study of gestational diabetes mellitus in Korean women. 2012 , 61, 531-41	169
1561	ABC transporter genes and risk of type 2 diabetes: a study of 40,000 individuals from the general population. 2012 , 35, 2600-6	33
1560	Circadian topology of metabolism. 2012 , 491, 348-56	443
1559	Nutrition-/diet-induced changes in gene expression in pancreatic β cells. 2012 , 14 Suppl 3, 57-67	5
1558	Interactions between genetic background, insulin resistance and β cell function. 2012 , 14 Suppl 3, 46-56	15
1557	Genetics of glucose homeostasis: implications for insulin resistance and metabolic syndrome. 2012 , 32, 2091-6	24
1556	Advanced research on risk factors of type 2 diabetes. 2012 , 28 Suppl 2, 32-9	52
1555	Meta-analysis of genome-wide association studies identifies eight new loci for type 2 diabetes in east Asians. <i>Nature Genetics</i> , 2011 , 44, 67-72	36.3 475
1554	Glis3 regulates neurogenin 3 expression in pancreatic β cells and interacts with its activator, Hnf6. 2012 , 34, 193-200	31
1553	Genetic advances of type 2 diabetes in Chinese populations. 2012 , 4, 213-20	18
1552	Overlap of endocrine hormone expression in the mouse intestine revealed by transcriptional profiling and flow cytometry. 2012 , 153, 3054-65	268
1551	Large-scale association analysis provides insights into the genetic architecture and pathophysiology of type 2 diabetes. <i>Nature Genetics</i> , 2012 , 44, 981-90	36.3 1482
1550	Two-dimensional peptide separation improving sensitivity of selected reaction monitoring-based quantitative proteomics in mouse liver tissue: comparing off-gel electrophoresis and strong cation exchange chromatography. 2012 , 84, 8853-62	19
1549	Comparison of fatty acid proportions in serum cholesteryl esters among people with different glucose tolerance status: the CoDAM study. 2012 , 22, 133-40	14
1548	Association of genetic variation in the mitochondrial genome with blood pressure and metabolic traits. 2012 , 60, 949-56	30

1547	PTEN mutations as a cause of constitutive insulin sensitivity and obesity. 2012 , 367, 1002-11	166
1546	Genome-wide association study identifies multiple loci influencing human serum metabolite levels. <i>Nature Genetics</i> , 2012 , 44, 269-76	363 441
1545	Estimating hepatic glucokinase activity using a simple model of lactate kinetics. 2012 , 35, 1015-20	18
1544	SLC2A2 mutations can cause neonatal diabetes, suggesting GLUT2 may have a role in human insulin secretion. 2012 , 55, 2381-5	82
1543	Detailed metabolic and genetic characterization reveals new associations for 30 known lipid loci. 2012 , 21, 1444-55	74
1542	Genetic explorations of recent human metabolic adaptations: hypotheses and evidence. 2012 , 87, 838-55	12
1541	Allelic and phenotypic spectrum of plasma triglycerides. 2012 , 1821, 833-42	38
1540	Genetics for clinicians: from candidate genes to whole genome scans (technological advances). 2012 , 26, 119-32	10
1539	Is genetic testing useful to predict type 2 diabetes?. 2012 , 26, 189-201	43
1538	The lessons of early-onset monogenic diabetes for the understanding of diabetes pathogenesis. 2012 , 26, 171-87	43
1537	Genetic determinants of glucose homeostasis. 2012 , 26, 159-70	9
1536	A systems genetics approach identifies genes and pathways for type 2 diabetes in human islets. 2012 , 16, 122-34	266
1535	Expression pattern of a single transgene cassette located in endogenous GLIS3 of cloned pigs; a nested situation. 2012 , 502, 94-8	2
1534	The effect of FOXA2 rs1209523 on glucose-related phenotypes and risk of type 2 diabetes in Danish individuals. 2012 , 13, 10	10
1533	Effect of communicating genetic and phenotypic risk for type 2 diabetes in combination with lifestyle advice on objectively measured physical activity: protocol of a randomised controlled trial. 2012 , 12, 444	20
1532	Single nucleotide polymorphisms (SNPs) involved in insulin resistance, weight regulation, lipid metabolism and inflammation in relation to metabolic syndrome: an epidemiological study. 2012 , 11, 133	30
1531	A road map to Translational Medicine in Qatar and a model for the world. 2012 , 10, 177	6
1530	Impact of common variation in bone-related genes on type 2 diabetes and related traits. 2012 , 61, 2176-86	25

1529	Variations with modest effects have an important role in the genetic background of type 2 diabetes and diabetes-related traits. 2012 , 57, 776-9	23
1528	Transferability and fine-mapping of glucose and insulin quantitative trait loci across populations: CARE, the Candidate Gene Association Resource. 2012 , 55, 2970-84	23
1527	The genetic and epigenetic basis of type 2 diabetes and obesity. 2012 , 92, 707-15	162
1526	The pharmacogenetics of β -adrenergic receptor antagonists in the treatment of hypertension and heart failure. 2012 , 8, 767-90	13
1525	Common genetic variants and central adiposity among Asian-Indians. 2012 , 20, 1902-8	28
1524	Association of type 2 diabetes susceptibility loci with one-year weight loss in the look AHEAD clinical trial. 2012 , 20, 1675-82	23
1523	Nonfasting glucose, ischemic heart disease, and myocardial infarction: a Mendelian randomization study. 2012 , 59, 2356-65	50
1522	Genetic risk factors for type 2 diabetes: a trans-regulatory genetic architecture?. 2012 , 91, 466-77	28
1521	Human β cell transcriptome analysis uncovers lncRNAs that are tissue-specific, dynamically regulated, and abnormally expressed in type 2 diabetes. 2012 , 16, 435-48	345
1520	European genetic variants associated with type 2 diabetes in North African Arabs. 2012 , 38, 316-23	55
1519	A low frequency variant within the GWAS locus of MTNR1B affects fasting glucose concentrations: genetic risk is modulated by obesity. 2012 , 22, 944-51	24
1518	IRS1 gene variants, dysglycaemic metabolic changes and type-2 diabetes risk. 2012 , 22, 1024-30	15
1517	KORA-Studie: Ergebnisse aus 20 Jahren Gesundheitsforschung in Augsburg. 2012 , 20, 19-20	1
1516	Genetic variation in metabolic phenotypes: study designs and applications. 2012 , 13, 759-69	140
1515	What will diabetes genomes tell us?. 2012 , 12, 643-50	8
1514	Genetics of type 2 diabetes in East Asian populations. 2012 , 12, 686-96	46
1513	Genetic predisposition to type 2 diabetes is associated with impaired insulin secretion but does not modify insulin resistance or secretion in response to an intervention to lower dietary saturated fat. 2012 , 7, 529-36	3
1512	Effect of a common variant of the PCSK2 gene on reduced insulin secretion. 2012 , 55, 3245-51	13

1511	Mechanisms of antihyperglycaemic action of efaroxan in mice: time for reappraisal of α -adrenergic antagonism in the treatment of type 2 diabetes?. 2012 , 55, 3071-82	3
1510	Role of TCF7L2 risk variant and dietary fibre intake on incident type 2 diabetes. 2012 , 55, 2646-2654	60
1509	Gene-environment interactions in the development of type 2 diabetes: recent progress and continuing challenges. 2012 , 32, 245-59	75
1508	DNA methylation profiling identifies epigenetic dysregulation in pancreatic islets from type 2 diabetic patients. 2012 , 31, 1405-26	301
1507	Genetics of type 2 diabetes in European populations. 2012 , 4, 203-12	27
1506	Prevention of Type 2 Diabetes. 2012 ,	
1505	Mineral intake. 2012 , 108, 201-36	12
1504	Pathophysiology: Loss of β Cell Function. 2012 , 11-29	
1503	Epidemiology Including Youth Through Adulthood and Socioeconomic Impact. 2012 , 41-59	
1502	Prediabetes Genes in Pima and Amish. 2012 , 61-80	
1501	Maternal and offspring fasting glucose and type 2 diabetes-associated genetic variants and cognitive function at age 8: a Mendelian randomization study in the Avon Longitudinal Study of Parents and Children. 2012 , 13, 90	19
1500	Gli-similar proteins: their mechanisms of action, physiological functions, and roles in disease. 2012 , 88, 141-71	38
1499	A genome-wide association search for type 2 diabetes genes in African Americans. 2012 , 7, e29202	138
1498	Genetic signatures of exceptional longevity in humans. 2012 , 7, e29848	270
1497	Circadian gene variants and susceptibility to type 2 diabetes: a pilot study. 2012 , 7, e32670	40
1496	Glucose-dependent regulation of NR2F2 promoter and influence of SNP-rs3743462 on whole body insulin sensitivity. 2012 , 7, e35810	7
1495	Exome sequencing and genetic testing for MODY. 2012 , 7, e38050	76
1494	Paradoxical lower serum triglyceride levels and higher type 2 diabetes mellitus susceptibility in obese individuals with the PNPLA3 148M variant. 2012 , 7, e39362	66

1493	Markers of endogenous desaturase activity and risk of coronary heart disease in the CAREMA cohort study. 2012 , 7, e41681	44
1492	Effects of genetic variants previously associated with fasting glucose and insulin in the Diabetes Prevention Program. 2012 , 7, e44424	35
1491	Polymorphism rs11085226 in the gene encoding polypyrimidine tract-binding protein 1 negatively affects glucose-stimulated insulin secretion. 2012 , 7, e46154	5
1490	Association between the melatonin receptor 1B gene polymorphism on the risk of type 2 diabetes, impaired glucose regulation: a meta-analysis. 2012 , 7, e50107	35
1489	Genetic variant SLC2A2 [corrected] is associated with risk of cardiovascular disease. Assessing the individual and cumulative effect of 46 type 2 diabetes related genetic variants. 2012 , 7, e50418	16
1488	This I believe: gaining new insights through integrating "old" data. 2012 , 3, 137	8
1487	Type 2 Diabetes Genetics: Beyond GWAS. 2012 , 3,	84
1486	Genetic and environmental factors associated with type 2 diabetes and diabetic vascular complications. 2012 , 9, 6-22	192
1485	A genome-wide approach accounting for body mass index identifies genetic variants influencing fasting glycemic traits and insulin resistance. <i>Nature Genetics</i> , 2012 , 44, 659-69	36.3 615
1484	Identification of small molecule activators of cryptochrome. 2012 , 337, 1094-7	320
1483	Fasting and oral glucose-stimulated levels of glucose-dependent insulinotropic polypeptide (GIP) and glucagon-like peptide-1 (GLP-1) are highly familial traits. 2012 , 55, 1338-45	23
1482	Fasting glucose GWAS candidate region analysis across ethnic groups in the Multiethnic Study of Atherosclerosis (MESA). 2012 , 36, 384-91	24
1481	Identifying plausible genetic models based on association and linkage results: application to type 2 diabetes. 2012 , 36, 820-8	5
1480	Genome-wide screen for metabolic syndrome susceptibility Loci reveals strong lipid gene contribution but no evidence for common genetic basis for clustering of metabolic syndrome traits. 2012 , 5, 242-9	153
1479	Multiple genetic variants explain measurable variance in type 2 diabetes-related traits in Pakistanis. 2012 , 55, 2193-204	7
1478	Typ-2-Diabetes-assozierte Gene. 2012 , 8, 26-34	3
1477	Who should we target for diabetes prevention and diabetes risk reduction?. 2012 , 12, 147-156	14
1476	Does familial clustering of risk factors for long-term diabetic complications leave any place for genes that act independently?. 2012 , 5, 388-98	6

1475	Five years of GWAS discovery. 2012 , 90, 7-24	1635
1474	Large-scale gene-centric meta-analysis across 39 studies identifies type 2 diabetes loci. 2012 , 90, 410-25	214
1473	Melatonin, the circadian multioscillator system and health: the need for detailed analyses of peripheral melatonin signaling. 2012 , 52, 139-66	310
1472	Exercise training, genetics and type 2 diabetes-related phenotypes. 2012 , 205, 456-71	10
1471	Replication of a genome-wide association study of birth weight in preterm neonates. 2012 , 160, 19-24.e4	14
1470	Regulation of core clock genes in human islets. 2012 , 61, 978-85	69
1469	The role of obesity-related genetic loci in insulin sensitivity. 2012 , 29, e62-6	19
1468	A distinct metabolic signature predicts development of fasting plasma glucose. 2012 , 2, 3	4
1467	Determining genetic risk factors for pediatric type 2 diabetes. 2012 , 12, 88-92	4
1466	Mendelian randomization: application to cardiovascular disease. 2012 , 14, 29-37	26
1465	A common variant upstream of the PAX6 gene influences islet function in man. 2012 , 55, 94-104	25
1464	Cellular characterisation of the GCKR P446L variant associated with type 2 diabetes risk. 2012 , 55, 114-22	87
1463	Common genetic variants differentially influence the transition from clinically defined states of fasting glucose metabolism. 2012 , 55, 331-9	32
1462	Association analysis of 31 common polymorphisms with type 2 diabetes and its related traits in Indian sib pairs. 2012 , 55, 349-57	41
1461	Common functional variants of APOA5 and GCKR accumulate gradually in association with triglyceride increase in metabolic syndrome patients. 2012 , 39, 1949-55	10
1460	Analysis of a rare functional truncating mutation rs61757459 in vaspin (SERPINA12) on circulating vaspin levels. 2013 , 91, 1285-92	6
1459	Polymorphisms in the SOCS7 gene and glucose homeostasis traits. 2013 , 6, 235	2
1458	Association of glucokinase regulatory protein polymorphism with type 2 diabetes and fasting plasma glucose: a meta-analysis. 2013 , 40, 3935-42	23

1457	Type 2 diabetes mellitus--an autoimmune disease?. 2013 , 9, 750-5	66
1456	Chronobiology and Obesity. 2013 ,	2
1455	Diversity of human clock genotypes and consequences. 2013 , 119, 51-81	36
1454	Health consequences of circadian disruption in humans and animal models. 2013 , 119, 283-323	186
1453	Autonomous and self-sustained circadian oscillators displayed in human islet cells. 2013 , 56, 497-507	78
1452	The renin angiotensin aldosterone system and insulin resistance in humans. 2013 , 15, 59-70	118
1451	Common variant in the HMGA2 gene increases susceptibility to nephropathy in patients with type 2 diabetes. 2013 , 56, 323-9	19
1450	Circadian Clocks. 2013 ,	14
1449	Minireview: Toward the establishment of a link between melatonin and glucose homeostasis: association of melatonin MT2 receptor variants with type 2 diabetes. 2013 , 27, 1217-33	42
1448	A Drosophila functional evaluation of candidates from human genome-wide association studies of type 2 diabetes and related metabolic traits identifies tissue-specific roles for dHHEX. 2013 , 14, 136	27
1447	Role of SIRT3 in the regulation of redox balance during oral carcinogenesis. 2013 , 12, 68	20
1446	Multiple functional polymorphisms in the G6PC2 gene contribute to the association with higher fasting plasma glucose levels. 2013 , 56, 1306-16	28
1445	Evaluation of variant A45T in NEUROD1/BETA2 for its association with type 2 diabetes mellitus. 2013 , 44, 99-106	3
1444	Exome sequencing-driven discovery of coding polymorphisms associated with common metabolic phenotypes. 2013 , 56, 298-310	102
1443	The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: the EPIC-InterAct study. 2013 , 56, 60-9	158
1442	Pregnancy Complications and the Risk of Metabolic Syndrome for the Offspring. 2013 , 7, 217-223	36
1441	Association between a genetic variant related to glutamic acid metabolism and coronary heart disease in individuals with type 2 diabetes. 2013 , 310, 821-8	95
1440	Identification of HKDC1 and BACE2 as genes influencing glycemic traits during pregnancy through genome-wide association studies. 2013 , 62, 3282-91	86

1439	Lack of associations of ten candidate coronary heart disease risk genetic variants and subclinical atherosclerosis in four US populations: the Population Architecture using Genomics and Epidemiology (PAGE) study. 2013 , 228, 390-9		23
1438	Association between variants in or near PNPLA3, GCKR, and PPP1R3B with ultrasound-defined steatosis based on data from the third National Health and Nutrition Examination Survey. 2013 , 11, 1183-1190.	95	22
1437	The SH2B1 obesity locus and abnormal glucose homeostasis: lack of evidence for association from a meta-analysis in individuals of European ancestry. 2013 , 23, 1043-9		5
1436	Distribution and determinants of circulating complement factor H concentration determined by a high-throughput immunonephelometric assay. 2013 , 390, 63-73		30
1435	Association of the ADRA2A polymorphisms with the risk of type 2 diabetes: a meta-analysis. 2013 , 46, 722-6		11
1434	A low-frequency GLIS3 variant associated with resistance to Japanese type 1 diabetes. 2013 , 437, 521-5		17
1433	Association of ketone body levels with hyperglycemia and type 2 diabetes in 9,398 Finnish men. 2013 , 62, 3618-26		77
1432	Discovery and refinement of loci associated with lipid levels. <i>Nature Genetics</i> , 2013 , 45, 1274-1283	36.3	1904
1431	Bridging the gap between genetic associations and molecular mechanisms for type 2 diabetes. 2013 , 13, 778-85		8
1430	Assessing the phenotypic effects in the general population of rare variants in genes for a dominant Mendelian form of diabetes. <i>Nature Genetics</i> , 2013 , 45, 1380-5	36.3	103
1429	Genetic variants associated with glycine metabolism and their role in insulin sensitivity and type 2 diabetes. 2013 , 62, 2141-50		59
1428	Role of insulin resistance in kidney dysfunction: insights into the mechanism and epidemiological evidence. 2013 , 28, 29-36		118
1427	Allelic expression imbalance screening of genes in chromosome 1q21-24 region to identify functional variants for Type 2 diabetes susceptibility. 2013 , 45, 509-20		6
1426	The large non-coding RNA ANRIL, which is associated with atherosclerosis, periodontitis and several forms of cancer, regulates ADIPOR1, VAMP3 and C11ORF10. 2013 , 22, 4516-27		163
1425	Trans-ethnic fine mapping identifies a novel independent locus at the 3' end of CDKAL1 and novel variants of several susceptibility loci for type 2 diabetes in a Han Chinese population. 2013 , 56, 2619-28		25
1424	Dietary Interventions for Weight Loss and Maintenance: Preference or Genetic Personalization?. 2013 , 2, 189-198		2
1423	Moving on from GWAS: functional studies on the G6PC2 gene implicated in the regulation of fasting blood glucose. 2013 , 13, 768-77		28
1422	Common FABP4 genetic variants and plasma levels of fatty acid binding protein 4 in older adults. 2013 , 48, 1169-75		4

1421	Genetic variants associated with fasting glucose and insulin concentrations in an ethnically diverse population: results from the Population Architecture using Genomics and Epidemiology (PAGE) study. 2013 , 14, 98		22
1420	The TCF7L2 rs7903146 (T) allele is associated with type 2 diabetes in urban Ghana: a hospital-based case-control study. 2013 , 14, 96		28
1419	Melatonin secretion and the incidence of type 2 diabetes. 2013 , 309, 1388-96		224
1418	Candidate genes for type 1 diabetes modulate pancreatic islet inflammation and β cell apoptosis. 2013 , 15 Suppl 3, 71-81		96
1417	Large-scale association analysis identifies new risk loci for coronary artery disease. <i>Nature Genetics</i> , 2013 , 45, 25-33	36.3	1172
1416	Genetics and genomics for the prevention and treatment of cardiovascular disease: update: a scientific statement from the American Heart Association. 2013 , 128, 2813-51		76
1415	Association testing of the mitochondrial genome using pedigree data. 2013 , 37, 239-47		6
1414	Genetics of heart failure. 2013 , 1832, 2451-61		31
1413	Chromatin marks identify critical cell types for fine mapping complex trait variants. <i>Nature Genetics</i> , 2013 , 45, 124-30	36.3	422
1412	Zinc, pancreatic islet cell function and diabetes: new insights into an old story. 2013 , 26, 1-11		67
1411	Exome array analysis identifies new loci and low-frequency variants influencing insulin processing and secretion. <i>Nature Genetics</i> , 2013 , 45, 197-201	36.3	212
1410	Meta-analysis investigating associations between healthy diet and fasting glucose and insulin levels and modification by loci associated with glucose homeostasis in data from 15 cohorts. 2013 , 177, 103-15		63
1409	Contribution of insulin deficiency and insulin resistance to the development of type 2 diabetes: nature of early stage diabetes. 2013 , 50, 39-45		24
1408	Sustained expression of the transcription factor GLIS3 is required for normal beta cell function in adults. 2013 , 5, 92-104		53
1407	MaCH-admix: genotype imputation for admixed populations. 2013 , 37, 25-37		100
1406	Sequence kernel association test for quantitative traits in family samples. 2013 , 37, 196-204		169
1405	Higher maternal body mass index is associated with an increased risk for later type 2 diabetes in offspring. 2013 , 162, 918-23.e1		13
1404	A common gene variant in STK11 is associated with metabolic risk markers and diabetes during gestation. 2013 , 100, 788-92		6

1403	Association of resistin gene polymorphisms with insulin resistance in Egyptian obese patients. 2013 , 515, 233-8	36
1402	Trp homozygotes at codon 64 of ADRB3 gene are protected against the risk of type 2 diabetes in the Kashmiri population. 2013 , 17, 775-9	5
1401	AMPK at the crossroads of circadian clocks and metabolism. 2013 , 366, 163-9	93
1400	Associations of IGF-1 gene variants and milk protein intake with IGF-I concentrations in infants at age 6 months - results from a randomized clinical trial. 2013 , 23, 149-58	19
1399	A functional variant of the dimethylarginine dimethylaminohydrolase-2 gene is associated with chronic kidney disease. 2013 , 231, 141-4	6
1398	Recent Developments in the Genetic and Genomic Basis of Type 2 Diabetes. 2013 , 7, 66-72	
1397	Circadian rhythms, metabolism, and insulin sensitivity: transcriptional networks in animal models. 2013 , 13, 223-8	14
1396	Genome wide association studies for diabetes: perspective on results and challenges. 2013 , 14, 90-6	25
1395	The genetics of type 2 diabetes and its clinical relevance. 2013 , 83, 297-306	37
1394	Use of genomic panels to determine risk of developing type 2 diabetes in the general population: a targeted evidence-based review. 2013 , 15, 600-11	10
1393	Systematic evaluation of validated type 2 diabetes and glycaemic trait loci for association with insulin clearance. 2013 , 56, 1282-90	33
1392	Small molecular glucokinase activators: has another new anti-diabetic therapeutic lost favour?. 2013 , 168, 335-8	19
1391	Contribution of 24 obesity-associated genetic variants to insulin resistance, pancreatic beta-cell function and type 2 diabetes risk in the French population. 2013 , 37, 980-5	45
1390	Genome-wide association study identifies a novel locus contributing to type 2 diabetes susceptibility in Sikhs of Punjabi origin from India. 2013 , 62, 1746-55	129
1389	The non-synonymous polymorphism at position 114 of the WRN protein affects cholesterol efflux in vitro and correlates with cholesterol levels in vivo. 2013 , 48, 533-8	5
1388	Genetics of type 2 diabetes and potential clinical implications. 2013 , 36, 167-77	21
1387	Lessons from the cancer genome. 2013 , 153, 17-37	912
1386	Clinical and genetic risk factors for type 2 diabetes at early or late post partum after gestational diabetes mellitus. 2013 , 98, E744-52	73

1385	Epigenetics of insulin resistance: an emerging field in translational medicine. 2013 , 13, 229-37		12
1384	Circadian clocks and metabolism. 2013 , 127-55		143
1383	Genome-wide meta-analysis identifies 11 new loci for anthropometric traits and provides insights into genetic architecture. <i>Nature Genetics</i> , 2013 , 45, 501-12	36.3	437
1382	Metabolic regulation of circadian clocks. 2013 , 24, 414-21		41
1381	Diabetes Mellitus. 2013 , 1-58		3
1380	Recent progress in the use of genetics to understand links between type 2 diabetes and related metabolic traits. 2013 , 14, 203		7
1379	Common variants in and near IRS1 and subclinical cardiovascular disease in the Framingham Heart Study. 2013 , 229, 149-54		9
1378	Specification of hepatopancreas progenitors in zebrafish by hnf1ba and wnt2bb. 2013 , 140, 2669-79		23
1377	Molecular Genetics of Metabolic Syndrome. 2013 ,		3
1376	A meta-analysis identifies new loci associated with body mass index in individuals of African ancestry. <i>Nature Genetics</i> , 2013 , 45, 690-6	36.3	192
1375	Genome-wide association study for type 2 diabetes in Indians identifies a new susceptibility locus at 2q21. 2013 , 62, 977-86		132
1374	Reevaluation of fatty acid receptor 1 as a drug target for the stimulation of insulin secretion in humans. 2013 , 62, 2106-11		57
1373	The pancreatic β cell and type 1 diabetes: innocent bystander or active participant?. 2013 , 24, 324-31		42
1372	A genome-wide association study of the human metabolome in a community-based cohort. 2013 , 18, 130-43		188
1371	SHORT syndrome with partial lipodystrophy due to impaired phosphatidylinositol 3 kinase signaling. 2013 , 93, 150-7		91
1370	Mechanisms and function of substrate recruitment by F-box proteins. 2013 , 14, 369-81		421
1369	Identification of CpG-SNPs associated with type 2 diabetes and differential DNA methylation in human pancreatic islets. 2013 , 56, 1036-46		143
1368	Characterization of European ancestry nonalcoholic fatty liver disease-associated variants in individuals of African and Hispanic descent. 2013 , 58, 966-75		91

1367	Genetic variation in NR1H4 encoding the bile acid receptor FXR determines fasting glucose and free fatty acid levels in humans. 2013 , 98, E1224-9	20
1366	Genetic variants in GCKR, GIPR, ADCY5 and VPS13C and the risk of severe sulfonylurea-induced hypoglycaemia in patients with type 2 diabetes. 2013 , 121, 54-7	6
1365	Maps of open chromatin highlight cell type-restricted patterns of regulatory sequence variation at hematological trait loci. 2013 , 23, 1130-41	31
1364	Diabetes. 2013 , 990-1005	
1363	Fatty Acid desaturase gene polymorphisms and metabolic measures in schizophrenia and bipolar patients taking antipsychotics. 2013 , 2013, 596945	13
1362	P4 ATPases: flippases in health and disease. 2013 , 14, 7897-922	81
1361	Beta cell dysfunction and insulin resistance. 2013 , 4, 37	373
1360	Sex-stratified genome-wide association studies including 270,000 individuals show sexual dimorphism in genetic loci for anthropometric traits. 2013 , 9, e1003500	277
1359	Pharmacogenomics in Type 2 Diabetes Mellitus and Metabolic Disorders. 2013 , 561-573	
1358	Positive association between GCKR rs780093 polymorphism and coronary heart disease in the aged Han Chinese. 2013 , 35, 863-8	6
1357	Interaction of fatty acid genotype and diet on changes in colonic fatty acids in a Mediterranean diet intervention study. 2013 , 6, 1212-21	21
1356	GLIS3, a susceptibility gene for type 1 and type 2 diabetes, modulates pancreatic beta cell apoptosis via regulation of a splice variant of the BH3-only protein Bim. 2013 , 9, e1003532	132
1355	Identification and MS-assisted interpretation of genetically influenced NMR signals in human plasma. 2013 , 5, 13	20
1354	Circadian regulation of renal function and potential role in hypertension. 2013 , 22, 439-44	28
1353	Atorvastatin administration is associated with dose-related changes in IGF bioavailability. 2013 , 168, 543-8	5
1352	Higher magnesium intake is associated with lower fasting glucose and insulin, with no evidence of interaction with select genetic loci, in a meta-analysis of 15 CHARGE Consortium Studies. 2013 , 143, 345-53	39
1351	Association of risk variants for type 2 diabetes and hyperglycemia with gestational diabetes. 2013 , 169, 291-7	82
1350	Increased Risk of Diabetes due to Obesity: Does Chronodisruption Play a Role?. 2013 , 111-131	1

1349	Prospero-related homeobox 1 (Prox1) functions as a novel modulator of retinoic acid-related orphan receptors β and δ mediated transactivation. 2013 , 41, 6992-7008	17
1348	The UK Adult Twin Registry (TwinsUK Resource). 2013 , 16, 144-9	180
1347	The Adult Netherlands Twin Register: twenty-five years of survey and biological data collection. 2013 , 16, 271-81	162
1346	Interaction between a common variant in FADS1 and erythrocyte polyunsaturated fatty acids on lipid profile in Chinese Hans. 2013 , 54, 1477-83	17
1345	Transferability and fine mapping of type 2 diabetes loci in African Americans: the Candidate Gene Association Resource Plus Study. 2013 , 62, 965-76	51
1344	An assessment of the shared allelic architecture between type II diabetes and prostate cancer. 2013 , 22, 1473-5	5
1343	Determinants of HbA1c in nondiabetic Dutch adults: genetic loci and clinical and lifestyle parameters, and their interactions in the Lifelines Cohort Study. 2013 , 273, 283-93	39
1342	Animal models of GWAS-identified type 2 diabetes genes. 2013 , 2013, 906590	27
1341	Melatonin and diet-induced metabolic syndrome in rats: impact on the hypophysial-testicular axis. 2013 , 16, 101-12	6
1340	Identifying candidate genes for Type 2 Diabetes Mellitus and obesity through gene expression profiling in multiple tissues or cells. 2013 , 2013, 970435	30
1339	Could ROS signals drive tissue-specific clocks?. 2013 , 4, 206-8	6
1338	Genetic variation in the vaspin gene affects circulating serum vaspin concentrations. 2013 , 37, 861-6	24
1337	Cohort Profile: TwinsUK and healthy ageing twin study. 2013 , 42, 76-85	181
1336	Insights into the genetic basis of type 2 diabetes. 2013 , 4, 233-44	44
1335	Linkage of type 2 diabetes on chromosome 9p24 in Mexican Americans: additional evidence from the Veterans Administration Genetic Epidemiology Study (VAGES). 2013 , 76, 36-46	4
1334	Genetic and molecular insights into the role of PROX1 in glucose metabolism. 2013 , 62, 1738-45	29
1333	Fibroblast growth factor 21 predicts the metabolic syndrome and type 2 diabetes in Caucasians. 2013 , 36, 145-9	100
1332	The Krüppel-like protein Gli-similar 3 (Glis3) functions as a key regulator of insulin transcription. 2013 , 27, 1692-705	44

1331	Sleep duration and incidence of colorectal cancer in postmenopausal women. 2013 , 108, 213-21	75
1330	New loci associated with birth weight identify genetic links between intrauterine growth and adult height and metabolism. <i>Nature Genetics</i> , 2013 , 45, 76-82	36.3 232
1329	New susceptibility loci in MYL2, C12orf51 and OAS1 associated with 1-h plasma glucose as predisposing risk factors for type 2 diabetes in the Korean population. 2013 , 58, 362-5	31
1328	Replication study for the association of a single-nucleotide polymorphism, rs3746876, within KCNJ15, with susceptibility to type 2 diabetes in a Japanese population. 2013 , 58, 490-3	5
1327	Genome-wide association study identifies possible genetic risk factors for colorectal adenomas. 2013 , 22, 1219-26	11
1326	Effects of common genetic variants associated with type 2 diabetes and glycemic traits on β and β cell function and insulin action in humans. 2013 , 62, 2978-83	77
1325	Gene-centric analysis identifies variants associated with interleukin-6 levels and shared pathways with other inflammation markers. 2013 , 6, 163-70	34
1324	Relevant associations of the glucokinase regulatory protein/glucokinase gene variation with TAG concentrations in a high-cardiovascular risk population: modulation by the Mediterranean diet. 2013 , 109, 193-201	14
1323	Lack of interaction of beta-cell-function-associated variants with hypertension on change in fasting glucose and diabetes risk: the Framingham Offspring Study. 2013 , 31, 1001-9	
1322	The Role of Copy Number Variation in African Americans with Type 2 Diabetes-Associated End Stage Renal Disease. 2013 , 7, 61	4
1321	Type 2 diabetes: prevalence and relevance of genetic and acquired factors for its prediction. 2013 , 110, 331-7	32
1320	[Involvement of melatonin MT2 receptor mutants in type 2 diabetes development]. 2013 , 29, 778-84	2
1319	Association study of 25 type 2 diabetes related Loci with measures of obesity in Indian sib pairs. 2013 , 8, e53944	17
1318	Detection of copy number variants reveals association of cilia genes with neural tube defects. 2013 , 8, e54492	25
1317	Genetic polymorphism of glucokinase on the risk of type 2 diabetes and impaired glucose regulation: evidence based on 298,468 subjects. 2013 , 8, e55727	20
1316	What is the contribution of two genetic variants regulating VEGF levels to type 2 diabetes risk and to microvascular complications?. 2013 , 8, e55921	32
1315	Common genetic variants of surfactant protein-D (SP-D) are associated with type 2 diabetes. 2013 , 8, e60468	12
1314	Genetic variation in FADS genes and plasma cholesterol levels in 2-year-old infants: KOALA Birth Cohort Study. 2013 , 8, e61671	13

1313	Phospholipid biosynthesis genes and susceptibility to obesity: analysis of expression and polymorphisms. 2013 , 8, e65303	14
1312	Genetic loci for retinal arteriolar microcirculation. 2013 , 8, e65804	19
1311	Polyunsaturated Fatty Acids Modulate the Association between PIK3CA-KCNMB3 Genetic Variants and Insulin Resistance. 2013 , 8, e67394	6
1310	Large scale meta-analyses of fasting plasma glucose raising variants in GCK, GCKR, MTNR1B and G6PC2 and their impacts on type 2 diabetes mellitus risk. 2013 , 8, e67665	37
1309	Associations between a polymorphism in the pleiotropic GCKR and Age-related phenotypes: the HALCyon programme. 2013 , 8, e70045	5
1308	The association of genetic markers for type 2 diabetes with prediabetic status - cross-sectional data of a diabetes prevention trial. 2013 , 8, e75807	10
1307	Development and application of genomic control methods for genome-wide association studies using non-additive models. 2013 , 8, e81431	13
1306	Development of GMDR-GPU for gene-gene interaction analysis and its application to WTCCC GWAS data for type 2 diabetes. 2013 , 8, e61943	43
1305	Replication study for the association of 9 East Asian GWAS-derived loci with susceptibility to type 2 diabetes in a Japanese population. 2013 , 8, e76317	36
1304	The genetics of diabetic nephropathy. 2013 , 4, 596-619	25
1303	Nutrigenetics and metabolic disease: current status and implications for personalised nutrition. 2013 , 5, 32-57	119
1302	Novel ERBB Receptor Feedback Inhibitor 1 (ERRFI1)+ 808 T/G Polymorphism Confers Protective Effect on Diabetic Nephropathy in a Korean Population. 2013 , 34, 113-120	3
1301	The Metabolic Syndrome. 2013 , 1006-1016	3
1300	Admixture mapping and subsequent fine-mapping suggests a biologically relevant and novel association on chromosome 11 for type 2 diabetes in African Americans. 2014 , 9, e86931	11
1299	The role of the Niemann-Pick disease, type C1 protein in adipocyte insulin action. 2014 , 9, e95598	14
1298	The hepatoselective glucokinase activator PF-04991532 ameliorates hyperglycemia without causing hepatic steatosis in diabetic rats. 2014 , 9, e97139	30
1297	Evaluation of common type 2 diabetes risk variants in a South Asian population of Sri Lankan descent. 2014 , 9, e98608	6
1296	Common genetic variation in the human CTF1 locus, encoding cardiotrophin-1, determines insulin sensitivity. 2014 , 9, e100391	4

1295	A combined analysis of 48 type 2 diabetes genetic risk variants shows no discriminative value to predict time to first prescription of a glucose lowering drug in Danish patients with screen detected type 2 diabetes. 2014 , 9, e104837	9
1294	[New genetic determinants of glyceimic traits: insights in biological pathways of glucose homeostasis]. 2014 , 30, 27-9	
1293	Pathogenesis of coronary artery disease: focus on genetic risk factors and identification of genetic variants. 2014 , 7, 15-32	78
1292	The Missing lnc(RNA) between the pancreatic β cell and diabetes. 2014 , 5, 200	38
1291	Genome-wide association study identifies two novel Loci with sex-specific effects for type 2 diabetes mellitus and glyceimic traits in a korean population. 2014 , 38, 375-87	27
1290	Genetic and epigenetic catalysts in early-life programming of adult cardiometabolic disorders. 2014 , 7, 575-86	8
1289	DNA Methylation Analysis of the Insulin-like Growth Factor-1 (IGF1) Gene in Swedish Men with Normal Glucose Tolerance and Type 2 Diabetes. 2014 , 05,	
1288	Low circulating levels of IGF-1 in healthy adults are associated with reduced β cell function, increased intramyocellular lipid, and enhanced fat utilization during fasting. 2014 , 99, 2198-207	31
1287	Impact of type 2 diabetes susceptibility variants on quantitative glyceimic traits reveals mechanistic heterogeneity. 2014 , 63, 2158-71	235
1286	Multiple nonglyceimic genomic loci are newly associated with blood level of glycated hemoglobin in East Asians. 2014 , 63, 2551-62	46
1285	Endogenous Production of Long-Chain Polyunsaturated Fatty Acids and Metabolic Disease Risk. 2014 , 8, 1	18
1284	IG20/MADD plays a critical role in glucose-induced insulin secretion. 2014 , 63, 1612-23	19
1283	Genome-wide association analyses suggest NELL1 influences adverse metabolic response to HCTZ in African Americans. 2014 , 14, 35-40	31
1282	Haploinsufficiency of Dmxl2, encoding a synaptic protein, causes infertility associated with a loss of GnRH neurons in mouse. 2014 , 12, e1001952	42
1281	The architecture of risk for type 2 diabetes: understanding Asia in the context of global findings. 2014 , 2014, 593982	27
1280	The causal effect of vitamin D binding protein (DBP) levels on calcemic and cardiometabolic diseases: a Mendelian randomization study. 2014 , 11, e1001751	52
1279	Maternal genotype and gestational diabetes. 2014 , 31, 69-76	30
1278	MTNR1B Genetic Variability Is Associated with Gestational Diabetes in Czech Women. 2014 , 2014, 508923	16

1277	Genome-wide associations between genetic and epigenetic variation influence mRNA expression and insulin secretion in human pancreatic islets. 2014 , 10, e1004735	118
1276	A central role for GRB10 in regulation of islet function in man. 2014 , 10, e1004235	124
1275	Enhanced insulin secretion responsiveness and islet adrenergic desensitization after chronic norepinephrine suppression is discontinued in fetal sheep. 2014 , 306, E58-64	27
1274	Genetic susceptibility to type 2 diabetes and obesity: follow-up of findings from genome-wide association studies. 2014 , 2014, 769671	50
1273	Genetics of type 2 diabetes: insights into the pathogenesis and its clinical application. 2014 , 2014, 926713	49
1272	Investigation into the promoter DNA methylation of three genes (CAMK1D, CRY2 and CALM2) in the peripheral blood of patients with type 2 diabetes. 2014 , 8, 579-584	15
1271	Genetic determinants influencing human serum metabolome among African Americans. 2014 , 10, e1004212	57
1270	IRS1 G972R missense polymorphism is associated with failure to oral antidiabetes drugs in white patients with type 2 diabetes from Italy. 2014 , 63, 3135-40	14
1269	CRY1 circadian gene variant interacts with carbohydrate intake for insulin resistance in two independent populations: Mediterranean and North American. 2014 , 31, 660-7	39
1268	TCF7L2 is a master regulator of insulin production and processing. 2014 , 23, 6419-31	118
1267	Challenges in elucidating the genetics of diabetic retinopathy. 2014 , 132, 96-107	69
1266	Enhancing the power to detect low-frequency variants in genome-wide screens. 2014 , 196, 1293-302	3
1265	Identification of a novel gene for diabetic traits in rats, mice, and humans. 2014 , 198, 17-29	36
1264	TGFBI (IG-H3) is a diabetes-risk gene based on mouse and human genetic studies. 2014 , 23, 4597-611	19
1263	Investigating the potential effect of consanguinity on type 2 diabetes susceptibility in a Saudi population. 2014 , 77, 197-206	17
1262	Gene-carbohydrate and gene-fiber interactions and type 2 diabetes in diverse populations from the National Health and Nutrition Examination Surveys (NHANES) as part of the Epidemiologic Architecture for Genes Linked to Environment (EAGLE) study. 2014 , 15, 69	23
1261	Genome-Wide Association Studies in Type 2 Diabetes. 2014 , 1-13	
1260	Repurposing cAMP-modulating medications to promote β cell replication. 2014 , 28, 1682-97	25

1259	CDKAL1 and HHEX are associated with type 2 diabetes-related traits among Yup'ik people. 2014 , 6, 251-9	11
1258	PROX1 gene variant is associated with fasting glucose change after antihypertensive treatment. 2014 , 34, 123-30	8
1257	Newly diagnosed diabetes mellitus after acute pancreatitis: a systematic review and meta-analysis. 2014 , 63, 818-31	188
1256	A genome-wide association study identifies a LEPR gene as a novel predisposing factor for childhood fasting plasma glucose. 2014 , 104, 594-8	2
1255	Epigenome-wide association study of fasting measures of glucose, insulin, and HOMA-IR in the Genetics of Lipid Lowering Drugs and Diet Network study. 2014 , 63, 801-7	120
1254	Whole exome sequencing identifies variation in CYB5A and RNF10 associated with adiposity and type 2 diabetes. 2014 , 22, 984-8	28
1253	Modulation of the pancreatic islet-stress axis as a novel potential therapeutic target in diabetes mellitus. 2014 , 95, 195-222	6
1252	Metabolic profiling in diabetes. 2014 , 221, R75-85	73
1251	Fine mapping of type 2 diabetes susceptibility loci. 2014 , 14, 549	21
1250	Early-onset type 2 diabetes mellitus is associated to HNF4A T130I polymorphism in families of central Spain. 2014 , 62, 968-74	4
1249	Type 2 Diabetes. 2014 ,	1
1248	Nutrigenetics and nutrigenomics insights into diabetes etiopathogenesis. 2014 , 6, 5338-69	52
1247	The association between Mediterranean Diet Score and glucokinase regulatory protein gene variation on the markers of cardiometabolic risk: an analysis in the European Prospective Investigation into Cancer (EPIC)-Norfolk study. 2014 , 112, 122-31	17
1246	Association of the GCKR rs780094 polymorphism with metabolic traits including carotid intima-media thickness in Japanese community-dwelling men, but not in women. 2014 , 52, 289-95	10
1245	Re-sequencing expands our understanding of the phenotypic impact of variants at GWAS loci. 2014 , 10, e1004147	42
1244	Association of common genetic variants with diabetes and metabolic syndrome related traits in the Arizona Insulin Resistance registry: a focus on Mexican American families in the Southwest. 2014 , 78, 47-58	31
1243	Genetic Testing and Type 2 Diabetes Risk Awareness. 2014 , 40, 427-433	1
1242	Introduction to personalized medicine in diabetes mellitus. 2014 , 5, e0002	18

1241	Interrogating causal pathways linking genetic variants, small molecule metabolites, and circulating lipids. 2014 , 6, 25	14
1240	Association of levels of fasting glucose and insulin with rare variants at the chromosome 11p11.2-MADD locus: Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) Consortium Targeted Sequencing Study. 2014 , 7, 374-382	9
1239	Genetic variants for type 2 diabetes and new-onset cancer in Chinese with type 2 diabetes. 2014 , 103, 328-37	13
1238	Pleiotropic genes for metabolic syndrome and inflammation. 2014 , 112, 317-38	81
1237	Contribution of SLC30A8 variants to the risk of type 2 diabetes in a multi-ethnic population: a case control study. 2014 , 14, 2	6
1236	Sleep duration does not mediate or modify association of common genetic variants with type 2 diabetes. 2014 , 57, 339-46	9
1235	Targeting the pancreatic β cell to treat diabetes. 2014 , 13, 278-89	192
1234	Genome-wide association studies of age at menarche and age at natural menopause. 2014 , 382, 767-779	46
1233	Genetic variation at the CYP2C19 gene associated with metabolic syndrome susceptibility in a South Portuguese population: results from the pilot study of the European Health Examination Survey in Portugal. 2014 , 6, 23	12
1232	Current Insights into the Joint Genetic Basis of Type 2 Diabetes and Coronary Heart Disease. 2014 , 8, 368	17
1231	Does disruption of circadian rhythms contribute to beta-cell failure in type 2 diabetes?. 2014 , 14, 474	25
1230	Nutrigenetics: bridging two worlds to understand type 2 diabetes. 2014 , 14, 477	9
1229	Genetics, genomics and metabolomics: new insights into maternal metabolism during pregnancy. 2014 , 31, 254-62	36
1228	Circadian disruption in the pathogenesis of metabolic syndrome. 2014 , 40, 338-46	84
1227	Individualized medicine from prewomb to tomb. 2014 , 157, 241-53	194
1226	Function and expression of sulfonylurea, adrenergic, and glucagon-like peptide 1 receptors in isolated porcine islets. 2014 , 21, 385-91	6
1225	Current understanding of ZIP and ZnT zinc transporters in human health and diseases. 2014 , 71, 3281-95	154
1224	Leveraging cross-species transcription factor binding site patterns: from diabetes risk loci to disease mechanisms. 2014 , 156, 343-58	96

1223	Predicting stroke through genetic risk functions: the CHARGE Risk Score Project. 2014 , 45, 403-12	46
1222	The potential of novel biomarkers to improve risk prediction of type 2 diabetes. 2014 , 57, 16-29	58
1221	Gene-centric meta-analyses for central adiposity traits in up to 57 412 individuals of European descent confirm known loci and reveal several novel associations. 2014 , 23, 2498-510	22
1220	Revisiting the thrifty gene hypothesis via 65 loci associated with susceptibility to type 2 diabetes. 2014 , 94, 176-85	59
1219	Novel loci affecting iron homeostasis and their effects in individuals at risk for hemochromatosis. 2014 , 5, 4926	121
1218	Alleles that increase risk for type 2 diabetes mellitus are not associated with increased risk for Alzheimer's disease. 2014 , 35, 2883.e3-2883.e10	8
1217	Clock genes, pancreatic function, and diabetes. 2014 , 20, 685-93	49
1216	Chronobiology and obesity: Interactions between circadian rhythms and energy regulation. 2014 , 5, 312S-9S	48
1215	Insights into the genetic susceptibility to type 2 diabetes from genome-wide association studies of glycaemic traits. 2014 , 14, 551	34
1214	Does genetic heterogeneity account for the divergent risk of type 2 diabetes in South Asian and white European populations?. 2014 , 57, 2270-81	24
1213	SCF ubiquitin ligase-targeted therapies. 2014 , 13, 889-903	215
1212	Failure of homeostatic model assessment of insulin resistance to detect marked diet-induced insulin resistance in dogs. 2014 , 63, 1914-9	24
1211	The influence of rare genetic variation in SLC30A8 on diabetes incidence and β cell function. 2014 , 99, E926-30	19
1210	Gene-Diet Interactions in Type 2 Diabetes. 2014 , 3, 302-323	4
1209	A genetic variant in the seed region of miR-4513 shows pleiotropic effects on lipid and glucose homeostasis, blood pressure, and coronary artery disease. 2014 , 35, 1524-31	37
1208	Polymorphic variants of adrenoceptors: pharmacology, physiology, and role in disease. 2014 , 66, 598-637	69
1207	Gene-Lifestyle Interactions in Complex Diseases: Design and Description of the GLACIER and VIKING Studies. 2014 , 3, 400-411	15
1206	Global genomic and transcriptomic analysis of human pancreatic islets reveals novel genes influencing glucose metabolism. 2014 , 111, 13924-9	297

1205	Genetics of metabolic syndrome. 2014 , 15, 243-52	45
1204	Overlap of genetic susceptibility to type 1 diabetes, type 2 diabetes, and latent autoimmune diabetes in adults. 2014 , 14, 550	29
1203	Meta-analysis of genome-wide association study of homeostasis model assessment [beta] cell function and insulin resistance in an East Asian population and the European results. 2014 , 289, 1247-55	30
1202	Small molecule ghrelin receptor inverse agonists and antagonists. 2014 , 57, 8671-91	29
1201	Pleiotropic effects of lipid genes on plasma glucose, HbA1c, and HOMA-IR levels. 2014 , 63, 3149-58	54
1200	Oxidative Stress and Inflammation in Non-communicable Diseases - Molecular Mechanisms and Perspectives in Therapeutics. 2014 ,	7
1199	ADCY5 couples glucose to insulin secretion in human islets. 2014 , 63, 3009-21	91
1198	The contribution of biogeographical ancestry and socioeconomic status to racial/ethnic disparities in type 2 diabetes mellitus: results from the Boston Area Community Health Survey. 2014 , 24, 648-54, 654.e1	22
1197	Delta-5 and delta-6 desaturases: crucial enzymes in polyunsaturated fatty acid-related pathways with pleiotropic influences in health and disease. 2014 , 824, 61-81	92
1196	DNA methylation in obesity and type 2 diabetes. 2014 , 46, 103-13	56
1195	Dorothy Hodgkin Lecture 2014. Understanding genes identified by genome-wide association studies for type 2 diabetes. 2014 , 31, 1480-7	27
1194	Genome-wide association meta-analysis of human longevity identifies a novel locus conferring survival beyond 90 years of age. 2014 , 23, 4420-32	188
1193	Identifying rare-variant associations in parent-child trios using a Gaussian support vector machine. 2014 , 8, S98	6
1192	Influence of TCF7L2 gene variants on the therapeutic response to the dipeptidylpeptidase-4 inhibitor linagliptin. 2014 , 57, 1869-75	47
1191	Type 2 diabetes-related genetic risk scores associated with variations in fasting plasma glucose and development of impaired glucose homeostasis in the prospective DESIR study. 2014 , 57, 1601-10	29
1190	Association of African genetic ancestry with fasting glucose and HbA1c levels in non-diabetic individuals: the Boston Area Community Health (BACH) Prediabetes Study. 2014 , 57, 1850-8	12
1189	The Genetics of Nonalcoholic Fatty Liver Disease: Role of Diet as a Modifying Factor. 2014 , 3, 223-232	6
1188	From SNP co-association to RNA co-expression: novel insights into gene networks for intramuscular fatty acid composition in porcine. 2014 , 15, 232	31

1187	The MTMR9 rs2293855 polymorphism is associated with glucose tolerance, insulin secretion, insulin sensitivity and increased risk of prediabetes. 2014 , 546, 150-5		4
1186	Genome-wide trans-ancestry meta-analysis provides insight into the genetic architecture of type 2 diabetes susceptibility. <i>Nature Genetics</i> , 2014 , 46, 234-44	36.3	784
1185	Many faces of monogenic diabetes. 2014 , 5, 121-33		62
1184	The role of environmental heterogeneity in meta-analysis of gene-environment interactions with quantitative traits. 2014 , 38, 416-29		10
1183	Genetic association study of QT interval highlights role for calcium signaling pathways in myocardial repolarization. <i>Nature Genetics</i> , 2014 , 46, 826-36	36.3	199
1182	IRS1 gene polymorphisms Gly972Arg and Ala513Pro are not associated with insulin resistance and type 2 diabetes risk in non-obese Turkish population. 2014 , 2, 579-85		25
1181	Zinc: an underappreciated modulatory factor of brain function. 2014 , 91, 426-35		80
1180	Altered DNA methylation and differential expression of genes influencing metabolism and inflammation in adipose tissue from subjects with type 2 diabetes. 2014 , 63, 2962-76		271
1179	Metabolite traits and genetic risk provide complementary information for the prediction of future type 2 diabetes. 2014 , 37, 2508-14		67
1178	Loss-of-function mutations in SLC30A8 protect against type 2 diabetes. <i>Nature Genetics</i> , 2014 , 46, 357-63	36.3	351
1177	Circadian control of glucose metabolism. 2014 , 3, 372-83		181
1176	The PARK2 gene is involved in the maintenance of pancreatic β cell functions related to insulin production and secretion. 2014 , 382, 178-189		20
1175	Common genetic variants highlight the role of insulin resistance and body fat distribution in type 2 diabetes, independent of obesity. 2014 , 63, 4378-4387		127
1174	Timing is everything: implications for metabolic consequences of sleep restriction. 2014 , 63, 1826-8		10
1173	Expression of phosphofructokinase in skeletal muscle is influenced by genetic variation and associated with insulin sensitivity. 2014 , 63, 1154-65		25
1172	Genetic susceptibility to type 2 diabetes and obesity: from genome-wide association studies to rare variants and beyond. 2014 , 57, 1528-41		135
1171	Minutes, days and years: molecular interactions among different scales of biological timing. 2014 , 369, 20120465		40
1170	Circadian gene variants in cancer. 2014 , 46, 208-20		77

1169	The diabetes susceptibility gene Clec16a regulates mitophagy. 2014 , 157, 1577-90	125
1168	Variants in glucose- and circadian rhythm-related genes affect the response of energy expenditure to weight-loss diets: the POUNDS LOST Trial. 2014 , 99, 392-9	38
1167	Rôle du gène PROX1 dans le métabolisme du glucose. 2014 , 8, 37-38	
1166	Zinc transporter 8 (ZnT8) and β cell function. 2014 , 25, 415-24	96
1165	Genome-wide association studies of obesity and metabolic syndrome. 2014 , 382, 740-757	202
1164	Genetics of diabetes--are we missing the genes or the disease?. 2014 , 382, 726-739	107
1163	Recent advances in the molecular genetics of type 2 diabetes mellitus. 2014 , 5, 128-40	83
1162	Fine Mapping Type 2 Diabetes Susceptibility Loci. 2014 , 14-28	1
1161	Genome-Wide Association Studies of Glycaemic Traits: A MAGICal Journey. 2014 , 42-57	
1160	Likelihood ratio-based integrated personal risk assessment of type 2 diabetes. 2014 , 61, 967-88	
1159	Physiology helps GWAS take a step closer to mechanism. 2014 , 63, 1836-7	5
1158	Detection of type 2 diabetes related modules and genes based on epigenetic networks. 2014 , 8 Suppl 1, S5	4
1157	mRNA expression of diacylglycerol kinase isoforms in insulin-sensitive tissues: effects of obesity and insulin resistance. 2015 , 3, e12372	14
1156	A common variant in the MTNR1b gene is associated with increased risk of impaired fasting glucose (IFG) in youth with obesity. 2015 , 23, 1022-9	20
1155	Circadian control of β cell function and stress responses. 2015 , 17 Suppl 1, 123-33	18
1154	Common variants related to serum uric acid concentrations are associated with glucose metabolism and insulin secretion in a Chinese population. 2015 , 10, e0116714	16
1153	Study of the relationship between variants near CCNL1/LEKR1 and in ADCY5 with low birth weight in a Chinese population. 2015 , 37, 985-989	
1152	A genome-wide association study of n-3 and n-6 plasma fatty acids in a Singaporean Chinese population. 2015 , 10, 53	35

1151	Genetic linkage of hyperglycemia and dyslipidemia in an intercross between BALB/cJ and SM/J ApoE-deficient mouse strains. 2015 , 16, 133	10
1150	Association of facilitated glucose transporter 2 gene variants with the myelomeningocele phenotype. 2015 , 103, 479-87	10
1149	Detecting pleiotropy in Mendelian randomisation studies with summary data and a continuous outcome. 2015 , 34, 2926-40	218
1148	Evidence of a Causal Association Between Insulinemia and Endometrial Cancer: A Mendelian Randomization Analysis. 2015 , 107,	96
1147	Genetics of second-generation antipsychotic and mood stabilizer-induced weight gain in bipolar disorder: common and specific effects of key regulators of fat-mass homeostasis genes. 2015 , 25, 354-62	14
1146	Genetic Variation and Insulin Resistance in Middle-Aged Chinese Men. 2015 , 79, 357-365	2
1145	I148M variant in PNPLA3 reduces central adiposity and metabolic disease risks while increasing nonalcoholic fatty liver disease. 2015 , 35, 2537-46	24
1144	Association between maternal single nucleotide polymorphisms in genes regulating glucose metabolism and risk for neural tube defects in offspring. 2015 , 103, 471-8	3
1143	Mendelian randomization studies of biomarkers and type 2 diabetes. 2015 , 4, 249-60	13
1142	Characterizing the genetic risk for Type 2 diabetes in a Malaysian multi-ethnic cohort. 2015 , 32, 1377-84	6
1141	Diabetes mellitus: The epidemic of the century. 2015 , 6, 850-67	398
1140	The role of NOS2A -954G/C and vascular endothelial growth factor +936C/T polymorphisms in type 2 diabetes mellitus and diabetic nonproliferative retinopathy risk management. 2015 , 11, 1743-8	13
1139	DNA Methylation and MicroRNA-Based Biomarkers for Risk of Type 2 Diabetes. 2016 , 12, 20-9	13
1138	No Evidence of a Causal Relationship between Plasma Homocysteine and Type 2 Diabetes: A Mendelian Randomization Study. 2015 , 2, 11	17
1137	Connecting SNPs in Diabetes: A Spatial Analysis of Meta-GWAS Loci. 2015 , 6, 102	13
1136	New insights from monogenic diabetes for "common" type 2 diabetes. 2015 , 6, 251	18
1135	Pleiotropy among common genetic loci identified for cardiometabolic disorders and C-reactive protein. 2015 , 10, e0118859	31
1134	Discovery and Fine-Mapping of Glycaemic and Obesity-Related Trait Loci Using High-Density Imputation. 2015 , 11, e1005230	59

1133	Parent-of-Origin Effects of the APOB Gene on Adiposity in Young Adults. 2015 , 11, e1005573	9
1132	Transcript Expression Data from Human Islets Links Regulatory Signals from Genome-Wide Association Studies for Type 2 Diabetes and Glycemic Traits to Their Downstream Effectors. 2015 , 11, e1005694	138
1131	Genome-Wide Scan Informed by Age-Related Disease Identifies Loci for Exceptional Human Longevity. 2015 , 11, e1005728	86
1130	Increased Insulin following an Oral Glucose Load, Genetic Variation near the Melatonin Receptor MTNR1B, but No Biochemical Evidence of Endothelial Dysfunction in Young Asian Men and Women. 2015 , 10, e0133611	7
1129	The Personalized Approach for Detecting Prediabetes and Diabetes. 2016 , 12, 58-65	1
1128	The rs10885122 polymorphism of the adrenoceptor alpha 2A (ADRA2A) gene in Euro-Brazilians with type 2 diabetes mellitus. 2015 , 59, 29-33	2
1127	Importance of glucokinase -258G/A polymorphism in Asian Indians with post-transplant and type 2 diabetes mellitus. 2016 , 5, 25-30	10
1126	Association between SLC30A8 rs13266634 Polymorphism and Type 2 Diabetes Risk: A Meta-Analysis. 2015 , 21, 2178-89	20
1125	Identification and validation of N-acetyltransferase 2 as an insulin sensitivity gene. 2015 , 125, 1739-51	67
1124	Examining the causal association of fasting glucose with blood pressure in healthy children and adolescents: a Mendelian randomization study employing common genetic variants of fasting glucose. 2015 , 29, 179-84	3
1123	Statistical colocalization of genetic risk variants for related autoimmune diseases in the context of common controls. <i>Nature Genetics</i> , 2015 , 47, 839-46	36.3 97
1122	The Role of ncRNA in Diabetes. 2015 , 197-218	1
1121	Genetic Predisposition to Central Obesity and Risk of Type 2 Diabetes: Two Independent Cohort Studies. 2015 , 38, 1306-11	40
1120	Variation in glucose homeostasis traits associated with P2RX7 polymorphisms in mice and humans. 2015 , 100, E688-96	20
1119	Genetic determinants for gestational diabetes mellitus and related metabolic traits in Mexican women. 2015 , 10, e0126408	37
1118	Association Between KCNQ1 Genetic Variants and Type 2 Diabetes in the Uyghur Population. 2015 , 19, 698-702	2
1117	Plasticity of circadian clocks and consequences for metabolism. 2015 , 17 Suppl 1, 65-75	20
1116	The molecular clock as a metabolic rheostat. 2015 , 17 Suppl 1, 99-105	28

1115	Insights into the Genetic Susceptibility to Type 2 Diabetes from Genome-Wide Association Studies of Obesity-Related Traits. 2015 , 15, 83	38
1114	GWAS as a Driver of Gene Discovery in Cardiometabolic Diseases. 2015 , 26, 722-732	24
1113	Exome-wide association analysis reveals novel coding sequence variants associated with lipid traits in Chinese. 2015 , 6, 10206	60
1112	Natural Selection at the Brush-Border: Adaptations to Carbohydrate Diets in Humans and Other Mammals. 2015 , 7, 2569-84	10
1111	Genome-wide association meta-analysis identifies novel variants associated with fasting plasma glucose in East Asians. 2015 , 64, 291-8	43
1110	Natural history of β cell adaptation and failure in type 2 diabetes. 2015 , 42, 19-41	126
1109	Pathways targeted by antidiabetes drugs are enriched for multiple genes associated with type 2 diabetes risk. 2015 , 64, 1470-83	28
1108	G β o-coupled receptor signaling restricts pancreatic β cell expansion. 2015 , 112, 2888-93	44
1107	MicroRNAs and Other Non-Coding RNAs in Inflammation. 2015 ,	1
1106	Association between circulating 25-hydroxyvitamin D and incident type 2 diabetes: a mendelian randomisation study. 2015 , 3, 35-42	135
1105	Intima-media thickness and endothelial dysfunction in GCK and HNF1A-MODY patients. 2015 , 172, 277-83	10
1104	Circadian rhythms in glucose and lipid metabolism in nocturnal and diurnal mammals. 2015 , 418 Pt 1, 74-88	130
1103	Mitochondrial regulation of β cell function: maintaining the momentum for insulin release. 2015 , 42, 91-104	52
1102	Genetic loci associated with circulating phospholipid trans fatty acids: a meta-analysis of genome-wide association studies from the CHARGE Consortium. 2015 , 101, 398-406	33
1101	Rare and common genetic events in type 2 diabetes: what should biologists know?. 2015 , 21, 357-68	107
1100	Low-frequency and rare exome chip variants associate with fasting glucose and type 2 diabetes susceptibility. 2015 , 6, 5897	147
1099	Genetic architecture of insulin resistance in the mouse. 2015 , 21, 334-347	126
1098	Genetic association analyses of fast plasma glucose level in pre-menopausal Chinese women: potential interaction between osteocalcin and oestrogen receptor β . 2015 , 42, 455-60	

1097	The association of common polymorphisms in miR-196a2 with waist to hip ratio and miR-1908 with serum lipid and glucose. 2015 , 23, 495-503	20
1096	Modelling of OGTT curve identifies 1 h plasma glucose level as a strong predictor of incident type 2 diabetes: results from two prospective cohorts. 2015 , 58, 87-97	90
1095	Circadian timing of metabolism in animal models and humans. 2015 , 277, 513-27	146
1094	The insulin-like growth factor I system: physiological and pathophysiological implication in cardiovascular diseases associated with metabolic syndrome. 2015 , 93, 409-17	66
1093	Genetic Variants Associated With Quantitative Glucose Homeostasis Traits Translate to Type 2 Diabetes in Mexican Americans: The GUARDIAN (Genetics Underlying Diabetes in Hispanics) Consortium. 2015 , 64, 1853-66	62
1092	The rs340874 PROX1 type 2 diabetes mellitus risk variant is associated with visceral fat accumulation and alterations in postprandial glucose and lipid metabolism. 2015 , 10, 4	27
1091	Gene Therapy for Diabetes. 2015 , 115-128	
1090	Tetrahydrobiopterin and alkylglycerol monooxygenase substantially alter the murine macrophage lipidome. 2015 , 112, 2431-6	41
1089	Méthylation de l'ADN et insulino-résistance : un nouveau marqueur identifié. 2015 , 9, 21-22	
1088	Des mutations du gène SLC30A8 protègent contre le diabète de type 2. 2015 , 9, 25-26	
1087	Evaluating the impact of groundwater on cotton growth and root zone water balance using Hydrus-1D coupled with a crop growth model. 2015 , 160, 64-75	58
1086	Enrollment in Heart Failure Clinical Trials: Insights Into Which Entry Criteria Exclude Patients. 2015 , 21, 608-9	2
1085	Breakup of high solid volume fraction oil particle cluster in simple shear flow. 2015 , 483, 25-35	5
1084	Comparison of Effect of Telmisartan and Weight Reduction on Histological Activity of Nonalcoholic Steatohepatitis: A One Year Randomised Control Trial. 2015 , 5, S22	
1083	Production of activated carbon from biodiesel solid residues: An alternative for hazardous metal sorption from aqueous solution. 2015 , 162, 123-31	15
1082	A09 Health and economic benefits of active transport policies in Barcelona. 2015 , 2, S9-S10	
1081	Vocal tract discomfort symptoms in patients with different voice disorders. 2015 , 29, 317-23	27
1080	Krüppel-like factor 14 increases insulin sensitivity through activation of PI3K/Akt signal pathway. 2015 , 27, 2201-8	33

1079	Genetic variation at glucose and insulin trait loci and response to glucose-insulin-potassium (GIK) therapy: the IMMEDIATE trial. 2015 , 15, 55-62	6
1078	Role of Established Type 2 Diabetes-Susceptibility Genetic Variants in a High Prevalence American Indian Population. 2015 , 64, 2646-57	23
1077	Genetic variants primarily associated with type 2 diabetes are related to coronary artery disease risk. 2015 , 241, 419-26	23
1076	Recent advances in understanding the genetic architecture of type 2 diabetes. 2015 , 24, R85-92	90
1075	Effects of IGF2BP2, KCNQ1 and GCKR polymorphisms on clinical outcome in metastatic gastric cancer treated with EOF regimen. 2015 , 16, 959-70	20
1074	Gene-Environment Interactions of Circadian-Related Genes for Cardiometabolic Traits. 2015 , 38, 1456-66	36
1073	Triglyceride-Increasing Alleles Associated with Protection against Type-2 Diabetes. 2015 , 11, e1005204	13
1072	Expression of the central obesity and Type 2 Diabetes mellitus genes is associated with insulin resistance in young obese children. 2015 , 123, 252-9	8
1071	Mendelian randomization analysis supports the causal role of dysglycaemia and diabetes in the risk of coronary artery disease. 2015 , 36, 1454-62	83
1070	Identification and functional characterization of G6PC2 coding variants influencing glycemic traits define an effector transcript at the G6PC2-ABCB11 locus. 2015 , 11, e1004876	76
1069	Integrated genomic and BMI analysis for type 2 diabetes risk assessment. 2015 , 6, 75	1
1068	Genetics of type 2 diabetes-pitfalls and possibilities. 2015 , 6, 87-123	257
1067	La importancia del reloj biológico en el desarrollo de la obesidad y de la diabetes. 2015 , 31, 60-63	
1066	Genetic and phenotypic correlations between surrogate measures of insulin release obtained from OGTT data. 2015 , 58, 1006-12	6
1065	Season-dependent associations of circadian rhythm-regulating loci (CRY1, CRY2 and MTNR1B) and glucose homeostasis: the GLACIER Study. 2015 , 58, 997-1005	21
1064	Replication study of the association of rs7578597 in THADA, rs10886471 in GRK5, and rs7403531 in RASGRP1 with susceptibility to type 2 diabetes among a Japanese population. 2015 , 6, 306-312	1
1063	Quantitative Trait Locus Analysis of SIX1-SIX6 With Retinal Nerve Fiber Layer Thickness in Individuals of European Descent. 2015 , 160, 123-30.e1	20
1062	IRS-1 gene polymorphism and DNA damage in pregnant women with diabetes or mild gestational hyperglycemia. 2015 , 7, 30	9

1061	Preserving Mafa expression in diabetic islet β cells improves glycemic control in vivo. 2015 , 290, 7647-57	39
1060	Modulation of glucose transporter protein by dietary flavonoids in type 2 diabetes mellitus. 2015 , 11, 508-24	106
1059	Functional mechanisms for type 2 diabetes-associated genetic variants. 2015 , 29, 497-501	1
1058	Estrogens prevent metabolic dysfunctions induced by circadian disruptions in female mice. 2015 , 156, 2114-23	26
1057	Work-related psychosocial stress and glycemic control among working adults with diabetes mellitus. 2015 , 9, 85-90	10
1056	Adenylyl Cyclase Type 5 Deficiency Protects Against Diet-Induced Obesity and Insulin Resistance. 2015 , 64, 2636-45	17
1055	Cardiometabolic effects of genetic upregulation of the interleukin 1 receptor antagonist: a Mendelian randomisation analysis. 2015 , 3, 243-53	81
1054	Identifying causal regulatory SNPs in ChIP-seq enhancers. 2015 , 43, 225-36	27
1053	The Uyghur population and genetic susceptibility to type 2 diabetes: potential role for variants in CDKAL1, JAZF1, and IGF1 genes. 2015 , 19, 230-7	20
1052	The impact of low-frequency and rare variants on lipid levels. <i>Nature Genetics</i> , 2015 , 47, 589-97	36.3 229
1051	eQTL mapping identifies insertion- and deletion-specific eQTLs in multiple tissues. 2015 , 6, 6821	11
1050	Glucokinase regulatory protein: complexity at the crossroads of triglyceride and glucose metabolism. 2015 , 26, 88-95	66
1049	The genetics of type 2 diabetes. 2015 , 401-412	
1048	Characteristics of Bipolar I patients grouped by externalizing disorders. 2015 , 178, 206-14	7
1047	Circadian Misalignment and Metabolic Consequences: Shiftwork and Altered Meal Times. 2015 , 155-164	7
1046	Genetic Variations in MicroRNA-Binding Sites Affect MicroRNA-Mediated Regulation of Several Genes Associated With Cardio-metabolic Phenotypes. 2015 , 8, 473-86	45
1045	Mendelian randomization supports causality between maternal hyperglycemia and epigenetic regulation of leptin gene in newborns. 2015 , 10, 342-51	80
1044	Identification of Candidate Gene Variants in Korean MODY Families by Whole-Exome Sequencing. 2015 , 83, 242-51	17

1043	Statistical methods for association tests of multiple continuous traits in genome-wide association studies. 2015 , 79, 282-93	16
1042	Modulation of Glucokinase Regulatory Protein: A Double-Edged Sword?. 2015 , 21, 583-594	38
1041	[Screening and prevention of diabetes]. 2015 , 56, 1124-33	1
1040	Genes affecting β cell function in type 1 diabetes. 2015 , 15, 97	36
1039	Genomics, Personalized Medicine and Oral Disease. 2015 ,	1
1038	Genetics of Cardiovascular Risk in Obesity. 2015 , 1-30	
1037	Protein Biomarkers for Insulin Resistance and Type 2 Diabetes Risk in Two Large Community Cohorts. 2016 , 65, 276-84	71
1036	Genetics of Type 2 Diabetes. 2015 , 1-21	
1035	Molecular insights into the aetiology of female reproductive ageing. 2015 , 11, 725-34	47
1034	Early gene-diet interaction between glucokinase regulatory protein (GCKR) polymorphism, vegetable and fish intakes in modulating triglyceride levels in healthy adolescents. 2015 , 25, 951-8	6
1033	Genetic underpinnings of left superior temporal gyrus thickness in patients with schizophrenia. 2015 , 16, 430-440	5
1032	Glucokinase and glucokinase regulatory proteins as molecular targets for novel antidiabetic drugs. 2015 , 49, 494-499	
1031	The n-3 long-chain PUFAs modulate the impact of the GCKR Pro446Leu polymorphism on triglycerides in adolescents. 2015 , 56, 1774-80	9
1030	Genetics of Type 2 Diabetes in African Americans. 2015 , 15, 74	14
1029	Consumption of meat is associated with higher fasting glucose and insulin concentrations regardless of glucose and insulin genetic risk scores: a meta-analysis of 50,345 Caucasians. 2015 , 102, 1266-78	51
1028	Type 2 diabetes-related variants influence the risk of developing multiple myeloma: results from the IMMENSE consortium. 2015 , 22, 545-59	10
1027	Genetic fine mapping and genomic annotation defines causal mechanisms at type 2 diabetes susceptibility loci. <i>Nature Genetics</i> , 2015 , 47, 1415-25	36.3 292
1026	Identification of novel genes for glucose metabolism based upon expression pattern in human islets and effect on insulin secretion and glycemia. 2015 , 24, 1945-55	60

1025	T2DM GWAS in the Lebanese population confirms the role of TCF7L2 and CDKAL1 in disease susceptibility. 2014 , 4, 7351	22
1024	Novel loci associated with usual sleep duration: the CHARGE Consortium Genome-Wide Association Study. 2015 , 20, 1232-9	76
1023	Beta cell connectivity in pancreatic islets: a type 2 diabetes target?. 2015 , 72, 453-467	46
1022	GLUT2, glucose sensing and glucose homeostasis. 2015 , 58, 221-32	318
1021	Novel putative mechanisms to link circadian clocks to healthy aging. 2015 , 122 Suppl 1, S75-82	3
1020	Molecular targeting of the GK-GKRP pathway in diabetes. 2015 , 19, 129-39	14
1019	Targeted allelic expression profiling in human islets identifies cis-regulatory effects for multiple variants identified by type 2 diabetes genome-wide association studies. 2015 , 64, 1484-91	25
1018	Bilirubin as a potential causal factor in type 2 diabetes risk: a Mendelian randomization study. 2015 , 64, 1459-69	68
1017	Fatty acid desaturase 1 knockout mice are lean with improved glycemic control and decreased development of atheromatous plaque. 2016 , 9, 185-99	28
1016	Type 2 Diabetes Mellitus. 2016 , 1385-1450	4
1015	Fatty Acid Desaturases, Polyunsaturated Fatty Acid Regulation, and Biotechnological Advances. 2016 , 8,	158
1014	Predicting gene targets from integrative analyses of summary data from GWAS and eQTL studies for 28 human complex traits. 2016 , 8, 84	59
1013	The Transcription Factor Nfatc2 Regulates ECell Proliferation and Genes Associated with Type 2 Diabetes in Mouse and Human Islets. 2016 , 12, e1006466	22
1012	Mapping and Congenic Dissection of Genetic Loci Contributing to Hyperglycemia and Dyslipidemia in Mice. 2016 , 11, e0148462	5
1011	Risk Alleles in/near ADCY5, ADRA2A, CDKAL1, CDKN2A/B, GRB10, and TCF7L2 Elevate Plasma Glucose Levels at Birth and in Early Childhood: Results from the FAMILY Study. 2016 , 11, e0152107	8
1010	The Spatiotemporal Pattern of Glis3 Expression Indicates a Regulatory Function in Bipotent and Endocrine Progenitors during Early Pancreatic Development and in Beta, PP and Ductal Cells. 2016 , 11, e0157138	27
1009	GenToS: Use of Orthologous Gene Information to Prioritize Signals from Human GWAS. 2016 , 11, e0162466	2
1008	Polymorphism, Carbohydrates, Fat, and Type 2 Diabetes. 2016 , 301-311	

1007	Type 2 diabetes: genetic data sharing to advance complex disease research. 2016 , 17, 535-49	92
1006	Adenylate cyclase 3: a new target for anti-obesity drug development. 2016 , 17, 907-14	21
1005	Gene-diet interaction of a common FADS1 variant with marine polyunsaturated fatty acids for fatty acid composition in plasma and erythrocytes among men. 2016 , 60, 381-9	17
1004	Efficient Software for Multi-marker, Region-Based Analysis of GWAS Data. 2016 , 6, 1023-30	6
1003	GCKR and PPP1R3B identified as genome-wide significant loci for plasma lactate: the Atherosclerosis Risk in Communities (ARIC) study. 2016 , 33, 968-75	12
1002	MECHANISMS IN ENDOCRINOLOGY: Alternative splicing: the new frontier in diabetes research. 2016 , 174, R225-38	35
1001	USAT: A Unified Score-Based Association Test for Multiple Phenotype-Genotype Analysis. 2016 , 40, 20-34	28
1000	Variant of the clock circadian regulator (CLOCK) gene and related haplotypes are associated with the prevalence of type 2 diabetes in the Japanese population. 2016 , 8, 667-76	16
999	A replication study of 49 Type 2 diabetes risk variants in a Punjabi Pakistani population. 2016 , 33, 1112-7	3
998	Using Drosophila to discover mechanisms underlying type 2 diabetes. 2016 , 9, 365-76	63
997	Changes in the expression of the type 2 diabetes-associated gene VPS13C in the β -cell are associated with glucose intolerance in humans and mice. 2016 , 311, E488-507	14
996	Genetic Component of Type 2 Diabetes in a Mexican Population. 2016 , 47, 496-505	12
995	Assessment of causality between serum gamma-glutamyltransferase and type 2 diabetes mellitus using publicly available data: a Mendelian randomization study. 2016 , 45, 1953-1960	16
994	The mechanism of transactivation regulation due to polymorphic short tandem repeats (STRs) using IGF1 promoter as a model. 2016 , 6, 38225	13
993	Genetic Architecture of Type 2 Diabetes. 2016 , 187-204	
992	Liver Enzymes and Risk of Ischemic Heart Disease and Type 2 Diabetes Mellitus: A Mendelian Randomization Study. 2016 , 6, 38813	27
991	FADS1-FADS2 gene cluster confers risk to polycystic ovary syndrome. 2016 , 6, 21195	8
990	Identification of Shared and Unique Serum Lipid Profiles in Diabetes Mellitus and Myocardial Infarction. 2016 , 5,	9

989	Monogenic Diabetes: What It Teaches Us on the Common Forms of Type 1 and Type 2 Diabetes. 2016 , 37, 190-222	74
988	Transcriptomics in type 2 diabetes: Bridging the gap between genotype and phenotype. 2016 , 8, 25-36	25
987	Genome-wide association study identifies five new susceptibility loci for primary angle closure glaucoma. <i>Nature Genetics</i> , 2016 , 48, 556-62	36.3 109
986	Common and Rare Genetic Variation in CCR2, CCR5, or CX3CR1 and Risk of Atherosclerotic Coronary Heart Disease and Glucometabolic Traits. 2016 , 9, 250-8	14
985	Genetic loci associated with ideal cardiovascular health: A meta-analysis of genome-wide association studies. 2016 , 175, 112-20	17
984	Is common genetic variation at IRS1, ENPP1 and TRIB3 loci associated with cardiometabolic phenotypes in type 2 diabetes? An exploratory analysis of the Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 5. 2016 , 26, 232-8	5
983	Assignment of Functional Relevance to Genes at Type 2 Diabetes-Associated Loci Through Investigation of ECell Mass Deficits. 2016 , 30, 429-45	13
982	Genetics of Type 2 Diabetes. 2016 , 31, 203-20	42
981	PPARD rs2016520 polymorphism is associated with metabolic traits in a large population of Chinese adults. 2016 , 585, 191-5	7
980	Impaired pancreatic beta cell compensatory function is the main cause of type 2 diabetes in individuals with high genetic risk: a 9 year prospective cohort study in the Chinese population. 2016 , 59, 1458-1462	15
979	The Genetics of Type 2 Diabetes and Related Traits. 2016 ,	3
978	Gene-Environment Interaction: Methods and Examples in Type 2 Diabetes and Obesity. 2016 , 259-273	
977	Genome-Wide Association Studies of Type 2 Diabetes. 2016 , 13-61	4
976	A Time for Metabolism and Hormones. 2016 ,	6
975	Evaluation of type 2 diabetes genetic risk variants in Chinese adults: findings from 93,000 individuals from the China Kadoorie Biobank. 2016 , 59, 1446-1457	37
974	GCKR: How Genetic Variation Across the Allelic Spectrum Influences Protein Function and Metabolic Traits in Humans. 2016 , 317-336	0
973	Physiology Insights. 2016 , 207-221	
972	Mendelian Randomization using Public Data from Genetic Consortia. 2016 , 12,	42

971	Circadian gene variants influence sleep and the sleep electroencephalogram in humans. 2016 , 33, 561-73	19
970	Insomnia does not mediate or modify the association between MTNR1B risk variant rs10830963 and glucose levels. 2016 , 59, 1070-2	3
969	A common variation of the PTEN gene is associated with peripheral insulin resistance. 2016 , 42, 280-4	12
968	Circadian Metabolism: From Mechanisms to Metabolomics and Medicine. 2016 , 27, 415-426	79
967	Alpha2A adrenergic receptor genetic variation contributes to hyperglycemia after myocardial infarction. 2016 , 215, 482-6	5
966	Improved Performance of Dynamic Measures of Insulin Response Over Surrogate Indices to Identify Genetic Contributors of Type 2 Diabetes: The GUARDIAN Consortium. 2016 , 65, 2072-80	3
965	Epigenomic elements analyses for promoters identify ESRRG as a new susceptibility gene for obesity-related traits. 2016 , 40, 1170-6	14
964	Genetic variation of fasting glucose and changes in glycemia in response to 2-year weight-loss diet intervention: the POUNDS LOST trial. 2016 , 40, 1164-9	17
963	Are elevated plasma amino acids causally linked to type 2 diabetes, or are they rather innocent bystanders?. 2016 , 26, 549-50	1
962	Cystatin C and Cardiovascular Disease: A Mendelian Randomization Study. 2016 , 68, 934-45	65
961	The importance of gene-environment interactions in human obesity. 2016 , 130, 1571-97	96
960	Genetic predisposition to obesity is associated with insulin secretion in Chinese adults: The Cardiometabolic Risk in Chinese (CRC) study. 2016 , 30, 1229-33	5
959	Insight into rheumatological cause and effect through the use of Mendelian randomization. 2016 , 12, 486-96	28
958	Genetic Overlap Between Depression and Cardiometabolic Disorders. 2016 , 235-255	
957	Genomewide meta-analysis identifies loci associated with IGF-I and IGFBP-3 levels with impact on age-related traits. 2016 , 15, 811-24	71
956	General Framework for Meta-Analysis of Haplotype Association Tests. 2016 , 40, 244-52	
955	Genetic markers of type 2 diabetes: Progress in genome-wide association studies and clinical application for risk prediction. 2016 , 8, 24-35	49
954	On Sample Size and Power Calculation for Variant Set-Based Association Tests. 2016 , 80, 136-43	8

953	Cardiometabolic risk loci share downstream cis- and trans-gene regulation across tissues and diseases. 2016 , 353, 827-30	166
952	DNA methylation patterns associated with oxidative stress in an ageing population. 2016 , 9, 72	24
951	Mergeomics: multidimensional data integration to identify pathogenic perturbations to biological systems. 2016 , 17, 874	56
950	Habitual coffee consumption and risk of type 2 diabetes, ischemic heart disease, depression and Alzheimer's disease: a Mendelian randomization study. 2016 , 6, 36500	38
949	Circadian time signatures of fitness and disease. 2016 , 354, 994-999	312
948	Peripheral Blood Transcriptomic Signatures of Fasting Glucose and Insulin Concentrations. 2016 , 65, 3794-3804	18
947	Epigenetic programming of adipose-derived stem cells in low birthweight individuals. 2016 , 59, 2664-2673	31
946	Compensatory induction of Fads1 gene expression in heterozygous Fads2-null mice and by diet with a high n-6/n-3 PUFA ratio. 2016 , 57, 1995-2004	14
945	Targeted sequencing of genome wide significant loci associated with bone mineral density (BMD) reveals significant novel and rare variants: the Cohorts for Heart and Aging Research in Genomic Epidemiology (CHARGE) targeted sequencing study. 2016 , 25, 5234-5243	6
944	Circadian Transcription from Beta Cell Function to Diabetes Pathophysiology. 2016 , 31, 323-36	37
943	Obesity and associated lifestyles modify the effect of glucose metabolism-related genetic variants on impaired glucose homeostasis among postmenopausal women. 2016 , 40, 520-30	8
942	Non-targeted metabolomics combined with genetic analyses identifies bile acid synthesis and phospholipid metabolism as being associated with incident type 2 diabetes. 2016 , 59, 2114-24	54
941	Transcription Factor GLIS3: A New and Critical Regulator of Postnatal Stages of Mouse Spermatogenesis. 2016 , 34, 2772-2783	16
940	The circadian coordination of cell biology. 2016 , 215, 15-25	73
939	Hypothalamic AMP-Activated Protein Kinase Regulates Biphasic Insulin Secretion from Pancreatic β Cells during Fasting and in Type 2 Diabetes. 2016 , 13, 168-180	12
938	Colocalization of GWAS and eQTL Signals Detects Target Genes. 2016 , 99, 1245-1260	311
937	Dopamine and Sleep. 2016 ,	2
936	Circadian Rhythm and Sleep Disruption: Causes, Metabolic Consequences, and Countermeasures. 2016 , 37, 584-608	280

935	Genetic Correlation Analysis Suggests Association between Increased Self-Reported Sleep Duration in Adults and Schizophrenia and Type 2 Diabetes. 2016 , 39, 1853-1857	14
934	Evaluating the transferability of 15 European-derived fasting plasma glucose SNPs in Mexican children and adolescents. 2016 , 6, 36202	8
933	Role of Conventional Childhood Risk Factors Versus Genetic Risk in the Development of Type 2 Diabetes and Impaired Fasting Glucose in Adulthood: The Cardiovascular Risk in Young Finns Study. 2016 , 39, 1393-9	14
932	Circadian Influence on Metabolism and Inflammation in Atherosclerosis. 2016 , 119, 131-41	65
931	The Drosophila ortholog of TMEM18 regulates insulin and glucagon-like signaling. 2016 , 229, 233-43	13
930	Low birthweight and risk of type 2 diabetes: a Mendelian randomisation study. 2016 , 59, 1920-7	53
929	Whole-genome re-sequencing for the identification of high contribution susceptibility gene variants in patients with type 2 diabetes. 2016 , 13, 3735-46	5
928	Genetic Variants of the FADS Gene Cluster Are Associated with Erythrocyte Membrane LC PUFA Levels in Patients with Mild Cognitive Impairment. 2016 , 20, 611-20	20
927	Historical Overview of Gene Discovery Methodologies in Type 2 Diabetes. 2016 , 3-12	0
926	Transcription Factor 7-Like 2 (TCF7L2). 2016 , 297-316	0
925	Genetic and Functional Studies Implicate G6PC2 in the Regulation of Fasting Blood Glucose. 2016 , 337-362	
924	SLC30A8: A Complex Road from Association to Function. 2016 , 379-401	1
923	From Association to Function: MTNR1B. 2016 , 403-421	1
922	Genome-Wide Association Studies of Quantitative Glycaemic Traits. 2016 , 63-89	
921	CRY1 and CRY2 genetic variants in seasonality: A longitudinal and cross-sectional study. 2016 , 242, 101-110	6
920	Genome-wide interrogation reveals hundreds of long intergenic noncoding RNAs that associate with cardiometabolic traits. 2016 , 25, 3125-3141	25
919	Components of the Metabolic Syndrome and Risk of Type 2 Diabetes. 2016 , 101, 3212-21	35
918	Genetics of Insulin Resistance and the Metabolic Syndrome. 2016 , 18, 75	107

917	Selecting instruments for Mendelian randomization in the wake of genome-wide association studies. 2016 , 45, 1600-1616	114
916	Trans-ethnic Meta-analysis and Functional Annotation Illuminates the Genetic Architecture of Fasting Glucose and Insulin. 2016 , 99, 56-75	41
915	Contrasting the Genetic Architecture of 30 Complex Traits from Summary Association Data. 2016 , 99, 139-53	207
914	Role of Adiponectin in Coronary Heart Disease Risk: A Mendelian Randomization Study. 2016 , 119, 491-9	57
913	Desaturase and elongase-limiting endogenous long-chain polyunsaturated fatty acid biosynthesis. 2016 , 19, 103-10	104
912	Genetics of Gestational Diabetes Mellitus and Maternal Metabolism. 2016 , 16, 15	50
911	Lifestyle Intervention for Weight Loss and Cardiometabolic Changes in the Setting of Glucokinase Regulatory Protein Inhibition: Glucokinase Regulatory Protein-Leu446Pro Variant in Look AHEAD. 2016 , 9, 71-8	3
910	Lifestyle and Metformin Ameliorate Insulin Sensitivity Independently of the Genetic Burden of Established Insulin Resistance Variants in Diabetes Prevention Program Participants. 2016 , 65, 520-6	27
909	G protein-coupled receptors as targets for anti-diabetic therapeutics. 2016 , 15, 161-72	64
908	Nutritional habits, lifestyle, and genetic predisposition in cardiovascular and metabolic traits in Turkish population. 2016 , 32, 693-701	8
907	Genetics of Type 2 Diabetes. 2016 , 141-157	
906	Genome-wide association studies in the Japanese population identify seven novel loci for type 2 diabetes. 2016 , 7, 10531	99
905	The Framingham Heart Study--67 years of discovery in metabolic disease. 2016 , 12, 177-83	37
904	Non-coding genome functions in diabetes. 2016 , 56, R1-R20	8
903	Genome-wide Association Studies Identify Genetic Loci Associated With Albuminuria in Diabetes. 2016 , 65, 803-17	96
902	Genetic Variation in Human Vitamin C Transporter Genes in Common Complex Diseases. 2016 , 7, 287-98	22
901	Association Between a Glucokinase Regulator Genetic Variant and Metabolic Syndrome in Taiwanese Adolescents. 2016 , 20, 137-42	7
900	Bidirectional Relationship Between Diabetes and Acute Pancreatitis: A Population-Based Cohort Study in Taiwan. 2016 , 95, e2448	37

899	Genetic polymorphisms associated with overweight and obesity in uncontrolled Type 2 diabetes mellitus. 2016 , 10, 403-15	23
898	Causal Assessment of Serum Urate Levels in Cardiometabolic Diseases Through a Mendelian Randomization Study. 2016 , 67, 407-416	101
897	Genome-Wide DNA and Histone Modification Studies in Metabolic Disease. 2016 , 255-270	
896	Hepatocyte nuclear factor 1 coordinates multiple processes in a model of intestinal epithelial cell function. 2016 , 1859, 591-8	10
895	Seasonality and temperature effects on fasting plasma glucose: A population-based longitudinal study in China. 2016 , 42, 267-75	23
894	Association of the IGF1 gene with fasting insulin levels. 2016 , 24, 1337-43	4
893	Genetic associations at 53 loci highlight cell types and biological pathways relevant for kidney function. 2016 , 7, 10023	295
892	Heritability and Genome-Wide Association Analyses of Intracranial Carotid Artery Calcification: The Rotterdam Study. 2016 , 47, 912-7	11
891	Genetic Evidence for Causal Relationships Between Maternal Obesity-Related Traits and Birth Weight. 2016 , 315, 1129-40	149
890	Genetics of Cardiovascular Risk in Obesity. 2016 , 195-219	
889	Tissue-specific regulatory circuits reveal variable modular perturbations across complex diseases. 2016 , 13, 366-70	201
888	Recent progress in genetic and epigenetic research on type 2 diabetes. 2016 , 48, e220	92
887	Lack of Prox1 Downregulation Disrupts the Expansion and Maturation of Postnatal Murine ECells. 2016 , 65, 687-98	12
886	Genetic association of long-chain acyl-CoA synthetase 1 variants with fasting glucose, diabetes, and subclinical atherosclerosis. 2016 , 57, 433-42	14
885	Carbazole-containing sulfonamides and sulfamides: Discovery of cryptochrome modulators as antidiabetic agents. 2016 , 26, 757-760	43
884	Single nucleotide polymorphisms in 5'-UTR of the SLC2A4 gene regulate solute carrier family 2 member 4 gene expression in visceral adipose tissue. 2016 , 576, 499-504	8
883	Discrete associations of the GCKR variant with metabolic risk in a Chinese population: longitudinal change analysis. 2016 , 59, 307-15	7
882	Is there a causal role for homocysteine concentration in blood pressure? A Mendelian randomization study. 2016 , 103, 39-49	24

881	Obesity and exercise-induced ectopic ventricular arrhythmias in apparently healthy middle aged adults. 2016 , 23, 511-7	12
880	Genes associated with diabetes: potential for novel therapeutic targets?. 2016 , 20, 255-67	12
879	Type 2 Diabetes Mellitus. 2016 , 691-714.e6	4
878	GCKR polymorphism influences liver fat content in patients with type 2 diabetes. 2016 , 53, 237-42	8
877	Longitudinal associations of serum fatty acid composition with type 2 diabetes risk and markers of insulin secretion and sensitivity in the Finnish Diabetes Prevention Study. 2016 , 55, 967-79	47
876	Genome-wide association study of clinically defined gout identifies multiple risk loci and its association with clinical subtypes. 2016 , 75, 652-9	117
875	Association between genetic variants and characteristic symptoms of type 2 diabetes: A matched case-control study. 2017 , 23, 415-424	9
874	Concise Review: Induced Pluripotent Stem Cell Research in the Era of Precision Medicine. 2017 , 35, 545-550	47
873	Mechanistic interplay between ceramide and insulin resistance. 2017 , 7, 41231	27
872	Genome-wide association study with additional genetic and post-transcriptional analyses reveals novel regulators of plasma factor XI levels. 2017 , 26, 637-649	27
871	A two-stage inter-rater approach for enrichment testing of variants associated with multiple traits. 2017 , 25, 341-349	
870	The Metabolic Syndrome in Men study: a resource for studies of metabolic and cardiovascular diseases. 2017 , 58, 481-493	77
869	Clinical characteristics, risk factors and outcomes of asymptomatic rectal neuroendocrine tumors. 2017 , 31, 3864-3871	5
868	The genetic overlap between mood disorders and cardiometabolic diseases: a systematic review of genome wide and candidate gene studies. 2017 , 7, e1007	153
867	Effects of deletion on body weight and cholesterol in mice. 2017 , 58, 127-139	2
866	Liver-specific Prox1 inactivation causes hepatic injury and glucose intolerance in mice. 2017 , 591, 624-635	9
865	Circadian Clocks, Metabolism, and Food-Entrained Rhythms. 2017 , 427-442	
864	Integrating Gene Expression with Summary Association Statistics to Identify Genes Associated with 30 Complex Traits. 2017 , 100, 473-487	158

863	Genetically predicted milk consumption and bone health, ischemic heart disease and type 2 diabetes: a Mendelian randomization study. 2017 , 71, 1008-1012	34
862	Genetic invalidation of Lp-PLA as a therapeutic target: Large-scale study of five functional Lp-PLA-lowering alleles. 2017 , 24, 492-504	16
861	Role of DNA Methylation in Type 2 Diabetes Etiology: Using Genotype as a Causal Anchor. 2017 , 66, 1713-1722	25
860	Timing of meals: when is as critical as what and how much. 2017 , 312, E369-E380	36
859	Genetic Regulation of Adipose Gene Expression and Cardio-Metabolic Traits. 2017 , 100, 428-443	87
858	Genetics of Type 2 Diabetes in U.S. Hispanic/Latino Individuals: Results From the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). 2017 , 66, 1419-1425	40
857	Susceptibility to type 2 diabetes may be modulated by haplotypes in G6PC2, a target of positive selection. 2017 , 17, 43	9
856	Genetic evidence of a causal effect of insulin resistance on branched-chain amino acid levels. 2017 , 60, 873-878	79
855	A Mendelian randomization study of the effect of calcium on coronary artery disease, myocardial infarction and their risk factors. 2017 , 7, 42691	21
854	De novo RNA sequence assembly during in vivo inflammatory stress reveals hundreds of unannotated lincRNAs in human blood CD14 monocytes and in adipose tissue. 2017 , 49, 287-305	8
853	Missing heritability: is the gap closing? An analysis of 32 complex traits in the Lifelines Cohort Study. 2017 , 25, 877-885	43
852	Effect of handgrip on coronary artery disease and myocardial infarction: a Mendelian randomization study. 2017 , 7, 954	23
851	Glucose Homeostasis: Regulation by Peripheral Circadian Clocks in Rodents and Humans. 2017 , 158, 1074-1084	30
850	Adiposity amplifies the genetic risk of fatty liver disease conferred by multiple loci. <i>Nature Genetics</i> , 2017 , 49, 842-847	36.3 184
849	GCK, GCKR, FADS1, DGKB/TMEM195 and CDKAL1 Gene Polymorphisms in Women with Gestational Diabetes. 2017 , 41, 372-379	21
848	Thyroid Signaling, Insulin Resistance, and 2 Diabetes Mellitus: A Mendelian Randomization Study. 2017 , 102, 1960-1970	28
847	Interaction of insulin-like growth factor-I and insulin resistance-related genetic variants with lifestyle factors on postmenopausal breast cancer risk. 2017 , 164, 475-495	6
846	Variation in Maturity-Onset Diabetes of the Young Genes Influence Response to Interventions for Diabetes Prevention. 2017 , 102, 2678-2689	12

845	Differential expression analysis for RNAseq using Poisson mixed models. 2017 , 45, e106	44
844	The role of GLIS3 in thyroid disease as part of a multisystem disorder. 2017 , 31, 175-182	28
843	Human genetics as a model for target validation: finding new therapies for diabetes. 2017 , 60, 960-970	15
842	GENOME-WIDE INTERACTION WITH SELECTED TYPE 2 DIABETES LOCI REVEALS NOVEL LOCI FOR TYPE 2 DIABETES IN AFRICAN AMERICANS. 2017 , 22, 242-253	5
841	PCSK9 genetic variants and risk of type 2 diabetes: a mendelian randomisation study. 2017 , 5, 97-105	225
840	Association between copy-number variation on metabolic phenotypes and HDL-C levels in patients with polycystic ovary syndrome. 2017 , 44, 51-61	2
839	Potential regulatory mechanisms of lncRNA in diabetes and its complications. 2017 , 95, 361-367	46
838	Exploring the Causal Pathway From Telomere Length to Coronary Heart Disease: A Network Mendelian Randomization Study. 2017 , 121, 214-219	53
837	Ⓔ and Ⓔ long-chain PUFAs and their enzymatic metabolites in neovascular eye diseases. 2017 , 106, 16-26	37
836	The biomarker and causal roles of homoarginine in the development of cardiometabolic diseases: an observational and Mendelian randomization analysis. 2017 , 7, 1130	12
835	Genome-wide association study of 1,5-anhydroglucitol identifies novel genetic loci linked to glucose metabolism. 2017 , 7, 2812	16
834	Whole genome sequencing and imputation in isolated populations identify genetic associations with medically-relevant complex traits. 2017 , 8, 15606	60
833	An Expanded Genome-Wide Association Study of Type 2 Diabetes in Europeans. 2017 , 66, 2888-2902	414
832	GLIS3 rs7020673 and rs10758593 polymorphisms interact in the susceptibility for type 1 diabetes mellitus. 2017 , 54, 813-821	11
831	How Should We Think About the Role of the Brain in Glucose Homeostasis and Diabetes?. 2017 , 66, 1758-1765	27
830	Association analyses of East Asian individuals and trans-ancestry analyses with European individuals reveal new loci associated with cholesterol and triglyceride levels. 2017 , 26, 1770-1784	90
829	Genome-wide association study of iron traits and relation to diabetes in the Hispanic Community Health Study/Study of Latinos (HCHS/SOL): potential genomic intersection of iron and glucose regulation?. 2017 , 26, 1966-1978	16
828	Allele-specific quantitative proteomics unravels molecular mechanisms modulated by cis-regulatory PPARG locus variation. 2017 , 45, 3266-3279	5

827	MERTK rs4374383 variant predicts incident nonalcoholic fatty liver disease and diabetes: role of mononuclear cell activation and adipokine response to dietary fat. 2017 , 26, 1747-1758		15
826	Gamma-glutamyltransferase levels, prediabetes and type 2 diabetes: a Mendelian randomization study. 2017 , 46, 1400-1409		10
825	Susceptibility loci for metabolic syndrome and metabolic components identified in Han Chinese: a multi-stage genome-wide association study. 2017 , 21, 1106-1116		39
824	Multivariate simulation framework reveals performance of multi-trait GWAS methods. 2017 , 7, 38837		55
823	Genetically Driven Hyperglycemia Increases Risk of Coronary Artery Disease Separately From Type 2 Diabetes. 2017 , 40, 687-693		34
822	How Can Genetic Studies Help Us to Understand Links Between Birth Weight and Type 2 Diabetes?. 2017 , 17, 22		23
821	Emerging roles of GLIS3 in neonatal diabetes, type 1 and type 2 diabetes. 2017 , 58, R73-R85		31
820	Transcriptional architecture of the mammalian circadian clock. 2017 , 18, 164-179		989
819	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits. <i>Nature Genetics</i> , 2017 , 49, 274-281	36.3	182
818	Metabolic Response to Olanzapine in Healthy Chinese Subjects with rs7093146 Polymorphism in Transcription Factor 7-like 2 Gene (TCF7L2): A Prospective Study. 2017 , 120, 601-609		1
817	Disentangling the Role of Melatonin and its Receptor MTNR1B in Type 2 Diabetes: Still a Long Way to Go?. 2017 , 17, 122		18
816	Prediabetes in youth - mechanisms and biomarkers. 2017 , 1, 240-248		27
815	Local Genetic Correlation Gives Insights into the Shared Genetic Architecture of Complex Traits. 2017 , 101, 737-751		95
814	Complement C3 Associates With Incidence of Diabetes, but No Evidence of a Causal Relationship. 2017 , 102, 4477-4485		17
813	The Lymphatic Vasculature: Its Role in Adipose Metabolism and Obesity. 2017 , 26, 598-609		89
812	Melatonin, mitochondria, and the metabolic syndrome. 2017 , 74, 3941-3954		37
811	Shared Dysregulation of Homeostatic Brain-Body Pathways in Depression and Type 2 Diabetes. 2017 , 17, 90		13
810	An HDAC3-PROX1 corepressor module acts on HNF4 α to control hepatic triglycerides. 2017 , 8, 549		32

809	The role of glycaemic and lipid risk factors in mediating the effect of BMI on coronary heart disease: a two-step, two-sample Mendelian randomisation study. 2017 , 60, 2210-2220	38
808	Transethnic insight into the genetics of glycaemic traits: fine-mapping results from the Population Architecture using Genomics and Epidemiology (PAGE) consortium. 2017 , 60, 2384-2398	16
807	Association analysis of genetic variants with metabolic syndrome components in the Moroccan population. 2017 , 65, 121-125	10
806	Association of ANK1 variants with new-onset type 2 diabetes in a Han Chinese population from northeast China. 2017 , 14, 3184-3190	6
805	Evidence-based tailoring of bioinformatics approaches to optimize methods that predict the effects of nonsynonymous amino acid substitutions in glucokinase. 2017 , 7, 9499	9
804	Epidemiology in Germany-general development and personal experience. 2017 , 32, 635-656	1
803	Thyroid function and ischemic heart disease: a Mendelian randomization study. 2017 , 7, 8515	23
802	Genetic Associations with Gestational Duration and Spontaneous Preterm Birth. 2017 , 377, 1156-1167	183
801	Association of Genetic Variants Related to Serum Calcium Levels With Coronary Artery Disease and Myocardial Infarction. 2017 , 318, 371-380	81
800	Mechanisms of Type 2 Diabetes Risk Loci. 2017 , 17, 72	29
799	Genetic variants including markers from the exome chip and metabolite traits of type 2 diabetes. 2017 , 7, 6037	10
798	The pharmacogenetics of metformin. 2017 , 60, 1648-1655	46
797	Effect of sequence variants on variance in glucose levels predicts type 2 diabetes risk and accounts for heritability. <i>Nature Genetics</i> , 2017 , 49, 1398-1402	36.3 13
796	Fasting Glucose and the Risk of Depressive Symptoms: Instrumental-Variable Regression in the Cardiovascular Risk in Young Finns Study. 2017 , 24, 901-907	2
795	Variation in the β adrenergic receptor gene and risk of gestational diabetes. 2017 , 18, 1381-1386	9
794	Development of multivariable models to predict change in Body Mass Index within a clinical trial population of psychotic individuals. 2017 , 7, 14738	9
793	A variant in PPP4R3A protects against alzheimer-related metabolic decline. 2017 , 82, 900-911	7
792	Tau deletion promotes brain insulin resistance. 2017 , 214, 2257-2269	114

791	A Type 2 Diabetes-Associated Functional Regulatory Variant in a Pancreatic Islet Enhancer at the Locus. 2017 , 66, 2521-2530	37
790	PCR Technologies for Point of Care Testing: Progress and Perspectives. 2017 , 2, 876-891	77
789	Effect of genetic variants and traits related to glucose metabolism and their interaction with obesity on breast and colorectal cancer risk among postmenopausal women. 2017 , 17, 290	6
788	PROX1 gene CC genotype as a major determinant of early onset of type 2 diabetes in slavic study participants from Action in Diabetes and Vascular Disease: Preterax and Diamicron MR Controlled Evaluation study. 2017 , 35 Suppl 1, S24-S32	20
787	Type 2 diabetes, glucose, insulin, BMI, and ischemic stroke subtypes: Mendelian randomization study. 2017 , 89, 454-460	53
786	Clock Genes, Metabolism, and Cardiovascular Risk. 2017 , 13, 645-655	12
785	Single-cell transcriptomes identify human islet cell signatures and reveal cell-type-specific expression changes in type 2 diabetes. 2017 , 27, 208-222	254
784	Genetic association, mRNA and protein expression analysis identify ATG4C as a susceptibility gene for Kashin-Beck disease. 2017 , 25, 281-286	12
783	Differential Gene Dosage Effects of Diabetes-Associated Gene GLIS3 in Pancreatic β Cell Differentiation and Function. 2017 , 158, 9-20	14
782	The role of primary cilia in obesity and diabetes. 2017 , 1391, 71-84	23
781	LD Hub: a centralized database and web interface to perform LD score regression that maximizes the potential of summary level GWAS data for SNP heritability and genetic correlation analysis. 2017 , 33, 272-279	541
780	Hematopoietically expressed homeobox (HHEX) gene polymorphism (rs5015480) is associated with increased risk of gestational diabetes mellitus. 2017 , 91, 843-848	6
779	The Genetic Landscape of Renal Complications in Type 1 Diabetes. 2017 , 28, 557-574	69
778	Genomics of Type 2 Diabetes Mellitus and Glycemic Traits. 2017 , 17, 140-144	
777	Genetic aetiology of glycaemic traits: approaches and insights. 2017 , 26, R172-R184	8
776	Education and coronary heart disease: mendelian randomisation study. 2017 , 358, j3542	125
775	The Genetic Basis of Type 2 Diabetes in Hispanics and Latin Americans: Challenges and Opportunities. 2017 , 5, 329	18
774	Genome-wide copy number variation analysis identified deletions in SFMBT1 associated with fasting plasma glucose in a Han Chinese population. 2017 , 18, 591	7

773	Diabetes. 2017 , 245-282	1
772	Precision Nutrition and Omega-3 Polyunsaturated Fatty Acids: A Case for Personalized Supplementation Approaches for the Prevention and Management of Human Diseases. 2017 , 9,	58
771	Long Noncoding RNAs as Diagnostic and Therapeutic Targets in Type 2 Diabetes and Related Complications. 2017 , 8,	53
770	Type 1 Diabetes Candidate Genes Linked to Pancreatic Islet Cell Inflammation and Beta-Cell Apoptosis. 2017 , 8,	51
769	Pancreatic Islet Protein Complexes and Their Dysregulation in Type 2 Diabetes. 2017 , 8, 43	12
768	Association of Body Mass Index with DNA Methylation and Gene Expression in Blood Cells and Relations to Cardiometabolic Disease: A Mendelian Randomization Approach. 2017 , 14, e1002215	162
767	Zinc transporters and insulin resistance: therapeutic implications for type 2 diabetes and metabolic disease. 2017 , 24, 87	25
766	Identification and characterization of a FOXA2-regulated transcriptional enhancer at a type 2 diabetes intronic locus that controls GCKR expression in liver cells. 2017 , 9, 63	16
765	Genome-wide meta-analysis in Japanese populations identifies novel variants at the TMC6-TMC8 and SIX3-SIX2 loci associated with HbA. 2017 , 7, 16147	25
764	Unraveling the Myth of Foxa2 in Endocrine Formation of the Pancreatic Lineages. 2017 , 06,	
763	Genetics and Diabetes. 2017 , 659-675	
762	GLIS1-3: emerging roles in reprogramming, stem and progenitor cell differentiation and maintenance. 2017 , 4, 80	18
761	Progress in defining the genetic contribution to type 2 diabetes susceptibility. 2018 , 50, 41-51	15
760	Childhood BMI and Adult Type 2 Diabetes, Coronary Artery Diseases, Chronic Kidney Disease, and Cardiometabolic Traits: A Mendelian Randomization Analysis. 2018 , 41, 1089-1096	54
759	Clinical and biochemical approach to predicting post-pregnancy metabolic decompensation. 2018 , 145, 178-183	8
758	Genetic determinants of glycated hemoglobin levels in the Greenlandic Inuit population. 2018 , 26, 868-875	3
757	Genome-wide association study of offspring birth weight in 86 577 women identifies five novel loci and highlights maternal genetic effects that are independent of fetal genetics. 2018 , 27, 742-756	98
756	Combined Pancreatic Islet-Lung-Liver Transplantation in a Pediatric Patient with Cystic Fibrosis-Related Diabetes. 2018 , 90, 270-274	6

755	Etiology of type 2 diabetes and Alzheimer's disease: Exploring the mitochondria. 2018 , 43, 16-24	29
754	Implications of publicly available genomic data resources in searching for therapeutic targets of obesity and type 2 diabetes. 2018 , 50, 1-13	2
753	Genetic Variants in and Are Associated With Variation in Response to Metformin in Individuals With Type 2 Diabetes. 2018 , 67, 1428-1440	18
752	Arsenic-gene interactions and beta-cell function in the Strong Heart Family Study. 2018 , 348, 123-129	3
751	A Common Type 2 Diabetes Risk Variant Potentiates Activity of an Evolutionarily Conserved Islet Stretch Enhancer and Increases C2CD4A and C2CD4B Expression. 2018 , 102, 620-635	34
750	Regulatory variants at KLF14 influence type 2 diabetes risk via a female-specific effect on adipocyte size and body composition. <i>Nature Genetics</i> , 2018 , 50, 572-580	36.3 82
749	The Extending Spectrum of NPC1-Related Human Disorders: From Niemann-Pick C1 Disease to Obesity. 2018 , 39, 192-220	18
748	Untimely oxidative stress in β cells leads to diabetes - Role of circadian clock in β cell function. 2018 , 119, 69-74	18
747	Precision medicine in diabetes: an opportunity for clinical translation. 2018 , 1411, 140-152	22
746	Physiologic Interpretation of GWAS Signals for Type 2 Diabetes. 2018 , 1706, 323-351	1
745	The Emerging Role of Long Noncoding RNAs in Human Disease. 2018 , 1706, 91-110	108
744	Control of insulin secretion by GLP-1. 2018 , 100, 75-84	42
743	Carbazole-containing amides and ureas: Discovery of cryptochrome modulators as antihyperglycemic agents. 2018 , 28, 293-297	25
742	Bivariate Genome-Wide Association Study of Depressive Symptoms With Type 2 Diabetes and Quantitative Glycemic Traits. 2018 , 80, 242-251	15
741	Integrating genome-wide association study summaries and element-gene interaction datasets identified multiple associations between elements and complex diseases. 2018 , 42, 168-173	5
740	SRp55 Regulates a Splicing Network That Controls Human Pancreatic β Cell Function and Survival. 2018 , 67, 423-436	33
739	Genetic influence on the associations between IGF-I and glucose metabolism in a cohort of elderly twins. 2018 , 178, 153-161	2
738	Genetic Variation Augments Incretin Resistance and Influences Response to a Sulfonylurea and Metformin: The Study to Understand the Genetics of the Acute Response to Metformin and Glipizide in Humans (SUGAR-MGH). 2018 , 41, 554-561	27

737	Nutrigenetic variants and cardio-metabolic risk in women with or without gestational diabetes. 2018 , 137, 64-71	16
736	Type 2 Diabetes Genetic Risk Scores Are Associated With Increased Type 2 Diabetes Risk Among African Americans by Cardiometabolic Status. 2018 , 11, 1179551417748942	8
735	Interactions among the variants of insulin-related genes and nutrients increase the risk of type 2 diabetes. 2018 , 51, 82-92	22
734	Loss-of-function variants in ADCY3 increase risk of obesity and type 2 diabetes. <i>Nature Genetics</i> , 2018 , 50, 172-174	36.3 97
733	Metabolomics study on the association between nicotinamide N-methyltransferase gene polymorphisms and type 2 diabetes. 2018 , 38, 409-416	3
732	An overview of type 2 diabetes and importance of vitamin D3-vitamin D receptor interaction in pancreatic β cells. 2018 , 32, 429-443	18
731	Diet/lifestyle and risk of diabetes and glycemic traits: a Mendelian randomization study. 2018 , 17, 18	9
730	Allele-specific methylation in the genomic region in DNA from human saliva, CD4+ cells, and total leukocytes. 2018 , 10, 46	14
729	High-sensitivity C-reactive protein, low-grade systemic inflammation and type 2 diabetes mellitus: A two-sample Mendelian randomization study. 2018 , 28, 795-802	10
728	Genetic Determinants of Circulating Estrogen Levels and Evidence of a Causal Effect of Estradiol on Bone Density in Men. 2018 , 103, 991-1004	37
727	Genetic Drivers of Pancreatic Islet Function. 2018 , 209, 335-356	26
726	Association study of SREBF-2 gene polymorphisms and the risk of type 2 diabetes in a sample of Iranian population. 2018 , 660, 145-150	6
725	Statistical methods to detect novel genetic variants using publicly available GWAS summary data. 2018 , 74, 76-79	6
724	Blood Eosinophil Count and Metabolic, Cardiac and Pulmonary Outcomes: A Mendelian Randomization Study. 2018 , 21, 89-100	6
723	HDL Cholesterol, LDL Cholesterol, and Triglycerides as Risk Factors for CKD: A Mendelian Randomization Study. 2018 , 71, 166-172	59
722	Cohort Profile: The Oxford Biobank. 2018 , 47, 21-21g	24
721	Shared Genetic Control of Brain Activity During Sleep and Insulin Secretion: A Laboratory-Based Family Study. 2018 , 67, 155-164	1
720	Sugar-sweetened beverage intake associations with fasting glucose and insulin concentrations are not modified by selected genetic variants in a ChREBP-FGF21 pathway: a meta-analysis. 2018 , 61, 317-330	17

719	⚡ Fatty Acid Desaturase Impacts Metabolic Disease by Balancing Proinflammatory and Proresolving Lipid Mediators. 2018 , 38, 218-231	54
718	Causal effects of cardiovascular risk factors on onset of major age-related diseases: A time-to-event Mendelian randomization study. 2018 , 107, 74-86	11
717	Vitamin D receptor-targeted treatment to prevent pathological dedifferentiation of pancreatic β cells under hyperglycaemic stress. 2018 , 44, 269-280	12
716	Molecular genetics of the transcription factor GLIS3 identifies its dual function in beta cells and neurons. 2018 , 110, 98-111	12
715	Interrelationship of the rs7903146 TCF7L2 gene variant with measures of glucose metabolism and adiposity: The NEO study. 2018 , 28, 150-157	8
714	Genetically determined schizophrenia is not associated with impaired glucose homeostasis. 2018 , 195, 286-289	16
713	Vacuolar protein sorting 13C is a novel lipid droplet protein that inhibits lipolysis in brown adipocytes. 2018 , 7, 57-70	14
712	A genetic risk score for fasting plasma glucose is independently associated with arterial stiffness: a Mendelian randomization study. 2018 , 36, 809-814	18
711	Genetic Approaches to the Study of Gene Variants and Their Impact on the Pathophysiology of Type 2 Diabetes. 2018 , 56, 22-55	17
710	Genetic insights into fetal growth and measures of glycaemic regulation and adiposity in adulthood: a family-based study. 2018 , 19, 207	1
709	Associations between Aquaglyceroporin Gene Polymorphisms and Risk of Type 2 Diabetes Mellitus. 2018 , 2018, 8167538	5
708	Shared genetic risk contributes to type 1 and type 2 diabetes etiology. 2018 ,	27
707	Dissection of genetic variation and evidence for pleiotropy in male pattern baldness. 2018 , 9, 5407	37
706	An Enrichment Analysis for Cardiometabolic Traits Suggests Non-Random Assignment of Genes to microRNAs. 2018 , 19,	0
705	Genome-Wide Association Studies of Estimated Fatty Acid Desaturase Activity in Serum and Adipose Tissue in Elderly Individuals: Associations with Insulin Sensitivity. 2018 , 10,	12
704	Genetic Determinants of Glycemic Traits and the Risk of Gestational Diabetes Mellitus. 2018 , 67, 2703-2709	17
703	Issues in Defining the Burden of Prediabetes Globally. 2018 , 18, 105	6
702	Type 2 diabetes genetic loci informed by multi-trait associations point to disease mechanisms and subtypes: A soft clustering analysis. 2018 , 15, e1002654	180

701	Phenotype-Specific Enrichment of Mendelian Disorder Genes near GWAS Regions across 62 Complex Traits. 2018 , 103, 535-552	43
700	Central Circadian Clock Regulates Energy Metabolism. 2018 , 1090, 79-103	11
699	Association of common gene variants in glucokinase regulatory protein with cardiorenal disease: A systematic review and meta-analysis. 2018 , 13, e0206174	12
698	Ironing out the Details: Untangling Dietary Iron and Genetic Background in Diabetes. 2018 , 10,	11
697	Functional Variant in the GCKR Gene Affects Lactate Levels Differentially in the Fasting State and During Hyperglycemia. 2018 , 8, 15989	3
696	Genetic Variants Related to Cardiometabolic Traits Are Associated to B Cell Function, Insulin Resistance, and Diabetes Among American Indians: The Strong Heart Family Study. 2018 , 9, 466	4
695	An incoherent feed-forward loop switches the Arabidopsis clock rapidly between two hysteretic states. 2018 , 8, 13944	11
694	A Review of Data of Findings on Night Shift Work and the Development of DM and CVD Events: a Synthesis of the Proposed Molecular Mechanisms. 2018 , 18, 132	30
693	A genetic variant near adaptor-related protein complex 2 alpha 2 subunit gene is associated with coronary artery disease in a Chinese population. 2018 , 18, 161	2
692	Melatonin potentiates the effects of metformin on glucose metabolism and food intake in high-fat-fed rats. 2018 , 1, e00039	9
691	The Roles of 27 Genera of Human Gut Microbiota in Ischemic Heart Disease, Type 2 Diabetes Mellitus, and Their Risk Factors: A Mendelian Randomization Study. 2018 , 187, 1916-1922	40
690	Genetic risk score of common genetic variants for impaired fasting glucose and newly diagnosed type 2 diabetes influences oxidative stress. 2018 , 8, 7828	7
689	A joint view on genetic variants for adiposity differentiates subtypes with distinct metabolic implications. 2018 , 9, 1946	20
688	GLIS1-3 transcription factors: critical roles in the regulation of multiple physiological processes and diseases. 2018 , 75, 3473-3494	36
687	Genome-Wide Association Study of Serum Fructosamine and Glycated Albumin in Adults Without Diagnosed Diabetes: Results From the Atherosclerosis Risk in Communities Study. 2018 , 67, 1684-1696	12
686	Birth weight variants are associated with variable fetal intrauterine growth from 20 weeks of gestation. 2018 , 8, 8376	3
685	An adult-based insulin resistance genetic risk score associates with insulin resistance, metabolic traits and altered fat distribution in Danish children and adolescents who are overweight or obese. 2018 , 61, 1769-1779	8
684	Melatonin and cryptochrome 2 in metabolic syndrome patients with or without diabetes: a cross-sectional study. 2018 , 35,	4

683	Associations of Combined Genetic and Lifestyle Risks With Incident Cardiovascular Disease and Diabetes in the UK Biobank Study. 2018 , 3, 693-702	117
682	Using an atlas of gene regulation across 44 human tissues to inform complex disease- and trait-associated variation. <i>Nature Genetics</i> , 2018 , 50, 956-967	36.3 239
681	Drosophila Models to Investigate Insulin Action and Mechanisms Underlying Human Diabetes Mellitus. 2018 , 1076, 235-256	12
680	Advances in the Genetics of Youth-Onset Type 2 Diabetes. 2018 , 18, 57	15
679	Genetic polymorphism in ADRB-1 is associated with type 2 diabetes susceptibility in Iranian population. 2018 , 12, 171-174	1
678	Drosophila Models for Human Diseases. 2018 ,	6
677	Fast and Accurate Genome-Wide Association Test of Multiple Quantitative Traits. 2018 , 2018, 2564531	3
676	Genetic variants of gestational diabetes mellitus: a study of 112 SNPs among 8722 women in two independent populations. 2018 , 61, 1758-1768	50
675	Identification of four genes as novel susceptibility loci for early-onset type 2 diabetes mellitus, metabolic syndrome, or hyperuricemia. 2018 , 9, 21-36	6
674	A systematic review of non-genetic predictors and genetic factors of glycated haemoglobin in type 1 diabetes one year after diagnosis. 2018 , 34, e3051	5
673	Association of Native American ancestry and common variants in ACE, ADIPOR2, MTNR1B, GCK, TCF7L2 and FTO genes with glyceic traits in Colombian population. 2018 , 677, 198-210	6
672	Serum magnesium levels and risk of coronary artery disease: Mendelian randomisation study. 2018 , 16, 68	21
671	Rare Copy Number Variants in Array-Based Comparative Genomic Hybridization in Early-Onset Skeletal Fragility. 2018 , 9, 380	11
670	Scientific Contributions of Population-Based Studies to Cardiovascular Epidemiology in the GWAS Era. 2018 , 5, 57	2
669	Jointly Modelling Single Nucleotide Polymorphisms With Longitudinal and Time-to-Event Trait: An Application to Type 2 Diabetes and Fasting Plasma Glucose. 2018 , 9, 210	1
668	CTLA-4 +49 G/A, a functional T1D risk SNP, affects CTLA-4 level in Treg subsets and IA-2A positivity, but not beta-cell function. 2018 , 8, 10074	14
667	Altered Circadian Timing System-Mediated Non-Dipping Pattern of Blood Pressure and Associated Cardiovascular Disorders in Metabolic and Kidney Diseases. 2018 , 19,	18
666	The Emerging Role of Biomarkers in the Diagnosis of Gestational Diabetes Mellitus. 2018 , 7,	32

665	A coding and non-coding transcriptomic perspective on the genomics of human metabolic disease. 2018 , 46, 7772-7792	22
664	Identification and functional analysis of glycemic trait loci in the China Health and Nutrition Survey. 2018 , 14, e1007275	25
663	Discovery of a drug candidate for GLIS3-associated diabetes. 2018 , 9, 2681	28
662	Type 2 Diabetes Mellitus: Integrative Analysis of Multiomics Data for Biomarker Discovery. 2018 , 22, 514-523	31
661	Transcription factor 7-like 2 single nucleotide polymorphisms are associated with lipid profile in the Balinese. 2018 , 45, 1135-1143	5
660	Genetic susceptibility to pre diabetes mellitus and related association with obesity and physical fitness components in Mexican-Mestizos. 2018 , 12, 416-424	3
659	Genetics of Diabetes and Diabetic Complications. 2018 , 1-60	
658	Metabolic syndrome severity is significantly associated with future coronary heart disease in Type 2 diabetes. 2018 , 17, 17	27
657	Regulation of Insulin Receptor Pathway and Glucose Metabolism by CD36 Signaling. 2018 , 67, 1272-1284	26
656	The Polycystic Ovary Syndrome and the Metabolic Syndrome: A Possible Chronobiotic-Cytoprotective Adjuvant Therapy. 2018 , 2018, 1349868	21
655	Melatonin receptor 1B gene rs10830963 polymorphism, depressive symptoms and glycaemic traits. 2018 , 50, 704-712	3
654	Multivariate analysis of genomics data to identify potential pleiotropic genes for type 2 diabetes, obesity and dyslipidemia using Meta-CCA and gene-based approach. 2018 , 13, e0201173	8
653	Are serum concentrations of vitamin B-12 causally related to cardiometabolic risk factors and disease? A Mendelian randomization study. 2018 , 108, 398-404	15
652	Knockdown of Δ^5 Fatty Acid Desaturase Is More Than Just a Fad. 2018 , 38, 6-8	0
651	Admixture mapping and fine-mapping of type 2 diabetes susceptibility loci in African American women. 2018 , 63, 1109-1117	6
650	Cohort Profile: Genetics of Diabetes Audit and Research in Tayside Scotland (GoDARTS). 2018 , 47, 380-381j	37
649	Genomic insights into the causes of type 2 diabetes. 2018 , 391, 2463-2474	64
648	Identification of a microRNA signature associated with survivability in cervical squamous cell carcinoma. 2018 , 13, e0193625	7

647	Tissue-specific impact of FADS cluster variants on FADS1 and FADS2 gene expression. 2018 , 13, e0194610	20
646	A multilocus genetic risk score is associated with arterial stiffness in hypertensive patients: the CARE NORTH study. 2018 , 36, 1882-1888	3
645	Genetic Regulation of Plasma Lipid Species and Their Association with Metabolic Phenotypes. 2018 , 6, 709-721.e6	31
644	The combined effects of FADS gene variation and dietary fats in obesity-related traits in a population from the far north of Sweden: the GLACIER Study. 2019 , 43, 808-820	8
643	Genome-Wide Association Study of Metabolic Syndrome Reveals Primary Genetic Variants at Locus in Indians. 2019 , 9,	8
642	Alkylglycerol monooxygenase, a heterotaxy candidate gene, regulates left-right patterning via Wnt signaling. 2019 , 456, 1-7	4
641	Powerful statistical method to detect disease-associated genes using publicly available genome-wide association studies summary data. 2019 , 43, 941-951	5
640	Sequencing reveals protective and pathogenic effects on development of diabetes of rare GLIS3 variants. 2019 , 14, e0220805	2
639	The proposed systemic thermogenic metabolites succinate and 12,13-diHOME are inversely associated with adiposity and related metabolic traits: evidence from a large human cross-sectional study. 2019 , 62, 2079-2087	21
638	ZRANB3 is an African-specific type 2 diabetes locus associated with beta-cell mass and insulin response. 2019 , 10, 3195	46
637	Causal Association Between Birth Weight and Adult Diseases: Evidence From a Mendelian Randomization Analysis. 2019 , 10, 618	24
636	Contemplating the role of genetic variants of HHEX, CDKAL1, WFS1 and SLC30A8 genes of TYPE-2 diabetes in Asians ethnic groups. 2019 , 17, 100465	4
635	A Phenome-Wide Mendelian Randomization Study of Pancreatic Cancer Using Summary Genetic Data. 2019 , 28, 2070-2078	17
634	Maternal and Post-weaning High-Fat Diets Produce Distinct DNA Methylation Patterns in Hepatic Metabolic Pathways within Specific Genomic Contexts. 2019 , 20,	7
633	Genome-wide Association Study of Change in Fasting Glucose over time in 13,807 non-diabetic European Ancestry Individuals. 2019 , 9, 9439	3
632	Macrophage fatty acid metabolism and atherosclerosis: The rise of PUFAs. 2019 , 291, 52-61	15
631	Circulating vitamin E and cardiometabolic measures: a Mendelian randomization analysis. 2019 , 65, 160-169	2
630	Bayesian multivariate reanalysis of large genetic studies identifies many new associations. 2019 , 15, e1008431	5

629	Gene-diet quality interactions on haemoglobin A1c and type 2 diabetes risk: The Airwave Health Monitoring Study. 2019 , 2, e00074	5
628	Disentangling the genetics of lean mass. 2019 , 109, 276-287	24
627	Genome-Wide Association Studies. 2019 ,	0
626	Nutrigenomics and personalized nutrition for the prevention of hyperglycemia and type 2 diabetes mellitus. 2019 , 339-352	1
625	Regulation of glucose and lipid metabolism in health and disease. 2019 , 62, 1420-1458	65
624	HOPS: a quantitative score reveals pervasive horizontal pleiotropy in human genetic variation is driven by extreme polygenicity of human traits and diseases. 2019 , 20, 222	25
623	Maternal and Offspring Genetic Risk of Type 2 Diabetes and Offspring Birthweight Among African Ancestry Populations. 2019 , 104, 5032-5042	3
622	In search of causal pathways in diabetes: a study using proteomics and genotyping data from a cross-sectional study. 2019 , 62, 1998-2006	10
621	A Polygenic Lipodystrophy Genetic Risk Score Characterizes Risk Independent of BMI in the Diabetes Prevention Program. 2019 , 3, 1663-1677	6
620	From Pre-Diabetes to Diabetes: Diagnosis, Treatments and Translational Research. 2019 , 55,	66
619	Circulating Vitamin E Levels and Risk of Coronary Artery Disease and Myocardial Infarction: A Mendelian Randomization Study. 2019 , 11,	25
618	Association of Birth Weight With Type 2 Diabetes and Glycemic Traits: A Mendelian Randomization Study. 2019 , 2, e1910915	14
617	Identification of <i>TCF7L2</i> as a human diabetes susceptibility gene with a role in β -cell insulin secretion. 2019 , 116, 20033-20042	15
616	Using metabolite profiling to construct and validate a metabolite risk score for predicting future weight gain. 2019 , 14, e0222445	3
615	Genetic Prediction of Serum 25-Hydroxyvitamin D, Calcium, and Parathyroid Hormone Levels in Relation to Development of Type 2 Diabetes: A Mendelian Randomization Study. 2019 , 42, 2197-2203	19
614	A Nonradioactive High-Throughput Screening-Compatible Cell-Based Assay to Identify Inhibitors of the Monocarboxylate Transporter Protein 1. 2019 , 17, 275-284	8
613	Newly identified set of obesity-related genotypes and abdominal fat influence the risk of insulin resistance in a Korean population. 2019 , 95, 488-495	5
612	The Role of Pharmacogenomics in Diabetes. 2019 , 247-269	

611	GARFIELD classifies disease-relevant genomic features through integration of functional annotations with association signals. <i>Nature Genetics</i> , 2019 , 51, 343-353	36.3	71
610	Identification of 12 genetic loci associated with human healthspan. 2019 , 2, 41		49
609	Polyunsaturated Fatty Acid Desaturation Is a Mechanism for Glycolytic NAD Recycling. 2019 , 29, 856-870.e7		42
608	Obesity genetics and cardiometabolic health: Potential for risk prediction. 2019 , 21, 1088-1100		11
607	Genetic Determinants of Glycated Hemoglobin in Type 1 Diabetes. 2019 , 68, 858-867		7
606	Influence of Genetic and Non-Genetic Risk Factors for Serum Uric Acid Levels and Hyperuricemia in Mexicans. 2019 , 11,		16
605	Neutrophil GM-CSF signaling in inflammatory bowel disease patients is influenced by non-coding genetic variants. 2019 , 9, 9168		2
604	Contribution of Gene Regulatory Networks to Heritability of Coronary Artery Disease. 2019 , 73, 2946-2957		28
603	Causal Effects of Genetically Predicted Cardiovascular Risk Factors on Chronic Kidney Disease: A Two-Sample Mendelian Randomization Study. 2019 , 10, 415		16
602	The impact of GDF-15, a biomarker for metformin, on the risk of coronary artery disease, breast and colorectal cancer, and type 2 diabetes and metabolic traits: a Mendelian randomisation study. 2019 , 62, 1638-1646		24
601	Targeting BCAA Catabolism to Treat Obesity-Associated Insulin Resistance. 2019 , 68, 1730-1746		100
600	Assessment of Causal Direction Between Gut Microbiota-Dependent Metabolites and Cardiometabolic Health: A Bidirectional Mendelian Randomization Analysis. 2019 , 68, 1747-1755		50
599	An integrative cross-omics analysis of DNA methylation sites of glucose and insulin homeostasis. 2019 , 10, 2581		31
598	Integrative analysis of Dupuytren's disease identifies novel risk locus and reveals a shared genetic etiology with BMI. 2019 , 43, 629-645		8
597	Liver Function and Risk of Type 2 Diabetes: Bidirectional Mendelian Randomization Study. 2019 , 68, 1681-1691	36	
596	Mendelian randomization evaluation of causal effects of fibrinogen on incident coronary heart disease. 2019 , 14, e0216222		11
595	The Association between Habitual Sleep Duration and Sleep Quality with Glycemic Traits: Assessment by Cross-Sectional and Mendelian Randomization Analyses. 2019 , 8,		5
594	Contributions of Mitochondrial Dysfunction to Cell Failure in Diabetes Mellitus. 2019 , 217-243		2

593	Genome-wide association study of type 2 diabetes in Africa. 2019 , 62, 1204-1211	36
592	The Type 2 Diabetes Susceptibility PROX1 Gene Variants Are Associated with Postprandial Plasma Metabolites Profile in Non-Diabetic Men. 2019 , 11,	9
591	DNA Methylation of Five Core Circadian Genes Jointly Contributes to Glucose Metabolism: A Gene-Set Analysis in Monozygotic Twins. 2019 , 10, 329	14
590	Shared genetic underpinnings of childhood obesity and adult cardiometabolic diseases. 2019 , 13, 17	9
589	Noncoding Variations in the Gene Encoding Ceramide Synthase 6 are Associated with Type 2 Diabetes in a Large Indigenous Australian Pedigree. 2019 , 22, 79-87	1
588	Pleiotropy informed adaptive association test of multiple traits using genome-wide association study summary data. 2019 , 75, 1076-1085	5
587	Association of IRS1 genetic variants with glucose control and insulin resistance in type 2 diabetic patients from Bosnia and Herzegovina. 2019 , 34,	8
586	Effects of variants of 50 genes on diabetes risk among the Chinese population born in the early 1960s. 2019 , 11, 857-868	2
585	Causal Associations in Type 2 Diabetes Development. 2019 , 104, 1313-1324	5
584	deTS: tissue-specific enrichment analysis to decode tissue specificity. 2019 , 35, 3842-3845	24
583	The Genetic Basis of Metabolic Disease. 2019 , 177, 146-161	51
582	Genetic overlap between birthweight and adult cardiometabolic diseases has implications for genomic medicine. 2019 , 9, 4076	3
581	Laser capture microdissection of human pancreatic islets reveals novel eQTLs associated with type 2 diabetes. 2019 , 24, 98-107	14
580	Insulin resistance: Genetic associations with depression and cognition in population based cohorts. 2019 , 316, 20-26	7
579	Dissecting the association of autophagy-related genes with cardiovascular diseases and intermediate vascular traits: A population-based approach. 2019 , 14, e0214137	9
578	Off the Clock: From Circadian Disruption to Metabolic Disease. 2019 , 20,	55
577	Heterogeneous impact of type 2 diabetes mellitus-related genetic variants on gestational glycaemic traits: review and future research needs. 2019 , 294, 811-847	5
576	Genetic polymorphisms associated with type 2 diabetes in the Arab world: A systematic review and meta-analysis. 2019 , 151, 198-208	9

575	Functional and structural analysis of rare SLC2A2 variants associated with Fanconi-Bickel syndrome and metabolic traits. 2019 , 40, 983-995	6
574	Fatty Acid Desaturation Gets a NAD Reputation. 2019 , 29, 790-792	1
573	A Perception on Genome-Wide Genetic Analysis of Metabolic Traits in Arab Populations. 2019 , 10, 8	10
572	Diurnal rhythms in the white adipose tissue transcriptome are disturbed in obese individuals with type 2 diabetes compared with lean control individuals. 2019 , 62, 704-716	32
571	Lean mass, grip strength and risk of type 2 diabetes: a bi-directional Mendelian randomisation study. 2019 , 62, 789-799	37
570	Shared genetic architecture between metabolic traits and Alzheimer's disease: a large-scale genome-wide cross-trait analysis. 2019 , 138, 271-285	23
569	Phylogenetic Reclassification of Vertebrate Melatonin Receptors To Include Mel1d. 2019 , 9, 3225-3238	4
568	Cardiac SNARE Expression in Health and Disease. 2019 , 10, 881	4
567	Childhood obesity leads to adult type 2 diabetes and coronary artery diseases: A 2-sample mendelian randomization study. 2019 , 98, e16825	31
566	Genetic correlations of psychiatric traits with body composition and glycemic traits are sex- and age-dependent. 2019 , 10, 5765	25
565	Pancreatic Islet Transcriptional Enhancers and Diabetes. 2019 , 19, 145	0
564	SNP-Based Genetic Risk Score Modeling Suggests No Increased Genetic Susceptibility of the Roma Population to Type 2 Diabetes Mellitus. 2019 , 10,	15
563	Fatty acids getting NAD+ about cardiometabolic diseases. 2019 , 30, 486-487	
562	DNA Methylation and Type 2 Diabetes: the Use of Mendelian Randomization to Assess Causality. 2019 , 7, 191-207	5
561	Genetics-driven discovery of novel regulators of lipid metabolism. 2019 , 30, 157-164	3
560	Powerful and efficient SNP-set association tests across multiple phenotypes using GWAS summary data. 2019 , 35, 1366-1372	5
559	Sleep duration and risk of diabetes: Observational and Mendelian randomization studies. 2019 , 119, 24-30	15
558	Associations of Mitochondrial and Nuclear Mitochondrial Variants and Genes with Seven Metabolic Traits. 2019 , 104, 112-138	54

557	Trans-ethnic kidney function association study reveals putative causal genes and effects on kidney-specific disease aetiologies. 2019 , 10, 29	51
556	The Association of Polyunsaturated Fatty Acid Δ 5-Desaturase Activity with Risk Factors for Type 2 Diabetes Is Dependent on Plasma ApoB-Lipoproteins in Overweight and Obese Adults. 2019 , 149, 57-67	5
555	DNA Sequence Variation in Encoding the Activin Receptor-Like Kinase 7 Influences Body Fat Distribution and Protects Against Type 2 Diabetes. 2019 , 68, 226-234	12
554	Integrate multiple traits to detect novel trait-gene association using GWAS summary data with an adaptive test approach. 2019 , 35, 2251-2257	10
553	An in vivo screen for neuronal genes involved in obesity identifies Diacylglycerol kinase as a regulator of insulin secretion. 2019 , 19, 13-23	1
552	Genetic polymorphisms associated with pediatric-onset type 2 diabetes: A family-based transmission disequilibrium test and case-control study. 2019 , 20, 239-245	3
551	Circadian oscillations of cytosine modification in humans contribute to epigenetic variability, aging, and complex disease. 2019 , 20, 2	19
550	No clinical utility of common polymorphisms in IGF1, IRS1, GCKR, PPARG, GCK1 and KCTD1 genes previously associated with insulin resistance in overweight children from Romania and Moldova. 2019 , 32, 33-39	2
549	Cardiometabolic Polygenic Risk Scores and Osteoarthritis Outcomes: A Mendelian Randomization Study Using Data From the MalmöDiet and Cancer Study and the UK Biobank. 2019 , 71, 925-934	14
548	Inflammatory response to dietary linoleic acid depends on FADS1 genotype. 2019 , 109, 165-175	33
547	Genetic Polymorphisms and Zinc Status: Implications for Supplementation in Metabolic Diseases. 2018 , 24, 4131-4143	2
546	Established and emerging strategies to crack the genetic code of obesity. 2019 , 20, 212-240	17
545	Deciphering Cardiovascular Genomics and How They Apply to Cardiovascular Disease Prevention. 2019 , 99-111	
544	Circadian clocks and insulin resistance. 2019 , 15, 75-89	223
543	Pharmacogenetics of type 2 diabetes mellitus, the route toward tailored medicine. 2019 , 35, e3109	34
542	The SLC transporter in nutrient and metabolic sensing, regulation, and drug development. 2019 , 11, 1-13	74
541	Lifestyle genomics and the metabolic syndrome: A review of genetic variants that influence response to diet and exercise interventions. 2019 , 59, 2028-2039	18
540	Diabetes and cancer risk: A Mendelian randomization study. 2020 , 146, 712-719	14

539	Negative Effects of Age at Menarche on Risk of Cardiometabolic Diseases in Adulthood: A Mendelian Randomization Study. 2020 , 105,	8
538	Recent Insights Into Mechanisms of ECell Lipo- and Glucolipotoxicity in Type 2 Diabetes. 2020 , 432, 1514-1534	77
537	The Developmental Origins of Health and Disease. 2020 , 572-579.e2	
536	CNV Association of Diverse Clinical Phenotypes from eMERGE reveals novel disease biology underlying cardiovascular disease. 2020 , 298, 107-113	2
535	Mediterranean Diet Adherence Modulates Anthropometric Measures by TCF7L2 Genotypes among Puerto Rican Adults. 2020 , 150, 167-175	8
534	Genetic Modifiers of Cystic Fibrosis-Related Diabetes Have Extensive Overlap With Type 2 Diabetes and Related Traits. 2020 , 105,	16
533	Shared genetic and experimental links between obesity-related traits and asthma subtypes in UK Biobank. 2020 , 145, 537-549	70
532	Association of genetic variants related to plasma fatty acids with type 2 diabetes mellitus and glycaemic traits: a Mendelian randomisation study. 2020 , 63, 116-123	14
531	Schizophrenia, Bipolar Disorder, and Alzheimer's Disease are not Causal Factors of Bone Mineral Density: A Mendelian Randomization Analysis. 2020 , 106, 131-146	2
530	Weighting approaches for a genetic risk score and an oxidative stress score for predicting the incidence of obesity. 2020 , 36, e3230	3
529	The role of genetics and epigenetics in the pathogenesis of gestational diabetes mellitus. 2020 , 84, 114-124	17
528	Genome-wide association studies for the concentrations of insulin, triiodothyronine, and thyroxine in Chinese Holstein cattle. 2020 , 52, 1655-1660	0
527	General regression model: A "model-free" association test for quantitative traits allowing to test for the underlying genetic model. 2020 , 84, 280-290	
526	Genetic variants that associate with cirrhosis have pleiotropic effects on human traits. 2020 , 40, 405-415	22
525	Prevention of Potential Adverse Metabolic Effects of a Supplementation with Omega-3 Fatty Acids Using a Genetic Score Approach. 2020 , 13, 32-42	3
524	Assessment of Type 2 Diabetes Genetic Risk Modification by Shift Work and Morningness-Eveningness Preference in the UK Biobank. 2020 , 69, 259-266	3
523	Basal leakage in oscillation: Coupled transcriptional and translational control using feed-forward loops. 2020 , 16, e1007740	0
522	Plasmalogens, platelet-activating factor and beyond - Ether lipids in signaling and neurodegeneration. 2020 , 145, 105061	27

521	The Variant rs1784042 of the Gene is Associated with Metabolic Syndrome through Low HDL-c Levels in a Mexican Population. 2020 , 11,	0
520	Genetics of height and risk of atrial fibrillation: A Mendelian randomization study. 2020 , 17, e1003288	15
519	Transcription factor GLIS3: Critical roles in thyroid hormone biosynthesis, hypothyroidism, pancreatic beta cells and diabetes. 2020 , 215, 107632	12
518	The role of DNA methylation in the pathogenesis of type 2 diabetes mellitus. 2020 , 12, 104	17
517	Genetic influence on the metabolome. 2020 , 105-121	
516	Analysis of the interaction effect of 48 SNPs and obesity on type 2 diabetes in Chinese Hans. 2020 , 8,	1
515	The role of cortisol in ischemic heart disease, ischemic stroke, type 2 diabetes, and cardiovascular disease risk factors: a bi-directional Mendelian randomization study. 2020 , 18, 363	7
514	Analysis of Glucocorticoid-Related Genes Reveal as a New Candidate Gene for Type 2 Diabetes. 2020 , 4, bvaa121	2
513	Genetic Studies of Gestational Diabetes and Glucose Metabolism in Pregnancy. 2020 , 20, 69	13
512	Glucose metabolism-related gene polymorphisms as the risk predictors of type 2 diabetes. 2020 , 12, 97	7
511	Using genetics to decipher the link between type 2 diabetes and cancer: shared aetiology or downstream consequence?. 2020 , 63, 1706-1717	7
510	Type 2 diabetes susceptibility genes on mouse chromosome 11 under high sucrose environment. 2020 , 21, 81	1
509	Causal Pathways from Body Components and Regional Fat to Extensive Metabolic Phenotypes: A Mendelian Randomization Study. 2020 , 28, 1536-1549	6
508	Multi-layered epigenetic regulation of IRS2 expression in the liver of obese individuals with type 2 diabetes. 2020 , 63, 2182-2193	12
507	Exon sequencing mutation detection algorithm based on PCR matching. 2020 , 15, e0236709	1
506	Integrating Genetics and the Plasma Proteome to Predict the Risk of Type 2 Diabetes. 2020 , 20, 60	1
505	Adrenergic Disruption of Cell BDNF-TrkB Receptor Tyrosine Kinase Signaling. 2020 , 8, 576396	2
504	Is Vital for Renal Function in Fruit Flies and Membrane Potential in Cells: A First In-Depth Characterization of the Putative Solute Carrier UNC93A. 2020 , 8, 580291	1

503	The metabolic footprint of compromised insulin sensitivity under fasting and hyperinsulinemic-euglycemic clamp conditions in an Arab population. 2020 , 10, 17164	0
502	TBC1D1 interacting proteins, VPS13A and VPS13C, regulate GLUT4 homeostasis in C2C12 myotubes. 2020 , 10, 17953	0
501	Fanconi-Bickel Syndrome: A Review of the Mechanisms That Lead to Dysglycaemia. 2020 , 21,	12
500	Validating a non-invasive, ALT-based non-alcoholic fatty liver phenotype in the million veteran program. 2020 , 15, e0237430	5
499	Human and molecular genetics shed lights on fatty liver disease and diabetes conundrum. 2020 , 3, e00179	5
498	The GTEx Consortium atlas of genetic regulatory effects across human tissues. 2020 , 369, 1318-1330	589
497	Genetic Predisposition to Coronary Artery Disease in Type 2 Diabetes Mellitus. 2020 , 13, e002769	1
496	Association of genetically predicted blood sucrose with coronary heart disease and its risk factors in Mendelian randomization. 2020 , 10, 21588	
495	Probabilistic Estimation of Identity by Descent Segment Endpoints and Detection of Recent Selection. 2020 , 107, 895-910	4
494	Association of physical activity and sedentary behavior with type 2 diabetes and glycemic traits: a two-sample Mendelian randomization study. 2020 , 8,	3
493	Functional Genomics in Pancreatic β Cells: Recent Advances in Gene Deletion and Genome Editing Technologies for Diabetes Research. 2020 , 11, 576632	7
492	Genetic Risk Scores for Complex Disease Traits in Youth. 2020 , 13, e002775	4
491	A fast and powerful eQTL weighted method to detect genes associated with complex trait using GWAS summary data. 2020 , 44, 550-563	3
490	Shared genetic architecture and casual relationship between leptin levels and type 2 diabetes: large-scale cross-trait meta-analysis and Mendelian randomization analysis. 2020 , 8,	8
489	The Role of Lymphatic Vascular Function in Metabolic Disorders. 2020 , 11, 404	13
488	Identification of type 2 diabetes loci in 433,540 East Asian individuals. 2020 , 582, 240-245	89
487	Mendelian randomization analysis does not support causal associations of birth weight with hypertension risk and blood pressure in adulthood. 2020 , 35, 685-697	2
486	Genetic predisposition in type 2 diabetes: A promising approach toward a personalized management of diabetes. 2020 , 98, 525-547	16

485	Smoking-by-genotype interaction in type 2 diabetes risk and fasting glucose. 2020 , 15, e0230815	4
484	Cellular effects and clinical implications of SLC2A3 copy number variation. 2020 , 235, 9021-9036	12
483	Pancreatic β cells in type 1 and type 2 diabetes mellitus: different pathways to failure. 2020 , 16, 349-362	132
482	Skeletal muscle enhancer interactions identify genes controlling whole-body metabolism. 2020 , 11, 2695	14
481	Hepatic NADH reductive stress underlies common variation in metabolic traits. 2020 , 583, 122-126	44
480	Glucose transporter 10 modulates adipogenesis via an ascorbic acid-mediated pathway to protect mice against diet-induced metabolic dysregulation. 2020 , 16, e1008823	1
479	Genetics of type 2 diabetes and coronary artery disease and their associations with twelve cardiometabolic traits in the United Arab Emirates population. 2020 , 750, 144722	2
478	Fine-tuning of Genome-Wide Polygenic Risk Scores and Prediction of Gestational Diabetes in South Asian Women. 2020 , 10, 8941	10
477	Phenotypic and Genetic Characterization of Lower LDL Cholesterol and Increased Type 2 Diabetes Risk in the UK Biobank. 2020 , 69, 2194-2205	13
476	Genetic hypothesis for the developmental origins of health and disease theory. 2020 , 3, 36-43	1
475	IGF-1 and cardiometabolic diseases: a Mendelian randomisation study. 2020 , 63, 1775-1782	14
474	Metabolomic and genetic associations with insulin resistance in pregnancy. 2020 , 63, 1783-1795	7
473	Effects of Adiponectin on T2DM and Glucose Homeostasis: A Mendelian Randomization Study. 2020 , 13, 1771-1784	7
472	Multi-Omics Analysis Reveals MicroRNAs Associated With Cardiometabolic Traits. 2020 , 11, 110	10
471	Impact of glucose on risk of dementia: Mendelian randomisation studies in 115,875 individuals. 2020 , 63, 1151-1161	13
470	Causal relationships between NAFLD, T2D and obesity have implications for disease subphenotyping. 2020 , 73, 263-276	43
469	A gene-diet interaction-based score predicts response to dietary fat in the Women's Health Initiative. 2020 , 111, 893-902	2
468	Identification of 20 novel loci associated with ischaemic stroke. Epigenome-wide association study. 2020 , 15, 988-997	9

467	Transcription Factor RREB1: from Target Genes towards Biological Functions. 2020 , 16, 1463-1473	14
466	Common genetic variants in ADCY5 and gestational glyceic traits. 2020 , 15, e0230032	4
465	Glucose transporters in adipose tissue, liver, and skeletal muscle in metabolic health and disease. 2020 , 472, 1273-1298	63
464	Causal Effects of Overall and Abdominal Obesity on Insulin Resistance and the Risk of Type 2 Diabetes Mellitus: A Two-Sample Mendelian Randomization Study. 2020 , 11, 603	6
463	Cell Fate Determination of Lymphatic Endothelial Cells. 2020 , 21,	3
462	Genetic variants in FADS1 and ELOVL2 increase level of arachidonic acid and the risk of Alzheimer's disease in the Tunisian population. 2020 , 160, 102159	5
461	The VDAC1-based R-Tf-D-LP4 Peptide as a Potential Treatment for Diabetes Mellitus. 2020 , 9,	7
460	Epigenetics and Acquired Predisposition to Metabolic Disease. 2019 , 10, 1270	12
459	Heritability of Curve Patterns in Oral Glucose Tolerance Test. 2020 , 23, 39-44	3
458	Genome-wide meta-analysis associates GPSM1 with type 2 diabetes, a plausible gene involved in skeletal muscle function. 2020 , 65, 411-420	3
457	From Genetic Association to Molecular Mechanisms for Islet-cell Dysfunction in Type 2 Diabetes. 2020 , 432, 1551-1578	16
456	Glucose-6-Phosphate Upregulates Txnip Expression by Interacting With MondoA. 2019 , 6, 147	0
455	Heterogeneity in Obesity: Genetic Basis and Metabolic Consequences. 2020 , 20, 1	12
454	Aifm2, a NADH Oxidase, Supports Robust Glycolysis and Is Required for Cold- and Diet-Induced Thermogenesis. 2020 , 77, 600-617.e4	29
453	Candidate Regulators of Dyslipidemia in Chromosome 1 Substitution Lines Using Liver Co-Expression Profiling Analysis. 2019 , 10, 1258	0
452	Biological Role of Unsaturated Fatty Acid Desaturases in Health and Disease. 2020 , 12,	21
451	MTNR1B common genetic variant is associated with type 2 diabetes mellitus risk. 2020 , 20, 100695	2
450	Common variation at 16p11.2 is associated with glycosuria in pregnancy: findings from a genome-wide association study in European women. 2020 , 29, 2098-2106	0

449	Genetic Susceptibility to Gestational Diabetes Mellitus in a Chinese Population. 2020 , 11, 247	9
448	Functional Interactomes of Genes Showing Association with Type-2 Diabetes and Its Intermediate Phenotypic Traits Point towards Adipo-Centric Mechanisms in Its Pathophysiology. 2020 , 10,	1
447	Diabetes and Genetics: A Relationship Between Genetic Risk Alleles, Clinical Phenotypes and Therapeutic Approaches. 2021 , 1307, 457-498	6
446	Insulin resistance and obesity. 2020 , 1-70	
445	The Contribution of the Framingham Heart Study to Gene Identification for Cardiovascular Risk Factors and Coronary Heart Disease. 2013 , 8, 59-65	2
444	The apoptosis-inducing factor family: Moonlighting proteins in the crosstalk between mitochondria and nuclei. 2021 , 73, 568-581	3
443	Genetic variation in the body mass index of adult survivors of childhood acute lymphoblastic leukemia: A report from the Childhood Cancer Survivor Study and the St. Jude Lifetime Cohort. 2021 , 127, 310-318	4
442	Investigating the causal effect of fibroblast growth factor 23 on osteoporosis and cardiometabolic disorders: A Mendelian randomization study. 2021 , 143, 115777	2
441	Altered circadian dynamics of Per2 after cystathionine-β-synthase and/or cystathionine-β-lyase pharmacological inhibition in serum-shocked NIH-3T3 cells. 2021 , 697, 108713	0
440	Modeling different types of diabetes using human pluripotent stem cells. 2021 , 78, 2459-2483	8
439	Predicting regulatory variants using a dense epigenomic mapped CNN model elucidated the molecular basis of trait-tissue associations. 2021 , 49, 53-66	5
438	A Noncoding Variant Near PPP1R3B Promotes Liver Glycogen Storage and MetS, but Protects Against Myocardial Infarction. 2021 , 106, 372-387	3
437	A Polygenic Score for Type 2 Diabetes Risk Is Associated With Both the Acute and Sustained Response to Sulfonylureas. 2021 , 70, 293-300	5
436	Molecular evolution of melatonin receptor genes (mtnr) in vertebrates and its shedding light on mtnr1c. 2021 , 769, 145256	1
435	Influence of genetic variants in FADS2 and ELOVL2 genes on BMI and PUFAs homeostasis in children and adolescents with obesity. 2021 , 45, 56-65	4
434	PLEIO: a method to map and interpret pleiotropic loci with GWAS summary statistics. 2021 , 108, 36-48	2
433	Common Variants Associated to Type 2 Diabetes in the Italian Population. 2021 , 11, 24-42	1
432	Sex-dimorphic genetic effects and novel loci for fasting glucose and insulin variability. 2021 , 12, 24	30

431	What Have We Learned from GWAS?. 2021 , 159-183	
430	Whole Genome Sequence Association Analysis of Fasting Glucose and Fasting Insulin Levels in Diverse Cohorts from the NHLBI TOPMed Program.	
429	Identifying Shared Risk Genes between Nonalcoholic Fatty Liver Disease and Metabolic Traits by Cross-Trait Association Analysis. 2021 , 9, 107	
428	An integrated approach to identify environmental modulators of genetic risk factors for complex traits.	0
427	Pancreatic progenitor epigenome maps prioritize type 2 diabetes risk genes with roles in development. 2021 , 10,	5
426	DNA methylation of blood cells is associated with prevalent type 2 diabetes in a meta-analysis of four European cohorts. 2021 , 13, 40	8
425	GCKR common functional polymorphisms are associated with metabolic syndrome and its components: a 10-year retrospective cohort study in Iranian adults. 2021 , 13, 20	2
424	A fast and efficient colocalization algorithm for identifying shared genetic risk factors across multiple traits. 2021 , 12, 764	27
423	Analysis of Evolution and Ethnic Diversity at Glucose-Associated SNPs of Circadian Clock-Related Loci with Cryptochrome 1, Cryptochrome 2, and Melatonin receptor 1B. 2021 , 59, 1173-1184	2
422	When the genome bluffs: a tandem duplication event during generation of a novel Agmo knockout mouse model fools routine genotyping. 2021 , 11, 54	5
421	Loss of Znt8 function in diabetes mellitus: risk or benefit?. 2021 , 476, 2703-2718	2
420	Impact of high glucose levels and glucose lowering on risk of ischaemic stroke: a Mendelian randomisation study and meta-analysis. 2021 , 64, 1492-1503	3
419	Homozygous variant in MADD, encoding a Rab guanine nucleotide exchange factor, results in pleiotropic effects and a multisystemic disorder. 2021 , 29, 977-987	2
418	Mendelian pathway analysis of laboratory traits reveals distinct roles for ciliary subcompartments in common disease pathogenesis. 2021 , 108, 482-501	1
417	Adipocyte precursor cells from first degree relatives of type 2 diabetic patients feature changes in hsa-mir-23a-5p, -193a-5p, and -193b-5p and insulin-like growth factor 2 expression. 2021 , 35, e21357	1
416	Causal effect of education on type 2 diabetes: A network Mendelian randomization study. 2021 , 12, 261-277	1
415	Type 2 Diabetes and Cognitive Status in the Health and Retirement Study: A Mendelian Randomization Approach. 2021 , 12, 634767	4
414	Astrocyte Clocks and Glucose Homeostasis. 2021 , 12, 662017	1

413	Genetic Predisposition to Type 2 Diabetes and Insulin Levels Is Positively Associated With Serum Urate Levels. 2021 , 106, e2547-e2556		1
412	A regulatory variant at 3q21.1 confers an increased pleiotropic risk for hyperglycemia and altered bone mineral density. 2021 , 33, 615-628.e13		7
411	All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. 2020 , 5, 175		0
410	The FADS1 Genotype Modifies Metabolic Responses to the Linoleic Acid and Alpha-linolenic Acid Containing Plant Oils-Genotype Based Randomized Trial FADSDIET2. 2021 , 65, e2001004		5
409	Effects of Whole-Body Adenylyl Cyclase 5 () Deficiency on Systemic Insulin Sensitivity and Adipose Tissue. 2021 , 22,		1
408	Genetic Thyrotropin Regulation of Atrial Fibrillation Risk Is Mediated Through an Effect on Height. 2021 , 106, 2124-2132		1
407	Single-cell chromatin accessibility identifies pancreatic islet cell type- and state-specific regulatory programs of diabetes risk. <i>Nature Genetics</i> , 2021 , 53, 455-466	36.3	18
406	Omega-6 fatty acids and the risk of cardiovascular disease: insights from a systematic review and meta-analysis of randomized controlled trials and a Mendelian randomization study.. 2022 , 18, 466-479		1
405	Genetic architecture of type 2 diabetes and its shared genetic component with low birth weight in African Americans. 2021 , 24, 326-332		1
404	Diabetes and Renin-Angiotensin-Aldosterone System: Pathophysiology and Genetics.		
403	Multi-omics analysis identifies CpGs near G6PC2 mediating the effects of genetic variants on fasting glucose. 2021 , 64, 1613-1625		3
402	The effect of gut microbiota on the intestinal lipidome of mice. 2021 , 311, 151488		8
401	Circadian variations of vasoconstriction and blood pressure in physiology and diabetes. 2021 , 57, 125-131		0
400	Translating around the clock: Multi-level regulation of post-transcriptional processes by the circadian clock. 2021 , 80, 109904		3
399	Effects of selenium on coronary artery disease, type 2 diabetes and their risk factors: a Mendelian randomization study. 2021 , 75, 1668-1678		8
398	Neonatal diabetes mutations disrupt a chromatin pioneering function that activates the human insulin gene. 2021 , 35, 108981		4
397	Whole Alga, Algal Extracts, and Compounds as Ingredients of Functional Foods: Composition and Action Mechanism Relationships in the Prevention and Treatment of Type-2 Diabetes Mellitus. 2021 , 22,		4
396	Amerind ancestry predicts the impact of FADS genetic variation on omega-3 PUFA deficiency, cardiometabolic and inflammatory risk in Hispanic populations.		0

395	Human Pluripotent Stem Cells Go Diabetic: A Glimpse on Monogenic Variants. 2021 , 12, 648284		2
394	Genetic Diversity of Insulin Resistance and Metabolic Syndrome.		0
393	Stratification of Type 2 Diabetes by Age of Diagnosis in the UK Biobank Reveals Subgroup-Specific Genetic Associations and Causal Risk Profiles. 2021 , 70, 1816-1825		3
392	Decreased GLUT2 and glucose uptake contribute to insulin secretion defects in MODY3/HNF1A hiPSC-derived mutant β cells. 2021 , 12, 3133		8
391	AGMO Inhibitor Reduces 3T3-L1 Adipogenesis. 2021 , 10,		1
390	The trans-ancestral genomic architecture of glycemic traits. <i>Nature Genetics</i> , 2021 , 53, 840-860	36.3	44
389	Assessment of prognostic prediction models for gastric cancer using genomic and transcriptomic profiles. 2021 , 28, 100890		
388	Association of diabetes-related variants in ADCY5 and CDKAL1 with neonatal insulin, C-peptide, and birth weight. 2021 , 74, 318-331		
387	The role of genetics in fetal programming of adult cardiometabolic disease. 2021 , 1-8		2
386	Polycystic Ovary Syndrome Susceptibility Loci Inform Disease Etiological Heterogeneity. 2021 , 10,		0
385	Eating disorder symptoms and their associations with anthropometric and psychiatric polygenic scores.		
384	Meta-analysis of epigenome-wide association studies of carotid intima-media thickness. 2021 , 36, 1143-1155		4
383	Glucokinase activation or inactivation: Which will lead to the treatment of type 2 diabetes?. 2021 , 23, 2199-2206		3
382	Genetically predicted body composition in relation to cardiometabolic traits: a Mendelian randomization study. 2021 , 36, 1157-1168		3
381	Haplotypes of the genes (GCK and G6PC2) underlying the glucose/glucose-6-phosphate cycle are associated with pancreatic beta cell glucose sensitivity in patients with newly diagnosed type 2 diabetes from the VNDS study (VNDS 11). 2021 , 44, 2567-2574		0
380	Deciphering how early life adiposity influences breast cancer risk using Mendelian randomization.		
379	Role of Long Non-Coding RNAs and the Molecular Mechanisms Involved in Insulin Resistance. 2021 , 22,		4
378	Constrained maximum likelihood-based Mendelian randomization robust to both correlated and uncorrelated pleiotropic effects. 2021 , 108, 1251-1269		13

- 377 Genetically Higher Level of Mannose Has No Impact on Cardiometabolic Risk Factors: Insight from Mendelian Randomization. **2021**, 13,
- 376 Impact of Amerind ancestry and FADS genetic variation on omega-3 deficiency and cardiometabolic traits in Hispanic populations. **2021**, 4, 918 3
- 375 Assessing the role of cortisol in cancer: a wide-ranged Mendelian randomisation study. **2021**, 125, 1025-1029 0
- 374 Assessing the Relationship Between Serum Urate and Urolithiasis Using Mendelian Randomization: An Analysis of the UK Biobank. **2021**, 78, 210-218 3
- 373 Effect of dietary fat intake and genetic risk on glucose and insulin-related traits in Brazilian young adults.. **2021**, 20, 1337-1347 1
- 372 The lack of functional nicotinamide nucleotide transhydrogenase only moderately contributes to the impairment of glucose tolerance and glucose-stimulated insulin secretion in C57BL/6J vs C57BL/6N mice. **2021**, 64, 2550-2561 1
- 371 UK paediatric surgical academic output (2005-2020): A cause for concern?. **2021**, 56, 2142-2147 3
- 370 Higher maternal adiposity reduces offspring birthweight if associated with a metabolically favourable profile. **2021**, 64, 2790-2802 0
- 369 Shared Genetics Between Age at Menopause, Early Menopause, POI and Other Traits. **2021**, 12, 676546 0
- 368 Young onset diabetes in Asian Indians is associated with lower measured and genetically determined beta-cell function: an INSPIRED study. 1
- 367 Relationship between glucose homeostasis and obesity in early life-A study of Italian children and adolescents. **2021**, 3
- 366 Investigation of maternal polymorphisms in genes related to glucose homeostasis and the influence on birth weight: a cohort study. **2021**,
- 365 Effects of Obesogenic Feeding and Free Fatty Acids on Circadian Secretion of Metabolic Hormones: Implications for the Development of Type 2 Diabetes. **2021**, 10, 0
- 364 An integrated approach to identify environmental modulators of genetic risk factors for complex traits. **2021**, 108, 1866-1879 3
- 363 Genetically predicted selenium is negatively associated with serum TC, LDL-C and positively associated with HbA1C levels. **2021**, 67, 126785 3
- 362 Polymorphisms in GLIS3 and susceptibility to diabetes mellitus: A systematic review and meta-analysis. **2021**, 29, 100898 0
- 361 Association of polymorphic loci of susceptibility to diabetes mellitus type 2 in various ethnic groups of the Russian Federation. **2021**, 24, 262-272 0
- 360 Cytoprotection by Melatonin: The Metabolic Syndrome as an Example. **2021**, 279-302

359	Gene Expression Profiling of the Mouse Pancreas during the Secondary Transition in the Organogenesis of the Pancreatic Gland*. 2021 , 11, 1-9	
358	Evidence of association between single-nucleotide polymorphisms in lipid metabolism-related genes and type 2 diabetes mellitus in a Chinese population. 2021 , 18, 356-363	1
357	Approximate conditional phenotype analysis based on genome wide association summary statistics. 2021 , 11, 2518	3
356	The Emerging Physiological Role of AGMO 10 Years after Its Gene Identification. 2021 , 11,	6
355	Causal Effect of the Triglyceride-Glucose Index and the Joint Exposure of Higher Glucose and Triglyceride With Extensive Cardio-Cerebrovascular Metabolic Outcomes in the UK Biobank: A Mendelian Randomization Study. 2020 , 7, 583473	5
354	Sleep, Circadian Rhythms and Metabolism. 2011 , 229-255	1
353	Role of zinc finger transcription factor zfp69 in body fat storage and diabetes susceptibility of mice. 2010 , 52, 57-68	9
352	Genome-Wide Association Study for Type 2 Diabetes. 2019 , 49-86	1
351	Animal Models of Pancreas Development, Developmental Disorders, and Disease. 2020 , 1236, 65-85	3
350	Association between lipoprotein(a) level and type 2 diabetes: no evidence for a causal role of lipoprotein(a) and insulin. 2017 , 54, 1031-1038	11
349	Type 2 Diabetes Mellitus. 2011 , 1371-1435	18
348	Beta-Cell Fragility As a Common Underlying Risk Factor in Type 1 and Type 2 Diabetes. 2017 , 23, 181-194	42
347	Intake and metabolism of omega-3 and omega-6 polyunsaturated fatty acids: nutritional implications for cardiometabolic diseases. 2020 , 8, 915-930	35
346	Genetic correlations between traits associated with hyperuricemia, gout, and comorbidities. 2021 , 29, 1438-1445	2
345	A suppressor locus for MODY3-diabetes. 2016 , 6, 33087	11
344	CHAPTER 12:Advances in Computational Analysis of Metabolomic NMR Data. 2018 , 310-323	1
343	Genetic instrument selection for Mendelian randomization explorations of drug target effects. 2020 , 49, 1412-1413	1
342	LD Hub: a centralized database and web interface to perform LD score regression that maximizes the potential of summary level GWAS data for SNP heritability and genetic correlation analysis.	2

341	Colocalization of GWAS and eQTL Signals Detects Target Genes.	5
340	Integrating gene expression with summary association statistics to identify susceptibility genes for 30 complex traits.	2
339	Differential Expression Analysis for RNAseq using Poisson Mixed Models.	1
338	GARFIELD - GWAS Analysis of Regulatory or Functional Information Enrichment with LD correction.	16
337	The genetic overlap between mood disorders and cardio-metabolic diseases: A systematic review of genome wide and candidate gene studies.	2
336	Widespread pleiotropy confounds causal relationships between complex traits and diseases inferred from Mendelian randomization.	13
335	Identification of 20 novel loci associated to ischemic stroke. Epigenome-Wide Association Study.	2
334	An Atlas of Gene Regulatory Elements in Adult Mouse Cerebrum.	15
333	Pancreatic progenitor epigenome maps prioritize type 2 diabetes risk genes with roles in development.	1
332	Identification of 12 genetic loci associated with human healthspan.	3
331	HOPS: a quantitative score reveals pervasive horizontal pleiotropy in human genetic variation is driven by extreme polygenicity of human traits and diseases.	5
330	Clustering of Type 2 Diabetes Genetic Loci by Multi-Trait Associations Identifies Disease Mechanisms and Subtypes.	5
329	α -adrenergic signaling disrupts β cell BDNF-TrkB receptor tyrosine kinase signaling.	1
328	Lower hemoglobin levels associate with lower body mass index and healthier metabolic profile.	2
327	Genetics of fasting indices of glucose homeostasis using GWIS unravels tight relationships with inflammatory markers.	0
326	A fast and efficient colocalization algorithm for identifying shared genetic risk factors across multiple traits.	13
325	Mendelian Randomization Analysis Dissects the Relationship between NAFLD, T2D, and Obesity and Provides Implications to Precision Medicine.	3
324	Identification of type 2 diabetes loci in 433,540 East Asian individuals.	4

323	Single cell chromatin accessibility reveals pancreatic islet cell type- and state-specific regulatory programs of diabetes risk.	18
322	Nutrient regulation of the islet epigenome controls adaptive insulin secretion.	5
321	Genetics Insights in the Relationship Between Type 2 Diabetes and Coronary Heart Disease. 2020 , 126, 1526-1548	22
320	Mitophagy protects β cells from inflammatory damage in diabetes. 2020 , 5,	13
319	Imaging mass spectrometry demonstrates age-related decline in human adipose plasticity. 2017 , 2, e90349	40
318	Genetic determinants of circulating GIP and GLP-1 concentrations. 2017 , 2,	27
317	Gene loci associated with insulin secretion in islets from non-diabetic mice. 2019 , 129, 4419-4432	26
316	Correlation of rare coding variants in the gene encoding human glucokinase regulatory protein with phenotypic, cellular, and kinetic outcomes. 2012 , 122, 205-17	31
315	iPSC-derived β cells model diabetes due to glucokinase deficiency. 2013 , 123, 3146-53	77
314	Nervous glucose sensing regulates postnatal β cell proliferation and glucose homeostasis. 2014 , 124, 413-24	47
313	Environmental Risk Factors for Gestational Diabetes. 2014 , 63-80	1
312	Microsatellite and Single Nucleotide Polymorphisms in the Insulin-Like Growth Factor 1 Promoter with Insulin Sensitivity and Insulin Secretion. 2017 , 23, 3722-3736	6
311	Fast and Rigorous Computation of Gene and Pathway Scores from SNP-Based Summary Statistics. 2016 , 12, e1004714	201
310	Genomic Characterization of Metformin Hepatic Response. 2016 , 12, e1006449	30
309	Joint genetic analysis using variant sets reveals polygenic gene-context interactions. 2017 , 13, e1006693	12
308	Genome-wide association study of red blood cell traits in Hispanics/Latinos: The Hispanic Community Health Study/Study of Latinos. 2017 , 13, e1006760	38
307	Joint modeling of genetically correlated diseases and functional annotations increases accuracy of polygenic risk prediction. 2017 , 13, e1006836	40
306	Effects of GCK, GCKR, G6PC2 and MTNR1B variants on glucose metabolism and insulin secretion. 2010 , 5, e11761	59

305	Variants from GIPR, TCF7L2, DGKB, MADD, CRY2, GLIS3, PROX1, SLC30A8 and IGF1 are associated with glucose metabolism in the Chinese. 2010 , 5, e15542	67
304	Glucokinase regulatory protein genetic variant interacts with omega-3 PUFA to influence insulin resistance and inflammation in metabolic syndrome. 2011 , 6, e20555	22
303	Absence of birth-weight lowering effect of ADCY5 and near CCNL, but association of impaired glucose-insulin homeostasis with ADCY5 in Asian Indians. 2011 , 6, e21331	12
302	Variants in GLIS3 and CRY2 are associated with type 2 diabetes and impaired fasting glucose in Chinese Hans. 2011 , 6, e21464	40
301	Effects of genetic variants in ADCY5, GIPR, GCKR and VPS13C on early impairment of glucose and insulin metabolism in children. 2011 , 6, e22101	17
300	Glucose-raising genetic variants in MADD and ADCY5 impair conversion of proinsulin to insulin. 2011 , 6, e23639	32
299	Genome-wide detection of allele specific copy number variation associated with insulin resistance in African Americans from the HyperGEN study. 2011 , 6, e24052	35
298	Genomewide analysis of inherited variation associated with phosphorylation of PI3K/AKT/mTOR signaling proteins. 2011 , 6, e24873	7
297	Identification of IGF1, SLC4A4, WWOX, and SFMBT1 as hypertension susceptibility genes in Han Chinese with a genome-wide gene-based association study. 2012 , 7, e32907	38
296	The role of inflammatory pathway genetic variation on maternal metabolic phenotypes during pregnancy. 2012 , 7, e32958	19
295	A single nucleotide polymorphism within DUSP9 is associated with susceptibility to type 2 diabetes in a Japanese population. 2012 , 7, e46263	27
294	Factor structure underlying components of allostatic load. 2012 , 7, e47246	46
293	Novel genetic loci identified for the pathophysiology of childhood obesity in the Hispanic population. 2012 , 7, e51954	252
292	Rare genomic structural variants in complex disease: lessons from the replication of associations with obesity. 2013 , 8, e58048	27
291	Mutations in Mll2, an H3K4 methyltransferase, result in insulin resistance and impaired glucose tolerance in mice. 2013 , 8, e61870	31
290	Common genetic variation in the human FNDC5 locus, encoding the novel muscle-derived 'browning' factor irisin, determines insulin sensitivity. 2013 , 8, e61903	71
289	Genetic variation in the NOC gene is associated with body mass index in Chinese subjects. 2013 , 8, e69622	10
288	Use of net reclassification improvement (NRI) method confirms the utility of combined genetic risk score to predict type 2 diabetes. 2013 , 8, e83093	29

287	A fasting insulin-raising allele at IGF1 locus is associated with circulating levels of IGF-1 and insulin sensitivity. 2013 , 8, e85483	26
286	Do variants associated with susceptibility to pancreatic cancer and type 2 diabetes reciprocally affect risk?. 2015 , 10, e0117230	13
285	ADCY5 gene expression in adipose tissue is related to obesity in men and mice. 2015 , 10, e0120742	12
284	The study to understand the genetics of the acute response to metformin and glipizide in humans (SUGAR-MGH): design of a pharmacogenetic resource for type 2 diabetes. 2015 , 10, e0121553	13
283	Replication Study in a Japanese Population to Evaluate the Association between 10 SNP Loci, Identified in European Genome-Wide Association Studies, and Type 2 Diabetes. 2015 , 10, e0126363	9
282	HECT E3 Ubiquitin Ligase Itch Functions as a Novel Negative Regulator of Gli-Similar 3 (Glis3) Transcriptional Activity. 2015 , 10, e0131303	19
281	Modelling the Interplay between Lifestyle Factors and Genetic Predisposition on Markers of Type 2 Diabetes Mellitus Risk. 2015 , 10, e0131681	5
280	Genetic Variants Associated with Lipid Profiles in Chinese Patients with Type 2 Diabetes. 2015 , 10, e0135145	9
279	The Association of Type 2 Diabetes Loci Identified in Genome-Wide Association Studies with Metabolic Syndrome and Its Components in a Chinese Population with Type 2 Diabetes. 2015 , 10, e0143607	33
278	Glucose-Raising Polymorphisms in the Human Clock Gene Cryptochrome 2 (CRY2) Affect Hepatic Lipid Content. 2016 , 11, e0145563	18
277	A Simple Test of Class-Level Genetic Association Can Reveal Novel Cardiometabolic Trait Loci. 2016 , 11, e0148218	6
276	Association between the rs7903146 Polymorphism in the TCF7L2 Gene and Parameters Derived with Continuous Glucose Monitoring in Individuals without Diabetes. 2016 , 11, e0149992	8
275	Replication Study in a Japanese Population of Six Susceptibility Loci for Type 2 Diabetes Originally Identified by a Transethnic Meta-Analysis of Genome-Wide Association Studies. 2016 , 11, e0154093	8
274	Type 2 Diabetes Risk Allele Loci in the Qatari Population. 2016 , 11, e0156834	17
273	A Genome-Wide mQTL Analysis in Human Adipose Tissue Identifies Genetic Variants Associated with DNA Methylation, Gene Expression and Metabolic Traits. 2016 , 11, e0157776	61
272	Functional Analysis of Mouse G6pc1 Mutations Using a Novel In Situ Assay for Glucose-6-Phosphatase Activity and the Effect of Mutations in Conserved Human G6PC1/G6PC2 Amino Acids on G6PC2 Protein Expression. 2016 , 11, e0162439	6
271	Association of prediabetes-associated single nucleotide polymorphisms with microalbuminuria. 2017 , 12, e0171367	6
270	Meta-analyses of the association of G6PC2 allele variants with elevated fasting glucose and type 2 diabetes. 2017 , 12, e0181232	11

269	Evaluating the glucose raising effect of established loci via a genetic risk score. 2017 , 12, e0186669	5
268	Real-life helping behaviours in North America: A genome-wide association approach. 2018 , 13, e0190950	3
267	Gli-similar (Glis) Krüppel-like zinc finger proteins: insights into their physiological functions and critical roles in neonatal diabetes and cystic renal disease. 2010 , 25, 1481-96	40
266	Does sex hormone-binding globulin cause insulin resistance during pubertal growth?. 2019 , 8, 510-517	5
265	GLIS3 binds pancreatic beta cell regulatory regions alongside other islet transcription factors. 2019 ,	8
264	Potential positive and negative consequences of ZnT8 inhibition. 2020 , 246, 189-205	6
263	Primary Angle Closure Glaucoma-associated Genetic Polymorphisms in Northeast Iran. 2020 , 15, 45-52	3
262	Centenarians as super-controls to assess the biological relevance of genetic risk factors for common age-related diseases: a proof of principle on type 2 diabetes. 2013 , 5, 373-85	51
261	LDL-C plays a causal role on T2DM: a Mendelian randomization analysis. 2020 , 12, 2584-2594	8
260	Glycemic traits and Alzheimer's disease: a Mendelian randomization study. 2020 , 12, 22688-22699	3
259	A common variant within the HNF1B gene is associated with overall survival of multiple myeloma patients: results from the IMMEnSE consortium and meta-analysis. 2016 , 7, 59029-59048	14
258	A polymorphism at IGF1 locus is associated with anemia. 2017 , 8, 32398-32406	6
257	Identification of five genetic variants as novel determinants of type 2 diabetes mellitus in Japanese by exome-wide association studies. 2017 , 8, 80492-80505	3
256	Association between genetics of diabetes, coronary artery disease, and macrovascular complications: exploring a common ground hypothesis. 2011 , 8, 230-44	21
255	Beyond the Protein-Coding Sequence: Noncoding RNAs in the Pathogenesis of Type 2 Diabetes. 2015 , 12, 260-76	7
254	Complex Genetics of Type 2 Diabetes and Effect Size: What have We Learned from Isolated Populations?. 2015 , 12, 299-319	11
253	Diabetes in Population Isolates: Lessons from Greenland. 2015 , 12, 320-9	4
252	Understanding Genetic Heterogeneity in Type 2 Diabetes by Delineating Physiological Phenotypes: SIRT1 and its Gene Network in Impaired Insulin Secretion. 2016 , 13, 17-34	8

251	The Landscape of Pervasive Horizontal Pleiotropy in Human Genetic Variation is Driven by Extreme Polygenicity of Human Traits and Diseases.	2
250	ACE and Type 2 Diabetes Risk: A Mendelian Randomization Study. 2020 , 43, 835-842	16
249	Metabolic syndrome severity and lifestyle factors among adolescents. 2018 , 70, 467-475	11
248	The RNA-binding profile of the splicing factor SRSF6 in immortalized human pancreatic cells. 2021 , 4,	6
247	Improvement of insulin resistance following transsphenoidal surgery in patients with acromegaly: correlation with serum IGF-I levels. 2013 , 36, 853-9	7
246	Proteomic and Metabolomic Correlates of Healthy Dietary Patterns: The Framingham Heart Study. 2020 , 12,	17
245	Association of Polymorphism in Fatty Acid Desaturase Gene with the Risk of Type 2 Diabetes in Iranian Population. 2018 , 7, 98	5
244	Genome-wide association test of multiple continuous traits using imputed SNPs. 2017 , 10, 379-386	3
243	Prevalence of Prediabetes, Diabetes and Its Predictors among Females in Alkharj, Saudi Arabia: A Cross-Sectional Study. 2019 , 85,	7
242	Insulin resistance and type 2 diabetes in children. 2020 , 25, 217-226	14
241	Migration and DNA methylation: a comparison of methylation patterns in type 2 diabetes susceptibility genes between indians and europeans. 2013 , 2, 6	4
240	A Cryptochrome 2 mutation yields advanced sleep phase in humans. 2016 , 5,	78
239	RNA-seq analysis identified hormone-related genes associated with prognosis of triple negative breast cancer. 2020 , 34, 129-138	9
238	A panel of rhythm gene polymorphisms is involved in susceptibility to type 2 diabetes mellitus and bipolar disorder. 2021 , 9, 1555	0
237	Synergistic Effects of Genetic Variants of Glucose Homeostasis and Lifelong Exposures to Cigarette Smoking, Female Hormones, and Dietary Fat Intake on Primary Colorectal Cancer Development in African and Hispanic/Latino American Women. 2021 , 11, 760243	0
236	Cohort profile: The Western Australian Sleep health study, a prospective sleep clinic cohort study. 2021 , 1, 100010	0
235	ATP-citrate lyase as a therapeutic target in chronic kidney disease: a Mendelian Randomization analysis.	
234	Robust estimates of heritable coronary disease risk in individuals with type 2 diabetes. 2021 ,	1

- 233 Identifying causality, genetic correlation, priority and pathways of large-scale complex exposures of breast and ovarian cancers. **2021**, 125, 1570-1581 2
- 232 Genetic Signatures of Glucose Homeostasis: Synergistic Interplay With Long-Term Exposure to Cigarette Smoking in Development of Primary Colorectal Cancer Among African American Women. **2021**, 12, e00412
- 231 Type 2 diabetes sex-specific effects associated with E167K coding variant in. **2021**, 24, 103196 1
- 230 Genome-wide association studies: Where we are heading?. **2011**, 1, 23 0
- 229 Genetically Programmed Defects in ECell Function. **2011**, 299-326
- 228 Bedeutung der Genetik für Psychoneuroendokrinologie und Psychoimmunologie. **2011**, 163-185
- 227 DNA Variations, Impaired Insulin Secretion and Type 2 Diabetes. **2011**, 275-297
- 226 Recent Progress in Identifying Genes Contributing to Type 2 Diabetes and Metabolic Syndrome. 106-119
- 225 Genetics and Coronary Heart Disease. **2012**, 199-217
- 224 Clock Genes and Energy Metabolism. **2012**, 13-32
- 223 Integration of Metabolism. **2012**, 504-534
- 222 Pharmacogenomics and Organ Transplantation. 133-145
- 221 Systems Medicine: A New Model for Health Care. **2013**, 911-927
- 220 Expression profiling of putative type 2 diabetes susceptibility genes in human islets and in rat beta cell lines. **2013**, 03, 27-32
- 219 Nutrigenetics and Metabolic Disease. **2013**, 1-33
- 218 Obesity and Metabolic Syndrome. **2014**, 571-582 1
- 217 Mapping of Susceptibility Genes for Obesity, Type 2 Diabetes, and the Metabolic Syndrome in Human Populations. **2015**, 181-245
- 216 Periodontal Disease. **2015**, 145-166

215	Genetic Determinants of Type 2 Diabetes in Asians. 2015 , 2015,	6
214	Intrauterine nutrition: fetal programming of metabolic syndrome. 2015 , 12, 10-17	1
213	Genome-wide association study of offspring birth weight in 86,577 women highlights maternal genetic effects that are independent of fetal genetics.	
212	Genetics of Endocrinology. 2016 , 49-68	1
211	Circadian Mechanisms in Bioenergetics and Cell Metabolism. 2016 , 25-32	0
210	Regulation and Modulation of Depression-Related Behaviours: Role of Dopaminergic Neurons. 2016 , 147-190	
209	Genome-wide association analyses of sleep disturbance traits identify new loci and highlight shared genetics with neuropsychiatric and metabolic traits.	1
208	Local genetic correlation gives insights into the shared genetic architecture of complex traits.	2
207	Joint genetic analysis using variant sets reveals polygenic gene-context interactions.	0
206	The role of glycaemic and lipid risk factors in mediating the effect of BMI on coronary heart disease: A two-step, two-sample Mendelian randomization study.	
205	Differential associations of various depression-related phenotypes with cardiometabolic risks: Identification of shared genetic factors and implications for drug repositioning.	1
204	A Genome Scan for Genes Underlying Adult Body Size Differences between Central African Pygmies and their Non-Pygmy Neighbors.	0
203	Association of obesity susceptibility gene variants with metabolic syndrome in women. 2017 , 14, 33-40	1
202	Perturbed Mitochondrial Metabolism in Islets from Donors with Type-2 Diabetes.	
201	Genetics of Diabetes and Diabetic Complications. 2018 , 81-139	1
200	Principal component based adaptive association test of multiple traits using GWAS summary statistics.	
199	Shared Polygenicity detection using Elastic Nets: SHARPEN.	
198	Shared genetic contribution to type 1 and type 2 diabetes risk.	2

- 197 Phenotype-specific enrichment of Mendelian disorder genes near GWAS regions across 62 complex traits.
- 196 Trans-ethnic genome-wide association study of kidney function provides novel insight into effector genes and causal effects on kidney-specific disease aetiologies.
- 195 Mendelian Randomization evaluation of causal effects of fibrinogen on incident coronary heart disease.
- 194 Causal Association between Birth Weight and Adult Diseases: Evidence from a Mendelian Randomisation Analysis. 1
- 193 Integrative analysis of Dupuytren's disease identifies novel risk locus and reveals a shared genetic etiology with BMI.
- 192 Genome-Wide Polygenic Risk Scores and Prediction of Gestational Diabetes in South Asian Women.
- 191 Phylogenetic reclassification of vertebrate melatonin receptors to include Mel1d.
- 190 Bayesian multivariate reanalysis of large genetic studies identifies many new associations. 0
- 189 A Novel Type 2 Diabetes Locus in sub-Saharan Africans, ZRANB3, is Implicated in Beta Cell Proliferation.
- 188 All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes.
- 187 A gene-diet interaction-based score predicts response to dietary fat in the Women's Health Initiative.
- 186 Using synthetic datasets to better understand and explain health outcomes associated with common single nucleotide polymorphisms.
- 185 NFIA regulates granule recruitment and exocytosis in the adult pancreas.
- 184 Using synthetic datasets to bridge the gap between the promise and reality of basing health-related decisions on common single nucleotide polymorphisms. 8, 2147 1
- 183 Genetics of Height and Risk of Atrial Fibrillation: A Mendelian Randomization Study.
- 182 Basal leakage in oscillation: coupled transcriptional and translational control using feed-forward loops.
- 181 Higher maternal adiposity reduces offspring birth weight if associated with a metabolically favourable profile. 1
- 180 Polymorphic Variants of BH4 Pathway Genes and Isolated Hypospadias Risk. 2020, 30,

179	Mitophagy protects beta cells from inflammatory damage in diabetes.	0
178	Neonatal diabetes mutations disrupt a chromatin pioneering function that activates the human insulin gene.	
177	Effects of a Lifestyle-Modification Program on Blood-Glucose Regulation and Health Promotion in Diabetic Patients: A Randomized Controlled Trial. 2020 , 10, 77-91	
176	All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. 2020 , 5, 175	0
175	Metabolic syndrome and lifestyle risk factors in adolescents. 2020 , 65, 99-105	
174	Impact of type 2 diabetes variants identified through genome-wide association studies in early-onset type 2 diabetes from South Indian population. 2020 , 18, e27	2
173	FADS1 rs174550 genotype and high linoleic acid diet modify plasma PUFA phospholipids in a dietary intervention study. 2021 , 1	0
172	Machine Learning Refutes Loss of Smell as a Risk Indicator of Diabetes Mellitus. 2021 , 10,	
171	Genome-wide association study identifying novel variant for fasting insulin and allelic heterogeneity in known glycaemic loci in Chilean adolescents: The Santiago Longitudinal Study. 2021 , 16, e12765	1
170	Assessing the causal role of sleep traits on glycated haemoglobin: a Mendelian randomization study.	0
169	Diabetes mellitus, glycaemic traits, and cerebrovascular disease: a Mendelian randomization study.	1
168	A Mendelian randomization study of glycaemic and anthropometric traits and Parkinson disease.	0
167	Probabilistic estimation of identity by descent segment endpoints and detection of recent selection.	0
166	The Trans-Ancestral Genomic Architecture of Glycaemic Traits.	1
165	Mendelian pathway analysis of laboratory traits reveals distinct roles for ciliary subcompartments in common disease pathogenesis.	0
164	All thresholds of maternal hyperglycaemia from the WHO 2013 criteria for gestational diabetes identify women with a higher genetic risk for type 2 diabetes. 5, 175	
163	Premature and Early Menopause in Relation to Cardiovascular Disease. 2020 , 38, 270-276	1
162	Prospective study of insulin-like growth factor-I, insulin-like growth factor-binding protein 3, genetic variants in the IGF1 and IGFBP3 genes and risk of coronary artery disease. 2011 , 2, 261-85	8

161	The role of circadian clocks in metabolic disease. 2012 , 85, 387-401	31
160	Association of SERPINA9 gene variants with carotid artery atherosclerosis: the Atherosclerosis Risk in Communities (ARIC) Carotid MRI Study. 2013 , 4, 258-67	
159	Cumulative Effect of Common Genetic Variants Predicts Incident Type 2 Diabetes: A Study of 21,183 Subjects from Three Large Prospective Cohorts. 2011 , 1, 108	1
158	TRANSCRIPTION FACTOR GLI-SIMILAR 3 (GLIS3): IMPLICATIONS FOR THE DEVELOPMENT OF CONGENITAL HYPOTHYROIDISM. 2014 , 2, 1024	16
157	Association of rs7754840 G/C polymorphisms in CDKAL1 with type 2 diabetes: a meta-analysis of 70141 subjects. 2015 , 8, 17392-405	9
156	Genetic underpinnings of left superior temporal gyrus thickness in patients with schizophrenia. 2015 , 1-11	5
155	The Role of Mitochondrial DNA (mtDNA) in the Development of Diabetic Retinopathy (DR): A Systematic Review. 2017 , 6, 30-38	3
154	Association of GCKR rs780094 polymorphism with circulating lipid levels in type 2 diabetes and hyperuricemia in Uygur Chinese. 2018 , 11, 4684-4694	
153	Insomnia and Coronary Artery Diseases: A Mendelian Randomisation Study. 2021 , 1, 154-162	
152	A single cell atlas of human and mouse white adipose tissue.	1
151	Association Between Insulin-like Growth Factor-1 rs35767 Polymorphism and Type 2 Diabetes Mellitus Susceptibility: A Meta-Analysis. 2021 , 12, 774489	1
150	Transcriptome profiling of lncRNA and co-expression network in the vaginal epithelial tissue of women with lubrication disorders. 2021 , 9, e12485	0
149	Combining the strengths of inverse-variance weighting and Egger regression in Mendelian randomization using a mixture of regressions model. 2021 , 17, e1009922	2
148	Blood Levels of the Hepatokine Are Not Causally Linked with Type 2 Diabetes: A Bidirectional Mendelian Randomization Study.. 2021 , 13,	1
147	Evidence for a Genotype-Phenotype Correlation in Patients with Pathogenic () Variants. 2021 , 12,	0
146	Association of single nucleotide polymorphisms with insulin secretion, insulin sensitivity, and diabetes in women with a history of gestational diabetes mellitus. 2021 , 14, 274	0
145	Impact of Cortisol on Reduction in Muscle Strength and Mass: A Mendelian Randomization Study. 2021 ,	0
144	Causal Inference of Carnitine on Blood Pressure and potential mediation by uric acid: A mendelian randomization analysis.. 2021 , 11, 200120	0

143	Stem Cell-Derived β Cells: A Versatile Research Platform to Interrogate the Genetic Basis of β Cell Dysfunction.. 2022 , 23,	0
142	Genetic European Ancestry and Incident Diabetes in Black Individuals: Insights From the SPRINT Trial.. 2022 , CIRCGEN121003468	0
141	Admixture mapping of anthropometric traits in the Black Women's Health Study: evidence of a shared African ancestry component with birth weight and type 2 diabetes.. 2022 ,	0
140	Role of monogenic diabetes genes on beta cell function in Italian patients with newly diagnosed type 2 diabetes. The Verona Newly Diagnosed Type 2 Diabetes Study (VNDS) 13.. 2022 , 101323	0
139	Evidence for Shared Genetic Aetiology Between Schizophrenia, Cardiometabolic, and Inflammation-Related Traits: Genetic Correlation and Colocalization Analyses.. 2022 , 3, sgac001	1
138	The relationship between polymorphism of insulin-like growth factor I gene and susceptibility to type 2 diabetes in Uygur population, Xinjiang, China.. 2022 , 44, 499	0
137	Associations of Visceral Adipose Tissue, Circulating Protein Biomarkers, and Risk of Cardiovascular Diseases: A Mendelian Randomization Analysis.. 2022 , 10, 840866	2
136	Genome-microbiome interplay provides insight into the determinants of the human blood metabolome.	0
135	Genomic correlation, shared loci, and causal relationship between obesity and polycystic ovary syndrome: a large-scale genome-wide cross-trait analysis.. 2022 , 20, 66	1
134	G β /o protein-coupled receptor inhibition of beta-cell electrical excitability and insulin secretion depends on Na ⁺ /K ⁺ ATPase activation.	0
133	Coffee Types and Type 2 Diabetes Mellitus: Large-Scale Cross-Phenotype Association Study and Mendelian Randomization Analysis.. 2022 , 13, 818831	1
132	Multi-ethnic GWAS and fine-mapping of glycaemic traits identify novel loci in the PAGE Study.. 2021 , 65, 477	1
131	Smoking Status and Type 2 Diabetes, and Cardiovascular Disease: A Comprehensive Analysis of Shared Genetic Etiology and Causal Relationship.. 2022 , 13, 809445	0
130	Chronotype: A Tool to Screen Eating Habits in Polycystic Ovary Syndrome?. 2022 , 14,	3
129	Association between type 2 diabetes and amyotrophic lateral sclerosis.. 2022 , 12, 2544	1
128	Eating disorder symptoms and their associations with anthropometric and psychiatric polygenic scores.. 2022 ,	1
127	Multi-ancestry genome-wide association study of gestational diabetes mellitus highlights genetic links with type 2 diabetes.. 2022 ,	3
126	ATP-Sensitive Potassium Channels in Hyperinsulinism and Type 2 Diabetes: Inconvenient Paradox or New Paradigm?. 2022 , 71, 367-375	0

125	Robust Inference of Bi-Directional Causal Relationships in Presence of Correlated Pleiotropy with GWAS Summary Data.	
124	Co-expressed microRNAs, target genes and pathways related to metabolism, inflammation and endocrine function in individuals at risk for type 2 diabetes.. 2022 , 25,	0
123	A single-cell atlas of human and mouse white adipose tissue.. 2022 ,	15
122	Insights Into Genome-Wide Association Study for Diabetes: A Bibliometric and Visual Analysis From 2001 to 2021.. 2022 , 13, 817620	1
121	Genetics of Type 2 Diabetes: Implications from Large-Scale Studies.. 2022 , 1	3
120	Young-onset diabetes in Asian Indians is associated with lower measured and genetically determined beta cell function.. 2022 , 1	3
119	Empowering consumers to PREVENT diet-related diseases through OMICS sciences (PREVENTOMICS): protocol for a parallel double-blinded randomised intervention trial to investigate biomarker-based nutrition plans for weight loss.. 2022 , 12, e051285	2
118	Assessing the Causal Role of Sleep Traits on Glycated Hemoglobin: A Mendelian Randomization Study.. 2022 , 45, 772-781	1
117	Large-scale integrated analysis of genetics and metabolomic data reveals potential links between lipids and colorectal cancer risk.. 2022 ,	
116	Understanding signatures of positive natural selection in human zinc transporter genes.. 2022 , 12, 4320	0
115	Genetically predicted fasting blood glucose level plays a causal role in intraocular pressure: A Mendelian randomization study.. 2022 ,	
114	Genetically determined reproductive aging and coronary heart disease: a bidirectional two-sample Mendelian Randomization.. 2022 ,	1
113	Using Local Genetic Correlation Improves Polygenic Score Prediction Across Traits.	0
112	Deciphering how early life adiposity influences breast cancer risk using Mendelian randomization.. 2022 , 5, 337	0
111	Prediction of incident atherosclerotic cardiovascular disease with polygenic risk of metabolic disease: Analysis of 3 prospective cohort studies in Korea.. 2022 , 348, 16-24	
110	The Association between Fasting Glucose and Sugar Sweetened Beverages Intake Is Greater in Latin Americans with a High Polygenic Risk Score for Type 2 Diabetes Mellitus.. 2021 , 14,	1
109	Glucose Trajectory: More than Changing Glucose Tolerance with Age?. 2022 ,	
108	Data_Sheet_1.pdf. 2019 ,	

107 Image_1.PDF. 2020,

106 Table_1.XLSX. 2020,

105 Table_2.XLSX. 2020,

104 Table_1.XLSX. 2019,

103 DataSheet_1.xlsx. 2020,

102 Image_1.jpeg. 2020,

101 Table_1.docx. 2019,

100 DataSheet_1.zip. 2019,

99 Table_1.pdf. 2018,

98 DataSheet_1.pdf. 2020,

97 DataSheet_2.xlsx. 2020,

96 Data_Sheet_1.xls. 2020,

95 Data_Sheet_2.docx. 2020,

94 Data_Sheet_1.XLSX. 2018,

93 Image_1.TIF. 2018,

92 Image_2.TIF. 2018,

91 Data_Sheet_1.pdf. 2020,

90 Data_Sheet_1.PDF. 2019,

89	Autoimmunity and Diseases. 2022 , 45-80	
88	Genetically Determined Lifestyle and Cardiometabolic Risk Factors Mediate the Association of Genetically Predicted Age at Menarche With Genetic Predisposition to Myocardial Infarction: A Two-Step, Two-Sample Mendelian Randomization Study.. 2022 , 9, 821068	1
87	ACLY and CKD: A Mendelian Randomization Analysis. 2022 ,	0
86	Adaptations of the 3T3-L1 adipocyte lipidome to defective ether lipid catabolism upon alkylglycerol monooxygenase knockdown.. 2022 , 100222	
85	A practical problem with Egger regression in Mendelian randomization.. 2022 , 18, e1010166	0
84	Type 2 Diabetes-Related Variants Influence the Risk of Developing Prostate Cancer: A Population-Based Case-Control Study and Meta-Analysis. 2022 , 14, 2376	1
83	Transcriptional control of energy metabolism by nuclear receptors.. 2022 ,	6
82	Robust inference of bi-directional causal relationships in presence of correlated pleiotropy with GWAS summary data.. 2022 , 18, e1010205	0
81	Genetic liability to rheumatoid arthritis in relation to coronary artery disease and stroke risk.. 2022 ,	0
80	Multi-Trait Genetic Analysis Reveals Clinically Interpretable Hypertension Subtypes.	1
79	Modeling islet enhancers using deep learning identifies candidate causal variants at loci associated with T2D and glycemic traits.	0
78	Genetic Architecture of Plasma Alpha-Aminoadipic Acid Reveals a Relationship With High-Density Lipoprotein Cholesterol.	0
77	Loss of RREB1 in pancreatic beta cells reduces cellular insulin content and affects endocrine cell gene expression.	
76	Genetic Determinants of Body Mass Index and Fasting Glucose Are Mediators of Grade 1 Diastolic Dysfunction.	0
75	Additive genetic effect of GCKR, G6PC2, and SLC30A8 variants on fasting glucose levels and risk of type 2 diabetes. 2022 , 17, e0269378	0
74	Variants of SLC2A10 may be Linked to Poor Response to Metformin. 2022 , 6,	
73	Identifying Causes of Fracture Beyond Bone Mineral Density: Evidence From Human Genetics.	0
72	Genetics and Epigenetics in Personalized Nutrition: Evidence, Expectations, and Experiences. 2200077	

71	Relationship Between the Single Nucleotide Polymorphism rs11558471 in the SLC30A8/ZnT8 Gene and Cardiometabolic Markers in Postmenopausal Women.	
70	Multiset correlation and factor analysis enables exploration of multi-omic data.	0
69	Whole genome sequence association analysis of fasting glucose and fasting insulin levels in diverse cohorts from the NHLBI TOPMed program. 2022 , 5,	1
68	Genetics of Type 2 Diabetes: Past, Present, and Future. 2022 , 14, 3201	2
67	Circadian rhythms and pancreas physiology: A review. 13,	1
66	A causal relationship between alcohol intake and type 2 diabetes mellitus: A two-sample Mendelian randomization study. 2022 ,	0
65	Exploring Lead loci shared between schizophrenia and Cardiometabolic traits. 2022 , 23,	0
64	Genetics of circadian rhythms and sleep in human health and disease.	4
63	Circadian Gene Expression in Mouse Renal Proximal Tubule.	
62	Identification of genetic variants related to metabolic syndrome by next-generation sequencing. 2022 , 14,	0
61	Phenotypic and genetic classification of diabetes.	1
60	Genetically-proxied impaired GIPR signalling and risk of 6 cancers.	
59	Disentangling Genetic Risks for Metabolic Syndrome.	
58	Association of SLC30A8 (rs13266634) and GLIS3 (rs7034200) gene variant in development of type 2 diabetes mellitus in Indian population: A case-control study. 2022 , 28, 101655	
57	Genetic determinants of cardiometabolic and pulmonary phenotypes and obstructive sleep apnoea in HCHS/SOL. 2022 , 84, 104288	0
56	Role of 19 SNPs in 10 genes with type 2 diabetes in the Pakistani population. 2023 , 848, 146899	0
55	Inferring causal genes at type 2 diabetes GWAS loci through chromosome interactions in islet cells.	0
54	Metabolomics in Diabetic Retinopathy: From Potential Biomarkers to Molecular Basis of Oxidative Stress. 2022 , 11, 3005	0

53	Genetics of type 2 diabetes mellitus in Indian and Global Population: A Review. 2022 , 23,	0
52	Common and distinct genetic architecture of age at diagnosis of diabetes in South Indian and European populations.	0
51	Effects of single-nucleotide polymorphism on the pharmacokinetics and pharmacodynamics of metformin. 2022 , 15, 1107-1117	0
50	Long-Term Outcomes Among Young Adults With Type 2 Diabetes, Based on Durability of Glycemic Control: Results From the TODAY Cohort Study.	0
49	Using Data to Improve the Management of Diabetes: The Tayside Experience.	0
48	Gi/o protein-coupled receptor inhibition of beta-cell electrical excitability and insulin secretion depends on Na ⁺ /K ⁺ ATPase activation. 2022 , 13,	0
47	Gene Delivery of Manf to Beta-Cells of the Pancreatic Islets Protects NOD Mice from Type 1 Diabetes Development. 2022 , 12, 1493	2
46	Elevations in blood glucose before and after the appearance of islet autoantibodies in children. 2022 , 132,	1
45	Genome-Wide Association Analysis of Over 170,000 Individuals from the UK Biobank Identifies Seven Loci Associated with Dietary Approaches to Stop Hypertension (DASH) Diet. 2022 , 14, 4431	1
44	Polymorphisms in glucose homeostasis genes are associated with cardiovascular and renal parameters in patients with diabetic nephropathy. 2022 , 54, 3039-3051	0
43	Type 1 diabetes: what is the role of autoimmunity in β cell death?. 2022 , 132,	0
42	Phenome-wide analysis of Taiwan Biobank reveals novel glycemia-related loci and genetic risks for diabetes. 2022 , 5,	0
41	The association between genetic variation and preprandial and postprandial digestive responses in healthy young men: A pilot study.	0
40	An update of the consensus statement on insulin resistance in children 2010. 13,	0
39	Gamma-glutamyl-leucine levels are causally associated with elevated cardio-metabolic risks. 9,	0
38	Insight into genetic, biological, and environmental determinants of sexual-dimorphism in type 2 diabetes and glucose-related traits. 9,	0
37	Therapeutic Strategies Targeting Pancreatic Islet β Cell Proliferation, Regeneration, and Replacement. 2022 , 164,	0
36	Integrative analysis of blood cells DNA methylation, transcriptomics and genomics identifies novel epigenetic regulatory mechanisms of insulin resistance during puberty in children with obesity.	1

35	Association of prenatal exposure to opioids, cannabis, and polysubstance use with cord blood DNA methylation patterns in a multiancestry cohort.	0
34	Prediction of type 2 diabetes using genome-wide polygenic risk score and metabolic profiles: A machine learning analysis of population-based 10-year prospective cohort study. 2022 , 86, 104383	0
33	Common protein-coding variants influence the racing phenotype in galloping racehorse breeds. 2022 , 5,	0
32	The association between genetic variation and preprandial and postprandial digestive responses to a meat meal in healthy young men: A pilot study.	0
31	Investigating family history of diabetes as a predictor of fasting insulin and fasting glucose activity in a sample of healthy weight adults.	0
30	Loss of RREB1 in pancreatic beta cells reduces cellular insulin content and affects endocrine cell gene expression.	0
29	An in silico approach for the identification of detrimental missense SNPs and their potential impacts on human CRY2 protein.	0
28	Obstructive Sleep Apnea, Circadian Clock Disruption, and Metabolic Consequences. 2023 , 13, 60	1
27	Decoding type 2 diabetes mellitus genetic risk variants in Pakistani Pashtun ethnic population using the nascent whole exome sequencing and MassARRAY genotyping: A case-control association study. 2023 , 18, e0281070	1
26	Estimation and implications of the genetic architecture of fasting and non-fasting blood glucose. 2023 , 14,	0
25	Biochemical Activation and Regulatory Functions of Trans-Regulatory KLF14 and Its Association with Genetic Polymorphisms. 2023 , 13, 199	0
24	Omics Data Preprocessing for Machine Learning: A Case Study in Childhood Obesity. 2023 , 14, 248	0
23	Chrono-Nutrition: Circadian Rhythm and Personalized Nutrition. 2023 , 24, 2571	1
22	Differential expression and significance of 5-hydroxymethylcytosine modification in hepatitis B virus carriers and patients with liver cirrhosis and liver cancer. 15, 346-361	0
21	Multi-ancestry genome-wide study in >2.5 million individuals reveals heterogeneity in mechanistic pathways of type 2 diabetes and complications.	0
20	Circadian gene expression in mouse renal proximal tubule. 2023 , 324, F301-F314	0
19	Causal associations of sleep apnea and snoring with type 2 diabetes and glycemic traits and the role of BMI. 2023 , 31, 652-664	0
18	Selective Transcription Factor Blockade Reduces Human Retinal Endothelial Cell Expression of Intercellular Adhesion Molecule-1 and Leukocyte Binding. 2023 , 24, 3304	0

- 17 The interplay between inflammatory cytokines and cardiometabolic disease: bi-directional mendelian randomisation study. **2023**, 2, e000157 ○
- 16 Associations of Insomnia With Insulin Resistance Traits: A Cross-sectional and Mendelian Randomization Study. ○
- 15 Genetic Variants of HNF4A, WFS1, DUSP9, FTO, and ZFAND6 Genes Are Associated with Prediabetes Susceptibility and Inflammatory Markers in the Saudi Arabian Population. **2023**, 14, 536 ○
- 14 Nutrient regulation of the islet epigenome controls adaptive insulin secretion. **2023**, 133, ○
- 13 Cross-trait analyses identify shared genetics between migraine, headache, and glycemic traits, and a causal relationship with fasting proinsulin. ○
- 12 Exercise in the Prevention and Treatment of Type 2 Diabetes. 4559-4585 ○
- 11 Leveraging Genetics to Address the Role of GALNT2 on Atherogenic Dyslipidemia. 2200319 ○
- 10 Association between serum calcium level and type 2 diabetes: An NHANES analysis and Mendelian randomization study. ○
- 9 Inhibition of Expression of the Circadian Clock Gene Cryptochrome 1 Causes Abnormal Glucometabolic and Cell Growth in *Bombyx mori* Cells. **2023**, 24, 5435 ○
- 8 Association of Circulating Branched-Chain Amino Acids with Cardiovascular Diseases: A Mendelian Randomization Study. **2023**, 15, 1580 ○
- 7 The melatonin receptor 1B gene links circadian rhythms and type 2 diabetes mellitus: an evolutionary story. **2023**, 55, 1262-1286 ○
- 6 Association between Genotype and the Glycemic Response to an Oral Glucose Tolerance Test: A Systematic Review. **2023**, 15, 1695 ○
- 5 Linking dietary intake, circadian biomarkers, and clock genes on obesity: A study protocol. 10, ○
- 4 Repurposing antidiabetic drugs for rheumatoid arthritis: results from a two-sample Mendelian randomization study. ○
- 3 Association between the MTNR1B, HHEX, SLC30A8, and TCF7L2 single nucleotide polymorphisms and cardiometabolic risk profile in a mixed ancestry South African population. ○
- 2 Obesity and type 2 diabetes mellitus: connections in epidemiology, pathogenesis, and treatments. 14, ○
- 1 A comprehensive map of human glucokinase variant activity. **2023**, 24, ○