High-resolution forest carbon stocks and emissions in t

Proceedings of the National Academy of Sciences of the Unite 107, 16738-16742

DOI: 10.1073/pnas.1004875107

Citation Report

#	Article	IF	CITATIONS
1	More than CO2: a broader paradigm for managing climate change and variability to avoid ecosystem collapse. Current Opinion in Environmental Sustainability, 2010, 2, 334-346.	3.1	39
2	How can ecologists help realise the potential of payments for carbon in tropical forest countries?. Journal of Applied Ecology, 2010, 47, 1159-1165.	1.9	32
3	Comment on "The Incidence of Fire in Amazonian Forests with Implications for REDD― Science, 2010, 330, 1627-1627.	6.0	10
4	Estimating tropical deforestation from Earth observation data. Carbon Management, 2010, 1, 271-287.	1.2	67
5	The role of science in Reducing Emissions from Deforestation and Forest Degradation (REDD). Carbon Management, 2010, 1, 253-259.	1.2	26
6	Monitoring, reporting and verification for national REDD + programmes: two proposals. Environmental Research Letters, 2011, 6, 014002.	2.2	134
7	Reducing Emissions from Deforestation and Forest Degradation. Annual Review of Environment and Resources, 2011, 36, 373-396.	5.6	241
8	Principles of Terrestrial Ecosystem Ecology. , 2011, , .		860
9	Reply to Skole et al.: Regarding high-resolution carbon stocks and emissions in the Amazon. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E13-E14.	3.3	5
10	The ecology and ecosystem services of native trees: Implications for reforestation and land restoration in Mesoamerica. Forest Ecology and Management, 2011, 261, 1553-1557.	1.4	75
11	Estimating carbon stock in secondary forests: Decisions and uncertainties associated with allometric biomass models. Forest Ecology and Management, 2011, 262, 1648-1657.	1.4	203
12	Estimating forest carbon fluxes for large regions based on process-based modelling, NFI data and Landsat satellite images. Forest Ecology and Management, 2011, 262, 2364-2377.	1.4	25
13	REDD Mitigation. Procedia Environmental Sciences, 2011, 6, 50-59.	1.3	6
14	Evaluating uncertainty in mapping forest carbon with airborne LiDAR. Remote Sensing of Environment, 2011, 115, 3770-3774.	4.6	194
15	Impacts of warming on tropical lowland rainforests. Trends in Ecology and Evolution, 2011, 26, 606-613.	4.2	222
16	Advances in remote sensing technology and implications for measuring and monitoring forest carbon stocks and change. Carbon Management, 2011, 2, 231-244.	1.2	265
17	Benchmark map of forest carbon stocks in tropical regions across three continents. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 9899-9904.	3.3	1,659
18	Highâ€resolution carbon mapping on the millionâ€hectare Island of Hawaii. Frontiers in Ecology and the Environment, 2011, 9, 434-439.	1.9	86

#	Article	IF	CITATIONS
19	Use of Remote Sensing to Support Forest and Wetlands Policies in the USA. Remote Sensing, 2011, 3, 1211-1233.	1.8	26
20	ICESat/GLAS Data as a Measurement Tool for Peatland Topography and Peat Swamp Forest Biomass in Kalimantan, Indonesia. Remote Sensing, 2011, 3, 1957-1982.	1.8	41
21	Controls over aboveground forest carbon density on Barro Colorado Island, Panama. Biogeosciences, 2011, 8, 1615-1629.	1.3	100
22	Dependence of Forest Structure and Dynamics on Substrate Age and Ecosystem Development. Ecosystems, 2011, 14, 1156-1167.	1.6	27
23	Options for monitoring and estimating historical carbon emissions from forest degradation in the context of REDD+. Carbon Balance and Management, 2011, 6, 13.	1.4	109
24	uncertainties. Carbon Balance and Management, 2011, 6, 18.	1.4	19
25	A new model of net ecosystem carbon exchange for the deciduous-dominated forest by integrating MODIS and flux data. Ecological Engineering, 2011, 37, 1567-1571.	1.6	19
26	Diagnosing the uncertainty and detectability of emission reductions for REDD + under current capabilities: an example for Panama. Environmental Research Letters, 2011, 6, 024005.	2.2	59
27	High-yield oil palm expansion spares land at the expense of forests in the Peruvian Amazon. Environmental Research Letters, 2011, 6, 044029.	2.2	117
28	Implications of allometry. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E12; author reply E13-4.	3.3	10
29	At the heart of REDD+: a role for local people in monitoring forests?. Conservation Letters, 2011, 4, 158-167.	2.8	144
30	Approaches to classifying and restoring degraded tropical forests for the anticipated REDD+ climate change mitigation mechanism. IForest, 2011, 4, 1-6.	0.5	42
31	Genetic and Anatomic Determinants of Enzootic Venezuelan Equine Encephalitis Virus Infection of Culex (Melanoconion) taeniopus. PLoS Neglected Tropical Diseases, 2012, 6, e1606.	1.3	13
32	Estimating plot-level tree structure in a deciduous forest by combining allometric equations, spatial wavelet analysis and airborne LiDAR. Remote Sensing Letters, 2012, 3, 443-451.	0.6	22
33	Assessment of Global Carbon Dioxide Concentration Using MODIS and GOSAT Data. Sensors, 2012, 12, 16368-16389.	2.1	44
34	Carbon from Tropical Deforestation. Science, 2012, 336, 1518-1519.	6.0	35
35	Assessing aboveground tropical forest biomass using Google Earth canopy images. Ecological Applications, 2012, 22, 993-1003.	1.8	88
36	Airborne LiDAR measurements to estimate tropical peat swamp forest Above Ground Biomass. , 2012, , .		1

ARTICLE IF CITATIONS # Influence of carbon mapping and land change modelling on the prediction of carbon emissions from 37 0.7 10 deforestation. Environmental Conservation, 2012, 39, 325-336. Use of DEMs data to estimate height changes due to Deforestation., 2012,,. Tropical forest biomass estimation and the fallacy of misplaced concreteness. Journal of Vegetation 39 1.1 148 Science, 2012, 23, 1191-1196. Modeling the spatial and temporal heterogeneity of deforestationâ€driven carbon emissions: the <scp>INPE</scp>â€<scp>EM</scp> framework applied to the Brazilian Amazon. Global Change Biology, 2012, 18, 3346-3366. Connecting dynamic vegetation models to data $\hat{a} \in \hat{}$ an inverse perspective. Journal of Biogeography, 2012, 41 1.4 144 39, 2240-2252. Amazon forest carbon dynamics predicted by profiles of canopy leaf area and light environment. Ecology Letters, 2012, 15, 1406-1414. 180 Synergies of multiple remote sensing data sources for REDD+ monitoring. Current Opinion in 43 3.1 140 Environmental Sustainability, 2012, 4, 696-706. Quantifying smallâ€scale deforestation and forest degradation in African woodlands using radar 44 4.2 imagery. Global Change Biology, 2012, 18, 243-257. Lidar sampling â€" Using an airborne profiler to estimate forest biomass in Hedmark County, Norway. 45 4.6 36 Remote Sensing of Environment, 2012, 123, 563-578. Leaf area index for biomes of the Eastern Arc Mountains: Landsat and SPOT observations along 4.6 precipitation and altitude gradients. Remote Sensing of Environment, 2012, 118, 103-115. LIDAR remote sensing for secondary Tropical Dry Forest identification. Remote Sensing of 47 4.6 33 Environment, 2012, 121, 132-143. 3-D mapping of a multi-layered Mediterranean forest using ALS data. Remote Sensing of Environment, 2012, 121, 210-223. 48 4.6 174 Lidar sampling for large-area forest characterization: A review. Remote Sensing of Environment, 2012, 49 4.6 553 121, 196-209. Estimating forest biomass and identifying low-intensity logging areas using airborne scanning lidar in Antimary State Forest, Acre State, Western Brazilian Amazon. Remote Sensing of Environment, 2012, 4.6 122 124, 479-491. Estimating the net ecosystem exchange for the major forests in the northern United States by 51 1.9 41 integrating MODIS and AmeriFlux data. Agricultural and Forest Meteorology, 2012, 156, 75-84. Above ground biomass estimation across forest types at different degradation levels in Central Kalimantan using LiDAR data. International Journal of Applied Earth Observation and Geoinformation, 1.4 86 2012, 18, 37-48 Integration of carbon conservation into sustainable forest management using high resolution 53 satellite imagery: A case study in Sabah, Malaysian Borneo. International Journal of Applied Earth 1.4 31 Observation and Geoinformation, 2012, 18, 305-312. Scale-dependence of aboveground carbon accumulation in secondary forests of Panama: A test of the 54 1.4 intermediate peak hypothesis. Forest Ecology and Management, 2012, 276, 62-70.

#	Article	IF	CITATIONS
55	Landscape-scale variation in structure and biomass of Amazonian seasonally flooded and unflooded forests. Forest Ecology and Management, 2012, 281, 163-176.	1.4	60
56	On the coattails of climate? Opportunities and threats of a warming Earth for biodiversity conservation. Global Environmental Change, 2012, 22, 724-735.	3.6	40
57	Estimated carbon dioxide emissions from tropical deforestation improved by carbon-density maps. Nature Climate Change, 2012, 2, 182-185.	8.1	1,326
58	LiDAR measurements of canopy structure predict spatial distribution of a tropical mature forest primate. Remote Sensing of Environment, 2012, 127, 98-105.	4.6	115
59	Comparison of methods for measuring and assessing carbon stocks and carbon stock changes in terrestrial carbon pools. How do the accuracy and precision of current methods compare? A systematic review protocol. Environmental Evidence, 2012, 1, 6.	1.1	68
60	The critical importance of considering fire in REDD+ programs. Biological Conservation, 2012, 154, 1-8.	1.9	95
61	Operationalizing REDD+: scope of reduced emissions from deforestation and forest degradation. Current Opinion in Environmental Sustainability, 2012, 4, 661-669.	3.1	33
62	Managing production forests for timber production and carbon emission reductions under the REDD+ scheme. Environmental Science and Policy, 2012, 23, 35-44.	2.4	34
63	Accuracy of small footprint airborne LiDAR in its predictions of tropical moist forest stand structure. Remote Sensing of Environment, 2012, 125, 23-33.	4.6	58
64	Lidar plots — a new large-area data collection option: context, concepts, and case study. Canadian Journal of Remote Sensing, 2012, 38, 600-618.	1.1	98
65	Economic benefits of forest conservation: assessing the potential rents from Brazil nut concessions in Madre de Dios, Peru, to channel REDD+ investments. Environmental Conservation, 2012, 39, 132-143.	0.7	32
66	Committed carbon emissions, deforestation, and community land conversion from oil palm plantation expansion in West Kalimantan, Indonesia. Proceedings of the National Academy of Sciences of the United States of America, 2012, 109, 7559-7564.	3.3	351
67	The Effectiveness of Contrasting Protected Areas in Preventing Deforestation in Madre de Dios, Peru. Environmental Management, 2012, 50, 645-663.	1.2	64
68	Managing Forest Carbon in a Changing Climate. , 2012, , .		33
69	iREDD hedges against avoided deforestation's unholy trinity of leakage, permanence and additionality. Conservation Letters, 2012, 5, 266-273.	2.8	36
70	Mapping tropical forest biomass with radar and spaceborne LiDAR in Lopé National Park, Gabon: overcoming problems of high biomass and persistent cloud. Biogeosciences, 2012, 9, 179-191.	1.3	165
71	Forest Cover Changes in Tropical South and Central America from 1990 to 2005 and Related Carbon Emissions and Removals. Remote Sensing, 2012, 4, 1369-1391.	1.8	54
72	Mapping Canopy Height and Growing Stock Volume Using Airborne Lidar, ALOS PALSAR and Landsat ETM+. Remote Sensing, 2012, 4, 3320-3345.	1.8	55

# 73	ARTICLE High-resolution mapping of forest carbon stocks in the Colombian Amazon. Biogeosciences, 2012, 9, 2683-2696.	IF 1.3	CITATIONS 91
74	Biomass Prediction in Tropical Forests: The Canopy Grain Approach. , 2012, , .		11
75	Lidar Remote Sensing for Biomass Assessment. , 2012, , .		8
76	Tree height integrated into pantropical forest biomass estimates. Biogeosciences, 2012, 9, 3381-3403.	1.3	373
77	Human and environmental controls over aboveground carbon storage in Madagascar. Carbon Balance and Management, 2012, 7, 2.	1.4	50
78	Managing Afforestation and Reforestation for Carbon Sequestration: Considerations for Land Managers and Policy Makers. , 2012, , 227-255.		4
79	A universal airborne LiDAR approach for tropical forest carbon mapping. Oecologia, 2012, 168, 1147-1160.	0.9	317
80	Reducing emissions from deforestation and forest degradation (REDD+): game changer or just another quick fix?. Annals of the New York Academy of Sciences, 2012, 1249, 137-150.	1.8	58
81	Modeling regional variation in net primary production of pinyon–juniper ecosystems. Ecological Modelling, 2012, 227, 82-92.	1.2	18
82	Linking canopy images to forest structural parameters: potential of a modeling framework. Annals of Forest Science, 2012, 69, 305-311.	0.8	37
83	High-fidelity national carbon mapping for resource management and REDD+. Carbon Balance and Management, 2013, 8, 7.	1.4	104
84	Untangling the confusion around land carbon science and climate change mitigation policy. Nature Climate Change, 2013, 3, 552-557.	8.1	203
85	Ground-Based Array for Tomographic Imaging of the Tropical Forest in P-Band. IEEE Transactions on Geoscience and Remote Sensing, 2013, 51, 4460-4472.	2.7	32
86	Treetops at Risk. , 2013, , .		13
87	Use of DEM data to monitor height changes due to deforestation. Arabian Journal of Geosciences, 2013, 6, 4859-4871.	0.6	14
88	Recovery of understory bird movement across the interface of primary and secondary Amazon rainforest. Auk, 2013, 130, 459-468.	0.7	45
90	Canopy height model characteristics derived from airbone laser scanning and its effectiveness in discriminating various tropical moist forest types. International Journal of Remote Sensing, 2013, 34, 8917-8935.	1.3	12
91	Comparison of precision of biomass estimates in regional field sample surveys and airborne LiDAR-assisted surveys in Hedmark County, Norway. Remote Sensing of Environment, 2013, 130, 108-120.	4.6	88

#	Article	IF	CITATIONS
92	Improving pantropical forest carbon maps with airborne LiDAR sampling. Carbon Management, 2013, 4, 591-600.	1.2	47
93	Estimates of soil carbon concentration in tropical and temperate forest and woodland from available <scp>GIS</scp> data on three continents. Global Ecology and Biogeography, 2013, 22, 461-469.	2.7	24
94	Landscapeâ€scale forest disturbance regimes in southern Peruvian Amazonia. Ecological Applications, 2013, 23, 1588-1602.	1.8	26
95	High jaguar densities and large population sizes in the core habitat of the southwestern Amazon. Biological Conservation, 2013, 159, 375-381.	1.9	81
96	Rapid Simultaneous Estimation of Aboveground Biomass and Tree Diversity Across Neotropical Forests: A Comparison of Field Inventory Methods. Biotropica, 2013, 45, 288-298.	0.8	73
97	Mapping biomass change after forest disturbance: Applying LiDAR footprint-derived models at key map scales. Remote Sensing of Environment, 2013, 134, 319-332.	4.6	71
98	Using biomass distributions to determine probability and intensity of tropical forest disturbance. Plant Ecology and Diversity, 2013, 6, 87-99.	1.0	10
99	Mapping environmental variation in lowland Amazonian rainforests using remote sensing and floristic data. International Journal of Remote Sensing, 2013, 34, 1561-1575.	1.3	23
100	Model-assisted estimation of change in forest biomass over an 11year period in a sample survey supported by airborne LiDAR: A case study with post-stratification to provide "activity data― Remote Sensing of Environment, 2013, 128, 299-314.	4.6	106
101	A meta-analysis of terrestrial aboveground biomass estimation using lidar remote sensing. Remote Sensing of Environment, 2013, 128, 289-298.	4.6	406
102	Reliable, verifiable and efficient monitoring of biodiversity via metabarcoding. Ecology Letters, 2013, 16, 1245-1257.	3.0	514
103	The Value of Satellite-Based Active Fire Data for Monitoring, Reporting and Verification of REDD+ in the Lao PDR. Human Ecology, 2013, 41, 7-20.	0.7	32
104	Community Monitoring for REDD+: International Promises and Field Realities. Ecology and Society, 2013, 18, .	1.0	95
105	Predicting forest growth based on airborne light detection and ranging data, climate data, and a simplified process-based model. Canadian Journal of Forest Research, 2013, 43, 364-375.	0.8	14
106	Dependency of forest biomass on full Polarimetric parameters obtained from L-band SAR data for a natural forest in Indonesia. , 2013, , .		4
107	A novel application of satellite radar data: measuring carbon sequestration and detecting degradation in a community forestry project in Mozambique. Plant Ecology and Diversity, 2013, 6, 159-170.	1.0	27
108	Modelling lidar-derived boreal forest canopy cover with SPOT 4 HRVIR data. International Journal of Remote Sensing, 2013, 34, 8172-8181.	1.3	20
110	Elevated rates of gold mining in the Amazon revealed through high-resolution monitoring. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 18454-18459.	3.3	231

#	Article	IF	CITATIONS
111	Measuring biological indicators for status assessment of the heart of Borneo. Environmental Conservation, 2013, 40, 277-286.	0.7	5
112	Lidarâ€derived estimate and uncertainty of carbon sink in successional phases of woody encroachment. Journal of Geophysical Research G: Biogeosciences, 2013, 118, 1144-1155.	1.3	25
113	Detection of large above-ground biomass variability in lowland forest ecosystems by airborne LiDAR. Biogeosciences, 2013, 10, 3917-3930.	1.3	38
114	REDD+ en Latinoamérica: el caso de Perú. Bosque, 2013, 34, 1-2.	0.1	2
115	Detecting tropical forest biomass dynamics from repeated airborne lidar measurements. Biogeosciences, 2013, 10, 5421-5438.	1.3	90
116	Forest Canopy Gap Distributions in the Southern Peruvian Amazon. PLoS ONE, 2013, 8, e60875.	1.1	97
117	Estimates of Forest Growing Stock Volume for Sweden, Central Siberia, and Québec Using Envisat Advanced Synthetic Aperture Radar Backscatter Data. Remote Sensing, 2013, 5, 4503-4532.	1.8	36
118	Leaf Area Index (LAI) Estimation in Boreal Mixedwood Forest of Ontario, Canada Using Light Detection and Ranging (LiDAR) and WorldView-2 Imagery. Remote Sensing, 2013, 5, 5040-5063.	1.8	58
119	Bird Pollinator Visitation is Equivalent in Island and Plantation Planting Designs in Tropical Forest Restoration Sites. Sustainability, 2013, 5, 1177-1187.	1.6	5
120	Quantifying Dynamics in Tropical Peat Swamp Forest Biomass with Multi-Temporal LiDAR Datasets. Remote Sensing, 2013, 5, 2368-2388.	1.8	58
121	Tropical montane forests are a larger than expected global carbon store. Biogeosciences, 2014, 11, 2741-2754.	1.3	103
122	Landscape-scale changes in forest structure and functional traits along an Andes-to-Amazon elevation gradient. Biogeosciences, 2014, 11, 843-856.	1.3	100
123	A Tale of Two "Forests― Random Forest Machine Learning Aids Tropical Forest Carbon Mapping. PLoS ONE, 2014, 9, e85993.	1.1	122
124	High-Resolution Satellite Imagery Is an Important yet Underutilized Resource in Conservation Biology. PLoS ONE, 2014, 9, e86908.	1.1	68
125	A Biodiversity Indicators Dashboard: Addressing Challenges to Monitoring Progress towards the Aichi Biodiversity Targets Using Disaggregated Global Data. PLoS ONE, 2014, 9, e112046.	1.1	56
126	The Dangers of Carbon-Centric Conservation for Biodiversity: A Case Study in the Andes. Tropical Conservation Science, 2014, 7, 178-191.	0.6	10
127	Management, Growth, and Carbon Storage in Miombo Woodlands of Tanzania. International Journal of Forestry Research, 2014, 2014, 1-11.	0.2	15
128	Remote Sensing of Aboveground Biomass in Tropical Secondary Forests: A Review. International Journal of Forestry Research, 2014, 2014, 1-14.	0.2	43

#	Article	IF	CITATIONS
129	Operationalizing the Definition of Forest Degradation for REDD+, with Application to Mexico. Forests, 2014, 5, 1653-1681.	0.9	51
130	Challenges of Governing Second-Growth Forests: A Case Study from the Brazilian Amazonian State of ParÃ _i . Forests, 2014, 5, 1737-1752.	0.9	53
131	Forest Canopy Heights in the Pacific Northwest Based on InSAR Phase Discontinuities across Short Spatial Scales. Remote Sensing, 2014, 6, 3210-3226.	1.8	7
132	Prediction of Forest Stand Attributes Using TerraSAR-X Stereo Imagery. Remote Sensing, 2014, 6, 3227-3246.	1.8	21
133	A National, Detailed Map of Forest Aboveground Carbon Stocks in Mexico. Remote Sensing, 2014, 6, 5559-5588.	1.8	100
134	Current systematic carbon-cycle observations and the need for implementing a policy-relevant carbon observing system. Biogeosciences, 2014, 11, 3547-3602.	1.3	189
135	Estimation of Aboveground Biomass Using Manual Stereo Viewing of Digital Aerial Photographs in Tropical Seasonal Forest. Land, 2014, 3, 1270-1283.	1.2	3
136	Local spatial structure of forest biomass and its consequences for remote sensing of carbon stocks. Biogeosciences, 2014, 11, 6827-6840.	1.3	89
137	Individual tree segmentation over large areas using airborne LiDAR point cloud and very high resolution optical imagery. , 2014, , .		5
138	The politics of Amazonian deforestation: environmental policy and climate change knowledge. Wiley Interdisciplinary Reviews: Climate Change, 2014, 5, 689-701.	3.6	9
139	Identifying areas of deforestation risk for REDD+ using a species modeling tool. Carbon Balance and Management, 2014, 9, 10.	1.4	19
140	Mapping licit and illicit mining activity in the Madre de Dios region of Peru. Remote Sensing Letters, 2014, 5, 882-891.	0.6	29
141	Amazonian landscapes and the bias in field studies of forest structure and biomass. Proceedings of the United States of America, 2014, 111, E5224-32.	3.3	101
142	Targeted carbon conservation at national scales with high-resolution monitoring. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E5016-22.	3.3	84
143	Regional-scale application of lidar: Variation in forest canopy structure across the southeastern US. Forest Ecology and Management, 2014, 329, 214-226.	1.4	31
144	Analysis of biophysical and anthropogenic variables and their relation to the regional spatial variation of aboveground biomass illustrated for North and East Kalimantan, Borneo. Carbon Balance and Management, 2014, 9, 8.	1.4	9
145	Payment for Ecosystem Services from Forests. Annual Review of Resource Economics, 2014, 6, 361-380.	1.5	97
146	Beyond REDD+ readiness: land-use governance to reduce deforestation in Peru. Climate Policy, 2014, 14, 734-747.	2.6	27

#	Article	IF	Citations
147	Forestry Applications of Airborne Laser Scanning. Managing Forest Ecosystems, 2014, , .	0.4	150
148	Predicting tree heights for biomass estimates in tropical forests – a test from French Guiana. Biogeosciences, 2014, 11, 3121-3130.	1.3	41
149	New global forest/non-forest maps from ALOS PALSAR data (2007–2010). Remote Sensing of Environment, 2014, 155, 13-31.	4.6	463
150	Airborne laser scanner-assisted estimation of aboveground biomass change in a temperate oak–pine forest. Remote Sensing of Environment, 2014, 151, 166-174.	4.6	66
151	Relating P-Band Synthetic Aperture Radar Tomography to Tropical Forest Biomass. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 967-979.	2.7	154
152	Above ground biomass estimation in an African tropical forest with lidar and hyperspectral data. ISPRS Journal of Photogrammetry and Remote Sensing, 2014, 89, 49-58.	4.9	208
153	Improved allometric models to estimate the aboveground biomass of tropical trees. Global Change Biology, 2014, 20, 3177-3190.	4.2	1,712
154	Mapping tropical forest carbon: Calibrating plot estimates to a simple LiDAR metric. Remote Sensing of Environment, 2014, 140, 614-624.	4.6	250
155	Tropical rainforest biodiversity and aboveground carbon changes and uncertainties in the Selva Central, Peru. Forest Ecology and Management, 2014, 312, 78-91.	1.4	24
156	The importance of crown dimensions to improve tropical tree biomass estimates. Ecological Applications, 2014, 24, 680-698.	1.8	156
157	Perturbations in the carbon budget of the tropics. Global Change Biology, 2014, 20, 3238-3255.	4.2	145
158	Imaging spectroscopy- and lidar-derived estimates of canopy composition and structure to improve predictions of forest carbon fluxes and ecosystem dynamics. Geophysical Research Letters, 2014, 41, 2535-2542.	1.5	53
159	Conservation Status of Amphibians in Peru ¹ . Herpetological Monographs, 2014, 28, 1-23.	1.1	40
160	Microtopographic controls on lowland Amazonian canopy diversity from imaging spectroscopy. Ecological Applications, 2014, 24, 1297-1310.	1.8	18
161	Maintaining ecosystem function and services in logged tropical forests. Trends in Ecology and Evolution, 2014, 29, 511-520.	4.2	297
162	These are the days of lasers in the jungle. Carbon Balance and Management, 2014, 9, 7.	1.4	34
163	Long-term carbon loss in fragmented Neotropical forests. Nature Communications, 2014, 5, 5037.	5.8	135
164	Tropical countries may be willing to pay more to protect their forests. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 10113-10118.	3.3	42

#	ARTICLE	IF	Citations
165	Estimation of forest aboveground biomass in California using canopy height and leaf area index estimated from satellite data. Remote Sensing of Environment, 2014, 151, 44-56.	4.6	103
166	Aboveground biomass mapping of African forest mosaics using canopy texture analysis: toward a regional approach. Ecological Applications, 2014, 24, 1984-2001.	1.8	72
167	Evaluation of ALOS PALSAR sensitivity for characterizing natural forest cover in wider tropical areas. Remote Sensing of Environment, 2014, 155, 32-41.	4.6	27
168	Monitoring selective logging in western Amazonia with repeat lidar flights. Remote Sensing of Environment, 2014, 151, 157-165.	4.6	90
169	Linking imaging spectroscopy and LiDAR with floristic composition and forest structure in Panama. Remote Sensing of Environment, 2014, 154, 358-367.	4.6	22
170	Lianas in gaps reduce carbon accumulation in a tropical forest. Ecology, 2014, 95, 3008-3017.	1.5	72
171	Alerts of forest disturbance from MODIS imagery. International Journal of Applied Earth Observation and Geoinformation, 2014, 33, 1-9.	1.4	30
172	Quantifying and understanding carbon storage and sequestration within the Eastern Arc Mountains of Tanzania, a tropical biodiversity hotspot. Carbon Balance and Management, 2014, 9, 2.	1.4	26
173	Evaluating land use and aboveground biomass dynamics in an oil palm–dominated landscape in Borneo using optical remote sensing. Journal of Applied Remote Sensing, 2014, 8, 083695.	0.6	17
174	Carbon storage landscapes of lowland Hawaii: the role of native and invasive species through space and time. Ecological Applications, 2014, 24, 716-731.	1.8	24
175	Understanding the Effects of ALS Pulse Density for Metric Retrieval across Diverse Forest Types. Photogrammetric Engineering and Remote Sensing, 2015, 81, 625-635.	0.3	29
176	A simple area-based model for predicting airborne LiDAR first returns from stem diameter distributions: an example study in an uneven-aged, mixed temperate forest. Canadian Journal of Forest Research, 2015, 45, 1338-1350.	0.8	14
177	Modelling aboveground forest biomass using airborne laser scanner data in the miombo woodlands of Tanzania. Carbon Balance and Management, 2015, 10, 28.	1.4	24
178	Choice of satellite imagery and attribution of changes to disturbance type strongly affects forest carbon balance estimates. Carbon Balance and Management, 2015, 10, 30.	1.4	16
179	Suitability of Interferometric Synthetic Aperture Radar (IFSAR) for biomass estimation in a selectively logged tropical rainforest in Peninsular Malaysia. Tropics, 2015, 24, 101-111.	0.2	1
180	Structure, Diversity, and Biophysical Properties of Old-Growth Forests in the Klamath Region, USA. Northwest Science, 2015, 89, 170-181.	0.1	1
181	Measurement and monitoring needs, capabilities and potential for addressing reduced emissions from deforestation and forest degradation under REDD+. Environmental Research Letters, 2015, 10, 123001.	2.2	115
182	Integrated radar and lidar analysis reveals extensive loss of remaining intact forest on Sumatra 2007–2010. Biogeosciences, 2015, 12, 6637-6653.	1.3	6

#	Article	IF	CITATIONS
183	Modeling Aboveground Biomass in Dense Tropical Submontane Rainforest Using Airborne Laser Scanner Data. Remote Sensing, 2015, 7, 788-807.	1.8	65
184	Estimation of Above Ground Forest Biomass and Carbon Stock by Integrating Lidar, Satellite Image and Field Measurement in Nepal. Journal of Natural History Museum, 0, 28, 160-170.	0.1	5
185	Effects of Pulse Density on Digital Terrain Models and Canopy Metrics Using Airborne Laser Scanning in a Tropical Rainforest. Remote Sensing, 2015, 7, 8453-8468.	1.8	35
186	Aboveground Biomass Estimation Using Structure from Motion Approach with Aerial Photographs in a Seasonal Tropical Forest. Forests, 2015, 6, 3882-3898.	0.9	84
187	L-Band SAR Backscatter Related to Forest Cover, Height and Aboveground Biomass at Multiple Spatial Scales across Denmark. Remote Sensing, 2015, 7, 4442-4472.	1.8	43
188	Mapping Forest Canopy Height Across Large Areas by Upscaling ALS Estimates with Freely Available Satellite Data. Remote Sensing, 2015, 7, 12563-12587.	1.8	44
189	Increasing the Accuracy of Mapping Urban Forest Carbon Density by Combining Spatial Modeling and Spectral Unmixing Analysis. Remote Sensing, 2015, 7, 15114-15139.	1.8	33
190	Temporal-Spatial Pattern of Carbon Stocks in Forest Ecosystems in Shaanxi, Northwest China. PLoS ONE, 2015, 10, e0137452.	1.1	9
191	Mapping dynamics of deforestation and forest degradation in tropical forests using radar satellite data. Environmental Research Letters, 2015, 10, 034014.	2.2	68
192	Correlation between L-band SAR polarimetric parameters and LiDAR metrics over a forested area. , 2015, , .		1
193	Estimating aboveground carbon using airborne LiDAR in Cambodian tropical seasonal forests for REDD+ implementation. Journal of Forest Research, 2015, 20, 484-492.	0.7	12
194	The â€~Geographic Emission Benchmark' model: a baseline approach to measuring emissions associated with deforestation and degradation. Journal of Land Use Science, 2015, 10, 466-489.	1.0	6
195	Long-term fragmentation effects on the distribution and dynamics of canopy gaps in a tropical montane forest. Ecosphere, 2015, 6, art271.	1.0	11
196	Participation dynamics and institutional change in the Scolel Té carbon forestry project, Chiapas, Mexico. Geoforum, 2015, 59, 63-72.	1.4	32
197	Domestic and international forest regime nexus in Cameroon: An assessment of the effectiveness of REDD + policy design strategy in the context of the climate change regime. Forest Policy and Economics, 2015, 52, 46-56.	1.5	27
198	The role of palaeoecological records in assessing ecosystem services. Quaternary Science Reviews, 2015, 112, 17-32.	1.4	60
199	Tropical trees in a windâ€exposed island ecosystem: heightâ€diameter allometry and size at onset of maturity. Journal of Ecology, 2015, 103, 594-605.	1.9	51
200	River transport of mercury from artisanal and small-scale gold mining and risks for dietary mercury exposure in Madre de Dios, Peru. Environmental Sciences: Processes and Impacts, 2015, 17, 478-487.	1.7	97

#	Article	IF	CITATIONS
201	Decrease of L-band SAR backscatter with biomass of dense forests. Remote Sensing of Environment, 2015, 159, 307-317.	4.6	105
202	Potential of high-resolution ALOS–PALSAR mosaic texture for aboveground forest carbon tracking in tropical region. Remote Sensing of Environment, 2015, 160, 122-133.	4.6	63
203	Spatial variability in tropical forest leaf area density from multireturn lidar and modeling. Journal of Geophysical Research G: Biogeosciences, 2015, 120, 294-309.	1.3	61
204	Airborne lidar-based estimates of tropical forest structure in complex terrain: opportunities and trade-offs for REDD+. Carbon Balance and Management, 2015, 10, 3.	1.4	66
205	Estimating the annual carbon budget of a weekend tourist resort in a temperate secondary forest in Korea. Urban Forestry and Urban Greening, 2015, 14, 413-419.	2.3	4
206	Organismic Remote Sensing for Tropical Forest Ecology and Conservation ^{1,} ² . Annals of the Missouri Botanical Garden, 2015, 100, 127-140.	1.3	24
207	Estimating the impacts of conservation on ecosystem services and poverty by integrating modeling and evaluation. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 7420-7425.	3.3	96
208	The influence of stand variables and human use on biomass and carbon stocks of a transitional African forest: Implications for forest carbon projects. Forest Ecology and Management, 2015, 351, 36-46.	1.4	37
209	Empirical models to predict LAI and aboveground biomass of Coffea arabica under full sun and shaded plantation: a case study of South of Minas Gerais, Brazil. Agroforestry Systems, 2015, 89, 621-636.	0.9	15
210	Spatial and temporal dynamics of forest aboveground carbon stocks in response to climate and environmental changes. Journal of Soils and Sediments, 2015, 15, 249-259.	1.5	14
211	An overview of existing and promising technologies for national forest monitoring. Annals of Forest Science, 2015, 72, 779-788.	0.8	17
212	Deforestation and Sustainable Mixed-Use Landscapes: A View from the Eastern Himalaya ¹ . Annals of the Missouri Botanical Garden, 2015, 100, 141-149.	1.3	16
213	Linking canopy leaf area and light environments with tree size distributions to explain Amazon forest demography. Ecology Letters, 2015, 18, 636-645.	3.0	60
214	Time-series maps of aboveground carbon stocks in the forests of central Sumatra. Carbon Balance and Management, 2015, 10, 23.	1.4	6
215	Regional-Scale Drivers of Forest Structure and Function in Northwestern Amazonia. PLoS ONE, 2015, 10, e0119887.	1.1	19
216	A Geometric Method for Wood-Leaf Separation Using Terrestrial and Simulated Lidar Data. Photogrammetric Engineering and Remote Sensing, 2015, 81, 767-776.	0.3	75
217	Calibration of Aboveground Forest Carbon Stock Models for Major Tropical Forests in Central Sumatra Using Airborne LiDAR and Field Measurement Data. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2015, 8, 661-673.	2.3	18
218	Forest health and global change. Science, 2015, 349, 814-818.	6.0	697

#	Article	IF	CITATIONS
219	Review of the use of remote sensing for biomass estimation to support renewable energy generation. Journal of Applied Remote Sensing, 2015, 9, 097696.	0.6	120
220	Contemporary forest loss in Ireland; quantifying rare deforestation events in a fragmented forest landscape. Applied Geography, 2015, 63, 346-356.	1.7	3
221	Climate change and forest management: Adaptation of geospatial technologies. , 2015, , .		1
222	Attenuating the bidirectional texture variation of satellite images of tropical forest canopies. Remote Sensing of Environment, 2015, 171, 245-260.	4.6	14
223	Segmenting tree crowns from terrestrial and mobile LiDAR data by exploring ecological theories. ISPRS Journal of Photogrammetry and Remote Sensing, 2015, 110, 66-76.	4.9	143
224	TanDEM-X data for aboveground biomass retrieval in a tropical peat swamp forest. Remote Sensing of Environment, 2015, 158, 255-266.	4.6	43
225	Ten ways remote sensing can contribute to conservation. Conservation Biology, 2015, 29, 350-359.	2.4	180
226	Forest certification and legality initiatives in the Brazilian Amazon: Lessons for effective and equitable forest governance. Forest Policy and Economics, 2015, 50, 134-142.	1.5	71
227	Spatially-Explicit Testing of a General Aboveground Carbon Density Estimation Model in a Western Amazonian Forest Using Airborne LiDAR. Remote Sensing, 2016, 8, 9.	1.8	19
228	Storm-triggered landslides in the Peruvian Andes and implications for topography, carbon cycles, and biodiversity. Earth Surface Dynamics, 2016, 4, 47-70.	1.0	60
229	Hotspots of gross emissions from the land use sector: patterns, uncertainties, and leading emission sources for the period 2000–2005 in the tropics. Biogeosciences, 2016, 13, 4253-4269.	1.3	29
230	The Assessment of Land Degradation and Desertification in Mexico: Mapping Regional Trend Indicators with Satellite Data. , 2016, , .		0
231	Multiple Patterns of Forest Disturbance and Logging Shape Forest Landscapes in Paragominas, Brazil. Forests, 2016, 7, 315.	0.9	24
232	Tropical Forests of Réunion Island Classified from Airborne Full-Waveform LiDAR Measurements. Remote Sensing, 2016, 8, 43.	1.8	6
233	Rapid Assessments of Amazon Forest Structure and Biomass Using Small Unmanned Aerial Systems. Remote Sensing, 2016, 8, 615.	1.8	84
234	Identifying Ancient Settlement Patterns through LiDAR in the Mosquitia Region of Honduras. PLoS ONE, 2016, 11, e0159890.	1.1	40
235	Tree entric mapping of forest carbon density from airborne laser scanning and hyperspectral data. Methods in Ecology and Evolution, 2016, 7, 1236-1245.	2.2	200
236	An integrated panâ€ŧropical biomass map using multiple reference datasets. Global Change Biology, 2016, 22, 1406-1420.	4.2	469

#	Article	IF	CITATIONS
237	Modeling plant–water interactions: an ecohydrological overview from the cell to the global scale. Wiley Interdisciplinary Reviews: Water, 2016, 3, 327-368.	2.8	163
238	A methodological framework to assess the carbon balance of tropical managed forests. Carbon Balance and Management, 2016, 11, 15.	1.4	13
239	Performance of non-parametric algorithms for spatial mapping of tropical forest structure. Carbon Balance and Management, 2016, 11, 18.	1.4	35
240	Satellite Sensors and Platforms. , 0, , 184-205.		0
241	The potential for automating assisted natural regeneration of tropical forest ecosystems. Biotropica, 2016, 48, 825-833.	0.8	37
242	Simulation-based assessment of sampling strategies for large-area biomass estimation using wall-to-wall and partial coverage airborne laser scanning surveys. Remote Sensing of Environment, 2016, 176, 328-340.	4.6	16
243	Uncoupling the complexity of forest soil variation: Influence of terrain indices, spectral indices, and spatial variability. Forest Ecology and Management, 2016, 369, 89-101.	1.4	9
244	Adaptation of Asia-Pacific forests to climate change. Journal of Forestry Research, 2016, 27, 469-488.	1.7	11
245	Large-scale estimation of aboveground biomass in miombo woodlands using airborne laser scanning and national forest inventory data. Remote Sensing of Environment, 2016, 186, 626-636.	4.6	26
246	Aboveground biomass variability across intact and degraded forests in the Brazilian Amazon. Global Biogeochemical Cycles, 2016, 30, 1639-1660.	1.9	109
247	Nuts About Gold: Competition for Land in Madre de Dios, Peru. , 2016, , 111-123.		0
248	Creation of a high spatioâ€ŧemporal resolution global database of continuous mangrove forest cover for the 21st century (CGMFCâ€21). Clobal Ecology and Biogeography, 2016, 25, 729-738.	2.7	691
249	Biomass turnover time in terrestrial ecosystems halved by land use. Nature Geoscience, 2016, 9, 674-678.	5.4	108
250	A poststratified ratio estimator for model-assisted biomass estimation in sample-based airborne laser scanning surveys. Canadian Journal of Forest Research, 2016, 46, 1386-1395.	0.8	8
251	Heterogeneity and assessment uncertainties in forest characteristics and biomass carbon stocks: Important considerations for climate mitigation policies. Land Use Policy, 2016, 59, 84-94.	2.5	17
252	Lianas and soil nutrients predict fineâ€scale distribution of aboveâ€ground biomass in a tropical moist forest. Journal of Ecology, 2016, 104, 1819-1828.	1.9	28
253	Spatial distribution of forest biomass in Brazil's state of Roraima, northern Amazonia. Forest Ecology and Management, 2016, 377, 170-181.	1.4	25
254	The Amazon Carbon Balance: An Evaluation of Methods and Results. Ecological Studies, 2016, , 79-100.	0.4	5

		CITATION REPORT		
#	Article		IF	CITATIONS
255	Overview of Forest Carbon Stocks Study in Amazonas State, Brazil. Ecological Studies,	2016, , 171-187.	0.4	4
256	Interactions Between Biosphere, Atmosphere and Human Land Use in the Amazon Bas Studies, 2016, , .	in. Ecological	0.4	11
257	Accelerated losses of protected forests from gold mining in the Peruvian Amazon. Envi Research Letters, 2016, 12, 094004.	ronmental	2.2	94
258	Quantifying carbon and amphibian coâ€benefits from secondary forest regeneration ir Andes. Animal Conservation, 2016, 19, 548-560.	ı the Tropical	1.5	31
259	Large-scale climatic and geophysical controls on the leaf economics spectrum. Proceec National Academy of Sciences of the United States of America, 2016, 113, E4043-51.	lings of the	3.3	93
260	Complex mountain terrain and disturbance history drive variation in forest abovegroun density in the western Oregon Cascades, USA. Forest Ecology and Management, 2016	d live carbon , 366, 193-207.	1.4	23
261	Comparison of net ecosystem carbon exchange estimation in a mixed temperate fores covariance and MODIS data. SpringerPlus, 2016, 5, 491.	t using field eddy	1.2	1
262	Use of models in large-area forest surveys: comparing model-assisted, model-based and estimation. Forest Ecosystems, 2016, 3, .	l hybrid	1.3	105
263	Estimation of Biomass and Net Primary Production (NPP) in West Siberian Boreal Ecosy and Remote Sensing Methods. Springer Water, 2016, , 233-252.	ystems: In Situ	0.2	0
264	Mapping and estimating forest area and aboveground biomass in miombo woodlands i data from airborne laser scanning, TanDEM-X, RapidEye, and global forest maps: A com estimated precision. Remote Sensing of Environment, 2016, 175, 282-300.	n Tanzania using Iparison of	4.6	77
265	Estimation of forest biomass dynamics in subtropical forests using multi-temporal airbo data. Remote Sensing of Environment, 2016, 178, 158-171.	orne LiDAR	4.6	118
266	Toward an integrated monitoring framework to assess the effects of tropical forest de recovery on carbon stocks and biodiversity. Global Change Biology, 2016, 22, 92-109.	gradation and	4.2	165
267	Mapping the structure of Borneo's tropical forests across a degradation gradient. Rem Environment, 2016, 176, 84-97.	ote Sensing of	4.6	93
268	Global change and terrestrial plant community dynamics. Proceedings of the National A Sciences of the United States of America, 2016, 113, 3725-3734.	Academy of	3.3	276
269	Examining High-Resolution PiSAR-L2 Textures for Estimating Tropical Forest Carbon St Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2016, 9	ocks. IEEE , 3202-3209.	2.3	5
270	Impact Evaluation of Forest Conservation Programs: Benefit-Cost Analysis, Without the Environmental and Resource Economics, 2016, 63, 395-408.	e Economics.	1.5	28
271	Carbon footprint of pomegranate (Punica granatum) cultivation in a hyper-arid region Peru. International Journal of Life Cycle Assessment, 2017, 22, 601-617.	in coastal	2.2	16
272	Carbon sinks and tropical forest biomass estimation: a review on role of remote sensin aboveground-biomass modelling. Geocarto International, 2017, 32, 701-716.	g in	1.7	47

ARTICLE IF CITATIONS # The application of airborne mapping LiDAR for the documentation of ancient cities and regions in 273 0.7 44 tropical regions. Quaternary International, 2017, 448, 129-138. Carbon uptake by mature Amazon forests has mitigated Amazon nations' carbon emissions. Carbon 274 1.4 98 Balance and Management, 2017, 12, 1. UAV-derived data for mapping change on a swidden agriculture plot: preliminary results from a pilot 275 1.3 17 study. International Journal of Remote Sensing, 2017, 38, 2066-2082. Quantificational effect of reforestation to soil erosion in subtropical monsoon regions with acid 1.3 red soil by sediment fingerprinting. Environmental Earth Sciences, 2017, 76, 1. Retrieving aboveground biomass of wetland Phragmites australis (common reed) using a combination of airborne discrete-return LiDAR and hyperspectral data. International Journal of Applied Earth 277 1.4 24 Observation and Geoinformation, 2017, 58, 107-117. Evaluation of modeled global vegetation carbon dynamics: Analysis based on global carbon flux and above-ground biomass data. Ecological Modelling, 2017, 355, 84-96. 1.2 UAV lidar and hyperspectral fusion for forest monitoring in the southwestern USA. Remote Sensing 279 4.6 321 of Environment, 2017, 195, 30-43. Full and effective participation of indigenous peoples in forest monitoring for reducing emissions from deforestation and forest degradation (<scp>REDD</scp>+): trial in Panama's Darién. Ecosphere, 280 1.0 2017, 8, e01635. Trends in size of tropical deforestation events signal increasing dominance of industrial-scale 281 2.2 55 drivers. Environmental Research Letters, 2017, 12, 054009. Life Cycle Assessment of the production of pisco in Peru. Journal of Cleaner Production, 2017, 142, 4.6 4369-4383. Variations in forest aboveground biomass in Miyun Reservoir of Beijing over the past two decades. 283 3 1.5 Journal of Soils and Sediments, 2017, 17, 2080-2090. An invariability-area relationship sheds new light on the spatial scaling of ecological stability. Nature 284 5.8 Communications, 2017, 8, 15211. Data acquisition considerations for Terrestrial Laser Scanning of forest plots. Remote Sensing of 285 4.6 229 Environment, 2017, 196, 140-153. Introduction to the Special Issue "Functional monitoring in megadiverse tropical ecosystemsâ€. 2.6 Ecological Indicators, 2017, 83, 524-526. Predicting old-growth tropical forest attributes from very high resolution (VHR)-derived surface 287 12 1.3 metrics. International Journal of Remote Sensing, 2017, 38, 492-513. Tropical forests are a net carbon source based on aboveground measurements of gain and loss. 539 Science, 2017, 358, 230-234. Predicting carbon benefits from climate-smart agriculture: High-resolution carbon mapping and 289 3.8 7 uncertainty assessment in El Salvador. Journal of Environmental Management, 2017, 202, 287-298. Multidate, multisensor remote sensing reveals high density of carbonâ€rich mountain peatlands in the 290 4.2

CITATION REPORT

pÃ;ramo of Ecuador. Global Change Biology, 2017, 23, 5412-5425.

#	Article	IF	CITATIONS
291	Using airborne LiDAR to assess spatial heterogeneity in forest structure on Mount Kilimanjaro. Landscape Ecology, 2017, 32, 1881-1894.	1.9	19
292	Fire disturbance data improves the accuracy of remotely sensed estimates of aboveground biomass for boreal forests in eastern Canada. Remote Sensing Applications: Society and Environment, 2017, 8, 71-82.	0.8	0
293	Tree biomass in the Swiss landscape: nationwide modelling for improved accounting for forest and non-forest trees. Environmental Monitoring and Assessment, 2017, 189, 106.	1.3	15
294	Locating spatial variation in the association between road network and forest biomass carbon accumulation. Ecological Indicators, 2017, 73, 214-223.	2.6	11
295	Deadwood stocks increase with selective logging and large tree frequency in Gabon. Global Change Biology, 2017, 23, 1648-1660.	4.2	18
296	Large-scale estimation of change in aboveground biomass in miombo woodlands using airborne laser scanning and national forest inventory data. Remote Sensing of Environment, 2017, 188, 106-117.	4.6	46
297	Perceived synergy between deforestation and/or forest degradation and climate variability and change in the Ejisu-Juaben Municipality, Ghana. Environmental and Socio-Economic Studies, 2017, 5, 40-56.	0.3	1
298	Episodic Canopy Structural Transformations and Biological Invasion in a Hawaiian Forest. Frontiers in Plant Science, 2017, 8, 1256.	1.7	6
299	Estimating Aboveground Biomass in Tropical Forests: Field Methods and Error Analysis for the Calibration of Remote Sensing Observations. Remote Sensing, 2017, 9, 47.	1.8	22
300	Carbon Emissions from Deforestation and Degradation in a Forest Reserve in Venezuela between 1990 and 2015. Forests, 2017, 8, 291.	0.9	9
301	Understanding Measurement Reporting and Verification Systems for REDD+ as an Investment for Generating Carbon Benefits. Forests, 2017, 8, 271.	0.9	2
302	Inverting Aboveground Biomass–Canopy Texture Relationships in a Landscape of Forest Mosaic in the Western Ghats of India Using Very High Resolution Cartosat Imagery. Remote Sensing, 2017, 9, 228.	1.8	18
303	Assessing and Monitoring Forest Degradation in a Deciduous Tropical Forest in Mexico via Remote Sensing Indicators. Forests, 2017, 8, 302.	0.9	32
304	Mapping Aboveground Carbon in Oil Palm Plantations Using LiDAR: A Comparison of Tree-Centric versus Area-Based Approaches. Remote Sensing, 2017, 9, 816.	1.8	18
305	Large uncertainty in carbon uptake potential of landâ€based climateâ€change mitigation efforts. Global Change Biology, 2018, 24, 3025-3038.	4.2	56
306	Drivers and trajectories of land cover change in East Africa: Human and environmental interactions from 6000†years ago to present. Earth-Science Reviews, 2018, 178, 322-378.	4.0	129
307	Historical carbon fluxes in the expanding deforestation frontier of Southern Brazilian Amazonia (1985–2012). Regional Environmental Change, 2018, 18, 77-89.	1.4	3
308	Mine land rehabilitation: Modern ecological approaches for more sustainable mining. Journal of Cleaner Production, 2018, 172, 1409-1422.	4.6	99

#	ARTICLE	IF	CITATIONS
309	Improving Lidar-based aboveground biomass estimation of temperate hardwood forests with varying site productivity. Remote Sensing of Environment, 2018, 204, 872-882.	4.6	34
310	A largeâ€area, spatially continuous assessment of land cover map error and its impact on downstream analyses. Global Change Biology, 2018, 24, 322-337.	4.2	42
311	Identification of fine scale and landscape scale drivers of urban aboveground carbon stocks using high-resolution modeling and mapping. Science of the Total Environment, 2018, 622-623, 57-70.	3.9	32
312	Local variability in the timing and intensity of tropical dry forest deciduousness is explained by differences in forest stand age. GIScience and Remote Sensing, 2018, 55, 437-456.	2.4	6
314	Tropical Deforestation and Recolonization by Exotic and Native Trees: Spatial Patterns of Tropical Forest Biomass, Functional Groups, and Species Counts and Links to Stand Age, Geoclimate, and Sustainability Goals. Remote Sensing, 2018, 10, 1724.	1.8	12
315	Potential environmental benefits from woodfuel transitions in Haiti: Geospatial scenarios to 2027. Environmental Research Letters, 2018, 13, 035007.	2.2	12
316	Tropical Peatland Vegetation Structure and Biomass: Optimal Exploitation of Airborne Laser Scanning. Remote Sensing, 2018, 10, 671.	1.8	12
317	Airborne laser scanning of natural forests in New Zealand reveals the influences of wind on forest carbon. Forest Ecosystems, 2018, 5, .	1.3	17
318	Network analysis as a tool for quantifying the dynamics of metacoupled systems: an example using global soybean trade. Ecology and Society, 2018, 23, .	1.0	28
319	Assessing carbon sequestration of silvopastoral tropical landscapes using optical remote sensing and field measurements. Journal of Land Use Science, 2018, 13, 455-472.	1.0	6
320	Vulnerability of Amazonian forests to repeated droughts. Philosophical Transactions of the Royal Society B: Biological Sciences, 2018, 373, 20170411.	1.8	80
321	Global patterns in wood carbon concentration across the world's trees and forests. Nature Geoscience, 2018, 11, 915-920.	5.4	89
322	Estimating aboveground carbon density across forest landscapes of Hawaii: Combining FIA plot-derived estimates and airborne LiDAR. Forest Ecology and Management, 2018, 424, 323-337.	1.4	17
323	Spatio-temporal patterns of Mauritia flexuosa fruit extraction in the Peruvian Amazon: Implications for conservation and sustainability. Applied Geography, 2018, 97, 98-108.	1.7	15
324	Scaling properties reveal regulation of river flows in the Amazon through a "forest reservoirâ€. Hydrology and Earth System Sciences, 2018, 22, 1735-1748.	1.9	23
325	Estimating urban above ground biomass with multi-scale LiDAR. Carbon Balance and Management, 2018, 13, 10.	1.4	60
326	Fine-scale processes shape ecosystem service provision by an Amazonian hyperdominant tree species. Scientific Reports, 2018, 8, 11690.	1.6	8
327	New Mining Concessions Could Severely Decrease Biodiversity and Ecosystem Services in Ecuador. Tropical Conservation Science, 2018, 11, 194008291878042.	0.6	45

#	Article	IF	CITATIONS
328	Towards Operational Monitoring of Forest Canopy Disturbance in Evergreen Rain Forests: A Test Case in Continental Southeast Asia. Remote Sensing, 2018, 10, 544.	1.8	47
329	SAR-Based Estimation of Above-Ground Biomass and Its Changes in Tropical Forests of Kalimantan Using L- and C-Band. Remote Sensing, 2018, 10, 831.	1.8	54
330	Estimating aboveground carbon density and its uncertainty in Borneo's structurally complex tropical forests using airborne laser scanning. Biogeosciences, 2018, 15, 3811-3830.	1.3	47
331	Evaluation of Optical and Radar Images Integration Methods for LULC Classification in Amazon Region. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2018, 11, 3062-3074.	2.3	12
332	DTM extraction under forest canopy using LiDAR data and a modified invasive weed optimization algorithm. Remote Sensing of Environment, 2018, 216, 289-300.	4.6	28
333	Parks protect forest cover in a tropical biodiversity hotspot, but high human population densities can limit success. Biological Conservation, 2018, 223, 147-155.	1.9	19
334	Overlapping land allocations reduce deforestation in Peru. Land Use Policy, 2018, 79, 174-178.	2.5	15
335	Spatial Distribution of Soil Organic Carbon in Amazonia. Journal of Agricultural Science, 2018, 10, 153.	0.1	0
336	Better estimates of soil carbon from geographical data: a revised global approach. Mitigation and Adaptation Strategies for Global Change, 2019, 24, 355-372.	1.0	26
337	Remote sensing for updating the boundaries between the brazilian Cerrado-Amazonia biomes. Environmental Science and Policy, 2019, 101, 383-392.	2.4	38
338	Arboreal ant abundance tracks primary productivity in an Amazonian whitewater river system. Ecosphere, 2019, 10, e02902.	1.0	5
339	Degradation and forgone removals increase the carbon impact of intact forest loss by 626%. Science Advances, 2019, 5, eaax2546.	4.7	87
340	Canopy Height and Above-Ground Biomass Retrieval in Tropical Forests Using Multi-Pass X- and C-Band Pol-InSAR Data. Remote Sensing, 2019, 11, 2105.	1.8	12
341	Evaluating spatial coverage of data on the aboveground biomass in undisturbed forests in the Brazilian Amazon. Carbon Balance and Management, 2019, 14, 11.	1.4	14
342	Interpretation of the Report on Temporal Dynamics and Spatial Distribution of Global Carbon Source and Sink. , 2019, , .		1
343	Spatiotemporal Analysis of Carbon Emissions and Carbon Storage Using National Geography Census Data in Wuhan, China. ISPRS International Journal of Geo-Information, 2019, 8, 7.	1.4	5
344	Frontline narratives on sustainable development challenges/opportunities in the â€ĩillegal' gold mining region of Madre de Dios, Peru: Informing an integrative collaborative response. The Extractive Industries and Society, 2019, 6, 552-561.	0.7	8
345	Degradation of Ecosystem Services and Deforestation in Landscapes With and Without Incentive-Based Forest Conservation in the Ecuadorian Amazon. Forests, 2019, 10, 442.	0.9	27

#	Article	IF	CITATIONS
346	Aboveground biomass and carbon pool estimates of Portulacaria afra (spekboom)-rich subtropical thicket with species-specific allometric models. Forest Ecology and Management, 2019, 448, 11-21.	1.4	8
347	Quantifying Canopy Tree Loss and Gap Recovery in Tropical Forests under Low-Intensity Logging Using VHR Satellite Imagery and Airborne LiDAR. Remote Sensing, 2019, 11, 817.	1.8	30
348	Opportunities and challenges for an Indonesian forest monitoring network. Annals of Forest Science, 2019, 76, 1.	0.8	11
349	Ground Data are Essential for Biomass Remote Sensing Missions. Surveys in Geophysics, 2019, 40, 863-880.	2.1	91
350	Diversification, adaptation, and community assembly of the American oaks (<i>Quercus</i>), a model clade for integrating ecology and evolution. New Phytologist, 2019, 221, 669-692.	3.5	168
351	Trends in tree growth and intrinsic water-use efficiency in the tropics under elevated CO2 and climate change. Trees - Structure and Function, 2019, 33, 623-640.	0.9	41
352	Carbon emissions and potential emissions reductions from low-intensity selective logging in southwestern Amazonia. Forest Ecology and Management, 2019, 439, 18-27.	1.4	28
353	Stand density and carbon storage in cypress-tupelo wetland forests of the Mississippi River delta. Forest Ecology and Management, 2019, 441, 106-114.	1.4	8
354	Performance of Laser-Based Electronic Devices for Structural Analysis of Amazonian Terra-Firme Forests. Remote Sensing, 2019, 11, 510.	1.8	7
355	Estimation of the forest stand mean height and aboveground biomass in Northeast China using SAR Sentinel-1B, multispectral Sentinel-2A, and DEM imagery. ISPRS Journal of Photogrammetry and Remote Sensing, 2019, 151, 277-289.	4.9	90
356	Evidence for a major missing source in the global chloromethane budget from stable carbon isotopes. Atmospheric Chemistry and Physics, 2019, 19, 1703-1719.	1.9	20
357	Reduced-impact logging practices reduce forest disturbance and carbon emissions in community managed forests on the YucatÃ _i n Peninsula, Mexico. Forest Ecology and Management, 2019, 437, 396-410.	1.4	32
358	Integrating LiDAR, Multispectral and SAR Data to Estimate and Map Canopy Height in Tropical Forests. Remote Sensing, 2019, 11, 2697.	1.8	22
359	Toward Efficient Land Cover Mapping: An Overview of the National Land Representation System and Land Cover Map 2015 of Bangladesh. IEEE Journal of Selected Topics in Applied Earth Observations and Remote Sensing, 2019, 12, 3852-3861.	2.3	17
360	A spatial pattern analysis of forest loss in the Madre de Dios region, Peru. Environmental Research Letters, 2019, 14, 124045.	2.2	19
361	Monitoring tropical forest carbon stocks and emissions using Planet satellite data. Scientific Reports, 2019, 9, 17831.	1.6	81
362	Towards rapid assessments of tree species diversity and structure in fragmented tropical forests: A review of perspectives offered by remotely-sensed and field-based data. Forest Ecology and Management, 2019, 432, 40-53.	1.4	30
363	Estimating selective logging impacts on aboveground biomass in tropical forests using digital aerial photography obtained before and after a logging event from an unmanned aerial vehicle. Forest Ecology and Management, 2019, 433, 162-169.	1.4	25

#	Article	IF	CITATIONS
364	Estimating canopy structure and biomass in bamboo forests using airborne LiDAR data. ISPRS Journal of Photogrammetry and Remote Sensing, 2019, 148, 114-129.	4.9	51
365	Mapping global forest biomass and its changes over the first decade of the 21st century. Science China Earth Sciences, 2019, 62, 585-594.	2.3	6
366	Assessment on forest carbon sequestration in the Three-North Shelterbelt Program region, China. Journal of Cleaner Production, 2019, 215, 382-389.	4.6	102
367	Effect of microsite quality and species composition on tree growth: A semi-empirical modeling approach. Forest Ecology and Management, 2019, 432, 534-545.	1.4	17
368	Geographies of conservation II: Technology, surveillance and conservation by algorithm. Progress in Human Geography, 2019, 43, 337-350.	3.3	76
369	3D Segmentation of Trees Through a Flexible Multiclass Graph Cut Algorithm. IEEE Transactions on Geoscience and Remote Sensing, 2020, 58, 754-776.	2.7	39
370	Savanna vegetation structure in the Brazilian Cerrado allows for the accurate estimation of aboveground biomass using terrestrial laser scanning. Forest Ecology and Management, 2020, 458, 117798.	1.4	29
371	Evaluating tropical forest classification and field sampling stratification from lidar to reduce effort and enable landscape monitoring. Forest Ecology and Management, 2020, 457, 117634.	1.4	13
372	Ecosystem Service Multifunctionality: Decline and Recovery Pathways in the Amazon and ChocÃ ³ Lowland Rainforests. Sustainability, 2020, 12, 7786.	1.6	13
373	Mapping pervasive selective logging in the south-west Brazilian Amazon 2000–2019. Environmental Research Letters, 2020, 15, 094057.	2.2	9
374	The Carbon Cycle of Terrestrial Ecosystems. , 2020, , 141-182.		4
375	The Global Carbon and Oxygen Cycles. , 2020, , 453-481.		1
376	A simulation method to infer tree allometry and forest structure from airborne laser scanning and forest inventories. Remote Sensing of Environment, 2020, 251, 112056.	4.6	17
377	Overstated carbon emission reductions from voluntary REDD+ projects in the Brazilian Amazon. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 24188-24194.	3.3	131
378	Reframing tropical savannization: linking changes in canopy structure to energy balance alterations that impact climate. Ecosphere, 2020, 11, e03231.	1.0	24
379	Estimating the net ecosystem exchange for the Dayekou Guantan forest by integrating MODIS and Flux data. IOP Conference Series: Earth and Environmental Science, 2020, 461, 012081.	0.2	0
380	The erosion of biodiversity and biomass in the Atlantic Forest biodiversity hotspot. Nature Communications, 2020, 11, 6347.	5.8	81
381	Accounting for Greenhouse Gas Emissions from Forest Edge Degradation: Gold Mining in Guyana as a Case Study. Forests, 2020, 11, 1307.	0.9	4

#	Article	IF	CITATIONS
382	Improving the forecasts of commercial timber volume in transition forest in the northern Brazilian Amazon. Southern Forests, 2020, 82, 148-158.	0.2	3
383	Globalization and carbon emissions: Is there any role of agriculture value-added, financial development, and natural resource rent in the aftermath of COP21?. Journal of Environmental Management, 2020, 268, 110712.	3.8	278
384	The role of forest conversion, degradation, and disturbance in the carbon dynamics of Amazon indigenous territories and protected areas. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 3015-3025.	3.3	160
385	Linking life and landscape with remote sensing. Developments in Earth Surface Processes, 2020, 23, 129-182.	2.8	Ο
386	Hindcasting tree heights in tropical forests using time-series unmanned aerial vehicle imagery. Agricultural and Forest Meteorology, 2020, 290, 108029.	1.9	6
387	Closing yield gap is crucial to avoid potential surge in global carbon emissions. Global Environmental Change, 2020, 63, 102100.	3.6	39
388	High-resolution mapping of forest canopy height using machine learning by coupling ICESat-2 LiDAR with Sentinel-1, Sentinel-2 and Landsat-8 data. International Journal of Applied Earth Observation and Geoinformation, 2020, 92, 102163.	1.4	83
389	Understanding the importance of primary tropical forest protection as a mitigation strategy. Mitigation and Adaptation Strategies for Global Change, 2020, 25, 763-787.	1.0	109
390	Species-specific or generic allometric equations: which option is better when estimating the biomass of Mexican tropical humid forests?. Carbon Management, 2020, 11, 241-249.	1.2	7
391	The Rio Branco Declaration: Assessing Progress Toward a Near-Term Voluntary Deforestation Reduction Target in Subnational Jurisdictions Across the Tropics. Frontiers in Forests and Global Change, 2020, 3, .	1.0	7
392	Impacts of Degradation on Water, Energy, and Carbon Cycling of the Amazon Tropical Forests. Journal of Geophysical Research G: Biogeosciences, 2020, 125, e2020JG005677.	1.3	44
393	Forest Contribution to Climate Change Mitigation: Management Oriented to Carbon Capture and Storage. Climate, 2020, 8, 21.	1.2	79
394	Sustainable food production, forest biodiversity and mineral pricing: Interconnected global issues. Resources Policy, 2020, 65, 101583.	4.2	40
395	Aboveground carbon emissions from gold mining in the Peruvian Amazon. Environmental Research Letters, 2020, 15, 014006.	2.2	25
396	Aboveground Carbon Stocks in Rapidly Expanding Mangroves in New Zealand: Regional Assessment and Economic Valuation of Blue Carbon. Estuaries and Coasts, 2020, 43, 1456-1469.	1.0	9
397	Dynamics of a humanâ€modified tropical peat swamp forest revealed by repeat lidar surveys. Global Change Biology, 2020, 26, 3947-3964.	4.2	17
398	How Can Remote Sensing Help Monitor Tropical Moist Forest Degradation?—A Systematic Review. Remote Sensing, 2020, 12, 1087.	1.8	37
400	Resource availability and disturbance shape maximum tree height across the Amazon. Global Change Biology, 2021, 27, 177-189.	4.2	26

#	Article	IF	CITATIONS
401	Canopy recovery four years after logging: a management study in a southern brazilian secondary forest. Cerne, 0, 27, .	0.9	3
402	Assessment of the Forest Carbon Balance Due to Deforestation and Plantation Forestry in Southeast Asia. Economics, Law, and Institutions in Asia Pacific, 2021, , 89-110.	0.4	1
403	Monitoring Key Forest Structure Attributes across the Conterminous United States by Integrating GEDI LiDAR Measurements and VIIRS Data. Remote Sensing, 2021, 13, 442.	1.8	34
404	Identifying key ecosystem service providing areas to inform national-scale conservation planning. Environmental Research Letters, 2021, 16, 014038.	2.2	55
405	Contribution of Vouacapoua americana fruit-fall to the release of biomass in a lowland Amazon forest. Scientific Reports, 2021, 11, 4302.	1.6	0
406	Mapping tree diversity in the tropical forest region of Chocó-Colombia. Environmental Research Letters, 2021, 16, 054024.	2.2	10
407	Tree Crowns Cause Border Effects in Area-Based Biomass Estimations from Remote Sensing. Remote Sensing, Sensing, 2021, 13, 1592.	1.8	12
408	Worldwide Research on Land Use and Land Cover in the Amazon Region. Sustainability, 2021, 13, 6039.	1.6	29
409	Forestry control in the Brazilian Amazon II: charcoal anatomy of 21 species. IAWA Journal, 2021, 42, 299-321.	0.5	4
410	Combining simulated hyperspectral EnMAP and Landsat time series for forest aboveground biomass mapping. International Journal of Applied Earth Observation and Geoinformation, 2021, 98, 102307.	1.4	7
411	Mapping the Growing Stem Volume of the Coniferous Plantations in North China Using Multispectral Data from Integrated GF-2 and Sentinel-2 Images and an Optimized Feature Variable Selection Method. Remote Sensing, 2021, 13, 2740.	1.8	20
412	Determining maximum entropy in 3D remote sensing height distributions and using it to improve aboveground biomass modelling via stratification. Remote Sensing of Environment, 2021, 260, 112464.	4.6	14
413	Sustainable Forest Management Evaluation Using Carbon Credits: From Production to Environmental Forests. Forests, 2021, 12, 1016.	0.9	6
414	Predicting carbon emissions, emissions reductions, and carbon removal due to deforestation and plantation forests in Southeast Asia. Journal of Cleaner Production, 2021, 312, 127728.	4.6	14
415	Remote Sensing of Seasonal Climatic Constraints on Leaf Phenology Across Pantropical Evergreen Forest Biome. Earth's Future, 2021, 9, e2021EF002160.	2.4	7
416	Coniferous Plantations Growing Stock Volume Estimation Using Advanced Remote Sensing Algorithms and Various Fused Data. Remote Sensing, 2021, 13, 3468.	1.8	15
417	Spatial distribution and dynamic change monitoring of Eucalyptus plantations in China during 1994–2013. Trees - Structure and Function, 2022, 36, 405-414.	0.9	3
418	Evaluating the Impact of Different Vegetation Types on NEE: A Case Study of Banni Grasslands, India. Journal of Environmental Protection, 2021, 12, 490-507.	0.3	0

ARTICLE IF CITATIONS # Landscape Heterogeneity and Ecosystem Dynamics., 2011,, 369-397. 419 14 Mesoscale Exploration and Conservation of Tropical Canopies in a Changing Climate., 2013, , 177-193. Canopy Texture Analysis for Large-Scale Assessments of Tropical Forest Stand Structure and Biomass. 421 6 , 2013, , 237-245. Free-Open Access Geospatial Data and Tools for Forest Resources Management. Environmental Science and Engineering, 2021, , 651-675. Determining Greenhouse Gas Emissions and Removals Associated with Land-Use and Land-Cover 423 2 Change., 2016,, 37-70. Remote Sensing of Vegetation: Potentials, Limitations, Developments and Applications. Advances in Photosynthesis and Respiration, 2016, , 289-331. 424 1.0 425 Assessing Dead Wood by Airborne Laser Scanning. Managing Forest Ecosystems, 2014, , 375-395. 0.4 10 Linking lidar and forest modeling to assess biomass estimation across scales and disturbance states. 426 4.6 68 Remote Sensing of Environment, 2018, 205, 199-209. 427 Remote sensing of forest degradation: a review. Environmental Research Letters, 2020, 15, 103001. 2.2 87 A Reassessment of Carbon Content in Tropical Trees. PLoS ONE, 2011, 6, e23533. 1.1 213 Hydrological Networks and Associated Topographic Variation as Templates for the Spatial 430 1.1 61 Organization of Tropical Forest Vegetation. PLoS ONE, 2013, 8, e76296. The Importance of Large-Diameter Trees to Forest Structural Heterogeneity. PLoS ONE, 2013, 8, e82784. 1.1 Landscape-Scale Controls on Aboveground Forest Carbon Stocks on the Osa Peninsula, Costa Rica. 432 1.1 45 PLoS ONE, 2015, 10, e0126748. MODIS Based Estimation of Forest Aboveground Biomass in China. PLoS ONE, 2015, 10, e0130143. 1.1 ContribuciÃ³n de los bosques tropicales de montaña en el almacenamiento de carbono en Colombia. 434 10 0.1 Revista De Biologia Tropical, 2014, 63, 69. Carbon storage and its distribution of forest ecosystems in Zhejiang Province, China. Chinese Journal of Plant Ecology, 2016, 40, 354-363. ComposiciÃ³n florÃstica y carbono en la vegetaciÃ³n arbÃ³rea de un Ã₁rea periurbana en Tabasco, México. 437 0.0 2 Ecosistemas Y Recursos Ágropecuarios, 2019, 6, 369. Measurement and Monitoring for REDD+: The Needs, Current Technological Capabilities, and 438 0.4 Future Potential. SSRN Electronic Journal, 0, ,

#	Article	IF	CITATIONS
440	Monitoring above-ground forest biomass: A comparison of cost and accuracy between LiDAR assisted multisource programme and field-based forest resource assessment in Nepal. Banko Janakari, 2014, 23, 12-22.	0.3	6
441	Model-Based Estimation of Amazonian Forests Recovery Time after Drought and Fire Events. Forests, 2021, 12, 8.	0.9	11
442	Seeing trees from space: above-ground biomass estimates of intact and degraded montane rainforests from high-resolution optical imagery. IForest, 2017, 10, 625-634.	0.5	5
443	Reducing Carbon Emissions through Improved Forest Management in Cambodia. Low Carbon Economy, 2013, 04, 55-67.	0.7	3
444	Forest aboveground biomass stock and resilience in a tropical landscape of Thailand. Biogeosciences, 2020, 17, 121-134.	1.3	21
445	Herbicide weed control increases nutrient leaching compared to mechanical weeding in a large-scale oil palm plantation. Biogeosciences, 2020, 17, 5243-5262.	1.3	11
457	Recent Trends and Long-standing Problems in Archaeological Remote Sensing. Journal of Computer Applications in Archaeology, 2018, 1, 19-41.	0.8	73
458	A Novel Method for Estimating Spatial Distribution of Forest Above-Ground Biomass Based on Multispectral Fusion Data and Ensemble Learning Algorithm. Remote Sensing, 2021, 13, 3910.	1.8	17
459	Solar Photovoltaics. , 2021, , 60-71.		0
460	Policy Frameworks and Institutions for Decarbonisation: The Energy Sector as †Litmus Test'. , 2021, , 7-38.		0
462	Decarbonisation Strategies and Economic Opportunities in Australia. , 2021, , 203-236.		0
464	Hydropower. , 2021, , 125-138.		0
465	Transitioning to a Prosperous, Resilient and Carbon-Free Economy. , 2021, , .		1
466	Assessing the carbon capture potential of a reforestation project. Scientific Reports, 2021, 11, 19907.	1.6	25
467	Wood–Leaf Classification of Tree Point Cloud Based on Intensity and Geometric Information. Remote Sensing, 2021, 13, 4050.	1.8	10
471	Financing the Transition. , 2021, , 621-645.		0
473	Forests. , 2021, , 462-500.		0
475	Solar Thermal Energy. , 2021, , 72-104.		1

#	Article	IF	CITATIONS
476	Improving the Governance of Governments. , 2021, , 591-620.		2
477	Trade and Climate Change. , 2021, , 571-590.		1
481	Industry and Manufacturing. , 2021, , 408-438.		0
485	Buildings and Precincts. , 2021, , 301-337.		0
488	Land Use. , 2021, , 441-461.		0
489	Social Movements for Change. , 2021, , 646-667.		0
490	Decarbonisation Strategies and Economic Opportunities in Indonesia. , 2021, , 237-268.		0
491	Mining, Metals, Oil and Gas. , 2021, , 529-568.		0
492	The Hydrogen Economy. , 2021, , 173-200.		0
493	National Climate Change Adaptation Case Study: Early Adaptation to Climate Change through Climate-Compatible Development and Adaptation Pathways. , 2021, , 365-388.		1
494	Urban Water. , 2021, , 338-364.		0
495	Global forces of change: Implications for forest-poverty dynamics. Forest Policy and Economics, 2021, 133, 102607.	1.5	11
496	Estimating Reference Emission Level and Project Emission Level for REDD Projects in Tropical Forests. SSRN Electronic Journal, 0, , .	0.4	0
498	CONSERVACIÓN Y DESARROLLO DE LA AMAZONÃA EN UN CONTEXTO MEGADIVERSO. Ciencia Amazónica (Iquitos), 2012, 2, 57.	0.0	0
503	Aboveground Terrestrial Biomass and Carbon Stock Estimations from Multisensor Remote Sensing. , 2015, , 83-104.		0
504	Forest Carbon Sequestration and Global Change. , 2016, , 39-86.		0
505	ESTIMATION OF REGIONAL FOREST ABOVEGROUND BIOMASS COMBINING ICESAT-GLAS WAVEFORMS AND HJ-1A/HSI HYPERSPECTRAL IMAGERIES. International Archives of the Photogrammetry, Remote Sensing and Spatial Information Sciences - ISPRS Archives, 0, XLI-B7, 731-737.	0.2	0
506	Development of Mean Stand Height Module Using Image-Based Point Cloud and FUSION S/W. Journal of the Korean Association of Geographic Information Studies, 2016, 19, 169-185.	0.1	0

#	Article	IF	CITATIONS
508	EstimacioÌn del carbono arboÌreo en el aÌrea de manejo forestal de IxtlaÌn de JuaÌrez, Oaxaca, MeÌxico. Revista Mexicana De Ciencias Forestales, 2015, 6, 126-145.	0.1	3
509	Above ground Terrestrial Biomass and Carbon Stock Estimations from Multisensor Remote Sensing. , 2018, , 781-802.		0
510	Forest Carbon Sequestration and Global Change. , 2018, , 39-86.		0
511	Governing REDD+: a state of the art review. Revista De Administração Da UFSM, 2019, 12, 182-197.	0.1	0
514	Dominant Tree Species Estimation for Tropical Forest Using Pixel-Based Classification Support Vector Machine (SVM) and Object-Based Classification (OBIA). , 2020, , 319-333.		2
517	Aboveground carbon accumulation by secondâ€growth forests after deforestation in Hawai'i. Ecological Applications, 2022, , e2539.	1.8	0
518	Effectiveness-equity tradeoffs in enforcing exclusionary supply chain policies: Lessons from the Amazonian cattle sector. Journal of Cleaner Production, 2022, 332, 130031.	4.6	13
519	Short-Term Recovery of the Aboveground Carbon Stock in Iberian Shrublands at the Extremes of an Environmental Gradient and as a Function of Burn Severity. Forests, 2022, 13, 145.	0.9	8
520	Inferring Economic Impacts from a Program's Physical Outcomes: An Application to Forest Protection in Thailand. Environmental and Resource Economics, 0, , 1.	1.5	2
521	Plant Diversity Increased Arthropod Diversity and Crop Yield in Traditional Agroforestry Systems but Has No Effect on Herbivory. Sustainability, 2022, 14, 2942.	1.6	6
525	Studying the vegetation impact of terrestrial ecosystems on reducing the carbon footprint in in the territory of the Russian Federation. RUDN Journal of Ecology and Life Safety, 2021, 29, 315-327.	0.0	1
526	The nexus between remittances, natural resources, technological innovation, economic growth, and environmental sustainability in Pakistan. Environmental Science and Pollution Research, 2022, 29, 75822-75840.	2.7	28
527	A global database of woody tissue carbon concentrations. Scientific Data, 2022, 9, .	2.4	8
528	Does REDD+ Complement Law Enforcement? Evaluating Impacts of an Incipient Initiative in Madre de Dios, Peru. Frontiers in Forests and Global Change, 0, 5, .	1.0	2
529	Using multi-temporal tree inventory data in eucalypt forestry to benchmark global high-resolution canopy height models. A showcase in Mato Grosso, Brazil. Ecological Informatics, 2022, 70, 101748.	2.3	4
530	Mapping Forest Degradation and Contributing Factors in a Tropical Dry Forest. Frontiers in Environmental Science, 0, 10, .	1.5	3
531	Detection of degraded forests in Guinea, West Africa, based on Sentinel-2 time series by inclusion of moisture-related spectral indices and neighbourhood effect. Remote Sensing of Environment, 2022, 281, 113230.	4.6	3
532	Evaluation of the Forest Quantity, Quality and Management through Gray Relational Analysis Method. Eurasian Journal of Forest Science, 0, , .	0.7	0

#	Article	IF	CITATIONS
533	Tradeoffs between units providing soil ecosystem services in multifunctional landscapes of the Orinoquia. Frontiers in Environmental Science, 0, 10, .	1.5	1
534	Optimization of low-carbon land use in Chengdu based on multi-objective linear programming and the future land use simulation model. Frontiers in Environmental Science, 0, 10, .	1.5	2
535	Using ecosystem integrity to maximize climate mitigation and minimize risk in international forest policy. Frontiers in Forests and Global Change, 0, 5, .	1.0	7
536	Land Use and Land Cover in Tropical Forest: Global Research. Forests, 2022, 13, 1709.	0.9	7
537	Monitoring early-successional trees for tropical forest restoration using low-cost UAV-based species classification. Frontiers in Forests and Global Change, 0, 5, .	1.0	6
538	Estimation of National Forest Aboveground Biomass from Multi-Source Remotely Sensed Dataset with Machine Learning Algorithms in China. Remote Sensing, 2022, 14, 5487.	1.8	7
539	Quantifying aboveground biomass dynamics from charcoal degradation in Mozambique using GEDI Lidar and Landsat. Remote Sensing of Environment, 2023, 284, 113367.	4.6	20
540	Assessing protected area's carbon stocks and ecological structure at regional-scale using GEDI lidar. Global Environmental Change, 2023, 78, 102621.	3.6	7
541	Challenges and opportunities of voluntourism conservation projects in Peru's Madre de Dios region. Tourism Management Perspectives, 2023, 45, 101046.	3.2	1
542	Deep learning based 3D point cloud regression for estimating forest biomass. , 2022, , .		9
543	Assessment Of Anthropogenic Impact On Forest Ecosystem: A Case Study Of Kumbhalgarh Wildlife Sanctuary, India. Geography, Environment, Sustainability, 0, , .	0.6	0
544	Can future cities grow a carbon storage equal to forests?. Environmental Research Letters, 2023, 18, 044029.	2.2	3
545	Mapping seasonal changes of street greenery using multi-temporal street-view images. Sustainable Cities and Society, 2023, 92, 104498.	5.1	9
546	Continuous mapping of aboveground biomass using Landsat time series. Remote Sensing of Environment, 2023, 288, 113483.	4.6	5
547	Using simulated GEDI waveforms to evaluate the effects of beam sensitivity and terrain slope on GEDI L2A relative height metrics over the Brazilian Amazon Forest. Science of Remote Sensing, 2023, 7, 100083.	2.2	3
548	Landâ€use changes interact with geology to facilitate dispersal of the rock hyrax (<i>Procavia) Tj ETQq1 1 0.7843</i>	814 rgBT / 0.8	Oyerlock 10
549	Aboveground Biomass and Endogenous Hormones in Sub-Tropical Forest Fragments. Forests, 2023, 14, 661.	0.9	0
550	Efecto del cambio climático y la cobertura forestal en la pérdida de bosques en la selva amazónica de Perú, 2003-2019. Revista Alfa, 2023, 7, 88-102.	0.1	0

#	Article	IF	CITATIONS
561	Climate change and tropical forests. , 2024, , 203-219.		0
563	Effects of Anthropogenic Climate Change on Ecosystems and Biodiversity, with an Emphasis on Amazonian Mammals. , 2023, , 437-465.		0