

A Randomized Trial of Treatment for Acute Anterior Cr

New England Journal of Medicine

363, 331-342

DOI: [10.1056/nejmoa0907797](https://doi.org/10.1056/nejmoa0907797)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Treatment for Acute Anterior Cruciate Ligament Tear. <i>New England Journal of Medicine</i> , 2010, 363, 1871-1873. | 13.9 | 12 |
| 2 | Is Early Reconstruction Necessary for All Anterior Cruciate Ligament Tears?. <i>New England Journal of Medicine</i> , 2010, 363, 386-388. | 13.9 | 32 |
| 3 | Frobell and colleagues' NEJM paper debunks 'early reconstruction' after ACL rupture: give a piece of rehab a chance!. <i>British Journal of Sports Medicine</i> , 2010, 44, 833-833. | 3.1 | 1 |
| 4 | Overtreatment of cruciate ligament injuries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2010, 81, 524-525. | 1.2 | 4 |
| 5 | New developments in osteoarthritis. Prevention of injury-related knee osteoarthritis: opportunities for the primary and secondary prevention of knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2010, 12, 215. | 1.6 | 33 |
| 6 | A scientific approach to optimal treatment of cruciate ligament injuries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 389-392. | 1.2 | 10 |
| 7 | Overtreatment of cruciate ligament injuries. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2011, 82, 122-123. | 1.2 | 1 |
| 8 | New takes on treatment and prevention. <i>Nature Reviews Rheumatology</i> , 2011, 7, 75-76. | 3.5 | 9 |
| 9 | Identifying Individuals With an Anterior Cruciate Ligament-Deficient Knee as Copers and Noncopers: A Narrative Literature Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2011, 41, 758-766. | 1.7 | 72 |
| 10 | Sports and anterior cruciate lesions. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2011, 97, S472-S476. | 0.0 | 4 |
| 11 | Effects of short-term glucocorticoid treatment on changes in cartilage matrix degradation and chondrocyte gene expression induced by mechanical injury and inflammatory cytokines. <i>Arthritis Research and Therapy</i> , 2011, 13, R142. | 1.6 | 83 |
| 12 | Prompt Operative Intervention Reduces Long-Term Osteoarthritis After Knee Anterior Cruciate Ligament Tear. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 149-152. | 1.3 | 36 |
| 13 | Range of Motion Loss Will Cause Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 451-452. | 1.3 | 4 |
| 14 | We Have to Eliminate Nonanatomic Anterior Cruciate Ligament Tunnel Placement as a Cause of Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 601-602. | 1.3 | 7 |
| 15 | Cost-Effectiveness Analysis of the Most Common Orthopaedic Surgery Procedures: Knee Arthroscopy and Knee Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2011, 27, 1317-1322. | 1.3 | 98 |
| 16 | Knieverletzungen im Sport - Die Partialruptur des VKB. <i>Sports Orthopaedics and Traumatology</i> , 2011, 27, 35-41. | 0.1 | 2 |
| 18 | Potential of Tissue-Engineered Ligament Substitutes for Ruptured ACL Replacement. , 2011, , . | | 1 |
| 19 | Risk of Perioperative Transfusion in Elective Hepatectomy. <i>Annals of Surgery</i> , 2011, 253, 631. | 2.1 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 20 | Re. Annals of Surgery, 2011, 253, 631. | 2.1 | 0 |
| 21 | Perioperative Transfusion Risk Assessment With Elective Hepatectomy. Annals of Surgery, 2011, 253, 629-630. | 2.1 | 0 |
| 22 | Risk of Perioperative Transfusion in Elective Hepatectomy. Annals of Surgery, 2011, 253, 631. | 2.1 | 0 |
| 23 | Surgical Randomized-Controlled Trials and CONSORT 2010. Annals of Surgery, 2011, 253, 634-635. | 2.1 | 0 |
| 24 | Role of Mechanical Bowel Preparation and Anastomotic Technique in Low-Anterior Resection. Annals of Surgery, 2011, 253, 629. | 2.1 | 1 |
| 25 | Perioperative Transfusion Risk Assessment With Elective Hepatectomy. Annals of Surgery, 2011, 253, 630-631. | 2.1 | 0 |
| 26 | Treatment of ACL Tears in Active Young Adults. Clinical Journal of Sport Medicine, 2011, 21, 73-74. | 0.9 | 1 |
| 27 | Recent Clinical Evidence for the Treatment of Osteoarthritis: What we have Learned. Reviews on Recent Clinical Trials, 2011, 6, 114-126. | 0.4 | 10 |
| 29 | Surgical Randomized-Controlled Trials and CONSORT 2010. Annals of Surgery, 2011, 253, 633-634. | 2.1 | 0 |
| 30 | Osteoarthritis year 2010 in review: non-pharmacologic therapy. Osteoarthritis and Cartilage, 2011, 19, 366-374. | 0.6 | 72 |
| 31 | Why does Australia have a higher rate of knee reconstruction surgery than New Zealand (and) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 342 | 0.6 | 2 |
| 32 | A prospective randomized study of ACL-reconstructions using bone-patellar tendon-bone grafts fixed with bioabsorbable or metal interference screws. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 753-759. | 2.3 | 42 |
| 33 | Muscle strength and hop performance criteria prior to return to sports after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1798-1805. | 2.3 | 329 |
| 35 | Reconstruction versus conservative treatment after rupture of the anterior cruciate ligament: cost effectiveness analysis. BMC Health Services Research, 2011, 11, 317. | 0.9 | 43 |
| 36 | Measures of knee function: International Knee Documentation Committee (IKDC) Subjective Knee Evaluation Form, Knee Injury and Osteoarthritis Outcome Score (KOOS), Knee Injury and Osteoarthritis Outcome Score Physical Function Short Form (KOOSâ€PS), Knee Outcome Survey Activities of Daily Living Scale (KOSâ€ADL), Lysholm Knee Scoring Scale, Oxford Knee Score (OKS), Western Ontario and McMaster Universities Osteoarthritis Index (WOMAC), Activity Rating Scale (ARS), and Tegner Activity Score (TAS). Arthritis Care and Research, 2011, 63, S208-28. | 1.5 | 897 |
| 37 | ACL Reconstruction with Double-Bundle Technique: A Review of Clinical Results. Physician and Sportsmedicine, 2011, 39, 85-92. | 1.0 | 15 |
| 38 | Eminence-Based Medicine Versus Evidence-Based Medicine: Level V Evidence in Sports Medicine. Physician and Sportsmedicine, 2011, 39, 124-130. | 1.0 | 5 |
| 39 | Longitudinal Gait and Strength Changes Prior to and Following an Anterior Cruciate Ligament Rupture and Surgical Reconstruction: A Case Report. Journal of Orthopaedic and Sports Physical Therapy, 2011, 41, 191-B4. | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 40 | Change in Cartilage Thickness, Posttraumatic Bone Marrow Lesions, and Joint Fluid Volumes After Acute ACL Disruption. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 1096-1103. | 1.4 | 118 |
| 41 | Single-Legged Hop Tests as Predictors of Self-Reported Knee Function in Nonoperatively Treated Individuals With Anterior Cruciate Ligament Injury. <i>American Journal of Sports Medicine</i> , 2011, 39, 2347-2354. | 1.9 | 130 |
| 42 | Anterior Cruciate Ligament Reconstruction with Semitendinosus Graft Provided Similar Stability and Knee Function and Fewer Problems with Kneeling Compared with the Bone-Patellar Tendon-Bone Graft. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 969. | 1.4 | 1 |
| 44 | Early Versus Delayed Reconstruction of the Anterior Cruciate Ligament. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, e48. | 1.4 | 21 |
| 45 | Rehabilitation and Early Anterior Cruciate Ligament Reconstruction Was Not Better Than Rehabilitation and Delayed Reconstruction. <i>Journal of Bone and Joint Surgery - Series A</i> , 2011, 93, 395. | 1.4 | 0 |
| 46 | Prehabilitation: The Void in the Management of Anterior Cruciate Ligament Injuries—A Clinical Review. <i>ISRN Rehabilitation</i> , 2012, 2012, 1-11. | 0.6 | 1 |
| 47 | Incidence and Outcome After Revision Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2012, 40, 1551-1557. | 1.9 | 287 |
| 48 | Enhancement of Tendon—Bone Healing for Anterior Cruciate Ligament (ACL) Reconstruction Using Bone Marrow-Derived Mesenchymal Stem Cells Infected with BMP-2. <i>International Journal of Molecular Sciences</i> , 2012, 13, 13605-13620. | 1.8 | 61 |
| 49 | Anterior Cruciate Ligament Injuries. <i>Clinical Journal of Sport Medicine</i> , 2012, 22, 349-355. | 0.9 | 161 |
| 50 | Hip arthroscopy for intra-articular pathology: a systematic review of outcomes with and without femoral osteoplasty. <i>British Journal of Sports Medicine</i> , 2012, 46, 632-643. | 3.1 | 97 |
| 51 | Cartilage Injury After Acute, Isolated Anterior Cruciate Ligament Tear. <i>American Journal of Sports Medicine</i> , 2012, 40, 276-285. | 1.9 | 231 |
| 52 | Clinical Results and Risk Factors for Reinjury 15 Years After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2012, 40, 595-605. | 1.9 | 280 |
| 53 | A Pair-Matched Comparison of Return to Pivoting Sports at 1 Year in Anterior Cruciate Ligament—Injured Patients After a Nonoperative Versus an Operative Treatment Course. <i>American Journal of Sports Medicine</i> , 2012, 40, 2509-2516. | 1.9 | 110 |
| 54 | More on Treatment for Acute Anterior Cruciate Ligament Tears. <i>New England Journal of Medicine</i> , 2012, 367, 279-279. | 13.9 | 2 |
| 55 | A Population-Based Nationwide Study of Cruciate Ligament Injury in Sweden, 2001-2009. <i>American Journal of Sports Medicine</i> , 2012, 40, 1808-1813. | 1.9 | 138 |
| 56 | ANTERIOR CRUCIATE LIGAMENT INJURY: TREATMENT AND REHABILITATION. CURRENT PERSPECTIVES AND TRENDS. <i>Revista Brasileira De Ortopedia</i> , 2012, 47, 191-196. | 0.6 | 11 |
| 57 | Single-Legged Hop Tests as Predictors of Self-Reported Knee Function in Nonoperatively Treated Individuals With Anterior Cruciate Ligament Injury. <i>Yearbook of Sports Medicine</i> , 2012, 2012, 69-71. | 0.0 | 0 |
| 58 | Sport and exercise as contributors to the health of nations. <i>Lancet, The</i> , 2012, 380, 59-64. | 6.3 | 318 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 59 | Long-term effects of sport: preventing and managing OA in the athlete. <i>Nature Reviews Rheumatology</i> , 2012, 8, 747-752. | 3.5 | 31 |
| 60 | Relationship of native tibial plateau anatomy with stability testing in the anterior cruciate ligament-deficient knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 2220-2224. | 2.3 | 13 |
| 63 | The Effect of 58S bioactive glass coating on polyethylene terephthalates in graft-bone healing. <i>Journal of Bionic Engineering</i> , 2012, 9, 470-477. | 2.7 | 8 |
| 64 | Anatomic Anterior Cruciate Ligament Reconstruction Utilizing the Double-Bundle Technique. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 184-195. | 1.7 | 32 |
| 65 | Clinical Outcome of Autologous Chondrocyte Implantation for Failed Microfracture Treatment of Full-Thickness Cartilage Defects of the Knee Joint. <i>American Journal of Sports Medicine</i> , 2012, 40, 325-331. | 1.9 | 156 |
| 66 | No Increased Occurrence of Osteoarthritis After Anterior Cruciate Ligament Reconstruction After Isolated Anterior Cruciate Ligament Injury in Athletes. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 517-525. | 1.3 | 55 |
| 67 | Does ACL Reconstruction Lead to Degenerative Joint Disease or Does It Prevent Osteoarthritis? How to Read Science. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2012, 28, 448-450. | 1.3 | 19 |
| 68 | (ii) Knee injuries in the growing athlete. <i>Orthopaedics and Trauma</i> , 2012, 26, 12-19. | 0.2 | 1 |
| 69 | Total knee replacement plus physical and medical therapy or treatment with physical and medical therapy alone: a randomised controlled trial in patients with knee osteoarthritis (the MEDIC-study). <i>BMC Musculoskeletal Disorders</i> , 2012, 13, 67. | 0.8 | 18 |
| 70 | Neuromuscular Prehabilitation to Prevent Osteoarthritis After a Traumatic Joint Injury. <i>PM and R</i> , 2012, 4, S141-4. | 0.9 | 8 |
| 71 | Anterior Cruciate Ligament Tear: Surgical Reconstruction Versus Nonsurgical Management. <i>PM and R</i> , 2012, 4, 1006-1014. | 0.9 | 1 |
| 72 | Cartilage and bone markers and inflammatory cytokines are increased in synovial fluid in the acute phase of knee injury (hemarthrosis) – a cross-sectional analysis. <i>Osteoarthritis and Cartilage</i> , 2012, 20, 1302-1308. | 0.6 | 135 |
| 73 | 3-T MRI assessment of osteophyte formation in patients with unilateral anterior cruciate ligament injury and reconstruction. <i>Skeletal Radiology</i> , 2012, 41, 1597-1604. | 1.2 | 7 |
| 74 | The Effect of Anterior Cruciate Ligament Reconstruction on the Progression of Osteoarthritis. <i>The Open Orthopaedics Journal</i> , 2012, 6, 506-510. | 0.1 | 16 |
| 75 | The Variability of Patient Preferences. <i>Clinical Orthopaedics and Related Research</i> , 2012, 470, 1966-1972. | 0.7 | 6 |
| 76 | Pivot shift as an outcome measure for ACL reconstruction: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 767-777. | 2.3 | 196 |
| 77 | High incidence and costs for anterior cruciate ligament reconstructions performed in Australia from 2003–2004 to 2007–2008: time for an anterior cruciate ligament register by Scandinavian model?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 495-501. | 1.3 | 132 |
| 78 | Outcome of anterior cruciate ligament reconstruction with emphasis on sex-related differences. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012, 22, 618-626. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 79 | Effects of intraarticular IL1-Ra for acute anterior cruciate ligament knee injury: a randomized controlled pilot trial (NCT00332254). <i>Osteoarthritis and Cartilage</i> , 2012, 20, 271-278. | 0.6 | 146 |
| 80 | Complete ACL/MCL deficiency induces variable degrees of instability in sheep with specific kinematic abnormalities correlating with degrees of early osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2012, 30, 384-392. | 1.2 | 46 |
| 81 | Validity and reliability of the SPORTS score. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 356-360. | 2.3 | 30 |
| 82 | Anterior cruciate ligament tears: conservative or surgical treatment? A critical review of the literature. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 48-61. | 2.3 | 115 |
| 83 | Medium to long-term follow-up after ACL revision. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2012, 20, 166-172. | 2.3 | 57 |
| 84 | Is osteoarthritis an inevitable consequence of anterior cruciate ligament reconstruction? A meta-analysis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1967-1976. | 2.3 | 186 |
| 85 | Nonoperative treatment for anterior cruciate ligament injury in recreational alpine skiers. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1910-1914. | 2.3 | 21 |
| 86 | Anterior cruciate ligament tears: what we already know. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1704-1705. | 2.3 | 10 |
| 87 | Anterior cruciate ligament tears: conservative or surgical treatment?. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 1706-1707. | 2.3 | 8 |
| 88 | Functional recovery after anterior cruciate ligament reconstruction, a study of health-related quality of life based on the Swedish National Knee Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 914-927. | 2.3 | 90 |
| 89 | Delay in ACL reconstruction is associated with more severe and painful meniscal and chondral injuries. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 928-933. | 2.3 | 64 |
| 90 | Post-traumatic osteoarthritis: from mouse models to clinical trials. <i>Nature Reviews Rheumatology</i> , 2013, 9, 485-497. | 3.5 | 189 |
| 91 | The effect of education and supervised exercise vs. education alone on the time to total hip replacement in patients with severe hip osteoarthritis. A randomized clinical trial protocol. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 21. | 0.8 | 6 |
| 92 | Reconstruction surgery is not always necessary for active young people who rupture their anterior cruciate ligament. <i>Journal of Physiotherapy</i> , 2013, 59, 209. | 0.7 | 1 |
| 93 | The ACL Handbook. , 2013, , . | | 12 |
| 94 | Double-bundle Anterior Cruciate Ligament reconstruction: a review of literature. <i>International Orthopaedics</i> , 2013, 37, 227-232. | 0.9 | 25 |
| 95 | Reducing anterior tibial translation by applying functional electrical stimulation in dynamic knee extension exercises: Quantitative results acquired via marker tracking. <i>Clinical Biomechanics</i> , 2013, 28, 549-554. | 0.5 | 4 |
| 96 | Factors Associated With Meniscal Tears and Chondral Lesions in Patients Undergoing Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 2759-2765. | 1.9 | 99 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 97 | Evaluation of Information Available on the Internet Regarding Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1101-1107. | 1.3 | 31 |
| 99 | Surgery versus Physical Therapy for a Meniscal Tear and Osteoarthritis. <i>New England Journal of Medicine</i> , 2013, 368, 1675-1684. | 13.9 | 515 |
| 100 | Eight clinical conundrums relating to anterior cruciate ligament (ACL) injury in sport: recent evidence and a personal reflection: Table A1. <i>British Journal of Sports Medicine</i> , 2013, 47, 367-372. | 3.1 | 88 |
| 101 | Posterior ligamentous complex healing following disruption in thoracolumbar fractures. <i>Medical Hypotheses</i> , 2013, 81, 117-118. | 0.8 | 6 |
| 102 | Cartilage adaptation after anterior cruciate ligament injury and reconstruction: implications for clinical management and research? A systematic review of longitudinal MRI studies. <i>Osteoarthritis and Cartilage</i> , 2013, 21, 1009-1024. | 0.6 | 47 |
| 103 | No difference in functional outcomes between surgery and physiotherapy for symptomatic patients with a meniscal tear and knee osteoarthritis. <i>Journal of Physiotherapy</i> , 2013, 59, 210. | 0.7 | 0 |
| 104 | Ensuring face validity in patient-related outcome scores – A matter of content. <i>Knee</i> , 2013, 20, 72-78. | 0.8 | 14 |
| 105 | The Optimal Timing for Anterior Cruciate Ligament Reconstruction With Respect to the Risk of Postoperative Stiffness. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 556-565. | 1.3 | 70 |
| 106 | Timing of Surgery of the Anterior Cruciate Ligament. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1863-1871. | 1.3 | 60 |
| 107 | Increased Risk of Revision After Anteromedial Compared With Transtibial Drilling of the Femoral Tunnel During Primary Anterior Cruciate Ligament Reconstruction: Results from the Danish Knee Ligament Reconstruction Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 98-105. | 1.3 | 197 |
| 108 | The Health and Structural Consequences of Acute Knee Injuries Involving Rupture of the Anterior Cruciate Ligament. <i>Rheumatic Disease Clinics of North America</i> , 2013, 39, 107-122. | 0.8 | 18 |
| 109 | Rehabilitation of Extreme Sports Injuries. , 2013, , 339-361. | | 2 |
| 110 | Ligamentous Injuries of the Knee. <i>Primary Care - Clinics in Office Practice</i> , 2013, 40, 335-356. | 0.7 | 16 |
| 111 | Lower extremity performance following ACL rehabilitation in the KANON-trial: impact of reconstruction and predictive value at 2 and 5 years. <i>British Journal of Sports Medicine</i> , 2013, 47, 980-985. | 3.1 | 58 |
| 112 | Treatment for acute anterior cruciate ligament tear: five year outcome of randomised trial. <i>BMJ, The</i> , 2013, 346, f232-f232. | 3.0 | 369 |
| 113 | Prognosis and predictors of ACL reconstructions using the MOON cohort: A model for comparative effectiveness studies. <i>Journal of Orthopaedic Research</i> , 2013, 31, 2-9. | 1.2 | 64 |
| 114 | Type I collagen and polyvinyl alcohol blend fiber scaffold for anterior cruciate ligament reconstruction. <i>Biomedical Materials (Bristol)</i> , 2013, 8, 035001. | 1.7 | 21 |
| 115 | Authors' response to editorial by Levy and colleagues on treating ACL injuries in young moderately active adults. <i>BMJ, The</i> , 2013, 346, f2082-f2082. | 3.0 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 116 | Effect of Interference Screw Fixation on ACL Graft Tensile Strength. <i>Journal of Knee Surgery</i> , 2013, 26, 155-160. | 0.9 | 16 |
| 117 | ACL Reconstruction in Patients Aged 40 Years and Older. <i>American Journal of Sports Medicine</i> , 2013, 41, 2181-2190. | 1.9 | 46 |
| 118 | Societal and Economic Impact of Anterior Cruciate Ligament Tears. <i>Journal of Bone and Joint Surgery - Series A</i> , 2013, 95, 1751-1759. | 1.4 | 352 |
| 119 | The Rate of Subsequent Surgery and Predictors After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 1534-1540. | 1.9 | 257 |
| 121 | Dimensionality of the Knee Numeric Entity Evaluation Score (<sc>KNEES</sc>): A condition-specific questionnaire. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2013, 23, e302-12. | 1.3 | 14 |
| 122 | A review of anterior cruciate ligament injuries and reconstructive techniques. Part 2: Treatment. <i>Trauma</i> , 2013, 15, 116-127. | 0.2 | 3 |
| 123 | Psychometric Properties of Patient-Reported Outcome Measures for Hip Arthroscopic Surgery. <i>American Journal of Sports Medicine</i> , 2013, 41, 2065-2073. | 1.9 | 389 |
| 124 | Differences in Knee Joint Stabilization Between Children and Adults and Between the Sexes. <i>American Journal of Sports Medicine</i> , 2013, 41, 678-683. | 1.9 | 10 |
| 125 | Treating ACL injuries in young moderately active adults. <i>BMJ, The</i> , 2013, 346, f963-f963. | 3.0 | 4 |
| 126 | Allograft versus autograft for reconstruction of anterior cruciate ligament rupture in adults. <i>The Cochrane Library</i> , 0, , . | 1.5 | 1 |
| 127 | Trends in treatment of anterior cruciate ligament injuries of the knee in the public and private healthcare systems of Brazil. <i>Sao Paulo Medical Journal</i> , 2013, 131, 257-263. | 0.4 | 9 |
| 128 | Manual Khalifa Therapy Improves Functional and Morphological Outcome of Patients with Anterior Cruciate Ligament Rupture in the Knee: A Randomized Controlled Trial. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014, 2014, 1-8. | 0.5 | 15 |
| 129 | Does concomitant meniscectomy affect medium-term outcome of anterior cruciate ligament reconstruction? A preliminary report. <i>Archives of Medical Science</i> , 2014, 5, 992-998. | 0.4 | 9 |
| 130 | Physical therapy in the conservative treatment for anterior cruciate ligament rupture followed by contralateral rupture: case report. <i>Fisioterapia E Pesquisa</i> , 2014, 21, 186-192. | 0.3 | 0 |
| 131 | Osteoarthritis Prevalence Following Anterior Cruciate Ligament Reconstruction: A Systematic Review and Numbers-Needed-to-Treat Analysis. <i>Journal of Athletic Training</i> , 2014, 49, 806-819. | 0.9 | 272 |
| 132 | Squatting Mechanics in People With and Without Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2014, 42, 2979-2987. | 1.9 | 21 |
| 134 | Online registration of monthly sports participation after anterior cruciate ligament injury: a reliability and validity study. <i>British Journal of Sports Medicine</i> , 2014, 48, 748-753. | 3.1 | 26 |
| 135 | Risk for Revision After Anterior Cruciate Ligament Reconstruction Is Higher Among Adolescents. <i>Orthopaedic Journal of Sports Medicine</i> , 2014, 2, 232596711455240. | 0.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 136 | Outcome of Chronic Isolated Anterior Cruciate Ligament Reconstruction. <i>Journal of Knee Surgery</i> , 2014, 27, 383-392. | 0.9 | 7 |
| 137 | Does ACL Reconstruction Alter Natural History?. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 292-300. | 1.4 | 222 |
| 138 | Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. <i>British Journal of Sports Medicine</i> , 2014, 48, 1543-1552. | 3.1 | 920 |
| 139 | To Operate or Not to Operate? That Is (Still) the Question. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, e133. | 1.4 | 4 |
| 140 | Subjective vs objective predictors of functional knee joint performance in anterior cruciate ligament-reconstructed patients—Do we need both?. <i>Knee</i> , 2014, 21, 1139-1144. | 0.8 | 12 |
| 141 | Reduced knee joint loading with lateral and medial wedge insoles for management of knee osteoarthritis: a protocol for a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014, 15, 405. | 0.8 | 13 |
| 142 | Randomized control trial to evaluate the effects of acute testosterone administration in men on muscle mass, strength, and physical function following ACL reconstructive surgery: rationale, design, methods. <i>BMC Surgery</i> , 2014, 14, 102. | 0.6 | 7 |
| 143 | Injury Pathology at the Time of Anterior Cruciate Ligament Reconstruction Associations With Self-assessment of Knee Function. <i>Clinical Journal of Sport Medicine</i> , 2014, 24, 461-467. | 0.9 | 6 |
| 144 | Is reconstruction the best management strategy for anterior cruciate ligament rupture? A systematic review and meta-analysis comparing anterior cruciate ligament reconstruction versus non-operative treatment. <i>Knee</i> , 2014, 21, 462-470. | 0.8 | 126 |
| 145 | Multiple arthroscopic debridement and graft retention in septic knee arthritis after ACL reconstruction: a prospective case—control study. <i>International Orthopaedics</i> , 2014, 38, 73-82. | 0.9 | 37 |
| 146 | Comparison of Hamstring Tendon and Patellar Tendon Grafts in Anterior Cruciate Ligament Reconstruction in a Nationwide Population-Based Cohort Study. <i>American Journal of Sports Medicine</i> , 2014, 42, 278-284. | 1.9 | 181 |
| 147 | Increased Risk of Revision With Hamstring Tendon Grafts Compared With Patellar Tendon Grafts After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2014, 42, 285-291. | 1.9 | 277 |
| 148 | ACL Injury and Rehabilitation. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2014, 2, 35-40. | 0.3 | 9 |
| 149 | Anterior cruciate ligament injury after more than 20 years: <scp>I</scp>. Physical activity level and knee function. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, e491-500. | 1.3 | 64 |
| 150 | Soft Tissue Knee Injury With Concomitant Osteochondral Fracture Is Associated With Higher Degree of Acute Joint Inflammation. <i>American Journal of Sports Medicine</i> , 2014, 42, 1096-1102. | 1.9 | 34 |
| 151 | Anterior Cruciate Ligament Injury and Radiologic Progression of Knee Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2014, 42, 2242-2252. | 1.9 | 362 |
| 152 | The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 1613-1619. | 3.1 | 315 |
| 153 | Does post-injury ACL reconstruction prevent future OA?. <i>Nature Reviews Rheumatology</i> , 2014, 10, 577-578. | 3.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 154 | Swelling after a knee injury. <i>Journal of Arthroscopy and Joint Surgery</i> , 2014, 1, 91-93. | 0.3 | 0 |
| 155 | Patellofemoral osteoarthritis is prevalent and associated with worse symptoms and function after hamstring tendon autograft ACL reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 435-439. | 3.1 | 87 |
| 156 | Nonsurgical or Surgical Treatment of ACL Injuries: Knee Function, Sports Participation, and Knee Reinjury. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 1233-1241. | 1.4 | 140 |
| 157 | Iliotibial band autograft versus bone-patella-tendon-bone autograft, a possible alternative for ACL reconstruction: a 15-year prospective randomized controlled trial. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2094-2101. | 2.3 | 21 |
| 158 | Outcomes after ACL reconstruction with focus on older patients: results from The Swedish National Anterior Cruciate Ligament Register. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 379-386. | 2.3 | 72 |
| 159 | Anterior cruciate ligament deterioration correlates with patella osteoarthritis. <i>International Orthopaedics</i> , 2014, 38, 741-746. | 0.9 | 2 |
| 161 | Anterior Cruciate Ligament Reconstruction. , 2014, , . | | 11 |
| 162 | Could the New England Journal of Medicine Be Biased Against Arthroscopic Knee Surgery?. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2014, 30, 536-537. | 1.3 | 43 |
| 163 | Cost-Effectiveness Analysis of Early Reconstruction Versus Rehabilitation and Delayed Reconstruction for Anterior Cruciate Ligament Tears. <i>American Journal of Sports Medicine</i> , 2014, 42, 1583-1591. | 1.9 | 70 |
| 164 | The challenge of recruiting patients into a placebo-controlled surgical trial. <i>Trials</i> , 2014, 15, 167. | 0.7 | 25 |
| 165 | Imaging following acute knee trauma. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 1429-1443. | 0.6 | 23 |
| 166 | Anterior Cruciate Ligament OsteoArthritis Score (ACLOAS): Longitudinal MRI-based whole joint assessment of anterior cruciate ligament injury. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 668-682. | 0.6 | 76 |
| 167 | Pathogenesis of post-traumatic OA with a view to intervention. <i>Best Practice and Research in Clinical Rheumatology</i> , 2014, 28, 17-30. | 1.4 | 61 |
| 168 | Operative Treatment of Primary Anterior Cruciate Ligament Rupture in Adults. <i>Journal of Bone and Joint Surgery - Series A</i> , 2014, 96, 685-694. | 1.4 | 59 |
| 169 | The effect of anterior cruciate ligament injury on bone curvature: exploratory analysis in the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2014, 22, 959-968. | 0.6 | 31 |
| 170 | Return to Sport after Anterior Cruciate Ligament Reconstruction: A Literature Review. <i>Journal of Novel Physiotherapies</i> , 2014, 04, . | 0.1 | 4 |
| 171 | A noninvasive biomechanical treatment as an additional tool in the rehabilitation of an acute anterior cruciate ligament tear: A case report. <i>SAGE Open Medical Case Reports</i> , 2014, 2, 2050313X1351997. | 0.2 | 3 |
| 172 | Anterior cruciate ligament tears for the primary care sports physician: what to know on the field and in the office. <i>Physician and Sportsmedicine</i> , 2015, 43, 432-439. | 1.0 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 173 | Effects of neuromuscular training on knee joint stability after anterior cruciate ligament reconstruction. <i>Journal of Physical Therapy Science</i> , 2015, 27, 3613-3617. | 0.2 | 13 |
| 174 | Sex-Specific Predictors of Intra-articular Injuries Observed During Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2015, 3, 232596711557130. | 0.8 | 13 |
| 175 | Non-compliance with randomised allocation and missing outcome data in randomised controlled trials evaluating surgical interventions: a systematic review. <i>BMC Research Notes</i> , 2015, 8, 403. | 0.6 | 10 |
| 176 | Systematic review of intervention design and delivery in pragmatic and explanatory surgical randomized clinical trials. <i>British Journal of Surgery</i> , 2015, 102, 1037-1047. | 0.1 | 39 |
| 177 | Physical tests for diagnosing anterior cruciate ligament rupture. <i>The Cochrane Library</i> , 2015, , . | 1.5 | 3 |
| 178 | Is the evidence base for popular knee operations really scandalously poor?. <i>BMJ, The</i> , 2015, 350, h429-h429. | 3.0 | 1 |
| 179 | Authors' reply to Chitnavis. <i>BMJ, The</i> , 2015, 350, h431-h431. | 3.0 | 0 |
| 180 | Should patients reach certain knee function benchmarks before anterior cruciate ligament reconstruction? Does intense "prehabilitation" before anterior cruciate ligament reconstruction influence outcome and return to sports?. <i>British Journal of Sports Medicine</i> , 2015, 49, 1423-1424. | 3.1 | 17 |
| 181 | The effects of knee injury on skeletal muscle function, Na ⁺ , K ⁺ -ATPase content, and isoform abundance. <i>Physiological Reports</i> , 2015, 3, e12294. | 0.7 | 19 |
| 182 | Adipokines as potential prognostic biomarkers in patients with acute knee injury. <i>Biomarkers</i> , 2015, 20, 1-7. | 0.9 | 13 |
| 183 | Evaluation of the Benefit of Corticosteroid Injection Before Exercise Therapy in Patients With Osteoarthritis of the Knee. <i>JAMA Internal Medicine</i> , 2015, 175, 923. | 2.6 | 71 |
| 184 | Surgery for Lumbar Spinal Stenosis: Informed Patient Preferences Should Weigh Heavily. <i>Annals of Internal Medicine</i> , 2015, 162, 518. | 2.0 | 2 |
| 185 | Cost-Effectiveness Analyses in Orthopaedic Sports Medicine. <i>American Journal of Sports Medicine</i> , 2015, 43, 1530-1537. | 1.9 | 57 |
| 186 | Femoroacetabular impingement surgery: are we moving too fast and too far beyond the evidence?. <i>British Journal of Sports Medicine</i> , 2015, 49, 782-784. | 3.1 | 65 |
| 187 | (vii) The role of physiotherapy in rehabilitation of soft tissue injuries of the knee. <i>Orthopaedics and Trauma</i> , 2015, 29, 48-56. | 0.2 | 8 |
| 188 | Consensus criteria for defining "successful outcome" after ACL injury and reconstruction: a Delaware-Oslo ACL cohort investigation. <i>British Journal of Sports Medicine</i> , 2015, 49, 335-342. | 3.1 | 222 |
| 189 | No Difference in Revision Rates Between Single- and Double-Bundle Anterior Cruciate Ligament Reconstruction: A Comparative Study of 16,791 Patients From the Swedish National Knee Ligament Register. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2015, 31, 659-664. | 1.3 | 39 |
| 190 | Five-Year Clinical Outcomes of a Randomized Trial of Anterior Cruciate Ligament Treatment Strategies: An Evidence-Based Practice Paper. <i>Journal of Athletic Training</i> , 2015, 50, 110-112. | 0.9 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 191 | Outcomes associated with early post-traumatic osteoarthritis and other negative health consequences 3â€“10 years following knee joint injury in youth sport. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 1122-1129. | 0.6 | 152 |
| 192 | Proportion of Patients Reporting Acceptable Symptoms or Treatment Failure and Their Associated KOOS Values at 6 to 24 Months After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 1902-1907. | 1.9 | 87 |
| 193 | Posttraumatic knee osteoarthritis following anterior cruciate ligament injury: Potential biochemical mediators of degenerative alteration and specific biochemical markers. <i>Biomedical Reports</i> , 2015, 3, 147-151. | 0.9 | 24 |
| 194 | Post-Traumatic Arthritis. , 2015, , . | | 6 |
| 195 | Incidence of Secondary Intra-articular Injuries With Time to Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 1373-1379. | 1.9 | 45 |
| 196 | Individualized anatomic anterior cruciate ligament reconstruction. <i>Physician and Sportsmedicine</i> , 2015, 43, 87-92. | 1.0 | 22 |
| 197 | Dynamic Intraligamentary Stabilization (DIS) for treatment of acute anterior cruciate ligament ruptures: case series experience of the first three years. <i>BMC Musculoskeletal Disorders</i> , 2015, 16, 27. | 0.8 | 81 |
| 198 | Anterior cruciate ligament injury about 20 years postâ€“treatment: A kinematic analysis of oneâ€“leg hop. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 818-827. | 1.3 | 26 |
| 199 | Changes in Cytokines and Aggrecan ARGS Neopeptide in Synovial Fluid and Serum and in Câ€“Terminal Crosslinking Telopeptide of Type II Collagen and Nâ€“Terminal Crosslinking Telopeptide of Type I Collagen in Urine Over Five Years After Anterior Cruciate Ligament Rupture: An Exploratory Analysis in the Knee Anterior Cruciate Ligament, Nonsurgical Versus Surgical Treatment Trial. <i>Arthritis and Rheumatology</i> , 2015, 67, 1816-1825. | 2.9 | 85 |
| 200 | OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of surgical interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 798-802. | 0.6 | 5 |
| 201 | OARSI Clinical Trials Recommendations: Design and conduct of clinical trials of rehabilitation interventions for osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2015, 23, 803-814. | 0.6 | 62 |
| 202 | Muscle activity amplitudes and co-contraction during stair ambulation following anterior cruciate ligament reconstruction. <i>Journal of Electromyography and Kinesiology</i> , 2015, 25, 298-304. | 0.7 | 35 |
| 203 | Quality of Reporting on Patient and Public Involvement Within Surgical Research. <i>Annals of Surgery</i> , 2015, 261, 243-250. | 2.1 | 48 |
| 204 | Patient Reported Outcome Measures (PROMs) have arrived in sports and exercise medicine: Why do they matter?. <i>British Journal of Sports Medicine</i> , 2015, 49, 1545-1546. | 3.1 | 43 |
| 205 | Neuromuscular Exercise as Treatment of Degenerative Knee Disease. <i>Exercise and Sport Sciences Reviews</i> , 2015, 43, 14-22. | 1.6 | 84 |
| 206 | State-of-the-art anterior cruciate ligament tears: A primer for primary care physicians. <i>Physician and Sportsmedicine</i> , 2015, 43, 169-177. | 1.0 | 7 |
| 208 | One-leg hop kinematics 20years following anterior cruciate ligament rupture: Data revisited using functional data analysis. <i>Clinical Biomechanics</i> , 2015, 30, 1153-1161. | 0.5 | 28 |
| 209 | Prevalence of Associated Lesions in Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 2966-2973. | 1.9 | 146 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 210 | Rehabilitation Charges Associated With Anterior Cruciate Ligament Reconstruction. <i>Sports Health</i> , 2015, 7, 538-541. | 1.3 | 10 |
| 211 | Two factors that may underpin outstanding outcomes after ACL rehabilitation. <i>British Journal of Sports Medicine</i> , 2015, 49, 1425-1425. | 3.1 | 23 |
| 212 | Is Anterior Cruciate Reconstruction Superior to Conservative Treatment?. <i>Journal of Knee Surgery</i> , 2015, 29, 074-079. | 0.9 | 13 |
| 213 | Rotational laxity after anatomical ACL reconstruction measured by 3-D motion analysis: a prospective randomized clinical trial comparing anatomic and nonanatomic ACL reconstruction techniques. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3473-3481. | 2.3 | 34 |
| 214 | Meniscal and articular cartilage lesions in the anterior cruciate ligament-deficient knee: correlation between time from injury and knee scores. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 232-239. | 2.3 | 74 |
| 215 | Prevalence and consequences of delayed diagnosis of anterior cruciate ligament ruptures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1201-1205. | 2.3 | 42 |
| 216 | Motives for sports participation as predictions of self-reported outcomes after anterior cruciate ligament injury of the knee. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 435-440. | 1.3 | 17 |
| 217 | Factors Related to the Need for Surgical Reconstruction After Anterior Cruciate Ligament Rupture: A Systematic Review of the Literature. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 37-44. | 1.7 | 17 |
| 218 | Five-Year Followup of Knee Joint Cartilage Thickness Changes After Acute Rupture of the Anterior Cruciate Ligament. <i>Arthritis and Rheumatology</i> , 2015, 67, 152-161. | 2.9 | 68 |
| 219 | Associations between inadequate knee function detected by KOOS and prospective graft failure in an anterior cruciate ligament-reconstructed knee. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1135-1140. | 2.3 | 36 |
| 220 | Altered medial versus lateral hamstring muscle activity during hop testing in female athletes 16 years after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2016, 24, 12-17. | 2.3 | 21 |
| 221 | Not quite what was planned: accommodating the reality of clinical practice in Cochrane Reviews. , 2016, 4, ED000112. | | 0 |
| 222 | Arthroscopically assisted anterior cruciate ligament reconstruction with bone-patellar tendon-bone autograft without wound drainage: short- to middle-term outcome. <i>Wideochirurgia I Inne Techniki Maloinwazyjne</i> , 2016, 2, 76-82. | 0.3 | 1 |
| 223 | Anterior cruciate ligament reconstruction: principles of treatment. <i>EFORT Open Reviews</i> , 2016, 1, 398-408. | 1.8 | 97 |
| 224 | Predictors and Outcomes of Crossover to Surgery from Physical Therapy for Meniscal Tear and Osteoarthritis. <i>Journal of Bone and Joint Surgery - Series A</i> , 2016, 98, 1890-1896. | 1.4 | 42 |
| 225 | A Comparison of Operative and Nonoperative Treatment of Anterior Cruciate Ligament Injuries. <i>JBJS Reviews</i> , 2016, 4, . | 0.8 | 7 |
| 226 | No economic benefit of early knee reconstruction over optional delayed reconstruction for ACL tears: registry enriched randomised controlled trial data. <i>British Journal of Sports Medicine</i> , 2016, 50, 558-563. | 3.1 | 29 |
| 228 | Dynamic intraligamentary stabilisation. <i>Bone and Joint Journal</i> , 2016, 98-B, 793-798. | 1.9 | 56 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 229 | Muscle function is associated with future patient-reported outcomes in young adults with ACL injury. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000154. | 1.4 | 28 |
| 230 | The Association Between Knee Confidence and Muscle Power, Hop Performance, and Postural Orientation in People With Anterior Cruciate Ligament Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 477-482. | 1.7 | 20 |
| 231 | Surgical treatment of anterior cruciate ligament injury in adults. <i>British Journal of Hospital Medicine (London, England: 2005)</i> , 2016, 77, 227-231. | 0.2 | 3 |
| 232 | Anterior cruciate ligament reconstruction. <i>Journal of ISAKOS</i> , 2016, 1, 38-52. | 1.1 | 18 |
| 234 | Long-term outcome of anterior cruciate ligament tear without reconstruction: a longitudinal prospective study. <i>International Orthopaedics</i> , 2016, 40, 2325-2330. | 0.9 | 13 |
| 235 | The Effect of Limited Perioperative Nonsteroidal Anti-inflammatory Drugs on Patients Undergoing Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 3111-3118. | 1.9 | 26 |
| 236 | Comparisons of Patient Demographics in Prospective Sports, Shoulder, and National Database Initiatives. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711666558. | 0.8 | 8 |
| 237 | Three-dimensional kinematic and kinetic analysis of knee rotational stability in ACL-deficient patients during walking, running and pivoting. <i>Journal of Experimental Orthopaedics</i> , 2016, 3, 27. | 0.8 | 12 |
| 238 | Satisfacción percibida por pacientes y profesionales participantes de una clínica del ligamento cruzado anterior. <i>Rehabilitacion</i> , 2016, 50, 207-214. | 0.2 | 0 |
| 239 | Simple decision rules can reduce reinjury risk by 84% after ACL reconstruction: the Delaware-Oslo ACL cohort study. <i>British Journal of Sports Medicine</i> , 2016, 50, 804-808. | 3.1 | 798 |
| 240 | An Assessment of Rehabilitation Protocols following Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Rehabilitation Process and Outcome</i> , 2016, 5, RPO.S40054. | 0.8 | 1 |
| 241 | Surgical versus conservative interventions for treating anterior cruciate ligament injuries. <i>The Cochrane Library</i> , 2016, 2016, CD011166. | 1.5 | 68 |
| 243 | Return to Play Following Anterior Cruciate Ligament Reconstruction. <i>Clinics in Sports Medicine</i> , 2016, 35, 655-668. | 0.9 | 18 |
| 244 | Knee instability scores for ACL reconstruction. <i>Current Reviews in Musculoskeletal Medicine</i> , 2016, 9, 170-177. | 1.3 | 11 |
| 245 | There is no such thing like a single ACL injury: Profiles of ACL-injured patients. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2016, 102, 105-110. | 0.9 | 21 |
| 246 | La rupture du ligament croisé antérieur n'est pas univoque: définition de profils individuels. <i>Revue De Chirurgie Orthopedique Et Traumatologique</i> , 2016, 102, 67-73. | 0.0 | 0 |
| 247 | Incidence of Anterior Cruciate Ligament Tears and Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 1502-1507. | 1.9 | 713 |
| 248 | Is Anterior Cruciate Ligament Reconstruction Effective in Preventing Secondary Meniscal Tears and Osteoarthritis?. <i>American Journal of Sports Medicine</i> , 2016, 44, 1699-1707. | 1.9 | 119 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 249 | Depression Symptomatology and Anterior Cruciate Ligament Injury. American Journal of Sports Medicine, 2016, 44, 572-579. | 1.9 | 65 |
| 250 | Factors associated with a more rapid recovery after anterior cruciate ligament reconstruction using multivariate analysis. Knee, 2016, 23, 121-126. | 0.8 | 12 |
| 251 | Unknown unknowns and lessons from non-operative rehabilitation and return to play of a complete anterior cruciate ligament injury in English Premier League football. British Journal of Sports Medicine, 2016, 50, 261-262. | 3.1 | 4 |
| 252 | Strategies for the prevention of knee osteoarthritis. Nature Reviews Rheumatology, 2016, 12, 92-101. | 3.5 | 340 |
| 253 | Effect of anterior cruciate ligament rupture on secondary damage to menisci and articular cartilage. Knee, 2016, 23, 102-105. | 0.8 | 13 |
| 254 | Dynamic and static tibial translation in patients with anterior cruciate ligament deficiency initially treated with a structured rehabilitation protocol. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 2337-2346. | 2.3 | 10 |
| 255 | The effectiveness of pre-operative exercise physiotherapy rehabilitation on the outcomes of treatment following anterior cruciate ligament injury: a systematic review. Clinical Rehabilitation, 2017, 31, 34-44. | 1.0 | 40 |
| 256 | Tibiofemoral Osteoarthritis After Surgical or Nonsurgical Treatment of Anterior Cruciate Ligament Rupture: A Systematic Review. Journal of Athletic Training, 2017, 52, 507-517. | 0.9 | 65 |
| 257 | Increased lateral tibial slope predicts high-grade rotatory knee laxity pre-operatively in ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1170-1176. | 2.3 | 85 |
| 258 | Long-term follow-up of isolated ACL tears treated without ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 493-500. | 2.3 | 70 |
| 259 | Comparison of patient-reported outcomes among those who chose ACL reconstruction or non-surgical treatment. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 535-544. | 1.3 | 41 |
| 260 | A 10-year Retrospective Review of Functional Outcomes of Adolescent Anterior Cruciate Ligament Reconstruction. Journal of Pediatric Orthopaedics, 2017, 37, 133-137. | 0.6 | 23 |
| 261 | Evaluation of the Bone-ligament and tendon insertions based on Raman spectrum and its PCA and CLS analysis. Scientific Reports, 2017, 7, 38706. | 1.6 | 16 |
| 262 | Total Knee Arthroplasty After Anterior Cruciate Ligament Reconstruction. Journal of Bone and Joint Surgery - Series A, 2017, 99, 185-189. | 1.4 | 32 |
| 263 | Good functional results following high tibial opening-wedge osteotomy of knees with medial osteoarthritis. Knee, 2017, 24, 380-389. | 0.8 | 36 |
| 264 | Knee function among elite handball and football players 6 years after anterior cruciate ligament injury. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 545-553. | 1.3 | 14 |
| 265 | A neuromuscular exercise programme versus standard care for patients with traumatic anterior shoulder instability: study protocol for a randomised controlled trial (the SINEX study). Trials, 2017, 18, 90. | 0.7 | 12 |
| 266 | The Cost-effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes: Letter to the Editor. American Journal of Sports Medicine, 2017, 45, NP7-NP7. | 1.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 267 | The Cost-effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes: Response. American Journal of Sports Medicine, 2017, 45, NP7-NP8. | 1.9 | 3 |
| 268 | Incidence of Second Anterior Cruciate Ligament Tears (1990-2000) and Associated Factors in a Specific Geographic Locale. American Journal of Sports Medicine, 2017, 45, 1567-1573. | 1.9 | 43 |
| 269 | Up-Regulation of TGF- β 2 Promotes Tendon-to-Bone Healing after Anterior Cruciate Ligament Reconstruction using Bone Marrow-Derived Mesenchymal Stem Cells through the TGF- β 2/MAPK Signaling Pathway in a New Zealand White Rabbit Model. Cellular Physiology and Biochemistry, 2017, 41, 213-226. | 1.1 | 50 |
| 270 | Nonoperative Management of ACL Rupture. , 2017, , 491-498. | | 0 |
| 271 | Knee clinical cases. , 2017, , 161-173. | | 0 |
| 272 | Cost-utility analysis of dynamic intraligamentary stabilization versus early reconstruction after rupture of the anterior cruciate ligament. Health Economics Review, 2017, 7, 8. | 0.8 | 8 |
| 273 | Surgical reconstruction of ruptured anterior cruciate ligament prolongs trauma-induced increase of inflammatory cytokines in synovial fluid: an exploratory analysis in the KANON trial. Osteoarthritis and Cartilage, 2017, 25, 1443-1451. | 0.6 | 68 |
| 274 | Anterior Cruciate Ligament Injury: Return to Play, Function and Long-Term Considerations. Current Sports Medicine Reports, 2017, 16, 172-178. | 0.5 | 80 |
| 275 | Delaying ACL reconstruction and treating with exercise therapy alone may alter prognostic factors for 5-year outcome: an exploratory analysis of the KANON trial. British Journal of Sports Medicine, 2017, 51, 1622-1629. | 3.1 | 64 |
| 276 | A Preclinical Assessment of Early Continuous Passive Motion and Treadmill Therapeutic Exercises for Generating Chondroprotective Effects After Anterior Cruciate Ligament Rupture. American Journal of Sports Medicine, 2017, 45, 2284-2293. | 1.9 | 19 |
| 277 | Increased odds of patient-reported success at 2 years after anterior cruciate ligament reconstruction in patients without cartilage lesions: a cohort study from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2018, 26, 1086-1095. | 2.3 | 11 |
| 278 | The fifty highest cited papers in anterior cruciate ligament injury. International Orthopaedics, 2017, 41, 1405-1412. | 0.9 | 30 |
| 279 | Self-reported knee pain and disability among healthy individuals: reference data and factors associated with the Knee injury and Osteoarthritis Outcome Score (KOOS) and KOOS-Child. Osteoarthritis and Cartilage, 2017, 25, 1282-1290. | 0.6 | 45 |
| 280 | No differences in subjective knee function between surgical techniques of anterior cruciate ligament reconstruction at 2-year follow-up: a cohort study from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3945-3954. | 2.3 | 12 |
| 281 | Dynamic intraligamentary stabilization versus conventional ACL reconstruction: A matched study on return to work. Injury, 2017, 48, 1243-1248. | 0.7 | 32 |
| 282 | Knee Stability and Movement Coordination Impairments: Knee Ligament Sprain Revision 2017. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, A1-A47. | 1.7 | 77 |
| 283 | Study protocol for a randomised controlled trial of meniscal surgery compared with exercise and patient education for treatment of meniscal tears in young adults. BMJ Open, 2017, 7, e017436. | 0.8 | 21 |
| 284 | Incidence of Second Anterior Cruciate Ligament Tears and Identification of Associated Risk Factors From 2001 to 2010 Using a Geographic Database. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711772419. | 0.8 | 91 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 285 | The Incidence of Subsequent Meniscal Surgery Is Higher in the Anterior Cruciate Ligament-Reconstructed Knee Than in the Contralateral Knee. <i>American Journal of Sports Medicine</i> , 2017, 45, 3216-3222. | 1.9 | 12 |
| 286 | ¿Qué ocurre con las lesiones del ligamento cruzado anterior, su tratamiento, la recuperación de la función y el desarrollo de osteoartritis a largo plazo? ¿Hay espacio para el tratamiento conservador? Revisión de conceptos actuales. <i>Revista Colombiana De Ortopedia Y Traumatología</i> , 2017, 31, 75-86. | 0.0 | 0 |
| 287 | Nonsurgical Management of an Anterior Cruciate Ligament-Deficient Knee in a Women's Soccer Player: A Validation Clinical Case Report. <i>Journal of Athletic Training</i> , 2017, 52, 1079-1083. | 0.9 | 0 |
| 288 | Characteristics of Orthopedic Publications in High-Impact General Medical Journals. <i>Orthopedics</i> , 2017, 40, e405-e412. | 0.5 | 8 |
| 289 | Development of a pilot cartilage surgery register. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 282. | 0.8 | 4 |
| 290 | Posttraumatic Bone Marrow Lesion Volume and Knee Pain Within 4 Weeks After Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2017, 52, 575-580. | 0.9 | 9 |
| 291 | Both isolated and multi-ligament posterior cruciate ligament reconstruction results in improved subjective outcome: results from the Danish Knee Ligament Reconstruction Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1190-1196. | 2.3 | 24 |
| 292 | Does the Chronicity of Anterior Cruciate Ligament Ruptures Influence Patient-Reported Outcomes Before Surgery?. <i>American Journal of Sports Medicine</i> , 2017, 45, 541-549. | 1.9 | 26 |
| 293 | The Effect of Socioeconomic Status on the Choice of Treatment for Patients With Cruciate Ligament Injuries in the Knee: A Population-Based Cohort Study. <i>American Journal of Sports Medicine</i> , 2017, 45, 535-540. | 1.9 | 24 |
| 294 | The Cost-Effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes. <i>American Journal of Sports Medicine</i> , 2017, 45, 23-33. | 1.9 | 43 |
| 295 | Effect of PET graft coated with silk fibroin via EDC/NHS crosslink on graft-bone healing in ACL reconstruction. <i>RSC Advances</i> , 2017, 7, 51303-51312. | 1.7 | 10 |
| 296 | Perioperative Testosterone Supplementation Increases Lean Mass in Healthy Men Undergoing Anterior Cruciate Ligament Reconstruction: A Randomized Controlled Trial. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711772279. | 0.8 | 15 |
| 297 | 6 Knee Injuries. , 2017, , . | | 0 |
| 298 | Can Early Rehabilitation Prevent Posttraumatic Osteoarthritis in the Patellofemoral Joint after Anterior Cruciate Ligament Rupture? Understanding the Pathological Features. <i>International Journal of Molecular Sciences</i> , 2017, 18, 829. | 1.8 | 10 |
| 299 | Neuromuscular Coordination Deficit Persists 12 Months after ACL Reconstruction But Can Be Modulated by 6 Weeks of Kettlebell Training: A Case Study in Women's Elite Soccer. <i>Case Reports in Orthopedics</i> , 2017, 2017, 1-7. | 0.1 | 8 |
| 301 | Patient reported outcomes in patients undergoing arthroscopic partial meniscectomy for traumatic or degenerative meniscal tears: comparative prospective cohort study. <i>BMJ: British Medical Journal</i> , 2017, 356, j356. | 2.4 | 65 |
| 302 | Why all the fuss about paediatric ACL rupture: isn't the meniscus much more important?. <i>British Journal of Sports Medicine</i> , 2018, 52, 417-418. | 3.1 | 1 |
| 303 | Anterior Cruciate Ligament Reconstruction Affects Tibiofemoral Joint Congruency During Dynamic Functional Movement. <i>American Journal of Sports Medicine</i> , 2018, 46, 1566-1574. | 1.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 304 | Reinterventions after dynamic intraligamentary stabilization in primary anterior cruciate ligament repair. <i>Knee</i> , 2018, 25, 271-278. | 0.8 | 30 |
| 305 | Twenty-Year Follow-up Study Comparing Operative Versus Nonoperative Treatment of Anterior Cruciate Ligament Ruptures in High-Level Athletes. <i>American Journal of Sports Medicine</i> , 2018, 46, 1129-1136. | 1.9 | 94 |
| 306 | Activity demands and instability are the most important factors for recommending to treat ACL injuries with reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2401-2409. | 2.3 | 16 |
| 307 | Surgeon experience with dynamic intraligamentary stabilization does not influence risk of failure. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2978-2985. | 2.3 | 10 |
| 308 | KNEES-ACL has superior responsiveness compared to the most commonly used patient-reported outcome measures for anterior cruciate ligament injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2438-2446. | 2.3 | 16 |
| 309 | Patient demographic and surgical characteristics in anterior cruciate ligament reconstruction: a description of registries from six countries. <i>British Journal of Sports Medicine</i> , 2018, 52, 716-722. | 3.1 | 85 |
| 310 | Impact of treatment strategy and physical performance on future knee-related self-efficacy in individuals with ACL injury. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 50. | 0.8 | 10 |
| 311 | Concurrent Meniscal and Chondral Injuries in Pediatric and Adolescent Patients Undergoing ACL Reconstruction. <i>Journal of Pediatric Orthopaedics</i> , 2018, 38, 105-109. | 0.6 | 57 |
| 312 | Efficacy of Whole-Body Vibration Board Training on Strength in Athletes After Anterior Cruciate Ligament Reconstruction: A Randomized Controlled Study. <i>Clinical Journal of Sport Medicine</i> , 2018, 28, 339-349. | 0.9 | 26 |
| 313 | Effect of the Timing of Anterior Cruciate Ligament Reconstruction on Clinical and Stability Outcomes: A Systematic Review and Meta-analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 592-602. | 1.3 | 33 |
| 314 | High Rates of Osteoarthritis Develop After Anterior Cruciate Ligament Surgery: An Analysis of 4108 Patients. <i>American Journal of Sports Medicine</i> , 2018, 46, 2011-2019. | 1.9 | 135 |
| 316 | RegentK and Physiotherapy Support Knee Function after Anterior Cruciate Ligament Rupture without Surgery after 1 Year: A Randomized Controlled Trial. <i>Complementary Medicine Research</i> , 2018, 25, 30-37. | 0.5 | 9 |
| 317 | No risk of arthrofibrosis after acute anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2875-2882. | 2.3 | 44 |
| 318 | A 12-week supervised exercise therapy program for young adults with a meniscal tear: Program development and feasibility study. <i>Journal of Bodywork and Movement Therapies</i> , 2018, 22, 786-791. | 0.5 | 11 |
| 319 | An Explicit Method for Analysis of Three-Dimensional Linear and Angular Velocity of a Joint, with Specific Application to the Knee Joint. <i>Journal of Medical and Biological Engineering</i> , 2018, 38, 273-283. | 1.0 | 5 |
| 320 | Operative Versus Conservative Treatment of Anterior Cruciate Ligament Rupture. <i>Deutsches Arzteblatt International</i> , 2018, 115, 855-862. | 0.6 | 55 |
| 321 | Younger age and greater preoperative function predict compliance with 2-year follow-up visits after ACL reconstruction: an analysis of the PIVOT multicentre trial. <i>Journal of ISAKOS</i> , 2018, 3, 251-257. | 1.1 | 1 |
| 322 | Author Response Regarding "The Long-Term Outcome After Early and Late Anterior Cruciate Ligament Reconstruction". <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2525-2526. | 1.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 323 | The Early Versus Late Anterior Cruciate Ligament Reconstruction Debate: History Teaches Us That We Cannot Use Reason and Evidence to Fight and Win Against Conviction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 2524-2525. | 1.3 | 1 |
| 324 | Twenty-Year Follow-up Study Comparing Operative Versus Nonoperative Treatment of Anterior Cruciate Ligament Ruptures in High-Level Athletes: Response. <i>American Journal of Sports Medicine</i> , 2018, 46, NP57-NP58. | 1.9 | 4 |
| 325 | Change in patient-reported outcomes in patients with and without mechanical symptoms undergoing arthroscopic meniscal surgery: A prospective cohort study. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1008-1016. | 0.6 | 12 |
| 326 | Factors Affecting the Achievement of a Patient-Acceptable Symptom State 1 Year After Anterior Cruciate Ligament Reconstruction: A Cohort Study of 343 Patients From 2 Registries. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711876431. | 0.8 | 21 |
| 327 | Editorial Commentary: "Defer No Time, Delays Have Dangerous Ends" (Henry VI, Shakespeare): Delayed Anterior Cruciate Ligament Reconstruction Has Consequences. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1918-1920. | 1.3 | 7 |
| 328 | Anterior Cruciate Ligament Injury—Who Succeeds Without Reconstructive Surgery? The Delaware-Oslo ACL Cohort Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711877425. | 0.8 | 32 |
| 329 | Changes in synovial fluid and serum concentrations of cartilage oligomeric matrix protein over 5 Years after anterior cruciate ligament rupture: an exploratory analysis in the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2018, 26, 1351-1358. | 0.6 | 16 |
| 330 | Prehabilitation Before Anterior Cruciate Ligament Reconstruction. , 2018, , 462-463.e1. | | 0 |
| 331 | Quality of Life After Anterior Cruciate Ligament Reconstruction. , 2018, , 466-470.e1. | | 0 |
| 332 | Performance and Return to Sport after Anterior Cruciate Ligament Reconstruction in Skiers and Snowboarders. , 2018, , 505-509.e1. | | 2 |
| 333 | Does Anterior Cruciate Ligament Reconstruction Improve Functional and Radiographic Outcomes Over Nonoperative Management 5 Years After Injury?. <i>American Journal of Sports Medicine</i> , 2018, 46, 2103-2112. | 1.9 | 35 |
| 334 | Recurrent Instability Episodes and Meniscal or Cartilage Damage After Anterior Cruciate Ligament Injury: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711878650. | 0.8 | 37 |
| 335 | Rehabilitation of ACL Injury in the Handball Player. , 2018, , 481-491. | | 3 |
| 336 | Ten-Year Risk Factors for Inferior Knee Injury and Osteoarthritis Outcome Score After Anterior Cruciate Ligament Reconstruction: A Study of 874 Patients From the Swedish National Knee Ligament Register. <i>American Journal of Sports Medicine</i> , 2018, 46, 2851-2858. | 1.9 | 18 |
| 337 | A systematic review of long-term patient reported outcomes for the treatment of anterior cruciate ligament injuries in the skeletally immature. <i>Journal of Children's Orthopaedics</i> , 2018, 12, 251-261. | 0.4 | 18 |
| 338 | Allograft Use Results in Higher Re-revision Rate for Revision Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711877538. | 0.8 | 24 |
| 339 | Molecular and Structural Biomarkers of Inflammation at Two Years After Acute Anterior Cruciate Ligament Injury Do Not Predict Structural Knee Osteoarthritis at Five Years. <i>Arthritis and Rheumatology</i> , 2019, 71, 238-243. | 2.9 | 23 |
| 340 | Factors that affect patient reported outcome after anterior cruciate ligament reconstruction—a systematic review of the Scandinavian knee ligament registers. <i>British Journal of Sports Medicine</i> , 2019, 53, 410-417. | 3.1 | 47 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 341 | Anterior cruciate ligament reconstruction performed within 12 months of the index injury is associated with a lower rate of medial meniscus tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 117-123. | 2.3 | 25 |
| 342 | Can Preoperative Magnetic Resonance Imaging Predict Intraoperative Autograft Size for Anterior Cruciate Ligament Reconstruction? A Systematic Review. <i>Journal of Knee Surgery</i> , 2019, 32, 649-658. | 0.9 | 13 |
| 343 | Rates of knee arthroplasty in anterior cruciate ligament reconstructed patients: a longitudinal cohort study of 111,212 procedures over 20 years. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 2019, 90, 568-574. | 1.2 | 11 |
| 344 | Incidence and Risk Factors for a Partial Anterior Cruciate Ligament Tear Progressing to a Complete Tear After Nonoperative Treatment in Patients Younger Than 30 Years. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711985662. | 0.8 | 21 |
| 345 | Recurrent lateral patella dislocation affects knee function as much as ACL deficiency – however patients wait five times longer for treatment. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 318. | 0.8 | 22 |
| 346 | Rates of Adverse Outcomes and Revision Surgery After Anterior Cruciate Ligament Reconstruction: A Study of 104,255 Procedures Using the National Hospital Episode Statistics Database for England, UK. <i>American Journal of Sports Medicine</i> , 2019, 47, 2533-2542. | 1.9 | 27 |
| 348 | Prospective Evaluation of Range of Motion in Acute ACL Reconstruction Using Patellar Tendon Autograft. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711987541. | 0.8 | 8 |
| 350 | Acute Neuromuscular Activity in Selected Injury Prevention Exercises with App-Based versus Personal On-Site Instruction: A Randomized Cross-Sectional Study. <i>Hindawi Publishing Corporation</i> , 2019, 2019, 1-9. | 2.3 | 2 |
| 351 | Coper Classification Early After ACL Rupture Changes With Progressive Neuromuscular and Strength Training and Is Associated With 2-Year Success: Letter to the Editor. <i>American Journal of Sports Medicine</i> , 2019, 47, NP64-NP65. | 1.9 | 6 |
| 352 | Coper Classification Early After ACL Rupture Changes With Progressive Neuromuscular and Strength Training and Is Associated With 2-Year Success: Response. <i>American Journal of Sports Medicine</i> , 2019, 47, NP65-NP66. | 1.9 | 0 |
| 353 | The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. <i>Trials</i> , 2019, 20, 570. | 0.7 | 8 |
| 354 | Types of Scoring Instruments Available. , 2019, , 97-109. | | 0 |
| 355 | Income change after cruciate ligament injury – A population-based study. <i>Knee</i> , 2019, 26, 603-611. | 0.8 | 1 |
| 356 | Anterior Cruciate Ligament Tear. <i>New England Journal of Medicine</i> , 2019, 380, 2341-2348. | 13.9 | 179 |
| 357 | It is good to feel better, but better to feel good: whether a patient finds treatment “successful” or not depends on the questions researchers ask. <i>British Journal of Sports Medicine</i> , 2019, 53, 1474-1478. | 3.1 | 42 |
| 358 | Early or delayed anterior cruciate ligament reconstruction: Is one superior? A systematic review and meta-analysis. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1277-1289. | 0.6 | 19 |
| 359 | Molecular Response of Rabbit Menisci to Surgically Induced Hemarthrosis and a Single Intra-articular Dexamethasone Treatment. <i>Journal of Orthopaedic Research</i> , 2019, 37, 2043-2052. | 1.2 | 8 |
| 360 | Reply to the letter to the editor: Comment on “Anterior cruciate ligament reconstruction performed within 12 months of the index injury is associated with a lower rate of medial meniscus tears”. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 4064-4065. | 2.3 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 361 | The Complex Relationship Between In Vivo ACL Elongation and Knee Kinematics During Walking and Running. <i>Journal of Orthopaedic Research</i> , 2019, 37, 1920-1928. | 1.2 | 24 |
| 362 | Knee strength, hop performance and self-efficacy at 4 months are associated with symmetrical knee muscle function in young athletes 1 year after an anterior cruciate ligament reconstruction. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000504. | 1.4 | 10 |
| 363 | Silk fibroin coating through EDC/NHS crosslink is an effective method to promote graft remodeling of a polyethylene terephthalate artificial ligament. <i>Journal of Biomaterials Applications</i> , 2019, 33, 1407-1414. | 1.2 | 15 |
| 364 | Bridge-Enhanced Anterior Cruciate Ligament Repair: Two-Year Results of a First-in-Human Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711882435. | 0.8 | 104 |
| 365 | Coper Classification Early After Anterior Cruciate Ligament Rupture Changes With Progressive Neuromuscular and Strength Training and Is Associated With 2-Year Success: The Delaware-Oslo ACL Cohort Study. <i>American Journal of Sports Medicine</i> , 2019, 47, 807-814. | 1.9 | 41 |
| 366 | Evidence-based recommendations for the management of anterior cruciate ligament (ACL) rupture. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 33-47. | 1.4 | 179 |
| 367 | Choosing Wisely after a sport and exercise-related injury. <i>Best Practice and Research in Clinical Rheumatology</i> , 2019, 33, 16-32. | 1.4 | 3 |
| 368 | Loss of patellofemoral cartilage thickness over 5 years following ACL injury depends on the initial treatment strategy: results from the KANON trial. <i>British Journal of Sports Medicine</i> , 2019, 53, 1168-1173. | 3.1 | 30 |
| 369 | Does No Difference Really Mean No Difference?. , 2019, , 171-183. | | 0 |
| 370 | Hydroxypropylcellulose Coating to Improve Graft-to-Bone Healing for Anterior Cruciate Ligament Reconstruction. <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1793-1803. | 2.6 | 5 |
| 371 | “Doctor, What Happens After My Anterior Cruciate Ligament Reconstruction?” <i>Journal of Bone and Joint Surgery - Series A</i> , 2019, 101, 372-379. | 1.4 | 8 |
| 372 | Characterization of human telomerase reverse transcriptase immortalized anterior cruciate ligament cell lines. <i>Biomedical Journal</i> , 2019, 42, 371-380. | 1.4 | 7 |
| 373 | Nonsteroidal Anti-Inflammatory Drugs (NSAIDs) and Their Effect on Musculoskeletal Soft-Tissue Healing. <i>JBJS Reviews</i> , 2019, 7, e4-e4. | 0.8 | 27 |
| 374 | Electromyography Evaluation of Bodyweight Exercise Progression in a Validated Anterior Cruciate Ligament Injury Rehabilitation Program. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 998-1004. | 0.7 | 3 |
| 377 | Arthroscopic Anterior Cruciate Ligament Reconstruction: A Meta-Analysis Comparing Semitendinosus Alone and Semitendinosus with Gracilis Tendon Autografts. <i>Journal of Knee Surgery</i> , 2019, 32, 796-803. | 0.9 | 10 |
| 378 | The Fragility Index in Randomized Clinical Trials as a Means of Optimizing Patient Care. <i>JAMA Surgery</i> , 2019, 154, 74. | 2.2 | 119 |
| 379 | Non-operative treatment of ACL injury is associated with opposing subjective and objective outcomes over 20 years of follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2665-2671. | 2.3 | 27 |
| 380 | Marked and rapid change of bone shape in acutely ACL injured knees “ an exploratory analysis of the Kanon trial. <i>Osteoarthritis and Cartilage</i> , 2019, 27, 638-645. | 0.6 | 31 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 381 | Delayed reconstruction and high BMI z score increase the risk of meniscal tear in paediatric and adolescent anterior cruciate ligament injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 905-911. | 2.3 | 19 |
| 382 | Increased risk of ACL revision with non-surgical treatment of a concomitant medial collateral ligament injury: a study on 19,457 patients from the Swedish National Knee Ligament Registry. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2450-2459. | 2.3 | 97 |
| 383 | Early ACL reconstruction is required to prevent additional knee injury: a misconception not supported by high-quality evidence. <i>British Journal of Sports Medicine</i> , 2019, 53, 459-461. | 3.1 | 4 |
| 384 | Comment on: "Anterior cruciate ligament reconstruction performed within 12 months of the index injury is associated with a lower rate of medial meniscus tears" by Mok et al.. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 4062-4063. | 2.3 | 1 |
| 385 | Knee extensor and flexor strength before and after anterior cruciate ligament reconstruction in a large sample of patients: influence of graft type. <i>Physician and Sportsmedicine</i> , 2019, 47, 85-90. | 1.0 | 26 |
| 386 | Time for a Different Approach to Anterior Cruciate Ligament Injuries: Educate and Create Realistic Expectations. <i>Sports Medicine</i> , 2019, 49, 357-363. | 3.1 | 12 |
| 387 | Acute reconstruction results in less sick-leave days and as such fewer indirect costs to the individual and society compared to delayed reconstruction for ACL injuries. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2044-2052. | 2.3 | 29 |
| 388 | Patient-Reported Outcomes One to Five Years After Anterior Cruciate Ligament Reconstruction: The Effect of Combined Injury and Associations With Osteoarthritis Features Defined on Magnetic Resonance Imaging. <i>Arthritis Care and Research</i> , 2020, 72, 412-422. | 1.5 | 22 |
| 389 | The Occurrence of Meniscal and Chondral Injury in Two-Stage Revision Anterior Cruciate Ligament Reconstruction: A Consecutive Case Series. <i>Journal of Knee Surgery</i> , 2020, 33, 223-227. | 0.9 | 5 |
| 390 | Anterior cruciate ligament (ACL) reconstruction and meniscal repair rates have both increased in the past 20 years in England: hospital statistics from 1997 to 2017. <i>British Journal of Sports Medicine</i> , 2020, 54, 286-291. | 3.1 | 57 |
| 391 | Wild goose chase "no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. <i>British Journal of Sports Medicine</i> , 2020, 54, 13-22. | 3.1 | 20 |
| 392 | Medial collateral ligament (MCL) reconstruction results in improved medial stability: results from the Danish knee ligament reconstruction registry (DKRR). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 881-887. | 2.3 | 33 |
| 393 | Mapping EQ-5D-3L from the Knee Injury and Osteoarthritis Outcome Score (KOOS). <i>Quality of Life Research</i> , 2020, 29, 265-274. | 1.5 | 11 |
| 394 | Acute ACL reconstruction shows superior clinical results and can be performed safely without an increased risk of developing arthrofibrosis. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2036-2043. | 2.3 | 33 |
| 395 | Anterior Cruciate Ligament Reconstruction Within 3 Weeks Does Not Increase Stiffness and Complications Compared With Delayed Reconstruction: A Meta-analysis of Randomized Controlled Trials. <i>American Journal of Sports Medicine</i> , 2020, 48, 1263-1272. | 1.9 | 29 |
| 396 | Arthroscopic primary repair of proximal anterior cruciate ligament tears seems safe but higher level of evidence is needed: a systematic review and meta-analysis of recent literature. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 1946-1957. | 2.3 | 69 |
| 397 | Comparison of concomitant injuries and patient-reported outcome in patients that have undergone both primary and revision ACL reconstruction—a national registry study. <i>Journal of Orthopaedic Surgery and Research</i> , 2020, 15, 9. | 0.9 | 16 |
| 398 | Osteoarthritis and ACL Reconstruction—Myths and Risks. <i>Current Reviews in Musculoskeletal Medicine</i> , 2020, 13, 115-122. | 1.3 | 35 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 399 | The molecular profile of synovial fluid changes upon joint distraction and is associated with clinical response in knee osteoarthritis. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 324-333. | 0.6 | 43 |
| 400 | Return to Sport Tests™ Prognostic Value for Reinjury Risk after Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Medicine and Science in Sports and Exercise</i> , 2020, 52, 1263-1271. | 0.2 | 36 |
| 401 | Common Medical Concerns of the Female Athlete. <i>Primary Care - Clinics in Office Practice</i> , 2020, 47, 65-85. | 0.7 | 5 |
| 402 | Japanese Orthopaedic Association (JOA) clinical practice guidelines on the management of anterior cruciate ligament injury – Secondary publication. <i>Journal of Orthopaedic Science</i> , 2020, 25, 6-45. | 0.5 | 31 |
| 403 | Anterior cruciate ligament repair versus reconstruction: A kinematic analysis. <i>Knee</i> , 2020, 27, 334-340. | 0.8 | 15 |
| 404 | Clinical outcomes after anterior cruciate ligament injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Journal of ISAKOS</i> , 2020, 5, 281-294. | 1.1 | 6 |
| 405 | Updates on Anterior Cruciate Ligament Repair Techniques. <i>Operative Techniques in Sports Medicine</i> , 2020, 28, 150756. | 0.2 | 0 |
| 406 | Exercícios isométricos possuem alta responsividade para membros inferiores. <i>ABCS Health Sciences</i> , 2020, 45, . | 0.3 | 0 |
| 407 | Meniscus or Cartilage Injury at the Time of Anterior Cruciate Ligament Tear Is Associated With Worse Prognosis for Patient-Reported Outcome 2 to 10 Years After Anterior Cruciate Ligament Injury: A Systematic Review. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2020, 50, 490-502. | 1.7 | 16 |
| 408 | Baseline Analysis of Patients Presenting for Surgical Review of Anterior Cruciate Ligament Rupture Reveals Heterogeneity in Patient-Reported Outcome Measures. <i>Journal of Knee Surgery</i> , 2022, 35, 159-166. | 0.9 | 1 |
| 409 | Clinical outcomes after anterior cruciate ligament injury: panther symposium ACL injury clinical outcomes consensus group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2415-2434. | 2.3 | 47 |
| 410 | Clinical Outcomes After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Clinical Outcomes Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093475. | 0.8 | 15 |
| 411 | Does Anterior Cruciate Ligament Reconstruction Protect the Meniscus and Its Repair? A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093389. | 0.8 | 26 |
| 412 | Measures of Adult Knee Function. <i>Arthritis Care and Research</i> , 2020, 72, 219-249. | 1.5 | 14 |
| 413 | Arthroscopic anterior cruciate ligament reconstruction is a reliable option to treat knee instability in patients over 50 years old. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3686-3693. | 2.3 | 12 |
| 414 | Limiting the Risk of Osteoarthritis After Anterior Cruciate Ligament Injury: Are Health Care Providers Missing the Opportunity to Intervene?. <i>Arthritis Care and Research</i> , 2021, 73, 1754-1762. | 1.5 | 3 |
| 415 | Allograft for Anterior Cruciate Ligament Reconstruction (ACLR): A Systematic Review and Meta-Analysis of Long-Term Comparative Effectiveness and Safety. <i>Results of a Health Technology Assessment. Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2020, 2, e873-e891. | 0.8 | 16 |
| 416 | Anterior Cruciate Ligament Repair: The Current Status. <i>Journal of Bone and Joint Surgery - Series A</i> , 2020, 102, 1900-1915. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 417 | Timing of Anterior Cruciate Ligament Reconstruction and Relationship With Meniscal Tears: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2021, 49, 2551-2562. | 1.9 | 27 |
| 418 | Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2390-2402. | 2.3 | 62 |
| 419 | Retorno Deportivo Luego de Reconstrucción Primaria de Ligamento Cruzado Anterior con Injerto Hueso-Tendón Patelar-Hueso Autólogo: Análisis de Factores Relacionados. <i>Revista Chilena De Ortopedia Y Traumatología</i> , 2020, 61, 002-010. | 0.0 | 0 |
| 420 | Does posterior tibial slope affect the results of conservative treatment for anterior cruciate ligament tears?. <i>International Orthopaedics</i> , 2020, 44, 1321-1324. | 0.9 | 1 |
| 421 | The Role of Patient Characteristics in the Success of Nonoperative Treatment of Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2020, 48, 1657-1664. | 1.9 | 16 |
| 422 | Comparison of the clinical and cost effectiveness of two management strategies (rehabilitation) Tj ETQq1 1 0.784314 rgBT /Overlock protocol for the ACL SNNAP randomised controlled trial. <i>Trials</i> , 2020, 21, 405. | 0.7 | 20 |
| 424 | Post-traumatic osteoarthritis following ACL injury. <i>Arthritis Research and Therapy</i> , 2020, 22, 57. | 1.6 | 107 |
| 425 | Treatment After Anterior Cruciate Ligament Injury: Panther Symposium ACL Treatment Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093109. | 0.8 | 17 |
| 426 | Effects of prior anterior cruciate ligament reconstruction on clinical outcomes associated with total knee arthroplasty. <i>Medicine (United States)</i> , 2020, 99, e20767. | 0.4 | 1 |
| 427 | ACL surgery: when to do it? <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2023-2026. | 2.3 | 13 |
| 428 | Molecular and imaging biomarkers of local inflammation at 2 years after anterior cruciate ligament injury do not associate with patient reported outcomes at 5 years. <i>Osteoarthritis and Cartilage</i> , 2020, 28, 356-362. | 0.6 | 7 |
| 429 | Osteoarthritis and Aging: Young Adults with Osteoarthritis. <i>Current Epidemiology Reports</i> , 2020, 7, 9-15. | 1.1 | 30 |
| 430 | Clinical Outcomes of Arthroscopic Primary Anterior Cruciate Ligament Repair: A Systematic Review from the Scientific Anterior Cruciate Ligament Network International Study Group. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 594-612. | 1.3 | 32 |
| 431 | Large variation in indications, preferred surgical technique and rehabilitation protocol for primary anterior cruciate ligament repair: a survey among ESSKA members. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3613-3621. | 2.3 | 8 |
| 432 | High- and low-value care in sport and exercise medicine: Areas for consideration. <i>Translational Sports Medicine</i> , 2020, 3, 395-403. | 0.5 | 3 |
| 433 | Bridge-Enhanced Anterior Cruciate Ligament Repair Is Not Inferior to Autograft Anterior Cruciate Ligament Reconstruction at 2 Years: Results of a Prospective Randomized Clinical Trial. <i>American Journal of Sports Medicine</i> , 2020, 48, 1305-1315. | 1.9 | 126 |
| 434 | Risk of arthrofibrosis in anatomical anterior cruciate ligament reconstruction: the role of timing and meniscus suture. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2021, 141, 743-750. | 1.3 | 20 |
| 435 | Treatment after ACL injury: Panther Symposium ACL Treatment Consensus Group. <i>British Journal of Sports Medicine</i> , 2021, 55, 14-22. | 3.1 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 436 | Patients with ACL graft deficiency showed a higher frequency of knee osteoarthritis compared with patients with intact ACL graft in the medium term. <i>Skeletal Radiology</i> , 2021, 50, 137-148. | 1.2 | 1 |
| 437 | What is a PROM and why do we need it?. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 967-971. | 1.3 | 24 |
| 438 | Delayed Anterior Cruciate Ligament Reconstruction Increases the Risk of Abnormal Preconstruction Laxity, Cartilage, and Medial Meniscus Injuries. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1214-1220. | 1.3 | 25 |
| 439 | Role of Age on Success of Arthroscopic Primary Repair of Proximal Anterior Cruciate Ligament Tears. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1194-1201. | 1.3 | 32 |
| 440 | High genetic contribution to anterior cruciate ligament rupture: Heritability ~69%. <i>British Journal of Sports Medicine</i> , 2021, 55, 385-389. | 3.1 | 22 |
| 441 | Are adequate PROMs used as outcomes in randomized controlled trials? an analysis of 54 trials. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 972-981. | 1.3 | 16 |
| 442 | Are PROMs used adequately in sports research? An analysis of 54 randomized controlled trials with PROMs as endpoint. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 982-990. | 1.3 | 7 |
| 443 | Choosing the most appropriate PROM for clinical studies in sports medicine. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, 31, 1209-1215. | 1.3 | 5 |
| 444 | Does a Delay in Anterior Cruciate Ligament Reconstruction Increase the Incidence of Secondary Pathology in the Knee? A Systematic Review and Meta-Analysis. <i>Clinical Journal of Sport Medicine</i> , 2021, 31, 313-320. | 0.9 | 12 |
| 445 | Similar outcomes and satisfaction after transtibial versus transportal femoral drilling for anterior cruciate ligament reconstruction in young adult recreational athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1197-1203. | 2.3 | 1 |
| 446 | Return to Preinjury Function Following Knee Injury. <i>International Journal of Athletic Therapy and Training</i> , 2021, 26, 47-58. | 0.1 | 0 |
| 447 | Lower limb kinematics of single-leg squat performance in patients with anterior cruciate ligament deficiency. <i>Journal of Physical Therapy Science</i> , 2021, 33, 429-433. | 0.2 | 2 |
| 448 | Prediction of improvement after anterior cruciate ligament reconstruction. <i>Open Medicine (Poland)</i> , 2021, 16, 833-842. | 0.6 | 3 |
| 449 | Mid-term outcomes of anterior cruciate ligament reconstruction across age groups: A national database study. <i>Journal of Orthopaedics</i> , 2021, 23, 150-154. | 0.6 | 5 |
| 450 | A systematic review comparing the results of early vs delayed ligament surgeries in single anterior cruciate ligament and multiligament knee injuries. <i>Knee Surgery and Related Research</i> , 2021, 33, 1. | 1.8 | 34 |
| 451 | Biomaterials developed for facilitating healing outcome after anterior cruciate ligament reconstruction: Efficacy, surgical protocols, and assessments using preclinical animal models. <i>Biomaterials</i> , 2021, 269, 120625. | 5.7 | 16 |
| 452 | The Top 100 Most Cited Articles on Anterior Cruciate Ligament Reconstruction: A Bibliometric Analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097637. | 0.8 | 19 |
| 453 | Quadriceps and hamstring tendon autografts in ACL reconstruction yield comparably good results in a prospective, randomized controlled trial. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2022, 142, 281-289. | 1.3 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 454 | Age, activity level and meniscus injury, but not tear location, tibial slope or anterolateral ligament injury predict coping with anterior cruciate ligament injury. <i>Knee</i> , 2021, 29, 222-232. | 0.8 | 3 |
| 455 | Younger age increases the risk of sustaining multiple concomitant injuries with an ACL rupture. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 2701-2708. | 2.3 | 13 |
| 456 | Treatment after anterior cruciate ligament injury: Panther Symposium ACL Treatment Consensus Group. <i>Journal of ISAKOS</i> , 2021, 6, 129-137. | 1.1 | 4 |
| 457 | Functional outcome of implant-free bone-patellar tendon autograft versus hamstring autograft in arthroscopic anterior cruciate ligament reconstruction: A prospective study. <i>Annals of Medicine and Surgery</i> , 2021, 63, 102184. | 0.5 | 2 |
| 458 | Early surgical reconstruction versus rehabilitation with elective delayed reconstruction for patients with anterior cruciate ligament rupture: COMPARE randomised controlled trial. <i>BMJ</i> , The, 2021, 372, n375. | 3.0 | 63 |
| 459 | ACL reconstruction for all is not cost-effective after acute ACL rupture. <i>British Journal of Sports Medicine</i> , 2022, 56, 24-28. | 3.1 | 26 |
| 460 | Bone Mesenchymal Stem Cells Contribute to Ligament Regeneration and Graftâ€“Bone Healing after Anterior Cruciate Ligament Reconstruction with Silkâ€“Collagen Scaffold. <i>Stem Cells International</i> , 2021, 2021, 1-11. | 1.2 | 6 |
| 461 | Repair versus reconstruction for proximal anterior cruciate ligament tears: a study protocol for a prospective multicenter randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2021, 22, 399. | 0.8 | 7 |
| 462 | Early anterior cruciate ligament reconstruction does not affect 5 year change in knee cartilage thickness: secondary analysis of a randomized clinical trial. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 518-526. | 0.6 | 8 |
| 463 | Osteoarthritis: Novel Molecular Mechanisms Increase Our Understanding of the Disease Pathology. <i>Journal of Clinical Medicine</i> , 2021, 10, 1938. | 1.0 | 44 |
| 464 | Is it worth to perform initial non-operative treatment for patients with acute ACL injury?: a prospective cohort prognostic study. <i>Knee Surgery and Related Research</i> , 2021, 33, 11. | 1.8 | 10 |
| 465 | The translated Danish version of the Western Ontario Meniscal Evaluation Tool (WOMET) is reliable and responsive. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 4278-4285. | 2.3 | 3 |
| 466 | Development of MRI-defined Structural Tissue Damage after Anterior Cruciate Ligament Injury over 5 Years: The KANON Study. <i>Radiology</i> , 2021, 299, 383-393. | 3.6 | 11 |
| 467 | Anterior Cruciate Ligament Reconstruction Graft Preference Most Dependent on Patient Age: A Survey of United States Surgeons. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1559-1566. | 1.3 | 22 |
| 468 | Clinical, Functional, and Physical Activity Outcomes 5 Years Following the Treatment Algorithm of the Delaware-Oslo ACL Cohort Study. <i>Journal of Bone and Joint Surgery - Series A</i> , 2021, 103, 1473-1481. | 1.4 | 9 |
| 469 | New Evidence for the Old Question If ACL Reconstruction Is Beneficial over Nonsurgical Therapy. <i>Radiology</i> , 2021, 299, 394-395. | 3.6 | 0 |
| 470 | Feasibility randomised controlled trial comparing TRAK-ACL digital rehabilitation intervention plus treatment as usual versus treatment as usual for patients following anterior cruciate ligament reconstruction. <i>BMJ Open Sport and Exercise Medicine</i> , 2021, 7, e001002. | 1.4 | 3 |
| 471 | The top 100 highly cited articles on anterior cruciate ligament from 2000 to 2019: A bibliometric and visualized analysis. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2021, 107, 102988. | 0.9 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 473 | Is meniscal status in the anterior cruciate ligament injured knee associated with change in bone surface area? An exploratory analysis of the KANON trial. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 841-848. | 0.6 | 3 |
| 474 | Not the Last Word: Masks and the Veil of Ignorance. <i>Clinical Orthopaedics and Related Research</i> , 2021, 479, 1665-1668. | 0.7 | 0 |
| 475 | Do athletes benefit from preoperative physical therapy before ACL-reconstruction?. <i>Sports Orthopaedics and Traumatology</i> , 2021, 37, 126-131. | 0.1 | 4 |
| 476 | Impactos da acupuntura no tratamento de pós-operatório do ligamento cruzado anterior em jogadores de futebol. <i>Research, Society and Development</i> , 2021, 10, e24610716494. | 0.0 | 0 |
| 477 | Surgical Timing Does Not Interfere on Clinical Outcomes in Combined Reconstruction of the Anterior Cruciate Ligament and Anterolateral Ligament: A Comparative Study With Minimum 2-Year Follow-Up. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 1909-1917. | 1.3 | 13 |
| 478 | Common elective orthopaedic procedures and their clinical effectiveness: umbrella review of level 1 evidence. <i>BMJ, The</i> , 2021, 374, n1511. | 3.0 | 59 |
| 479 | Early knee status affects self-reported knee function 1 year after non-surgically treated anterior cruciate ligament injury. <i>Physical Therapy in Sport</i> , 2021, 50, 173-183. | 0.8 | 7 |
| 480 | Grade III pivot shift as an early sign of knee decompensation in chronic ACL-injured knees with bimeniscal tears. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1611-1619. | 2.3 | 10 |
| 481 | The Influence of Education and Environment on Patient-Reported Outcome Use in Athletic Training Clinical Practice. <i>Athletic Training Education Journal</i> , 2021, 16, 188-197. | 0.2 | 1 |
| 482 | Occurrence of inadequate ACL healing after Dynamic Intraligamentary Stabilization and functional outcome—a multicentre case series. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 1265-1274. | 0.6 | 7 |
| 483 | A Systematic Review of Randomized Controlled Trials in Anterior Cruciate Ligament Reconstruction: Standard Techniques Are Comparable (299 Trials With 25,816 Patients). <i>Arthroscopy, Sports Medicine, and Rehabilitation</i> , 2021, 3, e1211-e1226. | 0.8 | 8 |
| 484 | Clinical and molecular associations with outcomes at 2 years after acute knee injury: a longitudinal study in the Knee Injury Cohort at the Kennedy (KICK). <i>Lancet Rheumatology, The</i> , 2021, 3, e648-e658. | 2.2 | 16 |
| 485 | Intensive supervised rehabilitation versus less supervised rehabilitation following anterior cruciate ligament reconstruction? A systematic review and meta-analysis. <i>Journal of Science and Medicine in Sport</i> , 2021, 24, 862-870. | 0.6 | 9 |
| 486 | Relationship Between Timing of Anterior Cruciate Ligament Reconstruction and Chondral Injuries: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2021, , 036354652110361. | 1.9 | 12 |
| 487 | Tibiofemoral contact and alignment in patients with anterior cruciate ligament rupture treated nonoperatively versus reconstruction. <i>Bone and Joint Journal</i> , 2021, 103-B, 1505-1513. | 1.9 | 8 |
| 488 | A lifespan approach to osteoarthritis prevention. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1638-1653. | 0.6 | 46 |
| 490 | Conservative versus Operative Treatment. , 2014, , 77-84. | | 1 |
| 491 | Early vs. Delayed ACL Reconstruction — Early Anterior Cruciate Ligament Reconstruction. , 2017, , 19-26. | | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 492 | Non-operative management of a complete anterior cruciate ligament injury in an English Premier League football player with return to play in less than 8 weeks: applying common sense in the absence of evidence. <i>BMJ Case Reports</i> , 2015, 2015, bcr2014208012-bcr2014208012. | 0.2 | 23 |
| 493 | Does early anterior cruciate ligament reconstruction prevent development of meniscal damage? Results from a secondary analysis of a randomised controlled trial. <i>British Journal of Sports Medicine</i> , 2020, 54, 612-617. | 3.1 | 12 |
| 494 | The acutely swollen knee. Part two – Management of traumatic pathology. <i>Journal of the Royal Naval Medical Service</i> , 2014, 100, 186-192. | 0.0 | 1 |
| 495 | Translation, Cross-Cultural Adaptation, and Validation of the Activity Rating Scale for Disorders of the Knee. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711772936. | 0.8 | 6 |
| 496 | Neuromuscular Exercises Improve Shoulder Function More Than Standard Care Exercises in Patients With a Traumatic Anterior Shoulder Dislocation: A Randomized Controlled Trial. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596711989610. | 0.8 | 21 |
| 497 | Evidence for the effects of prehabilitation before ACL-reconstruction on return to sport-related and self-reported knee function: A systematic review. <i>PLoS ONE</i> , 2020, 15, e0240192. | 1.1 | 50 |
| 498 | Graft Fixation and Timing of Surgery Are Predictors of Early Anterior Cruciate Ligament Revision. <i>JBJS Open Access</i> , 2019, 4, e0037. | 0.8 | 22 |
| 499 | Ligament Injury and Healing: A Review of Current Clinical Diagnostics and Therapeutics. <i>The Open Rehabilitation Journal</i> , 2013, 6, 1-20. | 0.8 | 48 |
| 500 | Improving Maximal Strength in the Initial Postoperative Phase After Anterior Cruciate Ligament Reconstruction Surgery: Randomized Controlled Trial of an App-Based Serious Gaming Approach. <i>JMIR Serious Games</i> , 2020, 8, e14282. | 1.7 | 10 |
| 501 | INVESTIGATION OF PRIMARY AND SECOND ANTERIOR CRUCIATE LIGAMENT TEARS USING A GEOGRAPHIC DATABASE. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 593-602. | 0.5 | 3 |
| 502 | Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019, 23, 1-88. | 1.3 | 15 |
| 503 | Delay in surgery predisposes to meniscal and chondral injuries in anterior cruciate ligament deficient knees. <i>Indian Journal of Orthopaedics</i> , 2016, 50, 492. | 0.5 | 17 |
| 504 | A review of trauma and orthopaedic randomised clinical trials published in high-impact general medical journals. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2022, 32, 1469-1479. | 0.6 | 6 |
| 505 | Treatment of osteoarthritis with autologous, micro-fragmented adipose tissue: a study protocol for a randomized controlled trial. <i>Trials</i> , 2021, 22, 748. | 0.7 | 5 |
| 506 | Rehabilitation after ACL injury and reconstruction from the patients' perspective. <i>Physical Therapy in Sport</i> , 2022, 53, 158-165. | 0.8 | 2 |
| 507 | Effect of Concomitant Meniscal Lesions and Meniscal Surgery in ACL Reconstruction With 5-Year Follow-Up: A Nationwide Prospective Cohort Study From Norway and Sweden of 8408 Patients. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110383. | 0.8 | 3 |
| 508 | Motor Imagery to Facilitate Sensorimotor Re-Learning (MOTIFS) after traumatic knee injury: study protocol for an adaptive randomized controlled trial. <i>Trials</i> , 2021, 22, 729. | 0.7 | 3 |
| 509 | Epidemiology of Post-traumatic Osteoarthritis of the Lower Extremity: Premature Aging of Youthful Joints. , 2022, , 39-49. | | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 510 | The relationship between a Second fracture and meniscus injury in patients with anterior cruciate ligament tears. Knee, 2021, 33, 193-199. | 0.8 | 8 |
| 514 | LÃ©sions du LCA du genou : traitement conservateur ou chirurgical ?. , 2012, , 51-68. | | 0 |
| 515 | The Danish Anterior Cruciate Ligament Reconstruction Registry: What We Are Doing, How We Do It, and Which Would Be the Best Way to Do It. , 2013, , 11-22. | | 0 |
| 516 | Guidelines for Operative Versus Nonoperative Management of Anterior Cruciate Ligament Injuries. , 2013, , 75-88. | | 0 |
| 517 | MRI for OA Diagnosis and Drug Development. , 2012, , 1-52. | | 0 |
| 518 | ACL Clinical Outcomes. , 2013, , 29-40. | | 0 |
| 520 | Patient-Related Risk Factors for ACL Graft Failure. , 2014, , 1-10. | | 0 |
| 521 | Diagnosis of Failed ACL Reconstruction. , 2014, , 23-31. | | 0 |
| 522 | Fate of the ACL-Injured Patient: A Prospective Outcome Study. , 2014, , 149-152. | | 3 |
| 523 | Long-Term Outcome of ACL Reconstruction. , 2014, , 275-279. | | 0 |
| 524 | Do we know the optimal management of a torn anterior cruciate ligament of the knee?. Eklem Hastalıkları Ve Cerrahisi = Joint Diseases & Related Surgery, 2014, 25, 63-63. | 2.5 | 0 |
| 525 | Anterior cruciate ligament tear in Hong Kong Chinese patients. Hong Kong Medical Journal, 2015, 21, 131-5. | 0.1 | 5 |
| 526 | Outcomes of ACL Injury: The MOON Consortium. , 2015, , 259-268. | | 0 |
| 527 | A ATUAÃO DA FISIOTERAPIA NA LUXAÃO TRAUMÃICA DE JOELHO. Revista Pesquisa Em Fisioterapia, 2015, 4, . | 0.1 | 0 |
| 528 | How Can We Improve Outcomes Assessment?. Orthopedics, 2015, 38, 594-596. | 0.5 | 1 |
| 529 | Die sekundÃre Rekonstruktion und der plastische Ersatz der BÃnder bei der frischen oder veralteten Verletzung. , 2016, , 167-190. | | 0 |
| 530 | Comparative analyses of diagnostic methods in knee injuries. Sanamed, 2016, 11, 39-45. | 0.1 | 2 |
| 531 | Kinematik und angewandte Physiologie und Pathophysiologie der Ligamente. , 2016, , 15-57. | | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 532 | Meniscal Traumatic Lesions in ACL-Deficient Knee: Masterly Neglect, Repair, or Meniscectomy. , 2016, , 379-391. | | 1 |
| 533 | Knee Stability and Functional Outcome Following Arthroscopic ACL Reconstruction: Comparison between Two Different Femoral Tunnel Positions. MOJ Orthopedics & Rheumatology, 2016, 5, . | 0.2 | 0 |
| 534 | Band- und Sehnenverletzungen. , 2017, , 63-143. | | 0 |
| 535 | The role of UK national ligament registry as additional source of evidence for anterior cruciate ligament reconstruction: Review of the literature and future Perspectives. Journal of Sports Medicine and Therapy, 2017, 2, 081-090. | 0.1 | 0 |
| 536 | Early Versus Delayed ACL Reconstruction: Why Delayed Surgery Is Our Preferred Choice. , 2017, , 27-33. | | 2 |
| 537 | Kinematics and neuromuscular recruitment during vertical treadmill exercise. Journal of Exercise Rehabilitation, 2017, 13, 307-314. | 0.4 | 2 |
| 538 | The Arthritis Barrier: Long-Term Effects of ACL Trauma on Knee Joint Health. , 2019, , 37-50. | | 0 |
| 539 | Evidence-Based Physical Therapy for Anterior Cruciate Ligament Injury: Literature Review. The Journal of Korean Physical Therapy, 2019, 31, 161-168. | 0.1 | 2 |
| 540 | PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. International Journal of Sports Physical Therapy, 2020, 15, 441-450. | 0.5 | 7 |
| 541 | Arthroscopic Primary Repair for Partial Proximal Anterior Cruciate Ligament Tear in Military Personnel. Clinical Journal of Sport Medicine, 2021, 31, e258-e264. | 0.9 | 1 |
| 542 | PHYSICAL THERAPY OF PATIENTS AFTER AUTOPLASTY OF THE ANTERIOR CRUCIATE LIGAMENT AT THE FOLLOW-UP STAGE. Inter Collegas, 2021, 7, 188-193. | 0.0 | 0 |
| 543 | Biomechanics of sports injuries, their management and clinical considerations. , 2020, , 47-61. | | 0 |
| 544 | Does the Difference in Leukocyte Concentration of PRP Affect the Short-Term Follow-Up Results in Cases Diagnosed with Early Stage Knee Osteoarthritis?. Serbian Journal of Experimental and Clinical Research, 2020, 21, 325-331. | 0.2 | 0 |
| 546 | Total hip arthroplasty versus progressive resistance training in patients with severe hip osteoarthritis: protocol for a multicentre, parallel-group, randomised controlled superiority trial. BMJ Open, 2021, 11, e051392. | 0.8 | 3 |
| 547 | Readiness for return to sport in non-surgically treated patients with anterior cruciate ligament injury following a public municipal rehabilitation program. Physical Therapy in Sport, 2022, 53, 7-13. | 0.8 | 1 |
| 548 | Prevalence of Early Knee Osteoarthritis Illness Among Various <scp>Patientâ€™Reported</scp> Classification Criteria After Anterior Cruciate Ligament Reconstruction. Arthritis Care and Research, 2022, 74, 377-385. | 1.5 | 9 |
| 549 | Acl reconstruction - it's all about timing. International Journal of Sports Physical Therapy, 2014, 9, 268-73. | 0.5 | 34 |
| 550 | Whole Body Vibration Exercise Protocol versus a Standard Exercise Protocol after ACL Reconstruction: A Clinical Randomized Controlled Trial with Short Term Follow-Up. Journal of Sports Science and Medicine, 2014, 13, 580-9. | 0.7 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 551 | Comparison of the postural control between football players following ACL reconstruction and healthy subjects. Medical Journal of the Islamic Republic of Iran, 2014, 28, 101. | 0.9 | 3 |
| 552 | Anatomical Individualized ACL Reconstruction. Archives of Bone and Joint Surgery, 2016, 4, 291-297. | 0.1 | 24 |
| 553 | Intra-Articular Pathology Associated with Acute and Chronic Anterior Cruciate Ligament Reconstruction. Iowa orthopaedic journal, The, 2019, 39, 101-106. | 0.5 | 3 |
| 554 | PATIENTS FOCUS ON PERFORMANCE OF PHYSICAL ACTIVITY, KNEE STABILITY AND ADVICE FROM CLINICIANS WHEN MAKING DECISIONS CONCERNING THE TREATMENT OF THEIR ANTERIOR CRUCIATE LIGAMENT INJURY. International Journal of Sports Physical Therapy, 2020, 15, 441-450. | 0.5 | 2 |
| 555 | INVESTIGATION OF PRIMARY AND SECOND ANTERIOR CRUCIATE LIGAMENT TEARS USING A GEOGRAPHIC DATABASE. International Journal of Sports Physical Therapy, 2020, 15, 593-602. | 0.5 | 1 |
| 556 | Who Needs ACL Surgery?., 2022, , 1-9. | | 0 |
| 557 | Exercise and education versus saline injections for knee osteoarthritis: a randomised controlled equivalence trial. Annals of the Rheumatic Diseases, 2022, 81, 537-543. | 0.5 | 23 |
| 558 | Early Surgery or Exercise and Education for Meniscal Tears in Young Adults. , 2022, 1, . | | 16 |
| 559 | Anabolic Androgenic Steroids in Orthopaedic Surgery: Current Concepts and Clinical Applications. Journal of the American Academy of Orthopaedic Surgeons Global Research and Reviews, 2022, 6, . | 0.4 | 3 |
| 560 | An anti-inflammatory diet intervention for knee osteoarthritis: a feasibility study. BMC Musculoskeletal Disorders, 2022, 23, 47. | 0.8 | 9 |
| 561 | Design Features and Rationale of the BEAR-MOON (Bridge-Enhanced ACL Restoration Multicenter) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 2022, 10, 232596712110654. | 0.8 | 2 |
| 562 | Comparison of Anterior Cruciate Ligament Tears Treated Nonoperatively Versus With Reconstruction: Risk of Subsequent Surgery. American Journal of Sports Medicine, 2022, , 036354652110669. | 1.9 | 3 |
| 563 | Why, When, and in Which Patients Nonoperative Treatment of Anterior Cruciate Ligament Injury Fails: An Exploratory Analysis of the COMPARE Trial. American Journal of Sports Medicine, 2022, 50, 645-651. | 1.9 | 8 |
| 564 | Variation in Patient-Reported Outcomes in Young and Old Patients Up to 4 to 6 Years After Arthroscopic Partial Meniscectomy. Clinical Journal of Sport Medicine, 2022, 32, 523-530. | 0.9 | 1 |
| 565 | Injury History and Perceived Knee Function as Risk Factors for Knee Injury in Youth Team-Sports Athletes. Sports Health, 2023, 15, 26-35. | 1.3 | 3 |
| 566 | Superior Outcome of Early ACL Reconstruction versus Initial Non-reconstructive Treatment With Late Crossover to Surgery: A Study From the Swedish National Knee Ligament Registry. American Journal of Sports Medicine, 2022, 50, 896-903. | 1.9 | 21 |
| 567 | Study protocol ROTATE-trial: anterior cruciate ligament rupture, the influence of a treatment algorithm and shared decision making on clinical outcomeâ€“ a cluster randomized controlled trial. BMC Musculoskeletal Disorders, 2022, 23, 117. | 0.8 | 1 |
| 568 | Development and Test of a Decision Aid for Shared Decision Making in Patients with Anterior Cruciate Ligament Injury. MDM Policy and Practice, 2022, 7, 238146832210814. | 0.5 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 570 | Pilot study to investigate the feasibility of conducting a randomised controlled trial that compares Immediate versus Optional Delayed surgical repair for treatment of acute Anterior cruciate ligament injury: IODA pilot trial. <i>BMJ Open</i> , 2022, 12, e055349. | 0.8 | 2 |
| 571 | Patients Follow 3 Different Rate-of-Recovery Patterns After Anterior Cruciate Ligament Reconstruction Based on International Knee Documentation Committee Score. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 2480-2490.e3. | 1.3 | 2 |
| 572 | Determinants of apprehension to return to sport after reconstruction of the anterior cruciate ligament: an exploratory observational retrospective study. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, 37. | 0.7 | 1 |
| 573 | Greater proportion of patients report an acceptable symptom state after ACL reconstruction compared with non-surgical treatment: a 10-year follow-up from the Swedish National Knee Ligament Registry. <i>British Journal of Sports Medicine</i> , 2022, 56, 862-870. | 3.1 | 12 |
| 574 | Online information about the management of anterior cruciate ligament ruptures in Australia: A content analysis. <i>Musculoskeletal Science and Practice</i> , 2022, 59, 102555. | 0.6 | 2 |
| 575 | Subsequent surgery after primary ACLR results in a significantly inferior subjective outcome at a 2-year follow-up. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1927-1936. | 2.3 | 5 |
| 576 | Anterior Cruciate Ligament Patellar Tendon Autograft Fixation at 0° Versus 30° Results in Improved Activity Scores and a Greater Proportion of Patients Achieving the Minimal Clinical Important Difference For Knee Injury and Osteoarthritis Outcome Score Pain: A Randomized Controlled Trial. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1969-1977. | 1.3 | 8 |
| 577 | Anterior Cruciate Ligament Injury: Conservative Versus Surgical Treatment. <i>Cureus</i> , 2021, 13, e20206. | 0.2 | 8 |
| 578 | Posterior Tibial Slope, Notch Width, Condylar Morphology, Trochlear Inclination, and Tibiofemoral Mismatch Predict Outcomes Following Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2022, 38, 1689-1704.e1. | 1.3 | 5 |
| 579 | Identifying Clinical and MRI Characteristics Associated with Quality of Life in Patients with Anterior Cruciate Ligament Injury: Prognostic Factors for Long-Term. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 12845. | 1.2 | 9 |
| 580 | Sports Participation and Performance 5 Years After Arthroscopic Partial Meniscectomy: A Retrospective Cohort Study of 288 Patients. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 224-232. | 1.7 | 0 |
| 581 | Management after acute rupture of the anterior cruciate ligament (ACL). Part 1: ACL reconstruction has a protective effect on secondary meniscus and cartilage lesions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 1665-1674. | 2.3 | 11 |
| 582 | Four-Week Application of Kinesiotaping Improves Proprioception, Strength, and Balance in Individuals With Complete Anterior Cruciate Ligament Rupture. <i>Journal of Strength and Conditioning Research</i> , 2023, 37, 213-219. | 1.0 | 2 |
| 583 | ACL Surgery Necessity in Non-Acute Patients (ACL SNNAP): a statistical analysis plan for a randomised controlled trial. <i>Trials</i> , 2022, 23, 389. | 0.7 | 3 |
| 584 | The Knee Injury and Osteoarthritis Outcome Score: shortcomings in evaluating knee function in persons undergoing ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 3594-3598. | 2.3 | 6 |
| 585 | Comparison of Two Management Strategies for Non-Acute Anterior Cruciate Ligament (ACL) Injury: Rehabilitation Versus Surgical Reconstruction (ACL SNNAP Trial). <i>SSRN Electronic Journal</i> , 0, , . | 0.4 | 1 |
| 586 | Single-stage repair of displaced bucket-handle meniscal tears with anterior cruciate ligament reconstruction leads to good meniscal survivorship. <i>Bone and Joint Journal</i> , 2022, 104-B, 680-686. | 1.9 | 8 |
| 587 | Benefits and Harms of Interventions With Surgery Compared to Interventions Without Surgery for Musculoskeletal Conditions: A Systematic Review With Meta-analysis. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 312-344. | 1.7 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 588 | Ä–n Ä†apraz BaÄŸ Cerrahi ZamanlamasÄ±nÄ±n Artrofibrozis Ve Spora DÄŸnÄŸ4ÄŸ Etkisi â€“ Derleme. Adnan Menderes Äœniversitesi SaÄŸlÄ±k Bilimleri FakÄŸltesi Dergisi, 0, , . | 0.4 | 0 |
| 589 | Return to work following anterior cruciate ligament reconstruction. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 554-559. | 1.2 | 1 |
| 590 | Critically appraised paper: Early surgery is not superior to exercise and education with the option of later surgery for meniscal tears in young adults [commentary]. Journal of Physiotherapy, 2022, , . | 0.7 | 0 |
| 592 | Retrospective analysis and risk of progression of partial anterior cruciate ligament injuries in a young population. Archives of Orthopaedic and Trauma Surgery, 2023, 143, 2063-2071. | 1.3 | 5 |
| 593 | Returning Athletes to Sports Following Anterior Cruciate Ligament Tears. Current Reviews in Musculoskeletal Medicine, 2022, 15, 616-628. | 1.3 | 2 |
| 594 | Revision Rates After Primary ACL Reconstruction Performed Between 1969 and 2018: A Systematic Review and Metaregression Analysis. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712211101. | 0.8 | 10 |
| 595 | â€“I was young, I wanted to return to sport, and re-ruptured my ACLâ€™ â€“ young active female patientsâ€™ voices on the experience of sustaining an ACL re-rupture, a qualitative study. BMC Musculoskeletal Disorders, 2022, 23, . | 0.8 | 5 |
| 596 | Anterior cruciate ligament deficiency versus intactness for outcomes in patients after unicompartmental knee arthroplasty: a systematic review and meta-analysis. Frontiers in Bioengineering and Biotechnology, 0, 10, . | 2.0 | 2 |
| 597 | Rehabilitation versus surgical reconstruction for non-acute anterior cruciate ligament injury (ACL) Tj ETQq0 0 0 rgBT (Overlock 10 Tf 50 | 6.3 | 31 |
| 598 | Surgery or rehabilitation for anterior cruciate ligament injury: where are we now?. Lancet, The, 2022, 400, 543-545. | 6.3 | 0 |
| 599 | Kinesiophobia, Knee Self-Efficacy, and Fear Avoidance Beliefs in People with ACL Injury: A Systematic Review and Meta-Analysis. Sports Medicine, 2022, 52, 3001-3019. | 3.1 | 17 |
| 600 | ACL D patients exhibit additional knee kinematic asymmetries at the speed level of healthy subjects. Frontiers in Bioengineering and Biotechnology, 0, 10, . | 2.0 | 1 |
| 601 | Biological variation of human aggrecan ARGS neoepitope in synovial fluid and serum in early-stage knee osteoarthritis and after knee injury. Osteoarthritis and Cartilage Open, 2022, 4, 100307. | 0.9 | 1 |
| 602 | The top 100 most impactful articles on the anterior cruciate ligament: An altmetric analysis of online media. SAGE Open Medicine, 2022, 10, 205031212211116. | 0.7 | 6 |
| 603 | Primary surgery versus primary rehabilitation for treating anterior cruciate ligament injuries: a living systematic review and meta-analysis. British Journal of Sports Medicine, 2022, 56, 1241-1251. | 3.1 | 16 |
| 604 | Trends in Revision ACL Reconstruction: Analysis of 257 Procedures. TravmatologiÄŸ I OrtopediÄŸ Rossii, 2022, 28, 29-37. | 0.1 | 1 |
| 605 | Patient-reported outcome measures: it is time for authors, reviewers, journal editors and health care strategists to take sufficient responsibility. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 3589-3593. | 2.3 | 7 |
| 606 | Meniscal procedures are not increased with delayed ACL reconstruction and rehabilitation: results from a randomised controlled trial. British Journal of Sports Medicine, 2023, 57, 78-82. | 3.1 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 607 | Personal and narrative review of the current management of the injured anterior cruciate ligament of the knee in the UK with reference to surgical treatment versus rehabilitation. <i>BMJ Open Sport and Exercise Medicine</i> , 2022, 8, e001410. | 1.4 | 1 |
| 608 | No correlation between performance tests, clinical measurements and data from patient-reported outcome measures (PROM) in children reconstructed for anterior cruciate ligament injury. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 2386-2393. | 2.3 | 3 |
| 609 | Declining trends in arthroscopic meniscus surgery and other arthroscopic knee procedures in Denmark: a nationwide register-based study. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 93, 783-793. | 1.2 | 2 |
| 610 | Long-term quality of life, work limitation, physical activity, economic cost and disease burden following ACL and meniscal injury: a systematic review and meta-analysis for the OPTIKNEE consensus. <i>British Journal of Sports Medicine</i> , 2022, 56, 1465-1474. | 3.1 | 21 |
| 611 | Surgical or non-surgical treatment of plantar fasciopathy (SOFT): study protocol for a randomized controlled trial. <i>Trials</i> , 2022, 23, . | 0.7 | 0 |
| 612 | Predicting the Objective and Subjective Clinical Outcomes of Anterior Cruciate Ligament Reconstruction: A Machine Learning Analysis of 432 Patients. <i>American Journal of Sports Medicine</i> , 2022, 50, 3786-3795. | 1.9 | 12 |
| 613 | OPTIKNEE 2022: consensus recommendations to optimise knee health after traumatic knee injury to prevent osteoarthritis. <i>British Journal of Sports Medicine</i> , 2022, 56, 1393-1405. | 3.1 | 27 |
| 614 | Optimal Timing of Anterior Cruciate Ligament Reconstruction in Patients With Anterior Cruciate Ligament Tear. <i>JAMA Network Open</i> , 2022, 5, e2242742. | 2.8 | 7 |
| 615 | Knee osteoarthritis, joint laxity and PROMs following conservative management versus surgical reconstruction for ACL rupture: a meta-analysis. <i>British Medical Bulletin</i> , 2023, 145, 72-87. | 2.7 | 1 |
| 618 | Early outcomes of primary repair versus reconstruction for acute anterior cruciate ligament injury: A systematic review and meta-analysis. <i>Medicine (United States)</i> , 2022, 101, e32411. | 0.4 | 3 |
| 619 | R sultats des ligamentoplasties du ligament croisi  ant rieur. , 2023, , 251-259.e3. | | 0 |
| 620 | Supervised exercise-therapy and Patient Education Rehabilitation (SUPER) versus minimal intervention for young adults at risk of knee osteoarthritis after ACL reconstruction: SUPER-Knee randomised controlled trial protocol. <i>BMJ Open</i> , 2023, 13, e068279. | 0.8 | 3 |
| 621 | Unilateral tests of lower-limb function as prognostic indicators of future knee-related outcomes following anterior cruciate ligament injury: a systematic review and meta-analysis of 13 150 adolescents and adults. <i>British Journal of Sports Medicine</i> , 2023, 57, 855-863. | 3.1 | 6 |
| 622 | Diagnosis, risk factors for OA development and progression, OA prevention, and recognizing comorbidities. , 2023, , 39-53. | | 0 |
| 623 | Morphometric MRI Evaluation of Three Autografts Used in Anterior Cruciate Ligament Reconstruction in Athletes. <i>Journal of Functional Morphology and Kinesiology</i> , 2023, 8, 14. | 1.1 | 0 |
| 624 | Torque complexity of maximal knee extensor isometric contraction in individuals following anterior cruciate ligament reconstruction. <i>Clinical Biomechanics</i> , 2023, 104, 105932. | 0.5 | 1 |
| 625 | Development and validation of a clinical prediction model for return to work after arthroscopic anterior cruciate ligament reconstruction. <i>Knee</i> , 2023, 42, 107-124. | 0.8 | 0 |
| 626 | Anterior cruciate ligament reconstruction and concomitant procedures in Finland between 2004 and 2018 based on national registers. <i>Monthly Notices of the Royal Astronomical Society: Letters</i> , 0, 94, 45-50. | 1.2 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 627 | Reconstruction du ligament croisé antérieur. , 2023, , 219-224.e2. | | 0 |
| 628 | Trajectory of knee health in runners with and without heightened osteoarthritis risk: the TRAIL prospective cohort study protocol. <i>BMJ Open</i> , 2023, 13, e068040. | 0.8 | 0 |
| 629 | The Effects of Different Management Strategies or Rehabilitation Approaches on Knee Joint Structural and Molecular Biomarkers Following Traumatic Knee Injury: A Systematic Review of Randomized Controlled Trials for the OPTIKNEE Consensus. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2023, 53, 172-193. | 1.7 | 1 |
| 630 | Investigation of the medium-term effect of osteoprotegerin/bone morphogenetic protein 2 combining with collagen sponges on tendon-bone healing in a rabbit. <i>Journal of Orthopaedic Surgery</i> , 2023, 31, 102255362311634. | 0.4 | 1 |
| 631 | Only 10% of Patients With a Concomitant MCL Injury Return to Their Preinjury Level of Sport 1 Year After ACL Reconstruction: A Matched Comparison With Isolated ACL Reconstruction. <i>Sports Health</i> , 2024, 16, 124-135. | 1.3 | 3 |
| 632 | When context creates uncertainty: experiences of patients who choose rehabilitation as a treatment after an ACL injury. <i>BMJ Open Sport and Exercise Medicine</i> , 2023, 9, e001501. | 1.4 | 1 |
| 633 | Platelet-rich plasma is similar to platelet-rich plasma plus hyaluronic acid for the treatment of knee osteoarthritis at 2 years: a randomized controlled trial. <i>Journal of Cartilage & Joint Preservation</i> , 2023, 3, 100129. | 0.2 | 0 |
| 634 | Infographic. Primary surgery versus primary rehabilitation for treating anterior cruciate ligament injuries. <i>British Journal of Sports Medicine</i> , 2023, 57, 882-883. | 3.1 | 0 |
| 635 | What is known about the RegentK regenerative treatment for ruptured anterior cruciate ligament? A scoping review. <i>Manuelle Medizin</i> , 0, , . | 0.1 | 1 |
| 636 | Unicompartmental knee arthroplasty vs. high tibial osteotomy for medial knee osteoarthritis (UNIKORN): a study protocol of a randomized controlled trial. <i>Trials</i> , 2023, 24, . | 0.7 | 1 |
| 650 | Anterior Cruciate Ligament Injury. , 2023, , 1-22. | | 0 |
| 664 | Anterior Cruciate Ligament Injury: Non-operative Treatment and Post-operative Rehabilitation. , 2023, , 1-17. | | 0 |