

CITATION REPORT

List of articles citing

Do temporal and geographical patterns of HBCD and PBDE flame retardants in U.S. fish reflect evolving industrial usage?

DOI: 10.1021/es201444w

Environmental Science & Technology, 2011, 45, 8254-61.

Source: <https://exaly.com/paper-pdf/49982659/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
51	Novel flame retardants in urban-feeding ring-billed gulls from the St. Lawrence River, Canada. <i>Environmental Science & Technology</i> , 2012 , 46, 9735-44	10.3	85
50	Newly discovered methoxylated polybrominated diphenoxybenzenes have been contaminants in the Great Lakes herring gull eggs for thirty years. <i>Environmental Science & Technology</i> , 2012 , 46, 9456-63	10.3	14
49	Country specific comparison for profile of chlorinated, brominated and phosphate organic contaminants in indoor dust. Case study for Eastern Romania, 2010. <i>Environment International</i> , 2012 , 49, 1-8	12.9	114
48	In situ accumulation of HBCD, PBDEs, and several alternative flame-retardants in the bivalve (<i>Corbicula fluminea</i>) and gastropod (<i>Elimia proxima</i>). <i>Environmental Science & Technology</i> , 2012 , 46, 5798-805	10.3	72
47	Hexabromocyclododecane in consumer fish from South China: implications for human exposure via dietary intake. <i>Environmental Toxicology and Chemistry</i> , 2012 , 31, 1424-30	3.8	28
46	Levels, isomer profiles and chiral signatures of particle-bound hexabromocyclododecanes in ambient air around Shanghai, China. <i>Environmental Pollution</i> , 2012 , 165, 140-6	9.3	30
45	Flame retardants in eggs of four gull species (<i>Laridae</i>) from breeding sites spanning Atlantic to Pacific Canada. <i>Environmental Pollution</i> , 2012 , 168, 1-9	9.3	86
44	Concentration of organic contaminants in fish and their biological effects in a wastewater-dominated urban stream. <i>Science of the Total Environment</i> , 2012 , 420, 191-201	10.2	28
43	Occurrence of halogenated contaminants in inland and coastal fish from Ghana: levels, dietary exposure assessment and human health implications. <i>Ecotoxicology and Environmental Safety</i> , 2013 , 94, 123-30	7	30
42	Fate and ecological effects of decabromodiphenyl ether in a field lysimeter. <i>Environmental Science & Technology</i> , 2013 , 47, 9167-74	10.3	17
41	Diastereoisomer and enantiomer-specific profiles of hexabromocyclododecane and tetrabromobisphenol A in an aquatic environment in a highly industrialized area, South China: vertical profile, phase partition, and bioaccumulation. <i>Environmental Pollution</i> , 2013 , 179, 105-10	9.3	74
40	A national probabilistic study of polybrominated diphenyl ethers in fish from US lakes and reservoirs. <i>Environmental Monitoring and Assessment</i> , 2013 , 185, 10351-64	3.1	8
39	Spatial distribution and inter-year variation of hexabromocyclododecane (HBCD) and tris-(2,3-dibromopropyl) isocyanurate (TBC) in farm soils at a peri-urban region. <i>Chemosphere</i> , 2013 , 90, 182-7	8.4	38
38	Hexabromocyclododecane in alpine fish from the Tibetan Plateau, China. <i>Environmental Pollution</i> , 2013 , 181, 7-13	9.3	31
37	Environmental mass spectrometry. <i>Annual Review of Analytical Chemistry</i> , 2013 , 6, 163-89	12.5	294
36	Levels and trends of PBDEs and HBCDs in the global environment: status at the end of 2012. <i>Environment International</i> , 2014 , 65, 147-58	12.9	304
35	Polybrominated diphenyl ethers in bald (<i>Haliaeetus leucocephalus</i>) and golden (<i>Aquila chrysaetos</i>) eagles from Washington and Idaho, USA. <i>Environmental Toxicology and Chemistry</i> , 2014 , 33, 2795-801	3.8	5

34	Flame retardant transfers from U.S. households (dust and laundry wastewater) to the aquatic environment. <i>Environmental Science & Technology</i> , 2014 , 48, 11575-83	10.3	189
33	Prenatal exposure to the brominated flame retardant hexabromocyclododecane (HBCD) impairs measures of sustained attention and increases age-related morbidity in the Long-Evans rat. <i>Neurotoxicology and Teratology</i> , 2014 , 45, 34-43	3.9	15
32	Patterns and trends in brominated flame retardants in bald eagle nestlings from the upper midwestern United States. <i>Environmental Science & Technology</i> , 2014 , 48, 12516-24	10.3	12
31	A review of what is an emerging contaminant. <i>Chemistry Central Journal</i> , 2014 , 8, 15		327
30	Trends of polybrominated diphenyl ethers and hexabromocyclododecane in eggs of Canadian Arctic seabirds reflect changing use patterns. <i>Environmental Research</i> , 2015 , 142, 651-61	7.9	32
29	Temporal trends of polychlorinated biphenyls, polybrominated diphenyl ethers, and perfluorinated compounds in Chinese sturgeon (<i>Acipenser sinensis</i>) eggs (1984-2008). <i>Environmental Science & Technology</i> , 2015 , 49, 1621-30	10.3	21
28	Brominated flame retardants and seafood safety: a review. <i>Environment International</i> , 2015 , 77, 116-31	12.9	78
27	Polybrominated diphenyl ethers in thirteen shark species from offshore and coastal waters of Korea. <i>Marine Pollution Bulletin</i> , 2015 , 95, 374-9	6.7	5
26	Temporal Trends and Pattern Changes of Short- and Medium-Chain Chlorinated Paraffins in Marine Mammals from the South China Sea over the Past Decade. <i>Environmental Science & Technology</i> , 2015 , 49, 11348-55	10.3	75
25	Hexabromocyclododecane flame retardant in Antarctica: Research stations as sources. <i>Environmental Pollution</i> , 2015 , 206, 611-8	9.3	18
24	Brominated flame retardant trends in aquatic birds from the Salish Sea region of the west coast of North America, including a mini-review of recent trends in marine and estuarine birds. <i>Science of the Total Environment</i> , 2015 , 502, 60-9	10.2	27
23	Enrichment of hexabromocyclododecanes in coastal sediments near aquaculture areas and a wastewater treatment plant in a semi-enclosed bay in South Korea. <i>Science of the Total Environment</i> , 2015 , 505, 290-8	10.2	58
22	Statewide surveillance of halogenated flame retardants in fish in Illinois, USA. <i>Environmental Pollution</i> , 2016 , 214, 627-634	9.3	24
21	Occurrence, removal and release characteristics of dissolved brominated flame retardants and their potential metabolites in various kinds of wastewater. <i>Environmental Pollution</i> , 2016 , 218, 551-557	9.3	27
20	Hexabromocyclododecane (HBCD) in the Korean food basket and estimation of dietary exposure. <i>Environmental Pollution</i> , 2016 , 213, 268-277	9.3	30
19	Brominated flame retardants (BFRs): A review on environmental contamination in China. <i>Chemosphere</i> , 2016 , 150, 479-490	8.4	144
18	New halogenated flame retardants in the atmosphere of nine urban areas in China: Pollution characteristics, source analysis and variation trends. <i>Environmental Pollution</i> , 2017 , 224, 679-688	9.3	25
17	Application of Direct Analysis in Real Time Coupled to Mass Spectrometry (DART-MS) for the Analysis of Environmental Contaminants. 2017 , 193-221		0

16	Occurrence and profiles of polybrominated diphenyl ethers (PBDEs) in riverine sediments of Shanghai: a combinative study with human serum from the locals. <i>Environmental Geochemistry and Health</i> , 2017 , 39, 729-738	4.7	11
15	Distribution, accumulation, and potential risk of polybrominated diphenyl ethers in the marine environment receiving effluents from a sewage treatment plant. <i>Marine Pollution Bulletin</i> , 2018 , 129, 364-369	6.7	10
14	Transport of Hexabromocyclododecane (HBCD) into the soil, water and sediment from a large producer in China. <i>Science of the Total Environment</i> , 2018 , 610-611, 94-100	10.2	30
13	Assessment of legacy and emerging contaminants in an introduced catfish and implications for the fishery. <i>Environmental Science and Pollution Research</i> , 2018 , 25, 28355-28366	5.1	3
12	Responses of antioxidant and biotransformation enzymes in <i>Carassius carassius</i> exposed to hexabromocyclododecane. <i>Environmental Toxicology and Pharmacology</i> , 2018 , 62, 46-53	5.8	7
11	Isomer-Specific Hexabromocyclododecane (HBCDD) Levels in Top Predator Fish from Across Canada and 36-Year Temporal Trends in Lake Ontario. <i>Environmental Science & Technology</i> , 2018 , 52, 6197-6207	10.3	10
10	Temporal-spatial distribution and diastereoisomer pattern of hexabromocyclododecane in the vicinity of a chemical plant. <i>Journal of Environmental Sciences</i> , 2019 , 82, 203-212	6.4	5
9	Spatial Distribution of Organophosphorus and Brominated Flame Retardants in Surface Water, Sediment, Groundwater, and Wild Fish in Chengdu, China. <i>Archives of Environmental Contamination and Toxicology</i> , 2019 , 77, 279-290	3.2	30
8	Stereoisomer specific reaction of hexabromocyclododecane with reduced sulfur species in aqueous solutions. <i>Chemosphere</i> , 2019 , 226, 238-245	8.4	10
7	Temporal trends of persistent organic pollutants in Arctic marine and freshwater biota. <i>Science of the Total Environment</i> , 2019 , 649, 99-110	10.2	113
6	Novel brominated flame retardants - A review of their occurrence in indoor air, dust, consumer goods and food. <i>Chemosphere</i> , 2020 , 255, 126816	8.4	34
5	Concentrations and Long-Term Temporal Trends of Hexabromocyclododecanes (HBCDD) in Lake Trout and Walleye from the Great Lakes. <i>Environmental Science & Technology</i> , 2020 , 54, 6134-6141	10.3	4
4	Legacy and alternative halogenated flame retardants in Lake Geneva fish. <i>Environmental Science and Pollution Research</i> , 2021 , 28, 7766-7773	5.1	2
3	Legacy and emerging flame retardants in sharks from the Western North Atlantic Ocean.. <i>Science of the Total Environment</i> , 2022 , 829, 154330	10.2	0
2	Environmental Occurrence and Degradation of Hexabromocyclododecanes. 2022 , 1-25		0
1	Sorption of representative organic contaminants on microplastics: Effects of chemical physicochemical properties, particle size, and biofilm presence. 2023 , 251, 114533		0