

CITATION REPORT

List of articles citing

Effect of nano-CaCO₃ on hydration of cement containing supplementary cementitious materials

DOI: 10.1680/adcr.9.00016

Advances in Cement Research, 2011, 23, 33-43.

Source: <https://exaly.com/paper-pdf/50011405/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
155	Effect of nano-CaCO ₃ and metakaolin on hydrated Portland cement. <i>Advances in Cement Research</i> , 2012 , 24, 211-219	1.8	7
154	Strength and Transport Properties of Concretes Modified with Coarse Limestone Powder to Compensate for Dilution Effects. 2012 , 2290, 130-138		4
153	Hydration of Portland cement with high replacement by siliceous fly ash. 2012 , 42, 1389-1400		270
152	Reducing Set Retardation in High-Volume Fly Ash Mixtures with the Use of Limestone: Improving Constructability for Sustainability. 2012 , 2290, 139-146		42
151	Fine limestone additions to regulate setting in high volume fly ash mixtures. <i>Cement and Concrete Composites</i> , 2012 , 34, 11-17	8.6	138
150	Jet mill grinding of portland cement, limestone, and fly ash: Impact on particle size, hydration rate, and strength. <i>Cement and Concrete Composites</i> , 2013 , 44, 41-49	8.6	30
149	Sustainable Infrastructure Materials: Challenges and Opportunities. 2013 , 10, 584-592		8
148	Formulation of mortars with nano-SiO ₂ and nano-TiO ₂ for degradation of pollutants in buildings. <i>Composites Part B: Engineering</i> , 2013 , 44, 40-47	10	54
147	Effect of Fly Ash and nanoCaCO ₃ on the Setting Time of Cement Paste. 2013 , 405-408, 2885-2888		
146	Effect of nano-calcium carbonate on early-age properties of ultra-high-performance concrete. 2013 , 65, 297-307		76
145	Nanoscience and nanoengineering of cement-based materials. 2013 , 9-37a		3
144	Effect of Nano-CaCO ₃ on Compressive Strength Development of High Volume Fly Ash Mortars and Concretes. 2014 , 12, 178-186		81
143	Dispersion of CaCO ₃ nanoparticles by sonication and surfactant treatment for application in fly ash cement systems. 2014 , 47, 1011-1023		78
142	Ultrafine Grinding of Limestone with Sodium Polyacrylates as Additives in Ordinary Portland Cement Mortar. 2014 , 37, 787-794		3
141	Activation energies of high-volume fly ash ternary blends: Hydration and setting. <i>Cement and Concrete Composites</i> , 2014 , 53, 214-223	8.6	73
140	Effects of mineral powders on hydration process and hydration products in normal strength concrete. <i>Construction and Building Materials</i> , 2014 , 72, 7-14	6.7	35
139	Mechanical and durability properties of high volume fly ash (HVFA) concrete containing calcium carbonate (CaCO ₃) nanoparticles. <i>Construction and Building Materials</i> , 2014 , 70, 309-321	6.7	210

138	Performance of Portland Limestone Cements. 2014 , 2441, 112-120		8
137	An Overview of Nanomaterials. 22-108		3
136	Compressive strength and durability of high-volume fly ash concrete reinforced with calcium carbonate nanoparticles. 2015 , 275-307		5
135	Nano-modification to improve the ductility of cementitious composites. 2015 , 76, 170-179		73
134	Effects of nanosilica on the calcium silicate hydrates in Portland cement fly ash systems. <i>Advances in Cement Research</i> , 2015 , 27, 187-200	1.8	18
133	Nanotechnology in Construction. 2015 ,		16
132	Chloride induced corrosion durability of high volume fly ash concretes containing nano particles. <i>Construction and Building Materials</i> , 2015 , 99, 208-225	6.7	117
131	Advance treatment by nanographite for Portland pulverised fly ash cement (the class F) systems. <i>Composites Part B: Engineering</i> , 2015 , 82, 59-71	10	36
130	Effects of different nanomaterials on hardening and performance of ultra-high strength concrete (UHSC). <i>Cement and Concrete Composites</i> , 2016 , 70, 24-34	8.6	121
129	Effects of the physicochemical properties of fly ash on the compressive strength of high-volume fly ash mortar. <i>Construction and Building Materials</i> , 2016 , 124, 1072-1080	6.7	60
128	Performance and properties of mortar mixed with nano-CuO and rice husk ash. <i>Cement and Concrete Composites</i> , 2016 , 74, 225-235	8.6	49
127	Properties and durability of concrete produced using CO ₂ as an accelerating admixture. <i>Cement and Concrete Composites</i> , 2016 , 74, 218-224	8.6	45
126	Influence of limestone size and content on transport properties of self-consolidating concrete. <i>Construction and Building Materials</i> , 2016 , 127, 588-595	6.7	21
125	Strength gain mechanism for green mortar substituted marble powder and brick powder for Portland cement. 2016 , 20, s38-s63		25
124	Nanoparticles for enhancing mechanical properties of fly ash concrete. 2016 , 3, 2387-2393		22
123	Effects of the addition of nanoparticulate calcium carbonate on setting time, dimensional change, compressive strength, solubility and pH of MTA. 2017 , 50, 97-105		20
122	Particle packing and rheology of cement pastes at different replacement levels of cement by Al ₂ O ₃ submicron particles. <i>Construction and Building Materials</i> , 2017 , 139, 256-266	6.7	12
121	Effects of nano-limestone on hydration properties of tricalcium silicate. <i>Journal of Thermal Analysis and Calorimetry</i> , 2017 , 129, 75-83	4.1	19

120	3D particle size distribution of inter-ground Portland limestone/slag cement from 2D observations: Characterization and distribution evaluation. <i>Construction and Building Materials</i> , 2017 , 147, 550-557	6.7	6
119	Enhancing the interfacial bond strength of cement nanocomposite with carbonate nanostructure. <i>Composites Part B: Engineering</i> , 2017 , 124, 111-119	10	10
118	Microstructure and Nanoscaled Characterization of HVFA Cement Paste Containing Nano-SiO ₂ and Nano-CaCO ₃ . <i>Journal of Materials in Civil Engineering</i> , 2017 , 29, 04017063	3	20
117	Electrokinetic nanoparticle injection for remediating leaks in oil well cement. <i>Construction and Building Materials</i> , 2017 , 156, 63-72	6.7	16
116	Effect of compound nano-CaCO ₃ addition on strength development and microstructure of cement-stabilized soil in the marine environment. <i>Construction and Building Materials</i> , 2017 , 151, 775-781	6.7	41
115	Experimental Investigation and Quantitative Calculation of the Degree of Hydration and Products in Fly Ash-Cement Mixtures. 2017 , 2017, 1-12		4
114	Surface Modification of Fly Ash Concrete Through Nanophase Incorporation for Enhanced Chemical Deterioration Resistance. 2018 , 4, 1		3
113	Advancements in Properties of Cement Containing Pulverised Fly Ash and Nanomaterials by Blending and Ultrasonication Method (Review - Part I). 2018 , 19, 1-11		5
112	Ternary Blends. 2018 , 303-315		1
111	Properties of Fresh and Hardened Concrete Containing Supplementary Cementitious Materials. 2018 ,		32
110	Limestone Powder. 2018 , 123-151		6
109	Influence of the combination of calcium oxide and sodium carbonate on the hydration reactivity of alkali-activated slag binders. <i>Journal of Cleaner Production</i> , 2018 , 171, 622-629	10.3	64
108	The effect of nano-Al ₂ O ₃ additive on early hydration of calcium aluminate cement. <i>Construction and Building Materials</i> , 2018 , 158, 755-760	6.7	23
107	High volume fly ash mortar containing nano-calcium carbonate as a sustainable cementitious material: microstructure and strength development. 2018 , 8, 16439		20
106	A review on effects of limestone powder on the properties of concrete. <i>Construction and Building Materials</i> , 2018 , 192, 153-166	6.7	81
105	Effect of TiO ₂ Nanoparticles on Physical and Mechanical Properties of Cement at Low Temperatures. 2018 , 2018, 1-12		13
104	The Optimization of Calcareous Fly Ash-Added Cement Containing Grinding Aids and Strength-Improving Additives. 2018 , 2018, 1-9		3
103	Effects of Nano-CaCO ₃ /Limestone Composite Particles on the Hydration Products and Pore Structure of Cementitious Materials. 2018 , 2018, 1-8		10

102	Enhancement of strength and durability of fly ash concrete in seawater environments: Synergistic effect of nanoparticles. <i>Construction and Building Materials</i> , 2018 , 187, 448-459	6.7	39
101	Activation of cement hydration with carbon dioxide. 2018 , 7, 160-181		16
100	Upcycling carbon dioxide to improve mechanical strength of Portland cement. <i>Journal of Cleaner Production</i> , 2018 , 196, 726-738	10.3	60
99	Advances in characterizing and understanding the microstructure of cementitious materials. 2019 , 124, 105806		50
98	Hydration of Early Age Cement Paste with Nano-CaCO ₃ and SAP by LF-NMR Spectroscopy: Mechanism and Prediction. 2019 , 2019, 1-10		3
97	Comparative roles between aragonite and calcite calcium carbonate whiskers in the hydration and strength of cement paste. <i>Cement and Concrete Composites</i> , 2019 , 104, 103350	8.6	33
96	Development of a Parameterized Model to Estimate Microwave Radiation Response Depth of Frozen Soil. 2019 , 11, 2028		1
95	Effect of Additives on the Rheological and Mechanical Properties of Microfine-Cement-Based Grout. 2019 , 2019, 1-10		5
94	Comparative study on the effects of nano-SiO ₂ , nano-Fe ₂ O ₃ and nano-NiO on hydration and microscopic properties of white cement. <i>Construction and Building Materials</i> , 2019 , 228, 116767	6.7	19
93	Hydrothermal synthesized and nano-modified wall materials from solid wastes. <i>Construction and Building Materials</i> , 2019 , 217, 242-250	6.7	2
92	Enhanced seawater corrosion resistance of reinforcement in nanophase modified fly ash concrete. <i>Construction and Building Materials</i> , 2019 , 221, 232-243	6.7	23
91	Effect of Macro-, Micro- and Nano-Calcium Carbonate on Properties of Cementitious Composites-A Review. <i>Materials</i> , 2019 , 12,	3.5	55
90	Modification Effects of Nano-SiO ₂ on Early Compressive Strength and Hydration Characteristics of High-Volume Fly Ash Concrete. <i>Journal of Materials in Civil Engineering</i> , 2019 , 31, 04019057	3	16
89	Current Progress of Nano-Engineered Cementitious Composites. 2019 , 97-398		
88	Research of Mortar Containing Phosphorous Slag and Calcium Carbonate Nanoparticles. 2019 , 2019, 1-8		3
87	Microbial calcium carbonate precipitation with high affinity to fill the concrete pore space: nanobiotechnological approach. 2019 , 42, 37-46		20
86	Fracture toughness improvement of multi-wall carbon nanotubes/graphene sheets reinforced cement paste. <i>Construction and Building Materials</i> , 2019 , 200, 530-538	6.7	39
85	Analytical and Experimental Investigations on Using Waste Marble Powder in Concrete. <i>Journal of Materials in Civil Engineering</i> , 2019 , 31, 04019011	3	7

84	Combined influence of nano-CaCO ₃ and polyvinyl alcohol fibers on fresh and mechanical performance of concrete incorporating fly ash. <i>Structural Concrete</i> , 2020 , 21, 724-734	2.6	20
83	Effect of nano-SiO ₂ on properties and microstructure of polymer modified cementitious materials at different temperatures. <i>Structural Concrete</i> , 2020 , 21, 794-803	2.6	3
82	RETRACTED: Influence of nano-CaCO ₃ addition on the compressive strength and microstructure of high volume slag and high volume slag-fly ash blended pastes. <i>Journal of Building Engineering</i> , 2020 , 27, 100929	5.2	19
81	Linkage of multi-scale performances of nano-CaCO ₃ modified ultra-high performance engineered cementitious composites (UHP-ECC). <i>Construction and Building Materials</i> , 2020 , 234, 117418	6.7	17
80	The significance of dispersion of nano-SiO ₂ on early age hydration of cement pastes. 2020 , 186, 108320		67
79	Effects of highly dispersed nano-SiO ₂ on the microstructure development of cement pastes. 2020 , 53, 1		5
78	Investigation on surface sulfate attack of nanoparticle-modified fly ash concrete. 2020 , 27, 41372-41380		5
77	Characterization Study of Zinc Sulphate Influence and Retarding Mechanism with Coarser and Finer Fly Ash Particles in Concrete. 2020 , 24, 2751-2766		
76	Physicochemical effects of nanosilica on C3A/C3S hydration. 2020 , 103, 6505-6518		9
75	Effect of Nano-CaCO ₃ on the Sealing Efficiency of Grouts in Flowing Water Grouting. 2020 , 24, 2923-2930		6
74	Performance of cementitious matrices incorporating concrete floor polishing sludge waste. <i>Construction and Building Materials</i> , 2020 , 265, 120119	6.7	0
73	Overview of Workability and Mechanical Performance of Cement-Based Composites Incorporating Nanomaterials. 2020 , 1		5
72	Effect of Nano-Silica on the Autogenous Shrinkage, Strength, and Hydration Heat of Ultra-High Strength Concrete. 2020 , 10, 5202		7
71	Nano-TiO ₂ particles: a photocatalytic admixture to amp up the performance efficiency of cementitious composites. 2020 , 45, 1		1
70	Effect of nano-silica on chemical and volume shrinkage of cement-based composites. <i>Construction and Building Materials</i> , 2020 , 247, 118529	6.7	15
69	Nanoseeds as modifiers of the cement hydration kinetics. 2020 , 257-269		
68	Studies of carbonation process in nanoparticles modified fly ash concrete. <i>Construction and Building Materials</i> , 2020 , 252, 119127	6.7	4
67	Nano- and micro-scale characterisation of interfacial transition zone (ITZ) of high volume slag and slag-fly ash blended concretes containing nano SiO ₂ and nano CaCO ₃ . <i>Construction and Building Materials</i> , 2021 , 269, 121311	6.7	19

66	Selective leaching of ecotoxic metals from lime dosing plant metalliferous ochre using acid mine drainage and organic acids. 2021 , 160, 106687		0
65	Optimizing the content of nano-SiO ₂ , nano-TiO ₂ and nano-CaCO ₃ in Portland cement paste by response surface methodology. <i>Journal of Building Engineering</i> , 2021 , 35, 102073	5.2	17
64	Effects of nano-SiO ₂ and nano-Al ₂ O ₃ on mechanical and durability properties of cement-based materials: A comparative study. <i>Journal of Building Engineering</i> , 2021 , 34, 101936	5.2	14
63	Effect of the addition of nanoparticles of CaCO and different water-to-powder ratios on the physicochemical properties of white Portland cement. 2021 , 84, 592-601		3
62	Influence of Specific SCM on Microstructure and Early Strength of Sustainable Cement Blends. 2021 , 165-177		
61	Modification of nanoparticles for the strength enhancing of cement-stabilized dredged sludge. 2021 , 13, 694-694		12
60	Optimization of microfine-cement-based slurry containing microfine fly ash and nano-CaCO ₃ for microfracture grouting. 2021 , 80, 4821-4839		6
59	The Potential to Replace Cement with Nano-Calcium Carbonate and Natural Pozzolans in Cemented Mine Backfill. 2021 , 2021, 1-10		6
58	Analyzing the filler and activity effect of fly ash and slag on the early hydration of blended cement based on calorimetric test. <i>Construction and Building Materials</i> , 2021 , 276, 122201	6.7	6
57	Recycling CO ₂ from flue gas for CaCO ₃ nanoparticles production as cement filler: A Life Cycle Assessment. 2021 , 45, 101446		8
56	Effect of accelerated precarbonation on hydration activity and volume stability of steel slag as a supplementary cementitious material. <i>Journal of Thermal Analysis and Calorimetry</i> , 1	4.1	4
55	Features of the structure formation processes and synthesis of strength for Portland cement compositions modified with nanocarbonate additives. <i>IOP Conference Series: Materials Science and Engineering</i> , 2021 , 1164, 012062	0.4	
54	Hydration kinetics and activation energy of cement pastes containing various nanoparticles. <i>Composites Part B: Engineering</i> , 2021 , 216, 108836	10	14
53	Ammonia-soda residue and metallurgical slags from iron and steel industries as cementitious materials for clinker-free concretes. <i>Journal of Cleaner Production</i> , 2021 , 307, 127262	10.3	10
52	Multiple effects of nano-CaCO ₃ and modified polyvinyl alcohol fiber on flexure-tension-resistant performance of engineered cementitious composites. <i>Construction and Building Materials</i> , 2021 , 303, 124426	6.7	2
51	Effect of combined activator of Ca(OH) ₂ and Na ₂ CO ₃ on workability and compressive strength of alkali-activated ferronickel slag system. <i>Cement and Concrete Composites</i> , 2021 , 123, 104179	8.6	8
50	Development of High-Performance Microfine Cementitious Grout with High Amount of Fly Ash, Silica Fume, and Slag. <i>Journal of Materials in Civil Engineering</i> , 2021 , 33, 04021270	3	0
49	Effect of the specific surface area of nano-silica particle on the properties of cement paste. <i>Powder Technology</i> , 2021 , 392, 680-689	5.2	5

48	Influences of calcium carbonate nanoparticles on the workability and strength of 3D printing cementitious materials containing limestone powder. <i>Journal of Building Engineering</i> , 2021 , 44, 102976	5.2	3
47	Low carbon binder modified by calcined quarry dust for cemented paste backfill and the associated environmental assessments. <i>Journal of Environmental Management</i> , 2021 , 300, 113760	7.9	3
46	Atom Probe Tomography for Nanomodified Portland Cement. 2015 , 79-86		1
45	Mechanical Properties of Nano-Particle Modified Ultra-High Performance Fiber Reinforced Concrete. <i>Lecture Notes in Civil Engineering</i> , 2020 , 449-454	0.3	1
44	Physical and Chemical Actions of Nano-Mineral Additives on Properties of High-Volume Fly Ash Engineered Cementitious Composites. <i>ACI Materials Journal</i> , 2016 , 113,	0.9	11
43	Influence of various additives on the early age compressive strength of sodium carbonate activated slag composites: An overview. <i>Journal of the Mechanical Behavior of Materials</i> , 2020 , 29, 106-113	1.9	7
42	Effects of nanoparticles on engineering performance of cementitious composites reinforced with PVA fibers. <i>Nanotechnology Reviews</i> , 2020 , 9, 504-514	6.3	15
41	Enhancing carbonation and chloride resistance of autoclaved concrete by incorporating nano-CaCO ₃ . <i>Nanotechnology Reviews</i> , 2020 , 9, 998-1008	6.3	7
40	Effects of Nanomaterials on the Hydration Kinetics and Rheology of Portland Cement Pastes. <i>Advances in Civil Engineering Materials</i> , 2015 , 3, 20140021	0.7	4
39	Effect of Ammonia-Soda Residue on the Strength and Chloride-Resistance Performance of Steel Slag-Granulated Blast Furnace Slag-Based Concrete after Immersion in Artificial Seawater. <i>Materials</i> , 2021 , 14,	3.5	2
38	Properties of Non-Sintered Cement Pastes Immersed in Sea Waters at Different Temperatures for Binders Mixed with Different Ratios. <i>Journal of the Korea Institute for Structural Maintenance Inspection</i> , 2016 , 20, 75-84		
37	Nano Boyutlu Kalsit ve Uücu KİB, Harlıarđ Hidratasyonu ve Mikroyapısal Özellikleri Üzerindeki Kombine Etkileri. <i>Afyon Kocatepe University Journal of Sciences and Engineering</i> , 2020 , 20, 1051-1067	0.1	2
36	Multi-Response Optimization of Ultrafine Cement-Based Slurry Using the Taguchi-Grey Relational Analysis Method. <i>Materials</i> , 2020 , 14,	3.5	2
35	Effect of Cement Composition on Fresh State and Heat of Hydration of Portland Cement with Limestone and Slag. <i>ACI Materials Journal</i> , 2020 , 117,	0.9	0
34	Grafeno oksido poveikis cementini medđag hidratacijai, struktürai ir savybūs. 2020 ,		
33	Alkali activation of blast furnace slag using a carbonate-calcium carbide residue alkaline mixture to prepare cemented paste backfill. <i>Construction and Building Materials</i> , 2022 , 320, 126234	6.7	2
32	Comparing the effects of in-situ nano-calcite development and ex-situ nano-calcite addition on cement hydration. <i>Construction and Building Materials</i> , 2022 , 321, 126369	6.7	0
31	Factors controlling and influencing polymorphism, morphology and size of calcium carbonate synthesized through the carbonation route: A review. <i>Powder Technology</i> , 2022 , 398, 117050	5.2	1

30	Engineered uses of nanomaterials for sustainable cementitious composites. 2022 , 635-654		
29	Microstructure and mechanical properties of activated high-alumina ferronickel slag with carbide slag and alkaline salts. <i>Journal of Building Engineering</i> , 2022 , 49, 104046	5.2	0
28	Nano-tailored high-performance fiber-reinforced cementitious composites. 2022 , 67-102		
27	Effect of different nanosized limestone formations on fiber-matrix interface properties of engineered cementitious composites. <i>Structural Concrete</i> ,	2.6	1
26	Heat flow inhibitor suitable for oil well cement at low temperature. <i>Construction and Building Materials</i> , 2022 , 329, 127105	6.7	
25	Research on the fracture mechanical performance of basalt fiber nano-CaCO ₃ concrete based on DIC technology. <i>Construction and Building Materials</i> , 2022 , 329, 127193	6.7	4
24	Effect of nano calcium carbonate on hydration characteristics and microstructure of cement-based materials: A review. <i>Journal of Building Engineering</i> , 2022 , 50, 104220	5.2	4
23	Application of calorimetry and other thermal methods in the studies of granulated blast furnace slag from the old storage yards as supplementary cementitious material. <i>Journal of Thermal Analysis and Calorimetry</i> , 1	4.1	
22	Novel one-part fly ash alkali-activated cements for ambient applications. <i>Advances in Cement Research</i> , 1-30	1.8	
21	Effect of alkali sulfates in clinker on hydration and hardening properties of cement incorporating SCMs. <i>Advances in Cement Research</i> , 1-37	1.8	0
20	Effect of Calcite on Fresh and Hardened Properties of Expanded Perlite Blended Cement Mortars. <i>Journal of the Institute of Science and Technology</i> , 806-819	0	
19	The role of CaO and MgO incorporation in chloride resistance of sodium carbonate-activated slag. <i>Cement and Concrete Composites</i> , 2022 , 132, 104625	8.6	1
18	Cement Matrix Modified by Mesoporous Silica of the MCM-41 Structure Type: Early-Age Properties and Microstructure Evolution. <i>Journal of Materials in Civil Engineering</i> , 2022 , 34,	3	0
17	Research on Cement Slurry Using Silica Fume Instead of Fly Ash. 2022 , 15, 5626		0
16	Microstructure, strength and durability of nano-cemented soils under different seawater conditions: laboratory study.		0
15	Effects of Calcium Bromide on Early Hydration of Portland Cement at Low Temperature (5°C). 2022 ,		0
14	Cement-Based Materials Modified by Colloidal Nano-Silica: Impermeability Characteristic and Microstructure. 2022 , 12, 3176		0
13	Carbon conversion technology for performance improvement and environmental benefits of ultra-high-performance concrete containing slag. 2022 , 21, 2571-2583		0

- 12 Mechanical and microstructural performances of fly ash blended cement pastes with mixing CO₂ during fresh stage. **2022**, 358, 129444 ○
- 11 Physicochemical properties of a calcium aluminate cement containing nanoparticles of zinc oxide. 48, ○
- 10 Strength/Service life-oriented environmental assessment of normal and recycled concrete with nano-SiO₂ in a natural and a marine environment: A pioneer case study in Zhejiang Province. **2023**, 64, 105623 ○
- 9 Influencing Mechanism of Titanium-Extracted Tailing Slag on the Strength of CaO Steel Slag Hardened Paste. **2023**, 16, 937 1
- 8 Cracking failure behavior of high strength concrete containing nano-CaCO₃ at early age. **2023**, 139, 104996 ○
- 7 Utilization of rock dust as cement replacement in cement composites: An alternative approach to sustainable mortar and concrete productions. **2023**, 69, 106180 ○
- 6 One-part pastes and mortars of CaO-Na₂CO₃ activated blast furnace slag: Microstructural evolution, cost and CO₂ emissions. **2023**, 368, 130431 ○
- 5 The printable and hardened properties of nano-calcium carbonate with modified polypropylene fibers for cement-based 3D printing. **2023**, 369, 130594 ○
- 4 Mechanical and microstructural characteristics of cemented paste tailings modified with nano-calcium carbonate and cured under various thermal conditions. **2023**, 37, 277-296 ○
- 3 Preparation of Nano Calcite by the Carbon Capture Technology to Improve the Performance of Ultrahigh-Performance Concrete Containing Calcined Clay. **2023**, 11, 4531-4542 ○
- 2 Physicochemical Impacts of In-Situ Mineralized CaCO₃ on Very Early Hydration of Cement at Two Temperatures. ○
- 1 Experimental Studies to Investigate Efficacies of Granite Porphyry Powder as Homologous Manufactured Sand Substitute. **2023**, 21, 307-321 ○