

Molecular basis of androgenetic alopecia: From androgen to dermal papilla

Journal of Dermatological Science

61, 1-6

DOI: [10.1016/j.jdermsci.2010.10.015](https://doi.org/10.1016/j.jdermsci.2010.10.015)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Androgen receptor transactivity is potentiated by TGF- β 21 through Smad3 but checked by its coactivator Hic-5/ARA55 in balding dermal papilla cells. <i>Journal of Dermatological Science</i> , 2011, 64, 149-151.	1.0	18
3	Brain-derived nerve factor and neurotrophins in androgenetic alopecia. <i>British Journal of Dermatology</i> , 2011, 165, 997-1002.	1.4	12
4	Sexually Dimorphic Fin Regeneration in Zebrafish Controlled by Androgen/GSK3 Signaling. <i>Current Biology</i> , 2011, 21, 1912-1917.	1.8	44
5	Dihydrotestosterone-Inducible IL-6 Inhibits Elongation of Human Hair Shafts by Suppressing Matrix Cell Proliferation and Promotes Regression of Hair Follicles in Mice. <i>Journal of Investigative Dermatology</i> , 2012, 132, 43-49.	0.3	110
7	Dickkopf 1 Promotes Regression of Hair Follicles. <i>Journal of Investigative Dermatology</i> , 2012, 132, 1554-1560.	0.3	106
8	Female pattern hair loss possibly caused by tamoxifen: Androgen receptor expression in the outer root sheath in the affected area. <i>Journal of Dermatology</i> , 2012, 39, 1060-1061.	0.6	5
9	Progress in Relevant Growth Factors Promoting the Growth of Hair Follicle. <i>American Journal of Animal and Veterinary Sciences</i> , 2012, 7, 104-111.	0.2	5
10	Modulating testosterone pathway: a new strategy to tackle male skin aging?. <i>Clinical Interventions in Aging</i> , 2012, 7, 351.	1.3	9
11	The role of androgen and androgen receptor in skin-related disorders. <i>Archives of Dermatological Research</i> , 2012, 304, 499-510.	1.1	124
12	Fabrication and characterization of epithelial scaffolds for hair follicle regeneration. <i>Tissue Engineering and Regenerative Medicine</i> , 2012, 9, 147-156.	1.6	6
13	Androgenetic alopecia and risk of prostate cancer: A systematic review and meta-analysis. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 937-943.	0.6	37
14	Possible role of autophagy activation in stimulation of regeneration. <i>Molecular Biology</i> , 2013, 47, 692-700.	0.4	1
15	Early-Onset Alopecia and Amyotrophic Lateral Sclerosis: A Cohort Study. <i>American Journal of Epidemiology</i> , 2013, 178, 1146-1149.	1.6	13
16	Steroidogenesis in the skin: Implications for local immune functions. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013, 137, 107-123.	1.2	305
17	The clock gene brain and muscle Arnt-like protein-1 (BMAL1) is involved in hair growth. <i>Archives of Dermatological Research</i> , 2013, 305, 755-761.	1.1	11
18	Hair characteristics and androgenetic alopecia in Koreans. <i>Journal of the Korean Medical Association</i> , 2013, 56, 45.	0.1	11
19	Increased androgen receptor messenger RNA in frontal-parietal hair follicles of women with androgenetic alopecia. <i>Genetics and Molecular Research</i> , 2013, 12, 1834-1840.	0.3	6
20	Female Pattern Hair Loss. <i>International Journal of Endocrinology and Metabolism</i> , 2013, 11, e9860.	0.3	63

#	ARTICLE	IF	CITATIONS
21	The endocrinology of baldness. <i>Hormones</i> , 2014, 13, 197-212.	0.9	20
22	The Inhibitory Effect of <i>Scutellaria baicalensis</i> Extract and Its Active Compound, Baicalin, on the Translocation of the Androgen Receptor with Implications for Preventing Androgenetic Alopecia. <i>Planta Medica</i> , 2014, 80, 153-158.	0.7	34
23	Alopecia in three macaque species housed in a laboratory environment. <i>American Journal of Primatology</i> , 2014, 76, 325-334.	0.8	18
24	The efficacy and safety of 5 α -reductase inhibitors in androgenetic alopecia: a network meta-analysis and benefit-risk assessment of finasteride and dutasteride. <i>Journal of Dermatological Treatment</i> , 2014, 25, 156-161.	1.1	80
25	Hair curvature: a natural dialectic and review. <i>Biological Reviews</i> , 2014, 89, 723-766.	4.7	27
26	Advanced glycation end-products inhibit mesenchymal-epidermal interaction by up-regulating proinflammatory cytokines in hair follicles. <i>European Journal of Dermatology</i> , 2015, 25, 359-361.	0.3	5
27	Epigenetic and Environmental Regulation of Skin Appendage Regeneration. , 2015, , 163-184.		0
28	Analysis of the microRNA expression profile of normal human dermal papilla cells treated with 5 α -dihydrotestosterone. <i>Molecular Medicine Reports</i> , 2015, 12, 1205-1212.	1.1	24
29	Lack of concordance and linkage disequilibrium among brothers for androgenetic alopecia and CAG/GGC haplotypes of the androgen receptor gene in Mexican families. <i>Journal of Cosmetic Dermatology</i> , 2015, 14, 268-273.	0.8	2
30	Enhancing hair follicle regeneration by nonablative fractional laser: Assessment of irradiation parameters and tissue response. <i>Lasers in Surgery and Medicine</i> , 2015, 47, 331-341.	1.1	20
31	Androgen effects on the skin. , 0, , 79-88.		0
33	Androgenetic, Diffuse and Senescent Alopecia in Men: Practical Evaluation and Management. <i>Current Problems in Dermatology</i> , 2015, 47, 33-44.	0.8	12
34	Red Ginseng Extract Promotes the Hair Growth in Cultured Human Hair Follicles. <i>Journal of Medicinal Food</i> , 2015, 18, 354-362.	0.8	51
35	Enhanced skin permeation of 5 α -reductase inhibitors entrapped into surface-modified liquid crystalline nanoparticles. <i>Archives of Pharmacal Research</i> , 2015, 38, 534-542.	2.7	16
36	Are 2D:4D finger-length ratios an indicator of androgenetic alopecia in males?. <i>Anais Brasileiros De Dermatologia</i> , 2016, 91, 156-159.	0.5	9
37	Advances in Understanding Hair Growth. <i>F1000Research</i> , 2016, 5, 147.	0.8	31
38	Topical application of the Wnt/ β -catenin activator methyl vanillate increases hair count and hair mass index in women with androgenetic alopecia. <i>Journal of Cosmetic Dermatology</i> , 2016, 15, 469-474.	0.8	21
39	Relation of urinary stone disease with androgenetic alopecia and serum testosterone levels. <i>Urolithiasis</i> , 2016, 44, 409-413.	1.2	6

#	ARTICLE	IF	CITATIONS
40	Assessment of tissue levels of dickkopfâ€1 in androgenetic alopecia and alopecia areata. <i>Journal of Cosmetic Dermatology</i> , 2016, 15, 10-15.	0.8	15
41	An immune regulatory CCT repeat containing oligodeoxynucleotide capable of causing hair loss in male mice. <i>Human and Experimental Toxicology</i> , 2016, 35, 1161-1172.	1.1	0
42	Visible aging signs as risk markers for ischemic heart disease: Epidemiology, pathogenesis and clinical implications. <i>Ageing Research Reviews</i> , 2016, 25, 24-41.	5.0	25
43	The association of urolithiasis and androgenetic alopecia. <i>Renal Failure</i> , 2016, 38, 84-88.	0.8	2
44	Meta-analysis identifies novel risk loci and yields systematic insights into the biology of male-pattern baldness. <i>Nature Communications</i> , 2017, 8, 14694.	5.8	58
45	A genomic approach to susceptibility and pathogenesis leads to identifying potential novel therapeutic targets in androgenetic alopecia. <i>Genomics</i> , 2017, 109, 165-176.	1.3	28
46	Genomewide differential expression profiling of long nonâ€coding <sc>RNA</sc>s in androgenetic alopecia in a Chinese male population. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 1360-1371.	1.3	19
47	Androgenetic alopecia: a review. <i>Endocrine</i> , 2017, 57, 9-17.	1.1	242
48	Efficacy of topical tofacitinib in promoting hair growth in non-scarring alopecia: possible mechanism via VEGF induction. <i>Archives of Dermatological Research</i> , 2017, 309, 729-738.	1.1	31
49	Regulatory pathways implicated in male androgenetic alopecia pathogenesis. <i>British Journal of Dermatology</i> , 2017, 177, 1159-1160.	1.4	3
50	Experimental and early investigational drugs for androgenetic alopecia. <i>Expert Opinion on Investigational Drugs</i> , 2017, 26, 917-932.	1.9	14
51	Adult body size, sexual history and adolescent sexual development, may predict risk of developing prostate cancer: Results from the New South Wales Lifestyle and Evaluation of Risk Study (CLEAR). <i>International Journal of Cancer</i> , 2017, 140, 565-574.	2.3	30
52	Bioactives in Chinese Proprietary Medicine Modulates 5Î±-Reductase Activity and Gene Expression Associated with Androgenetic Alopecia. <i>Frontiers in Pharmacology</i> , 2017, 8, 194.	1.6	8
53	Androgenic Alopecia: Cross-Talk Between Cell Signal Transduction Pathways. , 2017, , .		1
54	Androgenetic alopecia; drug safety and therapeutic strategies. <i>Expert Opinion on Drug Safety</i> , 2018, 17, 407-412.	1.0	22
55	A hypothetical pathogenesis model for androgenic alopecia: clarifying the dihydrotestosterone paradox and rate-limiting recovery factors. <i>Medical Hypotheses</i> , 2018, 111, 73-81.	0.8	41
56	Development and evaluation of antisense shRNA-encoding plasmid loaded solid lipid nanoparticles against 5Î± reductase activity. <i>Journal of Drug Delivery Science and Technology</i> , 2018, 44, 270-277.	1.4	13
57	Androgen modulation of Wnt/Î²-catenin signaling in androgenetic alopecia. <i>Archives of Dermatological Research</i> , 2018, 310, 391-399.	1.1	69

#	ARTICLE	IF	CITATIONS
58	Androgens and androgen receptor action in skin and hair follicles. <i>Molecular and Cellular Endocrinology</i> , 2018, 465, 122-133.	1.6	111
59	5 α -Reductase isozymes and aromatase mRNA levels in plucked hair from young women with female pattern hair loss. <i>Archives of Dermatological Research</i> , 2018, 310, 77-83.	1.1	27
60	The new paradigm for androgenetic alopecia and plant-based folk remedies: 5 α -reductase inhibition, reversal of secondary microinflammation and improving insulin resistance. <i>Journal of Ethnopharmacology</i> , 2018, 227, 206-236.	2.0	21
61	Prostaglandin D2-Mediated DP2 and AKT Signal Regulate the Activation of Androgen Receptors in Human Dermal Papilla Cells. <i>International Journal of Molecular Sciences</i> , 2018, 19, 556.	1.8	17
62	Androgenetic Alopecia. , 2019, , 67-81.		2
63	A selection of eleven plants used as traditional Polynesian cosmetics and their development potential as anti-aging ingredients, hair growth promoters and whitening products. <i>Journal of Ethnopharmacology</i> , 2019, 245, 112159.	2.0	14
64	Mechanism of androgenic alopecia: Addressing speculations through empirical evidences. <i>Dermatologic Therapy</i> , 2019, 32, e13120.	0.8	5
65	A Systematic Review of Outcomes and Patient Satisfaction Following Surgical and Non-surgical Treatments for Hair Loss. <i>Aesthetic Plastic Surgery</i> , 2019, 43, 1523-1535.	0.5	8
66	Treatment of male pattern alopecia with platelet-rich plasma: A double-blind controlled study with analysis of platelet number and growth factor levels. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 694-700.	0.6	63
67	<p>The efficacy and safety of dutasteride compared with finasteride in treating men with androgenetic alopecia: a systematic review and meta-analysis</p>. <i>Clinical Interventions in Aging</i> , 2019, Volume 14, 399-406.	1.3	49
68	MiR-92a-1-5p and miR-328-3p Are Up-Regulated in Skin of Female Pattern Hair Loss Patients. <i>Annals of Dermatology</i> , 2019, 31, 256.	0.3	4
69	Association between male pattern baldness and testicular germ cell tumor: a meta-analysis. <i>BMC Cancer</i> , 2019, 19, 53.	1.1	2
70	Cholesterol homeostasis: Links to hair follicle biology and hair disorders. <i>Experimental Dermatology</i> , 2020, 29, 299-311.	1.4	31
71	Hair Growth Activity of Three Plants of the Polynesian Cosmetopoeia and Their Regulatory Effect on Dermal Papilla Cells. <i>Molecules</i> , 2020, 25, 4360.	1.7	6
72	Ovary and uterus related adverse events associated with statin use: an analysis of the FDA Adverse Event Reporting System. <i>Scientific Reports</i> , 2020, 10, 11955.	1.6	14
73	Ectodysplasin-A2 induces dickkopf 1 expression in human balding dermal papilla cells overexpressing the ectodysplasin A2 receptor. <i>Biochemical and Biophysical Research Communications</i> , 2020, 529, 766-772.	1.0	4
74	Effectiveness and Safety of Botulinum Toxin Type A in the Treatment of Androgenetic Alopecia. <i>BioMed Research International</i> , 2020, 2020, 1-7.	0.9	24
75	miR-140-5p in Small Extracellular Vesicles From Human Papilla Cells Stimulates Hair Growth by Promoting Proliferation of Outer Root Sheath and Hair Matrix Cells. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 593638.	1.8	18

#	ARTICLE	IF	CITATIONS
76	Amelioration of Androgenetic Alopecia by Algal Oligosaccharides Prepared by Deep-Sea Bacterium Biodegradation. <i>Frontiers in Microbiology</i> , 2020, 11, 567060.	1.5	9
77	Integral Roles of Specific Proteoglycans in Hair Growth and Hair Loss: Mechanisms behind the Bioactivity of Proteoglycan Replacement Therapy with Nourkrin® with Marilex® in Pattern Hair Loss and Telogen Effluvium. <i>Dermatology Research and Practice</i> , 2020, 2020, 1-17.	0.3	10
79	Extract of <i>Plumbago zeylanica</i> enhances the growth of hair follicle dermal papilla cells with down-regulation of 5 α -reductase type II. <i>Journal of Cosmetic Dermatology</i> , 2020, 19, 3083-3090.	0.8	5
80	Androgenetic alopecia is associated with increased scalp hardness. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2020, 34, e234-e236.	1.3	4
81	Sustained release of dermal papilla-derived extracellular vesicles from injectable microgel promotes hair growth. <i>Theranostics</i> , 2020, 10, 1454-1478.	4.6	56
82	Protective Role of Nutritional Plants Containing Flavonoids in Hair Follicle Disruption: A Review. <i>International Journal of Molecular Sciences</i> , 2020, 21, 523.	1.8	25
83	Physiology and Medical Treatments for Alopecia. <i>Facial Plastic Surgery Clinics of North America</i> , 2020, 28, 149-159.	0.9	12
84	Integral characterization of normal and alopecic hair at different degeneration stages by in-situ visible and chemical imaging. <i>Spectrochimica Acta - Part A: Molecular and Biomolecular Spectroscopy</i> , 2020, 235, 118315.	2.0	7
85	The effect of intradermal botulinum toxin on androgenetic alopecia and its possible mechanism. <i>Journal of the American Academy of Dermatology</i> , 2020, 83, 1838-1839.	0.6	25
86	Microneedles mediated bioinspired lipid nanocarriers for targeted treatment of alopecia. <i>Journal of Controlled Release</i> , 2021, 329, 1-15.	4.8	38
87	Biochemical features of eugonadal patients with idiopathic gynaecomastia: A retrospective cross-sectional study. <i>Andrologia</i> , 2021, 53, e13962.	1.0	0
88	In Vitro Hair Dermal Papilla Cells Induction by <i>Fagraea berteriana</i> , a Tree of the Marquesan Cosmetopoeia (French Polynesia). <i>Cosmetics</i> , 2021, 8, 13.	1.5	1
89	Establishment and Clinical Application of the Concept of Invalid Extraction Rates in Follicular Unit Extraction. <i>Clinical, Cosmetic and Investigational Dermatology</i> , 2021, Volume 14, 225-229.	0.8	0
90	Androgenetic alopecia: Update on etiology. <i>Dermatological Reviews</i> , 2021, 2, 115-121.	0.3	3
91	A Systematic Review of Antiaging Effects of 23 Traditional Chinese Medicines. <i>Evidence-based Complementary and Alternative Medicine</i> , 2021, 2021, 1-13.	0.5	4
92	Ginseng in Hair Growth and Viability. , 0, , .		0
93	Induction of Hair Growth by Insulin-Like Growth Factor-1 in 1,763 MHz Radiofrequency-Irradiated Hair Follicle Cells. <i>PLoS ONE</i> , 2011, 6, e28474.	1.1	30
94	Involvement of mechanical stress in androgenetic alopecia. <i>International Journal of Trichology</i> , 2015, 7, 95.	0.1	10

#	ARTICLE	IF	CITATIONS
95	Gender Differences in Skin Aging and the Changing Profile of the Sex Hormones with Age. <i>Journal of Steroids & Hormonal Science</i> , 2012, 03, .	0.1	20
96	RE-ORGA, a Korean Herb Extract, Can Prevent Hair Loss Induced by Dihydrotestosterone in Human Dermal Papilla Cells. <i>Annals of Dermatology</i> , 2019, 31, 530.	0.3	4
97	Nature-derived lignan compound VB-1 exerts hair growth-promoting effects by augmenting Wnt/ β -catenin signaling in human dermal papilla cells. <i>PeerJ</i> , 2018, 6, e4737.	0.9	18
98	Platelet factor 4 inhibits human hair follicle growth and promotes androgen receptor expression in human dermal papilla cells. <i>PeerJ</i> , 2020, 8, e9867.	0.9	6
99	Analysis of hair steroid hormone concentrations at different parts of the head by liquid chromatography-tandem mass spectrometry. <i>Clinica Chimica Acta</i> , 2021, 523, 260-266.	0.5	3
100	Male androgenetic alopecia. <i>Human Health Handbooks</i> , 2012, , 98-116.	0.1	1
101	Cell Biology and Disease of Hair Follicle (2). <i>Nishinohon Journal of Dermatology</i> , 2013, 75, 448-453.	0.0	0
102	The Hair Growth Cycle. , 2017, , 743-747.		1
103	Androgenetic Alopecia. , 2017, , 386-389.		0
104	Identification of Key Genes and Signaling Pathways in Male Androgenetic Alopecia by Bioinformatics Analysis. , 2020, , .		1
105	Azelaic acid stimulates catalase activation and promotes hair growth through upregulation of and mRNA and Shh protein. <i>Avicenna Journal of Phytomedicine</i> , 2020, 10, 460-471.	0.1	0
106	Transcutaneous application of ultrasound enhances the effects of finasteride in a murine model of androgenic alopecia. <i>Ultrasonography</i> , 2022, 41, 382-393.	1.0	3
107	Androgen Receptorâ€‘Mediated Paracrine Signaling Induces Regression of Blood Vessels in the Dermal Papilla in Androgenetic Alopecia. <i>Journal of Investigative Dermatology</i> , 2022, 142, 2088-2099.e9.	0.3	17
108	Hormonal and Genetic Etiology of Male Androgenetic Alopecia. , 2022, , 135-180.		2
109	Antioxidation, Anti-Inflammation, and Regulation of SRD5A Gene Expression of Oryza sativa cv. Bue Bang 3 CMU Husk and Bran Extracts as Androgenetic Alopecia Molecular Treatment Substances. <i>Plants</i> , 2022, 11, 330.	1.6	10
110	Effects of watercress extract fraction on Râ€‘spondin 1â€‘mediated growth of human hair. <i>International Journal of Cosmetic Science</i> , 2022, 44, 154-165.	1.2	4
119	Largeâ€‘scale isolation of functional dermal papilla cells using novel surface marker <sc>LEPTIN R</sc>eceptor. <i>Cytometry Part A: the Journal of the International Society for Analytical Cytology</i> , 2022, 101, 675-681.	1.1	1
120	Exploring the effects of Chinese herbal ingredients on the signaling pathway of alopecia and the screening of effective Chinese herbal compounds. <i>Journal of Ethnopharmacology</i> , 2022, 294, 115320.	2.0	10

#	ARTICLE	IF	CITATIONS
121	Unrevealing the Potential of Sansevieria trifasciata Prain Fraction for the Treatment of Androgenetic Alopecia by Inhibiting Androgen Receptors Based on LC-MS/MS Analysis, and In-Silico Studies. <i>Molecules</i> , 2022, 27, 4358.	1.7	3
122	Camellia Seed Cake Extract Supports Hair Growth by Abrogating the Effect of Dihydrotestosterone in Cultured Human Dermal Papilla Cells. <i>Molecules</i> , 2022, 27, 6443.	1.7	7
123	Advances in microneedles research based on promoting hair regrowth. <i>Journal of Controlled Release</i> , 2023, 353, 965-974.	4.8	13
124	Investigation of hub genes and immune infiltration in androgenetic alopecia using bioinformatics analysis. <i>Annals of Translational Medicine</i> , 2022, 10, 1226-1226.	0.7	0
125	Guava (<i>Psidium guajava</i> L.) Leaf Extract as Bioactive Substances for Anti-Androgen and Antioxidant Activities. <i>Plants</i> , 2022, 11, 3514.	1.6	7
126	Androgens/Androgen Receptor in the Management of Skin Diseases. <i>Journal of Biosciences and Medicines</i> , 2022, 10, 180-200.	0.1	1
127	Second-to-fourth digit ratio and age predicting the severity of androgenetic alopecia: a cross-sectional study. <i>Aging Male</i> , 2022, 25, 242-248.	0.9	0
128	The Hair Growth Cycle. , 2015, , 1-6.		0
129	Effects of Bioactive Composition in <i>Oryza sativa</i> L. cv. KDML105 Bran Extract on Gene Expression Related to Hair Cycle in Human Hair Follicle Dermal Papilla Cells. <i>Agronomy</i> , 2023, 13, 295.	1.3	2
130	Mechanistic synergy of hair growth promotion by the <i>Avicennia marina</i> extract and its active constituent (avicequinone C) in dermal papilla cells isolated from androgenic alopecia patients. <i>PLoS ONE</i> , 2023, 18, e0284853.	1.1	3