

# CITATION REPORT

List of articles citing

**Bioanalytical approaches to analyzing peptides and proteins by LC--MS/MS**

**DOI: 10.4155/bio.11.112**  
**Bioanalysis, 2011, 3, 1379-97.**

**Source:** <https://exaly.com/paper-pdf/50102836/citation-report.pdf>

**Version:** 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
134	Generic approach for the sensitive absolute quantification of large undigested peptides in plasma using a particular liquid chromatography-mass spectrometry setup. <b>2011</b> , 1218, 8536-43		13
133	Protein quantification using LC-MS: can it make a difference?. <i>Bioanalysis</i> , <b>2012</b> , 4, 2113-6	2.1	10
132	Silica hydride-based chromatography of LC-MS response-altering compounds native to human plasma. <i>Bioanalysis</i> , <b>2012</b> , 4, 2877-86	2.1	8
131	LC-MS systems for quantitative bioanalysis. <i>Bioanalysis</i> , <b>2012</b> , 4, 2391-9	2.1	31
130	Challenges and opportunities in absorption, distribution, metabolism, and excretion studies of therapeutic biologics. <b>2012</b> , 14, 781-91		26
129	Antigen generation and display in therapeutic antibody drug discovery -- a neglected but critical player. <b>2012</b> , 7, 1433-43		12
128	The use of selected reaction monitoring in quantitative proteomics. <i>Bioanalysis</i> , <b>2012</b> , 4, 1763-86	2.1	62
127	Determination of prohibited, small peptides in urine for sports drug testing by means of nano-liquid chromatography/benchtop quadrupole orbitrap tandem-mass spectrometry. <b>2012</b> , 1259, 251-7		49
126	MS-based approaches to unravel the molecular complexity of proprotein-derived biomarkers and support their quantification: the examples of B-type natriuretic peptide and apelin peptides. <i>Bioanalysis</i> , <b>2012</b> , 4, 2851-63	2.1	7
125	Comparison of triple quadrupole and high-resolution TOF-MS for quantification of peptides. <i>Bioanalysis</i> , <b>2012</b> , 4, 565-79	2.1	73
124	Large molecule bioanalysis using Q-TOF without predigestion and its data processing challenges. <i>Bioanalysis</i> , <b>2012</b> , 4, 529-40	2.1	48
123	Mass spectrometric quantification of AcSDKP-NH <sub>2</sub> in human plasma and urine and comparison with an immunoassay. <b>2012</b> , 26, 163-72		3
122	Esterase inhibitors as ester-containing drug stabilizers and their hydrolytic products: potential contributors to the matrix effects on bioanalysis by liquid chromatography/tandem mass spectrometry. <b>2012</b> , 26, 1291-304		8
121	Molecular biology II: protein function. <b>2012</b> , 30, 169-173		
120	Liquid chromatography coupled with tandem mass spectrometry for the bioanalysis of proteins in drug development: practical considerations in assay development and validation. <b>2013</b> , 1284, 155-62		31
119	Nanofiber-based delivery of therapeutic peptides to the brain. <b>2013</b> , 7, 1016-26		60
118	Quantitative Analysis of Therapeutic and Endogenous Peptides using LC/MS/MS Methods. <b>2013</b> , 59-94		3

117	Determination of an unstable pentapeptide, monocyte locomotion inhibitory factor, in dog blood by LC-MS/MS: application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2013</b> , 83, 305-13	3.5	9
116	Highly sensitive liquid chromatography-tandem mass spectrometry method for quantification of TAK-448 in human plasma. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2013</b> , 83, 75-81	3.5	3
115	Bioanalysis of therapeutic peptides: differentiating between total and anti-drug antibody bound drug using liquid chromatography-tandem mass spectrometry quantitation. <b>2013</b> , 1316, 69-77		12
114	Deciphering post-translational modification codes. <b>2013</b> , 587, 1247-57		108
113	Best Practices in Biological Sample Preparation for LC-MS Bioanalysis. <b>2013</b> , 165-184		6
112	High sensitivity LC-MS/MS method for direct quantification of human parathyroid 1-34 (teriparatide) in human plasma. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2013</b> , 938, 96-104	3.2	24
111	LC-MS Bioanalysis of Peptides and Polypeptides. <b>2013</b> , 535-549		
110	Case studies: the impact of nonanalyte components on LC-MS/MS-based bioanalysis: strategies for identifying and overcoming matrix effects. <i>Bioanalysis</i> , <b>2013</b> , 5, 2409-41	2.1	22
109	Systematic investigation of orthogonal SPE sample preparation for the LC-MS/MS bioanalysis of a monoclonal antibody after pellet digestion. <i>Bioanalysis</i> , <b>2013</b> , 5, 2379-91	2.1	29
108	Comprehensive analysis of protein digestion using six trypsins reveals the origin of trypsin as a significant source of variability in proteomics. <b>2013</b> , 12, 5666-80		54
107	Quantitative Analysis of Peptides with Mass Spectrometry: Selected Reaction Monitoring or High-Resolution Full Scan?. <b>2013</b> , 403-425		
106	Development of a fast method for direct analysis of intact synthetic insulins in human plasma: the large peptide challenge. <i>Bioanalysis</i> , <b>2013</b> , 5, 65-81	2.1	49
105	Peptides as the next generation of anti-infectives. <b>2013</b> , 5, 315-37		47
104	LC-MS/MS quantification of parathyroid hormone fragment 1-34 in human plasma. <i>Bioanalysis</i> , <b>2013</b> , 5, 415-22	2.1	10
103	Bioanalytical LC-MS/MS of protein-based biopharmaceuticals. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2013</b> , 929, 161-79	3.2	177
102	Sensitive and antifouling impedimetric aptasensor for the determination of thrombin in undiluted serum sample. <b>2013</b> , 39, 324-8		34
101	Fully validated LC-MS/MS assay for the simultaneous quantitation of coadministered therapeutic antibodies in cynomolgus monkey serum. <i>Analytical Chemistry</i> , <b>2013</b> , 85, 9859-67	7.8	66
100	Advances in the quantitation of therapeutic insulin analogues by LC-MS/MS. <i>Bioanalysis</i> , <b>2013</b> , 5, 2933-46.1		29

99	LC-MS/MS of large molecules in a regulated bioanalytical environment - which acceptance criteria to apply?. <i>Bioanalysis</i> , <b>2013</b> , 5, 2211-4	2.1	30
98	Recent advances in the bioanalysis of peptide and protein therapeutics. <b>2013</b> , 32-46		
97	2013 White Paper on recent issues in bioanalysis: HybridS-the best of LBA and LCMS. <i>Bioanalysis</i> , <b>2013</b> , 5, 2903-18	2.1	55
96	Life cycle management of critical ligand-binding reagents. <i>Bioanalysis</i> , <b>2013</b> , 5, 2679-96	2.1	19
95	Quantitative Clinical Chemistry Proteomics (qCCP) using mass spectrometry: general characteristics and application. <b>2013</b> , 51, 919-35		43
94	Challenges and Strategies in Drug Residue Measurement (Bioanalysis) of Ocular Tissues. <b>2013</b> , 33-52		1
93	Minimalistic sample preparation strategies for LC-MS quantification of large molecule biopharmaceuticals: a case study highlighting alpha-1 antitrypsin protein. <i>Bioanalysis</i> , <b>2014</b> , 6, 1813-25	2.1	8
92	The integration of ligand binding and LC-MS-based assays into bioanalytical strategies for protein analysis. <i>Bioanalysis</i> , <b>2014</b> , 6, 1827-41	2.1	19
91	Application and challenges in using LC-MS assays for absolute quantitative analysis of therapeutic proteins in drug discovery. <i>Bioanalysis</i> , <b>2014</b> , 6, 859-79	2.1	42
90	Quantitation of human peptides and proteins via MS: review of analytically validated assays. <i>Bioanalysis</i> , <b>2014</b> , 6, 1843-57	2.1	33
89	Application of high-resolution MS in the quantification of a therapeutic monoclonal antibody in human plasma. <i>Bioanalysis</i> , <b>2014</b> , 6, 1767-79	2.1	26
88	Validation of LC-MS/MS bioanalytical methods for protein therapeutics. <i>Bioanalysis</i> , <b>2014</b> , 6, 1739-42	2.1	9
87	Quantitative bioanalysis of small and large molecules by high-resolution MS. <b>2014</b> , 58-73		1
86	Applications of low-flow LC-SRM for the analysis of large molecules in pharmaceutical R&D. <i>Bioanalysis</i> , <b>2014</b> , 6, 1859-67	2.1	9
85	Feasibility assessment of a novel selective peptide derivatization strategy for sensitivity enhancement for the liquid chromatography/tandem mass spectrometry bioanalysis of protein therapeutics in serum. <b>2014</b> , 28, 705-12		9
84	Digestion of Enolase and Carbonic Anhydrase as Model Proteins for Therapeutic Proteins in Blood Plasma with Immobilized Thermolysin and Quantification of Some of the Peptides by LC/LCMS/MS. <b>2014</b> , 77, 59-74		4
83	Multidimensional LC-MS/MS enables simultaneous quantification of intact human insulin and five recombinant analogs in human plasma. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 694-702	7.8	70
82	Development and validation of an LC-MS/MS assay for the quantitation of a PEGylated anti-CD28 domain antibody in human serum: overcoming interference from antidrug antibodies and soluble target. <i>Bioanalysis</i> , <b>2014</b> , 6, 2371-83	2.1	18

81	Quantification of ghrelin and des-acyl ghrelin in human plasma by using cubic-selected reaction-monitoring LCMS. <i>Bioanalysis</i> , <b>2014</b> , 6, 1373-83	2.1	8
80	Quantification of recombinant human relaxin-2 (B-29/A-24) in non-pregnant rat plasma using ultra performance liquid chromatography-mass spectrometry. <b>2014</b> , 6, 2072-2079		7
79	Determination of a deuterohemin-peptide conjugate in rat plasma by liquid chromatography-tandem mass spectrometry and application to a preclinical pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 98, 401-6	3.5	10
78	Electrogenerated chemiluminescence aptasensor for ultrasensitive detection of thrombin incorporating an auxiliary probe. <i>Talanta</i> , <b>2014</b> , 130, 370-6	6.2	8
77	Pharmacokinetic study of HS061, a new human insulin, in non-diabetic rat using ultra performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2014</b> , 967, 50-6	3.2	6
76	Comparison of succinimidyl [(125)I]iodobenzoate with iodogen iodination methods to study pharmacokinetics and ADME of biotherapeutics. <b>2014</b> , 31, 2810-21		11
75	Innovative use of LC-MS/MS for simultaneous quantitation of neutralizing antibody, residual drug, and human immunoglobulin G in immunogenicity assay development. <i>Analytical Chemistry</i> , <b>2014</b> , 86, 2673-80	7.8	33
74	Multidimensional separation methods. <b>2015</b> , 100-114		
73	Rapid quantification of a chemically synthesized peptide GAP162 in rat plasma by liquid chromatography/triple quadrupole tandem mass spectrometry and application to a pharmacokinetic study. <b>2015</b> , 5, 51708-51716		
72	Quantification of biopharmaceuticals and biomarkers in complex biological matrices: a comparison of liquid chromatography coupled to tandem mass spectrometry and ligand binding assays. <b>2015</b> , 12, 355-74		28
71	Targeted LC-MS quantification of intact TAT-fusion therapeutics: a case study. <i>Bioanalysis</i> , <b>2015</b> , 7, 981-991	2.1	3
70	Feasibility of microdialysis for determination of protein binding and target site pharmacokinetics of colistin in vivo. <b>2015</b> , 55, 431-7		14
69	Bioanalytical method validation considerations for LC-MS/MS assays of therapeutic proteins. <i>Bioanalysis</i> , <b>2015</b> , 7, 1389-95	2.1	26
68	Determination of thymopentin in beagle dog blood by liquid chromatography with tandem mass spectrometry and its application to a preclinical pharmacokinetic study. <b>2015</b> , 38, 1351-7		4
67	Label-free aptamer biosensor for thrombin detection based on functionalized graphene nanocomposites. <i>Talanta</i> , <b>2015</b> , 141, 247-52	6.2	58
66	Toward greener analytical techniques for the absolute quantification of peptides in pharmaceutical and biological samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 113, 181-8	3.5	13
65	Absolute quantification of the total and antidrug antibody-bound concentrations of recombinant human $\beta$ -glucosidase in human plasma using protein G extraction and LC-MS/MS. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 4394-401	7.8	15
64	Molecular biology II: protein function. <b>2015</b> , 33, 99-103		

63	Surfactant-aided precipitation/on-pellet-digestion (SOD) procedure provides robust and rapid sample preparation for reproducible, accurate and sensitive LC/MS quantification of therapeutic protein in plasma and tissues. <i>Analytical Chemistry</i> , <b>2015</b> , 87, 4023-9	7.8	54
62	Message from the editors. <i>Bioanalysis</i> , <b>2015</b> , 7, 1-4	2.1	
61	Enhancement of ionization efficiency of mass spectrometric analysis from non-electrospray ionization friendly solvents with conventional and novel ionization techniques. <b>2015</b> , 897, 45-52		10
60	Quantitation of a PEGylated protein in monkey serum by UHPLC-HRMS using a surrogate disulfide-containing peptide: A new approach to bioanalysis and in vivo stability evaluation of disulfide-rich protein therapeutics. <b>2016</b> , 916, 42-51		9
59	A novel sequential electrostatic-HILIC SPE within a quantitative method for bivalirudin in human plasma by LC-SRM. <i>Bioanalysis</i> , <b>2016</b> , 8, 2195-2203	2.1	3
58	A whole-molecule immunocapture LC-MS approach for the in vivo quantitation of biotherapeutics. <i>Bioanalysis</i> , <b>2016</b> , 8, 2103-14	2.1	32
57	Challenges for the in vivo quantification of brain neuropeptides using microdialysis sampling and LC-MS. <i>Bioanalysis</i> , <b>2016</b> , 8, 1965-85	2.1	9
56	LC-MS quantification of protein drugs: validating protein LC-MS methods with predigestion immunocapture. <i>Bioanalysis</i> , <b>2016</b> , 8, 1951-64	2.1	13
55	Evaluation of water-soluble DBS for small proteins: a conceptual study using insulin as a model analyte. <i>Bioanalysis</i> , <b>2016</b> , 8, 1051-65	2.1	11
54	Application of high-resolution MS for development of peptide and large-molecule drug candidates. <i>Bioanalysis</i> , <b>2016</b> , 8, 169-77	2.1	18
53	Recommendations for the Generation, Quantification, Storage, and Handling of Peptides Used for Mass Spectrometry-Based Assays. <b>2016</b> , 62, 48-69		135
52	An efficient liquid chromatography-high resolution mass spectrometry approach for the optimization of the metabolic stability of therapeutic peptides. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 2685-2696	4.4	21
51	LC-MS/MS determination of a human mAb drug candidate in rat serum using an isotopically labeled universal mAb internal standard. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2017</b> , 1044-1045, 166-176	3.2	10
50	High-Resolution Accurate Mass Orbitrap and Its Application in Protein Therapeutics Bioanalysis. <b>2017</b> , 11-20		1
49	Evaluation of the potential use of hybrid LC-MS/MS for active drug quantification applying the free analyte QC concept. <i>Bioanalysis</i> , <b>2017</b> , 9, 1705-1717	2.1	8
48	Recovery and quantification of a myelin oligodendrocyte glycoprotein peptide from rat plasma after protein precipitation. <b>2017</b> , 538, 71-73		1
47	Development, validation, and clinical pharmacokinetic application of ultra-performance liquid chromatography/tandem mass spectrometry method for simultaneously determining a novel recombinant hirudin derivative (Neorudin) and its active metabolite in human serum. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2017</b> , 1063, 204-213	3.2	4
46	A validated UPLC-MS/MS method coupled with protein precipitation and ion exchange solid phase extraction for the quantitation of porcine relaxin B29 in dog plasma and its application to a pharmacokinetic study. <i>Analytical and Bioanalytical Chemistry</i> , <b>2017</b> , 409, 6559-6565	4.4	7

45	Strategies for Improving Sensitivity for Targeted Quantitation by LCMS. <b>2017</b> , 149-170		
44	LR12-peptide quantitation in whole blood by RP-HPLC and intrinsic fluorescence detection: Validation and pharmacokinetic study. <i>Biomedical Chromatography</i> , <b>2017</b> , 31, e3877	1.7	4
43	Toward best practices in data processing and analysis for intact biotherapeutics by MS in quantitative bioanalysis. <i>Bioanalysis</i> , <b>2017</b> , 9, 1883-1893	2.1	19
42	Origins, Technological Development, and Applications of Peptidomics. <b>2018</b> , 1719, 3-39		26
41	A validated UPLC-MS/MS method for the quantitation of an unstable peptide, monocyte locomotion inhibitory factor (MLIF) in human plasma and its application to a pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 157, 75-83	3.5	2
40	LC-MS Differential Analysis for Fast and Sensitive Determination of Biotransformation of Therapeutic Proteins. <b>2018</b> , 46, 451-457		5
39	A sensitive method for the quantitation of the peptide-based glucagon-like peptide-1 receptor agonist liraglutide in plasma using microfluidics chromatography tandem MS. <i>Bioanalysis</i> , <b>2018</b> , 10, 357-368	3.1	4
38	Deuterium- und tritiummarkierte Verbindungen: Anwendungen in den modernen Biowissenschaften. <b>2018</b> , 130, 1774-1802		76
37	Deuterium- and Tritium-Labelled Compounds: Applications in the Life Sciences. <b>2018</b> , 57, 1758-1784		281
36	Highly selective and sensitive LC-MS/MS quantification of a therapeutic protein in human serum using immunoaffinity capture enrichment. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1100-1101, 83-90	3.2	6
35	Enrichment of protein therapeutics and biomarkers for LC-MS quantification. <i>Bioanalysis</i> , <b>2018</b> , 10, 979-982	2.2	6
34	A liquid chromatography high-resolution mass spectrometry in vitro assay to assess metabolism at the injection site of subcutaneously administered therapeutic peptides. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 159, 449-458	3.5	25
33	A LC-MS/MS method to monitor the concentration of HYD-PEP06, a RGD-modified Endostar mimetic peptide in rat blood. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , <b>2018</b> , 1092, 296-305	3.2	4
32	Simultaneous extraction and analysis of multiple cystine-dense peptides by SPE and microflow-MS/MS from plasma. <i>Bioanalysis</i> , <b>2019</b> , 11, 485-493	2.1	1
31	Simultaneous quantification of dopamine, serotonin, their metabolites and amino acids by LC-MS/MS in mouse brain following repetitive transcranial magnetic stimulation. <i>Neurochemistry International</i> , <b>2019</b> , 131, 104546	4.4	13
30	Bioanalysis of Targeted Nanoparticles in Monkey Plasma via LC-MS/MS. <i>Analytical Chemistry</i> , <b>2019</b> , 91, 13874-13882	7.8	6
29	Protein quantification by LC-MS: a decade of progress through the pages of. <i>Bioanalysis</i> , <b>2019</b> , 11, 629-644		33
28	Immunocapture in LC-MS Bioanalysis. <b>2019</b> , 85-97		1

27	Sample Preparation for LC-MS Bioanalysis of Peptides. <b>2019</b> , 284-303		4
26	Sphingosine 1-phosphate receptor 1 regulates cell-surface localization of membrane proteins in endothelial cells. <i>Biochimica Et Biophysica Acta - General Subjects</i> , <b>2019</b> , 1863, 1079-1087	4	6
25	Liquid chromatography-tandem mass spectrometry based method development and validation of S016-1271 (LR8P), a novel cationic antimicrobial peptide for its application to pharmacokinetic studies. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 169, 116-126	3.5	2
24	. <b>2019</b> ,		6
23	Liquid chromatography-tandem mass spectrometry of recombinant human extracellular superoxide dismutase (rhSOD3) in mouse plasma and its application to pharmacokinetic study. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 164, 590-597	3.5	2
22	LC-ESI-MS/MS assay development and validation of a novel antidiabetic peptide PSTi8 in mice plasma using SPE: An application to pharmacokinetics. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 180, 113074	3.5	2
21	Bioanalysis of biological matrix samples using liquid chromatography tandem mass spectrometry detection. <b>2020</b> , 641-659		0
20	Robust and sensitive peptidomics workflow for plasma based on specific extraction, lipid removal, capillary LC setup and multinozzle ESI emitter. <i>Talanta</i> , <b>2021</b> , 223, 121617	6.2	1
19	LC-MS/MS assay for the determination of tat-K13, a novel interfering peptide for the treatment of ischemic stroke, in human plasma and its application to a pharmacokinetics study. <i>Biomedical Chromatography</i> , <b>2021</b> , 35, e5095	1.7	
18	Counteracting the Ramifications of UVB Irradiation and Photoaging with King Seed. <i>Molecules</i> , <b>2021</b> , 26,	4.8	4
17	Increasing robustness, reliability and storage stability of critical reagents by freeze-drying. <i>Bioanalysis</i> , <b>2021</b> , 13, 829-840	2.1	1
16	Bioanalytical strategies in drug discovery and development. <i>Drug Metabolism Reviews</i> , <b>2021</b> , 53, 434-458		4
15	A UHPLC/MS/MS method for the analysis of active and inactive forms of GLP-1 and GIP incretins in human plasma. <i>Talanta</i> , <b>2022</b> , 236, 122806	6.2	0
14	Hybrid Ligand Binding Immunoaffinity-Liquid Chromatography/Mass Spectrometry for Biotherapeutics and Biomarker Quantitation: How to develop a hybrid LBA-LC-MS/MS method for a protein?. <b>2019</b> , 1, 47-55		4
13	Enhancement of sensitivity and quantification quality in the LC-MS/MS measurement of large biomolecules with sum of MRM (SMRM).. <i>Analytical and Bioanalytical Chemistry</i> , <b>2022</b> , 1	4.4	0
12	Incorporating protein precipitation to resolve hybrid IP-LC-MS assay interference for ultrasensitive quantification of intact therapeutic insulin dimer in human plasma.. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2022</b> , 212, 114639	3.5	
11	Development, validation, and application of an UHPLC-MS/MS method for quantification of the adiponectin-derived active peptide ADP355 in rat plasma.. <i>Biomedical Chromatography</i> , <b>2022</b> ,	1.7	0
10	Pharmacokinetics and Pharmacodynamics of Fungal Defensin NZX Against Staphylococcus aureus-Induced Mouse Peritonitis Model. <i>Frontiers in Microbiology</i> , <b>2022</b> , 13,	5.7	0



9	Nonspecific adsorption evaluation and general minimization strategy in peptide analysis based on ultra-performance liquid chromatography-mass spectrometry. <i>Chinese Journal of Chromatography (Se Pu)</i> , <b>2022</b> , 40, 616-624	0.2
8	The Pharmacokinetics in Mice and Cell Uptake of Thymus Immunosuppressive Pentapeptide Using LC-MS/MS Analysis. <i>Molecules</i> , <b>2022</b> , 27, 4256	4.8
7	Subcutaneous Catabolism of Peptide Therapeutics: Bioanalytical Approaches and ADME Considerations. 1-35	0
6	Development and validation of a LCMS/MS method for quantitation of recombinant human growth hormone in rat plasma and application to a pharmacokinetic study. <b>2023</b> , 224, 115188	0
5	Bioanalytical LCMS/MS method for simultaneous estimation of atorvastatin, its major active metabolites and ezetimibe.	0
4	Quantitative analysis of therapeutic proteins in biological fluids: recent advancement in analytical techniques. <b>2023</b> , 30,	0
3	Pharmacokinetics and brain distribution of the therapeutic peptide liraglutide by a novel LCMS/MS analysis. <b>2023</b> , 14,	0
2	Simultaneous analysis of antihyperglycemic small molecule drugs and peptide drugs by means of dual liquid chromatography high-resolution mass spectrometry. <b>2023</b> ,	0
1	Comparison of pharmacokinetic study profiles of insulin in rat plasma through conventional sampling and microsampling by micro-LCMS/MS.	0