

CITATION REPORT

List of articles citing

Epidermal electronics

DOI: 10.1126/science.1206157
Science, 2011, 333, 838-43.

Source: <https://exaly.com/paper-pdf/50148835/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2240	[What's new in dermatological research?]. 2011 , 138 Suppl 4, S233-40		1
2239	Carbon nanotube active-matrix backplanes for conformal electronics and sensors. 2011 , 11, 5408-13		245
2238	Stretchable graphene transistors with printed dielectrics and gate electrodes. 2011 , 11, 4642-6		326
2237	Synthesis, assembly and applications of semiconductor nanomembranes. 2011 , 477, 45-53		526
2236	Skin-like pressure and strain sensors based on transparent elastic films of carbon nanotubes. 2011 , 6, 788-92		2451
2235	Materials science: Dry solution to a sticky problem. 2011 , 477, 42-3		43
2234	Epidermal electronics. 2011 , 76, 485-6		10
2233	The promise of mHealth: daily activity monitoring and outcome assessments by wearable sensors. 2011 , 25, 788-98		198
2232	Skin-deep electronics. 2011 , 476, 254-254		
2231	Materials science. An electronic second skin. <i>Science</i> , 2011 , 333, 830-1	33.3	61
2230	Mechanics of Epidermal Electronics. 2012 , 79,		129
2229	Some new speculative ideas about the "behavioral homeostasis theory" as to how the simple learned behaviors of habituation and sensitization improve organism survival throughout phylogeny. 2012 , 5, 233-9		12
2228	Transfer printing and nanomanipulating luminescent photonic crystal membrane nanocavities. 2012 , 111, 093105		2
2227	A silicon-on-insulator complementary-metal-oxide-semiconductor compatible flexible electronics technology. 2012 , 101, 052106		13
2226	. 2012 , 21, 1049-1058		75
2225	Polymer film deposition on agar using a dielectric barrier discharge jet and its bacterial growth inhibition. 2012 , 101, 074107		11
2224	Embroidered textile circuits for microwave devices. 2012 ,		3

2223	Electronic sensor and actuator webs for large-area complex geometry cardiac mapping and therapy. 2012 , 109, 19910-5	190
2222	Microscale Inorganic Light-Emitting Diodes on Flexible and Stretchable Substrates. 2012 , 4, 607-612	29
2221	Learning task-specific models for reach to grasp movements: Towards EMG-based teleoperation of robotic arm-hand systems. 2012 ,	14
2220	Multifunctional Skin-Like Electronics for Long-Term Health Monitoring. 2012 ,	
2219	Graphene-based wireless bacteria detection on tooth enamel. 2012 , 3, 763	657
2218	. 2012 , 100, 1553-1566	100
2217	. 2012 , 100, 1567-1584	88
2216	An electrically and mechanically self-healing composite with pressure- and flexion-sensitive properties for electronic skin applications. 2012 , 7, 825-32	1094
2215	Stretchable spin valves on elastomer membranes by predetermined periodic fracture and random wrinkling. 2012 , 24, 6468-72	75
2214	Dynamic and galvanic stability of stretchable supercapacitors. 2012 , 12, 6366-71	165
2213	Stretchable heterogeneous composites with extreme mechanical gradients. 2012 , 3, 1265	130
2212	Flexible solid-state supercapacitors based on carbon nanoparticles/MnO ₂ nanorods hybrid structure. 2012 , 6, 656-61	893
2211	Nano meets beetles from wing to tiptoe: Versatile tools for smart and reversible adhesions. 2012 , 7, 496-513	41
2210	Reduced contact resistance in inkjet printed high-performance amorphous indium gallium zinc oxide transistors. 2012 , 4, 1614-9	62
2209	Macroporous nanowire nanoelectronic scaffolds for synthetic tissues. 2012 , 11, 986-94	494
2208	Nanobasierte Energiegewinnung in autarken Mikro-/Nanosystemen. 2012 , 124, 11868-11891	19
2207	Nanotechnology-enabled energy harvesting for self-powered micro-/nanosystems. 2012 , 51, 11700-21	747
2206	Mechanics of stretchable electronics with high fill factors. 2012 , 49, 3416-3421	21

2205	Nanomaterials on flexible substrates to explore innovative functions: From energy harvesting to bio-integrated electronics. 2012 , 524, 1-19	26
2204	Epidermal differential impedance sensor for conformal skin hydration monitoring. 2012 , 7, 52	103
2203	Opportunities with fabric composites as unique flexible substrates. 2012 , 4, 6640-5	13
2202	. 2012 ,	4
2201	Graphene quantum resistive sensing skin for the detection of alteration biomarkers. 2012 , 22, 21754	109
2200	Stretchable electronics: materials, architectures and integrations. 2012 , 45, 103001	119
2199	Short, Stretchable Molded Interconnect reliability under 10% cyclic elongation. 2012 ,	0
2198	Fabrication of Large-Area Three-Dimensional Microstructures on Flexible Substrates by Microtransfer Printing Methods. 2012 , 21, 749-755	7
2197	Printable ultrathin substrates formed on a concave/convex underlayer for highly flexible membrane-type electrode stickers. 2012 , 8, 7598	4
2196	Epidermal electronics: Skin sweat patch. 2012 ,	1
2195	Thermo-mechanical modeling of laser-driven non-contact transfer printing: two-dimensional analysis. 2012 , 8, 7122	46
2194	High-resolution resistless nanopatterning on polymer and flexible substrates for plasmonic biosensing using stencil masks. 2012 , 6, 5474-81	53
2193	Learning human reach-to-grasp strategies: Towards EMG-based control of robotic arm-hand systems. 2012 ,	37
2192	The smartest materials: the future of nanoelectronics in medicine. 2012 , 6, 6541-5	63
2191	Flexible and transparent all-graphene circuits for quaternary digital modulations. 2012 , 3, 1018	76
2190	A physically transient form of silicon electronics. <i>Science</i> , 2012 , 337, 1640-4	33.3 862
2189	Very long Ag nanowire synthesis and its application in a highly transparent, conductive and flexible metal electrode touch panel. 2012 , 4, 6408-14	581
2188	Liquid alloy printing of microfluidic stretchable electronics. 2012 , 12, 4657-64	170

2187	Transfer printing techniques for materials assembly and micro/nanodevice fabrication. 2012 , 24, 5284-318	572
2186	Flexible vertical light emitting diodes. 2012 , 8, 3123-8	44
2185	Electrochemical sensing based on printable temporary transfer tattoos. 2012 , 48, 6794-6	128
2184	Stretchable Electronic and Optoelectronic Devices Using Single-Crystal Inorganic Semiconductor Materials. 2012 , 235-269	1
2183	Power Supply, Generation, and Storage in Stretchable Electronics. 2012 , 287-303	4
2182	Evolution of bioengineering at UCSD: opening new vistas. 2012 , 3, 49-55	
2181	Toward mechanically robust and intrinsically stretchable organic solar cells: Evolution of photovoltaic properties with tensile strain. 2012 , 107, 355-365	138
2180	Materials and technology in sport. 2012 , 11, 655-8	5
2179	Solderable and electroplatable flexible electronic circuit on a porous stretchable elastomer. 2012 , 3, 977	167
2178	Fast flexible electronics using transferrable silicon nanomembranes. 2012 , 45, 143001	61
2177	Semiconductor devices inspired by and integrated with biology. 2012 ,	1
2176	Inorganic semiconductor nanomaterials for flexible and stretchable bio-integrated electronics. 2012 , 4, e15-e15	116
2175	Flexible tactile sensor using the reversible deformation of poly(3-hexylthiophene) nanofiber assemblies. 2012 , 28, 17593-6	79
2174	Muscle activation patterns during walking from transtibial amputees recorded within the residual limb-prosthetic interface. 2012 , 9, 55	41
2173	Stamp Printing of Silicon Nanomembrane Based Flexible Photonic Devices. 2012 ,	
2172	Ultra-thin anodic alumina capacitor films for plastic electronics. 2012 , 209, 813-818	50
2171	Stretchable semiconductor technologies with high areal coverages and strain-limiting behavior: demonstration in high-efficiency dual-junction GaInP/GaAs photovoltaics. 2012 , 8, 1851-6	86
2170	Fatigue-free, electrically reliable copper electrode with nanohole array. 2012 , 8, 3300-6	42

2169	Materials and designs for wirelessly powered implantable light-emitting systems. 2012 , 8, 2812-8	88
2168	Transparent triboelectric nanogenerators and self-powered pressure sensors based on micropatterned plastic films. 2012 , 12, 3109-14	1350
2167	Stretchable light-emitting electrochemical cells using an elastomeric emissive material. 2012 , 24, 2673-8	115
2166	A flexible and highly sensitive strain-gauge sensor using reversible interlocking of nanofibres. 2012 , 11, 795-801	1227
2165	Enhanced Cu ₂ S/CdS coaxial nanowire solar cells by piezo-phototronic effect. 2012 , 12, 3302-7	161
2164	Highly Sensitive Skin-Mountable Strain Gauges Based Entirely on Elastomers. 2012 , 22, 4044-4050	577
2163	Active, Programmable Elastomeric Surfaces with Tunable Adhesion for Deterministic Assembly by Transfer Printing. 2012 , 22, 4476-4484	107
2162	Graphene oxide as an optical biosensing platform. 2012 , 24, 3298-308	398
2161	Thinning and shaping solid films into functional and integrative nanomembranes. 2012 , 24, 2517-46	94
2160	Highly stretchable alkaline batteries based on an embedded conductive fabric. 2012 , 24, 5071-6	200
2159	Transfer-printing of as-fabricated carbon nanotube devices onto various substrates. 2012 , 24, 4499-504	35
2158	Highly conductive and stretchable silver nanowire conductors. 2012 , 24, 5117-22	982
2157	Surface-grafted polymer-assisted electroless deposition of metals for flexible and stretchable electronics. 2012 , 7, 862-70	51
2156	Flexible and stretchable electronics for biointegrated devices. 2012 , 14, 113-28	546
2155	Transparent, optical, pressure-sensitive artificial skin for large-area stretchable electronics. 2012 , 24, 3223-7	338
2154	Microfluidic electronics. 2012 , 12, 2782-91	214
2153	Axisymmetric thermo-mechanical analysis of laser-driven non-contact transfer printing. 2012 , 176, 189-194	26
2152	Recent advances in flexible and stretchable electronics, sensors and power sources. 2012 , 55, 718-725	45

2151	Flexible microelectrode arrays to interface epicardial electrical signals with intracardial calcium transients in zebrafish hearts. 2012 , 14, 357-66	40
2150	An analytical model for shear-enhanced adhesiveless transfer printing. 2012 , 43, 46-49	40
2149	Postbuckling analysis and its application to stretchable electronics. 2012 , 60, 487-508	107
2148	Bioinspired reversible interlocker using regularly arrayed high aspect-ratio polymer fibers. 2012 , 24, 475-9	78
2147	Enhanced stretchability of poly(3-hexylthiophene) thin films by ion gel gate embedding. 2013 , 21, 311-314	3
2146	Stretchable and self-healing polymers and devices for electronic skin. 2013 , 38, 1961-1977	450
2145	Finger typing driven triboelectric nanogenerator and its use for instantaneously lighting up LEDs. 2013 , 2, 491-497	222
2144	Protein-protein nanoimprinting of silk fibroin films. 2013 , 25, 2409-14	67
2143	User-interactive electronic skin for instantaneous pressure visualization. 2013 , 12, 899-904	911
2142	Nanoelectronics-biology frontier: From nanoscopic probes for action potential recording in live cells to three-dimensional cyborg tissues. 2013 , 8, 351-373	101
2141	DNA Nanotechnology. 2013 ,	4
2140	Topographic substrates as strain relief features in stretchable organic thin film transistors. 2013 , 14, 1636-1642	48
2139	Transfer printing and patterning of stretchable electrospun film. 2013 , 544, 152-156	8
2138	An ultra-lightweight design for imperceptible plastic electronics. 2013 , 499, 458-63	1781
2137	High performance flexible sensor based on inorganic nanomaterials. 2013 , 176, 522-533	64
2136	Solid-state high performance flexible supercapacitors based on polypyrrole-MnO ₂ -carbon fiber hybrid structure. 2013 , 3, 2286	238
2135	Challenges and opportunities in cardiovascular health informatics. 2013 , 60, 633-42	22
2134	Nanoelectronics meets biology: from new nanoscale devices for live-cell recording to 3D innervated tissues. 2013 , 8, 2304-14	18

2133	Low-Dimensionality Effects in Organic Field Effect Transistors. 2013 , 397-419	
2132	Ceramics for Electronics and Energy: Issues and Opportunities. 2013 , 10, 723-730	7
2131	Thin Films and Coatings in Biology. 2013 ,	2
2130	High-resolution electroluminescent imaging of pressure distribution using a piezoelectric nanowire LED array. 2013 , 7, 752-758	534
2129	Ion implanted dielectric elastomer circuits. 2013 , 111, 943-950	5
2128	Flexible sensors based on nanoparticles. 2013 , 7, 8366-78	364
2127	Optically Tunable Terahertz Metamaterials on Highly Flexible Substrates. 2013 , 3, 702-708	53
2126	Mechanics of finger-tip electronics. 2013 , 114, 164511	16
2125	Tissue engineering on the nanoscale: lessons from the heart. 2013 , 24, 664-71	73
2124	Solid-state Forensic Finger sensor for integrated sampling and detection of gunshot residue and explosives: towards 'Lab-on-a-finger'. 2013 , 138, 5288-95	57
2123	Synergistic approach to high-performance oxide thin film transistors using a bilayer channel architecture. 2013 , 5, 7983-8	64
2122	A potentiometric tattoo sensor for monitoring ammonium in sweat. 2013 , 138, 7031-8	212
2121	Fast flexible electronics with strained silicon nanomembranes. 2013 , 3, 1291	86
2120	Triboelectric active sensor array for self-powered static and dynamic pressure detection and tactile imaging. 2013 , 7, 8266-74	434
2119	Epidermal impedance sensing sheets for precision hydration assessment and spatial mapping. 2013 , 60, 2848-57	76
2118	Wearable textile battery rechargeable by solar energy. 2013 , 13, 5753-61	349
2117	Flexible PDMS electrode for one-point wearable wireless bio-potential acquisition. 2013 , 203, 20-28	30
2116	Carbon nanotube active-matrix backplanes for mechanically flexible visible light and X-ray imagers. 2013 , 13, 5425-30	76

2115	Piezotronics and piezo-phototronics [From single nanodevices to array of devices and then to integrated functional system. 2013 , 8, 619-642		129
2114	Taxel-addressable matrix of vertical-nanowire piezotronic transistors for active and adaptive tactile imaging. <i>Science</i> , 2013 , 340, 952-7	33.3	692
2113	Biologically derived melanin electrodes in aqueous sodium-ion energy storage devices. 2013 , 110, 20912-7		221
2112	Small Organic Molecules on Surfaces. 2013 ,		5
2111	Motion charged battery as sustainable flexible-power-unit. 2013 , 7, 11263-71		114
2110	Injectable, cellular-scale optoelectronics with applications for wireless optogenetics. <i>Science</i> , 2013 , 340, 211-6	33.3	832
2109	Stretchable, transparent, ionic conductors. <i>Science</i> , 2013 , 341, 984-7	33.3	1133
2108	Ultrathin conformal devices for precise and continuous thermal characterization of human's skin. 2013 , 12, 938-44		826
2107	Patterned free-standing conductive nanofilms for ultraconformable circuits and smart interfaces. 2013 , 5, 9461-9		30
2106	Materials and optimized designs for human-machine interfaces via epidermal electronics. 2013 , 25, 6839-46		509
2105	Investigations on an Ultra-Thin Bendable Monolithic Si CMOS Image Sensor. 2013 , 13, 3892-3900		5
2104	Toward microwave integrated circuits on flexible substrates (invited). 2013 ,		
2103	Buckling in serpentine microstructures and applications in elastomer-supported ultra-stretchable electronics with high areal coverage. 2013 , 9, 8062-8070		192
2102	Nanomaterials for cardiac tissue engineering. 2013 , 244-275		4
2101	All-Biomaterial Laser using Vitamin and Biopolymers. 2013 , n/a-n/a		1
2100	Mechanical behavior of flexible silicon devices curved in spherical configurations. 2013 ,		1
2099	Bendable Ultra-Thin Chips on Flexible Foils. 2013 , 13, 4030-4037		69
2098	135-hour-battery-life skin temperature monitoring system using a Bluetooth cellular phone. 2013 ,		1

2097	Large Area Silicon Nanomembrane Photonic Devices on Unconventional Substrates. 2013 , 25, 1601-1604	7
2096	Ultraflexible organic devices for biomedical applications. 2013 ,	2
2095	Circuits, Systems, and Technologies for Detecting the Onset of Sudden Cardiac Death Through EKG Analysis. 2013 , 13, 10-25	4
2094	Engineering stem cells for future medicine. 2013 , 60, 727-34	12
2093	. 2013 ,	6
2092	Stable Metrics in Amorphous Computing: An Application to Validate Operation and Monitor Behavior. 2013 ,	
2091	Post-CMOS and Post-MEMS Compatible Flexible Skin Technologies: A Review. 2013 , 13, 3962-3975	18
2090	Flexible and stretchable electrodes for dielectric elastomer actuators. 2013 , 110, 281-307	338
2089	The year in review of clinical cardiac electrophysiology. 2013 , 61, 772-82	5
2088	A review of fabrication and applications of carbon nanotube film-based flexible electronics. 2013 , 5, 1727-52	893
2087	The influence of bending on the performance of flexible carbon black/polymer composite gas sensors. 2013 , 51, 329-336	11
2086	Micropatterned stretchable circuit and strain sensor fabricated by lithography on an electrospun nanofiber mat. 2013 , 5, 8766-71	37
2085	Simple Noise Margin Model for Optimal Design of Unipolar Thin-Film Transistor Logic Circuits. 2013 , 60, 1782-1785	8
2084	Microstructural and Morphological Effects on Charge Storage Properties in MnO ₂ -Carbon Nanofibers Based Supercapacitors. 2013 , 160, A2315-A2321	26
2083	A Passive Radio-Frequency Identification (RFID) Gas Sensor With Self-Correction Against Fluctuations of Ambient Temperature. 2013 , 185, 587-593	26
2082	Reinventing biointegrated devices. 2013 , 16, 156-157	1
2081	Crack nucleation during mechanical fatigue in thin metal films on flexible substrates. 2013 , 61, 3473-3481	56
2080	Mechanics of ultra-stretchable self-similar serpentine interconnects. 2013 , 61, 7816-7827	147

2079	Mouse emulation based on facial electromyogram. 2013 , 8, 142-152	9
2078	Supercapacitors based on nanostructured carbon. 2013 , 2, 159-173	426
2077	Nanotools for neuroscience and brain activity mapping. 2013 , 7, 1850-66	248
2076	Ecological Momentary Assessment. 2013 , 541-565	18
2075	Transparent, stretchable, carbon-nanotube-inlaid conductors enabled by standard replication technology for capacitive pressure, strain and touch sensors. 2013 , 1, 3580	113
2074	Multifunctional epidermal electronics printed directly onto the skin. 2013 , 25, 2773-8	590
2073	Stretchable batteries with self-similar serpentine interconnects and integrated wireless recharging systems. 2013 , 4, 1543	978
2072	Electronic and optoelectronic materials and devices inspired by nature. 2013 , 76, 034501	129
2071	High performance piezoelectric devices based on aligned arrays of nanofibers of poly(vinylidene fluoride-co-trifluoroethylene). 2013 , 4, 1633	821
2070	Flexible packaging of solid-state integrated circuit chips with elastomeric microfluidics. 2013 , 3,	69
2069	Rational Design of Mechano-Responsive Optical Materials by Fine Tuning the Evolution of Strain-Dependent Wrinkling Patterns. 2013 , 1, 381-388	103
2068	Inkjet Printing of High Conductivity, Flexible Graphene Patterns. 2013 , 4, 1347-51	489
2067	Flexible solid-state supercapacitors based on three-dimensional graphene hydrogel films. 2013 , 7, 4042-9	945
2066	3D printed bionic ears. 2013 , 13, 2634-9	626
2065	Elastomeric transparent capacitive sensors based on an interpenetrating composite of silver nanowires and polyurethane. 2013 , 102, 083303	220
2064	Reinforced Electrode Architecture for a Flexible Battery with Paperlike Characteristics. 2013 , 1, 177-185	32
2063	Piezoelectric rubber films for highly sensitive impact measurement. 2013 , 23, 075009	6
2062	Natural Materials for Organic Electronics. 2013 , 295-318	6

2061	Recent advances in conjugated polymer energy storage. 2013 , 51, 468-480	139
2060	Experiments and viscoelastic analysis of peel test with patterned strips for applications to transfer printing. 2013 , 61, 1737-1752	78
2059	Intrinsically stretchable and rechargeable batteries for self-powered stretchable electronics. 2013 , 1, 5505	89
2058	Self-deployable current sources fabricated from edible materials. 2013 , 1, 3781-3788	91
2057	Review of graphene-based strain sensors. 2013 , 22, 057701	130
2056	Chromatophore radial muscle fibers anchor in flexible squid skin. 2013 , 132, 120-132	19
2055	Electrochemical tattoo biosensors for real-time noninvasive lactate monitoring in human perspiration. 2013 , 85, 6553-60	539
2054	Artificial microfluidic skin for in vitro perspiration simulation and testing. 2013 , 13, 1868-75	41
2053	Microfluidic Tools for DNA Analysis. 2013 , 113-153	1
2052	Silicon p-i-n junction fibers. 2013 , 25, 1461-7	66
2051	Flexible polymer transistors with high pressure sensitivity for application in electronic skin and health monitoring. 2013 , 4, 1859	1446
2050	Only skin deep: Inkjet-printed zero-power sensors for large-scale RFID-integrated smart skins. 2013 , 14, 103-114	26
2049	Bionanomaterials and Bioinspired Nanostructures for Selective Vapor Sensing. 2013 , 43, 307-334	38
2048	In vivo silicon-based flexible radio frequency integrated circuits monolithically encapsulated with biocompatible liquid crystal polymers. 2013 , 7, 4545-53	92
2047	Graphene radio frequency devices on flexible substrate. 2013 , 102, 233102	36
2046	Sensors and imaging for wound healing: a review. 2013 , 41, 30-42	286
2045	25th anniversary article: The evolution of electronic skin (e-skin): a brief history, design considerations, and recent progress. 2013 , 25, 5997-6038	1622
2044	Stretchable copper interconnects with three-dimensional coiled structures. 2013 , 23, 127002	8

2043	Super-stretchable, transparent carbon nanotube-based capacitive strain sensors for human motion detection. 2013 , 3, 3048	476
2042	Novel electrospun luminescent nanofibers from cationic polyfluorene/cellulose acetate blend. 2013 , 20, 169-177	10
2041	Wearable skin sensor using programmable interlocking of nanofibers. 2013 ,	2
2040	Towards inkjet-printed low cost passive UHF RFID skin mounted tattoo paper tags based on silver nanoparticle inks. 2013 , 1, 6395	53
2039	Brain-Computer Interfaces. 2013 , 237-252	5
2038	BCILAB: a platform for brain-computer interface development. 2013 , 10, 056014	178
2037	Directions Toward Effective Utilization of Tactile Skin: A Review. 2013 , 13, 4121-4138	276
2036	. 2013 ,	
2035	Soft wearable motion sensing suit for lower limb biomechanics measurements. 2013 ,	67
2034	Design of two-dimensional horseshoe layout for stretchable electronic systems. 2013 , 48, 8443-8448	11
2033	Enhanced skin adhesive patch with modulus-tunable composite micropillars. 2013 , 2, 109-13	107
2032	Wearable Electrochemical Sensors and Biosensors: A Review. 2013 , 25, 29-46	471
2031	Breakthroughs in Photonics 2012: Large-Area Ultrathin Photonics. 2013 , 5, 0700805-0700805	2
2030	Biaxially stretchable silver nanowire transparent conductors. 2013 , 113, 044311	43
2029	Digital Skin: How Developments in Digital Imaging Techniques and Culture Are Informing the Design of Futuristic Surface and Fabrication Concepts. 2013 , 11, 242-261	5
2028	Mechanics of Stretchable Electronics. 2013 , 535-536, 25-31	
2027	Lateral Buckling of Interconnects in a Noncoplanar Mesh Design for Stretchable Electronics. 2013 , 80,	20
2026	A low-power bio-potential acquisition system with flexible PDMS dry electrodes for portable ubiquitous healthcare applications. 2013 , 13, 3077-91	44

2025	Gauge factor and stretchability of silicon-on-polymer strain gauges. 2013 , 13, 8577-94	76
2024	Thermal analysis of injectable, cellular-scale optoelectronics with pulsed power. 2013 , 469, 20130142	20
2023	Biological versus electronic adaptive coloration: how can one inform the other?. 2013 , 10, 20120601	64
2022	STRETCHABILITY AND SELF-HEALING OF WRINKLED GMR MULTILAYERS ON ELASTOMERIC MEMBRANES. 2013 , 03, 1340005	8
2021	The digital patient. 2013 , 13, 252-7	18
2020	Bio-integrated electronics and sensor systems. 2013 ,	1
2019	Free-Standing PEDOT:PSS/PLA Bilayer Nanosheets with Ink-Jet Patterned Microelectrodes: Towards the Development of Ultra-Thin, Conformable, Floating Circuits and Smart Biointerfaces.. 2013 , 1530, 1	0
2018	Foundations of Augmented Cognition. 2013 ,	3
2017	Soft-matter capacitive sensor for measuring shear and pressure deformation. 2013 ,	40
2016	Recent advances in flexible sensors for wearable and implantable devices. 2013 , 130, 1429-1441	316
2015	The effect of Na ⁺ and K ⁺ doping on the properties of sol-gel deposited 2-hydroxy-1,4-naphthoquinone thin films. 2013 , 113, 204901	7
2014	A robust polymer microcable structure for flexible devices. 2013 , 102, 033506	16
2013	Developing inkjet printing to enable low cost UHF RFID transfer tattoo tags. 2013 ,	3
2012	The future of smart-textiles development: new enabling technologies, commercialization and market trends. 2013 , 1-25	10
2011	All-biomaterial laser using vitamin and biopolymers. 2013 , 25, 5943-7	81
2010	LEGO-like assembly of peelable, deformable components for integrated devices. 2013 , 5, e66-e66	12
2009	Transferable and flexible label-like macromolecular memory on arbitrary substrates with high performance and a facile methodology. 2013 , 25, 2733-9	47
2008	Tactile feedback display with spatial and temporal resolutions. 2013 , 3, 2521	18

2007	Bright White Scattering from Protein Spheres in Color Changing, Flexible Cuttlefish Skin. 2013 , 23, 3980-3989	70
2006	Flexible integrated photonics: where materials, mechanics and optics meet [Invited]. 2013 , 3, 1313	121
2005	Designing an Adaptive Approach for the Real-Time Assessment and Augmentation of Performance of Cyber Analyst Teams. 2013 , 57, 124-128	1
2004	The chemistry of cyborgs--interfacing technical devices with organisms. 2013 , 52, 13942-57	28
2003	Transfer of functional memory devices to any substrate. 2013 , 7, 326-331	7
2002	Load-Controlled Roll Transfer of Oxide Transistors for Stretchable Electronics. 2013 , 23, 2024-2032	64
2001	Chemie der Cyborgs für Verknüpfung technischer Systeme mit Lebewesen. 2013 , 125, 14190-14206	5
2000	Biomedical implementation of liquid metal ink as drawable ECG electrode and skin circuit. 2013 , 8, e58771	80
1999	When "I" becomes "We": ethical implications of emerging brain-to-brain interfacing technologies. 2014 , 7, 4	29
1998	Deployable and Conformal Planar Micro-Devices: Design and Model Validation. 2014 , 5, 528-546	0
1997	Imperceptible Electronic Skin. 2014 , 30, 20-25	4
1996	Properties and Customization of Sensor Materials for Biomedical Applications. 2014 , 221-243	1
1995	Very long-term ECG monitoring patch with improved functionality and wearability. 2014 , 2014, 5964-7	1
1994	Ultra high permittivity and significantly enhanced electric field induced strain in PEDOT:PSSRGO@PU intelligent shape-changing electro-active polymers. 2014 , 4, 64061-64067	39
1993	Highly Sensitive Flexible Printed Accelerometer System for Monitoring Vital Signs. 2014 , 1, 132-135	19
1992	Highly stretchable pseudocapacitors based on buckled reticulate hybrid electrodes. 2014 , 7, 1680-1690	41
1991	Protein-based soft micro-optics fabricated by femtosecond laser direct writing. 2014 , 3, e129-e129	105
1990	Stretching Silver: Printed Metallic Nano Inks in Stretchable Conductor Applications. 2014 , 8, 6-13	17

1989	Wearable soft sensing suit for human gait measurement. 2014 , 33, 1748-1764	239
1988	Fabric-based stretchable electronics with mechanically optimized designs and prestrained composite substrates. 2014 , 1, 120-126	23
1987	Skin-inspired electronic devices. 2014 , 17, 321-331	380
1986	A novel self-supported printed flexible strain sensor for monitoring body movement and temperature. 2014 ,	12
1985	Tape transfer printing of a liquid metal alloy for stretchable RF electronics. 2014 , 14, 16311-21	52
1984	A Simply Analytic Study of Buckled Thin Films on Compliant Substrates. 2014 , 81,	24
1983	Design of a customized multipurpose nano-enabled implantable system for in-vivo theranostics. 2014 , 14, 19275-306	11
1982	Toward panoramic in situ mapping of action potential propagation in transgenic hearts to investigate initiation and therapeutic control of arrhythmias. 2014 , 5, 337	1
1981	Design, fabrication and failure analysis of stretchable electrical routings. 2014 , 14, 11855-77	46
1980	Multiple Neutral Axes in Bending of a Multiple-Layer Beam With Extremely Different Elastic Properties. 2014 , 81,	26
1979	Mechanics of Interfacial Delamination in Epidermal Electronics Systems. 2014 , 81,	41
1978	. 2014 ,	3
1977	Mechanics of Solar Module on Structured Substrates. 2014 , 81,	16
1976	Contact resistance and overlapping capacitance in flexible sub-micron long oxide thin-film transistors for above 100 MHz operation. 2014 , 105, 263504	47
1975	High responsivity, low dark current, heterogeneously integrated thin film Si photodetectors on rigid and flexible substrates. 2014 , 22, 5052-9	14
1974	A flexible skin piloerection monitoring sensor. 2014 , 104, 253502	11
1973	Two-dimensional flexible nanoelectronics. 2014 , 5, 5678	1201
1972	Hybrid stretchable circuits on silicone substrate. 2014 , 115, 143511	27

1971	Extremely compliant and highly stretchable patterned graphene. 2014 , 104, 173103	35
1970	Multilayer liquid metal stretchable inductors. 2014 , 23, 085036	53
1969	High performance flexible electronics for biomedical devices. 2014 , 2014, 4176-9	4
1968	A strain-absorbing design for tissue-machine interfaces using a tunable adhesive gel. 2014 , 5, 5898	106
1967	Observation of enhanced carrier transport properties of Si <100>-oriented whiskers under uniaxial strains. 2014 , 104, 013111	15
1966	Fabric-based integrated energy devices for wearable activity monitors. 2014 , 26, 6329-34	261
1965	Stretchable silicon nanoribbon electronics for skin prosthesis. 2014 , 5, 5747	902
1964	Rapidly patterning conductive components on skin substrates as physiological testing devices via liquid metal spraying and pre-designed mask. 2014 , 2, 5739-5745	63
1963	Multifunctional skin-like electronics for quantitative, clinical monitoring of cutaneous wound healing. 2014 , 3, 1597-607	175
1962	Reverse-micelle-induced porous pressure-sensitive rubber for wearable human-machine interfaces. 2014 , 26, 4825-30	473
1961	Fiber-reinforced tough hydrogels. 2014 , 1, 90-96	70
1960	Flexible single-crystal silicon nanomembrane photonic crystal cavity. 2014 , 8, 12265-71	29
1959	Transparent, low-power pressure sensor matrix based on coplanar-gate graphene transistors. 2014 , 26, 4735-40	160
1958	Mechanical and electrical numerical analysis of soft liquid-embedded deformation sensors analysis. 2014 , 1, 42-46	29
1957	A hierarchical computational model for stretchable interconnects with fractal-inspired designs. 2014 , 72, 115-130	89
1956	Fully printed flexible fingerprint-like three-axis tactile and slip force and temperature sensors for artificial skin. 2014 , 8, 12851-7	213
1955	Wearable and sensitive heart-rate detectors based on PbS quantum dot and multiwalled carbon nanotube blend film. 2014 , 105, 153702	40
1954	Magnetic microstructure of rolled-up single-layer ferromagnetic nanomembranes. 2014 , 26, 316-23	69

1953	Silicon fiber with p-n junction. 2014 , 105, 122110	12
1952	Ultrasensitive mechanical crack-based sensor inspired by the spider sensory system. 2014 , 516, 222-6	868
1951	Torsion sensors of high sensitivity and wide dynamic range based on a graphene woven structure. 2014 , 6, 13053-9	42
1950	Highly Sensitive Non-Classical Strain Gauge Using Organic Heptazole Thin-Film Transistor Circuit on a Flexible Substrate. 2014 , 24, 4413-4419	34
1949	Temperature- and size-dependent characteristics in ultrathin inorganic light-emitting diodes assembled by transfer printing. 2014 , 104, 051901	30
1948	Capacitive epidermal electronics for electrically safe, long-term electrophysiological measurements. 2014 , 3, 642-8	200
1947	High performance bio-integrated devices. 2014 ,	
1946	Mechanics of flexible electronics and photonics based on inorganic micro- and nanomaterials. 2014 ,	2
1945	On-Body Chemo/Bio-Sensing - Opportunities and Challenges. 2014 , 96, 78-88	
1944	Implementing MEMS technology for soft, (bio)electronics interfaces. 2014 ,	
1943	Brain-Machine Interfaces. 2014 , 1343-1352	1
1942	Soft, comfortable polymer dry electrodes for high quality ECG and EEG recording. 2014 , 14, 23758-80	121
1941	Complementary power output characteristics of electromagnetic generators and triboelectric generators. 2014 , 25, 135402	56
1940	Composite Piezoelectric Rubber Band for Energy Harvesting from Breathing and Limb Motion. 2014 , 557, 012022	3
1939	1 mm-thickness ultra-flexible and high electrode-density surface electromyogram measurement sheet with 2 V organic transistors for prosthetic hand control. 2014 , 8, 824-33	47
1938	Real-time resistance, transmission and figure-of-merit analysis for transparent conductors under stretching-mode strain. 2014 , 124, 247-255	14
1937	Mechanics of stretchable electronics on balloon catheter under extreme deformation. 2014 , 51, 1555-1561	23
1936	Fabrication of well-controlled wavy metal interconnect structures on stress-free elastomeric substrates. 2014 , 113, 55-60	16

1935	Recovery of electrical resistance in copper films on polyethylene terephthalate subjected to a tensile strain. 2014 , 552, 141-145	24
1934	Immunologic and tissue biocompatibility of flexible/stretchable electronics and optoelectronics. 2014 , 3, 515-25	80
1933	Multifunctional wearable devices for diagnosis and therapy of movement disorders. 2014 , 9, 397-404	1037
1932	25th anniversary article: A soft future: from robots and sensor skin to energy harvesters. 2014 , 26, 149-61	620
1931	Stretchable and reversibly deformable radio frequency antennas based on silver nanowires. 2014 , 6, 4248-53	206
1930	All-Elastomeric, Strain-Responsive Thermo-chromic Color Indicators. 2014 , 10, 1266-1271	46
1929	Fractal design concepts for stretchable electronics. 2014 , 5, 3266	625
1928	3D multifunctional integumentary membranes for spatiotemporal cardiac measurements and stimulation across the entire epicardium. 2014 , 5, 3329	384
1927	New device architecture of a thermoelectric energy conversion for recovering low-quality heat. 2014 , 114, 1201-1208	13
1926	Soft microfluidic assemblies of sensors, circuits, and radios for the skin. <i>Science</i> , 2014 , 344, 70-4	33.3 802
1925	Silk-molded flexible, ultrasensitive, and highly stable electronic skin for monitoring human physiological signals. 2014 , 26, 1336-42	992
1924	Materials and Designs for Wireless Epidermal Sensors of Hydration and Strain. 2014 , 24, 3846-3854	230
1923	Highly Conductive Ordered Mesoporous Carbon Based Electrodes Decorated by 3D Graphene and 1D Silver Nanowire for Flexible Supercapacitor. 2014 , 24, 2013-2019	207
1922	Stretchable all-solid-state supercapacitor with wavy shaped polyaniline/graphene electrode. 2014 , 2, 9142-9149	264
1921	Unobtrusive sensing and wearable devices for health informatics. 2014 , 61, 1538-54	460
1920	In-situ synthesis of carbon nanotube-graphite electronic devices and their integrations onto surfaces of live plants and insects. 2014 , 14, 2647-54	74
1919	Fabrication of Organic Thin-Film Transistors on Three-Dimensional Substrates Using Free-Standing Polymeric Masks Based on Soft Lithography. 2014 , 24, 2404-2408	22
1918	The Rise of Organic Bioelectronics. 2014 , 26, 679-685	472

1917	Highly stretchable piezoresistive graphene-nanocellulose nanopaper for strain sensors. 2014 , 26, 2022-7	840
1916	RFID Technology for IoT-Based Personal Healthcare in Smart Spaces. 2014 , 1, 144-152	351
1915	Graphene-epoxy flexible transparent capacitor obtained by graphene-polymer transfer and UV-induced bonding. 2014 , 35, 355-9	12
1914	Epidermal tattoo potentiometric sodium sensors with wireless signal transduction for continuous non-invasive sweat monitoring. 2014 , 54, 603-9	326
1913	Highly sensitive electronic whiskers based on patterned carbon nanotube and silver nanoparticle composite films. 2014 , 111, 1703-7	191
1912	Molecularly Stretchable Electronics. 2014 , 26, 3028-3041	157
1911	Stretchable Silver-Zinc Batteries Based on Embedded Nanowire Elastic Conductors. 2014 , 4, 1301396	103
1910	Lactate biosensors: current status and outlook. 2014 , 406, 123-37	126
1909	Nanoscale Semiconductor Devices as New Biomaterials. 2014 , 2, 619-626	22
1908	Origami lithium-ion batteries. 2014 , 5, 3140	381
1907	A wearable and highly sensitive pressure sensor with ultrathin gold nanowires. 2014 , 5, 3132	1392
1906	Piezoelectric rubber films for autonomous physiological monitoring systems. 2014 , 215, 176-183	12
1905	Flexible and Stretchable Electronics Paving the Way for Soft Robotics. 2014 , 1, 53-62	358
1904	An ultra-sensitive resistive pressure sensor based on hollow-sphere microstructure induced elasticity in conducting polymer film. 2014 , 5, 3002	977
1903	Stretching and conformal bonding of organic solar cells to hemispherical surfaces. 2014 , 7, 370-378	56
1902	Rewritable, Moldable, and Flexible Sticker-Type Organic Memory on Arbitrary Substrates. 2014 , 24, 1430-1438	58
1901	Sustained Percolation in Stretched Silver Nanowire Networks for Stretchable Inter-Connection Applications. 2014 , 16, 905-908	8
1900	Wearing Sensors Inside and Outside of the Human Body for the Early Detection of Diseases. 2014 , 543-562	3

1899	Stretchability of indium tin oxide (ITO) serpentine thin films supported by Kapton substrates. 2014 , 190, 99-110	22
1898	Robust Mechanochromic Elastic One-Dimensional Photonic Hydrogels for Touch Sensing and Flexible Displays. 2014 , 2, 652-662	72
1897	Nanowire Field Effect Transistors: Principles and Applications. 2014 ,	8
1896	High-resolution nanotransfer printing applicable to diverse surfaces via interface-targeted adhesion switching. 2014 , 5, 5387	125
1895	Epidermal RFID passive sensor for body temperature measurements. 2014 ,	38
1894	Threshold Voltage Extraction in the Saturation Regime Insensitive to the Contact Properties for Organic Thin-Film Transistors. 2014 , 10, 615-618	3
1893	Ionic skin. 2014 , 26, 7608-14	760
1892	Flexible one diode-one resistor resistive switching memory arrays on plastic substrates. 2014 , 4, 20017-20023	38
1891	3D printed quantum dot light-emitting diodes. 2014 , 14, 7017-23	308
1890	A piecewise linear model for analyzing thin film/substrate structure in flexible electronics. 2014 , 27, 420-428	2
1889	Graphene-based conformal devices. 2014 , 8, 7655-62	76
1888	Rugged and breathable forms of stretchable electronics with adherent composite substrates for transcutaneous monitoring. 2014 , 5, 4779	245
1887	Non-wrinkled, highly stretchable piezoelectric devices by electrohydrodynamic direct-writing. 2014 , 6, 3289-95	109
1886	Biodegradable nanofibrous polymeric substrates for generating elastic and flexible electronics. 2014 , 26, 5823-30	100
1885	An IR modulator based on the self-assembly of gold nanoparticles on germanium. 2014 , 16, 19402-7	5
1884	From nature to synthetic systems: shape transformation in soft materials. 2014 , 2, 2357-2368	147
1883	Analytical Models for Delay and Power Analysis of Zero- V_{GS} Load Unipolar Thin-Film Transistor Logic Circuits. 2014 , 61, 3838-3844	4
1882	Paper-based silver-nanowire electronic circuits with outstanding electrical conductivity and extreme bending stability. 2014 , 6, 8495-502	77

1881	Thermal analysis of ultrathin, compliant sensors for characterization of the human skin. 2014 , 4, 5694	10
1880	Biaxially stretchable, integrated array of high performance microsupercapacitors. 2014 , 8, 11639-50	114
1879	Extremely Soft: Design with Rheologically Complex Fluids. 2014 , 1, 12-20	33
1878	Wearable textile biofuel cells for powering electronics. 2014 , 2, 18184-18189	119
1877	Distributed Detection of Cancer Cells in High-Throughput Cellular Spike Streams. 2014 ,	1
1876	Flexibility characteristics of a polyethylene terephthalate chemiresistor coated with a nanoparticle thin film assembly. 2014 , 2, 1893	26
1875	Increased elasticity of a low-bandgap conjugated copolymer by random segmentation for mechanically robust solar cells. 2014 , 4, 13635-13643	67
1874	10 nm scale nanopatterning on flexible substrates by a secondary sputtering phenomenon and their applications in high performance, flexible and transparent conducting films. 2014 , 2, 3527	4
1873	Bionic skins using flexible organic devices. 2014 ,	4
1872	Wearable multi-channel microelectrode membranes for elucidating electrophysiological phenotypes of injured myocardium. 2014 , 6, 789-95	28
1871	Stretchable energy-harvesting tactile electronic skin capable of differentiating multiple mechanical stimuli modes. 2014 , 26, 7324-32	392
1870	Temperature driven assembly of like-charged nanoparticles at non-planar liquid-liquid or gel-air interfaces. 2014 , 6, 4475-9	2
1869	Fully printed, highly sensitive multifunctional artificial electronic whisker arrays integrated with strain and temperature sensors. 2014 , 8, 3921-7	238
1868	Slip zone model for interfacial failures of stiff film/soft substrate composite system in flexible electronics. 2014 , 79, 35-44	29
1867	Separation of the piezotronic and piezoresistive effects in a zinc oxide nanowire. 2014 , 25, 345702	26
1866	Stretchable energy storage and conversion devices. 2014 , 10, 3443-60	111
1865	Diffuse white structural coloration from multilayer reflectors in a squid. 2014 , 26, 4352-6	30
1864	Flexible nano-hybrid inverter based on inkjet-printed organic and 2D multilayer MoS ₂ thin film transistor. 2014 , 15, 3038-3042	11

1863	An epidermal alkaline rechargeable Ag/Zn printable tattoo battery for wearable electronics. 2014 , 2, 15788-15795	112
1862	"Green" electronics: biodegradable and biocompatible materials and devices for sustainable future. 2014 , 43, 588-610	625
1861	Patient-specific flexible and stretchable devices for cardiac diagnostics and therapy. 2014 , 115, 244-51	42
1860	Bio-integrated electronics. 2014 ,	
1859	Woven structured triboelectric nanogenerator for wearable devices. 2014 , 6, 14695-701	255
1858	Paper memory by all printing technology. 2014 ,	2
1857	Epitaxial patterning of thin-films: conventional lithographies and beyond. 2014 , 24, 093001	12
1856	All-printed paper memory. 2014 , 8, 7613-9	115
1855	Highly stretchable and transparent ionogels as nonvolatile conductors for dielectric elastomer transducers. 2014 , 6, 7840-5	192
1854	Flexible photoanodes of TiO ₂ particles and metallic single-walled carbon nanotubes for flexible dye-sensitized solar cells. 2014 , 79, 337-345	8
1853	A flexible bimodal sensor array for simultaneous sensing of pressure and temperature. 2014 , 26, 796-804	312
1852	Self-powered, ultrasensitive, flexible tactile sensors based on contact electrification. 2014 , 14, 3208-13	352
1851	Selective and localized laser annealing effect for high-performance flexible multilayer MoS ₂ thin-film transistors. 2014 , 7, 1137-1145	55
1850	Microfluidic serpentine antennas with designed mechanical tunability. 2014 , 14, 4205-12	67
1849	Highly stretchable carbon nanotube transistors with ion gel gate dielectrics. 2014 , 14, 682-6	133
1848	Hydrogen-bonded organic semiconductor micro- and nanocrystals: from colloidal syntheses to (opto-)electronic devices. 2014 , 136, 16522-32	61
1847	A Rapid and Facile Soft Contact Lamination Method: Evaluation of Polymer Semiconductors for Stretchable Transistors. 2014 , 26, 4544-4551	82
1846	Ultra-high capacitance hematite thin films with controlled nanoscopic morphologies. 2014 , 6, 10643-9	20

1845	Polymer-waveguide-based flexible tactile sensor array for dynamic response. 2014 , 26, 4474-80	99
1844	The renaissance of continuum mechanics. 2014 , 15, 231-240	10
1843	Stretchable, wireless sensors and functional substrates for epidermal characterization of sweat. 2014 , 10, 3083-90	208
1842	Highly conductive stretchable and biocompatible electrode-hydrogel hybrids for advanced tissue engineering. 2014 , 3, 1919-27	120
1841	Mechanically gated electrical switches by creasing of patterned metal/elastomer bilayer films. 2014 , 26, 4381-5	40
1840	Tethered Pyro-Electrohydrodynamic Spinning for Patterning Well-Ordered Structures at Micro- and Nanoscale. 2014 , 26, 3357-3360	41
1839	Body Effects on Thin Single-Layer Slot, Self-Complementary, and Wire Antennas. 2014 , 62, 385-392	17
1838	Transparent paper-based triboelectric nanogenerator as a page mark and anti-theft sensor. 2014 , 7, 1215-1223	71
1837	Biomechanical and functional variation in rat sciatic nerve following cuff electrode implantation. 2014 , 11, 73	22
1836	Fully-printed high-performance organic thin-film transistors and circuitry on one-micron-thick polymer films. 2014 , 5, 4147	292
1835	A flexible and transparent ceramic nanobelt network for soft electronics. 2014 , 6, e86-e86	41
1834	Transfer printing methods for flexible thin film solar cells: basic concepts and working principles. 2014 , 8, 8746-56	71
1833	Experimental and Theoretical Studies of Serpentine Microstructures Bonded To Prestrained Elastomers for Stretchable Electronics. 2014 , 24, 2028-2037	220
1832	Stretchability and compliance of freestanding serpentine-shaped ribbons. 2014 , 51, 4026-4037	108
1831	Epidermal photonic devices for quantitative imaging of temperature and thermal transport characteristics of the skin. 2014 , 5, 4938	185
1830	Integrated flexible chalcogenide glass photonic devices. 2014 , 8, 643-649	216
1829	Surface Ripples of Polymeric Nanofibers under Tension: The Crucial Role of Poisson's Ratio. 2014 , 47, 6503-6514	20
1828	Stretchable RFID for Wireless Strain Sensing With Silver Nano Ink. 2014 , 14, 4395-4401	54

1827	Manufacturable conducting rubber ambers and stretchable conductors from copper nanowire aerogel monoliths. 2014 , 8, 5707-14	199
1826	Stretchable organic memory: toward learnable and digitized stretchable electronic applications. 2014 , 6, e87-e87	69
1825	Negative differential conductance materials for flexible electronics. 2014 , 131, n/a-n/a	4
1824	High-performance and tailorable pressure sensor based on ultrathin conductive polymer film. 2014 , 10, 1466-72	157
1823	Mobile Health: Design of Flexible and Stretchable Electrophysiological Sensors for Wearable Healthcare Systems. 2014 ,	14
1822	Microstructured graphene arrays for highly sensitive flexible tactile sensors. 2014 , 10, 3625-31	426
1821	Built to disappear. 2014 , 8, 5380-2	25
1820	Materials and structures for stretchable energy storage and conversion devices. 2014 , 26, 3592-617	318
1819	Stretchable electrochemical impedance sensors for intravascular detection of lipid-rich lesions in New Zealand White rabbits. 2014 , 54, 610-6	18
1818	Design of conductive composite elastomers for stretchable electronics. 2014 , 9, 244-260	194
1817	Stretchable optoelectronic circuits embedded in a polymer network. 2014 , 26, 1706-10	30
1816	Microneedle-based transdermal sensor for on-chip potentiometric determination of K(+). 2014 , 3, 876-81	91
1815	Embedded 3D printing of strain sensors within highly stretchable elastomers. 2014 , 26, 6307-12	1051
1814	Buckling of a stiff thin film on a pre-strained bi-layer substrate. 2014 , 51, 3113-3118	45
1813	Virtual Environment Usage Protocols. 2014 , 827-840	
1812	A flexible skin piloerection monitoring sensor. 2014 ,	
1811	Work of adhesion/separation between soft elastomers of different mixing ratios. 2015 , 30, 2702-2712	34
1810	Fabrication of flexible pressure sensors with microstructured polydimethylsiloxane dielectrics using the breath figures method. 2015 , 30, 3584-3594	31

1809	Ultraflexible organic electronics. 2015 , 40, 1130-1137	14
1808	Graphene/organic Hybrids with Cobalt Oxide Polymorphs for Electrochemical Energy Systems and Electrocatalysis: Synthesis, Processing and Properties. 2015 , 44, 4492-4509	15
1807	Ionic cable. 2015 , 3, 59-65	148
1806	Systems Neuroengineering: Understanding and Interacting with the Brain. 2015 , 1, 292-308	19
1805	Materials and design considerations for fast flexible and stretchable electronics. 2015 ,	2
1804	Millimeter Thin and Rubber-Like Solid-State Lighting Modules Fabricated Using Roll-to-Roll Fluidic Self-Assembly and Lamination. 2015 , 27, 3661-8	24
1803	Ambulatory Assessment: Methods for Studying Everyday Life. 2015 , 1-15	20
1802	Ubiquitous Graphene Electronics on Scotch Tape. 2015 , 5, 12575	10
1801	Recent Progress in Electronic Skin. 2015 , 2, 1500169	586
1800	Locomotor Profiling from Rodents to the Clinic and Back Again. 2016 , 28, 287-303	20
1799	Synthesis of Large Area Graphene for High Performance in Flexible Optoelectronic Devices. 2015 , 5, 16744	88
1798	Columnar grown copper films on polyimides strained beyond 100. 2015 , 5, 13791	8
1797	Flexible complementary metal oxide semiconductor microelectrode arrays with applications in single cell characterization. 2015 , 107, 203103	5
1796	High Fidelity Tape Transfer Printing Based On Chemically Induced Adhesive Strength Modulation. 2015 , 5, 16133	26
1795	Conformal 3D Printing of Sensors. 2015 ,	
1794	Fabrication and Characterization of a Conformal Skin-like Electronic System for Quantitative, Cutaneous Wound Management. 2015 ,	4
1793	Multi-field modulation of exchange biased FeGa/IrMn bilayers grown on flexible polyvinylidene fluoride (PVDF) membranes. 2015 ,	
1792	Thermo-mechanical constitutive equations for glass and its numerical formulation for warpage analysis of silicon-glass multilayered structure. 2015 , 75, 204-225	1

1791	A flexible, stretchable and shape-adaptive approach for versatile energy conversion and self-powered biomedical monitoring. 2015 , 27, 3817-24	199
1790	Transfer Printing of Metallic Microstructures on Adhesion-Promoting Hydrogel Substrates. 2015 , 27, 3398-404	38
1789	Design Considerations for Unconventional Electrochemical Energy Storage Architectures. 2015 , 5, 1402115	224
1788	Fully Printed Foldable Integrated Logic Gates with Tunable Performance Using Semiconducting Carbon Nanotubes. 2015 , 25, 5698-5705	43
1787	Metal/Polymer Based Stretchable Antenna for Constant Frequency Far-Field Communication in Wearable Electronics. 2015 , 25, 6565-6575	105
1786	High-performance, mechanically flexible, and vertically integrated 3D carbon nanotube and InGaZnO complementary circuits with a temperature sensor. 2015 , 27, 4674-80	73
1785	"Cut-and-Paste" Manufacture of Multiparametric Epidermal Sensor Systems. 2015 , 27, 6423-30	201
1784	Aqueous Manganese Dioxide Ink for Paper-Based Capacitive Energy Storage Devices. 2015 , 127, 6904-6907	5
1783	Highly Sensitive and Multimodal All-Carbon Skin Sensors Capable of Simultaneously Detecting Tactile and Biological Stimuli. 2015 , 27, 4178-85	293
1782	Flexible and Stretchable Gold Microstructures on Extra Soft Poly(dimethylsiloxane) Substrates. 2015 , 27, 6664-9	23
1781	Handwritten, Soft Circuit Boards and Antennas Using Liquid Metal Nanoparticles. 2015 , 11, 6397-403	160
1780	A High-Capacitance Salt-Free Dielectric for Self-Healable, Printable, and Flexible Organic Field Effect Transistors and Chemical Sensor. 2015 , 25, 3745-3755	99
1779	Heterogeneously Integrated Optoelectronic Devices Enabled by Micro-Transfer Printing. 2015 , 3, 1313-1335	88
1778	Nanoparticle-Structured Highly Sensitive and Anisotropic Gauge Sensors. 2015 , 11, 4509-16	35
1777	Highly stretchable and transparent metal nanowire heater for wearable electronics applications. 2015 , 27, 4744-51	541
1776	Highly Stable LiquidSolid Metal Contact Toward Multilayered Detachable Flexible Devices. 2015 , 1, 1500080	13
1775	Tunnelling conductive hybrid films of gold nanoparticles and cellulose and their applications as electrochemical electrodes. 2015 , 26, 465708	6
1774	Aligned carbon nanotube-based flexible gel substrates for engineering bio-hybrid tissue actuators. 2015 , 25, 4486-4495	116

1773	Miniaturized Flexible Electronic Systems with Wireless Power and Near-Field Communication Capabilities. 2015 , 25, 4761-4767	114
1772	Soft Graphene Nanofibers Designed for the Acceleration of Nerve Growth and Development. 2015 , 27, 6462-8	81
1771	Sensitive Flexible Magnetic Sensors using Organic Transistors with Magnetic-Functionalized Suspended Gate Electrodes. 2015 , 27, 7979-85	44
1770	Development of flexible ZnO thin film surface acoustic wave strain sensors on ultrathin glass substrates. 2015 , 25, 115005	15
1769	Buckled Tin Oxide Nanobelt Webs as Highly Stretchable and Transparent Photosensors. 2015 , 11, 5712-8	34
1768	Highly Stretchable and Sensitive Strain Sensors Using Fragmentized Graphene Foam. 2015 , 25, 4228-4236	442
1767	Soft Core/Shell Packages for Stretchable Electronics. 2015 , 25, 3698-3704	98
1766	Oxide nanomembrane hybrids with enhanced mechano- and thermo-sensitivity for semitransparent epidermal electronics. 2015 , 4, 992-7	43
1765	Thickness-Gradient Films for High Gauge Factor Stretchable Strain Sensors. 2015 , 27, 6230-7	230
1764	A Stretchable and Highly Sensitive Graphene-Based Fiber for Sensing Tensile Strain, Bending, and Torsion. 2015 , 27, 7365-71	522
1763	Conclusion: Personal electronics and distributed theranostics. 565-568	
1762	Emerging neural stimulation technologies for bladder dysfunctions. 2015 , 19, 3-11	17
1761	Towards the Realization of Graphene Based Flexible Radio Frequency Receiver. 2015 , 4, 933-946	8
1760	The inside story on wearable electronics. 2015 , 528, 26-8	64
1759	Electrical Reliability of a Film-Type Connection during Bending. 2015 , 4, 827-846	4
1758	Controllable Direct-Writing of Serpentine Micro/Nano Structures via Low Voltage Electrospinning. 2015 , 7, 1577-1586	19
1757	Scalable Microfabrication Procedures for Adhesive-Integrated Flexible and Stretchable Electronic Sensors. 2015 , 15, 23459-76	32
1756	Piezoresistive Tactile Sensor Discriminating Multidirectional Forces. 2015 , 15, 25463-73	37

1755	Power Approaches for Implantable Medical Devices. 2015 , 15, 28889-914	199
1754	Epidermal electronics [Flexible electronics for biomedical applications. 245-255	13
1753	Linking the cyber and biological worlds: the Ensemble is the Function. 550-564	
1752	16.4 Energy-autonomous fever alarm armband integrating fully flexible solar cells, piezoelectric speaker, temperature detector, and 12V organic complementary FET circuits. 2015 ,	7
1751	Stretchable Heater Using Ligand-Exchanged Silver Nanowire Nanocomposite for Wearable Articular Thermo-therapy. 2015 , 9, 6626-33	365
1750	Structural design of flexible Au electrode to enable shape memory polymer for electrical actuation. 2015 , 24, 045015	8
1749	Smart home [a challenge for architects and designers. 2015 , 58, 266-274	11
1748	Evaluation of pulsed laser annealing for flexible multilayer MoS ₂ transistors. 2015 , 106, 113111	18
1747	A highly sensitive pressure sensor using a double-layered graphene structure for tactile sensing. 2015 , 7, 11652-9	63
1746	A facile fabrication technique for stretchable interconnects and transducers via laser carbonization. 2015 ,	1
1745	Self-healing metal wire using an electric field trapping of gold nanoparticles for flexible devices. 2015 ,	0
1744	Tunneling piezoresistive tactile sensing array fabricated by a novel fabrication process with membrane filters. 2015 ,	4
1743	Flexible strain sensors based on electrostatically actuated graphene flakes. 2015 , 25, 075016	4
1742	Extremely Elastic Wearable Carbon Nanotube Fiber Strain Sensor for Monitoring of Human Motion. 2015 , 9, 5929-36	534
1741	Wearable and Flexible Sensor Sheets toward Periodic Health Monitoring. 2015 , 175-191	1
1740	Syringe-injectable electronics. 2015 , 10, 629-636	416
1739	Tattoo conductive polymer nanosheets for skin-contact applications. 2015 , 4, 983-90	65
1738	A self-charging power unit by integration of a textile triboelectric nanogenerator and a flexible lithium-ion battery for wearable electronics. 2015 , 27, 2472-8	530

1737	Highly Stretchy Black Gold E-Skin Nanopatches as Highly Sensitive Wearable Biomedical Sensors. 2015 , 1, 1400063	331
1736	Wearable Electronics Sensors. 2015 ,	22
1735	Stretchability of Silver Films on Thin Acid-Etched Rough Polydimethylsiloxane Substrates Fabricated by Electrospray Deposition. 2015 , 44, 2514-2521	2
1734	Mechanics of curvilinear electronics and optoelectronics. 2015 , 19, 171-189	33
1733	. 2015 , 103, 619-632	47
1732	Distributed Signal Processing for Wireless EEG Sensor Networks. 2015 , 23, 923-35	44
1731	Electronics for the human body. 2015 , 313, 561-2	62
1730	Design, fabrication and control of soft robots. 2015 , 521, 467-75	2586
1729	. 2015 ,	0
1728	Ultra-high-density EEG: How many bits of resolution do the electrodes need?. 2015 ,	5
1727	Bayesian LASSO in a distributed architecture. 2015 ,	
1726	Stretchable photo sensor using perylene/graphene composite on ridged polydimethylsiloxane substrate. 2015 , 23, 30583-91	15
1725	Nanotechnologies for biomedical science and translational medicine. 2015 , 112, 14436-43	66
1724	Nature as microelectronic fab: Bioelectronics: Materials, transistors and circuits. 2015 ,	2
1723	Highly Stretchable and Transparent Microfluidic Strain Sensors for Monitoring Human Body Motions. 2015 , 7, 27562-70	102
1722	An endoscope with integrated transparent bioelectronics and theranostic nanoparticles for colon cancer treatment. 2015 , 6, 10059	122
1721	Synthesis of graphene on ultra-smooth copper foils for large area flexible electronics. 2015 ,	1
1720	Deposition of Quantum Dots in a Capillary Tube. 2015 , 31, 12560-6	14

1719	A stretchable and wearable printed sensor for human body motion monitoring. 2015,		5
1718	Nature as microelectronic fab: Bioelectronics: Materials, transistors and circuits. 2015,		
1717	Inkjet printed ECG electrodes for long term biosignal monitoring in personalized and ubiquitous healthcare. 2015, 2015, 4013-6		10
1716	Conjugated polymer sorting of semiconducting carbon nanotubes and their electronic applications. 2015, 10, 737-758		90
1715	A self-healable and highly stretchable supercapacitor based on a dual crosslinked polyelectrolyte. 2015, 6, 10310		500
1714	Development of patch-type sensor module for battery-free power transfer and data transmission. 2015,		
1713	Imperceptible sensorics for medical monitoring. 2015,		1
1712	Synthesis of Fibrous Complex Structures: Designing Microstructure to Deliver Targeted Macroscale Response. 2015, 67,		89
1711	Bifurcation Diagrams for the Formation of Wrinkles or Creases in Soft Bilayers. 2015, 82,		45
1710	Dielectric characterization of biocompatible hydrogels for application to Epidermal RFID devices. 2015,		8
1709	. 2015, 24, 2062-2070		16
1708	. 2015, 24, 2170-2177		10
1707	Materials science. Assembly of micro/nanomaterials into complex, three-dimensional architectures by compressive buckling. <i>Science</i> , 2015, 347, 154-9	33.3	587
1706	Biomaterials. Electronic dura mater for long-term multimodal neural interfaces. <i>Science</i> , 2015, 347, 159-63.3	63.3	640
1705	Nanoscience and the nano-bioelectronics frontier. 2015, 8, 1-22		90
1704	Theoretical analysis of flexible strain-gauge sensor with nanofibrillar mechanical interlocking. 2015, 15, 274-278		5
1703	Proteoglycans in Normal and Healing Skin. 2015, 4, 152-173		52
1702	Flexible and stretchable micromagnet arrays for tunable biointerfacing. 2015, 27, 1083-9		19

1701	Versatile, kinetically controlled, high precision electrohydrodynamic writing of micro/nanofibers. 2014 , 4, 5949	59
1700	Indium Tin Oxide (ITO) serpentine ribbons on soft substrates stretched beyond 100%. 2015 , 2, 37-45	51
1699	Stretchable graphene thermistor with tunable thermal index. 2015 , 9, 2130-7	223
1698	Highly stretchable reduced graphene oxide (rGO)/single-walled carbon nanotubes (SWNTs) electrodes for energy storage devices. 2015 , 163, 149-160	33
1697	Mechanics of stretchable electronics. 2015 , 19, 160-170	73
1696	Stretchable Self-Powered Fiber-Based Strain Sensor. 2015 , 25, 1798-1803	130
1695	Enhanced Performance of Graphene/Epoxy Flexible Capacitors by Means of Ceramic Fillers. 2015 , 216, 707-713	8
1694	Self-similar design for stretchable wireless LC strain sensors. 2015 , 224, 36-42	59
1693	Multifunctional cell-culture platform for aligned cell sheet monitoring, transfer printing, and therapy. 2015 , 9, 2677-88	58
1692	Imperceptible magnetoelectronics. 2015 , 6, 6080	148
1691	Exfoliation at the liquid/air interface to assemble reduced graphene oxide ultrathin films for a flexible noncontact sensing device. 2015 , 27, 1370-5	119
1690	Enhanced tolerance to stretch-induced performance degradation of stretchable MnO ₂ -based supercapacitors. 2015 , 7, 2569-74	61
1689	High-resolution unpixelated smart patches with antiparallel thickness gradients of nanoparticles. 2015 , 27, 1779-84	60
1688	Advances in wearable chemical sensor design for monitoring biological fluids. 2015 , 211, 403-418	204
1687	Nanomaterial-enabled stretchable conductors: strategies, materials and devices. 2015 , 27, 1480-511	510
1686	A stretchable nanowire UV-Vis-NIR photodetector with high performance. 2015 , 27, 1712-7	104
1685	Mechanics of stretchable batteries and supercapacitors. 2015 , 19, 190-199	147
1684	Flexible graphene based microwave attenuators. 2015 , 26, 055201	9

1683	Ultra-sensitive graphene strain sensor for sound signal acquisition and recognition. 2015 , 8, 1627-1636	112
1682	Mechanics for stretchable sensors. 2015 , 19, 149-159	57
1681	Highly stable and imperceptible electronics utilizing photoactivated heterogeneous sol-gel metal-oxide dielectrics and semiconductors. 2015 , 27, 1182-8	117
1680	Highly skin-conformal microhairy sensor for pulse signal amplification. 2015 , 27, 634-40	486
1679	Material approaches to stretchable strain sensors. 2015 , 16, 1155-63	126
1678	Highly sensitive and multifunctional tactile sensor using free-standing ZnO/PVDF thin film with graphene electrodes for pressure and temperature monitoring. 2015 , 5, 7887	122
1677	Plasticization of PEDOT:PSS by Common Additives for Mechanically Robust Organic Solar Cells and Wearable Sensors. 2015 , 25, 427-436	234
1676	Tattoo-Based Wearable Electrochemical Devices: A Review. 2015 , 27, 562-572	222
1675	Sprayable elastic conductors based on block copolymer silver nanoparticle composites. 2015 , 9, 336-44	68
1674	A gum-like lithium-ion battery based on a novel arched structure. 2015 , 27, 1363-9	148
1673	Direct transfer of magnetic sensor devices to elastomeric supports for stretchable electronics. 2015 , 27, 1333-8	57
1672	Wearable silver nanowire dry electrodes for electrophysiological sensing. 2015 , 5, 11627-11632	145
1671	Resistive behaviour of silver nanoparticle films on ultra-low modulus polydimethylsiloxane with trench type roughness. 2015 , 48, 015303	1
1670	Continuous graphene and carbon nanotube based high flexible and transparent pressure sensor arrays. 2015 , 26, 115501	21
1669	Improvements of mechanical fatigue reliability of Cu interconnects on flexible substrates through MoTi alloy under-layer. 2015 , 11, 149-154	6
1668	Graphene-Based Hybrids with Manganese Oxide Polymorphs as Tailored Interfaces for Electrochemical Energy Storage: Synthesis, Processing, and Properties. 2015 , 44, 62-78	13
1667	Biomimicking Topographic Elastomeric Petals (E-Petals) for Omnidirectional Stretchable and Printable Electronics. 2015 , 2, 1400021	79
1666	Materials and fractal designs for 3D multifunctional integumentary membranes with capabilities in cardiac electrotherapy. 2015 , 27, 1731-7	117

1665	Flexible and Highly Sensitive Strain Sensors Fabricated by Pencil Drawn for Wearable Monitor. 2015 , 25, 2395-2401	359
1664	Multifunctional nano-accordion structures for stretchable transparent conductors. 2015 , 2, 486-494	26
1663	Biaxially stretchable supercapacitors based on the buckled hybrid fiber electrode array. 2015 , 7, 12492-7	44
1662	A flexible high-sensitivity piezoresistive sensor comprising a Au nanoribbon-coated polymer sponge. 2015 , 3, 9247-9252	44
1661	Microfluidic devices using flexible organic electronic materials. 2015 , 397-412	
1660	A highly sensitive, low-cost, wearable pressure sensor based on conductive hydrogel spheres. 2015 , 7, 14766-73	105
1659	Processing Issues and the Characterization of Soft Electrochemical 3D Sensor. 2015 , 183, 125-129	8
1658	Liquid metals as ultra-stretchable, soft, and shape reconfigurable conductors. 2015 ,	6
1657	Printable elastic conductors with a high conductivity for electronic textile applications. 2015 , 6, 7461	540
1656	Kirigami-based stretchable lithium-ion batteries. 2015 , 5, 10988	190
1655	Microfluidic Stretchable Radio-Frequency Devices. 2015 , 103, 1211-1225	23
1654	Performance of Epidermal RFID Dual-loop Tag and On-Skin Retuning. 2015 , 63, 3672-3680	40
1653	Liquid on Paper: Rapid Prototyping of Soft Functional Components for Paper Electronics. 2015 , 5, 11488	26
1652	Epidermal electronics: Skin health monitoring. 2015 , 14, 659-60	7
1651	Material witness: The complex costs of faking it. 2015 , 14, 660	2
1650	Breathable and Stretchable Temperature Sensors Inspired by Skin. 2015 , 5, 11505	175
1649	Improved performance of asymmetric fiber-based micro-supercapacitors using carbon nanoparticles for flexible energy storage. 2015 , 3, 15633-15641	31
1648	Performance improvement of organic field-effect transistor based nitrogen dioxide gas sensor using biocompatible PMMA/silk fibroin bilayer dielectric. 2015 , 26, 7948-7954	12

1647	Stretchable Loudspeaker using Liquid Metal Microchannel. 2015 , 5, 11695	59
1646	Copper Nanowires as Conductive Ink for Low-Cost Draw-On Electronics. 2015 , 7, 16760-6	83
1645	Synthesizing a Healable Stretchable Transparent Conductor. 2015 , 7, 14140-9	49
1644	Stretchable Inductor Design. 2015 , 62, 2270-2277	6
1643	Stretchable carbon nanotube charge-trap floating-gate memory and logic devices for wearable electronics. 2015 , 9, 5585-93	108
1642	Optics and Nonlinear Buckling Mechanics in Large-Area, Highly Stretchable Arrays of Plasmonic Nanostructures. 2015 , 9, 5968-75	73
1641	Electro-mechanical sensors based on conductive hybrid nanocomposites. 2015 , 26, 889-897	5
1640	Soft materials in neuroengineering for hard problems in neuroscience. 2015 , 86, 175-86	195
1639	Capacitive soft strain sensors via multicore-shell fiber printing. 2015 , 27, 2440-6	300
1638	A Multidisciplined Teaching Reform of Biomaterials Course for Undergraduate Students. 2015 , 24, 735-746	1
1637	Highly transparent and stretchable field-effect transistor sensors using graphene-nanowire hybrid nanostructures. 2015 , 27, 3292-7	140
1636	Aqueous manganese dioxide ink for paper-based capacitive energy storage devices. 2015 , 54, 6800-3	61
1635	From Wearable Sensors to Smart Implants--Toward Pervasive and Personalized Healthcare. 2015 , 62, 2750-62	206
1634	Stretchable, Transparent, Ultrasensitive, and Patchable Strain Sensor for Human-Machine Interfaces Comprising a Nanohybrid of Carbon Nanotubes and Conductive Elastomers. 2015 , 9, 6252-61	662
1633	Roll to roll processing of ultraconformable conducting polymer nanosheets. 2015 , 3, 6539-6548	57
1632	Mechanical Designs for Inorganic Stretchable Circuits in Soft Electronics. 2015 , 5, 1201-1218	46
1631	Magnetic elastomers for stretchable inductors. 2015 , 7, 10080-4	30
1630	Wearable red-green-blue quantum dot light-emitting diode array using high-resolution intaglio transfer printing. 2015 , 6, 7149	397

1629	Highly selective flexible tactile strain and temperature sensors against substrate bending for an artificial skin. 2015 , 5, 30170-30174	88
1628	Metal-Organic Framework Nanofilm for Mechanically Flexible Information Storage Applications. 2015 , 25, 2677-2685	106
1627	Printable flexible tactile pressure and temperature sensors with high selectivity against bending. 2015 ,	1
1626	Soft, curved electrode systems capable of integration on the auricle as a persistent brain-computer interface. 2015 , 112, 3920-5	238
1625	Flexible suspended gate organic thin-film transistors for ultra-sensitive pressure detection. 2015 , 6, 6269	400
1624	Customization of Protein Single Nanowires for Optical Biosensing. 2015 , 11, 2869-76	23
1623	Light Weight and Flexible High-Performance Diagnostic Platform. 2015 , 4, 1517-25	50
1622	Flexible and printable sensors. 2015 , 10, 165-180	12
1621	Using electrofluidic devices as hyper-elastic strain sensors: Experimental and theoretical analysis. 2015 , 144, 27-31	18
1620	Recent Progress on Printed Flexible Batteries: Mechanical Challenges, Printing Technologies, and Future Prospects. 2015 , 3, 305-328	125
1619	Triboelectric sensor as self-powered signal reader for scanning probe surface topography imaging. 2015 , 26, 165501	10
1618	Toward organic electronics with properties inspired by biological tissue. 2015 , 3, 4947-4952	35
1617	Engineering as a new frontier for translational medicine. 2015 , 7, 281fs13	13
1616	A hyper-stretchable elastic-composite energy harvester. 2015 , 27, 2866-75	281
1615	Bioinspired Interlocked and Hierarchical Design of ZnO Nanowire Arrays for Static and Dynamic Pressure-Sensitive Electronic Skins. 2015 , 25, 2841-2849	244
1614	All-printed stretchable electrochemical devices. 2015 , 27, 3060-5	150
1613	Biodegradable elastomers and silicon nanomembranes/nanoribbons for stretchable, transient electronics, and biosensors. 2015 , 15, 2801-8	226
1612	Disposable Heater Arrays Using Printed Silver Patterns on Polyethylene Terephthalate for Multipurpose Applications. 2015 , 3, 359-365	7

1611	Flexible and self-powered temperature-pressure dual-parameter sensors using microstructure-frame-supported organic thermoelectric materials. 2015 , 6, 8356	330
1610	Fixing graphene-Mn ₃ O ₄ nanosheets on carbon cloth by a poles repel-assisted method to prepare flexible binder-free electrodes for supercapacitors. 2015 , 180, 983-989	35
1609	Micro/nanoscale continuous printing: direct-writing of wavy micro/nano structures via electrospinning. 2015 , 87, 012018	2
1608	Stretchable Array of Highly Sensitive Pressure Sensors Consisting of Polyaniline Nanofibers and Au-Coated Polydimethylsiloxane Micropillars. 2015 , 9, 9974-85	272
1607	Fingertip skin-inspired microstructured ferroelectric skins discriminate static/dynamic pressure and temperature stimuli. 2015 , 1, e1500661	485
1606	Long term biopotential recording by body conformable photolithography fabricated low cost polymeric microneedle arrays. 2015 , 236, 164-172	23
1605	Epidermal devices for noninvasive, precise, and continuous mapping of macrovascular and microvascular blood flow. 2015 , 1, e1500701	145
1604	Self-healing metal wire using electric field trapping of metal nanoparticles. 2015 , 54, 06FP03	13
1603	Elastic instabilities induced large surface strain sensing structures (EILS). 2015 ,	
1602	Printable Ultrathin Metal Oxide Semiconductor-Based Conformal Biosensors. 2015 , 9, 12174-81	105
1601	Conductive Polymer Fibers for Sensor Devices. 2015 , 63-78	1
1600	RFID epidermal sensor including hydrogel membranes for wound monitoring and healing. 2015 ,	19
1599	Stretchable, transparent and molecular permeable honeycomb electrodes and their hydrogel hybrids prepared by the breath figure method and sputtering of metals. 2015 , 5, 88414-88418	13
1598	Stretch-Triggered Drug Delivery from Wearable Elastomer Films Containing Therapeutic Depots. 2015 , 9, 9407-15	157
1597	A Conductive Self-Healing Hybrid Gel Enabled by Metal-Ligand Supramolecule and Nanostructured Conductive Polymer. 2015 , 15, 6276-81	294
1596	iSkin. 2015 ,	183
1595	High-performance giant magnetoresistive sensorics on flexible Si membranes. 2015 , 106, 153501	33
1594	Microporous polyvinylidene fluoride film with dense surface enables efficient piezoelectric conversion. 2015 , 106, 193901	25

1593	Electrical and Mechanical Strategies to Enable Cardiac Repair and Regeneration. 2015 , 8, 114-24		13
1592	Lateral buckling and mechanical stretchability of fractal interconnects partially bonded onto an elastomeric substrate. 2015 , 106, 091902		37
1591	On the bending characterization of flexible radio-frequency single-crystalline germanium diodes on a plastic substrate. 2015 , 106, 043504		8
1590	Bending behavior of a flexible single crystal nanomembrane photonic crystal cavity. 2015 ,		
1589	Printed Organic Thin-Film Transistors. 2015 , 139-154		3
1588	A skin-inspired organic digital mechanoreceptor. <i>Science</i> , 2015 , 350, 313-6	33.3	576
1587	BIOENGINEERING. Restoring the sense of touch. <i>Science</i> , 2015 , 350, 274-5	33.3	11
1586	. 2015 , 24, 1016-1028		13
1585	. 2015 , 5, 1237-1243		13
1584	Flexible high power-per-weight perovskite solar cells with chromium oxide-metal contacts for improved stability in air. 2015 , 14, 1032-9		652
1583	A wireless ECG recording system for small animal models of heart regeneration. 2015 ,		
1582	A chameleon-inspired stretchable electronic skin with interactive colour changing controlled by tactile sensing. 2015 , 6, 8011		567
1581	Transparent Stretchable Self-Powered Patchable Sensor Platform with Ultrasensitive Recognition of Human Activities. 2015 , 9, 8801-10		369
1580	Flexible nonvolatile memory transistors using indium gallium zinc oxide-channel and ferroelectric polymer poly(vinylidene fluoride-co-trifluoroethylene) fabricated on elastomer substrate. 2015 , 33, 051201		15
1579	Flexible Graphene Field-Effect Transistors Encapsulated in Hexagonal Boron Nitride. 2015 , 9, 8953-9		87
1578	Wearable and Implantable Mechanical Energy Harvesters for Self-Powered Biomedical Systems. 2015 , 9, 7742-5		104
1577	Tattoo-like Polyaniline Microparticle-Doped Gold Nanowire Patches as Highly Durable Wearable Sensors. 2015 , 7, 19700-8		224
1576	Thermal stability of organic transistors with short channel length on ultrathin foils. 2015 , 26, 279-284		6

1575	Adjusting the Layer Charges of Host Phyllosilicates To Prevent Luminescence Quenching of Fluorescence Dyes. 2015 , 119, 22625-22631	13
1574	A microfluidic wireless power system. 2015 , 5, 78695-78700	13
1573	Microcrystalline silicon: Strain gauge and sensor arrays on flexible substrate for the measurement of high deformations. 2015 , 236, 273-280	16
1572	Stimuli-responsive protein-based micro/nano-waveguides. 2015 , 5, 77847-77850	9
1571	Super-stretchable metallic interconnects on polymer with a linear strain of up to 100%. 2015 , 107, 081906	15
1570	Design and fabrication of a flexible MEMS-based electromechanical sensor array for breast cancer diagnosis. 2015 , 25,	28
1569	Highly stretchable carbon nanotube transistors enabled by buckled ion gel gate dielectrics. 2015 , 107, 053301	25
1568	Three-Dimensional NiCo ₂ O ₄ @Polypyrrole Coaxial Nanowire Arrays on Carbon Textiles for High-Performance Flexible Asymmetric Solid-State Supercapacitor. 2015 , 7, 21334-46	250
1567	Dynamic Electrochemical Properties of Extremely Stretchable Electrochemical Capacitor Using Reduced Graphene Oxide/Single-Wall Carbon Nanotubes Composite. 2015 , 162, A2351-A2355	4
1566	Organic Electronics Materials and Devices. 2015 ,	30
1565	Nano-origami: Art and function. 2015 , 10, 538-541	20
1564	Intrinsic Hydrophobic Cairnlike Multilayer Films for Antibacterial Effect with Enhanced Durability. 2015 , 7, 26117-23	26
1563	Ultraflexible, large-area, physiological temperature sensors for multipoint measurements. 2015 , 112, 14533-8	247
1562	Soft, stretchable, fully implantable miniaturized optoelectronic systems for wireless optogenetics. 2015 , 33, 1280-1286	510
1561	Self-powered flexible inorganic electronic system. 2015 , 14, 111-125	94
1560	Toward flexible and wearable human-interactive health-monitoring devices. 2015 , 4, 487-500	229
1559	Wearable Triboelectric Generator for Powering the Portable Electronic Devices. 2015 , 7, 18225-30	107
1558	Development and progress in piezotronics. 2015 , 14, 276-295	70

1557	Wearable magnetic field sensors for flexible electronics. 2015 , 27, 1274-80	162
1556	Ultrastretchable and flexible copper interconnect-based smart patch for adaptive thermotherapy. 2015 , 4, 665-73	58
1555	Wearable Organic Optoelectronic Sensors for Medicine. 2015 , 27, 7638-44	138
1554	Printable Displays and Light Sources for Sensor Applications: A Review. 2015 , 15, 3186-3195	14
1553	Mimosa-inspired design of a flexible pressure sensor with touch sensitivity. 2015 , 11, 1886-91	240
1552	Self-adhesive epidermal carbon nanotube electronics for tether-free long-term continuous recording of biosignals. 2014 , 4, 6074	96
1551	Sweet substrate: a polysaccharide nanocomposite for conformal electronic decals. 2015 , 27, 1600-6	33
1550	Transparent and Stretchable Interactive Human Machine Interface Based on Patterned Graphene Heterostructures. 2015 , 25, 375-383	389
1549	Stretchable and flexible resistive behavior of poly(3,4-ethylenedioxythiophene):Poly(styrenesulfonate) thin film on ultra-low modulus polydimethylsiloxane with trench-type roughness. 2015 , 53, 226-233	4
1548	Flexible transparent conductors based on metal nanowire networks. 2015 , 18, 143-154	174
1547	Flexible nonvolatile organic ferroelectric memory transistors fabricated on polydimethylsiloxane elastomer. 2015 , 16, 46-53	37
1546	Fabrication of flexible micro-supercapacitor array with patterned graphene foam/MWNT-COOH/MnO electrodes and its application. 2015 , 81, 29-37	63
1545	Epidermal electronics with advanced capabilities in near-field communication. 2015 , 11, 906-12	191
1544	An imperceptible plastic electronic wrap. 2015 , 27, 34-40	131
1543	Advances of flexible pressure sensors toward artificial intelligence and health care applications. 2015 , 2, 140-156	765
1542	Stretchable and high-performance supercapacitors with crumpled graphene papers. 2014 , 4, 6492	189
1541	Elasticity of fractal inspired interconnects. 2015 , 11, 367-73	71
1540	Resistless nanofabrication by stencil lithography: A review. 2015 , 132, 236-254	62

1539	Cellulose nanofiber paper as an ultra flexible nonvolatile memory. 2014 , 4, 5532	99
1538	Recent Advances in Wearable Sensors for Health Monitoring. 2015 , 15, 3119-3126	193
1537	A High Areal Capacity Flexible Lithium-Ion Battery with a Strain-Compliant Design. 2015 , 5, 1401389	142
1536	Process, Design and Materials for Unidirectionally Tilted Polymeric Micro/Nanohairs and Their Adhesion Characteristics. 2016 , 8,	4
1535	Mechanical Circulatory Support: Heart Failure Therapy In Motion 2016 , 11, 305-314	
1534	Surface Tension Directed Fluidic Self-Assembly of Semiconductor Chips across Length Scales and Material Boundaries. 2016 , 7,	17
1533	One-Dimensional Thermal Analysis of the Flexible Electronic Devices Integrated with Human Skin. 2016 , 7,	17
1532	Recent Advancements in Liquid Metal Flexible Printed Electronics: Properties, Technologies, and Applications. 2016 , 7,	97
1531	Sustainable Wearables: Wearable Technology for Enhancing the Quality of Human Life. 2016 , 8, 466	85
1530	Flexible and Stretchable Microneedle Patches with Integrated Rigid Stainless Steel Microneedles for Transdermal Biointerfacing. 2016 , 11, e0166330	36
1529	Parametric optimization of metal conductors in flexible electronics design. 2016 , 42, 89-94	1
1528	Mechanically robust 39 GHz cut-off frequency graphene field effect transistors on flexible substrates. 2016 , 8, 14097-103	33
1527	Tear Based Bioelectronics. 2016 , 28, 1250-1266	86
1526	Smart Clothing: Connecting Human with Clouds and Big Data for Sustainable Health Monitoring. 2016 , 21, 825-845	245
1525	Guided Formation of 3D Helical Mesostructures by Mechanical Buckling: Analytical Modeling and Experimental Validation. 2016 , 26, 2909-2918	57
1524	Reinventing Butyl Rubber for Stretchable Electronics. 2016 , 26, 5222-5229	20
1523	Stretchable Silver Nanowire Microelectrodes for Combined Mechanical and Electrical Stimulation of Cells. 2016 , 5, 2045-54	7
1522	CMOS-Technology-Enabled Flexible and Stretchable Electronics for Internet of Everything Applications. 2016 , 28, 4219-49	134

1521	Flexible Nanogenerators for Energy Harvesting and Self-Powered Electronics. 2016 , 28, 4283-305	1065
1520	Highly Stretchable Supercapacitors Based on Aligned Carbon Nanotube/Molybdenum Disulfide Composites. 2016 , 55, 9191-5	124
1519	Carbon Nanotubes and Graphene for Flexible Electrochemical Energy Storage: from Materials to Devices. 2016 , 28, 4306-37	481
1518	49-3L: Late-News Paper: Flexible and Stretchable Hybrid Electronics Systems for Wearable Applications. 2016 , 47, 668-671	2
1517	Highly Integrated Supercapacitor-Sensor Systems via Material and Geometry Design. 2016 , 12, 3393-9	71
1516	Self-healing stretchable wiring using conductive magnetic powder. 2016 ,	
1515	Sensor Devices Inspired by the Five Senses: A Review. 2016 , 28, 1201-1241	20
1514	Extraordinarily Sensitive and Low-Voltage Operational Cloth-Based Electronic Skin for Wearable Sensing and Multifunctional Integration Uses: A Tactile-Induced Insulating-to-Conducting Transition. 2016 , 26, 1286-1295	109
1513	Photolithographic Micropatterning of Conducting Polymers on Flexible Silk Matrices. 2016 , 28, 1406-12	71
1512	Nanoparticle Based Curve Arrays for Multirecognition Flexible Electronics. 2016 , 28, 1369-74	129
1511	High-Mobility Transistors Based on Large-Area and Highly Crystalline CVD-Grown MoSe ₂ Films on Insulating Substrates. 2016 , 28, 2316-21	87
1510	Stretchable, High-k Dielectric Elastomers through Liquid-Metal Inclusions. 2016 , 28, 3726-31	225
1509	Flexible and Stretchable Strain Sensing Actuator for Wearable Soft Robotic Applications. 2016 , 1, 1600018	133
1508	Stretchable and Waterproof Self-Charging Power System for Harvesting Energy from Diverse Deformation and Powering Wearable Electronics. 2016 , 10, 6519-25	160
1507	Stretchable Twisted-Pair Transmission Lines for Microwave Frequency Wearable Electronics. 2016 , 26, 4635-4642	32
1506	Highly Stretchable Supercapacitors Based on Aligned Carbon Nanotube/Molybdenum Disulfide Composites. 2016 , 128, 9337-9341	10
1505	Fabrication of PDMS-based triboelectric nanogenerator for self-sustained power source application. 2016 , 40, 288-297	31
1504	Impact of bending on flexible metal oxide TFTs and oscillator circuits. 2016 , 24, 371-380	9

1503	Silk Fibroin for Flexible Electronic Devices. 2016 , 28, 4250-65	340
1502	Highly Flexible Wrinkled Carbon Nanotube Thin Film Strain Sensor to Monitor Human Movement. 2016 , 1, 1600053	118
1501	Buckled Au@PVP Nanofiber Networks for Highly Transparent and Stretchable Conductors. 2016 , 2, 1500302	36
1500	Fabricating Low-Cost Ionic-Organic Electronic Ratchets with Graphite Pencil and Adhesive Tape. 2016 , 2, 1500344	14
1499	A Wearable Electrochemical Platform for Noninvasive Simultaneous Monitoring of Ca(2+) and pH. 2016 , 10, 7216-24	324
1498	Inkjet-Printed Flexible Gold Electrode Arrays for Bioelectronic Interfaces. 2016 , 26, 1004-1013	100
1497	An Universal and Easy-to-Use Model for the Pressure of Arbitrary-Shape 3D Multifunctional Integumentary Cardiac Membranes. 2016 , 5, 889-92	8
1496	Mechanically Durable and Highly Stretchable Transistors Employing Carbon Nanotube Semiconductor and Electrodes. 2016 , 28, 4441-8	191
1495	An Epidermal Stimulation and Sensing Platform for Sensorimotor Prosthetic Control, Management of Lower Back Exertion, and Electrical Muscle Activation. 2016 , 28, 4462-71	173
1494	A Strain-Insensitive Stretchable Electronic Conductor: PEDOT:PSS/Acrylamide Organogels. 2016 , 28, 1636-43	176
1493	Flexible and Stretchable Optoelectronic Devices using Silver Nanowires and Graphene. 2016 , 28, 4541-8	106
1492	A Bioactive Carbon Nanotube-Based Ink for Printing 2D and 3D Flexible Electronics. 2016 , 28, 3280-9	156
1491	Stretchable E-Skin Apexcardiogram Sensor. 2016 , 28, 6359-64	142
1490	Heteroepitaxial Growth of GaN on Unconventional Templates and Layer-Transfer Techniques for Large-Area, Flexible/Stretchable Light-Emitting Diodes. 2016 , 4, 505-521	20
1489	Soft capacitive tactile sensing arrays fabricated via direct filament casting. 2016 , 25, 075009	33
1488	Mutual capacitance of liquid conductors in deformable tactile sensing arrays. 2016 , 108, 013502	34
1487	The Future of Health Economics. 2016 ,	1
1486	Direct Laser Writing-Based Programmable Transfer Printing via Bioinspired Shape Memory Reversible Adhesive. 2016 , 8, 35628-35633	71

1485	Piezopotential-Programmed Multilevel Nonvolatile Memory As Triggered by Mechanical Stimuli. 2016 , 10, 11037-11043	26
1484	Assemblies of Microfluidic Channels and Micropillars Facilitate Sensitive and Compliant Tactile Sensing. 2016 , 16, 8908-8915	16
1483	Flexible Light-Emitting Nanocomposite Based on ZnO Nanotetrapods. 2016 , 16, 7389-7393	18
1482	Stretchable multichannel antennas in soft wireless optoelectronic implants for optogenetics. 2016 , 113, E8169-E8177	84
1481	Synthesis of silver nanowires for highly conductive and transparent films. 2016 , 6, 184798041666367	1
1480	Spontaneously restored electrical conductivity of bioactive gel comprising mussel adhesive protein-coated carbon nanotubes. 2016 , 6, 87044-87048	6
1479	Transport in organic single-crystal microbelt for conformal electronics. 2016 , 108, 103502	6
1478	Multilayer Patterning of High Resolution Intrinsically Stretchable Electronics. 2016 , 6, 25641	27
1477	Third-Order Polynomials Model for Analyzing Multilayer Hard/Soft Materials in Flexible Electronics. 2016 , 83,	16
1476	Exercit@rt mobile: Monitoring of pulmonar rehabilitation in COPD. 2016 ,	4
1475	Mechanics of Fractal-Inspired Horseshoe Microstructures for Applications in Stretchable Electronics. 2016 , 83,	90
1474	ChromoSkin. 2016 ,	24
1473	Ultra-thin flexible GaAs photovoltaics in vertical forms printed on metal surfaces without interlayer adhesives. 2016 , 108, 253101	31
1472	Fabrication methods and applications of microstructured gallium based liquid metal alloys. 2016 , 25, 093001	101
1471	Creation of additional electrical pathways for the robust stretchable electrode by using UV irradiated CNT-elastomer composite. 2016 , 109, 171901	2
1470	More than Wearable: Epidermal Antennas for Tracking and Sensing. 2016 , 319-350	6
1469	Physically Transient Memory on a Rapidly Dissoluble Paper for Security Application. 2016 , 6, 38324	30
1468	Shapeable magnetoelectronics. 2016 , 3, 011101	119

1467	On the deformation mechanisms and electrical behavior of highly stretchable metallic interconnects on elastomer substrates. 2016 , 120, 115103	3
1466	Tattio. 2016 ,	9
1465	Rolling-based direct-transfer printing: A process for large-area transfer of micro- and nanostructures onto flexible substrates. 2016 , 120, 093103	9
1464	Antennas, Phantoms, and Body-Centric Propagation At Millimeter-Waves. 2016 , 205-259	1
1463	Highly stretchable wrinkled gold thin film wires. 2016 , 108, 061901	30
1462	Competition between deformability and charge transport in semiconducting polymers for flexible and stretchable electronics. 2016 , 3, 021302	69
1461	Printed flexible and stretchable hybrid electronic systems for wearable applications. 2016 ,	
1460	Deformable printed circuit boards that enable metamorphic electronics. 2016 , 8, e336-e336	18
1459	Inorganic dissolvable electronics: materials and devices for biomedicine and environment. 2016 , 31, 2549-2570	26
1458	The rise of plastic bioelectronics. 2016 , 540, 379-385	925
1457	Metal oxide semiconductor thin-film transistors for flexible electronics. 2016 , 3, 021303	380
1456	Recent progress of fully-printed and ultra-flexible integrated circuits. 2016 ,	
1455	Mechanical Circulatory Support: Heart Failure Therapy "in Motion". 2016 , 11, 305-314	4
1454	Mechanically Compliant Electrodes and Dielectric Elastomers from PEG-PDMS Copolymers. 2016 , 1, 3497-3508	
1453	Stretchable Thin Film Materials: Fabrication, Application, and Mechanics. 2016 , 138,	48
1452	Wearable sweat biosensors. 2016 ,	12
1451	Interfacial Delamination of Inorganic Films on Viscoelastic Substrates. 2016 , 83,	10
1450	Biodegradable triboelectric nanogenerator as a life-time designed implantable power source. 2016 , 2, e1501478	307

1449	Stretchable Bioelectronics for Medical Devices and Systems. 2016,	70
1448	Liquid Metals for Soft and Stretchable Electronics. 2016, 3-30	11
1447	Multifunctional Epidermal Sensor Systems with Ultrathin Encapsulation Packaging for Health Monitoring. 2016, 193-205	1
1446	Wireless Applications of Conformal Bioelectronics. 2016, 83-114	1
1445	Ultrathin, Skin-Like Devices for Precise, Continuous Thermal Property Mapping of Human Skin and Soft Tissues. 2016, 117-132	6
1444	Soft Biosensor Systems Using Flexible and Stretchable Electronics Technology. 2016, 133-149	2
1443	High-Performance Wearable Bioelectronics Integrated with Functional Nanomaterials. 2016, 151-171	2
1442	Sensor Skins: An Overview. 2016, 173-191	6
1441	Human Interactive Triboelectric Nanogenerator as a Self-Powered Smart Seat. 2016, 8, 9692-9	51
1440	Point-of-Care Technologies for Precision Cardiovascular Care and Clinical Research: National Heart, Lung, and Blood Institute Working Group. 2016, 1, 73-86	34
1439	3D Printed Bionic Nanodevices. 2016, 11, 330-350	93
1438	Beauty Technology. 2016,	8
1437	Adhesion-governed buckling of thin-film electronics on soft tissues. 2016, 6, 6-10	12
1436	Nanomaterials for Stretchable Energy Storage and Conversion Devices. 2016, 159-191	3
1435	Ultrasonic Transducer-Guided Electrochemical Impedance Spectroscopy to Assess Lipid-Laden Plaques. 2016, 235, 154-161	6
1434	Integration of biochemical sensors into wearable biomaterial platforms. 2016,	
1433	Soft, thin skin-mounted power management systems and their use in wireless thermography. 2016, 113, 6131-6	108
1432	Flexibility Testing Strategies and Apparatus for Flexible Electronics. 2016, 63, 1934-1939	21

1431	An electromagnetic cell-stretching device for mechanotransduction studies of olfactory ensheathing cells. 2016 , 18, 45	11
1430	Design of super-conformable, foldable materials via fractal cuts and lattice kirigami. 2016 , 41, 130-138	45
1429	. 2016 ,	11
1428	A nonlinear mechanics model of bio-inspired hierarchical lattice materials consisting of horseshoe microstructures. 2016 , 90, 179-202	155
1427	Modeling and Experimental Investigation of the Maximum Stresses Due to Bending in a Tubular-Shaped Artificial Skin Sensor. 2016 , 16, 1549-1556	5
1426	All solution-processed flexible memory integrated with tactile sensor. 2016 ,	
1425	Piezoresistive nanocomposite rubber elastomer for stretchable MEMS sensor. 2016 ,	2
1424	Fast and Efficient Fabrication of Intrinsically Stretchable Multilayer Circuit Boards by Wax Pattern Assisted Filtration. 2016 , 12, 180-4	53
1423	High Resolution Patterning of Biomaterials for Tissue Engineering. 2016 , 73-84	
1422	Mechanics and Designs of Stretchable Bioelectronics. 2016 , 53-68	2
1421	. 2016 , 49, 83-87	11
1420	Highly precise nanofiber web-based dry electrodes for vital signal monitoring. 2016 , 6, 40045-40057	12
1419	Prediction of time-dependent swelling of flexible polymer substrates using hygro-mechanical finite element simulations. 2016 , 12, 4135-41	9
1418	Urethane- β cyrylate polymers in high-resolution contact printing. 2016 , 4, 4155-4165	27
1417	Nanomaterials-Based Skin-Like Electronics for the Unconscious and Continuous Monitoring of Body Status. 2016 , 227-254	1
1416	Silver nanowire based wearable sensors for multimodal sensing. 2016 ,	3
1415	Biodegradable electronics: cornerstone for sustainable electronics and transient applications. 2016 , 4, 5531-5558	124
1414	Omnidirectionally Stretchable High-Performance Supercapacitor Based on Isotropic Buckled Carbon Nanotube Films. 2016 , 10, 5204-11	187

1413	Wearable, wireless gas sensors using highly stretchable and transparent structures of nanowires and graphene. 2016 , 8, 10591-7	135
1412	Wearable Microsensor Array for Multiplexed Heavy Metal Monitoring of Body Fluids. 2016 , 1, 866-874	216
1411	. 2016 ,	11
1410	Highly sensitive, tunable, and durable gold nanosheet strain sensors for human motion detection. 2016 , 4, 5642-5647	70
1409	The Past, Present, and the Future of Nanotechnology. 2016 , 515-525	1
1408	Ferromagnetic, folded electrode composite as a soft interface to the skin for long-term electrophysiological recording. 2016 , 26, 7281-7290	40
1407	Fabric Active Transducer Stimulated by Water Motion for Self-Powered Wearable Device. 2016 , 8, 24579-84	18
1406	Holographic Structuring of Elastomer Actuator: First True Monolithic Tunable Elastomer Optics. 2016 , 28, 10217-10223	3
1405	Energy Harvesters for Wearable and Stretchable Electronics: From Flexibility to Stretchability. 2016 , 28, 9881-9919	309
1404	Developing the Surface Chemistry of Transparent Butyl Rubber for Impermeable Stretchable Electronics. 2016 , 32, 10206-10212	10
1403	Stretchable and transparent supercapacitors based on aerosol synthesized single-walled carbon nanotube films. 2016 , 6, 93915-93921	31
1402	Healing the Burn: Advances in Burn Treatment Technology Aim to Save Lives, Lessen Pain and Scarring. 2016 , 7, 24-9	
1401	Mechanical Force-Triggered Drug Delivery. 2016 , 116, 12536-12563	179
1400	Novel concepts in functional resistive switching memories. 2016 , 4, 9637-9645	48
1399	Biosensors in Tissue and Organ Fabrication. 2016 , 31-57	5
1398	Elastic instabilities of a ferroelastomer beam for soft reconfigurable electronics. 2016 , 9, 282-290	17
1397	Transparent ITO mechanical crack-based pressure and strain sensor. 2016 , 4, 9947-9953	68
1396	Mechanically Reinforced Skin-Electronics with Networked Nanocomposite Elastomer. 2016 , 28, 10257-10265	93

1395	Nano-structuration effect on the mechanical behavior of gold thin films studied by 2D synchrotron x-ray diffraction. 2016 , 308, 418-423	1
1394	A Stretchable Multicolor Display and Touch Interface Using Photopatterning and Transfer Printing. 2016 , 28, 9770-9775	102
1393	Highly Stretchable and Conductive Copper Nanowire Based Fibers with Hierarchical Structure for Wearable Heaters. 2016 , 8, 32925-32933	101
1392	Ultrafast optical reduction of graphene oxide sheets on colorless polyimide film for wearable chemical sensors. 2016 , 8, e315-e315	60
1391	SkinTrack. 2016 ,	68
1390	Flexible and Stretchable Biointegrated Electronics Using Silicon Nanomembranes. 2016 , 143-168	
1389	An ECG Acquisition System Prototype Design With Flexible PDMS Dry Electrodes and Variable Transform Length DCT-IV Based Compression Algorithm. 2016 , 1-1	13
1388	Stretchable Multichannel Electromyography Sensor Array Covering Large Area for Controlling Home Electronics with Distinguishable Signals from Multiple Muscles. 2016 , 8, 21070-6	29
1387	ECG by mobile technologies. 2016 , 49, 894-901	44
1386	Theoretical and Experimental Studies of Epidermal Heat Flux Sensors for Measurements of Core Body Temperature. 2016 , 5, 119-27	83
1385	Dermal Patch with Integrated Flexible Heater for on Demand Drug Delivery. 2016 , 5, 175-84	77
1384	Nanomaterial-Based Soft Electronics for Healthcare Applications. 2016 , 2, 1006-1017	47
1383	Cephalopod-Inspired Miniaturized Suction Cups for Smart Medical Skin. 2016 , 5, 80-7	147
1382	Colloidal Synthesis of Uniform-Sized Molybdenum Disulfide Nanosheets for Wafer-Scale Flexible Nonvolatile Memory. 2016 , 28, 9326-9332	123
1381	Soft Thermal Sensor with Mechanical Adaptability. 2016 , 28, 9175-9181	155
1380	Flexible and Stretchable Piezoelectric Sensor with Thickness-Tunable Configuration of Electrospun Nanofiber Mat and Elastomeric Substrates. 2016 , 8, 24773-81	123
1379	High toughness fibrillating metal-elastomer interfaces: On the role of discrete fibrils within the fracture process zone. 2016 , 164, 93-105	4
1378	Highly Sensitive, Transparent, and Durable Pressure Sensors Based on Sea-Urchin Shaped Metal Nanoparticles. 2016 , 28, 9364-9369	126

1377	High Responsivity, Large-Area Graphene/MoS ₂ Flexible Photodetectors. 2016 , 10, 8252-62	206
1376	Mechanical properties of two-dimensional materials and heterostructures. 2016 , 31, 832-844	53
1375	Stretchable and flexible adhesive-integrated antenna for biomedical applications. 2016 ,	3
1374	Fully Printed Stretchable Thin-Film Transistors and Integrated Logic Circuits. 2016 , 10, 11459-11468	89
1373	Towards the integration of e-skin into prosthetic devices. 2016 ,	4
1372	Printed multifunctional flexible device with an integrated motion sensor for health care monitoring. 2016 , 2, e1601473	202
1371	A soft, wearable microfluidic device for the capture, storage, and colorimetric sensing of sweat. 2016 , 8, 366ra165	665
1370	Robust and stretchable indium gallium zinc oxide-based electronic textiles formed by cilia-assisted transfer printing. 2016 , 7, 11477	54
1369	Gesture recognition by instantaneous surface EMG images. 2016 , 6, 36571	238
1368	Epidermal mechano-acoustic sensing electronics for cardiovascular diagnostics and human-machine interfaces. 2016 , 2, e1601185	220
1367	Rapid Fabrication of Soft, Multilayered Electronics for Wearable Biomonitoring. 2016 , 26, 8496-8504	90
1366	Guided Folding of Nematic Liquid Crystal Elastomer Sheets into 3D via Patterned 1D Microchannels. 2016 , 28, 9637-9643	100
1365	PEDOT:PSS "Wires" Printed on Textile for Wearable Electronics. 2016 , 8, 26998-27005	88
1364	Flexible a-IGZO Phototransistor for Instantaneous and Cumulative UV-Exposure Monitoring for Skin Health. 2016 , 2, 1600273	47
1363	Transparent and Foldable Electronics Enabled by Si Nanomembranes. 2016 , 57-88	
1362	High-Speed, Flexible Electronics by Use of Si Nanomembranes. 2016 , 113-142	1
1361	Flexible Si Nanomembrane Sensor for Human-Machine Interface. 2016 , 169-202	1
1360	Epidermal Supercapacitor with High Performance. 2016 , 26, 8178-8184	45

1359	Highly Stretchable Microsupercapacitor Arrays with Honeycomb Structures for Integrated Wearable Electronic Systems. 2016 , 10, 9306-9315	95
1358	Soft piezoresistive pressure sensing matrix from copper nanowires composite aerogel. 2016 , 61, 1624-1630	26
1357	Ultra-Stretchable and Force-Sensitive Hydrogels Reinforced with Chitosan Microspheres Embedded in Polymer Networks. 2016 , 28, 8037-8044	220
1356	Non-volatile organic ferroelectric memory transistors fabricated using rigid polyimide islands on an elastomer substrate. 2016 , 4, 4485-4490	20
1355	Biomedical materials: A restorative synthetic skin. 2016 , 15, 828-9	9
1354	Conformal, graphene-based triboelectric nanogenerator for self-powered wearable electronics. 2016 , 27, 298-305	116
1353	Silk Fibroin-Carbon Nanotube Composite Electrodes for Flexible Biocatalytic Fuel Cells. 2016 , 2, 1600190	11
1352	Applications of Organic Light-Emitting Transistors. 2016 , 243-275	
1351	Flexible and Stretchable Oxide Electronics. 2016 , 2, 1600105	39
1350	Dramatically Enhanced Mechanosensitivity and Signal-to-Noise Ratio of Nanoscale Crack-Based Sensors: Effect of Crack Depth. 2016 , 28, 8130-8137	200
1349	A wearable chemical-electrophysiological hybrid biosensing system for real-time health and fitness monitoring. 2016 , 7, 11650	510
1348	Free-Standing Organic Transistors and Circuits with Sub-Micron Thicknesses. 2016 , 6, 27450	34
1347	Flexible chalcogenide glass microring resonator for mid-infrared emission. 2016 ,	1
1346	Metal-Oxide Decorated Multilayered Three-Dimensional (3D) Porous Carbon Thin Films for Supercapacitor Electrodes. 2016 , 55, 12569-12581	25
1345	Tribotronic Transistor Array as an Active Tactile Sensing System. 2016 , 10, 10912-10920	80
1344	Approaching the ideal elastic strain limit in silicon nanowires. 2016 , 2, e1501382	116
1343	Smart Assembly for Soft Bioelectronics. 2016 , 35, 9-13	2
1342	Highly elastic polymer substrates with tunable mechanical properties for stretchable electronic applications. 2016 , 6, 107793-107799	8

1341	Silicon: A flexible material for bendable electronics and sensors. 2016,	
1340	The Story of Things. 2016,	3
1339	Temporary tattoo for wireless human pulse measurement. 2016,	1
1338	DuoSkin. 2016,	91
1337	Emerging flexible and wearable physical sensing platforms for healthcare and biomedical applications. 2016, 2, 16043	280
1336	Epidermal radio frequency electronics for wireless power transfer. 2016, 2, 16052	55
1335	Silk Fibroin as Edible Coating for Perishable Food Preservation. 2016, 6, 25263	117
1334	Screen-Printing Fabrication and Characterization of Stretchable Electronics. 2016, 6, 25784	109
1333	Ultraflexible organic photonic skin. 2016, 2, e1501856	612
1332	Battery-free, stretchable optoelectronic systems for wireless optical characterization of the skin. 2016, 2, e1600418	266
1331	A high-resolution strain-gauge nanolaser. 2016, 7, 11569	41
1330	Temporary-tattoo for long-term high fidelity biopotential recordings. 2016, 6, 25727	55
1329	MoO ₃ @Ni nanowire array hierarchical anode for high capacity and superior longevity all-metal-oxide asymmetric supercapacitors. 2016, 6, 110112-110119	18
1328	A Stretchable and Flexible Platform for Epidermal Electronics. 2016, 102, 65-67	1
1327	Tunable Curvature of Large Visible CMOS Image Sensors: Towards New Optical Functions and System Miniaturization. 2016,	4
1326	Stretchable Biofuel Cells as Wearable Textile-based Self-Powered Sensors. 2016, 4, 18342-18353	197
1325	Elastomeric Light Emitting Polymer Enhanced by Interpenetrating Networks. 2016, 8, 32504-32511	34
1324	A toolkit of thread-based microfluidics, sensors, and electronics for 3D tissue embedding for medical diagnostics. 2016, 2, 16039	124

1323	Removal of eye blink artifacts in wireless EEG sensor networks using reduced-bandwidth canonical correlation analysis. 2016 , 13, 066008	20
1322	Piezotronics and piezo-phototronics for adaptive electronics and optoelectronics. 2016 , 1,	308
1321	High Strength Conductive Composites with Plasmonic Nanoparticles Aligned on Aramid Nanofibers. 2016 , 26, 8435-8445	89
1320	Fabrication of flex sensors through direct ink write technique and its electrical characterization. 2016 , 122, 1	4
1319	Fast Flexible Transistors with a Nanotrench Structure. 2016 , 6, 24771	25
1318	Multifunctional Polymer-Based Graphene Foams with Buckled Structure and Negative Poisson's Ratio. 2016 , 6, 32989	25
1317	Transparent deoxyribonucleic acid substrate with high mechanical strength for flexible and biocompatible organic resistive memory devices. 2016 , 52, 13463-13466	20
1316	Soft electronics for the human body. 2016 ,	1
1315	Rovables. 2016 ,	32
1314	Ultrathin, transferred layers of thermally grown silicon dioxide as biofluid barriers for biointegrated flexible electronic systems. 2016 , 113, 11682-11687	133
1313	Electromechanical cardioplasty using a wrapped elasto-conductive epicardial mesh. 2016 , 8, 344ra86	136
1312	Conformal electronics for longitudinal bio-sensing in at-home assistive and rehabilitative devices. 2016 , 2016, 3159-3162	3
1311	Organic core-sheath nanowire artificial synapses with femtojoule energy consumption. 2016 , 2, e1501326	296
1310	Ultrathin flexible memory devices based on organic ferroelectric transistors. 2016 , 55, 10TA04	6
1309	Artificial Skin. 2016 , 138, S17-S21	6
1308	Diffeomorphism learning via relative entropy constrained optimal transport. 2016 ,	
1307	A fully-shielded flexible and stretchable microwave transmission-line tactile pressure sensor. 2016 ,	2
1306	An extremely highly selective flexible compliant tactile touch sensor sheet. 2016 , 213, 2345-2351	2

1305	Outputting Olfactory Bionic Electric Impulse by PANI/PTFE/PANI Sandwich Nanostructures and their Application as Flexible, Smelling Electronic Skin. 2016 , 26, 3128-3138	80
1304	Understanding the Shape Memory Behavior of Self-Bending Materials and Their Use as Sensors. 2016 , 26, 3282-3290	64
1303	Recent Advances in Flexible and Stretchable Bio-Electronic Devices Integrated with Nanomaterials. 2016 , 28, 4203-18	729
1302	A Stretchable Graphitic Carbon/Si Anode Enabled by Conformal Coating of a Self-Healing Elastic Polymer. 2016 , 28, 2455-61	163
1301	Printed Carbon Nanotube Electronics and Sensor Systems. 2016 , 28, 4397-414	284
1300	Mogul-Patterned Elastomeric Substrate for Stretchable Electronics. 2016 , 28, 3069-77	73
1299	PDMS-Based Elastomer Tuned Soft, Stretchable, and Sticky for Epidermal Electronics. 2016 , 28, 5830-6	196
1298	Recent Advances in Stretchable and Transparent Electronic Materials. 2016 , 2, 1500407	201
1297	Dual Planar-Helix Type Energy Storage Wires to Circumvent Universal Energy Lag Effect. 2016 , 6, 1501812	3
1296	Stretchable Electrochemical Sensor for Real-Time Monitoring of Cells and Tissues. 2016 , 128, 4613-4617	12
1295	Flexible pH-Sensing Hydrogel Fibers for Epidermal Applications. 2016 , 5, 711-9	122
1294	Self-Powered High-Resolution and Pressure-Sensitive Triboelectric Sensor Matrix for Real-Time Tactile Mapping. 2016 , 28, 2896-903	268
1293	Stretchable Figures of Merit in Deformable Electronics. 2016 , 28, 4180-3	93
1292	A Stretchable Electronic Fabric Artificial Skin with Pressure-, Lateral Strain-, and Flexion-Sensitive Properties. 2016 , 28, 722-8	325
1291	MoS ₂ -Based Tactile Sensor for Electronic Skin Applications. 2016 , 28, 2556-62	270
1290	Stretchable inductor with liquid magnetic core. 2016 , 3, 036103	11
1289	Epidermal electronics for electromyography: An application to swallowing therapy. 2016 , 38, 807-12	31
1288	Development, fabrication, and modeling of highly sensitive conjugated polymer based piezoresistive sensors in electronic skin applications. 2016 ,	

1287	High-Resolution Organic Light-Emitting Diodes Patterned via Contact Printing. 2016 , 8, 16809-15	43
1286	Fabrication of patterned polymer-antibiotic composite fibers via electrohydrodynamic (EHD) printing. 2016 , 35, 114-123	35
1285	Graphene-Enabled Optoelectronics on Paper. 2016 , 3, 964-971	45
1284	A flexible organic resistance memory device for wearable biomedical applications. 2016 , 27, 275206	52
1283	Groping toward the next stages of technology development and human society: A metaphor from an Iranian poet. 2016 , 109, 87-95	2
1282	Buckling modes in pantographic lattices. 2016 , 344, 487-501	67
1281	A finite deformation model of planar serpentine interconnects for stretchable electronics. 2016 , 91, 46-54	54
1280	Adaptive flexible antennas for wireless biomedical applications. 2016 ,	4
1279	Improved power transfer to wearable systems through stretchable magnetic composites. 2016 , 122, 1	12
1278	"Cut-and-paste" manufacture of multiparametric epidermal electronic systems. 2016 ,	
1277	Wearable Woven Electrochemical Biosensor Patch for Non-invasive Diagnostics. 2016 , 28, 1276-1282	34
1276	18-2: Oxide TFT LC Oscillators on Glass and Plastic for Wireless Functions in Large-Area Flexible Electronic Systems. 2016 , 47, 207-210	7
1275	Arrhythmogenic and metabolic remodelling of failing human heart. 2016 , 594, 3963-80	13
1274	Flexible Substrate-Based Devices for Point-of-Care Diagnostics. 2016 , 34, 909-921	147
1273	Electrical stimulation towards melanoma therapy via liquid metal printed electronics on skin. 2016 , 5, 21	22
1272	A Review of Engineering Approaches for Lymphedema Detection. 2016 , 9, 79-90	2
1271	Recent Advances in Pen-Based Writing Electronics and their Emerging Applications. 2016 , 26, 165-180	72
1270	Stretchable and Transparent Biointerface Using Cell-Sheet/Graphene Hybrid for Electrophysiology and Therapy of Skeletal Muscle. 2016 , 26, 3207-3217	103

1269	Flexible and Stretchable Physical Sensor Integrated Platforms for Wearable Human-Activity Monitoring and Personal Healthcare. 2016 , 28, 4338-72	1219
1268	High-Frequency, Conformable Organic Amplifiers. 2016 , 28, 3298-304	46
1267	Material Gradients in Stretchable Substrates toward Integrated Electronic Functionality. 2016 , 28, 3584-91	43
1266	300-nm Imperceptible, Ultraflexible, and Biocompatible e-Skin Fit with Tactile Sensors and Organic Transistors. 2016 , 2, 1500452	100
1265	Stretchable Electrochemical Sensor for Real-Time Monitoring of Cells and Tissues. 2016 , 55, 4537-41	73
1264	Elastic drug delivery: could treatments be triggered by patient movement?. 2016 , 11, 323-5	4
1263	A transparent bending-insensitive pressure sensor. 2016 , 11, 472-8	549
1262	Emerging technologies with potential for objectively evaluating speech recognition skills. 2016 , 55 Suppl 1, S41-50	1
1261	Fully integrated wearable sensor arrays for multiplexed in situ perspiration analysis. 2016 , 529, 509-514	2526
1260	Resistive flex sensors: a survey. 2016 , 25, 013001	78
1259	Conformability of a Thin Elastic Membrane Laminated on a Soft Substrate With Slightly Wavy Surface. 2016 , 83,	42
1258	A facile way of fabricating a flexible and conductive cotton fabric. 2016 , 4, 1320-1325	37
1257	Implantable neurotechnologies: a review of micro- and nanoelectrodes for neural recording. 2016 , 54, 23-44	97
1256	Stretchable patterned graphene gas sensor driven by integrated micro-supercapacitor array. 2016 , 19, 401-414	137
1255	Moving beyond flexible to stretchable conductive electrodes using metal nanowires and graphenes. 2016 , 8, 1789-822	59
1254	Direct Pen Writing of Adhesive Particle-Free Ultrahigh Silver Salt-Loaded Composite Ink for Stretchable Circuits. 2016 , 10, 396-404	67
1253	Imperceptible and Ultraflexible p-Type Transistors and Macroelectronics Based on Carbon Nanotubes. 2016 , 10, 199-206	34
1252	Flexible Hall sensors based on graphene. 2016 , 8, 7683-7	49

1251	Deformable devices with integrated functional nanomaterials for wearable electronics. 2016 , 3, 4		37
1250	The brain's functional network architecture reveals human motives. <i>Science</i> , 2016 , 351, 1074-8	33.3	80
1249	Self-Powered Analogue Smart Skin. 2016 , 10, 4083-91		133
1248	Materials used to simulate physical properties of human skin. 2016 , 22, 3-14		99
1247	Failure mechanics of a wrinkling thin film anode on a substrate under cyclic charging and discharging. 2016 , 8, 273-282		20
1246	Highly stretchable electroluminescent skin for optical signaling and tactile sensing. <i>Science</i> , 2016 , 351, 1071-4	33.3	841
1245	An algorithmic approach to multi-layer wrinkling. 2016 , 7, 10-17		35
1244	Potential threshold of anode materials for foldable lithium-ion batteries featuring carbon nanotube current collectors. 2016 , 310, 70-78		22
1243	SU-8-Induced Strong Bonding of Polymer Ligands to Flexible Substrates via in Situ Cross-Linked Reaction for Improved Surface Metallization and Fast Fabrication of High-Quality Flexible Circuits. 2016 , 8, 4280-6		32
1242	Recent development of transient electronics. 2016 , 6, 21-31		43
1241	. 2016 , 16, 2832-2853		79
1240	Nanomaterial-Enabled Dry Electrodes for Electrophysiological Sensing: A Review. 2016 , 68, 1145-1155		85
1239	Fabrication and design of metal nano-accordion structures using atomic layer deposition and interference lithography. 2016 , 8, 4984-90		4
1238	van der Waals force-induced crack healing in dry rough interfaces. 2016 , 49, 075303		5
1237	Screen-printed disposable electrodes: Pharmaceutical applications and recent developments. 2016 , 82, 1-11		102
1236	Pressure sensitive microparticle adhesion through biomimicry of the pollen-stigma interaction. 2016 , 12, 2965-75		13
1235	Wearability Factors for Skin Interfaces. 2016 ,		28
1234	From wrinkling to global buckling of a ring on a curved substrate. 2016 , 89, 77-95		22

1233	Designed Construction of a Graphene and Iron Oxide Freestanding Electrode with Enhanced Flexible Energy-Storage Performance. 2016 , 8, 6972-81	42
1232	Structural engineering of gold thin films with channel cracks for ultrasensitive strain sensing. 2016 , 3, 248-255	177
1231	Mechanics and thermal management of stretchable inorganic electronics. 2016 , 3, 128-143	92
1230	Flexible and high selective pressure sensitive rubber for tactile sensing. 2016 ,	2
1229	Bending Two-Dimensional Materials To Control Charge Localization and Fermi-Level Shift. 2016 , 16, 2444-9	57
1228	Highly stretchable hybrid nanomembrane supercapacitors. 2016 , 6, 24756-24759	20
1227	Stretchable microsupercapacitor arrays with a composite honeycomb structure. 2016 ,	1
1226	An ultra-sensitive and rapid response speed graphene pressure sensors for electronic skin and health monitoring. 2016 , 23, 7-14	368
1225	Facile fabrication of three-dimensional TiO ₂ structures for highly efficient perovskite solar cells. 2016 , 22, 499-506	34
1224	Variational formulations, instabilities and critical loadings of space curved beams. 2016 , 87, 48-60	14
1223	A wearable multiplexed silicon nonvolatile memory array using nanocrystal charge confinement. 2016 , 2, e1501101	113
1222	Enhancing Performance of Triboelectric Nanogenerator by Filling High Dielectric Nanoparticles into Sponge PDMS Film. 2016 , 8, 736-44	298
1221	A Digital Ecosystem of Diabetes Data and Technology: Services, Systems, and Tools Enabled by Wearables, Sensors, and Apps. 2015 , 10, 35-41	62
1220	Bioelectrocatalytic systems for health applications. 2016 , 34, 177-97	41
1219	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. 2016 , 51, 2771-2805	219
1218	Approaches to Stretchable Polymer Active Channels for Deformable Transistors. 2016 , 49, 433-444	51
1217	Hierarchical MnO ₂ nanowire/graphene hybrid fibers with excellent electrochemical performance for flexible solid-state supercapacitors. 2016 , 306, 481-488	210
1216	Highly Stretchable Fully-Printed CNT-Based Electrochemical Sensors and Biofuel Cells: Combining Intrinsic and Design-Induced Stretchability. 2016 , 16, 721-7	229

1215	ELECTRICAL AND DIELECTRIC PROPERTIES OF RUBBER. 2016 , 89, 32-53	11
1214	Micro/nanostructured surfaces for self-powered and multifunctional electronic skins. 2016 , 4, 2999-3018	90
1213	Electro-mechanical performance of polyurethane dielectric elastomer flexible micro-actuator composite modified with titanium dioxide-graphene hybrid fillers. 2016 , 90, 1069-1076	51
1212	Adhesion between highly stretchable materials. 2016 , 12, 1093-9	73
1211	Wearable organic solar cells with high cyclic bending stability: Materials selection criteria. 2016 , 144, 438-444	93
1210	A review of origami applications in mechanical engineering. 2016 , 230, 2345-2362	99
1209	Unusual thermal conductivity behavior of serpentine graphene nanoribbons under tensile strain. 2016 , 96, 513-521	12
1208	Direct laser writing for creating porous graphitic structures and their use for flexible and highly sensitive sensor and sensor arrays. 2016 , 96, 522-531	157
1207	State of the Art and Future Directions for Lower Limb Robotic Exoskeletons. 2017 , 25, 171-182	364
1206	High-Resolution Electrogastrogram: A Novel, Noninvasive Method for Determining Gastric Slow-Wave Direction and Speed. 2017 , 64, 807-815	46
1205	Five Day Attachment ECG Electrodes for Longitudinal Bio-Sensing Using Conformal Tattoo Substrates. 2017 , 17, 2205-2214	17
1204	Carbonized Silk Nanofiber Membrane for Transparent and Sensitive Electronic Skin. 2017 , 27, 1605657	293
1203	Flexible and Highly Sensitive Pressure Sensors Based on Bionic Hierarchical Structures. 2017 , 27, 1606066	372
1202	A new twist on glass: A brittle material enabling flexible integrated photonics. 2017 , 8, 61-68	18
1201	Direct Observation of Indium Conductive Filaments in Transparent, Flexible, and Transferable Resistive Switching Memory. 2017 , 11, 1712-1718	71
1200	A wearable piezoelectric bending motion sensor for simultaneous detection of bending curvature and speed. 2017 , 7, 2520-2526	21
1199	Optimal configuration of adhesive ECG patches suitable for long-term monitoring of a vectorcardiogram. 2017 , 50, 342-348	12
1198	Highly stretchable polymer semiconductor films through the nanoconfinement effect. <i>Science</i> , 2017 , 355, 59-64	33-3 651

1197	Full Dynamic-Range Pressure Sensor Matrix Based on Optical and Electrical Dual-Mode Sensing. 2017 , 29, 1605817	129
1196	Multidimensional characterization of piezoresistive carbon black silicone rubber composites. 2017 , 134,	7
1195	Ultrafine Pitch Stencil Printing of Liquid Metal Alloys. 2017 , 9, 1178-1182	41
1194	Ultra-sensitive Pressure sensor based on guided straight mechanical cracks. 2017 , 7, 40116	68
1193	High and dry? Comparing active dry EEG electrodes to active and passive wet electrodes. 2017 , 54, 74-82	81
1192	Flexible and Stretchable Microwave Microelectronic Devices and Circuits. 2017 , 64, 1881-1893	27
1191	Rotation of hard particles in a soft matrix. 2017 , 101, 285-310	19
1190	Sandwich fixation of electronic elements using free-standing elastomeric nanosheets for low-temperature device processes. 2017 , 5, 1321-1327	12
1189	High Performance MgO-barrier Magnetic Tunnel Junctions for Flexible and Wearable Spintronic Applications. 2017 , 7, 42001	53
1188	A microneedle electrode array on flexible substrate for long-term EEG monitoring. 2017 , 244, 750-758	58
1187	Highly Sensitive Bendable and Foldable Paper Sensors Based on Reduced Graphene Oxide. 2017 , 9, 4658-4666	54
1186	Transparent Ag@Au/graphene patterns with conductive stability via inkjet printing. 2017 , 5, 2800-2806	28
1185	A stretchable crumpled graphene photodetector with plasmonically enhanced photoresponsivity. 2017 , 9, 4058-4065	59
1184	Screen-printed Tattoo Sensor towards the Non-invasive Assessment of the Skin Barrier. 2017 , 29, 188-196	18
1183	Self-powered wireless smart patch for healthcare monitoring. 2017 , 32, 479-487	73
1182	Materials and devices for transparent stretchable electronics. 2017 , 5, 2202-2222	96
1181	Post-Buckling Analysis of Curved Beams. 2017 , 84,	13
1180	Paper: A promising material for human-friendly functional wearable electronics. 2017 , 112, 1-22	100

1179	Beyond Conventional Patterns: New Electrochemical Lithography with High Precision for Patterned Film Materials and Wearable Sensors. 2017 , 89, 2569-2574	11
1178	A Wearable Hydration Sensor with Conformal Nanowire Electrodes. 2017 , 6, 1601159	119
1177	Solution-processed Au@Ag core-shell nanoparticle-decorated yarns for human motion monitoring. 2017 , 7, 10539-10544	8
1176	Printed high-frequency RF identification antenna on ultrathin polymer film by simple production process for soft-surface adhesive device. 2017 , 56, 05EC01	6
1175	Patterning of Stretchable Organic Electrochemical Transistors. 2017 , 29, 3126-3132	81
1174	Electrolyte-Sensing Transistor Decals Enabled by Ultrathin Microbial Nanocellulose. 2017 , 7, 40867	26
1173	Three-dimensional conformal graphene microstructure for flexible and highly sensitive electronic skin. 2017 , 28, 115501	26
1172	Stretchable array of metal nanodisks on a 3D sinusoidal wavy elastomeric substrate for frequency tunable plasmonics. 2017 , 28, 115703	8
1171	A Highly Stretchable and Fatigue-Free Transparent Electrode Based on an In-Plane Buckled Au Nanotrough Network. 2017 , 3, 1600534	28
1170	Graphite nanobelts characterization and application for blood pulse sensing. 2017 , 8, 5	3
1169	Elasticity Solutions to Nonbuckling Serpentine Ribbons. 2017 , 84,	30
1168	Wearable/disposable sweat-based glucose monitoring device with multistage transdermal drug delivery module. 2017 , 3, e1601314	596
1167	Electromechanical response of delaminating polymer thin films on rough elastomeric substrate. 2017 , 49, 696-705	2
1166	Epidermal Inorganic Optoelectronics for Blood Oxygen Measurement. 2017 , 6, 1601013	60
1165	BODIPY-based conjugated polymer covalently grafted reduced graphene oxide for flexible nonvolatile memory devices. 2017 , 116, 713-721	23
1164	Powering portable electronics using vocal fold vibrations. 2017 ,	2
1163	Metal Oxide Semiconductor Thin-Film Transistors: Device Physics and Compact Modeling. 2017 , 69-98	
1162	Stretchable, transparent and wearable sensor for multifunctional smart skins. 2017 ,	1

1161	All-soft physical and chemical microsystems based on liquid metal for wearable electronics applications. 2017 ,	5
1160	Fabrication and Characterization of Conductive Conjugated Polymer-Coated Antheraea mylitta Silk Fibroin Fibers for Biomedical Applications. 2017 , 17, 1600443	15
1159	Mechanics of Crystalline Nanowires: An Experimental Perspective. 2017 , 69,	34
1158	Imperceptible organic electronics. 2017 , 42, 124-130	38
1157	Flexible Heteroepitaxy of CoFeO/Muscovite Bimorph with Large Magnetostriction. 2017 , 9, 7297-7304	82
1156	An Ultrasensitive, Visco-Poroelastic Artificial Mechanotransducer Skin Inspired by Piezo2 Protein in Mammalian Merkel Cells. 2017 , 29, 1605973	93
1155	Evaluation of Silk Inverse Opals for "Smart" Tissue Culture. 2017 , 2, 470-477	12
1154	To save half contact pads in 2D mapping of local temperatures with a thermocouple array. 2017 , 7, 9100-9105	8
1153	Modeling of CMOS Devices and Circuits on Flexible Ultrathin Chips. 2017 , 64, 2038-2046	39
1152	Flexible Electronics. 2017 , 1-10	
1151	Electronic Skin with Multifunction Sensors Based on Thermosensation. 2017 , 29, 1606151	137
1150	Development of a Bracelet With Strain-Gauge Matrix for Movement Intention Identification in Traumatic Amputees. 2017 , 17, 2464-2471	8
1149	Merging of Thin- and Thick-Film Fabrication Technologies: Toward Soft Stretchable Island-Bridge Devices. 2017 , 2, 1600284	57
1148	Programmable Nano-Bio Interfaces for Functional Biointegrated Devices. 2017 , 29, 1605529	91
1147	Ultrathin and Wearable Microtubular Epidermal Sensor for Real-Time Physiological Pulse Monitoring. 2017 , 2, 1700016	55
1146	An Overview of Metallic Nanowire Networks, Promising Building Blocks for Next Generation Transparent Conductors: Emergence, Fundamentals and Challenges. 2017 , 46, 4707-4715	10
1145	Ultralight Cut-Paper-Based Self-Charging Power Unit for Self-Powered Portable Electronic and Medical Systems. 2017 , 11, 4475-4482	164
1144	An Omni-Healable Supercapacitor Integrated in Dynamically Cross-Linked Polymer Networks. 2017 , 27, 1700690	93

1143	Soft Multifunctional Composites and Emulsions with Liquid Metals. 2017 , 29, 1605985	206
1142	Flexible and transparent strain sensors based on super-aligned carbon nanotube films. 2017 , 9, 6716-6723	80
1141	Epidermal electronic systems for sensing and therapy. 2017 ,	3
1140	Plasma-assisted ALD to functionalize PET: towards new generation flexible gadgets. 2017 , 2, 022001	12
1139	Design and application of 'J-shaped' stress-strain behavior in stretchable electronics: a review. 2017 , 17, 1689-1704	99
1138	Stretchable and Soft Electronics using Liquid Metals. 2017 , 29, 1606425	818
1137	A Bioinspired Mineral Hydrogel as a Self-Healable, Mechanically Adaptable Ionic Skin for Highly Sensitive Pressure Sensing. 2017 , 29, 1700321	592
1136	3D customized and flexible tactile sensor using a piezoelectric nanofiber mat and sandwich-molded elastomer sheets. 2017 , 26, 045032	23
1135	Autonomous sweat extraction and analysis applied to cystic fibrosis and glucose monitoring using a fully integrated wearable platform. 2017 , 114, 4625-4630	404
1134	Graphene for flexible and wearable device applications. 2017 , 120, 244-257	113
1133	Printable elastic conductors by in situ formation of silver nanoparticles from silver flakes. 2017 , 16, 834-840	416
1132	Design and Validation of a Biosensor Implantation Capsule Robot. 2017 , 139,	10
1131	Perovskite as a Platform for Active Flexible Metaphotonic Devices. 2017 , 4, 1595-1601	62
1130	Drop casting of stiffness gradients for chip integration into stretchable substrates. 2017 , 27, 045018	8
1129	Feedback Control of Soft Robot Actuators via Commercial Flex Bend Sensors. 2017 , 22, 1881-1888	97
1128	Rugged Textile Electrodes for Wearable Devices Obtained by Vapor Coating Off-the-Shelf, Plain-Woven Fabrics. 2017 , 27, 1700415	56
1127	Engineering the Charge Transport of Ag Nanocrystals for Highly Accurate, Wearable Temperature Sensors through All-Solution Processes. 2017 , 13, 1700247	44
1126	Laser-Assisted Reduction of Highly Conductive Circuits Based on Copper Nitrate for Flexible Printed Sensors. 2017 , 9, 42	34

1125	Surface evolution and stability transition of silicon wafer subjected to nano-diamond grinding. 2017 , 7, 035221	3
1124	Wearable smart sensor systems integrated on soft contact lenses for wireless ocular diagnostics. 2017 , 8, 14997	455
1123	A general strategy for high performance stretchable conductors based on carbon nanotubes and silver nanowires. 2017 , 7, 20167-20171	4
1122	Spontaneous Buckling of Multiaxially Flexible and Stretchable Interconnects Using PDMS/Fibrous Composite Substrates. 2017 , 4, 1600946	12
1121	Quantitative self-powered electrochromic biosensors. 2017 , 8, 1995-2002	47
1120	Flexible transparent triboelectric transistor for active modulation of conventional electronics. 2017 , 31, 533-540	49
1119	Wearable Sensing Systems with Mechanically Soft Assemblies of Nanoscale Materials. 2017 , 2, 1700053	73
1118	An Intrinsically Stretchable and Compressible Supercapacitor Containing a Polyacrylamide Hydrogel Electrolyte. 2017 , 56, 9141-9145	329
1117	Stretchable impedance sensor for mammalian cell proliferation measurements. 2017 , 17, 2054-2066	16
1116	Enhanced electrical conductivity and piezoresistive sensing in multi-wall carbon nanotubes/polydimethylsiloxane nanocomposites via the construction of a self-segregated structure. 2017 , 9, 11017-11026	151
1115	An ultrathin stretchable triboelectric nanogenerator with coplanar electrode for energy harvesting and gesture sensing. 2017 , 5, 12361-12368	59
1114	A Planar, Multisensing Wearable Health Monitoring Device Integrated with Acceleration, Temperature, and Electrocardiogram Sensors. 2017 , 2, 1700057	25
1113	Rough-Surface-Enabled Capacitive Pressure Sensors with 3D Touch Capability. 2017 , 13, 1700368	95
1112	A Patterned Graphene/ZnO UV Sensor Driven by Integrated Asymmetric Micro-Supercapacitors on a Liquid Metal Patterned Foldable Paper. 2017 , 27, 1700135	85
1111	Flexible Nanowire Cluster as a Wearable Colorimetric Humidity Sensor. 2017 , 13, 1700109	34
1110	An Intrinsically Stretchable and Compressible Supercapacitor Containing a Polyacrylamide Hydrogel Electrolyte. 2017 , 129, 9269-9273	48
1109	Self-powered pressure sensor for ultra-wide range pressure detection. 2017 , 10, 3557-3570	85
1108	Flexible and implantable capacitive microelectrode for bio-potential acquisition. 2017 , 11, 153-163	20

1107	Stretchable electronic devices using graphene and its hybrid nanostructures. 2017 , 3, 71-91	26
1106	Functional flexible and wearable supercapacitors. 2017 , 50, 273001	23
1105	Instant tough bonding of hydrogels for soft machines and electronics. 2017 , 3, e1700053	259
1104	Skin-Inspired Multifunctional Autonomic-Intrinsic Conductive Self-Healing Hydrogels with Pressure Sensitivity, Stretchability, and 3D Printability. 2017 , 29, 1700533	434
1103	Self-assembled three dimensional network designs for soft electronics. 2017 , 8, 15894	238
1102	Highly Robust Bendable Oxide Thin-Film Transistors on Polyimide Substrates via Mesh and Strip Patterning of Device Layers. 2017 , 27, 1700437	47
1101	Theoretical and experimental study of 2D conformability of stretchable electronics laminated onto skin. 2017 , 60, 1415-1422	29
1100	Three-dimensional crossbar arrays of self-rectifying Si/SiO/Si memristors. 2017 , 8, 15666	115
1099	A multifunctional skin-like sensor based on a 3D printed thermo-responsive hydrogel. 2017 , 4, 694-700	162
1098	Crumpled sheets of reduced graphene oxide as a highly sensitive, robust and versatile strain/pressure sensor. 2017 , 9, 9581-9588	25
1097	Fully Stretchable Optoelectronic Sensors Based on Colloidal Quantum Dots for Sensing Photoplethysmographic Signals. 2017 , 11, 5992-6003	67
1096	Towards seamlessly-integrated textile electronics: methods to coat fabrics and fibers with conducting polymers for electronic applications. 2017 , 53, 7182-7193	86
1095	Radio-frequency flexible and stretchable electronics: the need, challenges and opportunities. 2017 ,	4
1094	An Accurate Thermomechanical Model for Laser-Driven Microtransfer Printing. 2017 , 84,	19
1093	Ultrastretchable, transparent triboelectric nanogenerator as electronic skin for biomechanical energy harvesting and tactile sensing. 2017 , 3, e1700015	674
1092	Soft Robotics: Review of Fluid-Driven Intrinsically Soft Devices; Manufacturing, Sensing, Control, and Applications in Human-Robot Interaction . 2017 , 19, 1700016	456
1091	Nonlinear piezoelectric dual sensor for the detection of angle and radius of a bending deformation. 2017 , 38, 232-238	11
1090	Next-generation probes, particles, and proteins for neural interfacing. 2017 , 3, e1601649	252

1089	Stretchable Electronic Platform for Soft and Smart Contact Lens Applications. 2017 , 2, 1700073	34
1088	Fabrication of Plasmonic Nanoparticles on a Wave Shape PDMS Substrate. 2017 , 12, 1627-1631	5
1087	Soft-Matter Printed Circuit Board with UV Laser Micropatterning. 2017 , 9, 22055-22062	69
1086	A wet-tolerant adhesive patch inspired by protuberances in suction cups of octopi. 2017 , 546, 396-400	232
1085	All-soft, battery-free, and wireless chemical sensing platform based on liquid metal for liquid- and gas-phase VOC detection. 2017 , 17, 2323-2329	27
1084	Magnetically actuated functional gradient nanocomposites for strong and ultra-durable biomimetic interfaces/surfaces. 2017 , 4, 869-877	24
1083	Extraordinarily Stretchable All-Carbon Collaborative Nanoarchitectures for Epidermal Sensors. 2017 , 29, 1606411	148
1082	Ultra-conformable Organic Field-Effect Transistors and circuits for epidermal electronic applications. 2017 , 46, 60-67	38
1081	Assembly of Heterogeneous Materials for Biology and Electronics: From Bio-Inspiration to Bio-Integration. 2017 , 139,	12
1080	Stretchable Capacitive Sensors of Torsion, Strain, and Touch Using Double Helix Liquid Metal Fibers. 2017 , 27, 1605630	171
1079	Mechanical Properties of Organic Semiconductors for Stretchable, Highly Flexible, and Mechanically Robust Electronics. 2017 , 117, 6467-6499	430
1078	Recent Progress on Piezoelectric and Triboelectric Energy Harvesters in Biomedical Systems. 2017 , 4, 1700029	298
1077	Stretchable Light-Emitting Diodes with Organometal-Halide-Perovskite-Polymer Composite Emitters. 2017 , 29, 1607053	113
1076	Enhancing the Mechanical Durability of an Organic Field Effect Transistor through a Fluoroelastomer Substrate with a Crosslinking-Induced Self-Wrinkled Structure. 2017 , 3, 1600477	18
1075	Bionics in Tissue Engineering. 2017 , 677-699	1
1074	Advanced Materials for Health Monitoring with Skin-Based Wearable Devices. 2017 , 6, 1700024	165
1073	Fully printable, strain-engineered electronic wrap for customizable soft electronics. 2017 , 7, 45328	38
1072	Materials, Devices and Systems of Soft Bioelectronics for Precision Therapy. 2017 , 6, 1700017	25

1071	Enhancing the Performance of Stretchable Conductors for E-Textiles by Controlled Ink Permeation. 2017 , 29, 1605848	170
1070	Microtopography-Guided Conductive Patterns of Liquid-Driven Graphene Nanoplatelet Networks for Stretchable and Skin-Conformal Sensor Array. 2017 , 29, 1606453	77
1069	Flexible and stretchable nanowire-coated fibers for optoelectronic probing of spinal cord circuits. 2017 , 3, e1600955	128
1068	A piezo-resistive graphene strain sensor with a hollow cylindrical geometry. 2017 , 219, 20-27	31
1067	Detection of non-joint areas tiny strain and anti-interference voice recognition by micro-cracked metal thin film. 2017 , 34, 578-585	83
1066	Flexible Sensing Electronics for Wearable/Attachable Health Monitoring. 2017 , 13, 1602790	491
1065	The quest for miniaturized soft bioelectronic devices. 2017 , 1,	83
1064	Making Electrodes Stretchable. 2017 , 1, 1600029	96
1063	A Self-Wetting Paper Electrode for Ubiquitous Bio-Potential Monitoring. 2017 , 17, 2654-2661	9
1062	All rGO-on-PVDF-nanofibers based self-powered electronic skins. 2017 , 35, 121-127	107
1061	In-Plane Deformation Mechanics for Highly Stretchable Electronics. 2017 , 29, 1604989	101
1060	Review Wearable Biofuel Cells: Past, Present and Future. 2017 , 164, H3007-H3014	76
1059	Soft Elastomers with Ionic Liquid-Filled Cavities as Strain Isolating Substrates for Wearable Electronics. 2017 , 13, 1602954	67
1058	Conductive Polymer-Coated Carbon Nanotubes To Construct Stretchable and Transparent Electrochemical Sensors. 2017 , 89, 2032-2038	69
1057	. 2017 , 65, 473-481	37
1056	Nonlinear Frameworks for Reversible and Pluripotent Wetting on Topographic Surfaces. 2017 , 29, 1605078	15
1055	Graphene oxide as high-performance dielectric materials for capacitive pressure sensors. 2017 , 114, 209-216	142
1054	Shear deformation dominates in the soft adhesive layers of the laminated structure of flexible electronics. 2017 , 110-111, 305-314	24

1053	Highly Crumpled All-Carbon Transistors for Brain Activity Recording. 2017 , 17, 71-77	33
1052	3D-Printed Autonomous Sensory Composites. 2017 , 2, 1600257	12
1051	Neural Recording and Modulation Technologies. 2017 , 2,	267
1050	Digital microelectromechanical sensor with an engineered polydimethylsiloxane (PDMS) bridge structure. 2017 , 9, 1257-1262	10
1049	Graphene-carbon nanotube hybrid films for high-performance flexible photodetectors. 2017 , 10, 1880-1887	44
1048	Point-of-Care Diagnostics: Recent Developments in a Connected Age. 2017 , 89, 102-123	303
1047	The Use of Cardiac Orienting Responses as an Early and Scalable Biomarker of Alcohol-Related Neurodevelopmental Impairment. 2017 , 41, 128-138	11
1046	Multi-Parametric Sensing Platforms Based on Nanoparticles. 2017 , 2, 1600206	38
1045	Reversible Plastic Deformation of Polymer Blends as a Means to Achieve Stretchable Organic Transistors. 2017 , 3, 1600388	32
1044	Ultrasensitive cellular fluorocarbon piezoelectret pressure sensor for self-powered human physiological monitoring. 2017 , 32, 42-49	94
1043	Recent Progress of Self-Powered Sensing Systems for Wearable Electronics. 2017 , 13, 1701791	141
1042	Self-Organized Frameworks on Textiles (SOFT): Conductive Fabrics for Simultaneous Sensing, Capture, and Filtration of Gases. 2017 , 139, 16759-16767	155
1041	Capillary assisted deposition of carbon nanotube film for strain sensing. 2017 , 111, 173105	7
1040	Stretchable Electrode Based on Laterally Combed Carbon Nanotubes for Wearable Energy Harvesting and Storage Devices. 2017 , 27, 1704353	80
1039	Microsphere-Assisted Robust Epidermal Strain Gauge for Static and Dynamic Gesture Recognition. 2017 , 13, 1702108	16
1038	Elastic FRET sensors for contactless pressure measurement. 2017 , 7, 50578-50583	0
1037	Buckling analysis in stretchable electronics. 2017 , 1,	37
1036	Self-Heating-Induced Deterioration of Electromechanical Performance in Polymer-Supported Metal Films for Flexible Electronics. 2017 , 7, 12506	5

1035	Nature-Inspired Structural Materials for Flexible Electronic Devices. 2017 , 117, 12893-12941	401
1034	Fabrication and evaluation of a protruding Si-based printhead for electrohydrodynamic jet printing. 2017 , 27, 125004	8
1033	Buckling analysis of stiff thin films suspended on a substrate with tripod surface relief structure. 2017 , 111, 121904	9
1032	A power management circuit with 50% efficiency and large load capacity for triboelectric nanogenerator. 2017 , 38, 095001	15
1031	Large-Area All-Textile Pressure Sensors for Monitoring Human Motion and Physiological Signals. 2017 , 29, 1703700	412
1030	High-performance flexible BiCMOS electronics based on single-crystal Si nanomembrane. 2017 , 1,	25
1029	Inorganic semiconducting materials for flexible and stretchable electronics. 2017 , 1,	107
1028	Paper/Carbon Nanotube-Based Wearable Pressure Sensor for Physiological Signal Acquisition and Soft Robotic Skin. 2017 , 9, 37921-37928	154
1027	Epidermal Tattoo Patch for Ultrasound-Based Transdermal Microballistic Delivery. 2017 , 2, 1700210	14
1026	Water-Based Peeling of Thin Hydrophobic Films. 2017 , 119, 154502	23
1025	A General Strategy for Stretchable Microwave Antenna Systems using Serpentine Mesh Layouts. 2017 , 27, 1703059	22
1024	Emerging Green Materials and Technologies for Electronics. 2017 , 1-53	6
1023	Transparent and Flexible Triboelectric Sensing Array for Touch Security Applications. 2017 , 11, 8364-8369	69
1022	Scalable Manufacturing of Solderable and Stretchable Physiologic Sensing Systems. 2017 , 29, 1701312	41
1021	Wearable Electrocardiogram Monitor Using Carbon Nanotube Electronics and Color-Tunable Organic Light-Emitting Diodes. 2017 , 11, 10032-10041	137
1020	Ag/alginate nanofiber membrane for flexible electronic skin. 2017 , 28, 445502	19
1019	High-Yield Functional Molecular Electronic Devices. 2017 , 11, 6511-6548	95
1018	Ultrathin Quantum Dot Display Integrated with Wearable Electronics. 2017 , 29, 1700217	129

1017	Thermomechanical Analysis of Epidermal Electronic Devices Integrated With Human Skin. 2017 , 84,	25
1016	A Thin Elastic Membrane Conformed to a Soft and Rough Substrate Subjected to Stretching/Compression. 2017 , 84,	27
1015	SkinMarks. 2017 ,	73
1014	Development of a fiber-based membraneless hydrogen peroxide fuel cell. 2017 , 7, 40755-40760	14
1013	Versatile Interpenetrating Polymer Network Approach to Robust Stretchable Electronic Devices. 2017 , 29, 7645-7652	61
1012	A Textile Dressing for Temporal and Dosage Controlled Drug Delivery. 2017 , 27, 1702399	130
1011	Transparent, conformable, active multielectrode array using organic electrochemical transistors. 2017 , 114, 10554-10559	133
1010	Introduction to Electrochemical Point-of-Care Devices. 2017 , 1-26	
1009	Ultralow-Temperature Solution-Processed Aluminum Oxide Dielectrics via Local Structure Control of Nanoclusters. 2017 , 9, 35114-35124	30
1008	Amorphous liquid metal electrodes enabled conformable electrochemical therapy of tumors. 2017 , 146, 156-167	64
1007	Electrode-Impregnable and Cross-Linkable Poly(ethylene oxide)-Poly(propylene oxide)-Poly(ethylene oxide) Triblock Polymer Electrolytes with High Ionic Conductivity and a Large Voltage Window for Flexible Solid-State Supercapacitors. 2017 , 9, 33913-33924	16
1006	3D-Printed All-Fiber Li-Ion Battery toward Wearable Energy Storage. 2017 , 27, 1703140	184
1005	Lab-on-Skin: A Review of Flexible and Stretchable Electronics for Wearable Health Monitoring. 2017 , 11, 9614-9635	873
1004	Flexible Bimodal Sensor for Simultaneous and Independent Perceiving of Pressure and Temperature Stimuli. 2017 , 2, 1700183	31
1003	Effects of Flexible Dry Electrode Design on Electrodermal Activity Stimulus Response Detection. 2017 , 64, 2979-2987	7
1002	An Advanced Multifunctional Hydrogel-Based Dressing for Wound Monitoring and Drug Delivery. 2017 , 6, 1700718	112
1001	A laser curable palladium complex ink used for fabrication of copper pattern on polyimide substrate. 2017 , 80, 963-969	8
1000	Flexible thermoelectric power generation system based on rigid inorganic bulk materials. 2017 , 206, 649-656	63

999	Hybrid 3D Printing of Soft Electronics. 2017 , 29, 1703817	344
998	Advanced carbon materials for flexible and wearable sensors. 2017 , 60, 1026-1062	108
997	Flexible and reversibly deformable radio-frequency antenna based on stretchable SWCNTs/PANI/Lycra conductive fabric. 2017 , 26, 105036	12
996	Cancer Immunotherapy: From local to global. 2017 , 12, 840-841	7
995	Wearable near-field communication antennas with magnetic composite films. 2017 , 7, 065313	4
994	Graphene Electronic Tattoo Sensors. 2017 , 11, 7634-7641	304
993	Wearable electronics: Nanomesh on-skin electronics. 2017 , 12, 839-840	82
992	Paper-Based Bimodal Sensor for Electronic Skin Applications. 2017 , 9, 26974-26982	59
991	Stretchable Dry Electrodes with Concentric Ring Geometry for Enhancing Spatial Resolution in Electrophysiology. 2017 , 6, 1700552	32
990	Short communication: emerging technologies for biometeorology. 2017 , 61, 81-88	11
989	Bendable RuO ₂ /graphene thin film for fully flexible supercapacitor electrodes with superior stability. 2017 , 725, 108-114	39
988	3D Printed "Earable" Smart Devices for Real-Time Detection of Core Body Temperature. 2017 , 2, 990-997	69
987	All-solid-state flexible self-charging power cell basing on piezo-electrolyte for harvesting/storing body-motion energy and powering wearable electronics. 2017 , 39, 590-600	68
986	Graphene-Based Three-Dimensional Capacitive Touch Sensor for Wearable Electronics. 2017 , 11, 7950-7957	185
985	Wearable All-Fabric-Based Triboelectric Generator for Water Energy Harvesting. 2017 , 7, 1701243	149
984	Low-Cost, Facile, and Scalable Manufacturing of Capacitive Sensors for Soft Systems. 2017 , 2, 1700072	53
983	Optimal design of self-similar serpentine interconnects embedded in stretchable electronics. 2017 , 123, 1	19
982	Self-Collapse Lithography. 2017 , 17, 5035-5042	16

981	Controllable Synthesis of Atomically Thin Type-II Weyl Semimetal WTe Nanosheets: An Advanced Electrode Material for All-Solid-State Flexible Supercapacitors. 2017 , 29, 1701909	81
980	Self-Powered Real-Time Arterial Pulse Monitoring Using Ultrathin Epidermal Piezoelectric Sensors. 2017 , 29, 1702308	308
979	Transparent, Flexible Strain Sensor Based on a Solution-Processed Carbon Nanotube Network. 2017 , 9, 26279-26285	97
978	Inflammation-free, gas-permeable, lightweight, stretchable on-skin electronics with nanomeshes. 2017 , 12, 907-913	555
977	Recent developments in microfluidic paper-, cloth-, and thread-based electrochemical devices for analytical chemistry. 2017 , 36,	17
976	Highly Sensitive MoS Humidity Sensors Array for Noncontact Sensation. 2017 , 29, 1702076	223
975	Single wearable sensing energy device based on photoelectric biofuel cells for simultaneous analysis of perspiration and illuminance. 2017 , 9, 11846-11850	29
974	Highly Elastic Graphene-Based Electronics Toward Electronic Skin. 2017 , 27, 1701513	95
973	Mobile Monitoring of Traumatic Brain Injury in Older Adults: Challenges and Opportunities. 2017 , 15, 227-230	0
972	Investigating Limiting Factors in Stretchable All-Carbon Transistors for Reliable Stretchable Electronics. 2017 , 11, 7925-7937	47
971	A Skin-Inspired Integrated Sensor for Synchronous Monitoring of Multiparameter Signals. 2017 , 27, 1702050	46
970	Passive and Space-Discriminative Ionic Sensors Based on Durable Nanocomposite Electrodes toward Sign Language Recognition. 2017 , 11, 8590-8599	47
969	Flexible and integrated supercapacitor with tunable energy storage. 2017 , 9, 12324-12329	39
968	Effects of pre-buckling on the bending of organic electronic structures. 2017 , 7, 045204	5
967	QoS in Body Area Networks. 2017 , 13, 1-46	16
966	A Single Droplet-Printed Double-Side Universal Soft Electronic Platform for Highly Integrated Stretchable Hybrid Electronics. 2017 , 27, 1701912	31
965	Experimental and Theoretical Studies of Serpentine Interconnects on Ultrathin Elastomers for Stretchable Electronics. 2017 , 27, 1702589	85
964	Hyper-stretchable self-powered sensors based on electrohydrodynamically printed, self-similar piezoelectric nano/microfibers. 2017 , 40, 432-439	115

963	Fingertip-inspired electronic skin based on triboelectric sliding sensing and porous piezoresistive pressure detection. 2017 , 40, 65-72	84
962	Shape-Reconfigurable Aluminum-Air Batteries. 2017 , 27, 1702244	25
961	Flexible piezocapacitive sensors based on wrinkled microstructures: toward low-cost fabrication of pressure sensors over large areas. 2017 , 7, 39420-39426	57
960	A review of flexible lithium-sulfur and analogous alkali metal-chalcogen rechargeable batteries. 2017 , 46, 5237-5288	461
959	An electric-eel-inspired soft power source from stacked hydrogels. 2017 , 552, 214-218	232
958	Polymer Brushes as Interfacial Materials for Soft Metal Conductors and Electronics. 2017 , 709-734	
957	Crack-Enhanced Microfluidic Stretchable E-Skin Sensor. 2017 , 9, 44678-44686	36
956	Nonconventional Biosensors Based on Nanomembrane Materials. 2017 , 241-257	1
955	Stretchable bioelectronics: Current and future. 2017 , 42, 960-967	10
954	Epidermal Microfluidic Electrochemical Detection System: Enhanced Sweat Sampling and Metabolite Detection. 2017 , 2, 1860-1868	223
953	Mechanical response of spiral interconnect arrays for highly stretchable electronics. 2017 , 111, 214102	17
952	Personalized Interactive Surfaces with Printed Electronics. 2017 ,	1
951	Conformal transistor arrays based on solution-processed organic crystals. 2017 , 7, 15367	12
950	Unprecedented sensitivity towards pressure enabled by graphene foam. 2017 , 9, 19346-19352	30
949	Scalable Fabrication Framework of Implantable Ultrathin and Flexible Probes with Biodegradable Sacrificial Layers. 2017 , 17, 7315-7322	9
948	Interconnects on elastomers: optimizing for stretchability, speed and layout area. 2017 , 2, 045007	3
947	Fabrication of prebent MoS ₂ biosensors on flexible substrates. 2017 , 35, 06G805	6
946	Nanotransplantation Printing of Crystallographic-Orientation-Controlled Single-Crystalline Nanowire Arrays on Diverse Surfaces. 2017 , 11, 11642-11652	12

945	Research on flexible display at Ulsan National Institute of Science and Technology. 2017 , 1,	26
944	Bio-inspired high-performance solid-state supercapacitors with the electrolyte, separator, binder and electrodes entirely from kelp. 2017 , 5, 25282-25292	49
943	Dual-surface flexible THz Fano metasensor. 2017 , 111, 201101	78
942	Flexible Organic Tribotronic Transistor for Pressure and Magnetic Sensing. 2017 , 11, 11566-11573	50
941	Simulation study of junctionless silicon nanoribbon FET for high-performance printable electronics. 2017 ,	4
940	TouchPower. 2017 , 1, 1-20	4
939	Reconfigurable systems for multifunctional electronics. 2017 , 1,	22
938	Field-effect enhanced triboelectric colloidal quantum dot flexible sensor. 2017 , 111, 183103	9
937	Fully stretchable and highly durable triboelectric nanogenerators based on gold-nanosheet electrodes for self-powered human-motion detection. 2017 , 42, 300-306	92
936	Omnidirectional Deformable Energy Textile for Human Joint Movement Compatible Energy Storage. 2017 , 9, 41363-41370	11
935	Ambulatory and Non-Contact Recording Methods. 300-338	2
934	Highly flexible fabric strain sensor based on graphene nanoplatelet/polyaniline nanocomposites for human gesture recognition. 2017 , 134, 45340	55
933	Thin, Transferred Layers of Silicon Dioxide and Silicon Nitride as Water and Ion Barriers for Implantable Flexible Electronic Systems. 2017 , 3, 1700077	44
932	Crack-based strain sensor with diverse metal films by inserting an inter-layer. 2017 , 7, 34810-34815	27
931	Facile Fabrication of Ultra-Stretchable Metallic Nanocluster Films for Wearable Electronics. 2017 , 9, 28010-28018	18
930	. 2017 , 64, 3443-3451	12
929	A diffraction-based degradation sensor for polymer thin films. 2017 , 142, 102-110	3
928	Ultrasensitive Pressure Sensor Based on an Ultralight Sparkling Graphene Block. 2017 , 9, 22885-22892	89

927	One-pot preparation of porous piezoresistive sensor with high strain sensitivity via emulsion-templated polymerization. 2017 , 101, 195-198	14
926	Test structures for stepwise deformation sensing on super-flexible strain sensors. 2017 ,	0
925	Swallowing detection for game control: Using skin-like electronics to support people with dysphagia. 2017 ,	2
924	Efficient Skin Temperature Sensor and Stable Gel-Less Sticky ECG Sensor for a Wearable Flexible Healthcare Patch. 2017 , 6, 1700495	152
923	Integrated Simultaneous Detection of Tactile and Bending Cues for Soft Robotics. 2017 , 4, 400-410	25
922	Electrical properties of AlGa _N /Ga _N HEMTs in stretchable geometries. 2017 , 136, 36-42	10
921	Engineered elastomer substrates for guided assembly of complex 3D mesostructures by spatially nonuniform compressive buckling. 2017 , 27, 1604281	41
920	Dissolvable tattoo sensors: from science fiction to a viable technology. 2017 , 92, 013001	16
919	Materials and Device Designs for an Epidermal UV Colorimetric Dosimeter with Near Field Communication Capabilities. 2017 , 27, 1604465	108
918	Wearable strain sensor made of carbonized cotton cloth. 2017 , 28, 3535-3541	26
917	Flaw sensitivity of highly stretchable materials. 2017 , 10, 50-57	105
916	Flexible Hybrid Electronic Circuits and Systems. 2017 , 7, 27-37	17
915	Advanced Mechatronics and MEMS Devices II. 2017 ,	4
914	Flexible Electronic Devices for Biomedical Applications. 2017 , 341-366	3
913	Wearable human-machine interface based on PVDF piezoelectric sensor. 2017 , 39, 398-403	33
912	Flexible and Stretchable Energy Storage: Recent Advances and Future Perspectives. 2017 , 29, 1603436	725
911	Organic strain sensor comprised of heptazole-based thin film transistor and Schottky diode. 2017 , 40, 24-29	6
910	Low-Cycle Fatigue Testing of Ni Nanowires Based on a Micro-Mechanical Device. 2017 , 57, 495-500	17

909	Decal Electronics: Printable Packaged with 3D Printing High-Performance Flexible CMOS Electronic Systems. 2017 , 2, 1600175	7
908	Performance variation of bendable polymer electrolyte fuel cell based on Ag nanowire current collector under mixed bending and twisting load. 2017 , 42, 1884-1890	14
907	Industrial Internet of Things. 2017 ,	130
906	Recent Progress in the Development of Printed Thin-Film Transistors and Circuits with High-Resolution Printing Technology. 2017 , 29, 1602736	191
905	Collapse of microfluidic channels/reservoirs in thin, soft epidermal devices. 2017 , 11, 18-23	17
904	Electromechanical Response of Dip-Coated Silver Films on Micro-Bumpy Polymer Surface. 2017 , 42, 1903-1908	
903	Size-Scalable and High-Density Liquid-Metal-Based Soft Electronic Passive Components and Circuits Using Soft Lithography. 2017 , 27, 1604466	73
902	Miniaturized Battery-Free Wireless Systems for Wearable Pulse Oximetry. 2017 , 27, 1604373	182
901	Environmentally Friendly Hydrogel-Based Triboelectric Nanogenerators for Versatile Energy Harvesting and Self-Powered Sensors. 2017 , 7, 1601529	147
900	. 2017 , 5, 19631-19643	26
899	Design and Analysis of a Distributed-Deflection Sensor With a Built-In Probe for Mechanical Measurement of Soft Tissues With Curved Surface. 2017 ,	
898	Hybrid Nanocomposite Membrane for Wearable Bioelectronics. 2017 ,	1
897	Transforming the short-term sensing stimuli to long-term e-skin memory. 2017 ,	1
896	. 2017 , 1, 260-266	11
895	Flexible Field-Effect Transistor-Type Sensors Based on Conjugated Molecules. 2017 , 3, 724-763	106
894	Remote tactile sensing system integrated with magnetic synapse. 2017 , 7, 16963	16
893	A wireless smart UV accumulation patch based on conductive polymer and CNT composites. 2017 , 7, 54741-54746	6
892	Composite rubber electret for electromechanical load detection. 2017 ,	2

891	Ultrathin flexible coils for wireless power and data link in biomedical sensors. 2017,	0
890	. 2017,	
889	Mechanical and electrical characteristics of screen printed stretchable circuits on thermoplastic polyurethane. 2017,	1
888	Energy efficient computing and sensing in the Zettabyte era: From silicon to the cloud. 2017,	17
887	. 2017,	7
886	Water-Enabled Healing of Conducting Polymer Films. 2017, 29, 1703098	73
885	Characterization of stretchable serpentine microwave devices for wearable electronics. 2017,	2
884	Modular design for epidermal temperature sensing. 2017,	
883	Elastic instability induced mechano-responsive luminescence for super-flexible strain sensing. 2017,	
882	Self-Healing and Damage Resilience for Soft Robotics: A Review. 2017, 4,	47
881	320-nm Flexible Solution-Processed 2,7-dioctyl[1] benzothieno[3,2-b]benzothiophene Transistors. 2017, 10,	10
880	High-resolution 3D printing for healthcare underpinned by small-scale fluidics. 2017, 167-206	8
879	Inkjet Printed Fully-Passive Body-Worn Wireless Sensors for Smart and Connected Community (SCC). 2017, 7, 26	18
878	Materials, Mechanics, and Patterning Techniques for Elastomer-Based Stretchable Conductors. 2017, 8, 7	35
877	Arrayed Force Sensors Made of Paper, Elastomer, and Hydrogel Particles. 2017, 8,	4
876	ECG Monitoring Garment Using Conductive Carbon Paste for Reduced Motion Artifacts. 2017, 9,	23
875	Ultra-Stretchable Piezoelectric Nanogenerators via Large-Scale Aligned Fractal Inspired Micro/Nanofibers. 2017, 9,	16
874	The Boom in 3D-Printed Sensor Technology. 2017, 17,	161

873	Novel Flexible Wearable Sensor Materials and Signal Processing for Vital Sign and Human Activity Monitoring. 2017 , 17,	56
872	Soft Smart Garments for Lower Limb Joint Position Analysis. 2017 , 17,	60
871	Tactile Perception of Roughness and Hardness to Discriminate Materials by Friction-Induced Vibration. 2017 , 17,	16
870	Intelligent tattoos, patches, and other wearable biosensors. 2017 , 133-150	8
869	Body-Borne Computers as Extensions of Self. 2017 , 6, 12	10
868	Micromechanical Analysis of Soft Tactile Sensors. 2017 , 4,	
867	New Perspectives for Computer-Aided Discrimination of Parkinson's Disease and Essential Tremor. 2017 , 2017, 1-17	7
866	Mechanisms and Materials of Flexible and Stretchable Skin Sensors. 2017 , 8, 69	31
865	Strain, Pressure, Temperature, Proximity, and Tactile Sensors From Biopolymer Composites. 2017 , 437-457	6
864	Soft tissue application of biocomposites. 2017 , 59-82	1
863	The Development of Physical Skin Model for Biomechanical Applications. 2017 , 41, 129-136	1
862	Effects of Thermal Resistance on One-Dimensional Thermal Analysis of the Epidermal Flexible Electronic Devices Integrated with Human Skin. 2017 , 274, 012023	1
861	Architectural tradeoffs for biodegradable computing. 2017 ,	6
860	Giant and Linear Piezo-Phototronic Response in Layered GaSe Nanosheets. 2018 , 4, 1700447	11
859	Magnetic steering of liquid metal mobiles. 2018 , 14, 3236-3245	25
858	Highly stretchable and conductive fibers enabled by liquid metal dip-coating. 2018 , 27, 035019	26
857	Rationally Designed, Multifunctional Self-Assembled Nanoparticles for Covalently Networked, Flexible and Self-Healable Superhydrophobic Composite Films. 2018 , 10, 9823-9831	20
856	Solution-processed flexible NiO resistive random access memory device. 2018 , 142, 56-61	8

855	Biomolecule based fiber supercapacitor for implantable device. 2018 , 47, 385-392	52
854	Carbon nanomaterials for non-volatile memories. 2018 , 3,	64
853	Stretchable Health Monitoring Devices/Sensors. 2018 , 323-349	1
852	Soft Robotics. 2018 , 57, 4258-4273	307
851	A Printed Organic Amplification System for Wearable Potentiometric Electrochemical Sensors. 2018 , 8, 3922	35
850	Large-Scale Direct-Writing of Aligned Nanofibers for Flexible Electronics. 2018 , 14, e1703521	84
849	Printed Transistors and Sensors. 2018 , 83-104	
848	Flexible Health-Monitoring Devices/Sensors. 2018 , 287-321	
847	Talking to cells: semiconductor nanomaterials at the cellular interface. 2018 , 2, 1700242	12
846	Wet-Responsive, Reconfigurable, and Biocompatible Hydrogel Adhesive Films for Transfer Printing of Nanomembranes. 2018 , 28, 1706498	67
845	History of Flexible and Stretchable Devices. 2018 , 1-6	1
844	Conductive Nanosheets for Ultra-Conformable Smart Electronics. 2018 , 253-285	2
843	Flexible/Stretchable Devices for Medical Applications. 2018 , 351-380	1
842	Piezotronic Effect in a Zinc Oxide Nanowire. 2018 , 39-52	1
841	Wearable and Implantable Sensors for Biomedical Applications. 2018 , 11, 127-146	136
840	Strain engineering and mechanical assembly of silicon/germanium nanomembranes. 2018 , 128, 1-31	42
839	Melding Vapor-Phase Organic Chemistry and Textile Manufacturing To Produce Wearable Electronics. 2018 , 51, 850-859	48
838	Piezoresistive strain sensor array using polydimethylsiloxane-based conducting nanocomposites for electronic skin application. 2018 , 38, 494-500	10

837	Toward achieving precision health. 2018 , 10,	90
836	Wafer Scale Transfer of Ultrathin Silicon Chips on Flexible Substrates for High Performance Bendable Systems. 2018 , 4, 1700277	47
835	Fabrication of Flexible, Fully Organic, Degradable Energy Storage Devices Using Silk Proteins. 2018 , 10, 9620-9628	43
834	Triboelectric-Nanogenerator-Based Soft Energy-Harvesting Skin Enabled by Toughly Bonded Elastomer/Hydrogel Hybrids. 2018 , 12, 2818-2826	169
833	Materials and Wearable Devices for Autonomous Monitoring of Physiological Markers. 2018 , 30, e1705024	110
832	Flexible Amorphous GeSn MSM Photodetectors. 2018 , 10, 1-9	7
831	GPS-Inspired Stretchable Self-Powered Electronic Skin. 2018 , 17, 460-466	5
830	The effect of sweat on the performance of the interface between skin and flexible membrane. 2018 , 193, 162-171	
829	Kirigami enhances film adhesion. 2018 , 14, 2515-2525	46
828	Flexible active-matrix organic light-emitting diode display enabled by MoS thin-film transistor. 2018 , 4, eaas8721	116
827	Organic-Based Transistors and Sensors. 2018 , 53-81	
826	Anisotropic Mechanics of Cellular Substrate Under Finite Deformation. 2018 , 85,	11
825	Strong Capillarity, Chemisorption, and Electrocatalytic Capability of Crisscrossed Nanostraws Enabled Flexible, High-Rate, and Long-Cycling Lithium-Sulfur Batteries. 2018 , 12, 4868-4876	177
824	A Printed Organic Circuit System for Wearable Amperometric Electrochemical Sensors. 2018 , 8, 6368	32
823	Biaxially Stretchable Fully Elastic Transistors Based on Rubbery Semiconductor Nanocomposites. 2018 , 3, 1800043	29
822	Skin-Inspired Electronics: An Emerging Paradigm. 2018 , 51, 1033-1045	288
821	Optimization of flexible substrate by gradient elastic modulus design for performance improvement of flexible electronic devices. 2018 , 11, 051601	1
820	An electrochemically modulated single-walled carbon nanotube network for the development of a transparent flexible sensor for dopamine. 2018 , 267, 438-447	24

819	Low-power carbon nanotube-based integrated circuits that can be transferred to biological surfaces. 2018 , 1, 237-245	58
818	Methylxanthine Drug Monitoring with Wearable Sweat Sensors. 2018 , 30, e1707442	159
817	Synthetic biology-based cellular biomedical tattoo for detection of hypercalcemia associated with cancer. 2018 , 10,	34
816	Instant Locking of Molecular Ordering in Liquid Crystal Elastomers by Oxygen-Mediated Thiol-Acrylate Click Reactions. 2018 , 57, 5665-5668	50
815	Functional, RF-Trilayer Sensors for Tooth-Mounted, Wireless Monitoring of the Oral Cavity and Food Consumption. 2018 , 30, e1703257	98
814	Highly Sensitive Multifilament Fiber Strain Sensors with Ultrabroad Sensing Range for Textile Electronics. 2018 , 12, 4259-4268	136
813	A Supercompressible, Elastic, and Bendable Carbon Aerogel with Ultrasensitive Detection Limits for Compression Strain, Pressure, and Bending Angle. 2018 , 30, e1706705	174
812	EGainMetal Interfacing for Liquid Metal Circuitry and Microelectronics Integration. 2018 , 5, 1701596	98
811	Sensor Embodiment and Flexible Electronics. 2018 , 197-279	1
810	Skin-Attachable, Stretchable Electrochemical Sweat Sensor for Glucose and pH Detection. 2018 , 10, 13729-13740	5
809	Skin-Inspired Hierarchical Polymer Architectures with Gradient Stiffness for Spacer-Free, Ultrathin, and Highly Sensitive Triboelectric Sensors. 2018 , 12, 3964-3974	138
808	Science and Culture: Wearable tech meets tattoo art in a bid to revolutionize both. 2018 , 115, 3504-3506	9
807	Soft electrodes combining hydrogel and liquid metal. 2018 , 14, 3296-3303	65
806	Object discrimination using electrotactile feedback. 2018 , 15, 046007	19
805	Skin-interfaced systems for sweat collection and analytics. 2018 , 4, eear3921	217
804	Buckling-Induced Assembly of Three-Dimensional Tunable Metamaterials. 2018 , 12, 1700420	1
803	Test of a Tube-Shaped Artificial Skin Sensor Array for Colonoscopies. 2018 , 18, 2291-2298	
802	Skin electronics from scalable fabrication of an intrinsically stretchable transistor array. 2018 , 555, 83-88	1089

801	A Novel Finger Kinematic Tracking Method Based on Skin-Like Wearable Strain Sensors. 2018 , 18, 3010-3015	19
800	Conjugated Polymers for Flexible Energy Harvesting and Storage. 2018 , 30, e1704261	117
799	From biomaterial-based data storage to bio-inspired artificial synapse. 2018 , 21, 537-552	159
798	Bubble inductors: Pneumatic tuning of a stretchable inductor. 2018 , 8, 056601	6
797	Detection and quantification of phenol in liquid and gas phases using a clay/dye composite. 2018 , 62, 284-290	7
796	A Highly Stretchable Transparent Self-Powered Triboelectric Tactile Sensor with Metallized Nanofibers for Wearable Electronics. 2018 , 30, e1706738	230
795	Low-cost, thin-thick, tape-free electronic tattoo sensors with minimized motion and sweat artifacts. 2018 , 2,	87
794	An elastomer for epidermal electronics with adjustable adhesion force and stretchability obtained via a reverse-micelle-induced process. 2018 , 6, 2210-2215	4
793	Influence of Permittivity on the Sensitivity of Porous Elastomer-Based Capacitive Pressure Sensors. 2018 , 18, 1870-1876	27
792	Synthesis and Characterization of Piezotronic Materials for Application in Strain/Stress Sensing. 2018 ,	3
791	A semi-permanent and durable nanoscale-crack-based sensor by on-demand healing. 2018 , 10, 4354-4360	38
790	3D, Reconfigurable, Multimodal Electronic Whiskers via Directed Air Assembly. 2018 , 30, 1706733	30
789	Flexible Interconnects for Electronic Textiles. 2018 , 3, 1700277	55
788	Bioinspired, Spine-Like, Flexible, Rechargeable Lithium-Ion Batteries with High Energy Density. 2018 , 30, e1704947	71
787	Mechanics Design of Stretchable Near Field Communication Antenna With Serpentine Wires. 2018 , 85,	20
786	Self-Assembly of Enzyme-Like Nanofibrous G-Molecular Hydrogel for Printed Flexible Electrochemical Sensors. 2018 , 30, e1706887	159
785	High-Performance Carbon Nanotube Complementary Electronics and Integrated Sensor Systems on Ultrathin Plastic Foil. 2018 , 12, 2773-2779	66
784	Highly flexible, wearable, and disposable cardiac biosensors for remote and ambulatory monitoring. 2018 , 1, 2	103

783	Simple and cost-effective method of highly conductive and elastic carbon nanotube/polydimethylsiloxane composite for wearable electronics. 2018 , 8, 1375	121
782	Graphene-based flexible and wearable electronics. 2018 , 39, 011007	49
781	Skin-inspired highly stretchable and conformable matrix networks for multifunctional sensing. 2018 , 9, 244	710
780	Highly Sensitive and Wearable InO Nanoribbon Transistor Biosensors with Integrated On-Chip Gate for Glucose Monitoring in Body Fluids. 2018 , 12, 1170-1178	130
779	Highly Sensitive and Ultrastable Skin Sensors for Biopressure and Bioforce Measurements Based on Hierarchical Microstructures. 2018 , 10, 4086-4094	59
778	Wearable energy sources based on 2D materials. 2018 , 47, 3152-3188	158
777	High-performance stretchable supercapacitors based on intrinsically stretchable acrylate rubber/MWCNTs@conductive polymer composite electrodes. 2018 , 6, 4432-4442	65
776	Tough and Water-Insensitive Self-Healing Elastomer for Robust Electronic Skin. 2018 , 30, e1706846	523
775	Rehealable, fully recyclable, and malleable electronic skin enabled by dynamic covalent thermoset nanocomposite. 2018 , 4, eaaq0508	269
774	Applications of Printed Batteries. 2018 , 144-184	2
773	Kirigami-Inspired Structures for Smart Adhesion. 2018 , 10, 6747-6754	35
772	Flexible devices: from materials, architectures to applications. 2018 , 39, 011010	38
771	Electrohydrodynamic Direct-Writing for Flexible Electronic Manufacturing. 2018 ,	13
770	Hybrid functional microfibers for textile electronics and biosensors. 2018 , 39, 011009	2
769	Stretchable human-machine interface based on skin-conformal sEMG electrodes with self-similar geometry. 2018 , 39, 014001	8
768	One-Step Selective Adhesive Transfer Printing for Scalable Fabrication of Stretchable Electronics. 2018 , 3, 1700264	17
767	Molecular Dual-Rotators with Large Consecutive Emission Chromism for Visualized and High-Pressure Sensing. 2018 , 3, 717-723	1
766	Mechano-Based Transductive Sensing for Wearable Healthcare. 2018 , 14, e1702933	66

765	Conductive bridge random access memory characteristics of SiCN based transparent device due to indium diffusion. 2018 , 29, 125202	15
764	Soft, smart contact lenses with integrations of wireless circuits, glucose sensors, and displays. 2018 , 4, eaap9841	321
763	Mechanically Tunable Magnetic Properties of Flexible SrRuO ₃ Epitaxial Thin Films on Mica Substrates. 2018 , 4, 1700522	41
762	A fluorescent wearable platform for sweat Cl ⁻ analysis and logic smart-device fabrication based on color adjustable lanthanide MOFs. 2018 , 6, 1863-1869	51
761	Helix Electrohydrodynamic Printing (HE-Printing). 2018 , 67-88	
760	Synthesis of three-dimensional porous reduced graphene oxide hydrogel/carbon dots for high-performance supercapacitor. 2018 , 808, 321-328	34
759	A High Aspect Ratio Serpentine Structure for Use As a Strain-Insensitive, Stretchable Transparent Conductor. 2018 , 14, 1702818	16
758	Syringe Injectable Electronics. 2018 , 65-93	18
757	Implantable, wireless device platforms for neuroscience research. 2018 , 50, 42-49	71
756	Ultrasensitive Flexible Proximity Sensor Based on Organic Crystal for Location Detection. 2018 , 10, 2785-2792	35
755	Research Advances of Bio-Inspired Carbon Nanotubes-Based Sensors. 2018 , 3, 1-11	5
754	Transparent and Self-Powered Multistage Sensation Matrix for Mechanosensation Application. 2018 , 12, 254-262	63
753	Imperceptible Epidermal-Iontronic Interface for Wearable Sensing. 2018 , 30, 1705122	104
752	Micro-patterned graphene-based sensing skins for human physiological monitoring. 2018 , 29, 105503	13
751	Flexible, Stretchable, and Biodegradable Thin-Film Silicon Photovoltaics. 2018 , 161-175	1
750	Dynamic model for piezotronic and piezo-phototronic devices under low and high frequency external compressive stresses. 2018 , 123, 025709	13
749	Highly Sensitive and Very Stretchable Strain Sensor Based on a Rubbery Semiconductor. 2018 , 10, 5000-5006	72
748	Three-Dimensional Macroporous Nanoelectronics Scaffold Innervated Synthetic Tissue. 2018 , 39-63	1

747	Deformable Organic Nanowire Field-Effect Transistors. 2018 , 30, 1704401	64
746	Ultraconformable Temporary Tattoo Electrodes for Electrophysiology. 2018 , 5, 1700771	89
745	MXene electrochemical microsupercapacitor integrated with triboelectric nanogenerator as a wearable self-charging power unit. 2018 , 45, 266-272	236
744	Multifunctional Sensor Based on Porous Carbon Derived from Metal-Organic Frameworks for Real Time Health Monitoring. 2018 , 10, 3986-3993	94
743	Scalable fabrication of free-standing, stretchable CNT/TPE ultrathin composite films for skin adhesive epidermal electronics. 2018 , 6, 6666-6671	23
742	Programmable Hydrogel Ionic Circuits for Biologically Matched Electronic Interfaces. 2018 , 30, e1800598	71
741	Ultrahigh Sensitive and Flexible Magneto-electronics with Magnetic Nanocomposites: Toward an Additional Perception of Artificial Intelligence. 2018 , 10, 17393-17400	24
740	Ubiquitous conformable systems for imperceptible computing. 2021 , ahead-of-print,	2
739	Skin-like hydrogel devices for wearable sensing, soft robotics and beyond. 2021 , 24, 103174	13
738	Skin-like Transparent Polymer-Hydrogel Hybrid Pressure Sensor with Pyramid Microstructures. 2021 , 13,	5
737	Shape-Engineerable Silk Fibroin Papers for Ideal Substrate Alternatives of Plastic Electronics. 2104088	8
736	Sensing and Biosensing in the World of Autonomous Machines and Intelligent Systems. 2021 , 2,	1
735	Research on thermal properties of flexible electronic devices under solar radiation. 2021 , 11, 095309	
734	Ultrathin Polythiophene Films Prepared by Vertical Phase Separation for Highly Stretchable Organic Field-Effect Transistors. 2100591	6
733	Crumpled MXene Electrodes for Ultrastretchable and High-Area-Capacitance Supercapacitors. 2021 , 21, 7561-7568	9
732	Mind the gap: State-of-the-art technologies and applications for EEG-based brain-computer interfaces. 2021 , 5, 031507	10
731	Engineering MoTe ₂ and Janus SeMoTe nanosheet structures: First-principles roadmap and practical uses in hydrogen evolution reactions and symmetric supercapacitors. 2021 , 87, 106161	13
730	A Bioinspired Stretchable Sensory-Neuromorphic System. 2021 , 33, e2104690	17

- 729 The dynamics of touch sensing studied in a mass-spring-damper model of the skin.
- 728 Skin-Integrated Devices with Soft, Holey Architectures for Wireless Physiological Monitoring, With Applications in the Neonatal Intensive Care Unit. **2021**, 33, e2103974 5
- 727 Interfacial Competitive Debonding of a Bilayer Elastic Film on a Rigid Substrate. **2022**, 89,
- 726 E-Skin: The Dawn of a New Era of On-Body Monitoring Systems. **2021**, 12, 3
- 725 Robust, self-adhesive, reinforced polymeric nanofilms enabling gas-permeable dry electrodes for long-term application. **2021**, 118, 13
- 724 Enhanced Thermal Transport across Self-Interfacing van der Waals Contacts in Flexible Thermal Devices. **2021**, 31, 2107023 8
- 723 Bioinspired Photonic Ionogels as Interactively Visual Ionic Skin with Optical and Electrical Synergy. **2021**, 17, e2103271 7
- 722 A highly stretchable optical strain sensor monitoring dynamically large strain for deformation-controllable soft actuator. **2021**, 30, 105020 2
- 721 Communication An Epidermal Electrochemical Energy Source with a Replaceable Glucose Power Supply Membrane. 1
- 720 Surface bioelectric dry Electrodes: A review. **2021**, 183, 109774 11
- 719 Mould-Free Skin-Inspired Robust and Sensitive Flexible Pressure Sensors With Hierarchical Microstructures. **2021**, 42, 1536-1539 2
- 718 Flexible stimuli-responsive materials for smart personal protective equipment. **2021**, 146, 100629 4
- 717 Torsional deformation dominated buckling of serpentine structures to form three-dimensional architectures with ultra-low rigidity. **2021**, 155, 104568 5
- 716 Modeling electromechanical coupling of liquid metal embedded elastomers while accounting stochasticity in 3D percolation. **2021**, 48, 101443 5
- 715 Stretchable organic optoelectronic devices: Design of materials, structures, and applications. **2021**, 146, 100631 11
- 714 Materials for Dry Electrodes for the Electroencephalography: Advances, Challenges, Perspectives. 2100612 5
- 713 Approaches to deformable physical sensors: Electronic versus iontronic. **2021**, 146, 100640 8
- 712 Development of triboelectric-enabled tunable Fabry-Pérot photonic-crystal-slab filter towards wearable mid-infrared computational spectrometer. **2021**, 89, 106446 8

711	Luminescent wearable biosensors based on gold nanocluster networks for "turn-on" detection of Uric acid, glucose and alcohol in sweat. 2021 , 192, 113530	7
710	A cost-effective and solderability stretchable circuit boards for wearable devices. 2021 , 331, 112924	1
709	A novel all-in-one integrated flexible supercapacitor based on self-healing hydrogel electrolyte. 2021 , 888, 161554	4
708	Alternative manufacturing process of 3-dimensional interconnect device using thermoforming process. 2021 , 127, 114373	
707	Fully integrated flexible long-term electrocardiogram recording patch with gel-less adhesive electrodes for arrhythmia detection. 2021 , 332, 113063	2
706	Microfluidics-based devices and their role on point-of-care testing. 2022 , 197-224	0
705	Enhanced biocompatibility and multidirectional wet adhesion of insect-like synergistic wrinkled pillars with microcavities. 2022 , 429, 132467	1
704	Combined Pressure Sensor With Enhanced Dynamic Range Based on Thin Films of Nanotubes and Graphite Nanobelts. 2021 , 1,	0
703	Eco-friendly biogenic hydrogel for wearable skin-like iontronics. 2021 , 9, 4692-4699	7
702	Metal Halide Perovskite/2D Material Heterostructures: Syntheses and Applications.. 2021 , 5, e2000937	6
701	A Review: Electrode and Packaging Materials for Neurophysiology Recording Implants. 2020 , 8, 622923	7
700	A porous PDMS pulsewave sensor with haircell structures for water vapor transmission rate and signal-to-noise ratio enhancement. 2021 , 3, 4843-4850	1
699	Multilayered electronic transfer tattoo that can enable the crease amplification effect. 2021 , 7,	36
698	Edge algorithms for wearables: an overview of a truly multi-disciplinary problem. 2021 , 379-414	2
697	Materials, Devices, and Applications for Wearable and Implantable Electronics. 2021 , 3, 485-503	10
696	Nanotechnology-enabled polymer-based flexible electronics and their potential applications. 2021 , 321-340	1
695	Three-dimensional functionalized film printing for health monitoring. 2021 , 243-258	
694	Flexible and Stretchable Dry Active Electrodes with PDMS and Silver Flakes for Bio-potentials Sensing Systems. 2021 , 1-1	3

693	Next-Generation Wearable Biosensors Developed with Flexible Bio-Chips. 2021 , 12,	4
692	Rolled-up island-bridge (RIB): a new and general electrode configuration design for a wire-shaped stretchable micro-supercapacitor array. 2021 , 9, 2899-2911	7
691	Flexible Nano Smart sensors. 2021 , 199-230	0
690	Conformable on-skin devices for thermo-electro-tactile stimulation: materials, design, and fabrication. 2021 , 2, 1787-1820	4
689	Toward nanobioelectronic medicine: Unlocking new applications using nanotechnology. 2021 , 13, e1693	4
688	A multiple laser-induced hybrid electrode for flexible triboelectric nanogenerators. 2021 , 5, 3737-3743	5
687	Phase change mediated mechanically transformative dynamic gel for intelligent control of versatile devices. 2021 , 8, 1230-1241	15
686	Bioimpedance Sensors: A Tutorial. 2021 , 1-1	4
685	Power and data communication in wearable and implantable devices. 2021 , 279-309	2
684	Stretchable transistors and functional circuits for human-integrated electronics. 2021 , 4, 17-29	49
683	Nanostructured Conductors for Flexible Electronics. 395-412	1
682	Light-Boosting Highly Sensitive Pressure Sensors Based on Bioinspired Multiscale Surface Structures. 2020 , 30, 1907091	53
681	Wireless Monitoring of Small Strains in Intelligent Robots via a Joule Heating Effect in Stretchable GraphenePolymer Nanocomposites. 2020 , 30, 1910809	34
680	Stretchable and Transparent Conductive PEDOT:PSS-Based Electrodes for Organic Photovoltaics and Strain Sensors Applications. 2020 , 30, 2001251	46
679	Wearable Soft Technologies for Haptic Sensing and Feedback. 2021 , 31, 2007428	41
678	Wearable Sensors-Enabled HumanMachine Interaction Systems: From Design to Application. 2021 , 31, 2008936	79
677	Water-Resistant Conformal Hybrid Electrodes for Aquatic Endurable Electrocardiographic Monitoring. 2020 , 32, e2001496	66
676	Bioinspired Prosthetic Interfaces. 2020 , 5, 1900856	21

675	Electronic-ECM: A Permeable Microporous Elastomer for an Advanced Bio-Integrated Continuous Sensing Platform. 2020 , 5, 2000242	3
674	Inkjet Printing of Curing Agent on Thin PDMS for Local Tailoring of Mechanical Properties. 2020 , 41, e1900569	3
673	Introduction. 2014 , 1-22	6
672	Flexible Intravascular EIS Sensors for Detecting Metabolically Active Plaque. 2020 , 143-162	1
671	Electronic Artificial Skin for Application in Pressure Sensor. 2015 , 433-439	1
670	Stretchability, Conformability, and Low-Cost Manufacture of Epidermal Sensors. 2016 , 31-51	2
669	Background. 2016 , 5-28	1
668	At-Home Computer-Aided Myoelectric Training System for Wrist Prosthesis. 2016 , 284-293	5
667	Stretchable sEMG Electrodes Conformally Laminated on Skin for Continuous Electrophysiological Monitoring. 2017 , 77-86	3
666	Towards Noise-Enhanced Augmented Cognition. 2013 , 259-268	2
665	Thin Film Biosensors. 2013 , 265-300	5
664	Optoelectronic sensing of biophysical and biochemical signals based on photon recycling of a micro-LED. 2021 , 14, 3208-3213	1
663	An Atlas for Large-Area Electronic Skins: From Materials to Systems Design. 2020 ,	3
662	Bioinspired Structures and Design. 2020 ,	1
661	Introduction to Human Neuroimaging. 2019 ,	3
660	Highly Responsive Flexible Photodetectors Based on MOVPE Grown Uniform Few-Layer MoS ₂ . 2020 , 7, 1388-1395	26
659	Bring on the bodyNET. 2017 , 549, 328-330	90
658	Multimodal epidermal devices for hydration monitoring. 2017 , 3, 17014	40

657	Mimicking biological stress-strain behaviour with synthetic elastomers. 2017 , 549, 497-501	184
656	Wireless battery-free body sensor networks using near-field-enabled clothing. 2020 , 11, 444	85
655	Freestanding single-crystal Ni _{0.5} Zn _{0.5} Fe ₂ O ₄ ferrite membranes with controllable enhanced magnetic properties for flexible RF/microwave applications. 2020 , 8, 17099-17106	3
654	Ultra-stretchable on-body-based soft triboelectric nanogenerator for electronic skin. 2020 , 29, 115031	5
653	Conductive liquid metal elastomer thin films with multifunctional electro-mechanical properties. 2020 , 3, 044001	8
652	Inkjet-printed Ti ₃ C ₂ T _x MXene electrodes for multimodal cutaneous biosensing. 2020 , 3, 044004	10
651	Bedscales: A non-contact adherence-independent multi-person sensor for longitudinal physiologic monitoring in the home bed.	1
650	Analysis of miniaturization effects and channel selection strategies for EEG sensor networks with application to auditory attention detection.	3
649	NFC-enabled, tattoo-like stretchable biosensor manufactured by "cut-and-paste" method. 2017 , 2017, 4094-4097	14
648	S-Convnet: A Shallow Convolutional Neural Network Architecture for Neuromuscular Activity Recognition Using Instantaneous High-Density Surface EMG Images. 2020 , 2020, 744-749	2
647	Strain-Limiting Substrates Based on Nonbuckling, Prestrain-Free Mechanics for Robust Stretchable Electronics. 2017 , 84,	15
646	Mechanics of Buckled Kirigami Membranes for Stretchable Interconnects in Island-Bridge Structures. 2020 , 87,	10
645	Scaling Effects in the Mechanical System of the Flexible Epidermal Electronics and the Human Skin. 2020 , 87,	11
644	Properties of Porous PDMS and Stretchability of Flexible Electronics in Moist Environment. 2020 , 87,	8
643	Fabrication and Characterization of Highly Deformable Artificial Muscle Fibers Based on Liquid Crystal Elastomers. 2021 , 88,	3
642	Noninvasive, three-dimensional full-field body sensor for surface deformation monitoring of human body in vivo. 2017 , 22, 1-10	15
641	Inkjet-printed, intrinsically stretchable conductors and interconnects. 2017 ,	2
640	Weaving a Second Skin. 2020 ,	9

639	BodyPrinter: Fabricating Circuits Directly on the Skin at Arbitrary Locations Using a Wearable Compact Plotter. 2020,	4
638	Highly Sensitive, Flexible Pressure Sensors Based on Carbon Nanotube Microfibers Hybridized with Au Flowers. 2016, 53, 7-14	1
637	Flexible and stretchable inorganic optoelectronics. 2019, 9, 4023	26
636	Discrete motor coordinates for vowel production. 2013, 8, e80373	5
635	Thermal transport characteristics of human skin measured in vivo using ultrathin conformal arrays of thermal sensors and actuators. 2015, 10, e0118131	55
634	Graphene-based Flexible and Stretchable Bioelectronics in Health Care Systems. 2016, 3,	2
633	Mechanics of Interfacial Bonding in Dissimilar Soft Transient Materials and Electronics. 2016, 1, 2501-2511	2
632	The Current State of Mobile Phone Apps for Monitoring Heart Rate, Heart Rate Variability, and Atrial Fibrillation: Narrative Review. 2019, 7, e11606	65
631	Skin Biosensing and Bioanalysis: what the Future Holds. 2018, 1, 124-127	1
630	Flexible Electrode by Hydrographic Printing for Surface Electromyography Monitoring. 2020, 13,	3
629	Vision-Based Suture Tensile Force Estimation in Robotic Surgery. 2020, 21,	1
628	Compliant semiconductor scaffolds: building blocks for advanced neural interfaces. 2015, 10, 1741-2	1
627	A Study on Business Types of IoT-based Smarthome : Based on the Theory of Platform Typology. 2016, 16, 27-40	4
626	Review on stretchable and flexible inorganic electronics. 2014, 63, 014201	8
625	Thermophysical properties of a single-wall carbon nanotube thin film on Au electrodes evaluated by a time-domain thermoreflectance method. 2019, 58, 128006	3
624	From Rigid to Flexible and Stretchable: Considerations for Design of Wireless Electronics on Skin. 2021,	1
623	§Gamma§-Match Epidermal Loop for future 3.6 GHz 5G Body-centric Systems. 2021,	0
622	Biocompatible artificial synapses based on a zein active layer obtained from maize for neuromorphic computing. 2021, 11, 20633	1

621	Biospired Janus Silk E-Textiles with Wet-Thermal Comfort for Highly Efficient Biofluid Monitoring. 2021 , 21, 8880-8887	16
620	A perspective on flexible sensors in developing diagnostic devices. 2021 , 119, 150501	8
619	Fractal Design for Advancing the Performance of Chemoresistive Sensors. 2021 , 6, 3685-3695	2
618	Analytical Model of the Piezoresistive Behavior of Highly Compressible Sensors Made of Microporous Nanocomposites. 2100247	
617	Phase-Rich Laser-Induced Hierarchically Interactive MXene Reinforced Carbon Nanofibers for Multifunctional Breathable Bioelectronics. 2107969	3
616	Soft wearable sensors for monitoring symptoms of COVID-19 and other respiratory diseases: a review. 2022 , 4, 012001	2
615	Advances in Communication and Biomedical Antenna Developments at the UCLA Antenna Lab: Handheld, Wearable, Ingestible, and Implantable [Bioelectromagnetics]. 2021 , 63, 102-115	2
614	Advanced sensor technologies and the future of work. 2021 ,	6
613	Organic Electrochemical Transistors for In Vivo Bioelectronics. 2021 , 33, e2101874	17
612	A sub-150-nanometre-thick and ultraconformable solution-processed all-organic transistor. 2021 , 12, 5842	10
611	Tough Carbon Nanotube-Implanted Bioinspired Three-Dimensional Electrical Adhesive for Isotropically Stretchable Water-Repellent Bioelectronics. 2107285	6
610	Miniaturization of mechanical actuators in skin-integrated electronics for haptic interfaces. 2021 , 7, 85	4
609	Material and structural design of microsupercapacitors. 1	0
608	A Stretchable Multimode Triboelectric Nanogenerator for Energy Harvesting and Self-Powered Sensing. 2100870	3
607	'Electronic skin' could replace bulky electrodes.	1
606	Wearable and Implantable Technologies for Cardiovascular Health Informatics. 2013 , 481-502	
605	Development of Minimally Invasive Medical Devices and Healthcare Devices Using MEMS Technology. 2013 , 116, 32-36	
604	Enhanced Cu ₂ S/CdS Coaxial Nanowire Solar Cells by Piezo-Phototronic Effect. 2013 ,	

603	Silicon Nanomembrane Based Photonic Devices on Foreign Substrates. 2013,	
602	Fabrication of Nanowires and Their Applications. 2014, 89-128	
601	Reliability of Metal Electrode for Flexible Electronics. 2013, 20, 1-6	2
600	Conductive Polymer Fibers for Sensor Devices. 2014, 1-15	
599	A Learning Scheme for EMG Based Interfaces: On Task Specificity in Motion Decoding Domain. 2014 , 3-36	1
598	CHAPTER 12:Other Applications. 2014, 268-291	
597	Recent Progress in Flexible/Wearable Electronics. 2014, 32, 34-42	2
596	Capacitive Skin Piloerection Sensors for Human Emotional State Cognition. 2015, 39, 147-152	1
595	Bending Fatigue Reliability Improvements of Cu Interconnects on Flexible Substrates through Mo-Ti Alloy Adhesion Layer. 2015, 22, 21-25	
594	Bionic Graphene Nanosensors. 2016, 269-297	
593	2.?????????????????????????????. 2016, 84, 164-168	
592	Introduction. 2016, 1-7	
591	Measurement Technologies of Mechanical Properties of Polymers used for Flexible and Stretchable Electronic Packaging. 2016, 23, 19-28	1
590	Wireless powering for electrochemical sensor. 2016,	
589	Transfer Printing for Cyber-Manufacturing Systems. 2017, 671-690	1
588	Soft Robotic Micro-Tentacle: A Case Study. 2017, 39-58	
587	Enabling Technologies. 2017, 11-38	
586	Introduction. 2017, 1-3	

585 Current Progress. **2017**, 59-78

584 Novel Image Correlation Based Techniques for Mechanical Analysis of MEMS. **2018**, 19-28

583 Introduction. **2018**, 1-14

582 Three-Dimensional Macroporous Nanoelectronics Network. **2018**, 15-25

581 Principles of Biomedical Instrumentation. **2018**, 18-61

580 Rapid Detection and Monitoring of Brain Injury Using Sensory-Evoked Responses. **2018**, 243-256

579 The Current State of Mobile Phone Apps for Monitoring Heart Rate, Heart Rate Variability, and Atrial Fibrillation: Narrative Review (Preprint). 1

578 Glass in Integrated Photonics. **2019**, 1441-1481 1

577 Interfacing Biology Systems with Nanoelectronics for Nanodevices. **2019**, 701-759 1

576 Integrated photonics put at full stretch: flexible and stretchable photonic devices enabled by optical and mechanical co-design. **2019**,

575 Introduction to Human Neuroimaging. **2019**, 325-342

574 Introduction to Human Neuroimaging. **2019**, 343-350

573 Introduction to Human Neuroimaging. **2019**, 142-162

572 Introduction to Human Neuroimaging. **2019**, 209-230

571 Introduction to Human Neuroimaging. **2019**, 127-141 1

570 Introduction to Human Neuroimaging. **2019**, 79-101

569 Introduction to Human Neuroimaging. **2019**, 275-276

568 Electronic tattoos: the most multifunctional but imperceptible wearables. **2019**, 1

567 Introduction to Human Neuroimaging. **2019**, 292-308

566 Introduction to Human Neuroimaging. **2019**, 163-190

565 Introduction to Human Neuroimaging. **2019**, 309-324

564 Introduction to Human Neuroimaging. **2019**, 252-274

563 Introduction to Human Neuroimaging. **2019**, xv-xviii

562 Introduction to Human Neuroimaging. **2019**, 48-76

561 Introduction to Human Neuroimaging. **2019**, 1-28

560 Introduction to Human Neuroimaging. **2019**, 31-47

559 Introduction to Human Neuroimaging. **2019**, 77-78

558 Introduction to Human Neuroimaging. **2019**, 277-291

557 Introduction to Human Neuroimaging. **2019**, 102-126

556 Introduction to Human Neuroimaging. **2019**, 191-192

555 Introduction to Human Neuroimaging. **2019**, 193-208

554 Introduction to Human Neuroimaging. **2019**, 231-251

553 Introduction to Human Neuroimaging. **2019**, 29-30

552 Bioresorbable Electronics. **2019**, 505-523

551 Rubber artificial skin layer with flexible structure for shape estimation of micro-undulation surfaces. **2020**, 7, 2

550 Eyes-free graph legibility. **2020**, 0

549	Wearable Soft Grid Array Antenna for S-band 5G Communication. 2020,	0
548	Flexible Dual chip on-skin RFID Sensor for Body Temperature Monitoring. 2020,	
547	Stretchable Transparent Electrode Wettability Self-Assembly in Mechanically Induced Self-Cracking. 2021,	1
546	Nature inspired emerging sensing technology: Recent progress and perspectives. 2021, 146, 100647	3
545	Permeable Conductors for Wearable and On-Skin Electronics. 2100135	12
544	New Developments in Anterior Laryngeal Recording Technique During Neuromonitored Thyroid and Parathyroid Surgery. 2021, 12, 763170	2
543	Nano Foldaway Skin-like E-interface for Detecting Human Bioelectrical Signals. 2021, 13, 148-154	2
542	Energy harvesting. 2022, 205-212	
541	Mechanical and electronic properties of boron nitride nanosheets with graphene domains under strain.. 2021, 11, 35127-35140	
540	Soft and Stretchable Electronics Design. 2021,	
539	Finite Element Simulation of the Impedance Response of a Vascular Segment as a Function of Changes in Electrode Configuration. 2020, 11, 112-131	1
538	Inorganic Dissolvable Bioelectronics. 2020, 73-100	
537	Recent advances of flexible sensors for biomedical applications. 2021,	7
536	Dissecting Biological and Synthetic Soft-Hard Interfaces for Tissue-Like Systems. 2021,	5
535	Emergence of flexible technology in developing advanced systems for post-stroke rehabilitation: a comprehensive review. 2021, 18,	3
534	Metal Micropatterning by Triboelectric Spark Discharge. 2109265	3
533	High Channel Temperature Mapping Electronics in a Thin, Soft, Wireless Format for Non-Invasive Body Thermal Analysis. 2021, 11,	
532	Moisture-Wicking, Breathable, and Intrinsically Antibacterial Electronic Skin Based on Dual-Gradient Poly(ionic liquid) Nanofiber Membranes. 2021, 34, e2106570	26

531	Phosphorescence-based Temperature and Tactile Multi-functional Flexible Sensing Skin. 2021 , 332, 113205	
530	On-Body Piezoelectric Energy Harvesters through Innovative Designs and Conformable Structures. 2021 ,	3
529	Ultrahigh Sensitive Au-Doped Silicon Nanomembrane Based Wearable Sensor Arrays for Continuous Skin Temperature Monitoring with High Precision. 2021 , e2105865	10
528	Research Progress of Microtransfer Printing Technology for Flexible Electronic Integrated Manufacturing. 2021 , 12,	0
527	Circuit-free, optoelectronic sensing of electrodermal activities based on photon recycling of a micro-LED.	
526	Optimal versus approximate channel selection methods for EEG decoding with application to topology-constrained neuro-sensor networks.	
525	Effect of substrate nano-SiO ₂ hybridization on edge stress distribution of two-dimensional horseshoe-shaped interconnect under thermal load. 2020 , 59, 110902	
524	Carbon nanofiber-reinforced strain sensors with high breathability and anisotropic sensitivity.	8
523	Artificial stretchable armor for skin-interfaced wearable devices and soft robotics. 2022 , 50, 101537	2
522	Machine learning based inverse modeling of full-field strain distribution for mechanical characterization of a linear elastic and heterogeneous membrane. 2022 , 165, 104134	
521	Design of Memristor Based Logic Gates for Low Power Wireless Sensors in Biomedical Applications. 2021 ,	1
520	Biodegradable all-polymer field-effect transistors printed on Mater-Bi. 2021 , 22, 247-256	3
519	Stencil Printing of Liquid Metal upon Electrospun Nanofibers Enables High-Performance Flexible Electronics. 2021 ,	19
518	Mobile Electroencephalography for Studying Neural Control of Human Locomotion. 2021 , 15, 749017	1
517	Stretchable Conductors Fabricated by Stencil Lithography and Centrifugal Force-Assisted Patterning of Liquid Metal.. 2021 , 3, 5423-5432	5
516	Recent Advances in Multiresponsive Flexible Sensors towards E-skin: A Delicate Design for Versatile Sensing. 2021 , e2103734	10
515	Flexible sensors based on assembled carbon nanotubes. 2021 , 2, e143	2
514	Shaping the future of robotics through materials innovation. 2021 , 20, 1582-1587	17

513	Printed Strain Sensors for On-Skin Electronics. 2100131	5
512	Role of Thin Film Adhesion on Capillary Peeling. 2021 , 21, 9983-9989	2
511	Progress of Wearable and Flexible Electrochemical Biosensors With the Aid of Conductive Nanomaterials. 2021 , 9, 761020	1
510	Poly-Si Thin-Film Transistors on Polyimide Substrate for 1 mm Diameter Rollable Active-Matrix Organic Light-Emitting Diode Display. 2100910	2
509	Healable, Adhesive, and Conductive Nanocomposite Hydrogels with Ultrastretchability for Flexible Sensors. 2021 , 13, 58048-58058	7
508	A Multifunctional Flexible Ferroelectric Transistor Sensor for Electronic Skin. 2101166	2
507	Flexible and Wearable Ultrasound Device for Medical Applications: A Review on Materials, Structural Designs, and Current Challenges. 2100798	2
506	Flexible Plasmonic Biosensors for Healthcare Monitoring: Progress and Prospects. 2021 ,	13
505	Biocompatibility Testing of Liquid Metal as an Interconnection Material for Flexible Implant Technology.. 2021 , 11,	1
504	3D network PPy nanofibers for highly sensitive flexible piezoresistive pressure sensors. 2021 ,	
503	Flexible smart sensing skin for Fly-by-Feel Morphing aircraft. 1	6
502	Recent Progress in Materials Chemistry to Advance Flexible Bioelectronics in Medicine. 2021 , e2106787	5
501	Piezoelectric Nanogenerator for Highly Sensitive and Synchronous Multi-Stimuli Sensing. 2021 ,	7
500	Mechanics of Strain-limiting wrinkled kirigami for flexible devices: High flexibility, stretchability and compressibility. 2021 , 238, 111382	1
499	Curved display based on programming origami tessellations.. 2021 , 7, 101	1
498	Low-Cost, Large-Area, Multifunctional Stretchable E-Tattoos Inspired by Dough Figurines for Wearable Human-Machine Interfaces. 2100907	1
497	Multimodal Sensing Integrated Health- Monitoring System. 2022 , 159-192	
496	Elastic plasmonic-enhanced Fabry-Perot cavities with ultrasensitive stretching tunability. 2021 , e2106731	1

495	Postbuckling analysis of ultra-low rigidity serpentine structures. 1-18	0
494	Mechanical sensors based on two-dimensional materials: Sensing mechanisms, structural designs and wearable applications.. 2022 , 25, 103728	1
493	Ultra-Thin Chips with ISFET Array for Continuous Monitoring of Body Fluids pH.. 2022 , PP,	2
492	Stress Dissipation Encoded Silk Fibroin Electrode for the Athlete-Beneficial Silk Bioelectronics.. 2022 , e2105420	6
491	Stretchable thermoelectric generator for wearable power source and temperature detection applications. 2022 , 253, 115167	1
490	High performance piezoelectric polymer film with aligned electroactive phase nanofibrils achieved by melt stretching of slightly crosslinked poly(vinylidene fluoride) for sensor applications. 2022 , 433, 134475	0
489	Bibliographie. 2017 , 219-227	
488	Soft body sensor networks: Architectures and Applications. 2020 ,	
487	A Survey on Patchable Sensors. 2020 ,	0
486	Validation of a Novel Tattoo Electrode for ECG Monitoring. 2021 ,	1
485	Design and Experimental characterization of on-skin Loop Antenna for next 5G Backscattering-based Communications. 2021 ,	1
484	Simulation Platform for Flexible Electronics. 2021 ,	
483	In-Skin Pressure and Curvature Sensors for Soft Robots. 2021 ,	
482	Flexible Spin Valves: Interlayer Interaction and Deformation Sensitivity. 2021 , 122, 1066-1074	
481	Screen Printed Epidermal Antenna for IoT Health Monitoring. 2021 ,	0
480	Nanocarbon for bioelectronics and biosensing. 2022 , 689-714	2
479	A highly accurate flexible sensor system for human blood pressure and heart rate monitoring based on graphene/sponge.. 2022 , 12, 2391-2398	1
478	Recent Advances in Wearable Optical Sensor Automation Powered by Battery versus Skin-like Battery-Free Devices for Personal Healthcare-A Review.. 2022 , 12,	4

477	Molecular Rationale for the Design of Instantaneous, Strain-Tolerant Polymeric Adhesive in a Stretchable Underwater Human-Machine Interface.. 2022 ,	2
476	Highly sensitive, flexible and biocompatible temperature sensor utilizing ultra-long Au@AgNW-based polymeric nanocomposites.. 2022 ,	2
475	Electronic Tattoo with Transferable Printed Electrodes and Interconnects for Wireless Electrophysiology Monitoring. 2101496	1
474	All-Nanofiber-Based Janus Epidermal Electrode with Directional Sweat Permeability for Artifact-Free Biopotential Monitoring.. 2022 , e2106477	5
473	Quantifying the Piezoresistive Mechanism in High-Performance Printed Graphene Strain Sensors.. 2022 , 14, 7141-7151	2
472	A Shift from Efficiency to Adaptability: Recent Progress in Biomimetic Interactive Soft Robotics in Wet Environments.. 2022 , e2104347	5
471	Printing thermoelectric inks toward next-generation energy and thermal devices. 2021 ,	6
470	Progress on flexible magnetic films and devices. 2022 ,	0
469	Validation of theoretical analysis of surface bending strain in polymer films by surface-labeled grating method. 2022 , 12, 015324	0
468	Kirigami-inspired Biodesign for Applications in Healthcare.. 2022 , e2109550	3
467	A Mechanically Interlocking Strategy Based on Conductive Microbridges for Stretchable Electronics.. 2022 , e2101339	2
466	Designing wearable microgrids: towards autonomous sustainable on-body energy management. 2022 , 15, 82-101	11
465	Temperature sensing using junctions between mobile ions and mobile electrons.. 2022 , 119,	5
464	Smart bioelectronics and biomedical devices.. 2022 , 5, 1-5	0
463	Bioinspired elastomer composites with programmed mechanical and electrical anisotropies.. 2022 , 13, 524	5
462	Current trends and opportunities in the methodology of electrodermal activity measurement.. 2022 ,	5
461	Intrinsically Stretchable Block Copolymer Based on PEDOT:PSS for Improved Performance in Bioelectronic Applications.. 2022 ,	2
460	Hetero-Integration of Silicon Nanomembranes with 2D Materials for Bioresorbable, Wireless Neurochemical System.. 2022 , e2108203	3

459	Multifunctional Controllable Two-Terminal Vertical Nonvolatile Memory Transistor.	
458	Nanomaterials for IoT Sensing Platforms and Point-of-Care Applications in South Korea.. 2022 , 22,	0
457	Recent advances in flexible and wearable sensors for monitoring chemical molecules.. 2022 ,	6
456	Fabrication of stretchable PEDOT:PSS coated cotton fabric via LBL electrostatic self-assembly and its UV protection and sensing properties. 2022 , 29, 2699	2
455	A highly temperature- and pressure-sensitive soft sensor self-powered by a galvanic cell design.	2
454	Review on Microscale Sensors with 3D Engineered Structures: Fabrication and Applications.. 2022 , e2101384	3
453	Conductive materials with elaborate micro/nanostructures for bioelectronics.. 2022 , e2110024	2
452	Recent advancements in sampling, power management strategies and development in applications for non-invasive wearable electrochemical sensors. 2022 , 907, 116064	1
451	Recent progress in hydrogel-based sensors and energy harvesters. 2022 , 335, 113382	0
450	A Study on Transmission properties of AuNi coated polymer ball joint and Sn58Bi solder joint for flex-on-board interconnection. 2022 , 5, 100099	
449	Advancements and artificial intelligence approaches in antennas for environmental sensing. 2022 , 19-38	7
448	Proposed Design and Assessment Methodology of a Wearable Device for Prevention and Performance Evaluation of Athletes. 2022 , 11, 1-13	
447	High-performance ReS photodetectors enhanced by a ferroelectric field and strain field.. 2022 , 12, 4939-4945	1
446	Biocompatible and biodegradable organic electronic materials. 2022 , 297-338	1
445	Crocodile skin inspired rigid-supple integrated flexible lithium ion batteries with high energy density and bidirectional deformability. 2022 ,	4
444	2D Heterostructures for Ubiquitous Electronics and Optoelectronics: Principles, Opportunities, and Challenges.. 2022 ,	28
443	Green Synthesis of Nanoparticles Using Bio-Inspired Systems and Electrically Conductive Pattern Fabrication through Laser-Direct Writing.. 2022 , 12,	0
442	Sweat-Permeable, Biodegradable, Transparent and Self-powered Chitosan-Based Electronic Skin with Ultrathin Elastic Gold Nanofibers. 2112241	9

441	Soft Stretchable Conductive Carboxymethylcellulose Hydrogels for Wearable Sensors.. 2022 , 8,	0
440	Highly sensitive strain sensors based on piezotronic tunneling junction.. 2022 , 13, 778	6
439	Salivary biomarkers of neurodegenerative and demyelinating diseases and biosensors for their detection.. 2022 , 76, 101587	1
438	High-frequency and intrinsically stretchable polymer diodes. 2021 , 600, 246-252	34
437	Wearable hybrid sensors. 2022 , 255-274	
436	Design and Experimental Characterization of On-skin Loop Antenna for Next 5G Backscattering-based Communications. 2022 , 1-1	
435	Bio-inspired ultra-thin microfluidics for soft sweat-activated batteries and skin electronics.	2
434	Next-Generation Healthcare: Enabling Technologies for Emerging Bioelectromagnetics Applications. 2022 , 3, 363-390	5
433	MXene Wearables: Properties, Fabrication Strategies, Sensing Mechanism and Applications.	4
432	Nanomaterials for soft wearable electronics. 2022 ,	0
431	Stretchable thermoelectric materials/devices for low-grade thermal energy harvesting. 2022 , 11-40	
430	Soft stretchable conductive nanocomposites for biointegrated electronics. 2022 ,	
429	Highly stretchable van der Waals thin films for adaptable and breathable electronic membranes.. <i>Science</i> , 2022 , 375, 852-859	33.3 21
428	Advances in design and manufacture of stretchable electronics.	1
427	Flexible Electronics and Devices as Human-Machine Interfaces for Medical Robotics.. 2021 , e2107902	26
426	Recent Advances in Electronic Skins with Multiple-Stimuli-Responsive and Self-Healing Abilities.. 2022 , 15,	2
425	Highly Stretchable Conductive Covalent Coacervate Gels for Electronic Skin.. 2022 ,	0
424	Biodegradable Elastomers and Gels for Elastic Electronics.. 2022 , e2105146	7

423	Wearable and Biocompatible Blood Oxygen Sensor Based on Heterogeneously Integrated Lasers on a Laser-Induced Graphene Electrode.	0
422	A Three-Dimensional-Printed Recyclable, Flexible, and Wearable Device for Visualized UV, Temperature, and Sweat pH Sensing.. 2022 , 7, 9834-9845	1
421	Recent Progress in Bio-Integrated Intelligent Sensing System. 2100280	3
420	A Self-Supporting, Conductor-Exposing, Stretchable, Ultrathin, and Recyclable Kirigami-Structured Liquid Metal Paper for Multifunctional E-Skin.. 2022 ,	13
419	Highly-integrated, miniaturized, stretchable electronic systems based on stacked multilayer network materials.. 2022 , 8, eabm3785	15
418	Advanced Electronics and Artificial Intelligence: Must-Have Technologies Toward Human Body Digital Twins. 2100263	1
417	Breathable, Self-Adhesive Dry Electrodes for Stable Electrophysiological Signal Monitoring During Exercise.. 2022 ,	1
416	Investigating the role of health, education, energy and pollution for explaining total factor productivity in emerging economies. 2022 , 9,	1
415	Soft wearable devices for deep-tissue sensing.	10
414	Wearable electrochemical biosensors to measure biomarkers with complex blood-to-sweat partition such as proteins and hormones.. 2022 , 189, 127	1
413	Flexible Metamaterial Electronics.. 2022 , e2200070	6
412	Parylene C-Based, Breathable Tattoo Electrodes for High-Quality Bio-Potential Measurements.. 2022 , 10, 820217	1
411	Wearable plasmonic paper-based microfluidics for continuous sweat analysis.. 2022 , 8, eabn1736	12
410	Digital synthesis of free-form multimaterial structures for realization of arbitrary programmed mechanical responses.. 2022 , 119, e2120563119	2
409	Ultra-Robust and Extensible Fibrous Mechanical Sensors for Wearable Smart Healthcare.. 2022 , e2107511	11
408	Flexible Sensory Systems: Structural Approaches.. 2022 , 14,	2
407	NiO-Based Electronic Flexible Devices. 2022 , 12, 2839	0
406	Wearable Sensor for Forearm Motion Detection Using a Carbon-Based Conductive Layer-Polymer Composite Film.. 2022 , 22,	0

405	Design and Evaluation of a Button Sensor Antenna for On-Body Monitoring Activity in Healthcare Applications.. 2022 , 13,	2
404	A Highly Stretchable and Permeable Liquid Metal Micromesh Conductor by Physical Deposition for Epidermal Electronics.. 2022 ,	1
403	High-brightness all-polymer stretchable LED with charge-trapping dilution.. 2022 , 603, 624-630	24
402	Manipulating Strain in Transistors: From Mechanically Sensitive to Insensitive. 2101288	
401	Toward stretchable batteries: 3D-printed deformable electrodes and separator enabled by nanocellulose. 2022 ,	3
400	Highly Permeable and Ultrastretchable Liquid Metal Micromesh for Skin-Attachable Electronics. 2022 , 4, 634-641	5
399	Detection of cracked teeth using a mechanoluminescence phosphor with a stretchable photodetector array. 2022 , 14,	2
398	Manipulation of mechanically nanopatterned line defect assemblies in plane-parallel nematic liquid crystals. 1-25	1
397	Machine learning-based optimization of the design of composite pillars for dry adhesives. 2022 , 101695	2
396	Bioinspired Perspiration-Wicking Electronic Skins for Comfortable and Reliable Multimodal Health Monitoring. 2200961	7
395	High Sensitivity, Broad Working Range, Comfortable, and Biofriendly Wearable Strain Sensor for Electronic Skin. 2200106	1
394	Intrinsically stretchable electronics with ultrahigh deformability to monitor dynamically moving organs.. 2022 , 8, eabl5511	17
393	Stretchable Electronic Facial Masks for Sonophoresis.. 2022 ,	1
392	Human sweat-based wearable glucose sensor on cotton fabric for real-time monitoring. 2022 , 13,	2
391	On-skin computing. 2022 , 65, 38-39	1
390	Adaptive self-organization of nanomaterials enables strain-insensitive resistance of stretchable metallic nanocomposites.. 2022 , e2200980	3
389	An Optically, Electrically, Magnetically Controllable Dual-Gate Phototransistor. 2101378	0
388	Soft Wireless Bioelectronics Designed for Real-Time, Continuous Health Monitoring of Farmworkers.. 2022 , e2200170	3

387	Strategies for body-conformable electronics. 2022 , 5, 1104-1136	12
386	Wireless liquid-alloy-based induction heating for soft devices by alternating magnetic field: from characterization to application. 2022 , 113538	0
385	An intrinsically stretchable aqueous Zn-MnO ₂ battery based on microcracked electrodes for self-powering wearable electronics. 2022 , 47, 386-393	3
384	Stiffness modulation-driven transfer printing and strain isolation in stretchable electronics. 2022 , 217, 110602	0
383	3D printed electronics: Processes, materials and future trends. 2022 , 127, 100945	11
382	Weaved piezoresistive triboelectric nanogenerator for human motion monitoring and gesture recognition. 2022 , 96, 107135	2
381	Surface effect on the necking of hyperelastic materials. 2022 , 38, 91-98	1
380	Carboxyethyl acrylate incorporated optically clear adhesives with outstanding adhesion strength and immediate strain recoverability for stretchable electronics. 2022 , 437, 135390	2
379	Substrate-free, ultra-conformable PEDOT: PSS E-tattoo achieved by energy regulation on skin.. 2022 , 206, 114118	1
378	One-class autoencoder approach for optimal electrode set identification in wearable EEG event monitoring. 2021 , 2021, 7128-7131	
377	Flexible and Stretchable Strategies for Electronic Skins: Materials, Structure, and Integration. 2022 , 4, 1-26	2
376	Programmable living assembly of materials by bacterial adhesion.. 2021 ,	7
375	Wearable Bioelectronics for Chronic Wound Management. 2111022	19
374	Triboelectric Nanogenerator Tattoos Enabled by Epidermal Electronic Technologies. 2111269	5
373	Micro-Light-Emitting Diodes Based on InGaN Materials with Quantum Dots. 2101189	2
372	Wearable Pressure Mapping Through Piezoresistive C-PU Foam and Tailor-Made Stretchable e-Textile. 2021 , 21, 27374-27384	3
371	Soft Bioelectronics Based on Nanomaterials.. 2021 ,	11
370	Stretchable Systems. 2021 ,	4

369	Laser-Processed Stretchable-Gradient Interconnection-Based Temperature Sensor for a Real-Time Monitoring System. 2021 , 3, 5601-5607	1
368	Passive longitudinal weight and cardiopulmonary monitoring in the home bed.. 2021 , 11, 24376	0
367	Fabrication and characterization of low-sheet-resistance and stable stretchable electrodes employing metal and metal nanowire hybrid structure. 2021 , 6, 045013	
366	Recent Advances in 1D Nanomaterial-Based Bioelectronics for Healthcare Applications. 2022 , 2, 2100111	3
365	All-Polymer Based Stretchable Rubbery Electronics and Sensors. 2111232	2
364	Transparent and Conformal Microcoil Arrays for Spatially Selective Neuronal Activation.	
363	Stretchable Piezoelectric Tensile Sensor Patterned via Ultraviolet Laser Cutting. 2021 ,	
362	Fingerprint-Inspired Strain Sensor with Balanced Sensitivity and Strain Range Using Laser-Induced Graphene.. 2021 ,	15
361	Facile Fabrication of Multilayer Stretchable Electronics via a Two-mode Mechanical Cutting Process.. 2021 ,	2
360	Fabrication of flexible strain sensors using electrohydrodynamically printed silver nanowires. 2021 ,	
359	Skin bioelectronics towards long-term, continuous health monitoring.. 2022 ,	11
358	Nano-tattoosā novel approach for glucose monitoring and diabetes management. 2022 , 97-110	
357	Self-Healing Interconnects for Hybrid Flexible Electronics. 2022 , 1-1	
356	?????????????????????. 2022 ,	0
355	Smart Diaper Based on Integrated Multiplex Carbon Nanotube-Coated Electrode Array Sensors for In Situ Urine Monitoring.	1
354	Current Development of Materials science and engineering towards epidermal sensors. 2022 , 100962	2
353	Prospects and Challenges of Flexible Stretchable Electrodes for Electronics. 2022 , 12, 558	4
352	Laser Direct Structured 3D Circuits on Silicone.. 2022 ,	2

351	From sensing to control of lower limb exoskeleton: a systematic review. 2022,	2
350	Advances in Soft and Dry Electrodes for Wearable Health Monitoring Devices.. 2022, 13,	4
349	Audio_1.WAV. 2019,	
348	Audio_2.WAV. 2019,	
347	Audio_3.WAV. 2019,	
346	Audio_4.WAV. 2019,	
345	Audio_5.WAV. 2019,	
344	Audio_6.WAV. 2019,	
343	Audio_7.WAV. 2019,	
342	Audio_8.WAV. 2019,	
341	Data_Sheet_1.PDF. 2019,	
340	Video_1.MOV. 2019,	
339	Video_2.MOV. 2019,	
338	Electronic Tattoos. 2022,	0
337	Key Wearable Device Technologies Parameters for Innovative Healthcare Delivery in B5G Network:A Review. 2022, 1-1	4
336	Biocompatible Sensors Are Revolutionizing Healthcare Technologies. 2022, 227-249	
335	Sensors in Hospitals. 2022,	
334	High-performance fully-stretchable solid-state lithium-ion battery with a nanowire-network configuration and crosslinked hydrogel.	1

333	Tailor-made smart glove for robot teleoperation, using printed stretchable sensors. 2022,	1
332	Strain-Dependent Photoacoustic Characteristics of Free-Standing Carbon-Nanocomposite Transmitters.. 2022, 22,	
331	Thin-film electronics on active substrates: review of materials, technologies and applications.	3
330	Piezoionic mechanoreceptors: Force-induced current generation in hydrogels.. <i>Science</i> , 2022, 376, 502-507 , 3	12
329	Biomimetic Skins Enable Strain-Perception-Strengthening Soft Morphing. 2201812	2
328	Coupled Multiphysics Modelling of Sensors for Chemical, Biomedical, and Environmental Applications with Focus on Smart Materials and Low-Dimensional Nanostructures. 2022, 10, 157	1
327	A Review on Printing of Responsive Smart and 4D Structures Using 2D Materials. 2200025	1
326	Wearable Alignment-Free Microfiber-Based Sensor Chip for Precise Vital Signs Monitoring and Cardiovascular Assessment. 2022, 4, 475-486	4
325	Adhesive and Hydrophobic Bilayer Hydrogel Enabled On-Skin Biosensors for High-Fidelity Classification of Human Emotion. 2200457	8
324	An ultralight, flexible, and biocompatible all-fiber motion sensor for artificial intelligence wearable electronics. 2022, 6,	4
323	Stretchable hybrid electronics: combining rigid electronic devices with stretchable interconnects into high-performance on-skin electronics. 1-22	0
322	Epidermal Electrodes with Ferrimagnetic/Conductive Properties for Biopotential Recordings. 2022, 9, 205	0
321	Wirelessly Powered 3D Printed Hierarchical Biohybrid Robots with Multiscale Mechanical Properties. 2202674	0
320	Flexible MXene/Bacterial Cellulose Film Sound Detector Based on Piezoresistive Sensing Mechanism.. 2022,	6
319	Sweat-Resistant Silk Fibroin-Based Double Network Hydrogel Adhesives.. 2022,	1
318	Cuticular pad-inspired selective frequency damper for nearly dynamic noise-free bioelectronics.. <i>Science</i> , 2022, 376, 624-629	33-3 8
317	Recent Advances in Wearable Potentiometric pH Sensors. 2022, 12, 504	2
316	The ocular surface and diabetes, the other 21st Century epidemic.. 2022, 109099	0

315	An Automatic Numerical Approach to Optimize Flexible Serpentine Structure Design.	
314	Digital Programming of Liquid Crystal Elastomers to Achieve High-Fidelity Surface Morphing. 2022 , 27, 101501	0
313	Flexible VO 2 Films for In-Sensor Computing with Ultraviolet Light. 2203074	2
312	Chest-scale self-compensated epidermal electronics for standard 6-precordial-lead ECG. 2022 , 6,	2
311	Ultrasoft Porous 3D Conductive Dry Electrodes for Electrophysiological Sensing and Myoelectric Control. 2101637	2
310	Deposition of Skin-Adhesive Liquid Metal Particles with Robust Wear Resistance for Epidermal Electronics.. 2022 ,	5
309	SAW Based Sensing System Coupled to a Thin Flexible Antenna for Biomedical Applications. 2022 ,	
308	Triboelectrification-Induced Electricity in Self-Healing Hydrogel for Mechanical Energy Harvesting and Ultra-sensitive Pressure Monitoring.	2
307	Mechanics and Strategies for Wrinkling Suppression: A Review. 2022 , 8,	0
306	Breathable and Skin-Conformal Electronics with Hybrid Integration of Microfabricated Multifunctional Sensors and Kirigami-Structured Nanofibrous Substrates. 2202792	3
305	Bioinspired Strain Sensor Using Multiwalled Carbon Nanotube/Polyvinyl Butyral/Nylon Cloth for Wireless Sensing Applications. 2022 , 1-1	1
304	?????????. 2022 ,	
303	Wearable EEG electronics for a BrainAI Closed-Loop System to enhance autonomous machine decision-making. 2022 , 6,	1
302	Porosity-based heterojunctions enable leadless optoelectronic modulation of tissues. 2022 , 21, 647-655	1
301	Geometrically engineered rigid island array for stretchable electronics capable of withstanding various deformation modes. 2022 , 8,	4
300	All-printed soft human-machine interface for robotic physicochemical sensing. 2022 , 7,	12
299	Biodegradable phytic acid conversion coatings on magnesium alloy for temporary orthopedic implant: A review. 2022 , 169, 106920	1
298	Fabricating flexible conductive structures by printing techniques and printable conductive materials.	4

297	Highly transparent, self-healing and adhesive wearable ionogel as strain and temperature sensor.	2
296	Recent advances in skin-like wearable sensors: sensor design, health monitoring, and intelligent auxiliary.	3
295	Materials and Processing for Flexible Bioelectronics. 2022 , 1-25	
294	Personalized Electronic Tattoo for Healthcare Realized by On-the-spot Assembly of Intrinsically Conductive and Durable Liquid-metal-composite. 2204159	7
293	Silicon Diode based Flexible and Bioresorbable Optoelectronic Interfaces for Selective Neural Excitation and Inhibition.	
292	Bioinspired Interface-Guided Conformal Janus Membranes with Enhanced Adhesion for Flexible Multifunctional Electronics.	1
291	Ultra-Low-Cost, Crosstalk-Free, Fast-Responding, Wide-Sensing-Range Tactile Fingertip Sensor for Smart Gloves. 2200621	1
290	Laser-scribed conductive, photoactive transition metal oxide on soft elastomers for Janus on-skin electronics and soft actuators. 2022 , 8,	3
289	Moldable and transferrable conductive nanocomposites for epidermal electronics. 2022 , 6,	2
288	Recent Advances in Materials for Wearable Thermoelectric Generators and Biosensing Devices. 2022 , 15, 4315	1
287	Snakeskin-inspired, Soft-Hinge Kirigami Metamaterial for Self-adaptive Conformal Electronic Armor. 2204091	4
286	A ternary heterogeneous hydrogel with strength elements for resilient, self-healing, and recyclable epidermal electronics. 2022 , 6,	0
285	Screen Printed, Skin-compliant Sensors for Mouse Electrocardiography. 2022 ,	
284	Adaptive Dielectric Thin Film Transistors: Device Physics and Modeling. 2022 ,	
283	Sensorimotor Correlation Using Printed Synaptic Transistors and Conditioning PCB. 2022 ,	
282	A low-cost and simple-fabricated epidermal sweat patch based on "dot-and-paste" manufacture. 2022 , 368, 132184	5
281	Full-hand electrotactile feedback using electronic skin and matrix electrodes for high-bandwidth human-machine interfacing. 2022 , 380,	0
280	Emerging Microfluidic and Biosensor Technologies for Improved Cancer Theranostics. 2022 , 461-495	

- 279 Three-Dimensional Flexible and Stretchable Gold Foam Scaffold for Real-Time Electrochemical Sensing in Cells and in Vivo.
- 278 Thermoresponsive ionogels with switchable adhesion in air and aqueous environments induced by LCST phase behavior.
- 277 Material Design and Device Fabrication Strategies for Stretchable Organic Solar Cells. 2201623 8
- 276 Ultra-Thin Graphene Foam Based Flexible Piezoresistive Pressure Sensors for Robotics. 922, 79-86
- 275 Facile and Scalable Synthesis of Whiskered Gold Nanosheets for Stretchable, Conductive, and Biocompatible Nanocomposites.
- 274 Highly stretchable island-structure metal oxide thin-film transistor arrays using acrylic adhesive for deformable display applications. 0
- 273 Transparent neural implantable devices: a comprehensive review of challenges and progress. **2022**, 6, 4
- 272 Progress, Challenges, and Prospects of Soft Robotics for Space Applications. 2200071 2
- 271 Upcycling Compact Discs for Flexible and Stretchable Bioelectronic Applications. **2022**, 13, 2
- 270 Antimicrobial second skin using copper nanomesh. **2022**, 119, 1
- 269 Pushing thermoelectric generators toward energy harvesting from the human body: Challenges and strategies. **2022**, 1
- 268 The rise of electrochromics through dynamic QR codes and grayscale images in screen printed passive matrix addressed displays. **2022**, 12, 2
- 267 Mechanics of tension-induced film wrinkling and restabilization: a review. **2022**, 478, 2
- 266 Versatile Adhesion-Based Gripping via an Unstructured Variable Stiffness Membrane. 1
- 265 An Analytic Orthotropic Heat Conduction Model for the Stretchable Network Heaters. **2022**, 13, 1133 0
- 264 One-Pot Synthesis of Polyelectrolyte-triazine Gels Using Cation- π Interactions and Multiple Hydrogen Bonds for Adjustable Interfacial Adhesion. 2200464
- 263 Wearable Sensors for Healthcare: Fabrication to Application. **2022**, 22, 5137 3
- 262 Adhesive-Free, Stretchable, and Permeable Multiplex Wound Care Platform. 0

261	Mechanical analysis of adhesion between wearable electronics and human skin based on crack theory of bi-material interface. 2022 , 254-255, 111850	
260	Facile Fabrication of a Highly Sensitive and Robust Flexible Pressure Sensor with Batten Microstructures. 2022 , 13, 1164	0
259	Stretchable Sponge Electrodes for Long-Term and Motion-Artifact-Tolerant Recording of High-Quality Electrophysiologic Signals.	3
258	Flexible hybrid electronics: Enabling integration techniques and applications.	
257	Skin-Like Transparent Sensor Sheet for Remote Healthcare Using Electroencephalography and Photoplethysmography. 2200362	2
256	A skin-inspired, self-powered tactile sensor. 2022 , 107608	0
255	End-to-end design of wearable sensors.	22
254	Nanocellulose as a promising substrate for advanced sensors and their applications. 2022 , 218, 473-487	1
253	Ultra stretchable, tough, elastic and transparent hydrogel skins integrated with intelligent sensing functions enabled by machine learning algorithms. 2022 , 450, 138212	4
252	Curing Free, Silver Nano Ink Based Inkjet Printed Fabrics for Bio-Medical Applications. 2022 ,	
251	Single-input single-output multi-touch soft sensor systems using band-pass filters. 2022 , 6,	
250	A Breathable and Stretchable Metastructure for a Versatile Hybrid Electronic Skin Patch with Long-Term Skin Comfort. 2200477	1
249	Mechanical Gradients Enable Highly Stretchable Electronics Based on Nanofiber Substrates. 2022 , 14, 35997-36006	2
248	Bioadhesive ultrasound for long-term continuous imaging of diverse organs. 2022 , 377, 517-523	20
247	Monolithically Programmed Stretchable Conductor by Laser-Induced Entanglement of Liquid Metal and Metallic Nanowire Backbone. 2202841	2
246	Large-Area 3D Printable Soft Electronic Skin for Biomedical Applications.	
245	Shape Memory Behaviour of PMMA-Coated NiTi Alloy under Thermal Cycle. 2022 , 14, 2932	0
244	Pinaceae Fir Resins as Natural Dielectrics for Low Voltage Operating, Hysteresis-Free Organic Field Effect Transistors. 2200234	1

243	Body-conformal Metamaterials for Nearfield Power transmission to Body-IoT Sensor Networks. 2022,	1
242	An epidermal electronic system for physiological information acquisition, processing, and storage with an integrated flash memory array. 2022, 8,	0
241	Transient Heat Conduction in the Orthotropic Model with Rectangular Heat Source. 2022, 13, 1324	
240	Self-Healable Poly(vinyl alcohol)-MetalOrganic Hybrid Gel Electrolyte for Flexible Capacitor Sensors.	0
239	Chip-less wireless electronic skins by remote epitaxial freestanding compound semiconductors. 2022, 377, 859-864	9
238	Theoretical proposal of a novel multitasking metasurface switched by solid-state plasma and gravity field. 1-26	1
237	Highly sensitive stretchable sensor combined with low-power memristor for artificial mechanoreceptor properties demonstration.	
236	Soft, Pressure-Tolerant, Flexible Electronic Sensors for Sensing under Harsh Environments. 2022, 7, 2400-2409	1
235	Recent Advances in Stretchable and Wearable Capacitive Electrophysiological Sensors for Long-Term Health Monitoring. 2022, 12, 630	1
234	Flexible organic integrated electronics for self-powered multiplexed ocular monitoring. 2022, 6,	1
233	Stretchable, self-healable, and breathable biomimetic iontronics with superior humidity-sensing performance for wireless respiration monitoring.	4
232	Soft and Stretchable Liquid MetalElastomer Composite for Wearable Electronics. 2022, 14, 38196-38204	1
231	PEDOT Composite with Ionic Liquid and Its Application to Deformable Electrochemical Transistors. 2022, 8, 534	0
230	Viscoelastic Metal-in-Water Emulsion Gel via HostGuest Bridging for Printed and Strain-Activated Stretchable Electrodes. 2022, 16, 12677-12685	0
229	Assembly of complex 3D structures and electronics on curved surfaces. 2022, 8,	2
228	Stretchable and Self-Adhesive PEDOT:PSS Blend with High Sweat Tolerance as Conformal Biopotential Dry Electrodes.	1
227	MXene interlayer space expansion: Alleviating coulomb attraction and steric resistance on multivalent charge carriers toward micro-supercapacitors with enhanced areal energy density. 2022, 922, 116716	0
226	Highly conductive, stretchable, durable, breathable electrodes based on electrospun polyurethane mats superficially decorated with carbon nanotubes for multifunctional wearable electronics. 2023, 451, 138549	3

225	Multiple hydrogen bonds reinforced conductive hydrogels with robust elasticity and ultra-durability as multifunctional ionic skins. 2023 , 451, 138525	1
224	Highly pixelated, untethered tactile interfaces for an ultra-flexible on-skin telehaptic system. 2022 , 6,	6
223	Wearable microneedle-integrated sensors for household health monitoring. 2022 , 3, 420-426	0
222	Three-dimensional flexible and stretchable gold foam scaffold for real-time electrochemical sensing in cells and in vivo. 2023 , 253, 123891	0
221	Balancing the trade-off between the mechanical and electrical properties of conjugated polymer blend films for organic field-effect transistors.	0
220	Materials development in stretchable iontronics. 2022 , 18, 6487-6510	2
219	Tailoring molecular interaction in heteronetwork polymer electrolytes for stretchable, high-voltage fiber supercapacitors. 2023 , 452, 139432	0
218	Ultra-Thin Flexible Encapsulating Materials for Soft Bio-Integrated Electronics. 2202980	4
217	Soft, environmentally degradable microfluidic devices for measurement of sweat rate and total sweat loss and for colorimetric analysis of sweat biomarkers.	1
216	Printed Stretchable Graphene Conductors for Wearable Technology. 2022 , 34, 8031-8042	0
215	A Fully Transparent, Stretchable Multi-Layered Water Barrier Thin Film for the Passivation of Underwater Device Applications. 2022 , 9, 2201019	0
214	?????????????????????. 2022 ,	0
213	Self-Powered and Fast Response MoO ₃ /n-Si Photodetectors on Flexible Silicon Substrates with Light-Trapping Structures. 2022 , 4, 4641-4652	1
212	Real-Time Applications of Polymer Nanocomposites. 2022 , 195-212	0
211	Biodegradable Materials in Electronics. 2022 , 1-27	0
210	Liquid-metal micro-networks with strain-induced conductivity for soft electronics and robotic skin. 2022 , 6,	1
209	Tough Bonding of Liquid Metal-Elastomer Composites for Multifunctional Adhesives. 2203700	0
208	A review of debonding behavior of soft material adhesive systems. 2022 , 4,	0

207	Balanced coexistence of reversible and irreversible covalent bonds in a conductive triple polymeric network enables stretchable hydrogel with high toughness and adhesiveness.	0
206	Wearable Devices in Veterinary Health Care. 2022 , 52, 1087-1098	0
205	Humidity-sensitive chemoelectric flexible sensors based on metal-air redox reaction for health management. 2022 , 13,	6
204	Mucosa-interfacing electronics.	5
203	Design of Ag/PDMS electrodes with a pillar structure for stretchable electronics. 2022 , 265, 111873	0
202	Bioresorbable thin-film silicon diodes for the optoelectronic excitation and inhibition of neural activities.	2
201	Thin PDMS-on-Sacrificial-PCB Devices. 2022 , 4, 4490-4498	0
200	Impact of Planar and Vertical Organic Field-Effect Transistors on Flexible Electronics. 2204804	2
199	Intrinsically Stretchable and Non-Halogenated Solvent Processed Polymer Solar Cells Enabled by Hydrophilic Spacer-Incorporated Polymers. 2202224	6
198	A Fully Integrated Flexible Electronic System With Highly Sensitive MWCNTs Piezoresistive Array Sensors for Pressure Monitoring. 2022 , 22, 18143-18150	0
197	Stretchable printed circuit board integrated with Ag-nanowire-based electrodes and organic transistors toward imperceptible electrophysiological sensing.	0
196	Wearable, wireless, multi-sensor device for monitoring tissue circulation after free-tissue transplantation: a multicentre clinical trial. 2022 , 12,	0
195	Beyond Human Touch Perception: An Adaptive Robotic Skin Based on Gallium Microgranules for Pressure Sensory Augmentation. 2204805	2
194	Totally Organic Hydrogel-Based Self-Closing Cuff Electrode for Vagus Nerve Stimulation. 2201627	0
193	Intrinsically stretchable and self-healable tribotronic transistor for bioinspired e-skin. 2022 , 100877	0
192	Pathway to Developing Permeable Electronics.	6
191	Self-Reporting Joule Heating Modulated Stiffness of Polymeric Nanocomposites for Shape Reconfiguration.	0
190	Materials and Biomedical Applications of Implantable Electronic Devices. 2200853	0

189	High-Sensitivity Flexible Sensor Based on Biomimetic Strain-Stiffening Hydrogel.	0
188	Flexible conductivity-temperature-depth-strain (CTDS) sensor based on a CNT/PDMS bottom electrode for underwater sensing. 2022 , 7, 045002	0
187	In Situ Forming Epidermal Bioelectronics for Daily Monitoring and Comprehensive Exercise.	0
186	Ultrathin crystalline-silicon-based strain gauges with deep learning algorithms for silent speech interfaces. 2022 , 13,	3
185	A stretchable epidermal sweat sensing platform with an integrated printed battery and electrochromic display.	5
184	Low-Temperature Plasma Sintering of Inkjet-Printed Metal Salt Decomposition Inks on Flexible Substrates. 2200834	0
183	Printed flexible mechanical sensors.	0
182	Geometrically Curved Magnetic Field Sensors for Interactive Electronics. 2022 , 375-401	0
181	Engineering the Cracking Patterns in Stretchable Copper Films Using Acid-Oxidized Poly(dimethylsiloxane) Substrates.	0
180	The Combination of Low-Frequency Ultrasound and Antibiotics Improves the Killing of In Vitro Staphylococcus aureus and Pseudomonas aeruginosa Biofilms. 2022 , 11, 1494	0
179	Double-Action Disinfection with Silk Fibroin Gauze: Reliable Therapeutics to Prevent Infectious Complications. 2219-2232	0
178	Chemical sensing by interfacial voltage. 2022 , 101119	0
177	Mechanically Ultra-Robust, Elastic, Conductive, and Multifunctional Hybrid Hydrogel for a Triboelectric Nanogenerator and Flexible/Wearable Sensor. 2203956	1
176	Updated Perspectives on the Role of Biomechanics in COPD: Considerations for the Clinician. Volume 17, 2653-2675	0
175	Self-Healing Polymers for Electronics and Energy Devices.	0
174	Soft Robots Dynamic Posture Perception Using Kirigami-Inspired Flexible Sensors with Porous Structures and Long Short-Term Memory (LSTM) Neural Networks. 2022 , 22, 7705	0
173	Hydrogel interfaces for merging humans and machines.	11
172	Dual-Functional Self-Attachable and Stretchable Interface for Universal Three-Dimensional Modular Electronics. 2022 , 14, 49303-49312	0

171	Graphene and Its Derivatives: Synthesis and Application in the Electrochemical Detection of Analytes in Sweat. 2022 , 12, 910	5
170	An aqueous ammonia detection by hybrid Ag-CdS quantum dots. 2022 , 24,	0
169	P-5.1: FPC Bending Simulation and Analysis for Wearable Products. 2022 , 53, 772-775	0
168	Rational Design of Soft/Hard Interfaces through Bioinspired Engineering. 2204498	1
167	Tissue-Mimetic Supramolecular Polymer Networks for Bioelectronics. 2207634	0
166	Roadmap on nanogenerators and piezotronics. 2022 , 10, 109201	0
165	Self-healable printed magnetic field sensors using alternating magnetic fields. 2022 , 13,	0
164	Graphene e-tattoos for unobstructive ambulatory electrodermal activity sensing on the palm enabled by heterogeneous serpentine ribbons. 2022 , 13,	4
163	An Ex Vivo Study of Wireless Linkage Distance between Implantable LC Resonance Sensor and External Readout Coil. 2022 , 22, 8402	0
162	An Elastic and Damage-Tolerant Dry Epidermal Patch with Robust Skin Adhesion for Bioelectronic Interfacing.	0
161	Enhanced Synaptic Features of ZnO/TaOx Bilayer Invisible Memristor for Brain-Inspired Computing. 2022 , 1-1	0
160	Wearable Sensors for Stroke Rehabilitation. 2022 , 467-507	0
159	An On-Body UHF RFID Tag With DDRR Antenna for Healthcare Data Streaming Applications. 2022 , 6, 680-687	0
158	Electrochemical biosensors based on saliva electrolytes for rapid detection and diagnosis.	0
157	Two-channel Epidermal RFID Sensor for the Wireless Bilateral Analysis of Nasal Respiration. 2022 , 1-1	0
156	Integrated Sensing Arrays Based on Organic Electrochemical Transistors. 2022 , 3, 101-115	0
155	Enabling Durable Ultralow- k capacitors with Enhanced Breakdown Strength in Density-Variant Nanolattices. 2208409	0
154	A flexible adhesive surface electrode array capable of cervical electroneurography during a 'sequential' autonomic stress challenge. 2022 , 12,	0

153	Tough-interface-enabled stretchable electronics using non-stretchable polymer semiconductors and conductors.	1
152	Optical Epidermal Mimicry from Ultraviolet to Infrared Wavelengths.	0
151	Wireless theranostic smart contact lens for monitoring and control of intraocular pressure in glaucoma. 2022 , 13,	1
150	Universal assembly of liquid metal particles in polymers enables elastic printed circuit board. 2022 , 378, 637-641	1
149	3D conductive material strategies for modulating and monitoring cells. 2022 , 101041	0
148	A review on the active thermal management researches of epidermal electronic devices. 2022 , 12, 110701	0
147	Low-Voltage Intrinsically Stretchable Organic Transistor Amplifiers for Ultrasensitive Electrophysiological Signal Detection. 2207006	0
146	Wearable super-resolution muscle-machine interfacing. 16,	0
145	Direct growth of flexible GaN film via van der Waals epitaxy on mica. 2022 , 26, 101243	0
144	Advanced thermal sensing techniques for characterizing the physical properties of skin. 2022 , 9, 041307	0
143	An Introduction to Engineering Applications of Bioplastics. 2023 , 1-22	0
142	UV-laser-machined stretchable multi-modal sensor network for soft robot interaction. 2022 , 6,	0
141	Curvilinear soft electronics by micromolding of metal nanowires in capillaries. 2022 , 8,	2
140	Pd-conformally coated, one-end-embedded gold nanowire percolation network for intrinsically stretchable, epidermal tattoo fuel cell. 2022 , 114924	0
139	Mechanical Janus Structures by Soft-Hard Material Integration. 2208339	0
138	The Past, Present and Future of the Healthcare Delivery System through Digitalization. 2022 , 1-21	0
137	Stretchable conductors for stretchable field-effect transistors and functional circuits.	0
136	Flexible photoplethysmographic sensing devices for intelligent medical treatment. 2022 , 11, 97-112	1

- 135 Fabrication of gold-doped crystalline-silicon nanomembrane-based wearable temperature sensor. **2023**, 4, 101925 ○
- 134 Green Wearable Electronics, Sensors and Applications. **2022**, 1-10 ○
- 133 Recent Advances in Touch Sensors for Flexible Displays. **2022**, 1-11 ○
- 132 Low-Modulus, Low-Motion-Artifact Sensor for Biological Signal Recording. **2022**, ○
- 131 Split-Ring Structured All-Inorganic Perovskite Photodetector Arrays for Masterly Internet of Things. **2023**, 15, ○
- 130 Stretchable nanogenerators for scavenging mechanical energy. ○
- 129 Microcracked conductors for wearable sensors. **2022**, 5, 717-718 ○
- 128 Soft-hard material integration enabled programmable robotic locomotion. **2022**, 121, 214104 ○
- 127 Balanced Coexistence of Reversible and Irreversible Covalent Bonds in a Conductive Triple Polymeric Network Enables Stretchable Hydrogels with High Toughness and Adhesiveness. **2022**, 14, 56395-56406 ○
- 126 Perovskite Piezoelectric-Based Flexible Energy Harvesters for Self-Powered Implantable and Wearable IoT Devices. **2022**, 22, 9506 1
- 125 Self-Healing Polymers and Composites for Additive Manufacturing: Materials, Properties, and Applications. **2023**, 219-248 1
- 124 Stretchable One-Dimensional Conductors for Wearable Applications. 1
- 123 Nanowire-assisted freestanding liquid metal thin-film patterns for highly stretchable electrodes on 3D surfaces. **2022**, 6, ○
- 122 Three-in-One Portable Electronic Sensory System Based on Low-Impedance Laser-Induced Graphene On-Skin Electrode Sensors for Electrophysiological Signal Monitoring. 2201735 ○
- 121 Tough, Bio-disintegrable and Stretchable Substrate Reinforced with Nanofibers for Transient Wearable Electronics. 2209277 ○
- 120 Computationally Guided DIW Technology to Enable Robust Printing of Inks with Evolving Rheological Properties. 2201707 ○
- 119 A Universal Size Design Principle for Stretchable Inorganic Electronics to Work Consistently under Different Interface Conditions. 2210880 ○
- 118 Highly Stable Graphene Inks Based on Organic Binary Solvents. 2200153 ○

117	Ultrathin, Breathable, Permeable, and Skin-Adhesive Charge Storage Electronic Tattoos Based on Biopolymer Nanofibers and Carbon Nanotubes. 2201095	0
116	Highly Sensitive, Stretchable, and Robust Strain Sensor Based on Crack Propagation and Opening.	0
115	Durable, highly sensitive conductive elastomeric nanocomposite films containing various graphene nanoplatelets and their derivatives.	1
114	Fabrication of Multifunctional Electronic Textiles Using Oxidative Restructuring of Copper into a Cu-Based Metal-Organic Framework.	0
113	Applications of Flexible Electronics. 2022 , 381-412	0
112	Flexible and Stretchable Carbon-Based Sensors and Actuators for Soft Robots. 2023 , 13, 316	0
111	Wearable and flexible electrochemical sensors for sweat analysis: a review. 2023 , 9,	3
110	Improve hydrogel adhesion by introducing pillar structures at the interface. 1-15	0
109	Self-debonding of adhesive thin films on convex cylindrical surfaces and spherical surfaces. 1-23	0
108	Construction of foot-movement monitoring sensor based on triboelectric signals via embroidery technique with PDMS coated conductive cotton yarn. 2023 , 34,	0
107	Liquid Metal Patterning and Unique Properties for Next-Generation Soft Electronics. 2205795	0
106	Wearable System Based on Ultra-Thin Parylene C Tattoo Electrodes for EEG Recording. 2023 , 23, 766	0
105	Hydrogel Nanoarchitectonics of a Flexible and Self-adhesive Electrode for Long-term Wireless Electroencephalogram Recording and High-accuracy Sustained Attention Evaluation. 2209606	0
104	Emerging Bio-Interfacing Wearable Devices for Signal Monitoring: Overview of the Mechanisms and Diverse Sensor Designs to Target Distinct Physiological Bio-Parameters. 2200049	0
103	All-printed and Stretchable Organic Electrochemical Transistors Using a Hydrogel Electrolyte.	1
102	Force-induced ion generation in zwitterionic hydrogels for a sensitive silent-speech sensor. 2023 , 14,	0
101	Skin-integrated stretchable actuators toward skin-compatible haptic feedback and closed-loop human-machine interactions. 2023 , 7,	0
100	Electrochemical Replication and Transfer for Low-Cost, Sub-100-nm Patterning of Materials on Flexible Substrates. 2210778	0

- 99 Multifunctional and Washable Carbon Nanotube-Wrapped Textile Yarns for Wearable E-Textiles. **2023**, 15, 3365-3376 ○
- 98 Microfluidic solutions for biofluids handling in on-skin wearable systems. 1
- 97 A conformable, durable, adhesive welded fiber mate for on-skin strain sensing. **2023**, 457, 141233 ○
- 96 Wearable power management system enables uninterrupted battery-free data-intensive sensing and transmission. **2023**, 107, 108107 ○
- 95 Durable and stretchable nanocomposite ionogels with high thermoelectric property for low-grade heat harvesting. **2023**, 66, 267-280 ○
- 94 Intrinsically Stretchable Polymer Electret for Powering Skin Electronics. **2022**, ○
- 93 Self-Healable Elastomeric Network with Dynamic Disulfide, Imine, and Hydrogen Bonds for Flexible Strain Sensor. ○
- 92 Smart biomaterials for skin tissue engineering and health monitoring. **2023**, 211-258 ○
- 91 High-resolution 3D printing for healthcare. **2023**, 225-271 ○
- 90 From Impossible to Unnoticed: Wearable Technologies and The Miniaturization of Grand Science. **2023**, 229-242 ○
- 89 Advances in wearable flexible electrochemical sensors for sweat monitoring: A mini-review. **2023**, 18, 13-19 ○
- 88 Nanostructured Conductive Polypyrrole for Antibacterial Components in Flexible Wearable Devices. ○
- 87 Porous liquid metal/elastomer composites with high leakage resistance and antimicrobial property for skin-interfaced bioelectronics. **2023**, 9, 1
- 86 Fundamentals of sensor technology. **2023**, 17-49 ○
- 85 Photo-Patternable Stretchable Semi-Interpenetrating Polymer Semiconductor Network Using Thiol/Ene Chemistry for Field-Effect Transistors. 2211108 ○
- 84 2D materials for flexible electronics. **2023**, 169-206 ○
- 83 Highly Stretchable Graphene Scrolls Transistors for Self-Powered Tribotronic Non-Mechanosensation Application. **2023**, 13, 528 ○
- 82 Water-soluble conjugated polymers for bioelectronic systems. ○

- 81 Highly Conductive Omnidirectionally Stretchable 2D Transparent Copper Mesh Electrodes and Applications in Optoelectronic Devices. 2201406 ○
- 80 Hierarchically engineered unibody Au mesh for stretchable and transparent conductors. ○
- 79 Stretchable and Skin-Attachable Electronic Device for Remotely Controlled Wearable Cancer Therapy. 2205343 ○
- 78 Digital manufacturing of personalised footwear with embedded sensors. **2023**, 13, ○
- 77 A vacuum-deposited polymer dielectric for wafer-scale stretchable electronics. ○
- 76 Encapsulating and inkjet-printing flexible conductive patterns on a fluoroelastomer for harsh hydrocarbon fluid environments. **2023**, 11, 3964-3980 ○
- 75 Two Dimensional Heterostructures for Optoelectronics: Current Status and Future Perspective. **2023**, 28, 2275 ○
- 74 Flexible Silk-Based Graphene Bioelectronics for Wearable Multimodal Physiological Monitoring. **2023**, ○
- 73 A Passive Wireless Sensing Method Based on Magnetic Resonance Coupling and Bulk Acoustic Wave Device. **2023**, 23, 7031-7040 ○
- 72 Modular wearable optoelectronic system using photoactive nanomembranes. **2023**, 111, 108446 ○
- 71 Mechanical energy harvesting and self-powered electronic applications of textile-based piezoelectric nanogenerators: A systematic review. **2023**, 111, 108414 ○
- 70 Conformal Design on Rigid Curved Substrate. **2022**, 137-163 ○
- 69 Liquid Metal-Based Structure Design for Stretchable Electronics. **2022**, 351-380 ○
- 68 Buckling of Fiber-on-Substrate System in Flexible Electronics. **2022**, 57-84 ○
- 67 Freestanding Fractal-Inspired Design for Stretchable Electronics. **2022**, 85-108 ○
- 66 Fractal-Inspired Design on Substrate for Stretchable Electronics. **2022**, 109-135 ○
- 65 Conformal Design on Soft Curved Substrate. **2022**, 165-197 ○
- 64 In-Plane Design of Serpentine Interconnect on Substrate. **2022**, 199-228 ○

- 63 Structural Engineering of Flexible Electronics. **2022**, 1-26 ○
- 62 Adhesive tapes: From daily necessities to flexible smart electronics. **2023**, 10, 011305 ○
- 61 Soft wearable flexible bioelectronics integrated with an ankle-foot exoskeleton for estimation of metabolic costs and physical effort. **2023**, 7, ○
- 60 Graphene in wearable textile sensor devices for healthcare. **2022**, 54, 201-245 ○
- 59 Direct Writing of Liquid Metal onto an Electrospun Graphene Oxide Composite Polymer Nanofiber Membrane for Robust and Stretchable Electrodes. 2201935 ○
- 58 Nonlinear stretching mechanics of planar Archimedean-spiral interconnects for flexible electronics. **2023**, 185, 110568 ○
- 57 Wearable Organic Electrochemical Transistor Array for Skin-Surface Electrocardiogram Mapping Above a Human Heart. 2215037 ○
- 56 Conductive and elastic bottlebrush elastomers for ultrasoft electronics. **2023**, 14, ○
- 55 Bio-inspired ionic skins for smart medicine. **2023**, 2, ○
- 54 Multilayer Flexible SU8-Gold Microelectrode Arrays for Wearable Bioelectronics. ○
- 53 Stretchable, breathable, and washable epidermal electrodes based on microfoam reinforced ultrathin conductive nanocomposites. ○
- 52 Novel Uracil-Functionalized Poly(ionic liquid) Hydrogel: Highly Stretchable and Sensitive as a Direct Wearable Ionic Skin for Human Motion Detection. **2023**, 15, 11062-11075 ○
- 51 Wearable Electronics Based on Stretchable Organic Semiconductors. 2206309 ○
- 50 Multimodal Simultaneous Amperometry and Electrochemical Impedance Spectroscopy Measurement for Biosensing Applications. **2022**, ○
- 49 Advanced Bionic Attachment Equipment Inspired by the Attachment Performance of Aquatic Organisms: A Review. **2023**, 8, 85 ○
- 48 Conductive and Adhesive Granular Alginate Hydrogels for On-Tissue Writable Bioelectronics. **2023**, 9, 167 ○
- 47 Peel tests for quantifying adhesion and toughness: A review. **2023**, 101086 ○
- 46 Smart Wearable Systems for Health Monitoring. **2023**, 23, 2479 1

- 45 Screen-Printed Corrosion-Resistant and Long-Term Stable Stretchable Electronics Based on AgAu Microflake Conductors. **2023**, 15, 12372-12382 ○
- 44 Ultrathin Mo₂S₃ Nanowire Network for High-Sensitivity Breathable Piezoresistive Electronic Skins. **2023**, 17, 4862-4870 ○
- 43 Epidermal Bioelectronics for Management of Chronic Diseases: Materials, Devices and Systems. 2200068 ○
- 42 Thin-Film Superelastic Alloys for Stretchable Electronics. ○
- 41 Development of New Generation Electrodes for Registration of Heart Bioelectric Potentials. **2023**, 21, 43-50 ○
- 40 A highly stable elastic electrode via direct covalent crosslinking for strain sensors. **2023**, 11, 4235-4242 ○
- 39 Lantern-Inspired On-Skin Helical Interconnects for Epidermal Electronic Sensors. 2213335 ○
- 38 Thermal shape morphing of membrane-type electronics based on plastic-elastomer frameworks for 3D electronics with various Gaussian curvatures. **2023**, 227, 111811 ○
- 37 Nanocomposite conductive hydrogels with Robust elasticity and multifunctional responsiveness for flexible sensing and wound monitoring. ○
- 36 3D Printed Dry Electrodes for Electrophysiological Signal Monitoring: A Review. **2023**, 8, ○
- 35 Spider-inspired tunable mechanosensor for biomedical applications. **2023**, 7, ○
- 34 Bioinspired anti-freezing 3D-printable conductive hydrogel microfibers for highly-sensitive and wide-range detection of ultralow and high strains. **2023**, ○
- 33 Technology Roadmap for Flexible Sensors. **2023**, 17, 5211-5295 ○
- 32 The Future of Patient Monitoring. **2023**, 1-15 ○
- 31 Ultraflexible tattoo electrodes for epidermal and in vivo electrophysiological recording. **2023**, 4, 101335 ○
- 30 Soft Electronics for Health Monitoring Assisted by Machine Learning. **2023**, 15, 1 ○
- 29 Mechanical-Responsive Materials: Properties, Design, and Applications. 129-144 ○
- 28 Highly Sensitive Piezoelectric E-Skin Design Based on Electromechanical Coupling Concept. 2201339 ○

- 27 Recent Advances in the Development and Characterization of Electrochemical and Electrical Biosensors for Small Molecule Neurotransmitters. ○
- 26 A Review of Soft Electronic Devices Based on Flexible and Stretchable Materials for Cardiac Monitoring. **2023**, 11, 15-22 ○
- 25 Ecofriendly Polymer/Graphene-Based Conductive Ink for Multifunctional Printed Electronics. 2201917 ○
- 24 Nanoarchitectonics and Applications of Gallium-Based Liquid Metal Micro- and Nanoparticles. ○
- 23 Skin-Interfaced Wearable Sweat Sensors for Precision Medicine. ○
- 22 Stretchable and Skin-Mountable Temperature Sensor Array Using Reduction-Controlled Graphene Oxide for Dermatological Thermography. ○
- 21 Ultrasensitive, Highly Selective, Integrated Multidimensional Sensor Based on a Rigid-Flexible Synergistic Stretchable Substrate. ○
- 20 A bioinspired, self-powered, flytrap-based sensor and actuator enabled by voltage triggered hydrogel electrodes. ○
- 19 The Effect of Size and Strain on Micro Stripe Magnetic Domain Structure of CoFeB Thin Films. **2023**, 13, 678 ○
- 18 Low-Temperature-Printed Liquid Metal-Based 3-D Circuits Applied for Stretchable Biomedical Electronics. ○
- 17 Highly Sensitive and Color Adaptable Polyurethane-Based Strain Sensors with Embedded Silver Nanowires. ○
- 16 Computational Study of Drop-on-Demand Coaxial Electrohydrodynamic Jet and Printing Microdroplets. **2023**, 14, 812 ○
- 15 A Review of Skin-Wearable Sensors for Non-Invasive Health Monitoring Applications. **2023**, 23, 3673 ○
- 14 Skin-Adhesive, -Breathable, and -Compatible Nanopaper Electronics for Harmonious On-Skin Electrophysiological Monitoring. ○
- 13 Ultrathin, soft, radiative cooling interfaces for advanced thermal management in skin electronics. **2023**, 9, ○
- 12 Nature-Driven Biocompatible Epidermal Electronic Skin for Real-Time Wireless Monitoring of Human Physiological Signals. ○
- 11 Micro/Nano-Fabrication of Flexible Poly(3,4-Ethylenedioxythiophene)-Based Conductive Films for High-Performance Microdevices. ○
- 10 Conformability of flexible sheets on spherical surfaces. **2023**, 9, ○

- 9 High-Throughput Screening of Deformable Inorganic Layered Semiconductors. ○
- 8 High electrical self-healing flexible strain sensor based on MWCNT- polydimethylsiloxane elastomer with high gauge factor and wide measurement range. **2023**, 110049 ○
- 7 Electrical stimulation for therapeutic approach. ○
- 6 Flexible Magnetic Sensors. **2023**, 23, 4083 ○
- 5 Thermally Managed, Injectable Optoelectronic Probe with Heat Dissipation Guide for Photodynamic Therapy. ○
- 4 On-skin biosensors for noninvasive monitoring of postoperative free flaps and replanted digits. **2023**, 15, ○
- 3 Intrinsically Healable Fabrics. ○
- 2 Hierarchically resistive skins as specific and multimetric on-throat wearable biosensors. ○
- 1 Engineering Route for Stretchable, 3D Microarchitectures of Wide Bandgap Semiconductors for Biomedical Applications. ○