

CITATION REPORT

List of articles citing

Cross-national epidemiology of DSM-IV major depressive episode

DOI: 10.1186/1741-7015-9-90
BMC Medicine, 2011, 9, 90.

Source: <https://exaly.com/paper-pdf/50153522/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1326	Association between low serum 25-hydroxyvitamin D and depression in a large sample of healthy adults: the Cooper Center longitudinal study. 2011 , 86, 1050-5		102
1325	The happiness of people with a mental disorder in modern society. 2011 , 1, 2		3
1324	Towards a neuroimaging biomarker of depression vulnerability. 2011 , 2,		4
1323	Association of depression and its relation with complications in newly diagnosed type 2 diabetes. 2012 , 16, 759-63		25
1322	High-fat diet transition reduces brain DHA levels associated with altered brain plasticity and behaviour. 2012 , 2, 431		52
1321	Depression in headaches: chronification. 2012 , 25, 277-83		13
1320	Using administrative databases in the surveillance of depressive disorders--case definitions. 2012 , 15, 372-80		33
1319	Depression and risk of stroke: a meta-analysis of prospective studies. 2012 , 43, 32-7		181
1318	[Mental disorders and female infertility]. 2012 , 83, 1442-7		5
1317	Personality, choice of coping and T stage predict level of distress in head and neck cancer patients during follow-up. 2012 , 269, 2121-8		19
1316	[Integral Care Guide for Early Detection and Diagnosis of Depressive Episodes and Recurrent Depressive Disorder in Adults. Integral Attention of Adults with a Diagnosis of Depressive Episodes and Recurrent Depressive Disorder: Part I: Risk Factors, Screening, Suicide Risk Diagnosis and Assessment in Patients with a Depression Diagnosis]. 2012 , 41, 719-33		2
1315	Insomnia and depressive symptoms in late pregnancy: a population-based study. 2012 , 10, 152-66		104
1314	Heartbeat evoked potentials mirror altered body perception in depressed patients. 2012 , 123, 1950-7		125
1313	Heartbeat evoked potentials: a new possible clinical biomarker for depression based on the somatic marker hypothesis. 2012 , 123, 1899-900		2
1312	Vilazodone for the treatment of major depressive disorder. 2012 , 32, 958-65		3
1311	Green qualities in the neighbourhood and mental health - results from a longitudinal cohort study in Southern Sweden. 2012 , 12, 337		138
1310	Efficacy of a systematic depression management program in high utilizers of primary care: a randomized trial. 2012 , 12, 298		13

1309	Depressive symptoms and psychosocial stress at work among older employees in three continents. 2012 , 8, 27	53
1308	Diabetes and depression comorbidity and socio-economic status in low and middle income countries (LMICs): a mapping of the evidence. 2012 , 8, 39	56
1307	Reward circuitry dysfunction in psychiatric and neurodevelopmental disorders and genetic syndromes: animal models and clinical findings. 2012 , 4, 19	181
1306	Moderators of the relationship between depression and cardiovascular disorders: a systematic review. 2012 , 34, 478-92	43
1305	The costs of depression. 2012 , 35, 1-14	465
1304	Hygienic-dietary recommendations for major depression treatment: study protocol of a randomized controlled trial. 2012 , 12, 201	11
1303	What are the risk factors for the comorbidity of posttraumatic stress disorder and depression in a war-affected population? A cross-sectional community study in South Sudan. 2012 , 12, 175	38
1302	Cognitive correlates of repetitive transcranial magnetic stimulation (rTMS) in treatment-resistant depression--a pilot study. 2012 , 12, 163	25
1301	The role of basic health insurance on depression: an epidemiological cohort study of a randomized community sample in northwest China. 2012 , 12, 151	21
1300	The association between depressive symptoms and non-psychiatric hospitalisation in older adults. 2012 , 7, e34821	35
1299	Expression of monoamine transporters, nitric oxide synthase 3, and neurotrophin genes in antidepressant-stimulated astrocytes. 2012 , 3, 33	15
1298	Sex differences in molecular and cellular substrates of stress. 2012 , 32, 709-23	134
1297	Implementing the World Mental Health Survey Initiative in Portugal - rationale, design and fieldwork procedures. 2013 , 7, 19	27
1296	Towards automated detection of depression from brain structural magnetic resonance images. 2013 , 55, 567-84	10
1295	Manipulating melatonin in managing mood. 2013 , 128, 16-23	17
1294	C-QUALITY: cost and quality-of-life pharmacoeconomic analysis of antidepressants in major depressive disorder in Italy. 2013 , 30, 697-712	4
1293	Evaluating the seven-item Center for Epidemiologic Studies depression scale short-form: a longitudinal U.S. community study. 2013 , 48, 1519-26	79
1292	Socioeconomic status and beliefs about depression, schizophrenia and eating disorders. 2013 , 48, 775-82	43

1291	Quality of life, depression, anxiety and suicidal ideation among men who inject drugs in Delhi, India. 2013 , 13, 151	23
1290	Poor mental health in Ghana: who is at risk?. 2013 , 13, 288	85
1289	Manipulating the sleep-wake cycle and circadian rhythms to improve clinical management of major depression. <i>BMC Medicine</i> , 2013 , 11, 79	11.4 77
1288	A breach in the scaffold: the possible role of cytoskeleton dysfunction in the pathogenesis of major depression. 2013 , 12, 67-75	27
1287	The self-rated Inventory of Depressive Symptomatology for screening prenatal depression. 2013 , 121, 243-6	10
1286	Cardiovascular risk in individuals with depression. 2013 , 59, 298-304	23
1285	Psychological consequences of pediatric burns from a child and family perspective: a review of the empirical literature. 2013 , 33, 361-71	121
1284	Could the lower prevalence of affective disorder in older people be due to measurement error? Reliability of the Revised Clinical Interview Schedule in younger and older adults. 2013 , 148, 310-5	3
1283	Sex-biased stress signaling: the corticotropin-releasing factor receptor as a model. 2013 , 83, 737-45	59
1282	Patterns of benzodiazepine and antidepressant use among middle-aged adults. the Brazilian longitudinal study of adult health (ELSA-Brasil). 2013 , 151, 71-7	40
1281	[Prevalence of depressive symptoms and diagnosed depression among adults in Germany: results of the German Health Interview and Examination Survey for Adults (DEGS1)]. 2013 , 56, 733-9	216
1280	Work stress and depressive symptoms in older employees: impact of national labour and social policies. 2013 , 13, 1086	44
1279	President's letter. 2013 , 51, 235-236	
1278	Sitting-time, physical activity, and depressive symptoms in mid-aged women. 2013 , 45, 276-81	52
1277	Persistence of chronic major depression: a national prospective study. 2013 , 151, 306-12	22
1276	Newly diagnosed major depressive disorder and the risk of erectile dysfunction: a population-based cohort study in Taiwan. 2013 , 210, 601-6	15
1275	Major depressive episode among Brazilian adults: a cross-sectional population-based study. 2013 , 150, 401-7	19
1274	Estimated prevalence of mental disorders and the desire for social distance--results from population surveys in two large German cities. 2013 , 209, 670-4	22

1273	Integrative physiology of depression and antidepressant drug action: implications for serotonergic mechanisms of action and novel therapeutic strategies for treatment of depression. 2013 , 137, 108-18	42
1272	Social adjustment among treatment responder patients with mood disorders. 2013 , 150, 961-6	2
1271	Reply to: An insight on career satisfaction level, mental distress and gender differences in working conditions among Japanese obstetricians and gynecologists. 2013 , 39, 469	1
1270	An insight on career satisfaction level, mental distress and gender differences in working conditions among Japanese obstetricians and gynecologists. 2013 , 39, 468	
1269	Genetic and epigenetic associations of MAOA and NR3C1 with depression and childhood adversities. 2013 , 16, 1513-28	153
1268	The epidemiology of depression across cultures. 2013 , 34, 119-38	1310
1267	Global variation in the prevalence and incidence of major depressive disorder: a systematic review of the epidemiological literature. 2013 , 43, 471-81	617
1266	Role of orexin in the pathophysiology of depression: potential for pharmacological intervention. 2013 , 27, 411-22	57
1265	Towards the implementation of CYP2D6 and CYP2C19 genotypes in clinical practice: update and report from a pharmacogenetic service clinic. 2013 , 25, 554-71	50
1264	Cytokines as biomarkers in depressive disorder: current standing and prospects. 2013 , 25, 592-603	104
1263	Depression and risk of stroke in mid-aged women: a prospective longitudinal study. 2013 , 44, 1555-60	49
1262	Depression and experience of vision loss in group of adults in rehabilitation setting: mixed-methods pilot study. 2013 , 50, 1301-14	4
1261	Microbial 'Old Friends', immunoregulation and stress resilience. 2013 , 2013, 46-64	128
1260	Should depressive patients undergo a regular diabetes screening test?. 2013 , 17, 537-8	1
1259	Depression and associated factors in older adults in South Africa. 2013 , 6, 1-9	64
1258	Elderly depression in India: An emerging public health challenge. 2013 , 6, 107-11	33
1257	Psychology: Mind over myocardium. 2013 , 493, S16-7	7
1256	Lifetime endogenous reproductive factors and severe depressive symptoms in postmenopausal women: findings from the E3N cohort. 2013 , 20, 1154-63	7

1255	Review: An overview of the effectiveness of psychological therapy for depression and stepped care service delivery models. 2013 , 18, 185-186	
1254	Prospective study on long-term dietary patterns and incident depression in middle-aged and older women. 2013 , 98, 813-20	67
1253	The effects of mGluR receptor modulation in behavioural models sensitive to antidepressant action in two mouse strains. 2013 , 24, 105-13	22
1252	Irritable mood in adult major depressive disorder: results from the world mental health surveys. 2013 , 30, 395-406	11
1251	The co-occurrence of major depressive disorder among individuals with posttraumatic stress disorder: a meta-analysis. 2013 , 26, 299-309	335
1250	The effects of congenital brain serotonin deficiency on responses to chronic fluoxetine. 2013 , 3, e291	35
1249	An algorithm for determination of rank and degree of contribution of sMRI volumetric features in depression detection. 2013 , 2013, 1382-5	2
1248	Gender differences in mental health expectancies in early- and midlife in six European countries. 2013 , 202, 294-300	9
1247	Country- and individual-level socioeconomic determinants of depression: multilevel cross-national comparison. 2013 , 202, 195-203	128
1246	Organizational justice and major depressive episodes in Japanese employees: a cross-sectional study. 2013 , 55, 47-55	18
1245	The prevalence of burnout and depression and their association with adherence to safety and practice standards: a survey of United States anesthesiology trainees. 2013 , 117, 182-93	190
1244	Mood disorders and complementary and alternative medicine: a literature review. 2013 , 9, 639-58	88
1243	Negative Rainfall Shocks Increase Levels of the Stress Hormone Cortisol Among Poor Farmers in Kenya. 2013 ,	15
1242	Do concomitant pain symptoms in patients with major depression affect quality of life even when taking into account baseline depression severity?. 2013 , 7, 463-70	10
1241	Prevalence, work-loss days and quality of life of community dwelling subjects with depressive symptoms. 2013 , 28, 280-6	6
1240	Higher prevalence of major depressive symptoms in Brazilians aged 14 and older. 2013 , 35, 142-9	12
1239	Characterization of treatment resistant depression episodes in a cohort of patients from a US commercial claims database. 2013 , 8, e76882	87
1238	Advanced practice nurse psychiatric bridging intervention. 2013 , 51, 36-43	5

1237	Gender and Mood Disorders. 2013 , 1247-1256	1
1236	Depression in employees in privately owned enterprises in China: is it related to work environment and work ability?. 2013 , 10, 1152-67	3
1235	Welfare state regimes, gender, and depression: a multilevel analysis of middle and high income countries. 2013 , 10, 1324-41	15
1234	Pain, kinesiophobia and quality of life in chronic low back pain and depression. 2013 , 21, 27-9	35
1233	Accelerated aging in major depression: the role of nitro-oxidative stress. 2013 , 2013, 230797	26
1232	Depression. 2013 , 385-389	
1231	Low self-efficacy is a risk factor for depression among male Japanese workers: a cohort study. 2013 , 51, 452-8	8
1230	A genetic variant in 12q13, a possible risk factor for bipolar disorder, is associated with depressive state, accounting for stressful life events. 2014 , 9, e115135	11
1229	Interoceptive awareness and the insula - Application of Neuroimaging Techniques in Psychotherapy. 2014 , 1,	
1228	Prevalence of depression morbidity among Brazilian adults: a systematic review and meta-analysis. 2014 , 36, 262-70	62
1227	Establishing an independent mobile health program for chronic disease self-management support in bolivia. 2014 , 2, 95	32
1226	Attitude and impact of perceived depression in the workplace. 2014 , 11, 6021-36	9
1225	Agomelatine in the treatment of depressive disorders in clinical practice: multicenter observational CHRONOS study. 2014 , 10, 631-9	10
1224	Prevalence of comorbidities between mood and anxiety disorders: associated factors in a population sample of young adults in southern Brazil. 2014 , 30, 2413-2422	5
1223	Depression and the risk of coronary heart disease: a meta-analysis of prospective cohort studies. 2014 , 14, 371	237
1222	Epigenetics of depression. 2014 , 128, 103-37	22
1221	Short-term efficacy of repetitive transcranial magnetic stimulation (rTMS) in depression- reanalysis of data from meta-analyses up to 2010. 2014 , 2, 39	19
1220	A latent class analysis to empirically describe eating disorders through developmental stages. 2014 , 47, 762-72	20

1219	Accuracy of general practitioner unassisted detection of depression. 2014 , 48, 571-8	37
1218	Stability and change in the mental health of New Zealand secondary school students 2007-2012: results from the national adolescent health surveys. 2014 , 48, 472-80	53
1217	Cross-country differences in basal and stress-induced cortisol secretion in older adults. 2014 , 9, e105968	12
1216	Stresses and Disability in Depression across Gender. 2014 , 2014, 735307	9
1215	Effectiveness of cognitive behavioural therapy augmentation in major depression treatment (ECAM study): study protocol for a randomised clinical trial. 2014 , 4, e006359	10
1214	Association between depression, examination-related stressors, and sense of coherence: the Ronin-Sei study. 2014 , 68, 441-7	13
1213	Evaluation of periodontitis in hospital outpatients with major depressive disorder. 2014 , 49, 77-84	13
1212	Dimensions of psychotic experiences among women in the general population. 2014 , 23, 62-8	13
1211	The effects of recurrent episodes of depression on startle responses. 2014 , 51, 103-9	17
1210	Religiosity and Spirituality as Resiliency Resources: Moderation, Mediation, or Moderated Mediation?. 2014 , 53, 56-72	46
1209	Does productive role occupancy prevent depression among older rural Chinese adults? A latent difference score analysis. 2014 , 18, 51-8	6
1208	Risk and protective factors for symptoms of anxiety and depression in parents of children with autism spectrum disorder. 2016 , 19, 146-53	10
1207	Depressive Symptoms and Their Psychosocial Correlates Among Older Somali Refugees and Native Finns. 2014 , 45, 1434-1452	15
1206	Standardization of the Colombian version of the PHQ-4 in the general population. 2014 , 14, 205	21
1205	Helpful self-management strategies to cope with enduring depression from the patients' point of view: a concept map study. 2014 , 14, 331	17
1204	Focusing on the negative: cultural differences in expressions of sympathy. 2014 , 107, 1092-115	66
1203	. 2014 ,	
1202	Mood and anxiety disorders across the adult lifespan: a European perspective. 2014 , 44, 707-22	12

1201	Does duloxetine improve cognitive function independently of its antidepressant effect in patients with major depressive disorder and subjective reports of cognitive dysfunction?. 2014 , 2014, 627863	36
1200	Green tea and coffee consumption is inversely associated with depressive symptoms in a Japanese working population. 2014 , 17, 625-33	61
1199	Immune changes and neurotransmitters: possible interactions in depression?. 2014 , 48, 268-76	80
1198	Anti-anhedonic effect of deep brain stimulation of the prefrontal cortex and the dopaminergic reward system in a genetic rat model of depression: an intracranial self-stimulation paradigm study. 2014 , 7, 21-8	37
1197	Predictive value of baseline resistance in early response to antidepressants. 2014 , 161, 127-35	3
1196	Prevalence and correlates of depression among new U.S. immigrants. 2014 , 16, 422-8	20
1195	Association of subjective and objective socioeconomic status with subjective mental health and mental disorders among Japanese men and women. 2014 , 21, 421-9	21
1194	Screening for depression and high utilization of health care resources among patients in primary care. 2014 , 50, 753-8	17
1193	Sexual dysfunction associated with second-generation antidepressants in patients with major depressive disorder: results from a systematic review with network meta-analysis. 2014 , 37, 19-31	84
1192	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. 2014 , 57, 699-709	47
1191	Low birth-weight and risk for major depression: a community-based longitudinal study. 2014 , 215, 618-23	5
1190	Antidepressant and anti-anxiety like effects of 4i (N-(3-chloro-2-methylphenyl) quinoxalin-2-carboxamide), a novel 5-HT ₃ receptor antagonist in acute and chronic neurobehavioral rodent models. 2014 , 735, 59-67	22
1189	Early in-session cognitive-emotional problem-solving predicts 12-month outcomes in depression with personality disorder. 2014 , 24, 103-15	5
1188	Low birth weight, preterm birth and small for gestational age association with adult depression: systematic review and meta-analysis. 2014 , 205, 340-7	52
1187	Mental Health Problems and School Outcomes Among Immigrant and Non-immigrant Early Adolescents in Norway. 2014 , 6, 279-293	12
1186	Cellular aging in depression: Permanent imprint or reversible process?: An overview of the current evidence, mechanistic pathways, and targets for interventions. 2014 , 36, 968-78	33
1185	Honokiol abrogates lipopolysaccharide-induced depressive like behavior by impeding neuroinflammation and oxido-nitrosative stress in mice. 2014 , 744, 124-31	74
1184	Body-size throughout life and risk of depression in postmenopausal women: findings from the E3N cohort. 2014 , 22, 1926-34	5

1183	Sexual dysfunction associated with major depressive disorder and antidepressant treatment. 2014 , 13, 1361-74	71
1182	Factors associated with depression and suicide attempts in patients undergoing rehabilitation for substance abuse. 2014 , 169, 10-4	22
1181	A systematic review on the efficacy, safety and types of Chinese herbal medicine for depression. 2014 , 57, 165-75	57
1180	Increased risk of major depression subsequent to a first-attack and non-infection caused urticaria in adolescence: a nationwide population-based study. 2014 , 14, 181	10
1179	Community attitudes and social distance towards the mentally ill in South Sudan: a survey from a post-conflict setting with no mental health services. 2014 , 49, 771-80	26
1178	Social relationship correlates of major depressive disorder and depressive symptoms in Switzerland: nationally representative cross sectional study. 2014 , 14, 273	59
1177	Association of socioeconomic status in childhood with major depression and generalized anxiety disorder: results from the World Mental Health Japan survey 2002-2006. 2014 , 14, 359	18
1176	Urticaria in adolescence increases the risk of developing new-onset depression: A database study. 2014 , 4, 120-126	3
1175	The prospective long-term course of adult depression in general practice and the community. A systematic literature review. 2014 , 152-154, 65-75	87
1174	Gait characteristics in patients with major depression performing cognitive and motor tasks while walking. 2014 , 217, 39-46	23
1173	Public attitudes regarding individual and structural discrimination: two sides of the same coin?. 2014 , 103, 60-66	38
1172	Beliefs about depression--do affliction and treatment experience matter? Results of a population survey from Germany. 2014 , 164, 28-32	21
1171	Major depression in China-to-US immigrants and US-born Chinese Americans: testing a hypothesis from culture-gene co-evolutionary theory of mental disorders. 2014 , 167, 30-6	10
1170	A meta-analysis of the efficacy and safety of traditional Chinese medicine formula Ganmai Dazao decoction for depression. 2014 , 153, 309-17	19
1169	A randomized, double-blind, placebo-controlled study of flexible doses of levomilnacipran ER (40-120 mg/day) in patients with major depressive disorder. 2014 , 3, 10-9	30
1168	Distinguishing bipolar from unipolar depression: the importance of clinical symptoms and illness features. 2015 , 45, 2437-46	30
1167	Depressive Disorders: Major Depressive Disorder and Persistent Depressive Disorder. 2015 , 902-965	
1166	A latent transition analysis for the assessment of structured diagnostic interviews. 2015 , 27, 975-84	1

1165	[Cognitive dysfunction in major depression]. 2015 , 157, 63-4	
1164	Cross-sectional study on socio-demographic and clinical correlates of depression among human immunodeficiency virus-positive patients in Surat City, Western India. 2015 , 7, 406-18	1
1163	The association between alcohol use and depressive symptoms across socioeconomic status among 40- and 45-year-old Norwegian adults. 2015 , 15, 1146	10
1162	Perspectives on depression--past, present, future(a). 2015 , 1345, 1-15	3
1161	Concordance between Composite International Diagnostic Interview and self-reports of depressive symptoms: a re-analysis. 2015 , 24, 213-25	12
1160	Symptoms of Depression and Risk of New Episodes of Low Back Pain: A Systematic Review and Meta-Analysis. 2015 , 67, 1591-603	106
1159	PERSONALITY AND DEPRESSIVE SYMPTOMS: INDIVIDUAL PARTICIPANT META-ANALYSIS OF 10 COHORT STUDIES. 2015 , 32, 461-70	209
1158	Descriptive epidemiology of major depressive disorder in Canada in 2012. 2015 , 60, 23-30	109
1157	Pharmacological and Non-pharmacological Treatment Options for Depression and Depressive Symptoms in Hemodialysis Patients. 2015 , 3, 1811	8
1156	Factors associated with depression: sex differences between residents of Quilombo communities. 2015 , 18, 503-14	3
1155	Prevalence of depressive and anxiety symptoms in medical students in the city of Santos. 2015 , 64, 213-220	9
1154	[Depression and suicide risk among nursing professionals: an integrative review]. 2015 , 49, 1027-36	32
1153	The Escitalopram versus Electric Current Therapy for Treating Depression Clinical Study (ELECT-TDCS): rationale and study design of a non-inferiority, triple-arm, placebo-controlled clinical trial. 2015 , 133, 252-63	44
1152	Predictors of remission in the treatment of major depressive disorder: real-world evidence from a 6-month prospective observational study. 2015 , 11, 197-205	14
1151	The low level of understanding of depression among patients treated with antidepressants: a survey of 424 outpatients in Japan. 2015 , 11, 2811-6	5
1150	Depression, Help-Seeking and Self-Recognition of Depression among Dominican, Ecuadorian and Colombian Immigrant Primary Care Patients in the Northeastern United States. 2015 , 12, 10450-74	16
1149	Deep Brain Stimulation for Psychiatric Disorders. 2015 , 1-17	4
1148	Alzheimer's Disease associated with Psychiatric Comorbidities. 2015 , 87, 1461-73	19

1147	Somatic and cognitive-affective depressive symptoms among patients with heart disease: differences by sex and age. 2015 , 23, 208-15	7
1146	Natural light exposure, sleep and depression among day workers and shiftworkers at arctic and equatorial latitudes. 2015 , 10, e0122078	17
1145	Risk of Developing Depressive Disorders following Hepatocellular Carcinoma: A Nationwide Population-Based Study. 2015 , 10, e0135417	14
1144	Epidemiology and Heritability of Major Depressive Disorder, Stratified by Age of Onset, Sex, and Illness Course in Generation Scotland: Scottish Family Health Study (GS:SFHS). 2015 , 10, e0142197	75
1143	Workplace Bullying and Mental Health: A Meta-Analysis on Cross-Sectional and Longitudinal Data. 2015 , 10, e0135225	142
1142	Religious coping and its influence on psychological distress, medication adherence, and quality of life in inflammatory bowel disease. 2015 , 37, 219-27	30
1141	Disposition and metabolism of [14C]-levomilnacipran, a serotonin and norepinephrine reuptake inhibitor, in humans, monkeys, and rats. 2015 , 9, 3199-215	5
1140	Prescription of Chinese Herbal Medicine in Pattern-Based Traditional Chinese Medicine Treatment for Depression: A Systematic Review. 2015 , 2015, 160189	39
1139	Autobiographical Memory Disturbances in Depression: A Novel Therapeutic Target?. 2015 , 2015, 759139	40
1138	Comorbidity between Type 2 Diabetes and Depression in the Adult Population: Directions of the Association and Its Possible Pathophysiological Mechanisms. 2015 , 2015, 164760	46
1137	[Prevalence of depression among firefighters]. 2015 , 31, 733-43	4
1136	Prevalence of depressive symptoms and work-related risk factors among nurses in public hospitals in southern China: a cross-sectional study. 2014 , 4, 7109	57
1135	Deep Brain Stimulation for the Management of Treatment-Refractory Major Depressive Disorder. 2015 , 95-104	
1134	The association between lower educational attainment and depression owing to shared genetic effects? Results in ~25,000 subjects. 2015 , 20, 735-43	39
1133	Constructs of depression and distress in diabetes: time for an appraisal. 2015 , 3, 450-460	215
1132	Biomarker approaches in major depressive disorder evaluated in the context of current hypotheses. 2015 , 9, 277-97	47
1131	Thymol produces an antidepressant-like effect in a chronic unpredictable mild stress model of depression in mice. 2015 , 291, 12-19	81
1130	Involvement of monoaminergic systems in the antidepressant-like properties of <i>Lafoensia pacari</i> A. St. Hil. 2015 , 170, 218-25	5

1129	Risk factors for coronary heart disease among Asian Indians living in Australia. 2015 , 26, 57-63	6
1128	Communication message cues and opinions about people with depression: an investigation of discussion on Weibo. 2015 , 25, 33-47	11
1127	Vortioxetine for depression in adults. 2015 ,	
1126	The prospective association between obesity and major depression in the general population: does single or recurrent episode matter?. 2015 , 15, 350	21
1125	Mild Depression Detection of College Students: an EEG-Based Solution with Free Viewing Tasks. 2015 , 39, 187	18
1124	The Power of Theory, Research Design, and Transdisciplinary Integration in Moving Psychopathology Forward. 2015 , 26, 209-230	23
1123	Depressive symptoms and social demographic, stress and health risk behaviour among university students in 26 low-, middle- and high-income countries. 2015 , 19, 259-65	26
1122	Chronic corticosterone-mediated dysregulation of microRNA network in prefrontal cortex of rats: relevance to depression pathophysiology. 2015 , 5, e682	86
1121	Prevalence and correlates of major depressive disorder and dysthymia in an eleven-year follow-up--results from the Finnish Health 2011 Survey. 2015 , 173, 73-80	50
1120	Estradiol replacement enhances fear memory formation, impairs extinction and reduces COMT expression levels in the hippocampus of ovariectomized female mice. 2015 , 118, 167-77	18
1119	Tea consumption and the risk of depression: a meta-analysis of observational studies. 2015 , 49, 334-45	32
1118	Gender differences in mental disorders and suicidality in Europe: results from a large cross-sectional population-based study. 2015 , 173, 245-54	98
1117	Epigenetic mechanisms underlying the role of brain-derived neurotrophic factor in depression and response to antidepressants. 2015 , 218, 21-31	63
1116	Gender differences and disabilities of perceived depression in the workplace. 2015 , 176, 48-55	10
1115	Emotion dysregulation mediates the relationship between lifetime cumulative adversity and depressive symptomatology. 2015 , 61, 89-96	48
1114	Acute suicidal ideation in middle-aged adults from Brazil. Results from the baseline data of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). 2015 , 225, 556-62	13
1113	Physical activity, walking, and quality of life in women with depressive symptoms. 2015 , 48, 281-91	24
1112	Change in depressive symptoms and mental health-related quality of life in northeast Germany between 1997-2001 and 2008-2012. 2015 , 60, 33-9	7

1111	Long-term personality changes and predictive adaptive responses after depressive episodes. 2015 , 36, 337-344	45
1110	One step closer to a global tool for rapid screening of major depression in epilepsy: validation of the French NDDI-E. 2015 , 44, 11-6	41
1109	Dietary DHA during development affects depression-like behaviors and biomarkers that emerge after puberty in adolescent rats. 2015 , 56, 151-66	31
1108	Effectiveness of psychological and/or educational interventions to prevent the onset of episodes of depression: A systematic review of systematic reviews and meta-analyses. 2015 , 76 Suppl, S22-32	32
1107	Help-seeking characteristics of Chinese- and English-speaking Australians accessing Internet-delivered cognitive behavioural therapy for depression. 2015 , 50, 89-97	6
1106	Mirtazapine as positive control drug in studies examining the effects of antidepressants on driving ability. 2015 , 753, 252-6	11
1105	Early identification of treatment non-response utilizing the Patient Health Questionnaire (PHQ-9). 2015 , 68, 114-9	12
1104	Phytochemical constituents as future antidepressants: a comprehensive review. 2015 , 26, 699-719	82
1103	An Act of Balance Between Adaptive and Maladaptive Immunity in Depression: a Role for T Lymphocytes. 2015 , 10, 595-609	61
1102	[Depression among adolescents. A hidden problem for public health and clinical practice]. 2015 , 72, 149-155	12
1101	Depression. 2015 , 1253-1274	1
1100	HAM/TSP and major depression: the role of age. 2015 , 19, 314-8	11
1099	The epidemiology of major depressive disorder and subthreshold depression in Izmir, Turkey: Prevalence, socioeconomic differences, impairment and help-seeking. 2015 , 181, 78-86	33
1098	Adjuvant treatments of breast cancer increase the risk of depressive disorders: A population-based study. 2015 , 182, 44-9	17
1097	Whom to Ask for Professional Help in Case of Major Depression? Help-Seeking Recommendations of the Sardinian Public. 2015 , 42, 704-13	11
1096	Current major depressive syndrome measured with the Patient Health Questionnaire-9 (PHQ-9) and the Composite International Diagnostic Interview (CIDI): results from a cross-sectional population-based study of adults in Germany. 2015 , 15, 77	24
1095	Estradiol levels modulate brain activity and negative responses to psychosocial stress across the menstrual cycle. 2015 , 59, 14-24	105
1094	Depression and Suicide. 2015 , 709-729	4

1093	Long-term efficacy of indicated prevention of depression in non-professional caregivers: randomized controlled trial. 2015 , 45, 1401-12	18
1092	Comparative efficacy and safety of selective serotonin reuptake inhibitors and serotonin-norepinephrine reuptake inhibitors in older adults: a network meta-analysis. 2015 , 63, 1002-9	46
1091	Job-Related Stress and Depression in Orphanage and Preschool Caregivers in Ukraine. 2015 , 29, 130-145	7
1090	Psychological distress and the increased risk of falling into poverty: a longitudinal study of Australian adults. 2015 , 50, 1547-56	9
1089	A clinical repetitive transcranial magnetic stimulation service in Australia: 6 years on. 2015 , 49, 1040-7	14
1088	A qualitative study of the prodrome to first-episode major depressive disorder in adolescents. 2015 , 48, 153-61	5
1087	Diabetes mellitus and comorbid depression in Zambia. 2015 , 32, 814-8	6
1086	Sex Differences in Depression: Does Inflammation Play a Role?. 2015 , 17, 78	94
1085	Chinese patients with major depression: Do concomitant pain symptoms affect quality of life independently of severity of depression?. 2015 , 19, 174-81	5
1084	Psychiatric disorders in patients with multiple sclerosis. 2015 , 63, 10-4	18
1083	Urinary heavy metals, phthalates and polyaromatic hydrocarbons independent of health events are associated with adult depression: USA NHANES, 2011-2012. 2015 , 22, 17095-103	32
1082	The 6-item Kessler psychological distress scale to survey serious mental illness among Chinese undergraduates: Psychometric properties and prevalence estimate. 2015 , 63, 105-12	42
1081	Efficacy of levomilnacipran extended-release in major depressive disorder: pooled analysis of 5 double-blind, placebo-controlled trials. 2015 , 20, 148-56	18
1080	Iron administration prevents BDNF decrease and depressive-like behavior following chronic stress. 2015 , 1596, 79-87	16
1079	Adding fuel to the fire: the impact of stress on the ageing brain. 2015 , 38, 13-25	84
1078	Psychometric properties of the 16-item Quick Inventory of Depressive Symptomatology: a systematic review and meta-analysis. 2015 , 60, 132-40	74
1077	Treatment for depression in 63 countries worldwide: describing and explaining cross-national differences. 2015 , 31, 1-9	6
1076	Depression as a risk factor for overall and hormone-related cancer: the Korean cancer prevention study. 2015 , 173, 1-8	18

1075	An adaptationist perspective on the etiology of depression. 2015 , 172, 315-23	84
1074	Depressive disorders and comorbidities among the elderly: a population-based study. 2016 , 19, 95-103	2
1073	[Reliability and dimensionality of PHQ-9 in screening depression symptoms among health science students in Cartagena, 2014]. 2017 , 37, 112-120	14
1072	Depression and Outcomes in Japanese Outpatients With Cardiovascular Disease - A Prospective Observational Study. 2016 , 80, 2482-2488	10
1071	Sarcopenia Is Not Associated with Depression in Korean Adults: Results from the 2010-2011 Korean National Health and Nutrition Examination Survey. 2016 , 37, 37-43	29
1070	Anger Management among Medical Undergraduate Students and Its Impact on Their Mental Health and Curricular Activities. 2016 , 2016, 1-6	
1069	Depression among Ethiopian Adults: Cross-Sectional Study. 2016 , 2016, 1468120	22
1068	The association between psychosocial and structural-level stressors and HIV injection drug risk behavior among Malaysian fishermen: A cross-sectional study. 2016 , 16, 464	4
1067	Sex Differences in Serum Markers of Major Depressive Disorder in the Netherlands Study of Depression and Anxiety (NESDA). 2016 , 11, e0156624	41
1066	M30 Antagonizes Indoleamine 2,3-Dioxygenase Activation and Neurodegeneration Induced by Corticosterone in the Hippocampus. 2016 , 11, e0166966	5
1065	Affective Disorders. 2016 , 173-231	2
1064	The Effectiveness of Somatization in Communicating Distress in Korean and American Cultural Contexts. 2016 , 7, 383	24
1063	The Chinese Experience of Rapid Modernization: Sociocultural Changes, Psychological Consequences?. 2016 , 7, 477	71
1062	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. 2016 , 7, 1342	12
1061	Self-referential processing in adolescents: Stability of behavioral and ERP markers. 2016 , 53, 1398-406	35
1060	Antidepressant-like Effects of ZBH2012001, a Novel Potent Serotonin and Norepinephrine Reuptake Inhibitor. 2016 , 22, 700-6	1
1059	Depression or anxiety in adult twins is associated with asthma diagnosis but not with offspring asthma. 2016 , 46, 803-12	11
1058	Effects of perceived social support and family demands on college students' mental well-being: A cross-cultural investigation. 2016 , 51, 348-55	15

1057	Resilience as a Mediator Between Parental Acceptance/Rejection and Depressive Symptoms Among University Students in Turkey. 2016 , 94, 195-209	11
1056	Computational meta-analysis of statistical parametric maps in major depression. 2016 , 37, 1393-404	117
1055	Prevalence and correlates of symptoms of mental disorders in Vietnamese HIV-positive patients. 2016 , 1-17	3
1054	Psychobiological Responses to Preferred and Prescribed Intensity Exercise in Major Depressive Disorder. 2016 , 48, 2207-2215	28
1053	External validation of the international risk prediction algorithm for major depressive episode in the US general population: the PredictD-US study. 2016 , 16, 256	18
1052	Vulnerability for new episodes in recurrent major depressive disorder: protocol for the longitudinal DELTA-neuroimaging cohort study. 2016 , 6, e009510	23
1051	Classification study on eye movement data: Towards a new approach in depression detection. 2016 ,	6
1050	The influence of a history of clinical depression on peri-operative outcomes in elective total shoulder arthroplasty: a ten-year national analysis. 2016 , 98-B, 818-24	43
1049	Relation of depression with health behaviors and social conditions of dependent community-dwelling older persons in the Republic of Chile. 2016 , 28, 2029-2043	8
1048	Feasibility of an interactive voice response system for monitoring depressive symptoms in a lower-middle income Latin American country. 2016 , 10, 59	17
1047	Auswirkungen von automatischen Gedanken und psychologischer Flexibilität auf die depressive Symptomatik und Rückfallwahrscheinlichkeit remittiert Depressiver. 2016 , 26, 270-277	1
1046	Visual mismatch negativity (vMMN): A review and meta-analysis of studies in psychiatric and neurological disorders. 2016 , 80, 76-112	76
1045	Validation of the French version of the Acceptability E-scale (AES) for mental E-health systems. 2016 , 237, 196-200	12
1044	Psychometric validation of the 16 Item Quick Inventory of Depressive Symptomatology Self-Report Version (QIDS-SR16) in military veterans with PTSD. 2016 , 202, 16-22	17
1043	A randomized, double-blinded, placebo-controlled study to evaluate the efficacy and safety of venlafaxine extended release and a long-term extension study for patients with major depressive disorder in Japan. 2016 , 31, 8-19	10
1042	Influence of Exercise Intensity for Improving Depressed Mood in Depression: A Dose-Response Study. 2016 , 47, 527-37	59
1041	Vilazodone does not inhibit sexual behavior in male rats in contrast to paroxetine: A role for 5-HT1A receptors?. 2016 , 107, 271-277	9
1040	Collaborative care regarding major depressed patients: A review of guidelines and current practices. 2016 , 200, 189-203	5

1039	Depression in Diabetic Retinopathy: A Review and Recommendation for Psychiatric Management. 2016 , 57, 465-71	15
1038	The persisting burden of psychiatric disorder. 2016 , 25, 35-7	
1037	Lifestyle factors, psychiatric and neurologic comorbidities, and drug use associated with incident seizures among adult patients with depression: a population-based nested case-control study. 2016 , 31, 1113-1122	6
1036	Mindfulness-based cognitive therapy for recurrent major depression: A 'best buy' for health care?. 2016 , 50, 1001-13	13
1035	The association between major depression prevalence and sex becomes weaker with age. 2016 , 51, 203-10	21
1034	Cognitive emotion regulation and psychopathology across cultures: A comparison between six European countries. 2016 , 98, 218-224	37
1033	Young Adults' Trait Affection Given and Received as Functions of Hofstede's Dimensions of Cultures and National Origin. 2016 , 45, 404-418	16
1032	Social correlates of mental, neurological, and substance use disorders in China and India: a review. 2016 , 3, 882-99	27
1031	Enriched environment ameliorates depression-induced cognitive deficits and restores abnormal hippocampal synaptic plasticity. 2016 , 134 Pt B, 379-91	36
1030	WITHDRAWN: Collaborative care regarding major depressed patients: A review of guidelines and current practices. 2016 ,	
1029	Increased adult neurogenesis in mice with a permanent overexpression of the postsynaptic 5-HT receptor. 2016 , 633, 246-251	8
1028	FORMAL AND MODEL DRIVEN DESIGN OF THE BRIGHT LIGHT THERAPY SYSTEM LUXAMET. 2016 , 16, 1650065	
1027	[Gender aspects in female and male physicians : Occupational and psychosocial stress]. 2016 , 59, 1343-50	8
1026	Relationships between serum BDNF and the antidepressant effect of acute exercise in depressed women. 2016 , 74, 286-294	16
1025	Network analysis of the Quick Inventory of Depressive Symptomatology: Reanalysis of the STAR*D clinical trial. 2016 , 26, 1768-1774	25
1024	Major depressive disorder. 2016 , 2, 16065	635
1023	The antidepressant effect of musk in an animal model of depression: a histopathological study. 2016 , 366, 271-284	18
1022	Health, Social, and Economic Variables Associated with Depression Among Older People in Low and Middle Income Countries: World Health Organization Study on Global AGEing and Adult Health. 2016 , 24, 1196-1208	30

1021	Agmatine ameliorates lipopolysaccharide induced depressive-like behaviour in mice by targeting the underlying inflammatory and oxido-nitrosative mediators. 2016 , 149, 1-8	42
1020	Non-fatal disease burden for subtypes of depressive disorder: population-based epidemiological study. 2016 , 16, 139	5
1019	Animal Models for Depression and the Mode of Action of Neurotransmitter Transporter-Blocking Antidepressants. 2016 , 189-202	1
1018	Additive and Synergetic Contributions of Neuroticism and Life Events to Depression and Anxiety in Women. 2016 , 30, 390-405	16
1017	Preexisting mild sleep disturbance as a vulnerability factor for inflammation-induced depressed mood: a human experimental study. 2016 , 6, e750	32
1016	Brain-computer interface-based control of closed-loop brain stimulation: attitudes and ethical considerations. 2016 , 3, 140-148	74
1015	Identification of sex-specific urinary biomarkers for major depressive disorder by combined application of NMR- and GC-MS-based metabolomics. 2016 , 6, e955	40
1014	Melatonergic Antidepressant Agomelatine and Its Efficacy in Depressive Disorders. 2016 , 219-228	0
1013	Pharmacological treatment strategies in unipolar depression in European tertiary psychiatric treatment centers - A pharmacoepidemiological cross-sectional multicenter study. 2016 , 26, 1960-1971	33
1012	Variation in serum biomarkers with sex and female hormonal status: implications for clinical tests. 2016 , 6, 26947	22
1011	Effects of stretching on menopausal and depressive symptoms in middle-aged women: a randomized controlled trial. 2016 , 23, 827-32	13
1010	THE LONG-TERM EFFICACY OF ACUTE-PHASE PSYCHOTHERAPY FOR DEPRESSION: A META-ANALYSIS OF RANDOMIZED TRIALS. 2016 , 33, 370-83	28
1009	Outpatient Mental Health Services in Mozambique: Use and Treatments. 2016 , 67, 588-90	16
1008	Depression and postoperative complications: an overview. 2016 , 16, 5	172
1007	Exercise as a treatment for depression: A meta-analysis. 2016 , 202, 67-86	352
1006	Prenatal immune programming of the sex-dependent risk for major depression. 2016 , 6, e822	47
1005	Prenatal SSRI alters the hormonal and behavioral responses to stress in female mice: Possible role for glucocorticoid resistance. 2016 , 84, 41-9	17
1004	Weight-related stigma is a significant psychosocial stressor in developing countries: Evidence from Guatemala. 2016 , 161, 55-60	20

1003	Biological rhythms, metabolic syndrome and current depressive episode in a community sample. 2016 , 72, 34-9	14
1002	Headache, depression and anxiety: associations in the Eurolight project. 2016 , 17, 59	91
1001	Maternal immune activation epigenetically regulates hippocampal serotonin transporter levels. 2016 , 4, 34-43	30
1000	Anxiety and depression in Nepal: prevalence, comorbidity and associations. 2016 , 16, 102	59
999	Major Depression in Canada: What Has Changed over the Past 10 Years?. 2016 , 61, 80-5	30
998	Prevalence and treatment coverage for depression: a population-based survey in Vidarbha, India. 2016 , 51, 993-1003	29
997	Coffee, tea, caffeine and risk of depression: A systematic review and dose-response meta-analysis of observational studies. 2016 , 60, 223-34	91
996	Optic coherence tomography shows inflammation and degeneration in major depressive disorder patients correlated with disease severity. 2016 , 204, 159-65	32
995	Pathogenetic and therapeutic applications of microRNAs in major depressive disorder. 2016 , 64, 341-8	47
994	Nutritional Interventions in Clinical Depression. 2016 , 4, 144-162	12
993	Hippocampal subfield analysis in medication-naïve female patients with major depressive disorder. 2016 , 194, 21-9	39
992	Treatment escalation in patients not responding to pharmacotherapy, psychotherapy, and electro-convulsive therapy: experiences from a novel regimen using intravenous S-ketamine as add-on therapy in treatment-resistant depression. 2016 , 123, 549-52	6
991	Prevalence, awareness, and burden of major depressive disorder in urban China. 2016 , 16, 393-407	31
990	The effect of increasing amitriptyline doses on cardiomyocytes [electrophysiology] simulation study. 2016 , 12,	
989	Gender differences in systemic lupus erythematosus concerning anxiety, depression and quality of life. 2016 , 25, 1315-27	31
988	Self-perceived vs. actual physical attractiveness: Associations with depression as a function of sexual orientation. 2016 , 189, 70-6	11
987	Diverse Rates of Depression Among Men Who Have Sex with Men (MSM) Across India: Insights from a Multi-site Mixed Method Study. 2016 , 20, 304-16	34
986	The Social Psychology of Latin American Happiness. 2016 , 31-49	4

985	TSPAN5, ERICH3 and selective serotonin reuptake inhibitors in major depressive disorder: pharmacometabolomics-informed pharmacogenomics. 2016 , 21, 1717-1725	71
984	Attitudes and beliefs about mental illness among church-based lay health workers: experience from a prevention of mother-to-child HIV transmission trial in Nigeria. 2016 , 9, 1-13	17
983	Chronic mild stress influences nerve growth factor through a matrix metalloproteinase-dependent mechanism. 2016 , 66, 11-21	12
982	Long-term Follow-up of a Randomized Clinical Trial Assessing the Efficacy of a Brief Cognitive-Behavioral Depression Prevention Intervention for Caregivers with Elevated Depressive Symptoms. 2016 , 24, 421-32	21
981	Augmentation of effect of venlafaxine by folic acid in behavioral paradigms of depression in mice: Evidence of serotonergic and pro-inflammatory cytokine pathways. 2016 , 68, 396-403	6
980	[Vortioxetine: a new antidepressant to treat depressive episodes]. 2016 , 42, 48-58	1
979	Executive function impairments in depression and bipolar disorder: association with functional impairment and quality of life. 2016 , 190, 744-753	123
978	EEG marker of inhibitory brain activity correlates with resting-state cerebral blood flow in the reward system in major depression. 2016 , 266, 755-764	12
977	Coffee and caffeine consumption and depression: A meta-analysis of observational studies. 2016 , 50, 228-42	80
976	Prevalence and correlates of DSM-IV-TR major depressive disorder, self-reported diagnosed depression and current depressive symptoms among adults in Germany. 2016 , 190, 167-177	59
975	Depressive symptoms and psychosocial aspects of work in bank employees. 2016 , 66, 54-61	14
974	Has adult sleep duration declined over the last 50+ years?. 2016 , 28, 69-85	53
973	Depressed Mood in Middle-Aged and Older Adults in Europe and the United States: A Comparative Study Using Anchoring Vignettes. 2016 , 28, 95-117	6
972	What Predicts Positive Life Events that Influence the Course of Depression? A Longitudinal Examination of Gratitude and Meaning in Life. 2017 , 41, 444-458	58
971	Is Health Literacy Associated With Depressive Symptoms Among Korean Adults? Implications for Mental Health Nursing. 2017 , 53, 234-242	11
970	Reduced fractional anisotropy in patients with major depressive disorder and associations with vascular stiffness. 2017 , 14, 151-155	14
969	Prevalence and correlates of DSM-5 major depressive and related disorders in the community. 2017 , 250, 50-58	61
968	Late-Life Depression, Hippocampal Volumes, and Hypothalamic-Pituitary-Adrenal Axis Regulation: A Systematic Review and Meta-analysis. 2017 , 82, 339-350	63

967	Construct validity of the HSCL-25 and SCL-90-Somatization scales among Russian, Somali and Kurdish origin migrants in Finland. 2017 , 10, 1-18	6
966	Validity and Utility of the Patient Health Questionnaire (PHQ)-2 and PHQ-9 for Screening and Diagnosis of Depression in Rural Chiapas, Mexico: A Cross-Sectional Study. 2017 , 73, 1076-1090	83
965	Virtual human as a new diagnostic tool, a proof of concept study in the field of major depressive disorders. 2017 , 7, 42656	52
964	Epidemiology of pharmaceutically treated depression and treatment resistant depression in Taiwan. 2017 , 252, 277-283	31
963	Trait Affection Given and Received: A Test of Hofstede's Theoretical Framework. 2017 , 46, 161-172	16
962	Prevalence, trends, correlates and treatment of depression in Chile in 2003 to 2010. 2017 , 52, 399-409	23
961	A mental health training program for community health workers in India: impact on recognition of mental disorders, stigmatizing attitudes and confidence. 2017 , 10, 62-74	13
960	Use of Buprenorphine in treatment of refractory depression-A review of current literature. 2017 , 26, 94-98	18
959	Parental Support for Autonomy and Child Depressive Symptoms in Middle Childhood: The Mediating Role of Parent-Child Attachment. 2017 , 26, 1970-1978	13
958	Effectiveness of Psychological and Educational Interventions to Prevent Depression in Primary Care: A Systematic Review and Meta-Analysis. 2017 , 15, 262-271	27
957	What Is Being Measured? A Comparison of Two Depressive Symptom Severity Instruments with a Depression Diagnosis in Low-Income High-Risk Mothers. 2017 , 26, 683-691	1
956	Population scale data reveals the antidepressant effects of ketamine and other therapeutics approved for non-psychiatric indications. 2017 , 7, 1450	14
955	Cucurbitacin IIa exerts antidepressant-like effects on mice exposed to chronic unpredictable mild stress. 2017 , 28, 259-267	11
954	Gender differences in depression in representative national samples: Meta-analyses of diagnoses and symptoms. 2017 , 143, 783-822	704
953	Duration of major and minor depressive episodes and associated risk indicators in a psychiatric epidemiological cohort study of the general population. 2017 , 136, 300-312	32
952	Polygenic risk for depression and the neural correlates of working memory in healthy subjects. 2017 , 79, 67-76	33
951	Determinants and geographical variation in the distribution of depression in the Southern cone of Latin America: A population-based survey in four cities in Argentina, Chile and Uruguay. 2017 , 220, 15-23	16
950	Sleep disturbance and kynurenine metabolism in depression. 2017 , 99, 1-7	29

949	Prior fear conditioning does not impede enhanced active avoidance in serotonin transporter knockout rats. 2017 , 326, 77-86	0
948	Use of a smartphone application to screen for depression and suicide in South Korea. 2017 , 46, 62-67	7
947	Smoking and antidepressants pharmacokinetics: a systematic review. 2017 , 16, 17	29
946	Elevated triglyceride levels are associated with cognitive impairments among patients with major depressive disorder. 2017 , 75, 103-109	17
945	Sex differences in depression during pregnancy and the postpartum period. 2017 , 95, 719-730	41
944	Neuropsychological changes in melancholic and atypical depression: A systematic review. 2017 , 73, 309-325	36
943	Comparative efficacy and tolerability of pharmacological and somatic interventions in adult patients with treatment-resistant depression: a systematic review and network meta-analysis. 2017 , 33, 701-711	44
942	Which DSM validated tools for diagnosing depression are usable in primary care research? A systematic literature review. 2017 , 39, 99-105	24
941	Genome-wide Regional Heritability Mapping Identifies a Locus Within the TOX2 Gene Associated With Major Depressive Disorder. 2017 , 82, 312-321	17
940	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. 2017 , 372, 331-341	264
939	Depression and mortality in a longitudinal study: 1952-2011. 2017 , 189, E1304-E1310	91
938	The role of depression and personality traits in patients with melanoma: a South-European study. 2017 , 27, 625-631	7
937	Light deprivation produces distinct morphological orchestrations on RGCs and cortical cells in a depressive-like YFP-H mouse model. 2017 , 659, 60-68	4
936	Expert and self-assessment of lifetime symptoms and diagnosis of major depressive disorder in large-scale genetic studies in the general population: comparison of a clinical interview and a self-administered checklist. 2017 , 27, 187-196	9
935	Vortioxetine for depression in adults. 2017 , 7, CD011520	19
934	Age of sexual initiation and depression in adolescents: Data from the 1993 Pelotas (Brazil) Birth Cohort. 2017 , 221, 259-266	11
933	Large normal-range TBP and ATXN7 CAG repeat lengths are associated with increased lifetime risk of depression. 2017 , 7, e1143	15
932	Cultural values and the prevalence of mental disorders in 25 countries: A secondary data analysis. 2017 , 189, 96-104	24

931	Depressive Symptoms and Salivary Telomere Length in a Probability Sample of Middle-Aged and Older Adults. 2017 , 79, 234-242	8
930	Food-based diet quality score in relation to depressive symptoms in young and middle-aged Japanese women. 2017 , 117, 1674-1681	21
929	The antidepressant-like effect of <i>Ocimum basilicum</i> in an animal model of depression. 2017 , 92, 390-401	15
928	Perceived Efficacy and Intentions Regarding Seeking Mental Healthcare: Impact of Deepika Padukone, A Bollywood Celebrity's Public Announcement of Struggle with Depression. 2017 , 22, 713-720	12
927	Development and cross-cultural testing of the International Depression Symptom Scale (IDSS): a measurement instrument designed to represent global presentations of depression. 2017 , 4, e17	12
926	Genome-wide haplotype-based association analysis of major depressive disorder in Generation Scotland and UK Biobank. 2017 , 7, 1263	15
925	Efficacy of levomilnacipran extended release in treating major depressive disorder. 2017 , 18, 2017-2024	5
924	Psychological intervention combined with direct electrical brain stimulation (PIN-CODES) for treating major depression: A pre-test, post-test, follow-up pilot study. 2017 , 25, 15-23	15
923	Associations between cognition and serotonin receptor 1B binding in patients with major depressive disorder - A pilot study. 2017 , 267, 15-21	
922	Evidence for the treatment of moderate depression: a systematic review. 2017 , 34, 197-204	2
921	Metabolic syndrome and depressive symptoms among rural Northeast general population in China. 2017 , 17, 43	12
920	The epidemiology of current depression in Macau, China: towards a plan for mental health action. 2017 , 52, 1227-1235	18
919	Chronic treatment with estradiol restores depressive-like behaviors in female Wistar rats treated neonatally with clomipramine. 2017 , 94, 61-68	4
918	Recognition of depression by primary care clinicians in rural Ethiopia. 2017 , 18, 56	25
917	More than eight in every nineteen inmates were living with depression at prisons of Northwest Amhara Regional State, Ethiopia, a cross sectional study design. 2017 , 17, 31	22
916	Burden and presentation of depression among newly diagnosed individuals with TB in primary care settings in Ethiopia. 2017 , 17, 57	33
915	A comparison of recommendations and received treatment for mood and anxiety disorders in a representative national sample. 2017 , 17, 155	1
914	Antidepressant-like effect of a new selenium-containing compound is accompanied by a reduction of neuroinflammation and oxidative stress in lipopolysaccharide-challenged mice. 2017 , 31, 1263-1273	48

913	Detecting Neuroimaging Biomarkers for Depression: A Meta-analysis of Multivariate Pattern Recognition Studies. 2017 , 82, 330-338	81
912	Evidence-based pharmacotherapy of treatment-resistant unipolar depression. 2017 , 21, 13-23	60
911	Recognizing Maternal Depressive Symptoms: An Opportunity to Improve Outcomes in Early Intervention Programs. 2017 , 21, 883-892	11
910	Symptomatology and predictors of antidepressant efficacy in extended responders to a single ketamine infusion. 2017 , 208, 560-566	32
909	Lack of association between depression and C-reactive protein level in the baseline of Longitudinal Study of Adult Health (ELSA-Brasil). 2017 , 208, 448-454	18
908	Fuzzy Mapping on Psychological Disorders in Construction Management. 2017 , 143, 04016094	8
907	Identification of MicroRNA-124-3p as a Putative Epigenetic Signature of Major Depressive Disorder. 2017 , 42, 864-875	115
906	Parents' Marital Status and Child Physical Abuse Potential: The Mediation of Depression Symptoms. 2017 , 26, 1068-1076	3
905	Why is depression more common among women than among men?. 2017 , 4, 146-158	430
904	Detecting depression from fMRI using relational association rules and artificial neural networks. 2017 ,	2
903	Effectiveness and cost-effectiveness of a guided internet- and mobile-based depression intervention for individuals with chronic back pain: protocol of a multi-centre randomised controlled trial. 2017 , 7, e015226	13
902	Association of 5-HT1A Receptors with Affective Disorders. 2017 ,	1
901	Relationship between Vitamin Intake and Depressive Symptoms in Elderly Japanese Individuals: Differences with Gender and Body Mass Index. 2017 , 9,	25
900	Green Space and Depression during Pregnancy: Results from the Growing Up in New Zealand Study. 2017 , 14,	14
899	Proteomic Differences in Blood Plasma Associated with Antidepressant Treatment Response. 2017 , 10, 272	7
898	The Incidence of Depression among the Population of Central Kazakhstan and Its Relationship with Sociodemographic Characteristics. 2017 , 2017, 2584187	6
897	Post-marketing observational program of the effectiveness of fluvoxamine for the treatment of depression in patients with neurological disorders: the FRIENDS study. 2017 , 13, 2747-2756	3
896	A bidirectional relationship between depression and the autoimmune disorders - New perspectives from the National Child Development Study. 2017 , 12, e0173015	46

895	Incidence, risk, and associated factors of depression in adults with physical and sensory disabilities: A nationwide population-based study. 2017 , 12, e0175141	11
894	Epidemiology of multimorbidity within the Brazilian adult general population: Evidence from the 2013 National Health Survey (PNS 2013). 2017 , 12, e0171813	37
893	The impact of sitting time and physical activity on major depressive disorder in South Korean adults: a cross-sectional study. 2017 , 17, 274	8
892	Mapping the global research landscape and knowledge gaps on multimorbidity: a bibliometric study. 2017 , 7, 010414	60
891	Predictors of depressive symptoms among nurses of intensive care unit. 2017 , 21,	0
890	Deep brain stimulation for treatment-resistant depression: an integrative review of preclinical and clinical findings and translational implications. 2018 , 23, 1094-1112	106
889	Does general intelligence moderate the association between inflammation and psychological distress?. 2018 , 68, 30-36	4
888	Functional competence in major depressive disorder: Objective performance and subjective perceptions. 2018 , 234, 1-7	6
887	Consumption of fruit and vegetables in relation with psychological disorders in Iranian adults. 2018 , 57, 2295-2306	27
886	The relationship between the dietary inflammatory index (DII) and incident depressive symptoms: A longitudinal cohort study. 2018 , 235, 39-44	33
885	Network Neuroscience: A Framework for Developing Biomarkers in Psychiatry. 2018 , 40, 79-109	14
884	Prevalence of mental diseases in Austria : Systematic review of the published evidence. 2018 , 130, 141-150	7
883	Prevalence of Depression in the Community from 30 Countries between 1994 and 2014. 2018 , 8, 2861	557
882	Proteomic Studies of Psychiatric Disorders. 2018 , 1735, 59-89	1
881	Depressive symptoms and workplace-violence-related risk factors among otorhinolaryngology nurses and physicians in Northern China: a cross-sectional study. 2018 , 8, e019514	24
880	Epidemiology of Adult DSM-5 Major Depressive Disorder and Its Specifiers in the United States. 2018 , 75, 336-346	592
879	Is maternal depression related to mother and adolescent reports of family functioning?. 2018 , 63, 129-141	9
878	The economic cost of treatment-resistant depression in patients referred to a specialist service. 2018 , 27, 567-573	11

877	Atypical Antipsychotics in Major Depressive Disorder. 2018 , 257-268	2
876	Major Depressive Disorder and Bipolar Disorder: Differentiating Features and Contemporary Treatment Approaches. 2018 , 15-34	1
875	An Update on the Epidemiology of Major Depressive Disorder Across Cultures. 2018 , 309-315	3
874	Chronic corticosterone-induced depression mediates premature aging in rats. 2018 , 229, 254-261	16
873	Benefits of Individualized Feedback in Internet-Based Interventions for Depression: A Randomized Controlled Trial. 2018 , 87, 32-45	32
872	Personality traits and escitalopram treatment outcome in major depression. 2018 , 72, 354-360	3
871	Bouldering psychotherapy reduces depressive symptoms even when general physical activity is controlled for: A randomized controlled trial. 2018 , 4, e00580	17
870	Gender difference in the point prevalence, symptoms, comorbidity, and correlates of depression: findings from the Lagos State Mental Health Survey (LSMHS), Nigeria. 2018 , 21, 591-599	13
869	Nineteen and Up study (19Up): understanding pathways to mental health disorders in young Australian twins. 2018 , 8, e018959	15
868	Society and 'good woman': A critical review of gender difference in depression. 2018 , 64, 396-405	25
867	Interplay between the key proteins of serotonin system in SSRI antidepressants efficacy. 2018 , 22, 319-330	21
866	Functioning before and after a major depressive episode: pre-existing vulnerability or scar? A prospective three-wave population-based study. 2018 , 48, 2264-2272	9
865	The Impact of Universal Health Care Programmes on Improving 'Realized Access' to Care for Depression in Chile. 2018 , 45, 790-799	5
864	Depression in people with epilepsy: How much do Asian colleagues acknowledge it?. 2018 , 57, 45-49	10
863	High prevalence of depressive symptoms in a national sample of adults in Indonesia: Childhood adversity, sociodemographic factors and health risk behaviour. 2018 , 33, 52-59	33
862	Clergy's Beliefs About Mental Illness and Their Perception of Its Treatability: Experience from a Church-Based Prevention of Mother-to-Child HIV Transmission (PMTCT) Trial in Nigeria. 2018 , 57, 1483-1496	6
861	Sociodemographic, psychosocial and physical health correlates of common mental disorder symptoms among mothers in Trinidad and Tobago: Examining ethnic variations. 2018 , 53, 304-312	1
860	A brief family intervention for depression in primary care. 2018 , 40, 100-119	1

859	Mobile Based mhGAP-IG Depression Screening in Kenya. 2018 , 54, 84-91	19
858	New insights into the correlation structure of DSM-IV depression symptoms in the general population v. subsamples of depressed individuals. 2018 , 27, 288-300	2
857	Genome-wide analysis of LPS-induced inflammatory response in the rat ventral hippocampus: Modulatory activity of the antidepressant agomelatine. 2018 , 19, 390-401	8
856	Depression, telomeres and mitochondrial DNA: between- and within-person associations from a 10-year longitudinal study. 2018 , 23, 850-857	41
855	Application of machine learning classification for structural brain MRI in mood disorders: Critical review from a clinical perspective. 2018 , 80, 71-80	53
854	[The intestinal microbiota: A new player in depression?]. 2018 , 44, 67-74	5
853	Prevalence, demographic and clinical features of comorbid depressive symptoms in drug naïve patients with schizophrenia presenting with first episode psychosis. 2018 , 193, 182-187	31
852	Economic evaluations of internet- and mobile-based interventions for the treatment and prevention of depression: A systematic review. 2018 , 225, 733-755	80
851	Contrasting relationship between depression, quantitative gait characteristics and self-report walking difficulties in people with multiple sclerosis. 2018 , 19, 1-5	10
850	Risk of depressive disorder among patients with head and neck cancer: A nationwide population-based study. 2018 , 40, 312-323	17
849	Exploring the East-West Divide in Prevalence of Affective Disorder: A Case for Cultural Differences in Coping With Negative Emotion. 2018 , 22, 285-304	58
848	Antidepressant and pro-neurogenic effects of agmatine in a mouse model of stress induced by chronic exposure to corticosterone. 2018 , 81, 395-407	30
847	Prevalence and Predictors of Patient-Reported Long-term Mental and Physical Health After Donation in the Adult-to-Adult Living-Donor Liver Transplantation Cohort Study. 2018 , 102, 105-118	17
846	The association between physical activity and depression among individuals residing in Brazil. 2018 , 53, 373-383	14
845	The potential of predictive analytics to provide clinical decision support in depression treatment planning. 2018 , 31, 32-39	52
844	Association of total zinc, iron, copper and selenium intakes with depression in the US adults. 2018 , 228, 68-74	57
843	Current prevalence, comorbidity and associated factors for symptoms of depression and generalised anxiety in the Lagos State Mental Health Survey (LSMHS), Nigeria. 2018 , 81, 60-65	23
842	Depression and sterile inflammation: Essential role of danger associated molecular patterns. 2018 , 72, 2-13	80

841	Major depression in Cyprus amid financial crisis: prevalence and correlates. 2018 , 11, 255-267	4
840	Psychometric Evaluation of the Five Facet Mindfulness Questionnaire in a Clinical Sample of African Americans. 2018 , 9, 312-324	20
839	The combined effects of job demand and control, effort-reward imbalance and work-family conflicts on the risk of major depressive episode: a 4-year longitudinal study. 2018 , 75, 6-11	13
838	Exercise Treatment for Major Depression. 2018 , 55, 189-192	
837	Variation in somatic symptoms by patient health questionnaire-9 depression scores in a representative Japanese sample. 2018 , 18, 1406	6
836	A Case Report of Compassion Focused Therapy (CFT) for a Japanese Patient with Recurrent Depressive Disorder: The Importance of Layered Processes in CFT. 2018 , 2018, 4165434	3
835	Efficacy of Sertraline in Patients With Major Depressive Disorder Naive to Selective Serotonin Reuptake Inhibitors: A 10-Week Randomized, Multicenter, Placebo-Controlled, Double-Blind, Academic Clinical Trial. 2018 , 38, 454-459	2
834	Variability of the Prevalence of Depression in Function of Sociodemographic and Environmental Factors: Ecological Model. 2018 , 9, 2182	12
833	Aifred Health, a Deep Learning Powered Clinical Decision Support System for Mental Health. 2018 , 251-287	9
832	Global hippocampal atrophy in major depressive disorder: a meta-analysis of magnetic resonance imaging studies. 2018 , 40, 369-378	32
831	Coffee Consumption and the Risk of Depression in a Middle-Aged Cohort: The SUN Project. 2018 , 10,	14
830	Interleukin 17 and Treg - a common pathomechanism and a new target of therapy in rheumatic diseases and depression. 2018 , 56, 201-202	2
829	Multimorbidity of overweight and obesity alongside anxiety and depressive disorders in individuals with spinal cord injury. 2018 , 1-9	10
828	The Unpredictable Chronic Mild Stress Protocol for Inducing Anhedonia in Mice. 2018 ,	16
827	Depression and Its Association with Health-Related Quality of Life in Postmenopausal Women in Korea. 2018 , 15,	10
826	Depression. 2018 , 392, 2299-2312	783
825	Social Support Moderates the Association Between Traumatic Life Events and Depression Among Migrant and Nonmigrant Men in Almaty, Kazakhstan. 2018 , 31, 698-707	10
824	The burden of depressive disorders in South Asia, 1990-2016: findings from the global burden of disease study. 2018 , 18, 333	25

823	Management of Mood and Behaviour in Neurorehabilitation. 22-29	1
822	Postpartum Depression and Risk Factors among Vietnamese Women. 2018 , 2018, 4028913	21
821	A content analysis of depression-related discourses on Sina Weibo: attribution, efficacy, and information sources. 2018 , 18, 772	10
820	Associations between depression, anxiety and medication adherence among patients with arterial hypertension: Comparison between persons exposed and non-exposed to radiation from the Semipalatinsk Nuclear Test Site. 2018 , 195, 33-39	12
819	The role of nutrition, intimate partner violence and social support in prenatal depressive symptoms in rural Ethiopia: community based birth cohort study. 2018 , 18, 374	18
818	The role of inflammation in core features of depression: Insights from paradigms using exogenously-induced inflammation. 2018 , 94, 219-237	71
817	The impact of measurement differences on cross-country depression prevalence estimates: A latent transition analysis. 2018 , 13, e0198429	9
816	Longitudinal brain volume changes in major depressive disorder. 2018 , 125, 1433-1447	9
815	Androgen Excess- Polycystic Ovary Syndrome Society: position statement on depression, anxiety, quality of life, and eating disorders in polycystic ovary syndrome. 2018 , 109, 888-899	92
814	Imaging genetics paradigms in depression research: Systematic review and meta-analysis. 2018 , 86, 102-113	11
813	Mapping risk factors for depression across the lifespan: An umbrella review of evidence from meta-analyses and Mendelian randomization studies. 2018 , 103, 189-207	91
812	Population scale retrospective analysis reveals distinctive antidepressant and anxiolytic effects of diclofenac, ketoprofen and naproxen in patients with pain. 2018 , 13, e0195521	18
811	The Association Between the Severity and Level of Understanding of Depression Among Patients Treated With Antidepressants: A Survey of 424 Outpatients in Japan. 2018 , 41, 1-5	4
810	Health care seeking behavior for depression in Northeast Ethiopia: depression is not considered as illness by more than half of the participants. 2018 , 17, 34	16
809	Transdiagnostic Tailored Internet- and Mobile-Based Guided Treatment for Major Depressive Disorder and Comorbid Anxiety: Study Protocol of a Randomized Controlled Trial. 2018 , 9, 274	10
808	Treatment resistant depression incidence estimates from studies of health insurance databases depend strongly on the details of the operating definition. 2018 , 4, e00707	11
807	Thyroid Function and Depression. 2018 , 792-801	
806	T Cell Phenotype and T Cell Receptor Repertoire in Patients with Major Depressive Disorder. 2018 , 9, 291	33

805	Characterizing Depression Issues on Sina Weibo. 2018 , 15,	13
804	The association of depression and all-cause and cause-specific mortality: an umbrella review of systematic reviews and meta-analyses. <i>BMC Medicine</i> , 2018 , 16, 112	11.4 83
803	Assessing the efficacy of a culturally adapted cognitive behavioural internet-delivered treatment for depression: protocol for a randomised controlled trial. 2018 , 18, 53	6
802	Floor Effect of PROMIS Depression CAT Associated With Hasty Completion in Orthopaedic Surgery Patients. 2018 , 476, 696-703	45
801	Machine learning in major depression: From classification to treatment outcome prediction. 2018 , 24, 1037-1052	95
800	The Intersection of Sex Differences, Tobacco Use, and Inflammation: Implications for Psychiatric Disorders. 2018 , 20, 75	10
799	Sex differences in the developing brain: insights from multimodal neuroimaging. 2019 , 44, 71-85	102
798	Thalamic volume, resting-state activity, and their association with the efficacy of electroconvulsive therapy. 2019 , 117, 135-141	10
797	Psychiatric Disorders. 2019 , 215-235	
796	Individual differences in inflammatory and oxidative mechanisms of stress-related mood disorders. 2019 , 55, 100783	11
795	Increased Morbidity of Major Depressive Disorder After Thyroidectomy: A Nationwide Population-Based Study in South Korea. 2019 , 29, 1713-1722	8
794	Structural MRI at 7T reveals amygdala nuclei and hippocampal subfield volumetric association with Major Depressive Disorder symptom severity. 2019 , 9, 10166	23
793	Differential Neuroinflammatory Response in Male and Female Mice: A Role for BDNF. 2019 , 12, 166	10
792	A Multinational Comparison of Grandchildren Received Affection from Their Grandparents. 2019 , 17, 127-140	5
791	Prevalence of depression and anxiety and their association with cardiovascular risk factors in Northeast Brasil primary care patients. 2019 , 65, 801-809	7
790	Pubertal Maturation and Trajectories of Depression During Early Adolescence. 2019 , 10, 1362	9
789	Associations Between Natural Physiological and Supraphysiological Estradiol Levels and Stress Perception. 2019 , 10, 1296	4
788	Aberrant Expression of Intracellular let-7e, miR-146a, and miR-155 Correlates with Severity of Depression in Patients with Major Depressive Disorder and Is Ameliorated after Antidepressant Treatment. 2019 , 8,	31

787	Prevalence and socioeconomic impact of depressive disorders in India: multisite population-based cross-sectional study. 2019 , 9, e027250	24
786	Are older men more vulnerable to depression than women after losing their spouse? Evidence from three German old-age cohorts (AgeDifferent.de platform). 2019 , 256, 650-657	13
785	Enhanced Molecular Appreciation of Psychiatric Disorders Through High-Dimensionality Data Acquisition and Analytics. 2019 , 2011, 671-723	8
784	Investigating the potential role of BDNF and PRL genotypes on antidepressant response in depression patients: A prospective inception cohort study in treatment-free patients. 2019 , 259, 432-439	4
783	The Possible Role of Telomere Length and Chemokines in the Aging Process: A Transdiagnostic Review in Psychiatry. 2019 , 15, 171-192	
782	miR-124 ameliorates depressive-like behavior by targeting STAT3 to regulate microglial activation. 2019 , 48, 101470	29
781	Prevalence, Risk Factors and Assessment of Depressive Symptoms in Patients With Systemic Sclerosis. 2019 , 34, 253-261	7
780	Major depressive disorder is associated with changes in a cluster of serum and urine biomarkers. 2019 , 125, 109796	4
779	An epidemic or a plague of common mental disorders?. 2019 , 140, 391-392	1
778	Alcohol consumption predicts incidence of depressive episodes across 10 years among older adults in 19 countries. 2019 , 148, 1-38	15
777	Hormon-Mikrobiota-Wechselwirkungen in der Menopause. 2019 , 24, 28-35	
776	Gut microbiota from NLRP3-deficient mice ameliorates depressive-like behaviors by regulating astrocyte dysfunction via circHIPK2. 2019 , 7, 116	78
775	Depressive symptoms, suicidal ideation, and mental health care-seeking in central Mozambique. 2019 , 54, 1519-1533	6
774	Experiences and psychological strain in volunteer medical doctors providing medical visual examination for asylum seekers in a reception center in Germany [a qualitative interview study]. 2019 , 34, 265-286	
773	Hippocampus Metabolic Disturbance and Autophagy Deficiency in Olfactory Bulbectomized Rats and the Modulatory Effect of Fluoxetine. 2019 , 20,	15
772	The distinction between apathy and depression in neuroscience nursing practice. 2019 , 15, 164-168	
771	Prevalence of depression in people living with HIV and AIDS at the Kalafong Provincial Tertiary Hospital Antiretroviral Clinic. 2019 , 25, 1175	5
770	Antidepressant-like effects of agmatine and NOS inhibitors in chronic unpredictable mild stress model of depression in rats: The involvement of NLRP inflammasomes. 2019 , 1725, 146438	7

769	Clinical and cost-effectiveness of guided internet-based interventions in the indicated prevention of depression in green professions (PROD-A): study protocol of a 36-month follow-up pragmatic randomized controlled trial. 2019 , 19, 278	5
768	The Effect of Eye Movement Desensitization and Reprocessing (EMDR) on the severity of suicidal thoughts in patients with major depressive disorder: a randomized controlled trial. 2019 , 15, 2459-2466	6
767	Risk factors for positive depression screening across a shipboard deployment cycle. 2019 , 5, e84	1
766	Pyk2 in the amygdala modulates chronic stress sequelae via PSD-95-related micro-structural changes. 2019 , 9, 3	8
765	Physical injury and depression in six low- and middle-income countries: A nationally representative study. 2019 , 248, 99-107	5
764	Sex differences in depression: Insights from clinical and preclinical studies. 2019 , 176, 86-102	100
763	Depression and Sequential Decision-Making Revisited. 2019 , 10, 1492	2
762	Association of Estradiol and Visceral Fat With Structural Brain Networks and Memory Performance in Adults. 2019 , 2, e196126	13
761	Associations of β -carotenoid and α -carotenoid with depressive symptoms in late midlife women. 2019 , 256, 424-430	8
760	A Pilot Study Investigating the Effect of Music-Based Intervention on Depression and Anhedonia. 2019 , 10, 1038	9
759	Socioeconomic and lifestyle factors associated with depressive tendencies in general Japanese men and women: NIPPON DATA2010. 2019 , 24, 37	9
758	Treatment-naïve first episode depression classification based on high-order brain functional network. 2019 , 256, 33-41	12
757	Therapeutic Potential of Exogenous Ketone Supplement Induced Ketosis in the Treatment of Psychiatric Disorders: Review of Current Literature. 2019 , 10, 363	21
756	Marital quality and depression: a review. 2019 , 55, 737-763	19
755	A German climbing study on depression: a bouldering psychotherapeutic group intervention in outpatients compared with state-of-the-art cognitive behavioural group therapy and physical activation - study protocol for a multicentre randomised controlled trial. 2019 , 19, 154	6
754	Are the antidepressive effects of massage therapy mediated by restoration of impaired interoceptive functioning? A novel hypothetical mechanism. 2019 , 128, 28-32	13
753	Benefits of spirituality and/or religiosity in patients with Chronic Kidney Disease: an integrative review. 2019 , 72, 541-551	11
752	Prevalence and potential determinants of subthreshold and major depression in the general population of Qatar. 2019 , 252, 382-393	9

751	Analysis of HAM-D scores and working ability in an observational study of Japanese patients with major depressive disorder and painful physical symptoms treated with duloxetine or SSRI monotherapy. 2019 , 15, 809-817	1
750	Polygenic risk for circulating reproductive hormone levels and their influence on hippocampal volume and depression susceptibility. 2019 , 106, 284-292	13
749	Systems Approach to Identify Common Genes and Pathways Associated with Response to Selective Serotonin Reuptake Inhibitors and Major Depression Risk. 2019 , 20,	5
748	Gut Microbiota in Alzheimer's Disease, Depression, and Type 2 Diabetes Mellitus: The Role of Oxidative Stress. 2019 , 2019, 4730539	50
747	Circadian reinforcement therapy in combination with electronic self-monitoring to facilitate a safe post-discharge period of patients with depression by stabilizing sleep: protocol of a randomized controlled trial. 2019 , 19, 124	6
746	A Tool to Help or Harm? Online Social Media Use and Adult Mental Health in Indonesia. 2019 , 17, 1076-1093	5
745	The genetics of depression: successful genome-wide association studies introduce new challenges. 2019 , 9, 114	49
744	Mental distress in the rural Kazakhstani population exposed and non-exposed to radiation from the Semipalatinsk Nuclear Test Site. 2019 , 203, 39-47	11
743	Risk factors for developing depression in women with cervical cancer: a nationwide population-based study in Taiwan. 2019 , 11, 135-141	11
742	Living with Migraine in Canada - A National Community-Based Study. 2019 , 46, 216-223	2
741	Physical exercise and body mass index as correlates of major depressive disorder in community-dwelling adults: Results from the PISMA-ep study. 2019 , 251, 263-269	7
740	Uppsala Longitudinal Adolescent Depression Study (ULADS). 2019 , 9, e024939	20
739	Leptin Prevents Lipopolysaccharide-Induced Depressive-Like Behaviors in Mice: Involvement of Dopamine Receptors. 2019 , 10, 125	24
738	Combining attentional bias modification with dorsolateral prefrontal rTMS does not attenuate maladaptive attentional processing. 2019 , 9, 1168	1
737	Sociodemographic, behavioral, and health-related risk factors for depression among men and women in a southern Brazilian city. 2019 , 41, 396-402	4
736	The molecular neurobiology of chronic pain-induced depression. 2019 , 377, 21-43	39
735	Cognitive and neuropsychiatric impairments vary as a function of injury severity at 12 months post-experimental diffuse traumatic brain injury: Implications for dementia development. 2019 , 365, 66-76	9
734	Treating Depression in the Era of Precision Medicine: Challenges and Perspectives. 2019 , 265-275	1

733	Proteomic Markers for Depression. 2019 , 1118, 191-206	7
732	Genome-Wide Association Study of Sleep Disturbances in Depressive Disorders. 2020 , 5, 34-43	1
731	Remission of treatment-resistant depression with tardive akathisia with electroconvulsive therapy. 2019 , 12,	3
730	Guided or self-guided internet-based cognitive-behavioural therapy (iCBT) for depression? Study protocol of an individual participant data network meta-analysis. 2019 , 9, e026820	4
729	The Genetics of Neuropathic Pain from Model Organisms to Clinical Application. 2019 , 104, 637-653	46
728	A single administration of Neurotropin reduced the elongated immobility time in the forced swimming test of rats exposed to repeated cold stress. 2019 , 30, 547-554	4
727	Education level and risk of postpartum depression: results from the Japan Environment and Children's Study (JECS). 2019 , 19, 419	31
726	Mood disorders are associated with inferior outcomes of anatomic total shoulder arthroplasty. 2019 , 30, 142-146	3
725	[Depression - the big black dog]. 2019 , 161, 45-48	
724	Comparison of antidepressant use between adult populations living in urban and rural communities in Israel. 2019 , 36, 21-26	0
723	Association of Whole-Genome and NETRIN1 Signaling Pathway-Derived Polygenic Risk Scores for Major Depressive Disorder and White Matter Microstructure in the UK Biobank. 2019 , 4, 91-100	12
722	The possible beneficial effects of creatine for the management of depression. 2019 , 89, 193-206	21
721	Mitochondria, Metabolism, and Redox Mechanisms in Psychiatric Disorders. 2019 , 31, 275-317	54
720	Deep brain stimulation targets for treating depression. 2019 , 359, 266-273	56
719	Adapting an internet-delivered intervention for depression for a Colombian college student population: An illustration of an integrative empirical approach. 2019 , 15, 76-86	17
718	Debating the "bidirectional link" between diabetes and depression through the Ca/cAMP signalling: Off-label effects of Ca channel blockers. 2019 , 141, 298-302	14
717	Major depressive disorder in women and risk for future generations: population-based three-generation study. 2019 , 5, e8	6
716	Does rTMS reduce depressive symptoms in young people who have not responded to antidepressants?. 2019 , 13, 1129-1135	5

715	Does Rumination Function as a Longitudinal Mediator Between Mindfulness and Depression?. 2019 , 10, 1091-1104	18
714	Depression and excess mortality in the elderly living in low- and middle-income countries: Systematic review and meta-analysis. 2019 , 34, 22-30	27
713	Optimization and validation of an SBSE-HPLC-FD method using laboratory-made stir bars for fluoxetine determination in human plasma. 2019 , 33, e4398	8
712	The prevalence and service utilisation associated with mental and substance use disorders in Lao People's Democratic Republic: findings from a cross-sectional survey. 2019 , 28, 54-65	2
711	Perceived Stress as a Mediator of the Relationship between Neuroticism and Depression and Anxiety Symptoms. 2019 , 38, 66-74	28
710	CircDYM ameliorates depressive-like behavior by targeting miR-9 to regulate microglial activation via HSP90 ubiquitination. 2020 , 25, 1175-1190	57
709	Intake of Coffee Associated With Decreased Depressive Symptoms Among Elderly Japanese Women: A Multi-Center Cross-Sectional Study. 2020 , 30, 338-344	6
708	Tracking the mental health of a nation: prevalence and correlates of mental disorders in the second Singapore mental health study. 2019 , 29, e29	68
707	Problem-solving intervention to prevent depression in non-professional caregivers: a randomized controlled trial with 8 years of follow-up. 2020 , 50, 1002-1009	4
706	Circadian genes in major depressive disorder. 2020 , 21, 80-90	10
705	Association of dietary n-3 polyunsaturated fatty acids intake with depressive symptoms in midlife women. 2020 , 261, 164-171	4
704	The relationship between independent and dependent life events and depression symptoms in Sri Lanka: a twin and singleton study. 2020 , 55, 237-249	2
703	Reduced Neuronal cAMP in the Nucleus Accumbens Damages Blood-Brain Barrier Integrity and Promotes Stress Vulnerability. 2020 , 87, 526-537	18
702	Altered amygdala resting-state functional connectivity following acupuncture stimulation at BaiHui (GV20) in first-episode drug-Naïve major depressive disorder. 2020 , 14, 2269-2280	15
701	Annual Research Review: A meta-analytic review of worldwide suicide rates in adolescents. 2020 , 61, 294-308	61
700	Associations of dietary trans fatty acid intake with depressive symptoms in midlife women. 2020 , 260, 194-199	5
699	Dual pharmacological inhibitor of endocannabinoid degrading enzymes reduces depressive-like behavior in female rats. 2020 , 120, 103-112	8
698	Antidepressant-like effects of Xiaochaihutang in perimenopausal mice. 2020 , 248, 112318	16

697	A Post-Authorization Safety Study of Quetiapine as Antidepressant Treatment in Sweden: Nested Case-Control Analyses of Select Outcomes. 2020 , 43, 135-145	3
696	Which HIV-infected youth are at risk of developing depression and what treatments help? A systematic review focusing on Southern Africa. 2019 , 33,	7
695	Trauma exposure and PTSD in Portugal: Findings from the World Mental Health Survey Initiative. 2020 , 284, 112644	4
694	Neurophysiological Features of Cognitive Activity in Patients with Anxiety-Depressive and Hypochondriasis Disorders. 2020 , 50, 137-142	
693	Cannabidiol as a Treatment for Mood Disorders: A Systematic Review: Le cannabidiol comme traitement des troubles de l'humeur: une revue systématique. 2020 , 65, 213-227	15
692	Nicotinamide mononucleotide ameliorates the depression-like behaviors and is associated with attenuating the disruption of mitochondrial bioenergetics in depressed mice. 2020 , 263, 166-174	16
691	Effects of stress on functional connectivity during verbal processing. 2020 , 14, 2708-2723	1
690	What is needed to eradicate the depression epidemic, and why. 2020 , 17, 200177	15
689	Evaluation of a virtual agent to train medical students conducting psychiatric interviews for diagnosing major depressive disorders. 2020 , 263, 1-8	1
688	Low catechol-O-methyltransferase and stress potentiate functional pain and depressive behavior, especially in female mice. 2020 , 161, 446-458	2
687	Are comparisons of mental disorders between Chinese and German students possible? An examination of measurement invariance for the PHQ-15, PHQ-9 and GAD-7. 2020 , 20, 480	14
686	Associations between disordered gut microbiota and changes of neurotransmitters and short-chain fatty acids in depressed mice. 2020 , 10, 350	41
685	Increased prevalence of depression in South Korea from 2002 to 2013. 2020 , 10, 16979	26
684	Dynamic LED-light versus static LED-light for depressed inpatients: study protocol for a randomised clinical study. 2020 , 10, e032233	
683	[Translation and cross-cultural adaptation into Spanish, Catalan and Galician of the Hopkins Symptom Checklist-25 to identify depression in Primary Care]. 2020 , 52, 539-547	1
682	Molecular mechanisms of psychiatric diseases. 2020 , 146, 105136	6
681	The study protocol: Neuroendocrinology and (epi-) genetics of female reproductive transition phase mood disorder - an observational, longitudinal study from pregnancy to postpartum. 2020 , 20, 609	1
680	Factors associated with mental health outcomes across healthcare settings in Oman during COVID-19: frontline versus non-frontline healthcare workers. 2020 , 10, e042030	64

679	Depressive disorders in Brazil: results from the Global Burden of Disease Study 2017. 2020 , 18, 6	12
678	The project for objective measures using computational psychiatry technology (PROMPT): Rationale, design, and methodology. 2020 , 19, 100649	3
677	Late-life depression in sub-Saharan Africa: lessons from the Ibadan Study of Ageing. 2020 , 29, e145	1
676	Perceived social support and depression symptoms in patients with major depressive disorder in Taiwan: An association study. 2020 , 34, 384-390	3
675	Association between saturated fatty acid intake and depressive symptoms in midlife women: A prospective study. 2020 , 267, 17-22	5
674	Entanglements of loneliness and mental ill health among young adult women. 2020 , 15, 1838101	
673	Investigation of early and lifetime clinical features and comorbidities for the risk of developing treatment-resistant depression in a 13-year nationwide cohort study. 2020 , 20, 541	4
672	Socio-economic inequalities in the association between alcohol use disorder and depressive disorder among Thai adults: a population-based study. 2020 , 20, 553	4
671	Self-stigma in patients with major depressive disorder: An exploratory study from India. 2020 , 20764020975811	
670	Clinical treatment and medication in decreasing the development of major depression caused by spinal fracture. 2020 , 48, 300060520972885	
669	2-Phenylethylamine (PEA) Ameliorates Corticosterone-Induced Depression-Like Phenotype via the BDNF/TrkB/CREB Signaling Pathway. 2020 , 21,	13
668	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. 2020 , 1-10	0
667	Volumetric brain differences in clinical depression in association with anxiety: a systematic review with meta-analysis. 2020 , 45, 406-429	14
666	Increased Global PSQI Score Is Associated with Depressive Symptoms in an Adult Population from the United States. 2020 , 12, 487-495	17
665	Manifestations of clinical depression in daily life: a daily diary study of descriptions of naturally occurring events. 2020 , 34, 1664-1675	3
664	Effectiveness of the level of personal relevance of visual autobiographical stimuli in the induction of positive emotions in young and older adults: pilot study protocol for a randomized controlled trial. 2020 , 21, 663	2
663	Postmarketing safety surveillance data reveals antidepressant effects of botulinum toxin across various indications and injection sites. 2020 , 10, 12851	9
662	The State of Our Understanding of the Pathophysiology and Optimal Treatment of Depression: Glass Half Full or Half Empty?. 2020 , 177, 671-685	27

661	Agomelatine in Standard Medical Practice in Depressed Patients: Results of a 1-Year Multicentre Observational Study In France. 2020 , 40, 1009-1020	3
660	SNRIs achieve faster antidepressant effects than SSRIs by elevating the concentrations of dopamine in the forebrain. 2020 , 177, 108237	7
659	The temporal association between incident late-life depression and incident dementia. 2020 , 142, 402-412	2
658	Multimodal analysis of personality traits on videos of self-presentation and induced behavior. 2020 , 15, 337	2
657	Minocycline as adjunctive treatment for major depressive disorder: Pooled data from two randomized controlled trials. 2021 , 55, 784-798	5
656	The Relationship between Individual-Level and Context-Level Factors and Social Distancing from Patients with Depression in Taiwan: A Multilevel Analysis of National Surveys. 2020 , 17,	0
655	Orbitofrontal cortex grey matter volume is related to children's depressive symptoms. 2020 , 28, 102395	1
654	Aberrant Functional Network Connectivity Transition Probability in Major Depressive Disorder. 2020 , 2020, 1493-1496	3
653	Association between genetic polymorphism and antidepressants in major depression: a network meta-analysis. 2020 , 21, 963-974	1
652	Increased Healthcare Resource Utilization and Direct and Indirect Costs in Patients with Depression and Comorbid Overactive Bladder: Evidence From a Retrospective, Matched Case-Control Cohort Analysis. 2020 , 37, 4599-4613	
651	Visualizing Functional Network Connectivity Difference between Healthy Control and Major Depressive Disorder Using an Explainable Machine-learning Method. 2020 , 2020, 1424-1427	2
650	Risk of major depressive disorder in Japanese cancer patients: A matched cohort study using employer-based health insurance claims data. 2020 , 29, 1686-1694	3
649	The Flow brain stimulation headset for the treatment of depression: overview of its safety, efficacy and portable design. 2020 , 17, 867-878	1
648	The 2020 Royal Australian and New Zealand College of Psychiatrists clinical practice guidelines for mood disorders: Major depression summary. 2020 , 22, 788-804	32
647	The Relationship Between Baseline Clinical Symptom Characteristics and Working Ability in Japanese Patients Treated for Major Depressive Disorder and Painful Physical Symptoms. 2020 , 16, 3063-3070	
646	Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and need-oriented access to psychotherapy. 2020 , 20, 591	1
645	Attenuation of Anxiety-Like Behavior by (L.) Moench Methanolic Extract through Up-Regulation of ERK Signaling Pathways in Noradrenergic Neurons. 2020 , 13,	3
644	Cost-effectiveness of an indicated preventive intervention for depression in adolescents: a model to support decision making. 2020 , 277, 789-799	4

643	Correlation of brain-derived neurotrophic factor with severity of depression and treatment response. 2020 ,	2
642	Global Estimates of the Prevalence of Depression among Prisoners: A Systematic Review and Meta-analysis. 2020 , 2020, 3695209	5
641	Prior depression affects the experience of the perimenopause - findings from the Swiss Perimenopause Study. 2020 , 277, 603-611	2
640	Oxidative Stress at the Crossroads of Aging, Stroke and Depression. 2020 , 11, 1537-1566	27
639	The prevalence of depression among patients with tuberculosis: a systematic review and meta-analysis. 2020 , 19, 30	7
638	Findings From World Mental Health Surveys of the Perceived Helpfulness of Treatment for Patients With Major Depressive Disorder. 2020 , 77, 830-841	28
637	Estimation of the prevalence of depression using diagnostic instruments in the elderly population in India, 2000-2019: a systematic review protocol. 2020 , 10, e034330	0
636	Diagnostic conversion from unipolar depression to bipolar disorder, schizophrenia, or schizoaffective disorder: A nationwide prospective 15-year register study on 43' 495 inpatients. 2020 , 22, 582-592	5
635	Dramatic outcomes in epilepsy: depression, suicide, injuries, and mortality. 2020 , 36, 1473-1480	6
634	Risk and risk factors for disability pension among patients with treatment resistant depression- a matched cohort study. 2020 , 20, 232	4
633	Internet Cognitive Behavioral Therapy With or Without Face-to-Face Psychotherapy: A 12-Weeks Clinical Trial of Patients With Depression. 2020 , 2, 4	2
632	Inflammation and depression treatment response to electroconvulsive therapy: Sex-specific role of interleukin-8. 2020 , 89, 59-66	7
631	How sex differences in schooling and income contribute to sex differences in depression, anxiety and common mental disorders: The mental health sex-gap in a birth cohort from Brazil. 2020 , 274, 977-985	4
630	Correlations Between Family History of Psychiatric Illnesses and Outcomes of Spinal Cord Stimulation. 2020 , 23, 667-672	1
629	Automated classification of depression from structural brain measures across two independent community-based cohorts. 2020 , 41, 3922-3937	6
628	Prenatal ethanol exposure increases susceptibility to depression- and anxiety-like behavior in adult female offspring and its underlying mechanism. 2020 , 96, 36-46	3
627	Psychotherapy or medication for depression? Using individual symptom meta-analyses to derive a Symptom-Oriented Therapy (SOt) metric for a personalised psychiatry. <i>BMC Medicine</i> , 2020 , 18, 170	11.4 10
626	Characterization of the signature of peripheral innate immunity in women with later-life major depressive disorder. 2020 , 87, 831-839	2

625	Ongoing Research on the Role of Gintonin in the Management of Neurodegenerative Disorders. 2020 , 9,	15
624	Association between Dietary Inflammatory Index (DII' □) and depression and anxiety in the Mashhad Stroke and Heart Atherosclerotic Disorder (MASHAD) Study population. 2020 , 20, 282	10
623	Association of Symptoms of Depression With Cardiovascular Disease and Mortality in Low-, Middle-, and High-Income Countries. 2020 , 77, 1052-1063	29
622	Sex differences in psychotic and non-psychotic major depressive disorder in a Chinese Han population. 2020 , 268, 55-60	6
621	Possible Involvement of Tissue Plasminogen Activator/Brain-Derived Neurotrophic Factor Pathway in Anti-Depressant Effects of Electroacupuncture in Chronic Unpredictable Mild Stress-Induced Depression in Rats. 2020 , 11, 63	5
620	Regulatory mechanisms of major depressive disorder risk variants. 2020 , 25, 1926-1945	17
619	The prevalence of depression in patients living with implantable cardioverter defibrillator: a systematic review and meta-analysis. 2020 , 189, 1243-1252	1
618	Sex-Specific Associations Between Depressive Symptoms and Risk for Subsequent Dementia. 2020 , 74, 151-161	3
617	Pathways Connecting Late-Life Depression and Dementia. 2020 , 11, 279	38
616	Physician estimated vs. self-reported subjective memory in depressed patients treated with electroconvulsive therapy. 2020 , 74, 359-365	1
615	Serum uric acid a depression biomarker. 2020 , 15, e0229626	7
614	Measures of Retinal Structure and Function as Biomarkers in Neurology and Psychiatry. 2020 , 2, 100018	11
613	Impact of Expression and Genetic Variation of microRNA-34b/c on Cognitive Dysfunction in Patients with Major Depressive Disorder. 2020 , 16, 1543-1554	6
612	Validation of the patient health Questionnaire-9 (PHQ-9) for detecting depression among pregnant women in Lima, Peru. 2020 , 1	1
611	Sex differences in the genetic architecture of depression. 2020 , 10, 9927	23
610	Gender Comparison of Psychological Comorbidities in Tinnitus Patients - Results of a Cross-Sectional Study. 2020 , 14, 704	7
609	Longitudinal prediction of positive and negative mental health in Germany, Russia, and China. 2020 , 15, e0234997	7
608	Depression and cardiovascular autonomic control: a matter of vagus and sex paradox. 2020 , 116, 154-161	8

607	Behavioral tests assessing neuropsychiatric phenotypes in adolescent mice reveal strain- and sex-specific effects. 2020 , 10, 11263	20
606	Global burden of antenatal depression and its association with adverse birth outcomes: an umbrella review. 2020 , 20, 173	66
605	Cognitive functioning and lifetime major depressive disorder in UK Biobank. 2020 , 63, e28	4
604	Studying the Intergenerational Transmission of Risk for Depression: Current Status and Future Directions. 2020 , 29, 174-179	23
603	Measurement and genetic architecture of lifetime depression in the Netherlands as assessed by LIDAS (Lifetime Depression Assessment Self-report). 2020 , 1-10	2
602	Magnetic seizure therapy for treatment-resistant depression. 2020 ,	78
601	A mindful yoga intervention for young women with major depressive disorder: Design and baseline sample characteristics of a randomized controlled trial. 2020 , 29, e1820	3
600	Psychosocial stressors and protective factors for major depression in youth: evidence from a case-control study. 2020 , 14, 6	5
599	Prospective association between trans fatty acid intake and depressive symptoms: Results from the study of women's health across the nation. 2020 , 264, 256-262	1
598	Folic acid ameliorates depression-like behaviour in a rat model of chronic unpredictable mild stress. 2020 , 21, 1	7
597	Antidepressant-like and pro-neurogenic effects of physical exercise: the putative role of FNDC5/irisin pathway. 2020 , 127, 355-370	8
596	Welfarist psychiatry goes global. 2020 , 37-54	7
595	Intergenerational Transmission of Depression. 2020 , 16, 213-238	49
594	Negative mood as a mediator of the association between insomnia severity and marijuana problems in college students. 2020 , 29, e12985	3
593	Efficacy of Eye Movement Desensitization and Reprocessing on the Quality of Life in Patients with Major Depressive Disorder: A Randomized Clinical Trial. 2020 , 13, 11-17	3
592	Gender Differences in Developing Biomarker-Based Major Depressive Disorder Diagnostics. 2020 , 21,	2
591	N-Methyladenosine Modification of Fatty Acid Amide Hydrolase Messenger RNA in Circular RNA STAG1-Regulated Astrocyte Dysfunction and Depressive-like Behaviors. 2020 , 88, 392-404	53
590	Incremental Health Care Burden of Treatment-Resistant Depression Among Commercial, Medicaid, and Medicare Payers. 2020 , 71, 593-601	5

589	Perinatal exposure to bisphenol A at the intersection of stress, anxiety, and depression. 2020 , 79, 106884	8
588	Development, Psychopathology, and Ethnicity II: Psychiatric Disorders Among Young Adults. 2021 , 60, 579-592	2
587	Task-related functional magnetic resonance imaging-based neuronavigation for the treatment of depression by individualized repetitive transcranial magnetic stimulation of the visual cortex. 2021 , 64, 96-106	10
586	How to study anxiety and depression in rodent models of chronic pain?. 2021 , 53, 236-270	18
585	Depressive symptoms, fruit and vegetables consumption and urinary 3-indoxylsulfate concentration: a nested case-control study in the French Nutrinet-Sante cohort. 2021 , 60, 1059-1069	3
584	The prevalence of and factors associated with depressive symptoms in the Korean adults: the 2014 and 2016 Korea National Health and Nutrition Examination Survey. 2021 , 56, 659-670	4
583	Breathing-focused Yoga as Augmentation for Unipolar and Bipolar Depression: A Randomized Controlled Trial: Le yoga ax'sur la respiration comme traitement d'appoint pour la dpression unipolaire et bipolaire: Un essai randomis'contrl 2021 , 66, 159-169	1
582	The Factor Reliability and Convergent Validity of the Patient Health Questionnaire-4 Among an International Sample of Pregnant Women. 2021 , 30, 525-532	2
581	Effects of different antidepressant classes on dental implant failure: A retrospective clinical study. 2021 , 92, 196-204	4
580	Bsm1-Apal-Taql TAC (BA1) Haplotype of Vitamin D Receptor Gene Is Associated with Increased Risk of Major Depressive Disorder. 2021 , 71, 981-990	1
579	Prevalence and age patterns of depression in the United Kingdom. A population-based study. 2021 , 279, 164-172	14
578	Repetitive Transcranial Magnetic Stimulation (rTMS) for the Treatment of Depression in Adolescence: A Systematic Review. 2021 , 278, 460-469	8
577	The safety of agomelatine in standard medical practice in depressed patients: A 26-week international multicentre cohort study. 2021 , 36, 1-11	3
576	Altered neural activity in the reward-related circuit and executive control network associated with amelioration of anhedonia in major depressive disorder by electroconvulsive therapy. 2021 , 109, 110193	6
575	Genetic markers for depressive disorders with earlier age at onset. 2021 , 108, 110176	1
574	Impact of depression on overactive bladder. 2021 , 28, 245-246	3
573	A meta-analysis of cranial electrotherapy stimulation in the treatment of depression. 2021 , 135, 119-134	2
572	A retrospective chart review study to quantify the monthly medical resource use and costs of treating patients with treatment resistant depression in the United Kingdom. 2021 , 37, 311-319	1

571	Depression and HIV Transmission Risk among Methamphetamine-Using Men who have Sex with Men. 2021 , 29, 263-270	2
570	Prevalence of Common mental disorders in older adults: Results from the National Mental Health Survey of India. 2021 , 55, 102463	4
569	How the COVID-19 pandemic has changed our lives: A study of psychological correlates across 59 countries. 2021 , 77, 556-570	64
568	A Cross-cultural Perspective on Intrathecal Opioid Therapy Between German and Iranian Patients. 2021 , 45, 218-233	
567	The moderating role of psychosocial working conditions on the long-term relationship between depressive symptoms and work ability among employees from the Baby Boom generation. 2021 , 94, 295-307	2
566	Zinc supplementation combined with antidepressant drugs for treatment of patients with depression: a systematic review and meta-analysis. 2021 , 79, 1-12	9
565	Depressive and anxiety symptoms in refugees: Insights from classical test theory, item response theory and network analysis. 2021 , 28, 169-181	6
564	Preface. 2021 , xi-xii	
563	Brain Imaging and the Mechanisms of Antidepressant Action. 2021 , 248-260	
562	Brain Imaging of Reward Dysfunction in Unipolar and Bipolar Disorders. 2021 , 39-48	
561	Molecular Imaging of Dopamine and Antipsychotics in Bipolar Disorder. 2021 , 236-247	
560	Utilizing a church-based platform for mental health interventions: exploring the role of the clergy and the treatment preference of women with depression. 2021 , 8, e5	0
559	Causal effect of tooth loss on depression: evidence from a population-wide natural experiment in the USA. 2021 , 30, e38	8
558	Using a simulation centre to evaluate preliminary acceptability and impact of an artificial intelligence-powered clinical decision support system for depression treatment on the physician-patient interaction. 2021 , 7, e22	5
557	Sex differences in the association of childhood socioeconomic position and later-life depressive symptoms in Europe: the mediating effect of education. 2021 , 56, 1091-1101	2
556	Magnetoencephalography Studies in Mood Disorders. 2021 , 192-205	
555	Plate Section (PDF Only). 2021 , 283-286	
554	Electroconvulsive therapy for depression.	

553	Functional Near-Infrared Spectroscopy Studies in Mood Disorders. 2021 , 166-174	
552	Mood Disorders. 2021 ,	
551	Neuroimaging Studies of Effects of Psychotherapy in Depression. 2021 , 261-272	
550	Genetic overlap between Alzheimer’s disease and depression mapped onto the brain.	
549	Encyclopedia of Quality of Life and Well-Being Research. 2021 , 1-7	
548	The LAC Study: Chronic Depression and Relationship to Childhood Trauma. 2021 , 81-106	
547	Neuroimaging Brain Inflammation in Mood Disorders. 2021 , 121-134	
546	Selective Serotonin Reuptake Inhibitor Pharmacogenomics: Mechanisms and Prediction. 2020 , 11, 614048	3
545	An Overview of Machine Learning Applications in Mood Disorders. 2021 , 206-218	
544	Prevalence, Barriers, and Interventions Related to Medication Adherence Among Patients With Major Depressive Disorder: A Scoping Review. 2021 , 59, 39-51	0
543	Sex differences in psychiatric disorders and their implication for dementia. 2021 , 187-206	
542	The scientific body of knowledge: Whose body does it serve? A spotlight on women’s brain health. 2021 , 60, 100898	1
541	How Inflammation Affects the Brain in Depression: A Review of Functional and Structural MRI Studies. 2021 , 17, 503-515	9
540	Real-world data analysis of the clinical and economic burden and risk factors in patients with major depressive disorder with an inadequate response to initial antidepressants. 2021 , 24, 589-597	2
539	Excess deaths in treatment-resistant depression. 2021 , 11, 20451253211006508	2
538	Electrophysiological Biomarkers for Mood Disorders. 2021 , 175-191	1
537	Abnormal Dynamic Functional Network Connectivity Estimated from Default Mode Network Predicts Symptom Severity in Major Depressive Disorder. 2021 , 11, 838-849	5
536	Neuroanatomical Findings in Bipolar Disorder. 2021 , 16-27	

- 535 Imaging Glutamatergic and GABAergic Abnormalities in Mood Disorders. **2021**, 105-120
- 534 Magnetic Resonance Spectroscopy Investigations of Bioenergy and Mitochondrial Function in Mood Disorders. **2021**, 83-104
- 533 Brain Imaging Methods in Mood Disorders. **2021**, 1-6
- 532 Effects of Lithium on Brain Structure in Bipolar Disorder. **2021**, 219-235
- 531 Estructura interna y evidencias de validez de la Escala Baptista de Depresi3n para Adultos en poblaci3n adulta de Argentina. **2021**, 24, 32-46 0
- 530 Plasma androgens and the presence and course of depression in a large cohort of women. **2021**, 11, 124 4
- 529 The associations of smoking dependence motives with depression among daily smokers. **2021**, 116, 2162-2174 4
- 528 Effectiveness of Smartphone-Based Cognitive Behavioral Therapy Among Patients With Major Depression: Systematic Review of Health Implications. **2021**, 9, e24703 3
- 527 Are depressive disorders caused by psychosocial stressors at work? A systematic review with metaanalysis. **2021**, 36, 479-496 3
- 526 Cross-national differences in the prevalence of mental illness symptoms: Evidence against the vulnerability paradox. **2021**, 55, 620-626 3
- 525 Potential Biomarkers for Diagnosing Major Depressive Disorder Patients with Suicidal Ideation. **2021**, 14, 495-503 3
- 524 Depression among Patients with Schizophrenia in Ethiopian Mental Health Hospital: Association with Sociodemographic and Clinical Variables: A Cross-Sectional Study. **2021**, 2021, 6697339 1
- 523 Possible prevention of post-partum depression by intake of omega-3 polyunsaturated fatty acids and its relationship with interleukin 6. **2021**, 47, 1371-1379 2
- 522 Perception of the primary health care response capacity by patients with and without mental health problems, and health professionals: qualitative study. **2021**, 21, 285
- 521 Testosterone in Female Depression: A Meta-Analysis and Mendelian Randomization Study. **2021**, 11, 2 2
- 520 Nonpharmacological interventions for relapse prevention in unipolar depression: A network meta-analysis. **2021**, 282, 1255-1262 1
- 519 Depression is associated with increased adiposity in a 4-year follow-up: results from the ELSA-Brasil. **2021**, 282, 179-186 0
- 518 Are pregnant women at higher risk of depression underdiagnosis?. **2021**, 283, 192-197 0

517	Relation between Mood and the Host-Microbiome Co-Metabolite 3-Indoxylsulfate: Results from the Observational Prospective NutriNet-Santé Study. 2021 , 9,	2
516	Investigating the effect of national government physical distancing measures on depression and anxiety during the COVID-19 pandemic through meta-analysis and meta-regression. 2021 , 51, 881-893	30
515	Bipolar disorder: An evolutionary psychoneuroimmunological approach. 2021 , 122, 28-37	12
514	Adolescent depression, early psychiatric comorbidities, and adulthood welfare burden: a 25-year longitudinal cohort study. 2021 , 56, 1993-2004	4
513	Factors contributing to psychological distress in the working population, with a special reference to gender difference. 2021 , 21, 611	27
512	The genetic basis of major depression. 2021 , 51, 2217-2230	13
511	Caffeine protects against stress-induced murine depression through activation of PPAR α -mediated restoration of the kynurenine pathway in the skeletal muscle. 2021 , 11, 7287	1
510	Comprehensive characterization of motor and coordination functions in three adolescent wild-type mouse strains. 2021 , 11, 6497	4
509	Endocannabinoid system in the neurodevelopment of GABAergic interneurons: implications for neurological and psychiatric disorders. 2021 , 32, 803-831	2
508	Depression treatment response to ketamine: sex-specific role of interleukin-8, but not other inflammatory markers. 2021 , 11, 167	4
507	Association of early and later depressive symptoms with functional outcome after ischemic stroke. 2021 , 128, 679-686	0
506	Real-World Treatment Costs and Care Utilization in Patients with Major Depressive Disorder With and Without Psychiatric Comorbidities in Specialist Mental Healthcare. 2021 , 39, 721-730	2
505	Effects of depression and excess body weight on cognition and functioning in young adults: A population-based study. 2021 , 282, 401-406	2
504	Multiple dimensions of stress vs. genetic effects on depression. 2021 , 11, 254	0
503	Glutamate and GABA Homeostasis and Neurometabolism in Major Depressive Disorder. 2021 , 12, 637863	10
502	Does the use of antidepressants change the subjective well-being of individuals with ICD-10 depressive disorder identified in the general population?. 2021 , 4, 100092	
501	Glatiramer acetate attenuates depressive/anxiety-like behaviors and cognitive deficits induced by post-weaning social isolation in male mice. 2021 , 238, 2121-2132	1
500	Overweight and obese individuals with depressive symptoms from the MoodFOOD prevention trial: Role of sociodemographic, somatic health, and weight related factors. 2021 , 4, 100126	

499	Suffering and Salutogenesis: A Conceptual Analysis of Lessons for Psychiatry From Existential Positive Psychology (PP2.0) in the Setting of the COVID-19 Pandemic. 2021 , 12, 646334	4
498	Sole Anti-inflammatory Immunomodulators: Innovative Drugs to Prevent and Treat Autoimmune Diseases and Proteopathies. 2021 , 1, 273-285	
497	Understanding Why Post-Stroke Depression May Be the Norm Rather Than the Exception: The Anatomical and Neuroinflammatory Correlates of Post-Stroke Depression. 2021 , 10,	7
496	Depression symptoms and risk of sick leave: a systematic review and meta-analysis. 2021 , 94, 1495-1512	3
495	Dendritic Cells: Neglected Modulators of Peripheral Immune Responses and Neuroinflammation in Mood Disorders?. 2021 , 10,	2
494	Urine proteome changes in a chronic unpredictable mild stress (CUMS) mouse model of major depressive disorder. 2021 , 199, 114064	1
493	Cross-National Variations in COVID-19 Mortality: The Role of Diet, Obesity and Depression. 2021 , 9,	4
492	Emerging role of microRNAs in major depressive disorder and its implication on diagnosis and therapeutic response. 2021 , 286, 80-86	6
491	Disease trajectories and mortality among individuals diagnosed with depression: a community-based cohort study in UK Biobank. 2021 ,	4
490	A Study of Older Adults' Mental Health across 33 Countries during the COVID-19 Pandemic. 2021 , 18,	10
489	Preexisting Depression and Daytime Sleepiness in Women and Men. 2021 , 1-13	0
488	Development of depression-like behavior and altered hippocampal neurogenesis in a mouse model of chronic neuropathic pain. 2021 , 1758, 147329	1
487	Transcriptome-wide association study identifies new susceptibility genes and pathways for depression. 2021 , 11, 306	3
486	Mechanistic insights into the anti-depressant effect of emodin: an integrated systems pharmacology study and experimental validation. 2021 , 13, 15078-15099	4
485	Neurofeedback training in major depressive disorder: A systematic review of clinical efficacy, study quality and reporting practices. 2021 , 125, 33-56	9
484	Duloxetine versus 'active' placebo, placebo or no intervention for major depressive disorder; a protocol for a systematic review of randomised clinical trials with meta-analysis and trial sequential analysis. 2021 , 10, 171	1
483	Magnetic seizure therapy for treatment-resistant depression. 2021 , 6, CD013528	1
482	Freely Generated Word Responses Analyzed With Artificial Intelligence Predict Self-Reported Symptoms of Depression, Anxiety, and Worry. 2021 , 12, 602581	1

481	Clinical and demographic predictors of response to anodal tDCS treatment in major depression disorder (MDD). 2021 , 138, 68-74	2
480	Depression, suicidality and associated risk factors among police officers in urban Tanzania: a cross-sectional study. 2021 , 34, e100448	2
479	Lesional psychiatric neurosurgery: meta-analysis of clinical outcomes using a transdiagnostic approach. 2021 ,	0
478	Cognitive Profile and Relationship with Quality of Life and Psychosocial Functioning in Mood Disorders. 2021 ,	1
477	Perceived Need for Mental Health Treatment and the Mental Health Response to the COVID-19 Pandemic in the United States. 2021 , 1-12	1
476	Prolonged Maternal Separation Induces the Depression-Like Behavior Susceptibility to Chronic Unpredictable Mild Stress Exposure in Mice. 2021 , 2021, 6681397	1
475	Alleviates Chronic Unpredictable Mild Stress via Modulation of Apoptosis, Neurogenesis, and Gliosis in Rat Hippocampus. 2021 , 2021, 6662649	
474	National Norms and Correlates of the PHQ-8 and GAD-7 in Parents of School-age Children. 2021 , 30, 1-12	4
473	Early-life stress induces genome-wide sex-dependent miRNA expression and correlation across limbic brain areas in rats. 2021 , 13, 1031-1056	4
472	Genetic Overlap Between Alzheimer's Disease and Depression Mapped Onto the Brain. 2021 , 15, 653130	2
471	Worry-related sleep problems and suicidal thoughts and behaviors among adolescents in 88 low-, middle-, and high-income countries: an examination of individual- and country-level factors. 2021 , 1	1
470	A New Characterization of Mental Health Disorders Using Digital Behavioral Data: Evidence from Major Depressive Disorder. 2021 , 10,	0
469	Discontinuation of antidepressants: Is there a minimum time on treatment that will reduce relapse risk?. 2021 , 290, 254-260	0
468	Autistic traits as predictors of persistent depression. 2021 , 1	1
467	Psychosocial Features of Shift Work Disorder. 2021 , 11,	
466	Cognitive Remediation in Virtual Environments for Patients with Schizophrenia and Major Depressive Disorder: A Feasibility Study. 2021 , 18,	1
465	Efficacy of web-based self-management interventions for depressive symptoms: a meta-analysis of randomized controlled trials. 2021 , 21, 398	0
464	Association between stereopsis deficits and attention decline in patients with major depressive disorder. 2021 , 110, 110267	3

463	Sex Difference in Comorbid Depression in First-Episode and Drug-Naive Patients With Schizophrenia: Baseline Results From the Depression in Schizophrenia in China Study. 2021 , 83, 1082-1088	1
462	Magnetic Resonance Imaging Studies on Acupuncture Therapy in Depression: A Systematic Review. 2021 , 12, 670739	1
461	Interleukin-8 and lower severity of depression in females, but not males, with treatment-resistant depression. 2021 , 140, 350-356	0
460	Gut Hormones as Potential Therapeutic Targets or Biomarkers of Response in Depression: The Case of Motilin. 2021 , 11,	1
459	Switching to Intranasal Esketamine Maintains the Antidepressant Response to Intravenous Racemic Ketamine Administration: A Case Series of 10 Patients. 2021 , 41, 594-599	0
458	Experience of and Worry About Discrimination, Social Media Use, and Depression Among Asians in the United States During the COVID-19 Pandemic: Cross-sectional Survey Study. 2021 , 23, e29024	3
457	A comparison of cost-effectiveness between offering antidepressant-CBT combinations first or second, for moderate to severe depression in Japan. 2021 , 292, 574-582	0
456	Individual and population level estimates of work loss and related economic costs due to mental and substance use disorders in Metropolitan São Paulo, Brazil. 2022 , 296, 198-207	1
455	Vision-Related Quality Of Life And Depression In Brazilian Patients With Toxoplasmic Retinochoroiditis. 2021 , 112, 66-72	1
454	Effect of Psychobiotics on Psychometric Tests and Inflammatory Markers in Major Depressive Disorder: Meta-Analysis of Randomized Controlled Trials with Meta-Regression. 2021 , 14,	3
453	Efficacy of exercise combined with standard treatment for depression compared to standard treatment alone: A systematic review and meta-analysis of randomized controlled trials. 2021 , 295, 1494-1511 ¹	1
452	Association among urinary polycyclic aromatic hydrocarbons and depression: a cross-sectional study from NHANES 2015-2016. 2021 , 1	4
451	Is there a place for cellular therapy in depression?. 2021 , 11, 553-567	0
450	A Role of BDNF in the Depression Pathogenesis and a Potential Target as Antidepressant: The Modulator of Stress Sensitivity "Shati/Nat8l-BDNF System" in the Dorsal Striatum. 2021 , 14,	4
449	Label-Free Liquid Chromatography-Mass Spectrometry Proteomic Analysis of the Urinary Proteome for Measuring the Escitalopram Treatment Response From Major Depressive Disorder. 2021 , 12, 700149	0
448	Differential effects of estradiol on neural and emotional stress response in postmenopausal women with remitted Major Depressive Disorder. 2021 , 293, 355-362	2
447	Prevalence and variability of current depressive disorder in 27 European countries: a population-based study. 2021 , 6, e729-e738	22
446	Elevated inflammatory markers in women with remitted major depressive disorder and the role of early life maltreatment. 2021 , 97, 219-225	0

- 445 Depressive symptoms in higher education students during the first wave of the COVID-19 pandemic. An examination of the association with various social risk factors across multiple high- and middle-income countries. **2021**, 16, 100936 6
- 444 Independent Associations of Serum 25-hydroxyvitamin D and D with Depressive Symptoms in Females. **2022**, 296, 342-349 2
- 443 Tricyclic antidepressants for major depressive disorder: a comprehensive evaluation of current practice in the Netherlands. **2021**, 21, 481 1
- 442 Comorbid major depression in first-episode drug-naïve patients with schizophrenia: Analysis of the Depression in Schizophrenia in China (DISC) study. **2021**, 294, 33-38 1
- 441 Elevated serum neurofilament levels in young first-episode and medication-naïve major depressive disorder patients with alterative white matter integrity. **2021**, 317, 111351
- 440 Neuroactive steroids and depression in early pregnancy. **2021**, 134, 105424 5
- 439 A longitudinal examination of the relationship between smoking and panic, anxiety, and depression in Chinese and German students. **2021**, 14, 100347
- 438 Neuroimaging Biomarkers in Pediatric Mood Disorders. **2021**, 28-38
- 437 Neuroanatomical Findings in Unipolar Depression and the Role of the Hippocampus. **2021**, 7-15
- 436 Depressive males have higher odds of lower urinary tract symptoms suggestive of benign prostatic hyperplasia: a retrospective cohort study based on propensity score matching. **2021**, 23, 633-639 3
- 435 Anxiety, depression and their associated risk factors among patients with diabetic foot ulcer: A two center cross-sectional study in Jordan and Saudi Arabia. **2021**, 15, 237-242 1
- 434 Functional Connectome in Bipolar Disorder. **2021**, 59-82
- 433 Resting-State Functional Connectivity in Unipolar Depression. **2021**, 49-58
- 432 Imaging Genetic and Epigenetic Markers in Mood Disorders. **2021**, 135-150
- 431 fMRI Neurofeedback as Treatment for Depression. **2021**, 151-165
- 430 A comparative study of two Mobile Mental Health Units in different catchment rural areas in Greece. **2021**, 20764020985896 6
- 429 Trends in the Prevalence of Major Depressive Disorder by Sociodemographic Factors in Korea: Results from Nationwide General Population Surveys in 2001, 2006, and 2011. **2021**, 36, e244 0
- 428 The prevalence of PTSD, major depression and anxiety symptoms among high-risk public transportation workers. **2021**, 94, 867-875

427	S-equol, a metabolite of dietary soy isoflavones, alleviates lipopolysaccharide-induced depressive-like behavior in mice by inhibiting neuroinflammation and enhancing synaptic plasticity. 2021 , 12, 5770-5778	4
426	Overcoming Discrimination, Persecution, and Violence Against Women. 2014 , 207-229	2
425	Affective Disorders and Gender Differences. 2019 , 611-638	3
424	Epidemiology of Psychiatric Disorders in Women. 2020 , 17-29	1
423	Nonmotor Symptoms in Amyotrophic Lateral Sclerosis: A Systematic Review. 2017 , 134, 1409-1441	18
422	Depression is associated with hyperconnectivity of an introspective socio-affective network during the recall of formative relationship episodes. 2020 , 274, 522-534	1
421	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 ,	6
420	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 6-19	2
419	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 20-44	3
418	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 45-65	3
417	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 66-81	1
416	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 145-172	0
415	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 180-206	6
414	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 207-223	3
413	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 224-238	1
412	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 239-265	2
411	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 266-280	3
410	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 281-303	3

409	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 304-321	2
408	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 322-337	2
407	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 338-356	1
406	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 393-408	3
405	A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017 , 409-430	1
404	Depression, Smoking, and Ego-Centric Social Network Characteristics in Ohio Appalachian Women. 2017 , 41, 30-41	3
403	AP-1 controls the p11-dependent antidepressant response. 2020 , 25, 1364-1381	7
402	MiR-124 suppression in the prefrontal cortex reduces depression-like behavior in mice. 2019 , 39,	16
401	Iron deficiency, depression, and fatigue in inflammatory bowel diseases. 2020 , 58, 1191-1200	3
400	The Project for Objective Measures Using Computational Psychiatry Technology (PROMPT): Rationale, Design, and Methodology.	2
399	A systematic review protocol for estimation of the prevalence of depression using diagnostic instruments in the elderly population in India, 2000-2019.	1
398	Association of whole-genome and NETRIN1 signaling pathway-derived polygenic risk scores for Major Depressive Disorder and thalamic radiation white matter microstructure in UK Biobank.	1
397	Simvastatin add-on to escitalopram in patients with comorbid obesity and major depression (SIMCODE): study protocol of a multicentre, randomised, double-blind, placebo-controlled trial. 2020 , 10, e040119	6
396	Mapping mania symptoms based on focal brain damage. 2020 , 130, 5209-5222	13
395	[The Association Between Illicit Drug Use, Borderline Personality Disorder and Depression in a Help-Seeking Sample of Adolescents]. 2020 , 69, 126-140	3
394	Epidemiology of major depressive disorder in mainland china: a systematic review. 2013 , 8, e65356	113
393	The epidemiological modelling of major depressive disorder: application for the Global Burden of Disease Study 2010. 2013 , 8, e69637	188
392	Prevalence of major chronic conditions among older Chinese adults: the Study on Global AGEing and adult health (SAGE) wave 1. 2013 , 8, e74176	71

391	Depression in persons with diabetes by age and antidiabetic treatment: a cross-sectional analysis with data from the Hordaland Health Study. 2015 , 10, e0127161	17
390	The Epidemiology of Major Depressive Episode in the Iraqi General Population. 2015 , 10, e0131937	17
389	The Relationship between Depression and Asthma: A Meta-Analysis of Prospective Studies. 2015 , 10, e0132424	42
388	Depression, Anxiety, Resilience and Coping Pre and Post Kidney Transplantation - Initial Findings from the Psychiatric Impairments in Kidney Transplantation (PI-KT)-Study. 2015 , 10, e0140706	30
387	Prevalence of Depression and Depression Care for Populations Registered in Primary Care in Two Remote Cities in the Brazilian Amazon. 2016 , 11, e0150046	9
386	A Cross-Cultural Study of the Cognitive Model of Depression: Cognitive Experiences Converge between Egypt and Canada. 2016 , 11, e0150699	11
385	Screening for Depression in the General Population with the Center for Epidemiologic Studies Depression (CES-D): A Systematic Review with Meta-Analysis. 2016 , 11, e0155431	388
384	Why We Need More Nature at Work: Effects of Natural Elements and Sunlight on Employee Mental Health and Work Attitudes. 2016 , 11, e0155614	35
383	Adaptive and non-adaptive models of depression: A comparison using register data on antidepressant medication during divorce. 2017 , 12, e0179495	8
382	Pediatric sleep apnea and depressive disorders risk: A population-based 15-year retrospective cohort study. 2017 , 12, e0181430	12
381	The relationship between smoking and depressive symptoms among Korean adults. 2016 , 33, 57-66	2
380	Food consumption and depression among Brazilian adults: results from the Brazilian National Health Survey, 2013. 2019 , 36, e00245818	5
379	Clinical evaluation of biological rhythm domains in patients with major depression. 2020 , 42, 258-263	5
378	Why Brazilian women suffer more from depression and suicidal ideation: a mediation analysis of the role of violence. 2020 , 42, 469-474	1
377	Prevalence and correlates of major depressive disorder: a systematic review. 2020 , 42, 657-672	40
376	Sintomas de depressão e fatores intervenientes entre enfermeiros de serviço hospitalar de emergência. 2015 , 28, 209-215	3
375	Exploratory Study of the Diagnostic Abilities of the Baptista Depression Scale Adult Version (EBADEP-A). 2013 , 23, 301-311	2
374	Correlation between hormone receptor status and depressive symptoms in patients with metastatic breast cancer. 2017 , 8, 50774-50781	10

373	Risk for Depression, Burnout and Low Quality of Life Among Personnel of a University Hospital in Italy is a Consequence of the Impact One Economic Crisis in the Welfare System?. 2017 , 13, 156-167	13
372	Neuro-Psychiatric Alterations in Patients with Diabetic Foot Syndrome. 2019 , 18, 598-608	16
371	Use of a Mobile Phone App to Treat Depression Comorbid With Hypertension or Diabetes: A Pilot Study in Brazil and Peru. 2019 , 6, e11698	22
370	A Culturally Adapted Cognitive Behavioral Internet-Delivered Intervention for Depressive Symptoms: Randomized Controlled Trial. 2020 , 7, e13392	15
369	24-Month Outcomes of Primary Care Web-Based Depression Prevention Intervention in Adolescents: Randomized Clinical Trial. 2020 , 22, e16802	2
368	Effectiveness of an online group course for depression in adolescents and young adults: a randomized trial. 2012 , 14, e86	84
367	An Internet-based intervention to promote mental fitness for mildly depressed adults: randomized controlled trial. 2013 , 15, e200	75
366	Smartphone Cognitive Behavioral Therapy as an Adjunct to Pharmacotherapy for Refractory Depression: Randomized Controlled Trial. 2017 , 19, e373	65
365	Reduced Temporal Activation During a Verbal Fluency Task is Associated with Poor Motor Speed in Patients with Major Depressive Disorder. 2020 , 17, 804-813	3
364	Prevalence of Possible Depression and Post-traumatic Stress Disorder among Community Dwelling Adult Refugees and Refugee Applicants in South Korea. 2019 , 34, e97	5
363	Sex Differences in the Longitudinal Course and Outcome of Bipolar Disorder in Youth. 2020 , 81,	3
362	Association of periodontal health indicators and major depressive disorder in hospital outpatients. 2015 , 19, 507-11	7
361	A study of sociodemographic clinical and glycemetic control factors associated with co-morbid depression in type 2 diabetes mellitus. 2014 , 23, 134-42	16
360	Effect of Stem Extract on Animal Models of Depression. 2016 , 8, 249-252	3
359	Anti-anxiety and Anti-depressant Like Effects of in Experimental Models of Anxiety and Depression. 2017 , 36, 215-219	3
358	Mental Healthcare Act 2017: Need to Wait and Watch. 2018 , 8, 67-70	22
357	A novel approach to suicide prevention - Educating when it matters. 2018 , 27, 115-123	3
356	Depression and its correlates in South Africa and Ghana among people aged 50 and above: Findings from the WHO Study on global AGEing and adult health. 2014 , 17,	15

355	Endometriosis and Its Relationship with Depression. 2018 , 09, 71-78	5
354	Psychosocial, physical, and autonomic correlates of depression in Korean adults: results from a county-based depression screening study. 2014 , 11, 402-11	7
353	Discrimination, Work Stress, and Psychological Well-being in LGBTI Workers in Spain. 2020 , 29, 93-101	6
352	Epidemiologic studies on depression and suicide. 2012 , 55, 322	38
351	Why Collaborative Care for Depressed Patients is so Difficult: A Belgian Qualitative Study. 2017 , 17, 7	3
350	The Factor Structure, Predictors, and Percentile Norms of the Center for Epidemiologic Studies Depression (CES-D) Scale in the Dutch-speaking Adult Population of Belgium. 2016 , 56, 1-12	8
349	Prevalência de hiperutilizadores de serviços de saúde com histórico positivo para depressão em Atenção Primária de Saúde. 2015 , 10, 1-7	1
348	Using self-report RDoC measures to identify transdiagnostic translational targets for perinatal affective disorders. 2021 , 1	0
347	Hair glucocorticoids are associated with childhood adversity, depressive symptoms and reduced global and lobar grey matter in Generation Scotland. 2021 , 11, 523	0
346	Norms According to Age and Gender for the Spanish Version of the Inventory of Depression and Anxiety Symptoms (IDAS-II). 2021 , 12, 748025	1
345	A Hypothesis of Gender Differences in Self-Reporting Symptom of Depression: Implications to Solve Under-Diagnosis and Under-Treatment of Depression in Males. 2021 , 12, 589687	7
344	Exploring low grade inflammation by soluble urokinase plasminogen activator receptor levels in schizophrenia: a sex-dependent association with depressive symptoms. 2021 , 21, 527	0
343	Baseline Depression-Like Behaviors in Wild-Type Adolescent Mice Are Strain and Age but Not Sex Dependent. 2021 , 15, 759574	2
342	Let the team fix it? Performance and mood of depressed workers and coworkers in different work contexts. 2021 , 16, e0256553	
341	Chinese depression survey holds surprises.	
340	L'Échelle de dépression illustrée, outil innovant au quotidien. 2013 , 34, 39-42	
339	The Classification and Epidemiology of Unipolar Depression. 1-37	
338	Phosphoinositide-Specific Phospholipase C Enzymes and Cognitive Development and Decline. 2014 , 227-246	

- 337 Reduction of Pain and Depression in Occlusal Splint-Based Treatment for TMD is Accompanied with Increase in Urinary Serotonin. 10, 183-188
- 336 Looking beyond the prevalence of depression in Brazil: are we prepared to go further?. 2014, 36, 189-90
- 335 Reintegrating People Suffering from Depression into the Workplace. 2015, 697-708 1
- 334 Global Priorities and Possibilities. 2015, 171-183
- 333 Gender and Marital Status in the Military: Implications for Understanding Intimate Partner Violence and Mental Health Symptoms. 2016, 195-211
- 332 Depressive Symptoms in Patients with Cancer. 2016, 05, 7-16 1
- 331 Integrated Depression Care Among Latinos. 2016, 163-185
- 330 Civilization Epidemics in Countries of Socioeconomic Transition. 2016, 177-184
- 329 A Short Glance at the Neural Circuitry Mechanism Underlying Depression. 2016, 06, 184-192
- 328 NEED OF THE PEOPLE DISABLED AS A RESULT OF DEPRESSIVE DISORDERS FOR REHABILITATION. 2016, 1, 16-19
- 327 The Relationship of Undergraduate Major and Housing with Depression in Undergraduate Students. 2016, 8, e786 0
- 326 Profile of readjusted workers at a public hospital in Southern Brazil. 2017, 15, 317-323 2
- 325 The Mediating Role of Mental Health in the Relations between Dietary Behaviors and General Health: A Cross-sectional Study. 2017, 6, 21
- 324 Rapunzel von den Gebrütern Grimm (1815). 2017, 53-59
- 323 Impact of Depression on the Treatment of Adult Lumbar Scoliosis. 2017, 49-59
- 322 Encyclopedia of Couple and Family Therapy. 2017, 1-5
- 321 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017, 1-5
- 320 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. 2017, 467-492 1

- 319 What Outcomes Should the Study of Mental Health Try to Explain?. **2017**, 82-97 o
- 318 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, xxi-xxii
- 317 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 431-446 o
- 316 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 550-572
- 315 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 493-511 1
- 314 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 447-466
- 313 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 529-549 1
- 312 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 591-594
- 311 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 126-144
- 310 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 512-528
- 309 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 573-590
- 308 References. **2017**, 595-794
- 307 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 387-392
- 306 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 98-125
- 305 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 173-179
- 304 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, xxiii-xxvi
- 303 A Handbook for the Study of Mental Health: Social Contexts, Theories, and Systems. **2017**, 357-386 o
- 302 A Short Glance at the Role of Olfaction in Depression. 055-057

- 301 Significado de psicólogos/os de atención primaria de salud sobre la intervención psicosocial de grupo en el tratamiento de la depresión en Chile. **2019**, 26, 112-121 1
- 300 Seelenfinsternis und dunkle Nacht der Seele [Depression und Spiritualität]. **2018**, 143-152 1
- 299 Depression and anxiety levels in nurses/technicians working with patients with mental disorders. **2018**, 10, 1-7
- 298 Major Mood Disorders. **2018**, 15-28
- 297 Use of a Mobile Phone App to Treat Depression Comorbid With Hypertension or Diabetes: A Pilot Study in Brazil and Peru (Preprint).
- 296 TRANSTORNOS DEPRESSIVOS E CAPITALISMO CONTEMPORÂNEO. **2018**, 31, 335-353 1
- 295 Adaptação Cultural de Intervenções Preventivas em Saúde Mental Baseadas em Evidências. **2018**, 23, 681-691
- 294 Food Cravings, Nutritional Status and Physical Activity in Patients with Major Depression in Turkey. **2018**, 1, 61-70
- 293 Encyclopedia of Couple and Family Therapy. **2019**, 740-743
- 292 Depression in Rural Communities and Primary Care Clinics in Chiapas, Mexico. **2019**, 9, 103-106 4
- 291 The Global State of Mental Health: Trends and Correlates. 0
- 290 Diabetes and Mental Health: From Distress to Depression. **2019**, 417-428
- 289 Macroeconomic Crisis and the Gender Gap in Mental Health: Evidence from the 2009 Great Recession.
- 288 [Regional differences in the incidence of affective disorders]. **2019**, 119, 10-16 2
- 287 [Neurophysiological peculiarities of cognitive activity in patients anxiety-depressive and hypochondriacal disorders]. **2019**, 119, 43-49 2
- 286 Spatial Modeling of Depression and Its Related Factors Using a Spatial Generalized Linear Mixed Model in Mashhad, Iran: A Cross-Sectional Study. **2019**, 20, 1
- 285 Cognitive functioning and lifetime Major Depressive Disorder in UK Biobank.
- 284 24-Month Outcomes of Primary Care Web-Based Depression Prevention Intervention in Adolescents: Randomized Clinical Trial (Preprint).

- 283 Screening Applications for Depressive Disorder: A Review of the Literature (Preprint).
- 282 Urine proteome changes in a chronic unpredictable mild stress (CUMS) mouse model of major depressive disorder.
- 281 Social Networking Service and Depression: Evidence from China. **2020**, 13, 232-241
- 280 Comorbid anxiety and depression, depression, and anxiety in comparison in multi-ethnic community of west China: prevalence, metabolic profile, and related factors. **2022**, 298, 381-387 2
- 279 Gene Environment interaction in major depressive disorder. **2021**, 9, 9368-9375 1
- 278 How Depression Arises: A Sociological Questioning and a Methodological Reflection. **2020**, 1-32
- 277 The Anthropocentric Illusion. **2020**, 391-429
- 276 Dietary antioxidants and fibre intake and depressive symptoms in Iranian adolescent girls. **2021**, 24, 5650-56566
- 275 Irisin Acts via the PGC-1 α and BDNF Pathway to Improve Depression-like Behavior. **2021**, 10, 292-302 5
- 274 Associations of depression and intake of antioxidants and vitamin B complex: Results of the Brazilian Longitudinal Study of Adult Health (ELSA-Brasil). **2022**, 297, 259-268 3
- 273 Overlapping common genetic architecture between major depressive disorders and anxiety and stress-related disorders. **2022**, 113, 110450 1
- 272 Introduction. **2020**, 1-6
- 271 Unipolar depression. **2020**, 613-631
- 270 Adult ADHD in Depressive Disorders. **2020**, 149-165
- 269 Good Health and Well-Being. **2020**, 1-11 0
- 268 Depression and Culture: A Diagnosis of Our Time. **2020**, 19-47
- 267 Personality Factors and Attachment Styles as Predictors of the Therapeutic Efficacy of a Short-Term Ambulatory Intervention for Depression. **2020**, 26, 3-16 1
- 266 Positive Psychologie. **2020**, 171-186

265	Recent Advances in Ketamine Research: An Update. 2020 , 10, 89-100	
264	Encyclopedia of Behavioral Medicine. 2020 , 631-633	
263	[Clinical and sociodemographic characteristics of patients with the first depressive episode and recurrent depression]. 2020 , 120, 33-39	0
262	Clinical Features and Outcomes of 124 Italian Patients With Treatment Resistant Depression: A Real-World, Prospective Study. 2021 , 12, 769693	1
261	Adherence to Desvenlafaxine Versus Usual Care and Its Impact on Health Outcomes: A Comparative Real-world Clinical Study. 2021 , 41, 1055-1066	
260	Depression in High-Risk Type 2 Diabetes Adults. 2020 , 27, 204-213	0
259	Seelenfinsternis und dunkle Nacht der Seele [Depression und Spiritualität]. 2014 , 123-132	0
258	Exposure to Armed Conflict in Childhood vs Older Ages and Subsequent Onset of Major Depressive Disorder. 2020 , 3, e2019848	5
257	Somatic Symptoms in Depression and Their Correlation with Suicidality - A Cross-Sectional Study. 2020 , 9, 2824-2828	0
256	Effectiveness of Smartphone-Based Cognitive Behavioral Therapy Among Patients With Major Depression: Systematic Review of Health Implications (Preprint).	
255	Nutrition and depression at the forefront of progress. 2012 , 5, 414-9	30
254	Increased QT dispersion and P wave dispersion in major depressive disorder. 2013 , 18, 110-2	5
253	Antidepressant properties of aqueous macerate from <i>Gladiolus dalenii</i> corms. 2014 , 11, 53-61	4
252	Evaluation of the psychoneurotic tendencies risk using the woodworth mathews personality inventory in non-institutionalized persons. 2014 , 40, 177-83	
251	Attention deficit hyperactivity disorder in children with early stages of chronic kidney disease. 2015 , 29, 181	2
250	The association between Diabetes mellitus and Depression. 2016 , 9, 120-5	129
249	Major Depressive Disorder and Kappa Opioid Receptor Antagonists. 2016 , 1, 4-16	19
248	Prevalence and clinical correlates of depression in chronic kidney disease patients in a tertiary care hospital. 2018 , 60, 485-488	1

247	Machine Learning for Major Depressive Disorder: An Overview. 2021 ,	
246	Ion Channel Dysfunction and Neuroinflammation in Migraine and Depression. 2021 , 12, 777607	1
245	‘ «P�skalaen som er meg, er det ikke plass til minuspoeng´ ». 2021 , 2, 150-166	0
244	Subgrouping time-dependent prescribing patterns of first-onset major depressive episodes by psychotropics dissection. 2021 , 11, 1116-1128	0
243	Novel drug developmental strategies for treatment-resistant depression. 2021 ,	3
242	Functional and cognitive impairment in the first episode of depression: A systematic review. 2021 ,	4
241	Tryptophan Hydroxylase 2 Deficiency Modifies the Effects of Fluoxetine and Pargyline on the Behavior, 5-HT- and BDNF-Systems in the Brain of Zebrafish (). 2021 , 22,	1
240	Poor Separation of Clinical Symptom Profiles by DSM-5 Disorder Criteria.. 2021 , 12, 775762	2
239	Prior histories of posttraumatic stress disorder and major depression and their onset and course in the three months after a motor vehicle collision in the AURORA study. 2021 ,	1
238	Involvement of Incomplete Hippocampal Inversion in Intractable Epilepsy: Evidence from Neuropsychological Studies. 2021 , 69, 842-846	0
237	Effects of chronic folate deficiency and sex differences on depression-like behavior in mice.. 2022 , 23, 206	
236	Trajectories of depressive symptoms and risk of cardiovascular disease: Evidence from the China Health and Retirement Longitudinal Study.. 2021 , 145, 137-143	1
235	More treatment but no less depression: The treatment-prevalence paradox.. 2021 , 91, 102111	7
234	Evaluating the perceived utility of an artificial intelligence-powered clinical decision support system for depression treatment using a simulation center.. 2021 , 308, 114336	1
233	Ascorbic acid intake is inversely associated with prevalence of depressive symptoms in US midlife women: A cross-sectional´ study.. 2021 , 299, 498-503	2
232	Chapitre´ 2. D�pression unipolaire majeure´ : d�finition, pr�valence, incidence, �volution et´ traitement. 2015 , 14-23	
231	Epidemiology of Depression: Burden of Disease, Trends, and the Contributions of Social Epidemiology to the Study of Its Causes. 2021 , 47-69	
230	The Study of Depression in the Frame of the New Research Paradigm in Psychiatry. 2021 , 3-29	

229	A Naturalistic, European Multi-Center Clinical Study of Electrodermal Reactivity and Suicide Risk Among Patients With Depression.. 2021 , 12, 765128	1
228	A survey of depression and anxiety disorders in urban and rural Suriname.. 2022 , 22, 51	0
227	The relationship between lifestyle risk factors and depression in Korean older adults: a moderating effect of gender.. 2022 , 22, 24	1
226	Smoking blunts sertraline response in depression: A prospective observational cohort study. 2022 ,	
225	Comparison of the intensity of peripheral inflammation between major depressive disorder and bipolar depression by means of neutrophil-lymphocyte and plateletlymphocyte ratios: The possible role of clinical severity and psychotic features. 100-106	
224	Electroconvulsive therapy for preventing relapse and recurrence in people with depression. 2022 , 2022,	
223	Long-term Safety and Efficacy of Esketamine Nasal Spray Plus an Oral Antidepressant in Patients with Treatment-resistant Depression- an Asian Sub-group Analysis from the SUSTAIN-2 Study.. 2022 , 20, 70-86	0
222	The association between dietary phytochemical index with depression and quality of life in iranian adolescent girls.. 2022 , 16, 5	1
221	Systematic review of sex differences in the relationship between hormones and depression in HIV.. 2022 , 138, 105665	2
220	Childhood trauma history is linked to abnormal brain metabolism of non-medicated adult patients with major depressive disorder.. 2021 ,	0
219	Gender analysis of the frequency and course of depressive disorders and relationship with personality traits in general population: a prospective cohort study.. 2022 , 302, 241-241	0
218	Role of deep brain stimulation in management of psychiatric disorders.. 2022 , 270, 61-96	
217	Depressive symptoms in the general population: The 7th Tromsø Study. 2022 , 8, 100322	0
216	Tea and depression. 2022 , 11, 476-482	2
215	Prevalence and correlates of suicidal behaviors in the Taiwan Psychiatric Morbidity Survey. 2021 ,	1
214	Toward Transformation to a Well-Being Economy in an African Country: A Case Study from Namibia. 2022 , 173-186	
213	Posttraumatic stress disorder, major depressive disorder, and noncoding RNAs. 2022 , 257-284	
212	The theatre of depression: a role for physical therapy.. 2022 , 1-17	

- 211 Embodied Value Theory. **2022**, 11-35
- 210 Family Structure and Maternal Depressive Symptoms: A Cross-National Comparison of Australia, the United Kingdom, and the United States. **2022**, 11, 78 0
- 209 Financial stress and depression in adults: A systematic review.. **2022**, 17, e0264041 4
- 208 What Drugs Do in Different Spaces. **2022**, 117-135
- 207 Same Ills, Same Pills. **2022**, 194-213
- 206 Pharmaceutical Citizenship, Marketing, and the Global Monoculture of Health. **2022**, 98-116
- 205 Never Enough. **2022**, 57-78
- 204 Culture, Context, and Consensus. **2022**, 156-174
- 203 Failed Biocommensurations. **2022**, 214-234
- 202 Prolonged Sleep Latency and Reduced REM Latency Are Associated with Depressive Symptoms in a Japanese Working Population.. **2022**, 19, 1
- 201 References. **2022**, 235-267
- 200 Diseases prevalent before major depressive disorder diagnosis: an exploratory nested case-control study using health insurance-based claims data.. **2022**, 12, e048233 0
- 199 Introduction. **2022**, 1-10
- 198 Lower Levels of GABAergic Function Markers in Corticotropin-Releasing Hormone-Expressing Neurons in the sgACC of Human Subjects With Depression.. **2022**, 13, 827972
- 197 Making a Difference. **2022**, 79-97
- 196 Acting through Other (Prescribing) Habits. **2022**, 136-155
- 195 Generic. **2022**, 175-193
- 194 Improvements in depression outcomes following a digital cognitive behavior therapy intervention in a polychronic population: Retrospective Study (Preprint).

193	Exploring the Potential Antidepressant Mechanisms of Pinellia by Using the Network Pharmacology and Molecular Docking.. 2022 , 1	1
192	Genetics of age-at-onset in major depression.. 2022 , 12, 124	1
191	Sex Differences in Depression-Like Behaviors in Adult Mice Depend on Endophenotype and Strain.. 2022 , 16, 838122	0
190	Mental illness in patients with end-stage kidney disease in South Korea: a nationwide cohort study.. 2021 ,	0
189	Causal relationship between genetically predicted depression and cancer risk: a two-sample bi-directional mendelian randomization.. 2022 , 22, 353	1
188	Daily Food Insecurity Predicts Lower Positive and Higher Negative Affect: An Ecological Momentary Assessment Study.. 2022 , 9, 790519	0
187	Epigenetic Mechanism of 5-HT/NE/DA Triple Reuptake Inhibitor on Adult Depression Susceptibility in Early Stress Mice.. 2022 , 13, 848251	1
186	Senior Residents' Perceived Competence in Evidence-Based Treatments for Major Depressive Disorder.. 2022 , 1	
185	Social Support and Depression Among Pulmonary Tuberculosis Patients in Anhui, China.. 2022 , 15, 595-603	0
184	Characterizing mood disorders in the AFFECT study: a large, longitudinal, and phenotypically rich genetic cohort in the US.. 2022 , 12, 121	0
183	A Machine Learning Approach Detecting Digital Behavioural Patterns of Depression Using Non-intrusive Smartphone Data - A Complementary Path to PHQ-9 Assessment: A Prospective Observational Study (Preprint).	0
182	Depression symptoms reducing return to work: A Meta-analysis of Prospective studies.. 2022 , 1-22	1
181	Self-directed passive-aggressive behaviour as an essential component of depression: findings from two cross-sectional observational studies.. 2022 , 22, 200	0
180	Construction and Validation of a Scale to Measure Loneliness and Isolation During Social Distancing and Its Effect on Mental Health.. 2022 , 13, 798596	0
179	A Chinese adaptation of six items, self-report Hamilton Depression Scale: Factor structure and psychometric properties.. 2022 , 73, 103104	0
178	Phenome-wide screening of the putative causal determinants of depression using genetic data.. 2022 ,	0
177	Major Depressive Disorder: Existing Hypotheses about Pathophysiological Mechanisms and New Genetic Findings.. 2022 , 13,	5
176	BMRMI Reduces Depressive Rumination Possibly through Improving Abnormal FC of Dorsal ACC.. 2022 , 2022, 8068988	

- 175 A novel joint index based on peripheral blood CD4+/CD8+ T cell ratio, albumin level, and monocyte count to determine the severity of major depressive disorder.. **2022**, 22, 248 0
- 174 Overcoming difficulties in measuring emotional regulation: Assessing and comparing the psychometric properties of the DERS long and short forms. **2022**, 9, 1
- 173 Women's well-being during a pandemic and its containment.. **2022**, 156, 102839 6
- 172 Gender differences in the association of depression trajectories with executive and memory functions: Evidence from the longitudinal study of the Survey of Health, Ageing and Retirement in Europe (2004-2017).. **2022**, 149, 177-184 0
- 171 Biomarkers as predictors of treatment response to tricyclic antidepressants in major depressive disorder: A systematic review.. **2022**, 150, 202-213 0
- 170 Toxicity of waterborne vortioxetine, a new antidepressant, in non-target aquatic organisms: From wonder to concern drugs?. **2022**, 304, 119175 1
- 169 Adverse effects of electroconvulsive therapy. **2021**, 2021, 2
- 168 The association between depression and metabolic syndrome and its components: a bidirectional two-sample Mendelian randomization study.. **2021**, 11, 633 2
- 167 Inflammaging in Major Depressive Disorder: Associations between markers of inflammation and brain ageing in depression across two large community-based cohorts. 2
- 166 La consejería como intervención de salud mental en trabajadores industriales. **2021**, 21, 1-9 2
- 165 A healthy eating score is inversely associated with depression in older adults: results from the Chilean National Health Survey 2016-2017.. **2021**, 1-12 0
- 164 Socio-demographic development and burden of mental, substance use disorders, and self-harm: An ecological analysis using the Global Burden of Disease study 2019.. **2021**, 48674211066764 0
- 163 Construction and Analysis of a Diagnostic Model Based on Differential Expression Genes in Patients With Major Depressive Disorder.. **2021**, 12, 762683 2
- 162 Prevalence and clinical correlates of depression in chronic kidney disease patients in a tertiary care hospital. **2018**, 60, 485 2
- 161 Relative Value. **2022**, 36-56 2
- 160 A Machine Learning Approach Detecting Digital Behavioural Patterns of Depression Using Non-intrusive Smartphone Data - A Complementary Path to PHQ-9 Assessment: A Prospective Observational Study.. **2022**, 1 1
- 159 Relationship between depressive symptoms and self-reported menstrual irregularities during adolescence: evidence from UDAYA, 2016.. **2022**, 22, 758 1
- 158 Neuroinflammatory biomarkers in the cerebrospinal fluid from 106 patients with recent onset depression compared to 106 individually matched healthy controls. **2022**, 1 1

- 157 Pharmaceutical Management of Sexual Dysfunction in Men on Antidepressant Therapy.. **2022**, 0
- 156 Consumption of Psychiatric Drugs in Primary Care during the COVID-19 Pandemic.. **2022**, 19, 1
- 155 The association of physical illness and low-grade inflammatory markers with depressive symptoms in a large NHANES community sample: Dissecting mediating and moderating effects.. **2022**, 0
- 154 Association between self-care disability and depressive symptoms among middle-aged and elderly Chinese people.. **2022**, 17, e0266950 0
- 153 Association between work-family conflict and depressive symptoms in female workers: An exploration of potential moderators.. **2022**, 151, 113-121 1
- 152 Data_Sheet_1.PDF. **2018**,
- 151 Abnormal Properties of Cortical Functional Brain Network in Major Depressive Disorder: Graph Theory Analysis Based on EEG-Source Estimates.
- 150 DEPRESSION AMONG TYPE ONE DIABETES PATIENTS IN BURAYDAH IN 2019.. **2022**, 137-140
- 149 A Reciprocal Link Between Gut Microbiota, Inflammation and Depression: A Place for Probiotics?. **2022**, 16, 852506 0
- 148 A review of potential neuropathological changes associated with ketamine.. **2022**, 1
- 147 Pharmacological treatment of major depressive disorder according to severity in psychiatric inpatients: results from the AMSP pharmacovigilance program from 2001-2017.. **2022**, 1 0
- 146 Dual HDAC/BRD4 Inhibitors Relieves Neuropathic Pain by Attenuating Inflammatory Response in Microglia After Spared Nerve Injury.. **2022**, 1 0
- 145 Association between the 5-methyl tetrahydrofolate reductase (5-MTHFR) and integrin β subunit (ITGB3) genes polymorphism and major depressive disorder. **2022**, 102076
- 144 Efficacy and Acceptability of Remote Cognitive Behavioral Therapy for Patients With Major Depressive Disorder in Japanese Clinical Settings: A Case Series. **2022**, 0
- 143 Assessing effective treatment coverage for depression.. **2022**, 17, 100384
- 142 Developing comic strips promoting diabetic retinopathy screening in Kilimanjaro, Tanzania, using Intervention Mapping.. **2022**, 36, 25-32
- 141 Depressive symptoms and associated factor among public school teachers in Jimma town, Southwest, Ethiopia 2020: a multi-disciplinary, cross-sectional study.. **2022**, 22, 343
- 140 Research Status of Related Influencing Factors of Depressive Disorder. **2022**, 12, 4246-4256

- 139 Serum uric acid is not associated with major depressive disorder in European and South American populations: a meta-analysis and two-sample bidirectional Mendelian Randomization study. 0
- 138 Repetitive Transcranial Magnetic Stimulation-Associated Changes in Neocortical Metabolites in Major Depression: A Systematic Review. **2022**, 103049
- 137 Challenges in Analyzing Functional Epigenetic Data in Perspective of Adolescent Psychiatric Health. **2022**, 23, 5856
- 136 Postoperative but not preoperative depression is associated with cognitive impairment after cardiac surgery: exploratory analysis of data from a randomized trial. **2022**, 22, 1
- 135 The Impact of Chronic Unpredictable Mild Stress-Induced Depression on Spatial, Recognition and Reference Memory Tasks in Mice: Behavioral and Histological Study. **2022**, 12, 166 0
- 134 Cannabidiol in the Treatment of Mood Disorders.
- 133 Dietary emulsifier consumption alters gene expression in the amygdala and paraventricular nucleus of the hypothalamus in mice. **2022**, 12, 1
- 132 The Nexus Between Diabetes and Depression: A Narrative Review. **2022**, 0
- 131 Rhythmicity of sleep and clinical outcomes in major depressive disorder: A CAN-BIND-1 report. **2022**, 9, 100370
- 130 The Immune System and Depression: From Epidemiological to Clinical Evidence. **2022**,
- 129 Depressive Symptoms and Quality of Life in Patients With Heart Failure and an Implantable Cardioverter-Defibrillator. 13, 0
- 128 Prevalence and clinical aspects of depression in Parkinson's disease: a systematic review and meta-analysis of 129 studies. **2022**, 104749 2
- 127 Resilience Moderates the Association of Sleep Disturbance and Sleep Reactivity with Depressive Symptoms in Adult Volunteers. Volume 18, 1249-1257 0
- 126 Depression in Diabetic Patients: What Is the Link With Eating Disorders? Results of a Study in a Representative Sample of Patients With Type 1 Diabetes. 13, 1
- 125 Translational control by ketamine and its implications for comorbid cognitive deficits in depressive disorders. 0
- 124 Emotional blunting in patients with depression. Part II: relationship with functioning, well-being, and quality of life. **2022**, 21, 0
- 123 Measurement of depression in the Brazilian population: validation of the Patient Health Questionnaire (PHQ-8). **2022**, 38,
- 122 Association between dietary behaviors and depression in adolescent girls. **2022**, 22, 0

121	The pharmacogenomics of selective serotonin reuptake inhibitors.	2
120	Cumulative lifetime acute stressor exposure interacts with reward responsiveness to predict longitudinal increases in depression severity in adolescence. 1-10	0
119	Improvements in Depression Outcomes Following a Digital Cognitive Behavioral Therapy Intervention in a Polychronic Population: Retrospective Study. 2022 , 6, e38005	0
118	Alterations of Plasma Lipids in Adult Women With Major Depressive Disorder and Bipolar Depression. 13,	
117	Identification of Sex-Specific Plasma Biomarkers Using Metabolomics for Major Depressive Disorder in Children and Adolescents. 13,	0
116	Genetic variables of the glutamatergic system associated with treatment-resistant depression: A review of the literature. 2022 , 12, 884-896	1
115	Age at separation, residential mobility, and depressive symptoms among twins in late adolescence and young adulthood: a FinnTwin12 cohort study.	
114	The relationship between cognitive flexibility, depression, and work performance: Employee assessments using cognitive flexibility tests. 2022 , 10, 100388	
113	Altered levels of salivary cytokines in patients with major depressive disorder. 2022 , 107390	0
112	The role of histone modifications: from neurodevelopment to neurodiseases. 2022 , 7,	3
111	The experience of a physical activity counseling intervention among people with major depression within the PACINPAT trial: A reflexive thematic analysis. 2022 , 23, 100464	0
110	Evaluation of the Depression Status of Nurses Working in a State Hospital.	1
109	A Machine Learning Approach for Continuous Mining of Non-identifiable Smartphone Data to Create a Novel Digital Biomarker Detecting Generalized Anxiety Disorder: A Prospective Cohort Study (Preprint).	1
108	Premenstrual exacerbation of mental health disorders: a systematic review of prospective studies.	0
107	Epidemiology of treatment resistant depression among major depressive disorder patients in Israel. 2022 , 22,	
106	Needs and Well-Being Across Europe: Basic Psychological Needs Are Closely Connected With Well-Being, Meaning, and Symptoms of Depression in 27 European Countries. 194855062211136	1
105	Interventions to improve the detection of depression in primary healthcare: systematic review.	
104	Post-Traumatic Stress Disorder, Anxiety, and Depression Symptoms in Healthcare Workers during COVID-19 Pandemic in Colombia. 2022 , 100293	1

- 103 Mental Health and Physical Activity of Female Higher Education Students during the COVID-19 Pandemic: A Comparative Cross-Sectional Study from Lithuania. **2022**, 19, 9725
- 102 Prevalence and associated factors of mental health outcomes among healthcare workers in Northern Colombia: A cross-sectional and multi-centre study. **2022**, 100415 1
- 101 Machine learning, pharmacogenomics, and clinical psychiatry: predicting antidepressant response in patients with major depressive disorder. 1-18 0
- 100 CYP2C19 expression modulates affective functioning and hippocampal subiculum volume in a large single-center community-dwelling cohort study. **2022**, 12, 0
- 99 Market Transition, Occupational Status, and Depression in Urban China: A Population-based Multilevel Analysis. 215686932211228 0
- 98 Electroacupuncture remodels the extracellular matrix and promotes synaptic plasticity in a mouse model of depression. **2022**, 626, 44-50 0
- 97 Associations of dietary Provitamin A carotenoid intake with depressive symptoms in midlife women: Results from the study of Women's Health Across the Nation. **2022**, 317, 91-97 0
- 96 Physical inactivity amplifies the negative association between sleep quality and depressive symptoms. **2022**, 164, 107233 0
- 95 Integrated Treatment of Depression and Moderate to Severe Alcohol Use Disorder in Women: A Pilot Study in Routine Addiction Care. 0
- 94 EEG Biomarkers to Predict Response to Sertraline and Placebo Treatment in Major Depressive Disorder. **2022**, 1-11 0
- 93 Sex Differences in Depression and Anxiety. **2022**, 0
- 92 Bienestar subjetivo e indicadores de depresión en estudiantes universitarios. **2022**, 5, 75-89 0
- 91 Convergent molecular and structural neuroimaging signatures of first-episode depression. **2023**, 320, 22-28 0
- 90 Effect of aqueous extract of barley and wheat grass in stress induced depression in Swiss mice. **2022**, 13, 100630 0
- 89 Maternal depressive symptoms and child internalizing problems: The mediation of emotion socialization. 0
- 88 DL-3-n-butylphthalide prevents chronic restraint stress-induced depression-like behaviors and cognitive impairment via regulating CaMKII/CREB/BDNF signaling pathway in hippocampus. **2022**, 33, 597-603 0
- 87 The Effectiveness of Physical Activity Interventions on Depression in Korea: A Systematic Review and Meta-Analysis. **2022**, 10, 1886 0
- 86 Trajectories of common mental disorders symptoms before and during the COVID-19 pandemic: findings from the ELSA-Brasil COVID-19 Mental Health Cohort. 0

85	Rethinking ARDS After COVID-19. If a "Better" Definition is the Answer, What is the Question?.	0
84	Exercise training and depression and anxiety in musculoskeletal pain patients: a meta-analysis of randomized control trials.	1
83	The Prevalence of Depression Symptoms and Their Socioeconomic and Health Predictors in a Local Community with a High Deprivation: A Cross-Sectional Studies. 2022 , 19, 11797	0
82	Akkermansia muciniphila ameliorates depressive disorders in murine alcohol-LPS (mALPS) model.	0
81	Prevalência de sintomas psiquiátricos e seus fatores associados na população adulta da área atingida pelo rompimento da barragem de rejeitos: Projeto Saúde Brumadinho. 2022 , 25,	0
80	Prevalence of psychiatric symptoms and associated factors in the adult population from the area affected by the tailings dam rupture [Brumadinho Health Project. 2022 , 25,	0
79	The Human-Dog Bond as a Mediator in the Relationship Between Loneliness and Emotional Well-Being. 2022 , 2022,	0
78	A higher genetic risk for depression is a greater risk factor for cardiovascular disease in women.	0
77	Alterations in Plasma Lipidomic Profiles in Adult Patients with Schizophrenia and Major Depressive Disorder. 2022 , 58, 1509	0
76	Prevalence of depression and anxiety with their effect on quality of life in chronic kidney disease patients. 2022 , 12,	0
75	Abnormal Properties of Cortical Functional Brain Network in Major Depressive Disorder: Graph Theory Analysis Based on EEG-Source Estimates. 2022 ,	0
74	The synergistic effect of depression and moderate chronic kidney disease on the all-cause and cardiovascular disease mortality among adults: a retrospective cohort study. 2022 , 23,	0
73	Epidemiologie der Depression. 2023 , 107-114	0
72	Age at Menopause and Suicidal Ideation in Menopausal Women: A Study of Korea National Health and Nutrition Examination Survey Data. 2022 , 37,	0
71	Reduced Sulcal Depth in Central Sulcus of Major Depressive Disorder. 2022 , 31, 353-360	0
70	Nutritional interventions for the prevention and treatment of neurological disorders such as anxiety, bipolar disorder, depression, epilepsy, multiple sclerosis, and schizophrenia. 2022 , 6, 052-071	0
69	Prevalence and predictors of depression among women in Afghanistan: A cross-sectional study.	0
68	Comparison on the clinical features in patients with or without treatment-resistant depression: A National Survey on Symptomatology of Depression report. 2023 , 319, 114972	2

67	Automated accurate detection of depression using twin Pascal's triangles lattice pattern with EEG Signals. 2023 , 260, 110190	6
66	Exercise effect on the gut microbiota in young adolescents with subthreshold depression: A randomized psychoeducation-controlled Trial. 2023 , 319, 115005	1
65	Sex-dependent effects of early life stress on reinforcement learning and limbic cortico-striatal functional connectivity. 2023 , 22, 100507	0
64	Depression is a risk factor for metabolic syndrome: Results from the ELSA-Brasil cohort study. 2023 , 158, 56-62	0
63	Optical coherence tomography changes in Egyptian patients with major depressive disorder. 2022 , 115, 169	0
62	Integrated Module of Multidimensional Omics for Peripheral Biomarkers (iMORE) in patients with major depressive disorder: rationale and design of a prospective multicentre cohort study. 2022 , 12, e067447	0
61	Testosterone Replacement Therapy in the Treatment of Depression. 2022 , 10,	0
60	Plasma complement C3 and C3a are increased in major depressive disorder independent of childhood trauma. 2022 , 22,	0
59	MicroRNAs as novel peripheral markers for suicidality in patients with major depressive disorder. 13,	1
58	Directionality of the Association Between Epilepsy and Depression: A Nationwide, Register-Based Cohort Study. 10.1212/WNL.0000000000201542	0
57	“The wrong tools for the right job” a critical meta-analysis of traditional tests to assess behavioural impacts of maternal separation.	0
56	Binary disease prediction using tail quantiles of the distribution of continuous biomarkers. 1-32	0
55	Gut microbiome-wide association study of depressive symptoms. 2022 , 13,	6
54	The Prevalence and Economic Burden of Treatment-Resistant Depression in Thailand.	0
53	Psychometric properties of the depression, anxiety, stress scales-21 (DASS-21) in a sample of health care workers in Oman. 2022 , 10, 100451	0
52	Prevalence of Mood Disorders and Associated Factors at the Time of the COVID-19 Pandemic: Protocol for a Community Survey in La Manouba Governorate, Tunisia. 2022 , 18,	0
51	Country-level association of socio-cultural factors with the burden of four common mental disorders. An ecological analysis using the Global Burden of Disease database.	0
50	Higher serum interleukin-12 levels are associated with the pathophysiology of major depressive disorder: A case-control study results. 2023 , 6,	0

- 49 MAD2B blunts chronic unpredictable stress and corticosterone stimulation induced-depression-like behaviors in mice. ○
- 48 Childhood trauma, inflammatory biomarkers and the presence of a current depressive episode: Is there a relationship in subjects from a population study?. **2022**, ○
- 47 Troubled times: Canadian social workers' Early adversities, mental health, and resilience during the COVID-19 pandemic. 002087282211443 ○
- 46 The Role of Sex in Genetic Association Studies of Depression. **2022**, 7, ○
- 45 Association between depressive symptoms and lung function in the United States adults without pulmonary diseases: A cross-sectional study from NHANES. **2023**, ○
- 44 Long-term trends in the incidence of depressive disorders in China, the United States, India and globally: A comparative study from 1990 to 2019. 13, ○
- 43 Review of EEG-based neurofeedback as a therapeutic intervention to treat depression. **2023**, 111591 ○
- 42 Cerebral blood flow changes and their genetic mechanisms in major depressive disorder: a combined neuroimaging and transcriptome study. 1-13 ○
- 41 Comparing the centrality symptoms of major depressive disorder samples across junior high school students, senior high school students, college students and elderly adults during city lockdown of COVID-19 pandemic: A network analysis. **2023**, 324, 190-198 ○
- 40 Increasing Adiponectin Signaling by Sub-Chronic AdipoRon Treatment Elicits Antidepressant- and Anxiolytic-Like Effects Independent of Changes in Hippocampal Plasticity. **2023**, 11, 249 ○
- 39 Investigating genetic variants for treatment response to selective serotonin reuptake inhibitors in syndromal factors and side effects among patients with depression in Taiwanese Han population. ○
- 38 Directed brain network analysis in anxious and non-anxious depression based on EEG source reconstruction and graph theory. **2023**, 83, 104666 ○
- 37 Genetic susceptibility and lifestyle modify the association of long-term air pollution exposure on major depressive disorder: a prospective study in UK Biobank. **2023**, 21, ○
- 36 Association between excess mortality in depressive status and frailty among older adults: A population-based Kyoto-Kameoka prospective cohort study. **2023**, 110, 104990 ○
- 35 Exploring the role of ketone bodies in the diagnosis and treatment of psychiatric disorders. 14, ○
- 34 A comprehensive review and meta-analysis of neurological side effects related to second-generation antidepressants in individuals with major depressive disorder. **2023**, 447, 114431 ○
- 33 Effects of exercise training on inflammatory, neurotrophic and immunological markers and neurotransmitters in people with depression: A systematic review and meta-analysis. **2023**, 326, 73-82 ○
- 32 Marital satisfaction as a potential moderator of the association between stress and depression. **2023**, 327, 155-158 ○

31	Exercise as medicine for depressive symptoms? A systematic review and meta-analysis with meta-regression. <i>bjsports-2022-106282</i>	1
30	Association of time spent in outdoor light and genetic risk with the incidence of depression. 2023 , 13,	0
29	Epigenetic clock analysis reveals increased plasma cystatin C levels based on DNA methylation in major depressive disorder. 2023 , 322, 115103	0
28	Risk factors for the intergenerational transmission of depression in women and girls: Understanding neural correlates of major depressive disorder and the role of early-onset maternal depression. 2023 , 23, 400-414	0
27	Interventions to improve the detection of depression in primary healthcare: systematic review. 2023 , 12,	0
26	Depressive Disorders. 2023 , 531-567	0
25	Epidemiology of Psychiatric Disorders. 2023 , 29-55	0
24	Effectiveness of Electroconvulsive Therapy for Preventing Relapse and Recurrence of Depression in Adults With Major Depressive Disorder: An Updated Meta-Analysis of Randomized Clinical Trials. 2023 ,	0
23	Prevalence and predictors of depression among women in Afghanistan: a cross-sectional study. 2023 , 3,	0
22	Depressive Symptoms and Risk of Acute Stroke. 2023 , 100, e1787-e1798	0
21	Diabetes and Neurological Disorder. 2023 , 63-79	0
20	Impact of Gender on Insomnia. 2023 , 13, 480	0
19	Relationship of insight to neurocognitive function and risk of recurrence in depression: A naturalistic follow-up study. 14,	0
18	Efficacy and moderators of short-term psychodynamic psychotherapy for depression: A systematic review and meta-analysis of individual participant data. 2023 , 101, 102269	0
17	Digital solutions to the mental healthcare crisis. 1-5	0
16	Digital self-help for mental health. 1-5	0
15	Digital mental health platforms. 2023 , 31, 232-235	0
14	Mental health: What role for digital self-help programmes?. 64-66	0

- 13 Digital self-help for mental health. 1-5 ○
- 12 Lower urinary tract symptoms are elevated with depression in Japanese women. ○
- 11 The Brain Overwork Scale: A Population-Based Cross-Sectional Study on the Psychometric Properties of a New 10-Item Scale to Assess Mental Distress in Mongolia. **2023**, 11, 1003 ○
- 10 Exploring the bi-directional relationship and shared genes between depression and stroke via NHANES and bioinformatic analysis. 14, ○
- 9 Artificial Intelligence-Based Major Depressive Disorder (MDD) Diagnosis Using Raman Spectroscopic Features of Plasma Exosomes. **2023**, 95, 6410-6416 ○
- 8 Once-Daily Subcutaneous Irisin Administration Mitigates Depression- and Anxiety-like Behavior in Young Mice. **2023**, 24, 6715 ○
- 7 Aberrant morphological brain networks in first-episode, treatment-naïve adolescents with major depressive disorder. ○
- 6 Depression Screening in a population-based study: Brazilian National Health Survey 2019. **2023**, 28, 1163-1174 ○
- 5 Gender differences in the association of polygenic risk and divergent depression trajectories from mid to late life: a national longitudinal study. **2023**, 68, 32-53 ○
- 4 The buffering effect of social capital for daily mental stress in an unequal society: a lesson from Seoul. **2023**, 22, ○
- 3 When mothers are more negative while fathers are less positive: Offspring's temporary feelings of depression affect parental work engagement via the asymmetric effects of emotions transmission. ○
- 2 Sex differences in the associations of genetic, sociodemographic and cardiovascular risk factors with depression in the Canadian Longitudinal Study on Aging (CLSA). ○
- 1 l-theanine adjunct to sertraline for major depressive disorder: A randomized, double-blind, placebo-controlled clinical trial. **2023**, ○