

CITATION REPORT

List of articles citing

Parameter Estimation of Nonlinear Muskingum Models Using Nelder-Mead Simplex Algorithm

DOI: 10.1061/(asce)he.1943-5584.0000379

Journal of Hydrologic Engineering - ASCE, 2011, 16, 946-954.

Source: <https://exaly.com/paper-pdf/50183080/citation-report.pdf>

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
133	Parameter Estimation of Nonlinear Muskingum Models Using Nelder-Mead Simplex Algorithm. <i>Journal of Hydrologic Engineering - ASCE</i> , 2011 , 16, 946-954	1.8	113
132	Closure to Parameter Estimation of the Nonlinear Muskingum Model Using Parameter-Setting-Free Harmony Search by Zong Woo Geem. <i>Journal of Hydrologic Engineering - ASCE</i> , 2012 , 17, 1416-1417	1.8	
131	Discussion of Parameter Estimation of the Nonlinear Muskingum Model Using Parameter-Setting-Free Harmony Search by Zong Woo Geem. <i>Journal of Hydrologic Engineering - ASCE</i> , 2012 , 17, 1414-1416	1.8	10
130	Parameter Estimation of the Nonlinear Muskingum Flood-Routing Model Using a Hybrid Harmony Search Algorithm. <i>Journal of Hydrologic Engineering - ASCE</i> , 2013 , 18, 352-360	1.8	94
129	Improved Nonlinear Muskingum Model with Variable Exponent Parameter. <i>Journal of Hydrologic Engineering - ASCE</i> , 2013 , 18, 1790-1794	1.8	28
128	Optimal Parameter Estimation for Muskingum Model Using a CSS-PSO Method. 2013 , 5, 480954		10
127	A Novel Parameter Estimation Method for Muskingum Model Using New Newton-Type Trust Region Algorithm. 2014 , 2014, 1-7		6
126	ESTIMATING PARAMETERS OF MUSKINGUM MODEL USING AN ADAPTIVE HYBRID PSO ALGORITHM. 2014 , 28, 1459003		35
125	Closure to Improved Nonlinear Muskingum Model with Variable Exponent Parameter by Said M. Easa. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 07014008	1.8	4
124	Discussion of Parameter Estimation of the Nonlinear Muskingum Flood-Routing Model Using a Hybrid Harmony Search Algorithm by Halil Karahan, Gurhan Gurarslan, and Zong Woo Geem. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 839-842	1.8	15
123	Discussion of Parameter Estimation of the Nonlinear Muskingum Flood-Routing Model Using a Hybrid Harmony Search Algorithm by Halil Karahan, Gurhan Gurarslan, and Zong Woo Geem. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 842-845	1.8	4
122	Closure to Parameter Estimation of the Nonlinear Muskingum Flood-Routing Model Using a Hybrid Harmony Search Algorithm by Halil Karahan, Gurhan Gurarslan, and Zong Woo Geem. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 847-853	1.8	3
121	Discussion: Estimation of Muskingum parameter by meta-heuristic algorithms. 2014 , 167, 365-367		1
120	Evaluation of Explicit Numerical Solution Methods of the Muskingum Model. <i>Journal of Hydrologic Engineering - ASCE</i> , 2014 , 19, 06014001	1.8	14
119	Hybrid particle swarm optimization for parameter estimation of Muskingum model. 2014 , 25, 1785-1799		44
118	Discussion: New and improved four-parameter non-linear Muskingum model. 2014 , 167, 612-615		9
117	Development of empirical models with high accuracy for estimation of drag coefficient of flow around a smooth sphere: An evolutionary approach. 2014 , 257, 11-19		76

116	New and improved four-parameter non-linear Muskingum model. 2014 , 167, 288-298		21
115	Multi-criteria optimisation of the Muskingum flood model: a new approach. 2015 , 168, 220-231		0
114	Multi-parameter identification of a two-dimensional water-quality model based on the Nelder-Mead Simplex algorithm. 2015 , 46, 711-720		1
113	Harmonious Allocation Model of the River Diversion Standard under Synchronous Construction of Hydropower Stations. 2015 , 744-746, 1082-1091		1
112	A Class of Parameter Estimation Methods for Nonlinear Muskingum Model Using Hybrid Invasive Weed Optimization Algorithm. 2015 , 2015, 1-15		11
111	Discussion of Application of excel solver for parameter estimation of the nonlinear Muskingum models by Reza Barati. 2015 , 19, 332-336		3
110	Characterization of space-dependent thermal conductivity for nonlinear functionally graded materials. 2015 , 84, 691-699		18
109	Application of a Hybrid Optimization Method in Muskingum Parameter Estimation. 2015 , 141, 04015026		17
108	Discharge coefficient and energy dissipation over stepped spillway under skimming flow regime. 2015 , 19, 1174-1182		32
107	Assessment of Modified Honey Bee Mating Optimization for Parameter Estimation of Nonlinear Muskingum Models. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04014055	1.8	41
106	Parameter Estimation for the Nonlinear Forms of the Muskingum Model. <i>Journal of Hydrologic Engineering - ASCE</i> , 2015 , 20, 04014085	1.8	8
105	A Re-Parameterized and Improved Nonlinear Muskingum Model for Flood Routing. 2015 , 29, 3419-3440		24
104	Evaluation of nonlinear Muskingum model with continuous and discontinuous exponent parameters. 2015 , 19, 2281-2290		12
103	A parameter estimation method based on random slow manifolds. 2015 , 39, 3721-3732		7
102	Application of Feedforward Artificial Neural Network in Muskingum Flood Routing: a Black-Box Forecasting Approach for a Natural River System. 2015 , 29, 4995-5014		14
101	Multi-criteria optimisation of the Muskingum flood model: a new approach. 2015 , 168, 220-231		2
100	A new nonlinear Muskingum flood routing model incorporating lateral flow. 2015 , 47, 737-749		28
99	Reply to discussion of Application of excel solver for parameter estimation of the nonlinear Muskingum models by Ali R. Vatankhah. 2015 , 19, 337-339		3

98	A retrospective streamflow ensemble forecast for an extreme hydrologic event: a case study of Hurricane Irene and on the Hudson River basin. 2016 , 20, 2649-2667	20
97	Application of the Elitist-Mutated PSO and an Improved GSA to Estimate Parameters of Linear and Nonlinear Muskingum Flood Routing Models. 2016 , 11, e0147338	6
96	Parameter Identification of Nonlinear Muskingum Model with Backtracking Search Algorithm. 2016 , 30, 2767-2783	29
95	Evaluation and Improvement of Routing Procedure for Nonlinear Muskingum Models. 2016 , 14, 47-59	5
94	Application of New Hybrid Optimization Technique for Parameter Estimation of New Improved Version of Muskingum Model. 2016 , 30, 4713-4730	31
93	Parameter Estimation of Extended Nonlinear Muskingum Models with the Weed Optimization Algorithm. 2016 , 142, 04016059	16
92	A new speed optimization algorithm with application in pickling and rolling line. 2016 , 8, 168781401664650	
91	Optimal design of labyrinth spillways using meta-heuristic algorithms. 2016 , 20, 468-477	40
90	Application of the SVR-NSGAI to Hydrograph Routing in Open Channels. 2016 , 142, 04015061	14
89	Nonlinear Muskingum Model for Flood Routing in Irrigation Canals Using Storage Moving Average. 2016 , 142, 04016010	1
88	Modeling of Dispersive Materials Using Dispersion Models for FDTD Application. 2016 , 8, 251-275	2
87	Modelling of fluidised-bed reactor by differential evolution optimization for phenol removal using coconut shells based activated carbon. 2017 , 231, 249-262	56
86	New nonlinear variable-parameter Muskingum models. 2017 , 21, 2958-2967	21
85	Prediction of longitudinal dispersion coefficient in natural rivers using a cluster-based Bayesian network. 2017 , 76, 1	31
84	Robust optimization of the efficient syngas fractions in entrained flow coal gasification using Taguchi method and response surface methodology. 2017 , 42, 4908-4921	21
83	Parameter estimation of an improved nonlinear Muskingum model using a new hybrid method. 2017 , 48, 1253-1267	19
82	Comment on Evaluation of a physically based quasi-linear and a conceptually based nonlinear Muskingum methods[J. Hydrol., 546, 437-449, 10.1016/j.jhydrol.2017.01.025]. 2017 , 550, 218-219	4
81	A new modified nonlinear Muskingum model and its parameter estimation using the adaptive genetic algorithm. 2017 , 48, 17-27	13

80	Coastal Wave Height Prediction using Recurrent Neural Networks (RNNs) in the South Caspian Sea. 2017 , 40, 454-465		19
79	Fractional order controller design for a semi-active suspension system using Nelder-Mead optimization. 2017 ,		4
78	Parameter Estimation of Two Improved Nonlinear Muskingum Models Considering the Lateral Flow Using a Hybrid Algorithm. 2017 , 31, 4449-4467		11
77	Non-linear Muskingum model with inflow-based exponent. 2017 , 170, 66-80		4
76	New teaching-learnig based optimization algorithm with random local search: TLBO-RLS. 2017 ,		
75	GPU-based PQGA algorithm for estimating parameters of Muskingum model. 2017 ,		
74	Optimization of lapping processes of silicon wafer for photovoltaic applications. 2018 , 164, 1-11		17
73	Discussion of Application of Genetic Programming to Flow Routing in Simple and Compound Channels By Elahe Fallah-Mehdipour, Omid Bozorg-Haddad, Hossein Orouji, and Miguel A. Mariñ. 2018 , 144, 07018015		2
72	Study on the influence of water flow on temperature around freeze pipes and its distribution optimization during artificial ground freezing. 2018 , 135, 435-445		42
71	Discussion of Study of the spatial distribution of groundwater quality using soft computing and geostatistical models By Saman Maroufpoor, Ahmad Fakheri-Fard and Jalal Shiri (2017). <i>ISH Journal of Hydraulic Engineering</i> , 2018 , 1-4	1.5	2
70	A comprehensive study on slicing processes optimization of silicon ingot for photovoltaic applications. 2018 , 161, 109-124		24
69	Multi-objective optimization research on the start condition for a parallel hybrid electric vehicle. 2018 , 227, 294-303		13
68	Differential neural network identifier for parameter determination of a mixed microbial culture model. 2018 , 51, 479-484		4
67	Identification of direct axis parameters of the synchronous machine using optimization algorithm and voltage recovery test. 2018 ,		
66	Dimensionally Consistent Nonlinear Muskingum Equation. <i>Journal of Hydrologic Engineering - ASCE</i> , 2018 , 23, 04018039	1.8	2
65	Improving Urban Drainage Systems Resiliency Against Unexpected Blockages: A Probabilistic Approach. 2018 , 32, 4561-4573		3
64	Improving the Muskingum Flood Routing Method Using a Hybrid of Particle Swarm Optimization and Bat Algorithm. <i>Water (Switzerland)</i> , 2018 , 10, 807	3	21
63	Flood Routing in River Reaches Using a Three-Parameter Muskingum Model Coupled with an Improved Bat Algorithm. <i>Water (Switzerland)</i> , 2018 , 10, 1130	3	22

62	Investigation the Effect of Using Variable Values for the Parameters of the Linear Muskingum Method Using the Particle Swarm Algorithm (PSO). 2018 , 32, 4763-4777		11
61	Investigation of neural network and fuzzy inference neural network and their optimization using meta-algorithms in river flood routing. 2018 , 94, 1057-1080		9
60	Discussion of Assessment of Modified Honey Bee Mating Optimization for Parameter Estimation of Nonlinear Muskingum Models by Majid Niazkar and Seied Hosein Afzali. <i>Journal of Hydrologic Engineering - ASCE</i> , 2018 , 23, 07018002	1.8	6
59	Parameter Estimation of a Nonlinear Hydrologic Model for Channel Flood Routing with the Bat Algorithm. 2019 , 341-351		
58	One Dimensional Hydraulic Flow Routing Incorporating a Variable Grain Roughness Coefficient. 2019 , 33, 4599-4620		13
57	Improvements of bat algorithm using crossover technique and hybridization with Nelder-Mead simplex method. 2019 , 38, 977-989		
56	Generalized Storage Equations for Flood Routing with Nonlinear Muskingum Models. 2019 , 33, 2677-2691		9
55	Predicting changes in monthly streamflow to Karaj dam reservoir, Iran, in climate change condition and assessing its uncertainty. 2019 , 10, 669-679		9
54	Improvement of lumped models in multiple inflows rivers by principal component analysis and reliability analysis. 2019 , 67, 1149-1161		2
53	Inter-comparison between retrospective ensemble streamflow forecasts using meteorological inputs from ECMWF and NOAA/ESRL in the Hudson River sub-basins during Hurricane Irene (2011). 2019 , 50, 166-186		3
52	Improved shuffled frog leaping algorithm on system reliability analysis. 2019 , 6, 1		7
51	A bankruptcy method for pollution load reallocation in river systems. 2019 , 21, 45-55		9
50	Discussion of Modeling water table depth using adaptive Neuro-Fuzzy Inference System by Umesh Kumar Das, Parthajit Roy and Dillip Kumar Ghose (2017). <i>ISH Journal of Hydraulic Engineering</i> , 2020 , 26, 468-471	1.5	3
49	Reference Point Based Multi-Objective Optimization of Reservoir Operation: a Comparison of Three Algorithms. 2020 , 34, 1005-1020		3
48	Hybrid Hydrological Data-Driven Approach for Daily Streamflow Forecasting. <i>Journal of Hydrologic Engineering - ASCE</i> , 2020 , 25, 04019063	1.8	19
47	Comparison of the gene expression programming, artificial neural network (ANN), and equivalent Muskingum inflow models in the flood routing of multiple branched rivers. 2020 , 139, 1349-1362		6
46	The Projection Technique for Two Open Problems of Unconstrained Optimization Problems. 2020 , 186, 590-619		7
45	Locally tuned hybridized particle swarm optimization for the calibration of the nonlinear Muskingum flood routing model. 2020 , 11, 343-358		3

44	Flood Routing: Improving Outflow Using a New Non-linear Muskingum Model with Four Variable Parameters Coupled with PSO-GA Algorithm. 2020 , 34, 3291-3316		6
43	An Optimized Fractional-Order PID (FOPID) Controller for a Non-Linear Conical Tank Level Process. 2020 ,		0
42	Mathematical Modeling of a Domestic Wastewater Treatment System Combining a Septic Tank, an Up Flow Anaerobic Filter, and a Constructed Wetland. <i>Water (Switzerland)</i> , 2020 , 12, 3019	3	6
41	Applying Differential Neural Networks to Characterize Microbial Interactions in an Ex Vivo Gastrointestinal Gut Simulator. 2020 , 8, 593		3
40	Real Time Flow Forecasting in a Mountain River Catchment Using Conceptual Models with Simple Error Correction Scheme. <i>Water (Switzerland)</i> , 2020 , 12, 1484	3	1
39	Application of a new hybrid non-linear Muskingum model to flood routing. 2020 , 173, 109-120		1
38	Identification of Parameters Influencing the Accuracy of the Solution of the Nonlinear Muskingum Equation. 2020 , 34, 3147-3164		2
37	Comparison of three novel hybrid metaheuristic algorithms for structural optimization problems. 2021 , 244, 106395		4
36	Analysis of Third-Order Nonlinear Multi-Singular Emden-Bowler Equation by Using the LeNN-WOA-NM Algorithm. <i>IEEE Access</i> , 2021 , 9, 72111-72138	3.5	16
35	A new soft computing approach for studying the wire coating dynamics with Oldroyd 8-constant fluid. 2021 , 33, 036117		17
34	Analysis of Beam-Column Designs by Varying Axial Load with Internal Forces and Bending Rigidity Using a New Soft Computing Technique. 2021 , 2021, 1-19		11
33	A Statistical Study on the Parameters of the Skew Normal Distribution Depending on the Use of the Genetic Algorithm Using the Simulation Method. <i>Journal of Physics: Conference Series</i> , 2021 , 1879, 032017 ^{0.3}		17
32	A new hybrid approach in selection of optimum establishment location of the biogas energy production plant. <i>Biomass Conversion and Biorefinery</i> , 1	2.3	1
31	Specification analysis of VXX option pricing models under Lévy processes. <i>Journal of Futures Markets</i> , 2021 , 41, 1456-1477	2.1	1
30	Reverse Flood Routing in Rivers Using Linear and Nonlinear Muskingum Models. <i>Journal of Hydrologic Engineering - ASCE</i> , 2021 , 26, 04021018	1.8	7
29	Matching distributions for survival data. <i>Canadian Journal of Statistics</i> ,	0.4	
28	OTA-C Realization of An Optimized FOPID Controller for BLDC Motor Speed Control. <i>IETE Journal of Research</i> , 1-19	0.9	1
27	Assisted history matching and graphical methods for estimating individual layer properties from well testing data in stratified reservoirs with multilateral wells. <i>Journal of Petroleum Science and Engineering</i> , 2022 , 208, 109326	4.4	

26	Simplex Search Method Driven Design for Transient Stability Enhancement in Wind Energy Integrated Power System Using Multi-Band PSS4C. <i>IEEE Access</i> , 2021 , 9, 83913-83928	3.5	6
25	Flood routing by linear Muskingum method using two basic floods data using particle swarm optimization (PSO) algorithm. <i>Water Science and Technology: Water Supply</i> , 2020 , 20, 1897-1908	1.4	7
24	Development of a New 8-Parameter Muskingum Flood Routing Model with Modified Inflows. <i>Water (Switzerland)</i> , 2021 , 13, 3170	3	0
23	More Reliable Determination of Daily Evaporation from the Pan in Cold Regions by Limited Meteorological Factors. <i>SSRN Electronic Journal</i> ,	1	
22	Parameter estimation of Muskingum model using grey wolf optimizer algorithm.. <i>MethodsX</i> , 2021 , 8, 101589	1.9	0
21	Burden of cytokines storm on prognosis of SARS-CoV-2 infection through immune response: dynamic analysis and optimal control with immunomodulatory therapy.. <i>European Physical Journal: Special Topics</i> , 2022 , 1-19	2.3	0
20	A Coupled Dynamic System Inversion Model for Higher Accuracy in Flood Forecasting. <i>Water Resources Research</i> , 2022 , 58,	5.4	0
19	Optimal control using linear feedback control and neutralizing antibodies for an HIV model with dynamical analysis. <i>Journal of Applied Mathematics and Computing</i> , 1	1.8	
18	Application of soft computing approaches to predict gabion weir oxygen aeration efficiency. <i>ISH Journal of Hydraulic Engineering</i> , 1-15	1.5	1
17	Analysing an epidemic-economic model in the presence of novel corona virus infection: capital stabilization, media effect, and the role of vaccine.. <i>European Physical Journal: Special Topics</i> , 2022 , 1-18	2.3	1
16	Discussion of Evaluation of one-dimensional and two-dimensional HEC-RAS models to predict flood travel time and inundation area for flood warning system. <i>ISH Journal of Hydraulic Engineering</i> , 1-2	1.5	
15	Closure to Reverse Flood Routing in Rivers Using Linear and Nonlinear Muskingum Models. <i>Journal of Hydrologic Engineering - ASCE</i> , 2022 , 27,	1.8	
14	Autofix Automated Design of Fixtures. <i>Proceedings of the Design Society</i> , 2022 , 2, 543-552		0
13	Analysis and dynamics of a mathematical model to predict unreported cases of COVID-19 epidemic in Morocco. 2022 , 41,		1
12	Steadfastness investigation on wind-based unified power quality conditioner system using trundle frog bound technique. 2022 ,		0
11	Application of hybrid machine learning model for flood hazard zoning assessments.		0
10	Data-Driven Ordinary Differential Equations Model for Predicting Missing Data and Forecasting Crude Oil Prices. 2022 , 127-143		0
9	Estimating characteristic grain sizes and effective porosity from hydraulic conductivity data.		0

- 8 Parameter evaluation of a nonlinear Muskingum model using a constrained self-adaptive differential evolution algorithm. ○
- 7 A novel fully hybrid simulation-optimization approach for enhancing the calibration and verification performance of the TUW hydrological model. **2023**, 617, 128976 ○
- 6 Physiology and Mathematical Modeling of Immobilized *Saccharomyces* spp. in Beer Fermentation. ○
- 5 A comprehensive implementation of the log, Box-Cox and log-sinh transformations for skewed and censored precipitation data. **2023**, 620, 129347 ○
- 4 Nelder-Mead Simplex Algorithm for Age-dependent Parameter Estimation of a Lithium-ion Electrochemical Battery Model. **2022**, ○
- 3 Muskingum Models Development and their Parameter Estimation: A State-of-the-art Review. ○
- 2 Fractional Order Controller Design for Self-Balancing Two-Wheeled Robot and Performance Comparison Using Different Optimization Techniques. **2022**, ○
- 1 Controller Design based on Fractional Calculus for AUV Yaw Control. **2023**, 13, 10432-10438 ○