

# Large-Area Graphene Films by Simple Solution Casting Graphite

ACS Nano

5, 4974-4980

DOI: [10.1021/nn201072m](https://doi.org/10.1021/nn201072m)

Citation Report

| #  | ARTICLE                                                                                                                                                                                                  | IF   | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1  | Perspectives of applied graphene: Polymer solar cells. <i>Progress in Polymer Science</i> , 2012, 37, 1805-1828.                                                                                         | 11.8 | 143       |
| 2  | Thermal properties of graphene and multilayer graphene: Applications in thermal interface materials. <i>Solid State Communications</i> , 2012, 152, 1331-1340.                                           | 0.9  | 689       |
| 3  | Edge-Exfoliated Graphites for Facile Kinetics of Delithiation. <i>ACS Nano</i> , 2012, 6, 10770-10775.                                                                                                   | 7.3  | 27        |
| 4  | CVD growth of large area and uniform graphene on tilted copper foil for high performance flexible transparent conductive film. <i>Journal of Materials Chemistry</i> , 2012, 22, 18283.                  | 6.7  | 66        |
| 5  | Enhanced storage/operation stability of small molecule organic photovoltaics using graphene oxide interfacial layer. <i>Organic Electronics</i> , 2012, 13, 3220-3225.                                   | 1.4  | 16        |
| 6  | Novel anticorrosion coatings prepared from polyaniline/graphene composites. <i>Carbon</i> , 2012, 50, 5044-5051.                                                                                         | 5.4  | 631       |
| 7  | Sulfated Graphene Oxide as a Hole-Extraction Layer in High-Performance Polymer Solar Cells. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 1928-1933.                                           | 2.1  | 151       |
| 8  | Hole and Electron Extraction Layers Based on Graphene Oxide Derivatives for High-Performance Bulk Heterojunction Solar Cells. <i>Advanced Materials</i> , 2012, 24, 2228-2233.                           | 11.1 | 279       |
| 9  | Spontaneous and Fast Growth of Large-Area Graphene Nanofilms Facilitated by Oil/Water Interfaces. <i>Advanced Materials</i> , 2012, 24, 3958-3964.                                                       | 11.1 | 66        |
| 10 | Triphenylamine-functionalized graphene decorated with Pt nanoparticles and its application in photocatalytic hydrogen production. <i>International Journal of Hydrogen Energy</i> , 2012, 37, 4880-4888. | 3.8  | 74        |
| 11 | Integrating Water-Soluble Graphene into Porphyrin Nanohybrids. <i>Advanced Materials</i> , 2012, 24, 800-805.                                                                                            | 11.1 | 43        |
| 12 | Solution-based fabrication of a graphene-ZnO nanocomposite. <i>Journal of Sol-Gel Science and Technology</i> , 2013, 66, 481-487.                                                                        | 1.1  | 11        |
| 13 | Graphene for energy solutions and its industrialization. <i>Nanoscale</i> , 2013, 5, 10108.                                                                                                              | 2.8  | 86        |
| 14 | Edge-functionalized graphene as reinforcement of epoxy-based conductive composite for electrical interconnects. <i>Composites Science and Technology</i> , 2013, 88, 84-91.                              | 3.8  | 42        |
| 15 | Acetone-Induced Graphene Oxide Film Formation at the Water-Air Interface. <i>Chemistry - an Asian Journal</i> , 2013, 8, 437-443.                                                                        | 1.7  | 28        |
| 16 | Ultrasonic-assisted self-assembly of monolayer graphene oxide for rapid detection of <i>Escherichia coli</i> bacteria. <i>Nanoscale</i> , 2013, 5, 3620.                                                 | 2.8  | 82        |
| 17 | Edge-Selectively Functionalized Graphene Nanoplatelets. <i>Chemical Record</i> , 2013, 13, 224-238.                                                                                                      | 2.9  | 31        |
| 18 | Atomically precise edge chlorination of nanographenes and its application in graphene nanoribbons. <i>Nature Communications</i> , 2013, 4, 2646.                                                         | 5.8  | 187       |

| #  | ARTICLE                                                                                                                                                                                                  | IF   | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 19 | Mild and Nondestructive Chemical Modification of Carbon Nanotubes (CNTs): Direct Friedel-Crafts Acylation Reaction. , 0, , .                                                                             |      | 2         |
| 21 | The use of a carbon paste electrode mixed with multiwalled carbon nanotube/electroactive polyimide composites as an electrode for sensing ascorbic acid. <i>Polymer Chemistry</i> , 2014, 5, 630-637.    | 1.9  | 36        |
| 22 | Reversible Self-Assembly of Terpyridine-Functionalized Graphene Oxide for Energy Conversion. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 1415-1419.                                     | 7.2  | 75        |
| 23 | Graphene oxide-based transparent conductive films. <i>Progress in Materials Science</i> , 2014, 64, 200-247.                                                                                             | 16.0 | 263       |
| 24 | Liquid-phase exfoliation of graphene in organic solvents with addition of naphthalene. <i>Journal of Colloid and Interface Science</i> , 2014, 418, 37-42.                                               | 5.0  | 76        |
| 25 | Water-Free Transfer Method for CVD-Grown Graphene and Its Application to Flexible Air-Stable Graphene Transistors. <i>Advanced Materials</i> , 2014, 26, 3213-3217.                                      | 11.1 | 67        |
| 26 | Structure, morphology and electronic properties of <i>l</i> -phenylalanine edge-functionalized graphite platelets through Friedel-Crafts acylation reaction. <i>RSC Advances</i> , 2014, 4, 60052-60057. | 1.7  | 11        |
| 27 | Nematic Order Drives Macroscopic Patterns of Graphene Oxide in Drying Drops. <i>Langmuir</i> , 2014, 30, 14631-14637.                                                                                    | 1.6  | 24        |
| 28 | Graphene networks for high-performance flexible and transparent supercapacitors. <i>RSC Advances</i> , 2014, 4, 36996.                                                                                   | 1.7  | 43        |
| 29 | Metal Nanowire Networks: The Next Generation of Transparent Conductors. <i>Advanced Materials</i> , 2014, 26, 6670-6687.                                                                                 | 11.1 | 677       |
| 30 | Artificial photosynthesis over graphene-semiconductor composites. Are we getting better?. <i>Chemical Society Reviews</i> , 2014, 43, 8240-8254.                                                         | 18.7 | 534       |
| 31 | Graphene layers used as cryogenic temperature sensor. , 2014, , .                                                                                                                                        |      | 1         |
| 32 | Sulfur-Annulated Hexaperi-hexabenzocoronene Decorated with Phenylthio Groups at the Periphery. <i>Angewandte Chemie</i> , 2015, 127, 2970-2974.                                                          | 1.6  | 9         |
| 33 | Nanomaterial-enabled Rapid Detection of Water Contaminants. <i>Small</i> , 2015, 11, 5336-5359.                                                                                                          | 5.2  | 108       |
| 34 | Functionalized graphene and other two-dimensional materials for photovoltaic devices: device design and processing. <i>Chemical Society Reviews</i> , 2015, 44, 5638-5679.                               | 18.7 | 283       |
| 35 | A manufacturing perspective on graphene dispersions. <i>Current Opinion in Colloid and Interface Science</i> , 2015, 20, 367-382.                                                                        | 3.4  | 329       |
| 36 | Enhanced heat transfer is dependent on thickness of graphene films: the heat dissipation during boiling. <i>Scientific Reports</i> , 2014, 4, 6276.                                                      | 1.6  | 43        |
| 37 | Sulfur-Annulated Hexaperi-hexabenzocoronene Decorated with Phenylthio Groups at the Periphery. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2927-2931.                                   | 7.2  | 36        |

| #  | ARTICLE                                                                                                                                                                                                             | IF   | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 38 | Graphene-based structural adhesive to enhance adhesion performance. RSC Advances, 2015, 5, 27874-27886.                                                                                                             | 1.7  | 67        |
| 39 | Graphene for Transparent Conductors. , 2015, , .                                                                                                                                                                    |      | 38        |
| 40 | One-pot electrochemical gram-scale synthesis of graphene using deep eutectic solvents and acetonitrile. Chemical Engineering Journal, 2015, 274, 213-223.                                                           | 6.6  | 42        |
| 41 | Pyrrolidine-functionalized fluorine-containing graphene sheets. New Journal of Chemistry, 2015, 39, 9586-9590.                                                                                                      | 1.4  | 9         |
| 42 | Synthesis, Structure, and Properties of Graphene and Graphene Oxide. , 2015, , 29-94.                                                                                                                               |      | 18        |
| 43 | Photoisomerization of electroactive polyimide/multiwalled carbon nanotube composites on the effect of electrochemical sensing for ascorbic acid. Polymer International, 2015, 64, 373-382.                          | 1.6  | 9         |
| 45 | Review of Graphene as a Solid State Diffusion Barrier. Small, 2016, 12, 120-134.                                                                                                                                    | 5.2  | 38        |
| 46 | CuS nanotrough-networks for highly stable transparent conducting electrodes. Journal of Materials Chemistry C, 2016, 4, 4733-4739.                                                                                  | 2.7  | 16        |
| 47 | The novel synthesis of highly water-soluble few-layer graphene nanosheets by a simple one-pot chemical route and without any modification. Materials Chemistry and Physics, 2016, 183, 297-305.                     | 2.0  | 4         |
| 48 | Ultrastrong Graphene-Based Fibers with Increased Elongation. Nano Letters, 2016, 16, 6511-6515.                                                                                                                     | 4.5  | 46        |
| 50 | Human-like Sensing and Reflexes of Graphene-Based Films. Advanced Science, 2016, 3, 1600130.                                                                                                                        | 5.6  | 37        |
| 51 | Eco-friendly synthesis of graphene nanoplatelets. Journal of Materials Chemistry A, 2016, 4, 15281-15293.                                                                                                           | 5.2  | 24        |
| 52 | High surface area monodispersed Fe <sub>3</sub> O <sub>4</sub> nanoparticles alone and on physical exfoliated graphite for improved supercapacitors. Journal of Physics and Chemistry of Solids, 2016, 99, 138-147. | 1.9  | 33        |
| 53 | Growing three-dimensional biomorphic graphene powders using naturally abundant diatomite templates towards high solution processability. Nature Communications, 2016, 7, 13440.                                     | 5.8  | 93        |
| 54 | Tuning microstructure and surface chemistry of reduced graphene oxide by mild reduction. Journal of Central South University, 2016, 23, 1823-1830.                                                                  | 1.2  | 5         |
| 55 | Edge Functionalization of Graphene and Two-dimensional Covalent Organic Polymers for Energy Conversion and Storage. Advanced Materials, 2016, 28, 6253-6261.                                                        | 11.1 | 148       |
| 56 | Graphene Oxide-Assisted Liquid Phase Exfoliation of Graphite into Graphene for Highly Conductive Film and Electromechanical Sensors. ACS Applied Materials & Interfaces, 2016, 8, 16521-16532.                      | 4.0  | 98        |
| 57 | Multilayer Nanoporous Graphene Membranes for Water Desalination. Nano Letters, 2016, 16, 1027-1033.                                                                                                                 | 4.5  | 331       |

| #  | ARTICLE                                                                                                                                                                                                                                   | IF   | CITATIONS |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 58 | Preparation of stable aqueous dispersion of edge-oxidized graphene and its transparent conductive films. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2016, 490, 59-66.                                      | 2.3  | 13        |
| 59 | Synthesis of Graphene Oxide-Based Sulfonated Oligoanilines Coatings for Synergistically Enhanced Corrosion Protection in 3.5% NaCl Solution. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 4034-4043.                          | 4.0  | 187       |
| 60 | Defect/Edge-Selective Functionalization of Carbon Materials by "Direct-Friedel-Crafts Acylation Reaction. <i>Advanced Materials</i> , 2017, 29, 1606317.                                                                                  | 11.1 | 24        |
| 61 | Maximizing volumetric energy density of all-graphene-oxide-supercapacitors and their potential applications for energy harvest. <i>Journal of Power Sources</i> , 2017, 346, 113-119.                                                     | 4.0  | 29        |
| 62 | Synergetic effect of synthesized sulfonated polyaniline/quaternized graphene and its application as a high-performance supercapacitor electrode. <i>Journal of Materials Science</i> , 2017, 52, 9683-9695.                               | 1.7  | 30        |
| 63 | Simulation insight into water transport mechanisms through multilayer graphene-based membrane. <i>Computational Materials Science</i> , 2017, 128, 87-97.                                                                                 | 1.4  | 30        |
| 64 | Applications of graphene-based composite hydrogels: a review. <i>RSC Advances</i> , 2017, 7, 51008-51020.                                                                                                                                 | 1.7  | 61        |
| 65 | Preparation and Evaluation of Edge Selective Sulfonated Graphene by Chlorosulfuric Acid as an Active Metal-Free Electrocatalyst for Oxygen Reduction Reaction in Alkaline Media. <i>ChemistrySelect</i> , 2017, 2, 11211-11217.           | 0.7  | 20        |
| 66 | Engineering of highly conductive and ultra-thin nitrogen-doped graphene films by combined methods of microwave irradiation, ultrasonic spraying and thermal annealing. <i>Chemical Engineering Journal</i> , 2018, 338, 764-773.          | 6.6  | 32        |
| 67 | Efficient and stable HER electrocatalyst using Pt-nanoparticles@poly(3,4-ethylene dioxothiophene) modified sulfonated graphene nanocomposite. <i>International Journal of Hydrogen Energy</i> , 2018, 43, 8323-8332.                      | 3.8  | 17        |
| 68 | Facile Synthesis of Diamino-Modified Graphene/Polyaniline Semi-Interpenetrating Networks with Practical High Thermoelectric Performance. <i>ACS Applied Materials &amp; Interfaces</i> , 2018, 10, 4946-4952.                             | 4.0  | 30        |
| 69 | Morphological and Radio Frequency Characterization of Graphene Composite Films. <i>Journal of Carbon Research</i> , 2018, 4, 32.                                                                                                          | 1.4  | 4         |
| 70 | Wet-spinning assembly of continuous and macroscopic graphene oxide/polyacrylonitrile reinforced composite fibers with enhanced mechanical properties and thermal stability. <i>Journal of Applied Polymer Science</i> , 2019, 136, 46950. | 1.3  | 18        |
| 72 | Expanded graphene oxide fibers with high strength and increased elongation. <i>RSC Advances</i> , 2019, 9, 4198-4202.                                                                                                                     | 1.7  | 9         |
| 73 | Edge-Oxidation of Graphites by Hydrogen Peroxide. <i>Langmuir</i> , 2019, 35, 2244-2250.                                                                                                                                                  | 1.6  | 20        |
| 74 | Preparation and corrosion protection of VB2 modified trimer aniline-reduced graphene oxide(VTA-rGO) coatings. <i>Progress in Organic Coatings</i> , 2019, 132, 95-99.                                                                     | 1.9  | 7         |
| 75 | An optimized graphene oxide self-assembly surface for significantly enhanced boiling heat transfer. <i>Carbon</i> , 2019, 150, 168-178.                                                                                                   | 5.4  | 36        |
| 76 | Recent developments in edge-selective functionalization of surface of graphite and derivatives " a review. <i>Soft Materials</i> , 2019, 17, 448-466.                                                                                     | 0.8  | 15        |

| #  | ARTICLE                                                                                                                                                                                                  | IF  | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 77 | Controllable edge modification of multi-layer graphene for improved dispersion stability and high electrical conductivity. <i>Applied Nanoscience (Switzerland)</i> , 2019, 9, 469-477.                  | 1.6 | 8         |
| 78 | Applications of polymer/graphene nanocomposite membranes: a review. <i>Materials Research Innovations</i> , 2019, 23, 276-287.                                                                           | 1.0 | 44        |
| 79 | Graphene-dendritic polymer hybrids: synthesis, properties, and applications. <i>Journal of the Iranian Chemical Society</i> , 2020, 17, 735-764.                                                         | 1.2 | 9         |
| 80 | A review on allotropes of carbon and natural filler-reinforced thermomechanical properties of upgraded epoxy hybrid composite. <i>Reviews on Advanced Materials Science</i> , 2021, 60, 237-275.         | 1.4 | 13        |
| 81 | The Effect of Graphene Oxide Exfoliation Degree on Graphene Film Properties. <i>Bilecik Āzeyh Edebali Ācniversitesi Fen Bilimleri Dergisi</i> , 0, , .                                                   | 0.1 | 0         |
| 82 | Vacuum-Free Fabrication of Transparent Electrodes for Soft Electronics. , 0, , .                                                                                                                         |     | 0         |
| 83 | Flexible Nanopaper Composed of Wood-Derived Nanofibrillated Cellulose and Graphene Building Blocks. <i>Journal of Renewable Materials</i> , 2021, 9, 451-461.                                            | 1.1 | 1         |
| 85 | Improvement of Electrical Conductivity and Transparency. , 2015, , 123-178.                                                                                                                              |     | 1         |
| 86 | Introduction to Transparent Conductors. <i>Springer Theses</i> , 2020, , 1-8.                                                                                                                            | 0.0 | 1         |
| 89 | Experimental study of boiling heat transfer for a novel type of GNP-Fe <sub>3</sub> O <sub>4</sub> hybrid nanofluids blended with different nanoparticles. <i>Powder Technology</i> , 2022, 396, 92-112. | 2.1 | 24        |
| 90 | Electro-Magnetic switching in NiO-Graphene film. <i>IOP Conference Series: Materials Science and Engineering</i> , 2022, 1225, 012051.                                                                   | 0.3 | 0         |
| 91 | Graphene Oxide-Based Multi-Component Antimicrobial Hydrogels. <i>Bulletin of the Chemical Society of Japan</i> , 2022, 95, 713-720.                                                                      | 2.0 | 3         |
| 92 | O-Functionalization of N-Doped Reduced Graphene Oxide for Topological Defect-Driven Oxygen Reduction. <i>ACS Applied Nano Materials</i> , 2022, 5, 10528-10536.                                          | 2.4 | 8         |
| 93 | High performance of chemically-modified graphene-based supercapacitor using an effective redox active binder. <i>Journal of Energy Storage</i> , 2022, 55, 105693.                                       | 3.9 | 9         |
| 94 | Effect of Layer Orientation and Pore Morphology on Water Transport in Multilayered Porous Graphene. <i>Micromachines</i> , 2022, 13, 1786.                                                               | 1.4 | 0         |
| 95 | Effect of Edge-Chemistry on Graphene-Based Hybrid Electrode Materials for Energy Storage Device. <i>Journal of Electrochemical Science and Technology</i> , 2023, 14, 31-37.                             | 0.9 | 1         |
| 96 | Kinetic investigation of the multi-step thermal decomposition of graphene oxide paper. <i>Journal of Thermal Analysis and Calorimetry</i> , 2023, 148, 3487-3503.                                        | 2.0 | 3         |
| 97 | Graphene: Preparation, tailoring, and modification. <i>Exploration</i> , 2023, 3, .                                                                                                                      | 5.4 | 19        |

| #  | ARTICLE                                                                                                 | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------|----|-----------|
| 98 | Progress of research on the sustainable preparation of graphene and its derivatives. , 2023, , 239-304. |    | 0         |