Modelling spatial and temporal variations in the water or reservoir in the semiarid Midwest of Argentina

Analytica Chimica Acta 705, 243-252 DOI: 10.1016/j.aca.2011.06.013

Citation Report

#	Article	IF	CITATIONS
1	Lead and cadmium accumulation in anuran amphibians of a permanent water body in arid Midwestern Argentina. Environmental Science and Pollution Research, 2012, 19, 2889-2897.	5.3	10
2	Evaluation of the impacts of road runoff in a Mediterranean reservoir in Portugal. Environmental Monitoring and Assessment, 2013, 185, 7659-7673.	2.7	9
3	Three-way principal component analysis as a tool to evaluate the chemical stability of metal bearing residues from wastewater treatment by the ferrite process. Journal of Hazardous Materials, 2013, 262, 71-82.	12.4	10
4	Development and application of dissolved oxygen (DO) and biological oxygen demand (BOD) model for Panshet and Ujjani Reservoirs, Maharashtra, India. Lakes and Reservoirs: Research and Management, 2013, 18, 217-226.	0.9	0
5	Differences in bird assemblages between native natural habitats and small-scale tree plantations in the semiarid midwest of Argentina. Wilson Journal of Ornithology, 2014, 126, 673-685.	0.2	4
6	Wintering of Ospreys in Argentina: Insights From New Records Between 1993–2008. Journal of Raptor Research, 2014, 48, 345-360.	0.6	2
7	Modelling of the groundwater hydrological behaviour of the Langueyú creek basin by using Nâ€way multivariate methods. Hydrological Processes, 2014, 28, 4743-4755.	2.6	4
8	Assessment of the water self-purification capacity on a river affected by organic pollution: application of chemometrics in spatial and temporal variations. Environmental Science and Pollution Research, 2014, 21, 10583-10593.	5.3	63
9	Spatio-Temporal Patterns and Source Identification of Water Pollution in Lake Taihu (China). Water (Switzerland), 2016, 8, 86.	2.7	28
10	Operational and Environmental Conditions for Efficient Biological Nutrient Removal in an Urban Wastewater Treatment Plant. Clean - Soil, Air, Water, 2016, 44, 1123-1130.	1.1	5
11	Worldwide contamination of water by fluoride. Environmental Chemistry Letters, 2016, 14, 291-315.	16.2	286
12	Hydrochemical and sedimentological dynamics in a subtropical plain river: assessment by multivariate statistical analysis. Environmental Earth Sciences, 2016, 75, 1.	2.7	1
13	Joint interpretation of the hydrochemistry of two neighbouring basins by N-way multivariate methods. Environmental Earth Sciences, 2016, 75, 1.	2.7	1
14	Tensor-based anomaly detection: An interdisciplinary survey. Knowledge-Based Systems, 2016, 98, 130-147.	7.1	105
15	Multivariate analysis of ground water characteristics of Ajali sandstone formation: A case study of Udi and Nsukka LGAs of Enugu State of Nigeria. Journal of African Earth Sciences, 2017, 129, 668-674.	2.0	4
16	Application of Multivariate Classification Protocols in Research Focusing on Food, Environmental Samples, and Wastewater Technological Processes. Journal of AOAC INTERNATIONAL, 2017, 100, 365-376.	1.5	3
17	CO-tucker: a new method for the simultaneous analysis of a sequence of paired tables. Journal of Applied Statistics, 2017, 44, 2729-2755.	1.3	3
18	Chemometric modeling for spatiotemporal characterization and self-depuration monitoring of surface water assessing the pollution sources impact of northern Argentina rivers. Microchemical Journal, 2021, 162, 105841.	4.5	6

#	Article	lF	CITATIONS
19	Global geogenic groundwater pollution. , 2021, , 187-213.		5
20	Analysis of Changes in the Quality of Surface Water after Filling of Hydroelectric Reservoirs in the Amazon, Brazil. Environmental Processes, 2021, 8, 573-592.	3.5	1
21	NORMO: A new method for estimating the number of components in CP tensor decomposition. Engineering Applications of Artificial Intelligence, 2020, 96, 103926.	8.1	7
22	Analysis of Methodologies for Assessment of Urban Drainage Impacts in Lakes and Reservoirs. The Open Environmental & Biological Monitoring Journal, 2012, 5, 30-38.	1.0	0
23	Utilizing chemometric techniques to evaluate water quality spatial and temporal variation. A case study: Bahr El-Baqar drain — Egypt. Environmental Technology and Innovation, 2022, 26, 102332.	6.1	4
25	A soybean based-diet prevents Cadmium access to rat cerebellum, maintaining trace elements homeostasis and avoiding morphological alterations. BioMetals, 2023, 36, 67-96.	4.1	4

CITATION REPORT