Land surface temperature changes in Northern Iberia si speleothems

Global and Planetary Change 77, 1-12 DOI: 10.1016/j.gloplacha.2011.02.002

Citation Report

#	Article	IF	CITATIONS
1	ENSEMBLE EMPIRICAL MODE DECOMPOSITION: A NOISE-ASSISTED DATA ANALYSIS METHOD. Advances in Adaptive Data Analysis, 2009, 01, 1-41.	0.6	6,205
2	GEOCHEMISTRY ARTICLES – May 2011. Organic Geochemistry, 2011, 42, e191-e221.	1.8	Ο
3	Northern Hemisphere temperature patterns in the last 12 centuries. Climate of the Past, 2012, 8, 227-249.	3.4	106
4	Negative responses of highland pines to anthropogenic activities in inland Spain: a palaeoecological perspective. Vegetation History and Archaeobotany, 2012, 21, 397-412.	2.1	22
5	Holocene distribution of woody taxa at the westernmost limit of the Circumboreal/Mediterranean boundary: Evidence from wood remains. Quaternary Science Reviews, 2012, 33, 74-86.	3.0	13
6	Sand invasion along the Portuguese coast forced by westerly shifts during cold climate events. Quaternary Science Reviews, 2012, 42, 15-28.	3.0	84
7	The Medieval Climate Anomaly in the Iberian Peninsula reconstructed from marine and lake records. Quaternary Science Reviews, 2012, 43, 16-32.	3.0	210
8	Climate change and human impact in central Spain during Roman times: High-resolution multi-proxy analysis of a tufa lake record (Somolinos, 1280m asl). Catena, 2012, 89, 31-53.	5.0	71
9	A Review of 2000 Years of Paleoclimatic Evidence in the Mediterranean. , 2012, , 87-185.		86
10	Porosity and hydric behavior of typical calcite microfabrics in stalagmites. Sedimentary Geology, 2012, 265-266, 72-86.	2.1	7
11	Late Pleistocene and Holocene mid-latitude palaeoclimatic and palaeoenvironmental reconstruction: an approach based on the isotopic record from a travertine formation in the Guadix-Baza basin, Spain. Geological Magazine, 2013, 150, 602-625.	1.5	17
12	Paleoclimate and growth rates of speleothems in the northwestern Iberian Peninsula over the last two glacial cycles. Quaternary Research, 2013, 80, 284-290.	1.7	67
13	Reply to Comment by DomÃnguez-Villar on "Land surface temperature changes in Northern Iberia since 4000yr BP, based in I´13C of speleothems―(MartÃn-Chivelet et al., 2011). Global and Planetary Change, 2013, 101, 129-130.	3.5	0
14	Can biochar and hydrochar stability be assessed with chemical methods?. Organic Geochemistry, 2013, 60, 40-44.	1.8	36
15	Comment on "Land surface temperature changes in Northern Iberia since 4000yr BP, based on δ13C of speleothems― Global and Planetary Change, 2013, 100, 291-294.	3.5	4
16	Late Quaternary fluvial dynamics of the Jarama River in central Spain. Quaternary International, 2013, 302, 20-41.	1.5	27
17	Abrupt temperature changes during the last 1,500Âyears. Theoretical and Applied Climatology, 2013, 112, 215-225.	2.8	3
18	Pollen and sediment evidence for late-Holocene human impact at the Seonam-dong archeological site, Gwangiu, Korea, Review of Palaeobotany and Palynology, 2013, 193, 110-118.	1.5	9

#	Article	IF	CITATIONS
19	Climate of the past 2500 years in the Gulf of Taranto, central Mediterranean Sea: A high-resolution climate reconstruction based on δ ¹⁸ 0 and δ ¹³ C of <i>Globigerinoides ruber</i> (white). Holocene, 2013, 23, 1440-1446.	1.7	34
20	Mid- and late Holocene dust deposition in western Europe: the Misten peat bog (Hautes Fagnes –) Tj ETQq1	1 0.784314 3.4	• rgBT /Over
21	New Luminescence Ages for the GalerÃa Complex Archaeological Site: Resolving Chronological Uncertainties on the Acheulean Record of the Sierra de Atapuerca, Northern Spain. PLoS ONE, 2014, 9, e110169.	2.5	68
22	Paleoclimate variability during the Blake geomagnetic excursion (MIS 5d) deduced from a speleothem record. Quaternary Science Reviews, 2014, 102, 166-180.	3.0	20
23	Upper Pleistocene and Holocene palaeoenvironmental records in Cueva Mayor karst (Atapuerca, Spain) from different proxies: speleothem crystal fabrics, palynology, and archaeology. International Journal of Speleology, 2014, 43, 1-14.	1.0	30
24	Luminescence dating and palaeomagnetic age constraint on hominins from Sima de los Huesos, Atapuerca, Spain. Journal of Human Evolution, 2014, 67, 85-107.	2.6	120
25	Marsh benthic Foraminifera response to estuarine hydrological balance driven by climate variability over the last 2000 yr (Minho estuary, NW Portugal). Quaternary Research, 2014, 82, 318-330.	1.7	16
26	Testing the reliability of detrital cave sediments as recorders of paleomagnetic secular variations, Seso Cave System (Central Pyrenees, Spain). Catena, 2014, 119, 36-51.	5.0	5
27	Late-Holocene to recent evolution of Lake Patria, South Italy: An example of a coastal lagoon within a Mediterranean delta system. Global and Planetary Change, 2014, 117, 9-27.	3.5	42
28	Neandertal roots: Cranial and chronological evidence from Sima de los Huesos. Science, 2014, 344, 1358-1363.	12.6	356
29	The evolution of Mediterranean wetlands in the first millennium AD: The case of Les Arenes floodplain (Tortosa, NE Spain). Geoderma, 2014, 232-234, 219-235.	5.1	14
30	Solar influence and hydrological variability during the Holocene from a speleothem annual record (Molinos Cave, <scp>NE</scp> Spain). Terra Nova, 2015, 27, 300-311.	2.1	16
31	Variations in Trace Elements of Drip Waters in Kaite Cave (N Spain): Significance in Terms of Present and Past Processes in the Karst System. , 2015, , 579-587.		2
32	Recent and Intense Dynamics in a Formerly Static Pyrenean Treeline. Arctic, Antarctic, and Alpine Research, 2015, 47, 773-783.	1.1	58
33	Long-term hydrological changes in northern Iberia (4.9–0.9 ky BP) from speleothem Mg/Ca ratios and cave monitoring (Ojo GuareA±a Karst Complex, Spain). Environmental Earth Sciences, 2015, 74, 7741-7753.	2.7	15
34	Eight-hundred years of summer temperature variations in the southeast of the Iberian Peninsula reconstructed from tree rings. Climate Dynamics, 2015, 44, 75-93.	3.8	18
35	Centennial-scale monsoon climate fluctuations from a stalagmite record during the mid-Holocene Epoch in Fulu cave of Huaping, Yunnan, China. Environmental Earth Sciences, 2015, 74, 929-935.	2.7	5
36	Multispectral analysis of Northern Hemisphere temperature records over the last five millennia. Climate Dynamics, 2015, 45, 83-104.	3.8	22

#	Article	IF	CITATIONS
38	Evaluating the suitability of extended-range luminescence dating techniques over early and Middle Pleistocene timescales: Published datasets and case studies from Atapuerca, Spain. Quaternary International, 2015, 389, 167-190.	1.5	111
39	Major storm periods and climate forcing in the Western Mediterranean during the Late Holocene. Quaternary Science Reviews, 2015, 129, 37-56.	3.0	65
40	Reconstructing high-resolution climate using CT scanning of unsectioned stalagmites: A case study identifying the mid-Holocene onset of the Mediterranean climate in southern Iberia. Quaternary Science Reviews, 2015, 127, 117-128.	3.0	41
41	Bromine enrichment in marsh sediments as a marker of environmental changes driven by Grand Solar Minima and anthropogenic activity (Caminha, NW of Portugal). Science of the Total Environment, 2015, 506-507, 554-566.	8.0	17
42	Seasonality variations in the Central Mediterranean during climate change events in the Late Holocene. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 418, 304-318.	2.3	31
43	The Late Holocene in the western Pyrenees: A critical review of the current situation of palaeopalynological research. Quaternary International, 2015, 364, 78-85.	1.5	8
44	Hydrogeological and Environmental Investigations in Karst Systems. , 2015, , .		9
46	Examining the provenance of branched GDCTs in the Tagus River drainage basin and its outflow into the Atlantic Ocean over the Holocene to determine their usefulness for paleoclimate applications. Biogeosciences, 2016, 13, 5719-5738.	3.3	20
47	Sea surface temperature variability in the central-western Mediterranean Sea during the last 2700 years: a multi-proxy and multi-record approach. Climate of the Past, 2016, 12, 849-869.	3.4	46
48	Pattern of richness and distribution of groundwater Copepoda (Cyclopoida: Harpacticoida) and Ostracoda in Romania: an evolutionary perspective. Biological Journal of the Linnean Society, 2016, 119, 593-608.	1.6	14
49	Three millennia of heavy rainfalls in Western Mediterranean: frequency, seasonality and atmospheric drivers. Scientific Reports, 2016, 6, 38206.	3.3	68
50	Climate reconstruction for the last two millennia in central Iberia: The role of East Atlantic (EA), North Atlantic Oscillation (NAO) and their interplay over the Iberian Peninsula. Quaternary Science Reviews, 2016, 149, 135-150.	3.0	73
51	Evidence of Higher-Order Solar Periodicities in China Temperature Record. Pure and Applied Geophysics, 2016, 173, 2511-2520.	1.9	5
52	Crisis in Context: The End of the Late Bronze Age in the Eastern Mediterranean. American Journal of Archaeology, 2016, 120, 99-149.	0.1	183
53	Comparison of speleothem fabrics and microstratigraphic stacking patterns in calcite stalagmites as indicators of paleoenvironmental change. Quaternary International, 2016, 407, 74-85.	1.5	23
54	The Holocene archaeological research around Sierra de Atapuerca (Burgos, Spain) and its projection in a GIS geospatial database. Quaternary International, 2017, 433, 45-67.	1.5	15
55	Fluvial response to the last Holocene rapid climate change in the Northwestern Mediterranean coastlands. Global and Planetary Change, 2017, 152, 176-186.	3.5	10
56	Shell and gravel layers caused by storm-induced rip currents during the Medieval Warm Period and Little Ice Age in South Korea. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 487, 204-215.	2.3	6

ARTICLE IF CITATIONS New speleothem data from Molinos and Ejulve caves reveal Holocene hydrological variability in 1.7 28 57 northeast Iberia. Quaternary Research, 2017, 88, 223-233. A global multiproxy database for temperature reconstructions of the Common Era. Scientific Data, 5.3 268 2017, 4, 170088. Proxy-based Northern Hemisphere temperature reconstruction for the mid-to-late Holocene. 59 2.8 15 Theoretical and Applied Climatology, 2017, 130, 1043-1053. Changes in Holocene meridional circulation and poleward Atlantic flow: the Bay of Biscay as a nodal 24 point. Climate of the Past, 2017, 13, 201-216. The climate of the Common Era off the Iberian Peninsula. Climate of the Past, 2017, 13, 1901-1918. 61 3.4 25 Historical ecology reveals landscape transformation coincident with cultural development in central Italy since the Roman Period. Scientific Reports, 2018, 8, 2138. 3.3 The last hornbeam forests in SW Europe: new evidence on the demise of Carpinus betulus in NW Iberia. 63 2.1 14 Vegetation History and Archaeobotany, 2018, 27, 551-576. Votive well or refuse tip? Chronicle of an abandonment: taphonomic study of the faunal remains of 64 1.4 an iron age well-cistern. Historical Biology, 2018, 30, 894-915. 65 The Little Ice Age in Iberian mountains. Earth-Science Reviews, 2018, 177, 175-208. 9.1 119 A millennium-long perspective on high-elevation pine recruitment in the Spanish central Pyrenees. 1.7 14 Canadian Journal of Forest Research, 2018, 48, 1108-1113. Ice Caves in Spain., 2018, , 625-655. 67 6 Evidence for solar influence in a Holocene speleothem record (PÃ["]re Noël cave, SE Belgium). 3.0 Quaternary Science Reviews, 2018, 192, 249-262. 10,000 years of climate control over carbon accumulation in an Iberian bog (southwestern Europe). 69 8.4 15 Geoscience Frontiers, 2019, 10, 1521-1533. The Medieval Climate Anomaly in the Mediterranean Region. Paleoceanography and Paleoclimatology, 2019, 34, 1625-1649. Late Holocene climatic impact on vegetation and human activity in central Japan, recorded in sediment at Arao-Minami archaeological site, northwestern Nobi Plain. Quaternary International, 2019, 519, 71 1.5 3 144-155. Centennial-Scale Temperature Change in Last Millennium Simulations and Proxy-Based 3.2 Reconstructions. Journal of Climate, 2019, 32, 2441-2482. Holocene climatic conditions in the eastern Adriatic recorded in stalagmites from StraÅ; na peć Cave 74 1.512 (Croatia). Quaternary International, 2019, 508, 98-106. Linking the karst record to atmospheric, precipitation, and vegetation dynamics in Portugal. Chemical 3.3 Geology, 2020, 558, 119949.

CITATION REPORT

CITATION REPORT

#	Article	IF	CITATIONS
76	Differing pre-industrial cooling trends between tree rings and lower-resolution temperature proxies. Climate of the Past, 2020, 16, 729-742.	3.4	10
77	Hydroclimate variability from western Iberia (Portugal) during the Holocene: Insights from a composite stalagmite isotope record. Holocene, 2020, 30, 966-981.	1.7	18
79	Spatial patterns of temperature, precipitation, and settlement dynamics on the Iberian Peninsula during the Chalcolithic and the Bronze Age. Quaternary Science Reviews, 2020, 233, 106220.	3.0	17
80	A new interpolation method to measure delta evolution and sediment flux: Application to the late Holocene coastal plain of the Argens River in the western Mediterranean. Marine Geology, 2020, 424, 106159.	2.1	6
81	A global database of Holocene paleotemperature records. Scientific Data, 2020, 7, 115.	5.3	112
82	Holocene hydrological changes in Europe and the role of the North Atlantic ocean circulation from a speleothem perspective. Quaternary International, 2021, 571, 1-10.	1.5	5
84	Detecting and quantifying palaeoseasonality in stalagmites using geochemical and modelling approaches. Quaternary Science Reviews, 2021, 254, 106784.	3.0	20
85	A reassessment of the impact of temperature change on European conflict during the second millennium CE using a bespoke Bayesian time-series model. Climatic Change, 2021, 165, 1.	3.6	5
86	A spatiotemporal gradient in the anthropization of Pyrenean landscapes. Preliminary report. Quaternary Science Reviews, 2021, 258, 106909.	3.0	8
87	Climate Variability in Central Europe during the Last 2500 Years Reconstructed from Four High-Resolution Multi-Proxy Speleothem Records. Geosciences (Switzerland), 2021, 11, 166.	2.2	9
88	Strong links between Saharan dust fluxes, monsoon strength, and North Atlantic climate during the last 5000 years. Science Advances, 2021, 7, .	10.3	15
89	Bronze Age to Medieval vegetation dynamics and landscape anthropization in the southern-central Pyrenees. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 571, 110392.	2.3	12
90	The "Hockey Stick―Imprint in Northwest African Speleothems. Geophysical Research Letters, 2021, 48, e2021GL094232.	4.0	1
91	A unique Pyrenean varved record provides a detailed reconstruction of Mediterranean vegetation and land-use dynamics over the last three millennia. Quaternary Science Reviews, 2021, 268, 107128.	3.0	19
92	Hydroclimate variability during the last 2700 years based on stalagmite multi-proxy records in the central-western Mediterranean. Quaternary Science Reviews, 2021, 269, 107137.	3.0	11
93	Deciphering the hydroclimatic significance of dripwater δ13CDIC variations in monsoonal China based on modern cave monitoring. Journal of Hydrology, 2021, 603, 126882.	5.4	11
94	Trace Elements in Speleothems as Indicators of Past Climate and Karst Hydrochemistry: A Case Study from Kaite Cave (N Spain). , 2015, , 569-577.		2
95	A high-resolution Î' ¹⁸ O record and Mediterranean climate variability. Climate of the Past, 2015, 11, 509-522.	3.4	10

		CITATION REPORT		
#	Article		IF	Citations
100	Mid- and Late-Holocene Climate Change in South Korea. Journal of Climate Research, 2	.013, 8, 127-142.	0.1	2
102	Klimatske promene i nasilni konflikti srpskog naroda u poslednjih 1.200 godina. Vojno 343-366.	Delo, 2018, 70,	0.5	0
103	Conifer Forest Dynamics in the Iberian Pyrenees during the Middle Ages. Forests, 2021	, 12, 1685.	2.1	3
104	Investigation of disequilibrium clumped isotope fractionation in (speleothem) CaCO3 v analogous laboratory experiments using thin films of flowing solution. Geochimica Et C Acta, 2022, 321, 244-264.	with cave Cosmochimica	3.9	2
106	Extended-range luminescence chronologies for the Middle Pleistocene units at the Sim archaeological site (Sierra de Atapuerca, Burgos, Spain). Quaternary Geochronology, 2	a del Elefante 022, , 101318.	1.4	4
107	Split westerlies over Europe in the early Little Ice Age. Nature Communications, 2022,	13,.	12.8	2
108	Iberian hydroclimate variability and the Azores High during the last 1200Âyears: evider records and climate model simulations. Climate Dynamics, 2023, 60, 2365-2387.	ice from proxy	3.8	2
109	River flooding on the French Mediterranean coast and its relation to climate and land u over the past two millennia. Catena, 2022, 219, 106623.	ise change	5.0	3
110	Millennial land use explains modern highâ€elevation vegetation in the submediterrane. Southern Europe. Journal of Biogeography, 2022, 49, 1779-1792.	an mountains of	3.0	3
112	Abrupt diatom responses to recent climate and land use changes in the Cantabrian Mc	ountains (NW) Tj ETQq1 1	0.784314 1.6	rgBT /Overic
113	Historical biogeography of Cannabis in the Iberian Peninsula: A probabilistic approach u palynological evidence. Perspectives in Plant Ecology, Evolution and Systematics, 2023	using 3, 58, 125704.	2.7	6
114	Mammalian turnover as an indicator of climatic and anthropogenic landscape modifica Meghalayan record (Late Holocene) in northern Iberia. Palaeogeography, Palaeoclimato Palaeoecology, 2023, 616, 111476.	tion: A new blogy,	2.3	0
115	New insights into the climate of northern Iberia during the Younger Dryas and Holocer Mendukilo multi-speleothem record. Quaternary Science Reviews, 2023, 305, 108006.	ie: The	3.0	6
116	Resilience of Pyrenean Forests after Recurrent Historical Deforestations. Forests, 2023	, 14, 567.	2.1	0
117	Drought as a possible contributor to the Visigothic Kingdom crisis and Islamic expansic Iberian Peninsula. Nature Communications, 2023, 14, .	on in the	12.8	0
118	Meghalayan Stage (Late Holocene, 4.2 ka–present). , 2024, , 105-126.			0
119	Faire gras à Molène: dairy products and ruminant fats detected by lipid and isotopic a pottery dating to the Final Neolithic-Early Bronze Age from the island site of Beg ar Lou	nalysis of .ed (Molène,) Tj ETQq0 0	0 ng:Bat /O\	verbock 10 Tf
120	Identifying major phases in the use of land, energy and changing landscapes by agraria (7 000 cal BP-Present) in Cantabrian Spain, based on cultural changes and anthropoge	n societies nic signals 03		0 –

#	Article	IF	CITATIONS
121	Lipid biomarkers in high mountain lakes from the Cantabrian range (Northern Spain): Coupling the interplay between natural and anthropogenic drivers. Anthropocene, 2024, 46, 100431.	3.3	0
122	Reconstructing hydroclimate changes over the past 2500Âyears using speleothems from Pyrenean caves (NE Spain). Climate of the Past, 2024, 20, 467-494.	3.4	0

CITATION REPORT