

# The Lhasa Terrane: Record of a microcontinent and its

Earth and Planetary Science Letters

301, 241-255

DOI: [10.1016/j.epsl.2010.11.005](https://doi.org/10.1016/j.epsl.2010.11.005)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Restoration of Cenozoic deformation in Asia and the size of Greater India. <i>Tectonics</i> , 2011, 30, .	1.3	224
2	India's hidden inputs to Tibetan orogeny revealed by Hf isotopes of Transhimalayan zircons and host rocks. <i>Earth and Planetary Science Letters</i> , 2011, 307, 479-486.	1.8	192
3	Origin and evolution of multi-stage felsic melts in eastern Gangdese belt: Constraints from U-Pb zircon dating and Hf isotopic composition. <i>Lithos</i> , 2011, 127, 54-67.	0.6	69
4	Lhasa terrane in southern Tibet came from Australia. <i>Geology</i> , 2011, 39, 727-730.	2.0	430
5	Identification of Early Carboniferous Granitoids from Southern Tibet and Implications for Terrane Assembly Related to the Paleo-Tethyan Evolution. <i>Journal of Geology</i> , 2012, 120, 531-541.	0.7	60
6	Coupled U-Pb dating and Hf isotopic analysis of detrital zircon of modern river sand from the Yalu River (Yarlung Tsangpo) drainage system in southern Tibet: Constraints on the transport processes and evolution of Himalayan rivers. <i>Bulletin of the Geological Society of America</i> , 2012, 124, 1449-1473.	1.6	69
7	Decoupling of U-Pb and Lu-Hf isotopes and trace elements in zircon from the UHP North Qaidam orogen, NE Tibet (China): Tracing the deep subduction of continental blocks. <i>Lithos</i> , 2012, 155, 125-145.	0.6	66
8	Cambrian bimodal volcanism in the Lhasa Terrane, southern Tibet: Record of an early Paleozoic Andean-type magmatic arc in the Australian proto-Tethyan margin. <i>Chemical Geology</i> , 2012, 328, 290-308.	1.4	288
9	Metamorphic chemical geodynamics in continental subduction zones. <i>Chemical Geology</i> , 2012, 328, 5-48.	1.4	488
10	The making of Gondwana: Discovery of 650 Ma HP granulites from the North Lhasa, Tibet. <i>Precambrian Research</i> , 2012, 212-213, 107-116.	1.2	84
11	Temporal-spatial distribution and tectonic implications of the batholiths in the Gaoligong-Tengliang-Yingjiang area, western Yunnan: Constraints from zircon U-Pb ages and Hf isotopes. <i>Journal of Asian Earth Sciences</i> , 2012, 53, 151-175.	1.0	170
12	Magmatic zircons from I-, S- and A-type granitoids in Tibet: Trace element characteristics and their application to detrital zircon provenance study. <i>Journal of Asian Earth Sciences</i> , 2012, 53, 59-66.	1.0	95
13	Early Eocene crustal thickening in southern Tibet: New age and geochemical constraints from the Gangdese batholith. <i>Journal of Asian Earth Sciences</i> , 2012, 53, 82-95.	1.0	160
14	Tectonic evolution of the Qinghai-Tibet Plateau. <i>Journal of Asian Earth Sciences</i> , 2012, 53, 3-14.	1.0	633
15	Geochemical and Sr-Nd isotopic characteristics of Cretaceous to Paleocene granitoids and volcanic rocks, SE Tibet: Petrogenesis and tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2012, 53, 131-150.	1.0	71
16	Zircon U-Pb ages in Myanmar: Magmatic-metamorphic events and the closure of a neo-Tethys ocean?. <i>Journal of Asian Earth Sciences</i> , 2012, 56, 1-23.	1.0	256
17	New interpretation of tectonic model in south Tibet. <i>Journal of Asian Earth Sciences</i> , 2012, 56, 147-159.	1.0	16
18	LA-ICP-MS Zircon U-Pb Dating of Intermediate-Acidic Intrusive Rocks and Molybdenite Re-Os Dating from the Bangpu Mo (Cu) Deposit, Tibet and its Geological Implication. <i>Acta Geologica Sinica</i> , 2012, 86, 1225-1240.	0.8	10

#	ARTICLE	IF	CITATIONS
19	Late Mesozoic tectonic evolution and growth of the Tibetan plateau prior to the Indo-Asian collision. <i>Earth-Science Reviews</i> , 2012, 114, 236-249.	4.0	388
20	Tectonostratigraphy and provenance of an accretionary complex within the Yarlung Zangpo suture zone, southern Tibet: Insights into subduction-accretion processes in the Neo-Tethys. <i>Tectonophysics</i> , 2012, 574-575, 181-192.	0.9	131
21	Origin of Late Oligocene adakitic intrusives in the southeastern Lhasa terrane: Evidence from in situ zircon U-Pb dating, Hf-O isotopes, and whole-rock geochemistry. <i>Lithos</i> , 2012, 148, 296-311.	0.6	96
22	Tectonic Evolution of the Amdo Terrane, Central Tibet: Petrochemistry and Zircon U-Pb Geochronology. <i>Journal of Geology</i> , 2012, 120, 431-451.	0.7	95
23	Petrogenesis and Geological Implications of the Oligocene Chongmuda-Mingze Adakite-Like Intrusions and Their Mafic Enclaves, Southern Tibet. <i>Journal of Geology</i> , 2012, 120, 647-669.	0.7	70
24	Geochemistry of Miocene trachytes in Bugasi, Lhasa block, Tibetan Plateau: Mixing products between mantle- and crust-derived melts?. <i>Gondwana Research</i> , 2012, 21, 112-122.	3.0	40
25	Crustal thickening prior to 38 Ma in southern Tibet: Evidence from lower crust-derived adakitic magmatism in the Gangdese Batholith. <i>Gondwana Research</i> , 2012, 21, 88-99.	3.0	225
26	Revision of the Cretaceous-Paleogene stratigraphic framework, facies architecture and provenance of the Xigaze forearc basin along the Yarlung Zangbo suture zone. <i>Gondwana Research</i> , 2012, 22, 415-433.	3.0	121
27	The Indus-Yarlung Zangbo ophiolites from Nanga Parbat to Namche Barwa syntaxes, southern Tibet: First synthesis of petrology, geochemistry, and geochronology with incidences on geodynamic reconstructions of Neo-Tethys. <i>Gondwana Research</i> , 2012, 22, 377-397.	3.0	360
28	New paleomagnetic results of the early Permian in the Xainza area, Tibetan Plateau and their paleogeographical implications. <i>Gondwana Research</i> , 2012, 22, 447-460.	3.0	39
29	Late Cretaceous-Palaeogene stratigraphic and basin evolution in the Zhepure Mountain of southern Tibet: implications for the timing of India-Asia initial collision. <i>Basin Research</i> , 2012, 24, 520-543.	1.3	116
30	Eocene high grade metamorphism and crustal anatexis in the North Himalaya Gneiss Domes, Southern Tibet. <i>Science Bulletin</i> , 2012, 57, 639-650.	1.7	34
31	Petrogenesis of Early to Middle Jurassic granitoid rocks from the Gangdese belt, Southern Tibet: Implications for early history of the Neo-Tethys. <i>Lithos</i> , 2013, 179, 320-333.	0.6	112
32	Cambrian volcanism in the Lhasa terrane, southern Tibet: Record of an early Paleozoic Andean-type magmatic arc along the Gondwana proto-Tethyan margin. <i>Journal of Asian Earth Sciences</i> , 2013, 77, 91-107.	1.0	88
33	Early Mesozoic metamorphism and tectonic significance of the eastern segment of the Lhasa terrane, south Tibet. <i>Journal of Asian Earth Sciences</i> , 2013, 78, 160-183.	1.0	22
34	Pan-African and early Paleozoic tectonothermal events in the Nyainrong microcontinent: Constraints from geochronology and geochemistry. <i>Science China Earth Sciences</i> , 2013, 56, 2066-2079.	2.3	29
35	Continental collision zones are primary sites for net continental crust growth – A testable hypothesis. <i>Earth-Science Reviews</i> , 2013, 127, 96-110.	4.0	245
36	Linking a prolonged Neo-Tethyan magmatic arc in South Asia: Zircon U-Pb and Hf isotopic constraints from the Lohit Batholith, NE India. <i>Terra Nova</i> , 2013, 25, 453-458.	0.9	48

#	ARTICLE	IF	CITATIONS
37	Exhumation History of the Gangdese Batholith, Southern Tibetan Plateau: Evidence from Apatite and Zircon (U-Th)/He Thermochronology. <i>Journal of Geology</i> , 2013, 121, 155-172.	0.7	64
38	Multiple metamorphic events revealed by zircons from the Diancang Shan~Ailao Shan metamorphic complex, southeastern Tibetan Plateau. <i>Gondwana Research</i> , 2013, 24, 429-450.	3.0	81
39	The origin and pre-Cenozoic evolution of the Tibetan Plateau. <i>Gondwana Research</i> , 2013, 23, 1429-1454.	3.0	1,045
40	Early Late Cretaceous (ca. 93Ma) norites and hornblendites in the Milin area, eastern Gangdese: Lithosphere~asthenosphere interaction during slab roll-back and an insight into early Late Cretaceous (ca. 100~80Ma) magmatic ~ceflare-up~in southern Lhasa (Tibet). <i>Lithos</i> , 2013, 172-173, 17-30.	0.6	129
41	Late Cretaceous crustal growth in the Gangdese area, southern Tibet: Petrological and Sr~Nd~Hf~O isotopic evidence from Zhengga diorite~gabbro. <i>Chemical Geology</i> , 2013, 349-350, 54-70.	1.4	132
42	Late Cretaceous (100~89Ma) magnesian charnockites with adakitic affinities in the Milin area, eastern Gangdese: Partial melting of subducted oceanic crust and implications for crustal growth in southern Tibet. <i>Lithos</i> , 2013, 175-176, 315-332.	0.6	139
43	Compositional diversity of ca. 110 Ma magmatism in the northern Lhasa Terrane, Tibet: Implications for the magmatic origin and crustal growth in a continent~continent collision zone. <i>Lithos</i> , 2013, 168-169, 144-159.	0.6	162
44	Precambrian evolution of the Lhasa terrane, Tibet: Constraint from the zircon U~Pb geochronology of the gneisses. <i>Precambrian Research</i> , 2013, 237, 64-77.	1.2	53
45	Late Cretaceous (~81Ma) high-temperature metamorphism in the southeastern Lhasa terrane: Implication for the Neo-Tethys ocean ridge subduction. <i>Tectonophysics</i> , 2013, 608, 112-126.	0.9	67
46	Geochronology and geochemistry of Mesoproterozoic granitoids in the Lhasa terrane, south Tibet: Implications for the early evolution of Lhasa terrane. <i>Precambrian Research</i> , 2013, 236, 46-58.	1.2	52
47	Rapid forearc spreading between 130 and 120Ma: Evidence from geochronology and geochemistry of the Xigaze ophiolite, southern Tibet. <i>Lithos</i> , 2013, 172-173, 1-16.	0.6	176
48	A review of Permian stratigraphy, palaeobiogeography and palaeogeography of the Qinghai~Tibet Plateau. <i>Gondwana Research</i> , 2013, 24, 55-76.	3.0	173
49	Rapid Eocene erosion, sedimentation and burial in the eastern Himalayan syntaxis and its geodynamic significance. <i>Gondwana Research</i> , 2013, 23, 715-725.	3.0	31
50	Dating the India~Eurasia collision through arc magmatic records. <i>Earth and Planetary Science Letters</i> , 2013, 366, 163-175.	1.8	320
51	Gondwana dispersion and Asian accretion: Tectonic and palaeogeographic evolution of eastern Tethys. <i>Journal of Asian Earth Sciences</i> , 2013, 66, 1-33.	1.0	1,497
52	Heterogeneous sources of the Triassic granitoid plutons in the southern Qinling orogen: An E~W tectonic division in central China. <i>Tectonics</i> , 2013, 32, 396-416.	1.3	37
53	Magmatic evolution and crustal recycling for Neoproterozoic strongly peraluminous granitoids from southern China: Hf and O isotopes in zircon. <i>Earth and Planetary Science Letters</i> , 2013, 366, 71-82.	1.8	190
54	U-Pb zircon geochronology of major lithologic units in the eastern Himalaya: Implications for the origin and assembly of Himalayan rocks. <i>Bulletin of the Geological Society of America</i> , 2013, 125, 499-522.	1.6	99

#	ARTICLE	IF	CITATIONS
55	Building of the Deep Gangdese Arc, South Tibet: Paleocene Plutonism and Granulite-Facies Metamorphism. <i>Journal of Petrology</i> , 2013, 54, 2547-2580.	1.1	111
56	Zircon U-Pb Age and Geochemistry of Rhyolite in Jianshui, Yunnan and Its Geological Implications. <i>Acta Geologica Sinica</i> , 2013, 87, 227-295.	0.8	7
57	Evidence for constriction and Pliocene acceleration of east-west extension in the North Lunggar rift region of west central Tibet. <i>Tectonics</i> , 2013, 32, 1454-1479.	1.3	49
58	Structural and Tectonic Framework of the Qilian Shan-Nan Shan Thrust belt, Northeastern Tibetan Plateau. <i>Acta Geologica Sinica</i> , 2013, 87, 1-111.	0.8	28
59	Upper Oligocene-Lower Miocene Gangrinboche Conglomerate in the Xigaze Area, Southern Tibet: Implications for Himalayan Uplift and Paleo-Yarlung-Zangbo Initiation. <i>Journal of Geology</i> , 2013, 121, 425-444.	0.7	52
60	Petrogenesis and tectonic setting of the Queershan composite granitic pluton, eastern Tibetan Plateau: Constraints from geochronology, geochemistry and Hf isotope data. <i>Science China Earth Sciences</i> , 2014, 57, 2712-2725.	2.3	13
61	Zircon U-Pb and Hf isotopic constraints on the onset time of India-Asia collision. <i>Numerische Mathematik</i> , 2014, 314, 548-579.	0.7	203
62	Zircon xenocrysts in Tibetan ultrapotassic magmas: Imaging the deep crust through time. <i>Geology</i> , 2014, 42, 43-46.	2.0	85
63	Southern Tibetan Oligocene-Miocene adakites: A record of Indian slab tearing. <i>Lithos</i> , 2014, 210-211, 209-223.	0.6	62
64	Origin of the Miocene porphyries and their mafic microgranular enclaves from Dabu porphyry Cu-Mo deposit, southern Tibet: implications for magma mixing/mingling and mineralization. <i>International Geology Review</i> , 2014, 56, 571-595.	1.1	32
65	Continental dynamics in a multi-convergent regime: a receiver function study from the North-South-Trending Tectonic Zone of China. <i>International Geology Review</i> , 2014, 56, 525-536.	1.1	10
66	The Petrology, Geochemistry, and Petrogenesis of E-MORB-type Mafic Rocks from the Guomangco Ophiolitic Massif, Tibet. <i>Acta Geologica Sinica</i> , 2014, 88, 1437-1453.	0.8	8
67	Subduction of the Bangong-Nujiang Ocean: constraints from granites in the Bangong Co area, Tibet. <i>Geological Journal</i> , 2014, 49, 188-206.	0.6	129
68	Petrogenesis of Kejie Granite in the Northern Changning-Menglian Zone, Western Yunnan: Constraints from Zircon U-Pb Geochronology, Geochemistry and Hf Isotope. <i>Acta Geologica Sinica</i> , 2014, 88, 754-765.	0.8	8
71	Late Cretaceous magmatism in Mamba area, central Lhasa subterrane: Products of back-arc extension of Neo-Tethyan Ocean?. <i>Gondwana Research</i> , 2014, 26, 505-520.	3.0	51
72	Transition from oceanic to continental lithosphere subduction in southern Tibet: Evidence from the Late Cretaceous-Early Oligocene (~91-30Ma) intrusive rocks in the Chanang-Zedong area, southern Gangdese. <i>Lithos</i> , 2014, 196-197, 213-231.	0.6	111
73	Geochronology, geochemistry, and zircon Hf isotopic compositions of Mesozoic intermediate-felsic intrusions in central Tibet: Petrogenetic and tectonic implications. <i>Lithos</i> , 2014, 198-199, 77-91.	0.6	200
74	Geology, geochemistry and geochronology of the Jiaojiguanliangzi Fe-polymetallic deposit, Tengchong County, Western Yunnan (China): Regional tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2014, 81, 142-152.	1.0	50

#	ARTICLE	IF	CITATIONS
75	Zedong terrane revisited: An intra-oceanic arc within Neo-Tethys or a part of the Asian active continental margin?. <i>Journal of Asian Earth Sciences</i> , 2014, 80, 34-55.	1.0	78
76	Multiple mineralization events at the Jiru porphyry copper deposit, southern Tibet: Implications for Eocene and Miocene magma sources and resource potential. <i>Journal of Asian Earth Sciences</i> , 2014, 79, 842-857.	1.0	94
77	Postcollisional potassic and ultrapotassic rocks in southern Tibet: Mantle and crustal origins in response to India-Asia collision and convergence. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 143, 207-231.	1.6	187
78	Geochronology and geochemistry of the Sangri Group Volcanic Rocks, Southern Lhasa Terrane: Implications for the early subduction history of the Neo-Tethys and Gangdese Magmatic Arc. <i>Lithos</i> , 2014, 200-201, 157-168.	0.6	177
79	Petrology, geochemistry and geochronology of gabbros from the Zhongcang ophiolitic mélange, central Tibet: Implications for an intra-oceanic subduction zone within the Neo-Tethys Ocean. <i>Journal of Earth Science (Wuhan, China)</i> , 2014, 25, 224-240.	1.1	40
80	Geochronology and geochemistry of Late Cretaceous igneous intrusions and Mo-Cu (W) mineralization in the southern Yidun Arc, SW China: Implications for metallogensis and geodynamic setting. <i>Ore Geology Reviews</i> , 2014, 61, 73-95.	1.1	79
81	Correlation between magmatism of the Ladakh Batholith and plate convergence rates during the India-Eurasia collision. <i>Gondwana Research</i> , 2014, 26, 1051-1059.	3.0	38
82	Petrogenesis of Cretaceous adakite-like intrusions of the Gangdese Plutonic Belt, southern Tibet: Implications for mid-ocean ridge subduction and crustal growth. <i>Lithos</i> , 2014, 190-191, 240-263.	0.6	107
83	The Gangdese magmatic constraints on a latest Cretaceous lithospheric delamination of the Lhasa terrane, southern Tibet. <i>Lithos</i> , 2014, 210-211, 168-180.	0.6	95
84	Zircon U-Pb ages, geochemistry, and Sr-Nd-Pb-Hf isotopic compositions of the Pinghe pluton, Southwest China: implications for the evolution of the early Palaeozoic Proto-Tethys in Southeast Asia. <i>International Geology Review</i> , 2014, 56, 885-904.	1.1	28
85	Geochemical and Sr-Nd-Pb-Os isotopic compositions of Miocene ultrapotassic rocks in southern Tibet: Petrogenesis and implications for the regional tectonic history. <i>Lithos</i> , 2014, 208-209, 237-250.	0.6	42
86	Geology and Geochronology of the Xietongmen (Xiongcu) Cu-Au Porphyry District, Southern Tibet, China. <i>Economic Geology</i> , 2014, 109, 1967-2001.	1.8	51
87	Increasing Magmatic Oxidation State from Paleocene to Miocene in the Eastern Gangdese Belt, Tibet: Implication for Collision-Related Porphyry Cu-Mo-Au Mineralization. <i>Economic Geology</i> , 2014, 109, 1943-1965.	1.8	179
88	Increased Magmatic Water Content-The Key to Oligo-Miocene Porphyry Cu-Mo-Au Formation in the Eastern Gangdese Belt, Tibet. <i>Economic Geology</i> , 2014, 109, 1315-1339.	1.8	179
89	Eocene supra-subduction zone mafic magmatism in the Sibumasu Block of SW Yunnan: Implications for Neotethyan subduction and India-Asia collision. <i>Lithos</i> , 2014, 206-207, 384-399.	0.6	41
90	Petrogenesis of Late Cretaceous I-type granites in the southern Yidun Terrane: New constraints on the Late Mesozoic tectonic evolution of the eastern Tibetan Plateau. <i>Lithos</i> , 2014, 208-209, 202-219.	0.6	70
91	Petrogenesis of the Ramba leucogranite in the Tethyan Himalaya and constraints on the channel flow model. <i>Lithos</i> , 2014, 208-209, 118-136.	0.6	147
92	Northward subduction of Bangong-Nujiang Tethys: Insight from Late Jurassic intrusive rocks from Bangong Tso in western Tibet. <i>Lithos</i> , 2014, 205, 284-297.	0.6	140

#	ARTICLE	IF	CITATIONS
93	Origin of the ca. 90 Ma magnesia-rich volcanic rocks in SE Nyima, central Tibet: Products of lithospheric delamination beneath the Lhasa-Qiangtang collision zone. <i>Lithos</i> , 2014, 198-199, 24-37.	0.6	106
94	Magmatic evolution of the Western Myanmar Arc documented by U–Pb and Hf isotopes in detrital zircon. <i>Tectonophysics</i> , 2014, 612-613, 97-105.	0.9	84
95	Collision-related genesis of the Sharang porphyry molybdenum deposit, Tibet: Evidence from zircon U–Pb ages, Re–Os ages and Lu–Hf isotopes. <i>Ore Geology Reviews</i> , 2014, 56, 312-326.	1.1	79
96	Metamorphism and tectonic evolution of the Lhasa terrane, Central Tibet. <i>Gondwana Research</i> , 2014, 25, 170-189.	3.0	206
97	Himalayan detrital chromian spinels and timing of Indus-Yarlung ophiolite erosion. <i>Tectonophysics</i> , 2014, 621, 60-68.	0.9	33
98	Petrogenesis of the Early Eocene adakitic rocks in the Napuri area, southern Lhasa: Partial melting of thickened lower crust during slab break-off and implications for crustal thickening in southern Tibet. <i>Lithos</i> , 2014, 196-197, 321-338.	0.6	79
99	U–Pb zircon chronology, geochemical and Sr–Nd isotopic composition of Mesozoic–Cenozoic granitoids in the SE Lhasa terrane: Petrogenesis and tectonic implications. <i>Lithos</i> , 2014, 192-195, 142-157.	0.6	22
100	Metagabbros of the Gangdese arc root, south Tibet: Implications for the growth of continental crust. <i>Geochimica Et Cosmochimica Acta</i> , 2014, 143, 268-284.	1.6	96
101	Petrogenesis of the early Eocene I-type granites in west Yingjiang (SW Yunnan) and its implication for the eastern extension of the Gangdese batholiths. <i>Gondwana Research</i> , 2014, 25, 401-419.	3.0	75
102	Triassic three-stage collision in the Paleo-Tethys: Constraints from magmatism in the Jiangda–Deqen–Weixi continental margin arc, SW China. <i>Gondwana Research</i> , 2014, 26, 475-491.	3.0	72
103	Slab breakoff triggered ca. 113Ma magmatism around Xainza area of the Lhasa Terrane, Tibet. <i>Gondwana Research</i> , 2014, 26, 449-463.	3.0	148
104	Nature and evolution of the Neo-Tethys in central Tibet: synthesis of ophiolitic petrology, geochemistry, and geochronology. <i>International Geology Review</i> , 2014, 56, 1072-1096.	1.1	68
105	Antecedence of the Yarlung–Siang–Brahmaputra River, eastern Himalaya. <i>Earth and Planetary Science Letters</i> , 2014, 397, 145-158.	1.8	87
106	Late Paleozoic intrusive rocks from the southeastern Lhasa terrane, Tibetan Plateau, and their Late Mesozoic metamorphism and tectonic implications. <i>Lithos</i> , 2014, 198-199, 249-262.	0.6	41
107	Large rivers and orogens: The evolution of the Yarlung Tsangpo–Irrawaddy system and the eastern Himalayan syntaxis. <i>Gondwana Research</i> , 2014, 26, 112-121.	3.0	128
108	Jurassic tectonostratigraphic evolution of the Junggar basin, NW China: A record of Mesozoic intraplate deformation in Central Asia. <i>Tectonics</i> , 2015, 34, 86-115.	1.3	86
109	Late Jurassic–Early Cretaceous continental convergence and intracontinental orogenesis in East Asia: A synthesis of the Yanshan Revolution. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 750-770.	1.0	180
110	Sedimentology, provenance and geochronology of the upper Cretaceous–lower Eocene western Xigaze forearc basin, southern Tibet. <i>Basin Research</i> , 2015, 27, 387-411.	1.3	130

#	ARTICLE	IF	CITATIONS
111	Late Cretaceous back-arc extension and arc system evolution in the Gangdese area, southern Tibet: Geochronological, petrological, and Sr-Nd-Hf isotopic evidence from Dagze diabases. <i>Journal of Geophysical Research: Solid Earth</i> , 2015, 120, 6159-6181.	1.4	68
112	Os-Nd-Sr isotopes in Miocene ultrapotassic rocks of southern Tibet: Partial melting of a pyroxenite-bearing lithospheric mantle?. <i>Geochimica Et Cosmochimica Acta</i> , 2015, 163, 279-298.	1.6	53
113	Late Triassic island-arc-back-arc basin development along the Bangong-Nujiang suture zone (central) Tj ETQq 0 0 0 rgBT /Overlock 30-45.	0.6	63
114	Kinematics of the Tengchong Terrane in SE Tibet from the late Eocene to early Miocene: Insights from coeval mid-crustal detachments and strike-slip shear zones. <i>Tectonophysics</i> , 2015, 665, 127-148.	0.9	101
115	Reworking of the Gangdese magmatic arc, southeastern Tibet: post-collisional metamorphism and anatexis. <i>Journal of Metamorphic Geology</i> , 2015, 33, 1-21.	1.6	54
116	High-Mg Diorite from Qulong in Southern Tibet: Implications for the Genesis of Adakite-like Intrusions and Associated Porphyry Cu Deposits in Collisional Orogens. <i>Journal of Petrology</i> , 2015, 56, 227-254.	1.1	193
117	Early-Cretaceous highly fractionated I-type granites from the northern Tengchong block, western Yunnan, SW China: Petrogenesis and tectonic implications. <i>Journal of Asian Earth Sciences</i> , 2015, 100, 145-163.	1.0	85
118	A tectonic model reconciling evidence for the collisions between India, Eurasia and intra-oceanic arcs of the central-eastern Tethys. <i>Gondwana Research</i> , 2015, 28, 451-492.	3.0	165
119	The Brahmaputra tale of tectonics and erosion: Early Miocene river capture in the Eastern Himalaya. <i>Earth and Planetary Science Letters</i> , 2015, 415, 25-37.	1.8	105
120	Multi-stage volcanic activities and geodynamic evolution of the Lhasa terrane during the Cretaceous: Insights from the Xigaze forearc basin. <i>Lithos</i> , 2015, 218-219, 127-140.	0.6	31
121	Geochemical differences between subduction- and collision-related copper-bearing porphyries and implications for metallogenesis. <i>Ore Geology Reviews</i> , 2015, 70, 424-437.	1.1	25
122	Late Triassic Batang Group arc volcanic rocks in the northeastern margin of Qiangtang terrane, northern Tibet: partial melting of juvenile crust and implications for Paleo-Tethys ocean subduction. <i>International Journal of Earth Sciences</i> , 2015, 104, 369-387.	0.9	29
123	A short-lived but significant Mongol-Okhotsk collisional orogeny in latest Jurassic-earliest Cretaceous. <i>Gondwana Research</i> , 2015, 28, 1096-1116.	3.0	157
124	Metallogenesis and the minerogenetic series in the Gangdese polymetallic copper belt. <i>Journal of Asian Earth Sciences</i> , 2015, 103, 23-39.	1.0	49
125	Origin of the ore-forming fluids and metals of the Bangpu porphyry Mo-Cu deposit of Tibet, China: Constraints from He-Ar, H-O, S and Pb isotopes. <i>Journal of Asian Earth Sciences</i> , 2015, 103, 276-287.	1.0	32
126	Geological characteristics and genesis of the Jurassic No. 1 porphyry Cu-Au deposit in the Xiongkun district, Gangdese porphyry copper belt, Tibet. <i>Ore Geology Reviews</i> , 2015, 70, 438-456.	1.1	94
127	Zircon U-Pb ages and geochemical characteristics of granitoids in Nagqu area, Tibet. <i>Lithos</i> , 2015, 231, 92-102.	0.6	28
128	Tracing the Transhimalayan magmatic belt and the Lhasa block southward using zircon U-Pb, Lu-Hf isotopic and geochemical data: Cretaceous - Cenozoic granitoids in the Tengchong block, Yunnan, China. <i>Journal of Asian Earth Sciences</i> , 2015, 110, 170-188.	1.0	57



#	ARTICLE	IF	CITATIONS
129	Late Cretaceous high-Mg# granitoids in southern Tibet: Implications for the early crustal thickening and tectonic evolution of the Tibetan Plateau?. <i>Lithos</i> , 2015, 232, 12-22.	0.6	48
130	Late Cretaceous evolution of the Coqen Basin (Lhasa terrane) and implications for early topographic growth on the Tibetan Plateau. <i>Bulletin of the Geological Society of America</i> , 0, B31137.1.	1.6	16
131	Adakite-like geochemical signature produced by amphibole-dominated fractionation of arc magmas: An example from the Late Cretaceous magmatism in Gangdese belt, south Tibet. <i>Lithos</i> , 2015, 232, 197-210.	0.6	91
132	The role of Indian and Tibetan lithosphere in spatial distribution of Cenozoic magmatism and porphyry Cu-Mo deposits in the Gangdese belt, southern Tibet. <i>Earth-Science Reviews</i> , 2015, 150, 68-94.	4.0	118
133	Petrology, geochemistry, and geochronology of boninitic dikes from the Kangqiong ophiolite: implications for the Early Cretaceous evolution of Bangong-Nujiang Neo-Tethys Ocean in Tibet. <i>International Geology Review</i> , 2015, 57, 2028-2043.	1.1	57
134	Lithospheric Architecture of the Lhasa Terrane and Its Control on Ore Deposits in the Himalayan-Tibetan Orogen. <i>Economic Geology</i> , 2015, 110, 1541-1575.	1.8	374
135	Zircon U-Pb age and Sr-Nd-Hf-O isotope geochemistry of the Paleocene-Eocene igneous rocks in western Gangdese: Evidence for the timing of Neo-Tethyan slab breakoff. <i>Lithos</i> , 2015, 224-225, 179-194.	0.6	71
136	Petrogenesis and tectonic setting of Triassic granitoids in the Qiangtang terrane, central Tibet: Evidence from U-Pb ages, petrochemistry and Sr-Nd-Hf isotopes. <i>Journal of Asian Earth Sciences</i> , 2015, 105, 443-455.	1.0	49
137	Metallogeny of the northeastern Gangdese Pb-Zn-Ag-Fe-Mo-W polymetallic belt in the Lhasa terrane, southern Tibet. <i>Ore Geology Reviews</i> , 2015, 70, 510-532.	1.1	76
138	Litho-geochemical, Re-Os and U-Pb Geochronological, Hf-Lu and S-Pb Isotope Data of the G-a'erqiong Galale Cu-Au Concentrated Area: Evidence for the Late Cretaceous Magmatism and Metallogenic Event in the Bangong-Nujiang Suture	0.3	33
139	Fluid flux melting generated postcollisional high Sr/Y copper ore-forming water-rich magmas in Tibet. <i>Geology</i> , 2015, 43, 583-586.	2.0	177
140	Zircon U-Pb geochronology and geochemistry of Late Cretaceous-early Eocene granodiorites in the southern Gangdese batholith of Tibet: petrogenesis and implications for geodynamics and Cu-Au-Mo mineralization. <i>International Geology Review</i> , 2015, 57, 373-392.	1.1	32
141	The exhumation history of collision-related mineralizing systems in Tibet: Insights from thermal studies of the Sharang and Yaguila deposits, central Lhasa. <i>Ore Geology Reviews</i> , 2015, 65, 1043-1061.	1.1	36
142	Zircon U-Pb, Molybdenite Re-Os and K-feldspar <sup>40</sup> Ar/ <sup>39</sup> Ar Dating of the Bolog Porphyry Cu-Au Deposit, Tibet, China. <i>Resource Geology</i> , 2015, 65, 122-135.	0.3	29
143	Thickened juvenile lower crust-derived ~ 90 Ma adakitic rocks in the central Lhasa terrane, Tibet. <i>Lithos</i> , 2015, 224-225, 225-239.	0.6	65
144	Geochronology, petrogenesis and tectonic implications of the Jurassic Namco-Renco ophiolites, Tibet. <i>International Geology Review</i> , 2015, 57, 508-528.	1.1	35
145	The Longmala and Mengya skarn Pb-Zn deposits, Gangdese region, Tibet: evidence from U-Pb and Re-Os geochronology for formation during early India-Asia collision. <i>International Geology Review</i> , 2015, 57, 1825-1842.	1.1	36
146	Eocene magmatic processes and crustal thickening in southern Tibet: Insights from strongly fractionated ca. 43Ma granites in the western Gangdese Batholith. <i>Lithos</i> , 2015, 239, 128-141.	0.6	52

#	ARTICLE	IF	CITATIONS
147	Geochronology and Geochemistry of the Subduction-related Rocks with High Sr/Y Ratios in the Zedong Area: Implications for the Magmatism in Southern Lhasa Terrane during Late Cretaceous. <i>Acta Geologica Sinica</i> , 2015, 89, 351-368.	0.8	13
148	Geochronology and Geochemistry of the Late Cretaceous to Paleocene Intrusions in East Gangdese, Lhasa, Tibet and Their Tectonic Significances. <i>Acta Geologica Sinica</i> , 2015, 89, 441-466.	0.8	11
149	Paleomagnetism of Upper Cretaceous red-beds from the eastern Qiangtang Block: Clockwise rotations and latitudinal translation during the India-Asia collision. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 732-749.	1.0	41
150	A new geochemical perspective on hydrochemical evolution of the Tibetan geothermal system. <i>Geochemistry International</i> , 2015, 53, 1090-1106.	0.2	13
151	Late Cretaceous tectonic framework of the Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2015, 114, 693-703.	1.0	13
152	Tectonic, magmatic, and metallogenic evolution of the Tethyan orogen: From subduction to collision. <i>Ore Geology Reviews</i> , 2015, 70, 323-345.	1.1	257
153	The Mesozoic metamorphic-magmatic events in the Medog area, the Eastern Himalayan Syntaxis: constraints from zircon U-Pb geochronology, trace elements and Hf isotope compositions in granitoids. <i>International Journal of Earth Sciences</i> , 2015, 104, 61-74.	0.9	6
154	Zircon U-Pb ages, geochemistry, and Sr-Nd-Pb-Hf isotopes of the Nuri intrusive rocks in the Gangdese area, southern Tibet: Constraints on timing, petrogenesis, and tectonic transformation. <i>Lithos</i> , 2015, 212-215, 379-396.	0.6	59
155	Early Cretaceous (100-105 Ma) Adakitic magmatism in the Dachagou area, northern Lhasa terrane, Tibet: implications for the Bangong-Nujiang Ocean subduction and slab break-off. <i>International Geology Review</i> , 2015, 57, 1172-1188.	1.1	36
156	Cambrian ultrapotassic rhyolites from the Lhasa terrane, south Tibet: Evidence for Andean-type magmatism along the northern active margin of Gondwana. <i>Gondwana Research</i> , 2015, 27, 1616-1629.	3.0	81
157	Late Triassic granitic magmatism in the Eastern Qiangtang, Eastern Tibetan Plateau: Geochronology, petrogenesis and implications for the tectonic evolution of the Paleo-Tethys. <i>Gondwana Research</i> , 2015, 27, 1494-1508.	3.0	87
158	Geochronological and geochemical constraints on the petrogenesis of Early Eocene metagabbroic rocks in Nabang (SW Yunnan) and its implications on the Neotethyan slab subduction. <i>Gondwana Research</i> , 2015, 27, 1474-1486.	3.0	57
159	Early Eocene sedimentary recycling in the Kailas area, southwestern Tibet: Implications for the initial India-Asia collision. <i>Sedimentary Geology</i> , 2015, 315, 1-13.	1.0	21
160	Early Cretaceous adakitic magmatism in the Dachagou area, northern Lhasa terrane, Tibet: Implications for slab roll-back and subsequent slab break-off of the lithosphere of the Bangong-Nujiang Ocean. <i>Journal of Asian Earth Sciences</i> , 2015, 97, 51-66.	1.0	82
161	Paleogene carbonate microfacies and sandstone provenance (Gamba area, South Tibet): Stratigraphic response to initial India-Asia continental collision. <i>Journal of Asian Earth Sciences</i> , 2015, 104, 39-54.	1.0	38
162	Mesozoic litho- and magneto-stratigraphic evidence from the central Tibetan Plateau for megamonsoon evolution and potential evaporites. <i>Gondwana Research</i> , 2016, 37, 110-129.	3.0	46
163	The genesis of the ores and intrusions at the Yuhai Cu-Mo deposit in eastern Tianshan, NW China: Constraints from geology, geochronology, geochemistry, and Hf isotope systematics. <i>Ore Geology Reviews</i> , 2016, 77, 312-331.	1.1	75
164	Petrogenesis and tectonic setting of Early Cretaceous magmatism in the Jiwa area, central Lhasa Terrane, Tibet. <i>International Geology Review</i> , 2016, 58, 1311-1323.	1.1	10

#	ARTICLE	IF	CITATIONS
165	Upper Triassic turbidites of the northern Tethyan Himalaya (Langjiexue Group): The terminal of a sediment-routing system sourced in the Gondwanide Orogen. <i>Gondwana Research</i> , 2016, 34, 84-98.	3.0	70
166	Carboniferous magmatism and mineralization in the area of the Fuxing Cu deposit, Eastern Tianshan, China: Evidence from zircon U-Pb ages, petrogeochemistry, and Sr-Nd-Hf-O isotopic compositions. <i>Gondwana Research</i> , 2016, 34, 109-128.	3.0	55
167	Paleomagnetic study on the Triassic rocks from the Lhasa Terrane, Tibet, and its paleogeographic implications. <i>Journal of Asian Earth Sciences</i> , 2016, 121, 108-119.	1.0	54
168	Middle Jurassic MORB-type gabbro, high-Mg diorite, calc-alkaline diorite and granodiorite in the Ando area, central Tibet: Evidence for a slab roll-back of the Bangong-Nujiang Ocean. <i>Lithos</i> , 2016, 264, 315-328.	0.6	30
169	Plio-Pleistocene exhumation of the eastern Himalayan syntaxis and its domal "pop-up"™. <i>Earth-Science Reviews</i> , 2016, 160, 350-385.	4.0	72
170	Paleomagnetic constraints on the Mesozoic drift of the Lhasa terrane (Tibet) from Gondwana to Eurasia. <i>Geology</i> , 2016, 44, 727-730.	2.0	118
171	The Liuqu Conglomerate, southern Tibet: Early Miocene basin development related to deformation within the Great Counter Thrust system. <i>Lithosphere</i> , 2016, 8, 427-450.	0.6	55
172	Petrogenesis of Paleocene-Eocene porphyry deposit-related granitic rocks in the Yaguila-Sharang ore district, central Lhasa terrane, Tibet. <i>Journal of Asian Earth Sciences</i> , 2016, 129, 38-53.	1.0	24
173	The timing of India-Asia collision onset " Facts, theories, controversies. <i>Earth-Science Reviews</i> , 2016, 160, 264-299.	4.0	572
174	Petrogenesis of Middle-Late Triassic volcanic rocks from the Gangdese belt, southern Lhasa terrane: Implications for early subduction of Neo-Tethyan oceanic lithosphere. <i>Lithos</i> , 2016, 262, 320-333.	0.6	177
175	Zircon U-Pb and Molybdenite Re-Os Ages of the Lakange Porphyry Cu-Mo Deposit, Gangdese Porphyry Copper Belt, Southern Tibet, China. <i>Resource Geology</i> , 2016, 66, 163-182.	0.3	12
176	Petrogenesis of Eocene granitoids and microgranular enclaves in the western Tengchong Block: Constraints on eastward subduction of the Neo-Tethys. <i>Lithos</i> , 2016, 264, 96-107.	0.6	24
177	Skarn formation and trace elements in garnet and associated minerals from Zhibula copper deposit, Gangdese Belt, southern Tibet. <i>Lithos</i> , 2016, 262, 213-231.	0.6	65
178	Basin Analysis of the Albian-Santonian Xigaze Forearc, Lazi Region, South-Central Tibet. <i>Journal of Sedimentary Research</i> , 2016, 86, 894-913.	0.8	64
179	Middle Triassic ultrapotassic rhyolites from the Tanggula Pass, southern Qiangtang, China: A previously unrecognized stage of silicic magmatism. <i>Lithos</i> , 2016, 264, 258-276.	0.6	26
180	Tectonic shortening and crustal thickening in subduction zones: Evidence from Middle-Late Jurassic magmatism in Southern Qiangtang, China. <i>Gondwana Research</i> , 2016, 39, 1-13.	3.0	50
181	Along-strike diachroneity in deposition of the Kailas Formation in central southern Tibet: Implications for Indian slab dynamics. , 2016, 12, 1198-1223.		51
182	Sediment melting during subduction initiation: Geochronological and geochemical evidence from the <scp>D</scp>arutso high<scp>M</scp>g andesites within ophiolite melange, central <scp>T</scp>ibet. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 4859-4877.	1.0	98

#	ARTICLE	IF	CITATIONS
183	Synorogenic morphotectonic evolution of the Gangdese batholith, South Tibet: Insights from low-temperature thermochronology. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 101-112.	1.0	50
184	Xenoliths in ultrapotassic volcanic rocks in the Lhasa block: direct evidence for crust-mantle mixing and metamorphism in the deep crust. <i>Contributions To Mineralogy and Petrology</i> , 2016, 171, 1.	1.2	52
185	3D imaging of subducting and fragmenting Indian continental lithosphere beneath southern and central Tibet using body-wave finite-frequency tomography. <i>Earth and Planetary Science Letters</i> , 2016, 443, 162-175.	1.8	135
186	Andesitic crustal growth via large partial melting: Evidence from Early Cretaceous arc dioritic/andesitic rocks in southern Qiangtang, central Tibet. <i>Geochemistry, Geophysics, Geosystems</i> , 2016, 17, 1641-1659.	1.0	60
187	The syn-collisional granitoid magmatism and continental crust growth in the West Kunlun Orogen, China: Evidence from geochronology and geochemistry of the Arkarz pluton. <i>Lithos</i> , 2016, 245, 191-204.	0.6	74
188	New insights into the timing of the India-Asia collision from the Paleogene Quxia and Jialazi formations of the Xigaze forearc basin, South Tibet. <i>Gondwana Research</i> , 2016, 32, 76-92.	3.0	115
189	Southward trench migration at 130-120 Ma caused accretion of the Neo-Tethyan forearc lithosphere in Tibetan ophiolites. <i>Earth and Planetary Science Letters</i> , 2016, 438, 57-65.	1.8	108
190	Late Jurassic sodium-rich adakitic intrusive rocks in the southern Qiangtang terrane, central Tibet, and their implications for the Bangong-Nujiang Ocean subduction. <i>Lithos</i> , 2016, 245, 34-46.	0.6	52
191	Linking the Tengchong Terrane in SW Yunnan with the Lhasa Terrane in southern Tibet through magmatic correlation. <i>Gondwana Research</i> , 2016, 39, 217-229.	3.0	117
192	Petrogenesis and tectonic significance of the Eocene adakite-like rocks in western Yunnan, southeastern Tibetan Plateau. <i>Lithos</i> , 2016, 245, 161-173.	0.6	36
193	Tectono-magmatic evolution of Late Jurassic to Early Cretaceous granitoids in the west central Lhasa subterrane, Tibet. <i>Gondwana Research</i> , 2016, 39, 386-400.	3.0	63
194	U-Pb zircon dating, geochemical and Sr-Nd-Hf isotopic compositions of Motuo quartz-monzonite: Implication for the genesis and diversity of the high Ba-Sr granitoids in orogenic belt. <i>Tectonophysics</i> , 2016, 668-669, 52-64.	0.9	13
195	The early-stage evolution of the Neo-Tethys ocean: Evidence from granitoids in the middle Gangdese batholith, southern Tibet. <i>Journal of Geodynamics</i> , 2016, 94-95, 34-49.	0.7	54
196	Jurassic-Cretaceous granitoids and related tectono-metallogenesis in the Zapu-Duobuza arc, western Tibet. <i>Ore Geology Reviews</i> , 2016, 77, 163-175.	1.1	47
197	Paleomagnetic data bearing on the Mesozoic deformation of the Qiangtang Block: Implications for the evolution of the Paleo- and Meso-Tethys. <i>Gondwana Research</i> , 2016, 39, 292-316.	3.0	122
198	Late Triassic paleogeographic reconstruction along the Neo-Tethyan Ocean margins, southern Tibet. <i>Earth and Planetary Science Letters</i> , 2016, 435, 105-114.	1.8	99
200	Identifying geochemical anomalies associated with Sb-Au-Pb-Zn-Ag mineralization in North Himalaya, southern Tibet. <i>Ore Geology Reviews</i> , 2016, 73, 1-12.	1.1	42
201	Late Triassic crustal growth in southern Tibet: Evidence from the Gangdese magmatic belt. <i>Gondwana Research</i> , 2016, 37, 449-464.	3.0	100

#	ARTICLE	IF	CITATIONS
202	U–Pb geochronology, geochemistry, and H–O–S–Pb isotopic compositions of the Leqingla and Xin'gaguo skarn Pb–Zn polymetallic deposits, Tibet, China. <i>Journal of Asian Earth Sciences</i> , 2016, 115, 80-96.	1.0	31
203	Geology of the Jiama porphyry copper–polymetallic system, Lhasa Region, China. <i>Ore Geology Reviews</i> , 2016, 74, 151-169.	1.1	74
204	Depositional environment and provenance of the upper Permian–Lower Triassic Tianquanshan Formation, northern Tibet: implications for the Palaeozoic evolution of the Southern Qiangtang, Lhasa, and Himalayan terranes in the Tibetan Plateau. <i>International Geology Review</i> , 2016, 58, 228-245.	1.1	30
205	Subduction metasomatism and collision-related metamorphic dehydration controls on the fertility of porphyry copper ore-forming high Sr/Y magma in Tibet. <i>Ore Geology Reviews</i> , 2016, 73, 83-103.	1.1	51
206	Melt source and evolution of I-type granitoids in the SE Tibetan Plateau: Late Cretaceous magmatism and mineralization driven by collision-induced transtensional tectonics. <i>Lithos</i> , 2016, 245, 258-273.	0.6	68
207	Gold mineralization in China: Metallogenic provinces, deposit types and tectonic framework. <i>Gondwana Research</i> , 2016, 36, 219-274.	3.0	439
208	Underplating of basaltic magmas and crustal growth in a continental arc: Evidence from Late Mesozoic intermediate–felsic intrusive rocks in southern Qiangtang, central Tibet. <i>Lithos</i> , 2016, 245, 223-242.	0.6	120
209	Geochronology, geochemistry, and Sr–Nd–Pb isotopes of Cretaceous granitoids from western Tibet: petrogenesis and tectonic implications for the evolution of the Bangong Meso-Tethys. <i>International Geology Review</i> , 2016, 58, 95-111.	1.1	18
210	Evolution of the Bangong–Nujiang Tethyan ocean: Insights from the geochronology and geochemistry of mafic rocks within ophiolites. <i>Lithos</i> , 2016, 245, 18-33.	0.6	237
211	U–Pb zircon dating, geochemical and Sr–Nd–Hf isotopic compositions of mafic intrusive rocks in the Motuo, SE Tibet constrain on their petrogenesis and tectonic implication. <i>Lithos</i> , 2016, 245, 133-146.	0.6	13
212	Late Devonian–Early Carboniferous magmatism in the Lhasa terrane and its tectonic implications: Evidences from detrital zircons in the Nyingchi Complex. <i>Lithos</i> , 2016, 245, 47-59.	0.6	32
213	Assembly of the Lhasa and Qiangtang terranes in central Tibet by divergent double subduction. <i>Lithos</i> , 2016, 245, 7-17.	0.6	432
214	Variation of molybdenum isotopes in molybdenite from porphyry and vein Mo deposits in the Gangdese metallogenic belt, Tibetan plateau and its implications. <i>Mineralium Deposita</i> , 2016, 51, 201-210.	1.7	12
215	Cospatial Eocene and Miocene granitoids from the Jiru Cu deposit in Tibet: Petrogenesis and implications for the formation of collisional and postcollisional porphyry Cu systems in continental collision zones. <i>Lithos</i> , 2016, 245, 243-257.	0.6	53
216	A syn-collisional model for Early Cretaceous magmatism in the northern and central Lhasa subterrane. <i>Gondwana Research</i> , 2017, 41, 93-109.	3.0	60
217	Early Tertiary deformation of the Zhongba–Gyangze Thrust in central southern Tibet. <i>Gondwana Research</i> , 2017, 41, 235-248.	3.0	29
218	Zircon U–Pb age and Hf isotopic compositions of Mesozoic granitoids in southern Qiangtang, Tibet: Implications for the subduction of the Bangong–Nujiang Tethyan Ocean. <i>Gondwana Research</i> , 2017, 41, 157-172.	3.0	180
219	Paleomagnetic constraints on the paleolatitude of the Lhasa block during the Early Cretaceous: Implications for the onset of India–Asia collision and latitudinal shortening estimates across Tibet and stable Asia. <i>Gondwana Research</i> , 2017, 41, 352-372.	3.0	49

#	ARTICLE	IF	CITATIONS
220	Origin of Miocene Cu-bearing porphyries in the Zhunuo region of the southern Lhasa subterrane: Constraints from geochronology and geochemistry. <i>Gondwana Research</i> , 2017, 41, 51-64.	3.0	41
221	Post-collisional potassic magmatism in the eastern Lhasa terrane, South Tibet: Products of partial melting of mafic gabbros in a continental subduction channel. <i>Gondwana Research</i> , 2017, 41, 9-28.	3.0	25
222	Metallogenesis and ore controls of Cenozoic porphyry Mo deposits in the Gangdese belt of southern Tibet. <i>Ore Geology Reviews</i> , 2017, 81, 996-1014.	1.1	37
223	Combined paleomagnetic and geochronological study on Cretaceous strata of the Qiangtang terrane, central Tibet. <i>Gondwana Research</i> , 2017, 41, 373-389.	3.0	64
224	Sandstone provenance and tectonic evolution of the Xiukang mafic gabbro from Neotethyan subduction to India-Asia collision (Yarlung-Zangbo suture, south Tibet). <i>Gondwana Research</i> , 2017, 41, 222-234.	3.0	58
225	Cretaceous magmatism and metallogeny in the Bangong-Nujiang metallogenic belt, central Tibet: Evidence from petrogeochemistry, zircon U-Pb ages, and Hf-O isotopic compositions. <i>Gondwana Research</i> , 2017, 41, 110-127.	3.0	82
226	Subduction of the Indian lower crust beneath southern Tibet revealed by the post-collisional potassic and ultrapotassic rocks in SW Tibet. <i>Gondwana Research</i> , 2017, 41, 29-50.	3.0	60
227	The evolution of Yarlung Tsangpo River: Constraints from the age and provenance of the Gangdese Conglomerates, southern Tibet. <i>Gondwana Research</i> , 2017, 41, 249-266.	3.0	36
228	Cenozoic thermo-tectonic evolution of the Gangdese batholith constrained by low-temperature thermochronology. <i>Gondwana Research</i> , 2017, 41, 451-462.	3.0	31
229	Subduction of Indian continent beneath southern Tibet in the latest Eocene (~ 35 Ma): Insights from the Quguosha gabbros in southern Lhasa block. <i>Gondwana Research</i> , 2017, 41, 77-92.	3.0	49
230	Composition and sediment dispersal pattern of the Upper Triassic flysch in the eastern Himalayas, China: significance to provenance and basin analysis. <i>International Journal of Earth Sciences</i> , 2017, 106, 1257-1276.	0.9	13
231	Petrogenesis of Late Devonian-Early Carboniferous volcanic rocks in northern Tibet: New constraints on the Paleozoic tectonic evolution of the Tethyan Ocean. <i>Gondwana Research</i> , 2017, 41, 142-156.	3.0	46
232	Detrital zircon U-Pb geochronology, trace-element and Hf isotope geochemistry of the metasedimentary rocks in the Eastern Himalayan syntaxis: Tectonic and paleogeographic implications. <i>Gondwana Research</i> , 2017, 41, 207-221.	3.0	59
233	Fluid inclusion characteristics and molybdenite Re-Os geochronology of the Qulong porphyry copper-molybdenum deposit, Tibet. <i>Mineralium Deposita</i> , 2017, 52, 137-158.	1.7	34
234	Geochronological and geochemical constraints on the origin of Yaguila Cretaceous and Palaeogene ore-bearing quartz porphyries, Central Lhasa Terrane, Tibet. <i>Geological Journal</i> , 2017, 52, 45-66.	0.6	10
235	Ages and geochemistry of the Renacuo granitoids in the Gaize area, central Tibet: implications for the northward subduction of the Bangong Suture Ocean. <i>Geological Journal</i> , 2017, 52, 14-29.	0.6	2
236	Across-arc geochemical variation in the Jurassic magmatic zone, Southern Tibet: Implication for continental arc-related porphyry Cu Au mineralization. <i>Chemical Geology</i> , 2017, 451, 116-134.	1.4	54
237	The Tethyan Himalayan detrital record shows that India-Asia terminal collision occurred by 54 Ma in the Western Himalaya. <i>Earth and Planetary Science Letters</i> , 2017, 459, 301-310.	1.8	155

#	ARTICLE	IF	CITATIONS
238	Early Mesozoic deep-crust reworking beneath the central Lhasa terrane (South Tibet): Evidence from intermediate gneiss xenoliths in granites. <i>Lithos</i> , 2017, 274-275, 225-239.	0.6	7
239	Two episodes of mineralization in the Mengyaâ€™a deposit and implications for the evolution and intensity of Pbâ€™Znâ€™(Ag) mineralization in the Lhasa terrane, Tibet. <i>Ore Geology Reviews</i> , 2017, 90, 877-896.	1.1	35
240	Two pulses of mineralization and genesis of the Zhaxikang Sbâ€™Pbâ€™Znâ€™Ag deposit in southern Tibet: Constraints from Feâ€™Zn isotopes. <i>Ore Geology Reviews</i> , 2017, 84, 347-363.	1.1	36
241	Middle-Late Jurassic tectonostratigraphic evolution of Central Asia, implications for the collision of the Karakoram-Lhasa Block with Asia. <i>Earth-Science Reviews</i> , 2017, 166, 83-110.	4.0	50
242	Geochronology and geochemistry of the Early Jurassic Yeba Formation volcanic rocks in southern Tibet: Initiation of back-arc rifting and crustal accretion in the southern Lhasa Terrane. <i>Lithos</i> , 2017, 278-281, 477-490.	0.6	89
243	Tectonic evolution, superimposed orogeny, and composite metallogenic system in China. <i>Gondwana Research</i> , 2017, 50, 216-266.	3.0	222
244	The Yarlung suture mÃ©lange, Lopu Range, southern Tibet: Provenance of sandstone blocks and transition from oceanic subduction to continental collision. <i>Gondwana Research</i> , 2017, 48, 15-33.	3.0	36
245	Early Cretaceous continental arc-related volcanic rocks in the Duobuzha area, northern Tibet: implications for evolution history of the Bangongâ€™Nuijiang Ocean. <i>International Geology Review</i> , 2017, 59, 1786-1803.	1.1	11
246	Early Jurassic metamorphism of the eastern segment of the Lhasa terrane in South Tibet and its tectonic significance. <i>International Geology Review</i> , 2017, 59, 1827-1843.	1.1	5
247	Subduction zone decoupling/retreat modeling explains south Tibet (Xigaze) and other supra-subduction zone ophiolites and their UHP mineral phases. <i>Earth and Planetary Science Letters</i> , 2017, 463, 101-117.	1.8	30
248	Evidence of magma mixing identified in the Early Eocene Caina pluton from the Gangdese Batholith, southern Tibet. <i>Lithos</i> , 2017, 278-281, 126-139.	0.6	46
249	Constraining the timing of the India-Asia continental collision by the sedimentary record. <i>Science China Earth Sciences</i> , 2017, 60, 603-625.	2.3	82
250	Episodic slab rollback and back-arc extension in the Yunnan-Burma region: Insights from Cretaceous Nb-enriched and oceanic-island basaltâ€™like mafic rocks. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 698-714.	1.6	31
251	Foraminiferal Biostratigraphy and Palaeoenvironmental Analysis of the Mid-cretaceous Limestones in the Southern Tibetan Plateau. <i>Journal of Foraminiferal Research</i> , 2017, 47, 188-207.	0.1	33
252	Alteration, mineralization, and genesis of the Lietinggangâ€™Leqingla Pbâ€™Znâ€™Feâ€™Cuâ€™Mo skarn deposit, Tibet, China. <i>Ore Geology Reviews</i> , 2017, 90, 897-912.	1.1	15
253	Early Permian mafic dikes in the Nagqu area, central Tibet, China, associated with embryonic oceanic crust of the Mesoâ€™Tethys Ocean. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 4172-4190.	1.4	47
254	Constraining quantitatively the timing and process of continent-continent collision using magmatic record: Method and examples. <i>Science China Earth Sciences</i> , 2017, 60, 1040-1056.	2.3	60
255	The origin and tectonic significance of the volcanic rocks of the Yeba Formation in the Gangdese magmatic belt, South Tibet. <i>Journal of Earth Science (Wuhan, China)</i> , 2017, 28, 265-282.	1.1	30

#	ARTICLE	IF	CITATIONS
256	Spatial and temporal radiogenic isotopic trends of magmatism in Cordilleran orogens. <i>Gondwana Research</i> , 2017, 48, 189-204.	3.0	73
257	Late Oligocene-early Miocene evolution of the Lunpola Basin, central Tibetan Plateau, evidences from successive lacustrine records. <i>Gondwana Research</i> , 2017, 48, 224-236.	3.0	32
258	Early Eocene Longmala skarn Pb-Zn-Cu deposit in Tibet, China: Geochemistry, fluid inclusions, and H-O-S-Pb isotopic compositions. <i>Ore Geology Reviews</i> , 2017, 88, 99-115.	1.1	28
259	Jurassic Hornblende Gabbros in Dongga, Eastern Gangdese, Tibet: Partial Melting of Mantle Wedge and Implications for Crustal Growth. <i>Acta Geologica Sinica</i> , 2017, 91, 545-564.	0.8	28
260	Cretaceous structures in the Duolong region of central Tibet: Evidence for an accretionary wedge and closure of the Bangong-Nujiang Neo-Tethys Ocean. <i>Gondwana Research</i> , 2017, 48, 110-123.	3.0	35
261	High- and low-Cr chromitite and dunite in a Tibetan ophiolite: evolution from mature subduction system to incipient forearc in the Neo-Tethyan Ocean. <i>Contributions To Mineralogy and Petrology</i> , 2017, 172, 1.	1.2	44
262	Early Cretaceous palaeogeographic evolution of the Coqen Basin in the Lhasa Terrane, southern Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2017, 485, 101-118.	1.0	31
263	Early Cretaceous Na-rich granitoids and their enclaves in the Tengchong Block, SW China: Magmatism in relation to subduction of the Bangong-Nujiang Tethys ocean. <i>Lithos</i> , 2017, 286-287, 175-190.	0.6	42
264	In situ elemental and isotopic study of diorite intrusions: Implication for Jurassic arc magmatism and porphyry Cu-Au mineralisation in southern Tibet. <i>Ore Geology Reviews</i> , 2017, 90, 1063-1077.	1.1	25
265	Origin of the Newly Discovered Zhunuo Porphyry Cu-Mo-Au Deposit in the Western Part of the Gangdese Porphyry Copper Belt in the Southern Tibetan Plateau, SW China. <i>Acta Geologica Sinica</i> , 2017, 91, 109-134.	0.8	15
266	Two-layered oceanic lithospheric mantle in a Tibetan ophiolite produced by episodic subduction of Tethyan slabs. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 1189-1213.	1.0	35
267	The birth of the Xigaze forearc basin in southern Tibet. <i>Earth and Planetary Science Letters</i> , 2017, 465, 38-47.	1.8	90
268	Raising the Gangdese Mountains in southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 214-223.	1.4	178
269	Late Early Cretaceous magmatic rocks (118-113 Ma) in the middle segment of the Bangong-Nujiang suture zone, Tibetan Plateau: Evidence of lithospheric delamination. <i>Gondwana Research</i> , 2017, 44, 116-138.	3.0	80
270	Geochronology and Genesis of the Tiegelongnan Porphyry Cu(Au) Deposit in Tibet: Evidence from U-Pb, Re-Os Dating and Hf, S, and H-O Isotopes. <i>Resource Geology</i> , 2017, 67, 1-21.	0.3	59
271	Geochemical and geochronological characteristics of Late Cretaceous to Early Paleocene granitoids in the Tengchong Block, Southwestern China: Implications for crustal anatexis and thickness variations along the eastern Neo-Tethys subduction zone. <i>Tectonophysics</i> , 2017, 694, 87-100.	0.9	37
272	Early Cretaceous bimodal volcanism in the Duolong Cu mining district, western Tibet: Record of slab breakoff that triggered ca. 108-113 Ma magmatism in the western Qiangtang terrane. <i>Journal of Asian Earth Sciences</i> , 2017, 138, 588-607.	1.0	40
273	Genesis of Luobuzhen Pb-Zn veins: Implications for porphyry Cu systems and exploration targeting at Luobuzhen-Dongshibu in western Gangdese belt, southern Tibet. <i>Ore Geology Reviews</i> , 2017, 82, 252-267.	1.1	22



#	ARTICLE	IF	CITATIONS
274	Late Jurassic–Early Cretaceous episodic development of the Bangong Meso-Tethyan subduction: Evidence from elemental and Sr–Nd isotopic geochemistry of arc magmatic rocks, Gaize region, central Tibet, China. <i>Journal of Asian Earth Sciences</i> , 2017, 135, 212-242.	1.0	79
275	Slab Breakoff of the Neo-Tethys Ocean in the Lhasa Terrane Inferred From Contemporaneous Melting of the Mantle and Crust. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 4074-4095.	1.0	41
276	Petrogenesis of the Baishan granite stock, Eastern Tianshan, NW China: Geodynamic setting and implications for potential mineralization. <i>Lithos</i> , 2017, 292-293, 278-293.	0.6	9
277	Constraints on the origin of adakites and porphyry Cu-Mo mineralization in Chongjiang, Southern Gangdese, the Tibetan Plateau. <i>Lithos</i> , 2017, 292-293, 424-436.	0.6	25
278	Leucogranites in Lhozag, southern Tibet: Implications for the tectonic evolution of the eastern Himalaya. <i>Lithos</i> , 2017, 294-295, 246-262.	0.6	38
279	Crust–mantle interaction during Early Jurassic subduction of Neo-Tethyan oceanic slab: Evidence from the Dongga gabbro–granite complex in the southern Lhasa subterrane, Tibet. <i>Lithos</i> , 2017, 292-293, 262-277.	0.6	37
280	Tibetan Magmatism Database. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 4229-4234.	1.0	46
281	Late Paleozoic and Mesozoic evolution of the Lhasa Terrane in the Xainza area of southern Tibet. <i>Tectonophysics</i> , 2017, 721, 415-434.	0.9	35
282	Paleomagnetism of Eocene red-beds in the eastern part of the Qiangtang Terrane and its implications for uplift and southward crustal extrusion in the southeastern edge of the Tibetan Plateau. <i>Earth and Planetary Science Letters</i> , 2017, 475, 1-14.	1.8	57
283	Structures, uplift, and magmatism of the Western Myanmar Arc: Constraints to mid-Cretaceous–Paleogene tectonic evolution of the western Myanmar continental margin. <i>Gondwana Research</i> , 2017, 52, 18-38.	3.0	48
284	Geochemistry and geochronology of the Mesozoic Lanong ophiolitic mélange, northern Tibet: Implications for petrogenesis and tectonic evolution. <i>Lithos</i> , 2017, 292-293, 111-131.	0.6	56
285	Early cretaceous topographic growth of the Lhasaplano, Tibetan plateau: Constraints from the Damxung conglomerate. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 5748-5765.	1.4	27
286	The geochemical evolution of syncollisional magmatism and the implications for significant magmatic-hydrothermal lead–zinc mineralization (Gangdese, Tibet). <i>Lithos</i> , 2017, 288-289, 143-155.	0.6	18
287	Late Paleozoic to Mesozoic Intrusions Distribution in the North Sanjiang Orogenic Belt, Southwest China: Evidence from Zircon U-Pb Dating and Geochemistry. <i>Acta Geologica Sinica</i> , 2017, 91, 898-946.	0.8	5
288	Late Early-Cretaceous quartz diorite–granodiorite–monzogranite association from the Gaoligong belt, southeastern Tibet Plateau: Chemical variations and geodynamic implications. <i>Lithos</i> , 2017, 288-289, 311-325.	0.6	30
289	Zircon LA-ICP-MS dating and geochemical characteristics of I-type granitoids from the Yanhu area, west segment of the Bangongco-Nujiang suture (western Tibet): Petrogenesis and implications for the southward subduction of the Tethyan Ocean. <i>Journal of the Geological Society of India</i> , 2017, 90, 335-346.	0.5	5
290	Zircon U-Pb geochronology and Hf isotopes of granitic rocks and river sands in the Nyingchi region, Tibet: Constraints on evolution of the deep crust beneath the southeast Lhasa terrane. <i>Journal of Asian Earth Sciences</i> , 2017, 145, 613-625.	1.0	12
291	The delimitation between the mature and juvenile crustal provinces in SE Asia: Insights from detrital zircon U-Pb and Hf isotopic data for the Salween drainage, Myanmar. <i>Journal of Asian Earth Sciences</i> , 2017, 145, 641-651.	1.0	9

#	ARTICLE	IF	CITATIONS
292	Geology, fluid inclusion and isotope constraints on ore genesis of the post-collisional Dabu porphyry Cu-Mo deposit, southern Tibet. <i>Ore Geology Reviews</i> , 2017, 89, 421-440.	1.1	17
293	Early Jurassic intra-oceanic arc system of the Neotethys Ocean: Constraints from andesites in the Gangdese magmatic belt, south Tibet. <i>Island Arc</i> , 2017, 26, e12202.	0.5	23
294	Ultrapotassic rocks and xenoliths from South Tibet: Contrasting styles of interaction between lithospheric mantle and asthenosphere during continental collision. <i>Geology</i> , 2017, 45, 51-54.	2.0	98
295	The discovery of late Triassic mylonitic granite and geologic significance in the middle Gangdese batholiths, southern Tibet. <i>Journal of Geodynamics</i> , 2017, 104, 49-64.	0.7	36
296	Geochronological, geochemical and Sr-Nd-Hf isotopic constraints on the petrogenesis of Late Cretaceous A-type granites from the Sibumasu Block, Southern Myanmar, SE Asia. <i>Lithos</i> , 2017, 268-271, 32-47.	0.6	58
297	Discovery of the early Jurassic Gajia mlange in the Bangong-Nujiang suture zone: Southward subduction of the Bangong-Nujiang Ocean?. <i>International Journal of Earth Sciences</i> , 2017, 106, 1277-1288.	0.9	13
298	Late Cretaceous granitoids in Karakorum, northwest Tibet: petrogenesis and tectonic implications. <i>International Geology Review</i> , 2017, 59, 151-165.	1.1	8
299	Sedimentary record of Jurassic northward subduction of the Bangong-Nujiang Ocean: insights from detrital zircons. <i>International Geology Review</i> , 2017, 59, 166-184.	1.1	68
300	Geochronology of the Duguer range metamorphic rocks, Central Tibet: implications for the changing tectonic setting of the South Qiangtang subterrane. <i>International Geology Review</i> , 2017, 59, 29-44.	1.1	17
301	Early Cretaceous (ca. 100 Ma) magmatism in the southern Qiangtang subterrane, central Tibet: Product of slab break-off?. <i>International Journal of Earth Sciences</i> , 2017, 106, 1289-1310.	0.9	17
302	Sedimentology, provenance and geochronology of the Miocene Qiuwu Formation: Implication for the uplift history of Southern Tibet. <i>Geoscience Frontiers</i> , 2017, 8, 823-839.	4.3	8
303	Geochemistry, geochronology, and petrogenesis of mid-Cretaceous Talabuco volcanic rocks, central Tibet: implications for the evolution of the Bangong Meso-Tethys. <i>International Geology Review</i> , 2017, 59, 484-501.	1.1	4
304	Early Cretaceous bimodal volcanic rocks in the southern Lhasa terrane, south Tibet: Age, petrogenesis and tectonic implications. <i>Lithos</i> , 2017, 268-271, 260-273.	0.6	24
305	Tectonic evolution and dynamics of the Tibetan Plateau. <i>Gondwana Research</i> , 2017, 41, 1-8.	3.0	24
306	Paleocene (c. 62 Ma) Leucogranites in Southern Lhasa, Tibet: Products of Syn-collisional Crustal Anatexis during Slab Roll-back?. <i>Journal of Petrology</i> , 2017, 58, 2089-2114.	1.1	62
307	The geochronologic and geochemical constraints on the Early Cretaceous subduction magmatism in the central Lhasa subterrane, Tibet. <i>Geological Journal</i> , 2017, 52, 463-475.	0.6	12
308	Varying Indian crustal front in the southern Tibetan Plateau as revealed by magnetotelluric data. <i>Earth, Planets and Space</i> , 2017, 69, .	0.9	14
309	Origin of the ca. 50 Ma Linzizong shoshonitic volcanic rocks in the eastern Gangdese arc, southern Tibet. <i>Lithos</i> , 2018, 304-307, 374-387.	0.6	35

#	ARTICLE	IF	CITATIONS
310	Late Cretaceous tectonothermal evolution of the southern Lhasa terrane, South Tibet: Consequence of a Mesozoic Andean-type orogeny. <i>Tectonophysics</i> , 2018, 730, 100-113.	0.9	9
311	Temporal and spatial variations of Late Mesozoic granitoids in the SW Qiangtang, Tibet: Implications for crustal architecture, Meso-Tethyan evolution and regional mineralization. <i>Earth-Science Reviews</i> , 2018, 185, 374-396.	4.0	66
312	Origin and tectonic implications of the Shiquanhe high-Mg andesite, western Bangong suture, Tibet. <i>Gondwana Research</i> , 2018, 60, 1-14.	3.0	46
313	One or Two Early Cretaceous Arc Systems in the Lhasa Terrane, Southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 3391-3413.	1.4	74
314	53–43 Ma Deformation of Eastern Tibet Revealed by Three Stages of Tectonic Rotation in the Gongjue Basin. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 3320-3338.	1.4	26
315	Apatite and zircon geochemistry of Jurassic porphyries in the Xiongqun district, southern Gangdese porphyry copper belt: Implications for petrogenesis and mineralization. <i>Ore Geology Reviews</i> , 2018, 96, 98-114.	1.1	57
316	Late Cretaceous (ca. 95 Ma) magnesian andesites in the Biluoco area, southern Qiangtang subterrane, central Tibet: Petrogenetic and tectonic implications. <i>Lithos</i> , 2018, 302-303, 389-404.	0.6	30
317	Ediacaran magmatism in the North Lhasa terrane, Tibet and its tectonic implications. <i>Precambrian Research</i> , 2018, 307, 137-154.	1.2	45
318	Lithospheric electrical structure of the middle Lhasa terrane in the south Tibetan plateau. <i>Tectonophysics</i> , 2018, 731-732, 95-103.	0.9	26
319	Continental crust of China: A brief guide for the perplexed. <i>Earth-Science Reviews</i> , 2018, 179, 72-94.	4.0	28
320	Survival of the Lhasa Terrane during its collision with Asia due to crust-mantle coupling revealed by ca. 114 Ma intrusive rocks in western Tibet. <i>Lithos</i> , 2018, 304-307, 200-210.	0.6	7
321	Components and structures of the eastern Tethyan Himalayan Sequence in SW China: Not a passive margin shelf but a large accretionary prism. <i>Geological Journal</i> , 2018, 53, 2665-2689.	0.6	22
322	Geochronology and Geochemistry of Early Cretaceous Granitic Rocks in the Dongqiao Area, Central Tibet: Implications for Magmatic Origin and Geological Evolution. <i>Journal of Geology</i> , 2018, 126, 249-260.	0.7	11
323	The Eocene corundum-bearing rocks in the Gangdese arc, south Tibet: Implications for tectonic evolution of the Himalayan orogen. <i>Geoscience Frontiers</i> , 2018, 9, 1337-1354.	4.3	7
324	Cenozoic mantle composition evolution of southern Tibet indicated by Paleocene (~ 64 Ma) pseudoleucite phonolitic rocks in central Lhasa terrane. <i>Lithos</i> , 2018, 302-303, 178-188.	0.6	14
325	Meso-Cenozoic tectonic evolution of the Talas-Fergana region of the Kyrgyz Tien Shan revealed by low-temperature basement and detrital thermochronology. <i>Geoscience Frontiers</i> , 2018, 9, 1495-1514.	4.3	41
326	Sequence and petrogenesis of the Jurassic volcanic rocks (Yeba Formation) in the Gangdese arc, southern Tibet: Implications for the Neo-Tethyan subduction. <i>Lithos</i> , 2018, 312-313, 72-88.	0.6	44
327	Late Triassic Granites From the Quxu Batholith Shedding a New Light on the Evolution of the Gangdese Belt in Southern Tibet. <i>Acta Geologica Sinica</i> , 2018, 92, 462-481.	0.8	39

#	ARTICLE	IF	CITATIONS
328	Lithium content and isotopic composition of the juvenile lower crust in southern Tibet. <i>Gondwana Research</i> , 2018, 62, 198-211.	3.0	11
329	Mesozoic-Cenozoic exhumation history of the Qimen Tagh Range, northeastern margins of the Tibetan Plateau: Evidence from apatite fission track analysis. <i>Gondwana Research</i> , 2018, 58, 16-26.	3.0	29
330	Miocene Ultrapotassic, High-Mg Dioritic, and Adakite-like Rocks from Zhunuo in Southern Tibet: Implications for Mantle Metasomatism and Porphyry Copper Mineralization in Collisional Orogens. <i>Journal of Petrology</i> , 2018, 59, 341-386.	1.1	74
331	The newly-discovered Late Cretaceous igneous rocks in the Nuocang district: Products of ancient crust melting triggered by Neotethyan slab rollback in the western Gangdese. <i>Lithos</i> , 2018, 308-309, 294-315.	0.6	26
332	Oxidation state inherited from the magma source and implications for mineralization: Late Jurassic to Early Cretaceous granitoids, Central Lhasa subterranean, Tibet. <i>Mineralium Deposita</i> , 2018, 53, 299-309.	1.7	18
333	Closure of the Proto-Tethys Ocean and Early Paleozoic amalgamation of microcontinental blocks in East Asia. <i>Earth-Science Reviews</i> , 2018, 186, 37-75.	4.0	371
334	Detrital provenance, depositional environment, and palaeogeographic implications of Lower Triassic marine sediments in central Tibet. <i>International Geology Review</i> , 2018, 60, 418-430.	1.1	9
335	Early Carboniferous ophiolite in central Qiangtang, northern Tibet: record of an oceanic back-arc system in the Palaeo-Tethys Ocean. <i>International Geology Review</i> , 2018, 60, 449-463.	1.1	5
336	Petrogenesis of late Paleozoic-to-early Mesozoic granitoids and metagabbroic rocks of the Tengchong Block, SW China: implications for the evolution of the eastern Paleo-Tethys. <i>International Journal of Earth Sciences</i> , 2018, 107, 431-457.	0.9	19
337	Dynamics of terrane accretion during seaward continental drifting and oceanic subduction: Numerical modeling and implications for the Jurassic crustal growth of the Lhasa Terrane, Tibet. <i>Tectonophysics</i> , 2018, 746, 212-228.	0.9	20
338	Composition and age of Jurassic diabase dikes in the Xiongcuo porphyry copper-gold district, southern margin of the Lhasa terrane, Tibet, China: Petrogenesis and tectonic setting. <i>Geological Journal</i> , 2018, 53, 1973-1993.	0.6	18
339	Age and nature of the Jurassic Early Cretaceous mafic and ultramafic rocks from the Yilashan area, Bangong-Nujiang suture zone, central Tibet: implications for petrogenesis and tectonic evolution. <i>International Geology Review</i> , 2018, 60, 1244-1266.	1.1	13
340	Geochemical and zircon U-Pb age constraints on the origin of the Mesozoic Xigaze ophiolite, Yarlung Zangbo suture zone, SW China. <i>International Geology Review</i> , 2018, 60, 1267-1289.	1.1	12
341	Atlas of the underworld: Slab remnants in the mantle, their sinking history, and a new outlook on lower mantle viscosity. <i>Tectonophysics</i> , 2018, 723, 309-448.	0.9	263
342	Palaeoarchean materials in the Tibetan Plateau indicated by zircon. <i>International Geology Review</i> , 2018, 60, 1061-1072.	1.1	8
343	Early Cretaceous K-rich rhyolites from the Duolong Cu-Au deposit, southern Qiangtang, China: evidence for crustal growth. <i>International Geology Review</i> , 2018, 60, 1098-1115.	1.1	5
344	Closure of the East Paleotethyan Ocean and amalgamation of the Eastern Cimmerian and Southeast Asia continental fragments. <i>Earth-Science Reviews</i> , 2018, 186, 195-230.	4.0	231
345	Geochronology, geochemistry, Sr-Nd-Hf isotopic compositions, and petrogenetic and tectonic implications of Early Cretaceous intrusions associated with the Duolong porphyry-epithermal Cu-Au deposit, central Tibet. <i>International Geology Review</i> , 2018, 60, 1116-1139.	1.1	12

#	ARTICLE	IF	CITATIONS
346	Petrogenesis of Jurassic granitoids in the west central Lhasa subterrane, Tibet, China: the Geji example. <i>International Geology Review</i> , 2018, 60, 1155-1171.	1.1	12
347	Geochronological and geochemical constraints on the origin of the Yunzhug ophiolite in the Shiquanhe–Yunzhug–Namu Tso ophiolite belt, Lhasa Terrane, Tibetan Plateau. <i>Lithos</i> , 2018, 300-301, 250-260.	0.6	59
348	He, Ar, and S isotopic constraints on the relationship between A-type granites and tin mineralization: A case study of tin deposits in the Tengchong–Lianghe tin belt, southwest China. <i>Ore Geology Reviews</i> , 2018, 92, 416-429.	1.1	13
349	Late Cretaceous transition from subduction to collision along the Bangong-Nujiang Tethys: New volcanic constraints from central Tibet. <i>Lithos</i> , 2018, 296-299, 452-470.	0.6	66
350	Slab breakoff: A critical appraisal of a geological theory as applied in space and time. <i>Earth-Science Reviews</i> , 2018, 177, 303-319.	4.0	79
351	Early Jurassic adakitic rocks in the southern Lhasa sub-terrane, southern Tibet: petrogenesis and geodynamic implications. <i>Geological Magazine</i> , 2018, 155, 132-148.	0.9	21
352	Lithospheric architecture and tectonic evolution of the southwestern U.S. Cordillera: Constraints from zircon Hf and O isotopic data. <i>Bulletin of the Geological Society of America</i> , 2018, 130, 2031-2046.	1.6	22
353	Transition from extrusion to flow tectonism around the Eastern Himalaya syntaxis. <i>Bulletin of the Geological Society of America</i> , 2018, 130, 1675-1696.	1.6	15
354	Late Triassic intra-oceanic arc system within Neotethys: Evidence from cumulate apatite in the Gangdese belt, southern Tibet. <i>Lithosphere</i> , 2018, 10, 545-565.	0.6	52
355	Petrogenesis of Late Cretaceous Jiangla'angzong I-type Granite in Central Lhasa Terrane, Tibet, China: Constraints from Whole-Rock Geochemistry, Zircon U–Pb Geochronology, and Sr–Nd–Pb–Hf Isotopes. <i>Acta Geologica Sinica</i> , 2018, 92, 1396-1414.	0.8	15
356	Age, origin, and geodynamic significance of high-Al plagiogranites in the Labuco area of central Tibet. <i>Lithosphere</i> , 2018, 10, 351-363.	0.6	16
357	Discovery of Upper Cretaceous Neo-Tethyan trench deposits in south Tibet (Luogangcuo Formation). <i>Lithosphere</i> , 2018, 10, 446-459.	0.6	18
358	Metamorphic Characteristics and Tectonic Implications of the Kadui Blueschist in the Central Yarlung Zangbo Suture Zone, Southern Tibet. <i>Journal of Earth Science (Wuhan, China)</i> , 2018, 29, 1026-1039.	1.1	16
359	Geochronology, Geochemistry, and Sr–Nd–Hf Isotopes of the Balazha Ore-bearing Porphyries: Implications for Petrogenesis and Geodynamic Setting of Late Cretaceous Magmatic Rocks in the Northern Lhasa Block, Tibet. <i>Acta Geologica Sinica</i> , 2018, 92, 1739-1752.	0.8	6
360	An Early Cretaceous slab window beneath central Tibet, SW China: Evidence from OIB-like alkaline gabbros in the Duolong area. <i>Terra Nova</i> , 2019, 31, 67-75.	0.9	27
361	The timing of continental collision between India and Asia. <i>Science Bulletin</i> , 2018, 63, 1649-1654.	4.3	86
362	Geological reconstructions of the East Asian blocks: From the breakup of Rodinia to the assembly of Pangea. <i>Earth-Science Reviews</i> , 2018, 186, 262-286.	4.0	576
363	The genetic relationship between JTA-like magmas and typical adakites: An example from the Late Cretaceous Nuri complex, southern Tibet. <i>Lithos</i> , 2018, 320-321, 265-279.	0.6	7

#	ARTICLE	IF	CITATIONS
364	Early Neoproterozoic (ca. 900 Ma) rift sedimentation and mafic magmatism in the North Lhasa Terrane, Tibet: Paleogeographic and tectonic implications. <i>Lithos</i> , 2018, 320-321, 403-415.	0.6	31
365	Early Cretaceous Ridge Subduction along the Southern Margin of the Qiangtang Terrane: New Evidence from the Yanqiang Ling Fragmented Ophiolite, Central Tibet. <i>Journal of Geology</i> , 2018, 126, 639-654.	0.7	1
366	Geochemistry and geochronology of gabbros from the Asa Ophiolite, Tibet: Implications for the early Cretaceous evolution of the Meso-Tethys Ocean. <i>Lithos</i> , 2018, 320-321, 192-206.	0.6	38
367	Early Cretaceous Syenites and Granites in the Northeastern Tengchong Block, SW China: Petrogenesis and Tectonic Implications. <i>Acta Geologica Sinica</i> , 2018, 92, 1349-1365.	0.8	10
368	Zircon U-Pb geochronology and geochemistry of Early Jurassic granodiorites in Sumdo area, Tibet: Constraints on petrogenesis and the evolution of the Neo-Tethyan Ocean. <i>Lithos</i> , 2018, 320-321, 134-143.	0.6	12
369	Transition From Low- to High- Calc-Alkaline Magmatism at Approximately 84 Ma in the Eastern Pontides (NE Turkey): Magmatic Response to Slab Rollback of the Black Sea. <i>Journal of Geophysical Research: Solid Earth</i> , 2018, 123, 7604-7628.	1.4	34
370	Precambrian origin of the North Lhasa terrane, Tibetan Plateau: Constraint from early Cryogenian back-arc magmatism. <i>Precambrian Research</i> , 2018, 313, 51-67.	1.2	59
371	A Miocene tungsten mineralization and its implications in the western Bangong-Nujiang metallogenic belt: Constraints from U-Pb, Ar-Ar, and Re-Os geochronology of the Jiaoxi tungsten deposit, Tibet, China. <i>Ore Geology Reviews</i> , 2018, 97, 74-87.	1.1	14
372	Westward-younging high-Mg adakitic magmatism in central Tibet: Record of a westward-migrating lithospheric foundering beneath the Lhasa-Qiangtang collision zone during the Late Cretaceous. <i>Lithos</i> , 2018, 316-317, 92-103.	0.6	25
373	Early Mesozoic magmatism and tectonic evolution of east-central Tibet. <i>International Journal of Earth Sciences</i> , 2018, 107, 2767-2784.	0.9	11
374	The different sources and petrogenesis of Jurassic intrusive rocks in the southern Lhasa subterrane, Tibet: Evidence from the trace element compositions of zircon, apatite, and titanite. <i>Lithos</i> , 2018, 314-315, 447-462.	0.6	31
375	Earliest Cretaceous accretion of Neo-Tethys oceanic subduction along the Yarlung Zangbo Suture Zone, Sangsang area, southern Tibet. <i>Tectonophysics</i> , 2018, 744, 373-389.	0.9	30
376	Middle-Late Triassic bimodal intrusive rocks from the Tethyan Himalaya in South Tibet: Geochronology, petrogenesis and tectonic implications. <i>Lithos</i> , 2018, 318-319, 78-90.	0.6	31
377	Upper Cretaceous trench deposits of the Neo-Tethyan subduction zone: Jiachala Formation from Yarlung Zangbo suture zone in Tibet, China. <i>Science China Earth Sciences</i> , 2018, 61, 1204-1220.	2.3	10
378	Continental crust growth induced by slab breakoff in collisional orogens: Evidence from the Eocene Gangdese granitoids and their mafic enclaves, South Tibet. <i>Gondwana Research</i> , 2018, 64, 35-49.	3.0	23
379	Strongly peraluminous fractionated S-type granites in the Baoshan Block, SW China: Implications for two-stage melting of fertile continental materials following the closure of Bangong-Nujiang Tethys. <i>Lithos</i> , 2018, 316-317, 178-198.	0.6	39
380	First Identification of Mafic Igneous Enclaves in Miocene Lavas of Southern Tibet With Implications for Indian Continental Subduction. <i>Geophysical Research Letters</i> , 2018, 45, 8205-8213.	1.5	17
381	Mineralogy, fluid inclusions and H-O-S-Pb isotopes of the Palaeocene Longgen Pb-Zn deposit in the western Nyainqentanglha belt, Tibet. <i>Ore Geology Reviews</i> , 2018, 102, 18-43.	1.1	18

#	ARTICLE	IF	CITATIONS
382	Post-collisional exhumation of the Indus-Yarlung suture zone and Northern Tethyan Himalaya, Saga, SW Tibet. <i>Gondwana Research</i> , 2018, 64, 1-10.	3.0	10
383	Petrogenesis of the Early Cretaceous granitoids and its mafic enclaves in the Northern Tengchong Terrane, southern margin of the Tibetan Plateau and its tectonic implications. <i>Lithos</i> , 2018, 318-319, 283-298.	0.6	16
384	Petrogenesis and geodynamic significance of Neoproterozoic ( $\sim 925$ Ma) high-Fe-Ti gabbros of the RenTso ophiolite, Lhasa Terrane, central Tibet. <i>Precambrian Research</i> , 2018, 314, 160-169.	1.2	12
385	A long-lived Indian Ocean slab: Deep dip reversal induced by the African LLSVP. <i>Earth and Planetary Science Letters</i> , 2018, 497, 1-11.	1.8	7
386	The disappearance of a Late Jurassic remnant sea in the southern Qiangtang Block (Shamuluo) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 58. <i>Palaeoclimatology, Palaeoecology</i> , 2018, 506, 30-47.	1.0	51
387	Zircon U-Pb geochronology, geochemistry, and S-Pb isotopic compositions of the Lietinggang iron polymetallic deposit, Tibet, China. <i>Ore Geology Reviews</i> , 2018, 98, 62-79.	1.1	13
388	Geochronology, geochemistry and Sr-Nd-Pb-Hf isotopes of the Early Paleogene gabbro and granite from Central Lhasa, southern Tibet: petrogenesis and tectonic implications. <i>International Geology Review</i> , 2019, 61, 868-894.	1.1	21
389	Late Jurassic-early Cretaceous palynofloras in the Lhasa Block, central Xizang, China and their bearing on palaeoenvironments. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 515, 95-106.	1.0	7
390	Zircon $^{87}\text{Sr}/^{86}\text{Sr}$ dating, geochemistry, and $^{87}\text{Sr}/^{86}\text{Sr}$ , $^{143}\text{Nd}/^{142}\text{Nd}$ , $^{176}\text{Yb}/^{174}\text{Yb}$ isotopes of the subvolcanic intrusion from Beina $^{143}\text{Nd}/^{142}\text{Nd}$ ( $^{107}\text{Ag}/^{109}\text{Ag}$ ) deposit in the southern Lhasa terrane, Tibet: Implications for petrogenesis and mineralization. <i>Geological Journal</i> , 2019, 54, 2064-2083.	0.6	4
391	Early Cenozoic thickening and reworking of the eastern Gangdese arc, south Tibet: constraints from the Oligocene granitoids. <i>Geological Society Special Publication</i> , 2019, 474, 291-308.	0.8	9
392	Metamorphic evolution and age constraints of the garnet-bearing mica schist from the Xindaduo area of the Sumdo (U)HP metamorphic belt, Tibet. <i>Geological Magazine</i> , 2019, 156, 1175-1189.	0.9	9
393	Geochronology and geochemistry of Ordovician plutons in the Erguna Block (NE China): further insights into the tectonic evolution of the Xing'an-Mongolia Orogenic Belt. <i>International Geology Review</i> , 2019, 61, 936-955.	1.1	5
394	Early Cretaceous diorites in the Kenbale Cu mineralization occurrence, Tibet, China, and its geological significance. <i>Geosciences Journal</i> , 2019, 23, 219-233.	0.6	7
395	Age and genesis of the Pusangguo skarn Cu-dominated polymetallic deposit, Gangdese metallogenic belt, Tibet. <i>Journal of Asian Earth Sciences</i> , 2019, 169, 210-227.	1.0	9
396	Genesis of the Yaguila Pb-Zn-Ag-Mo skarn deposit in Tibet: Insights from geochronology, geochemistry, and fluid inclusions. <i>Journal of Asian Earth Sciences</i> , 2019, 172, 83-100.	1.0	15
397	Early Jurassic highly fractionated rhyolites and associated sedimentary rocks in southern Tibet: constraints on the early evolution of the Neo-Tethyan Ocean. <i>International Journal of Earth Sciences</i> , 2019, 108, 137-154.	0.9	5
398	Petrogenesis and metallogenic implications of Cretaceous magmatism in Central Lhasa, Tibetan Plateau: A case study from the Lunggar Fe skarn deposit and perspective review. <i>Geological Journal</i> , 2019, 54, 2323-2346.	0.6	22
399	Early Jurassic high-Mg andesites in the Quxu area, southern Lhasa terrane: Implications for magma evolution related to a slab rollback of the Neo-Tethyan Ocean. <i>Geological Journal</i> , 2019, 54, 2508-2524.	0.6	12

#	ARTICLE	IF	CITATIONS
400	Late Cretaceous Adakitic Granites of the Southeastern Tibetan Plateau: Garnet Fractional Crystallization of Arc-Like Magmas at the Thickened Neo-Tethyan Continental Margin. <i>Acta Geologica Sinica</i> , 2019, 93, 857-873.	0.8	1
401	Cyclical one-way continental rupture-drift in the Tethyan evolution: Subduction-driven plate tectonics. <i>Science China Earth Sciences</i> , 2019, 62, 2005-2016.	2.3	91
402	Geochemistry and Geochronology of Ophiolitic Rocks from the Dongco and Lanong Areas, Tibet: Insights into the Evolution History of the Bangong-Nujiang Tethys Ocean. <i>Minerals (Basel)</i> , 2019, 9, 657-677.	10.0	10
403	Origins and tectonic implications of Late Cretaceous adakite and primitive high-Mg andesite in the Songdo area, southern Lhasa subterrane, Tibet. <i>Gondwana Research</i> , 2019, 76, 185-203.	3.0	13
404	Tectonic erosion and crustal relamination during the India-Asian continental collision: Insights from Eocene magmatism in the southeastern Gangdese belt. <i>Lithos</i> , 2019, 346-347, 105161.	0.6	12
405	Nd-Hf-O isotopic evidence for subduction-induced crustal replacement in NE China. <i>Chemical Geology</i> , 2019, 525, 125-142.	1.4	19
406	Subduction re-initiation at dying ridge of Neo-Tethys: Insights from mafic and metamafic rocks in Lhaze ophiolitic mélange, Yarlung-Tsangbo Suture Zone. <i>Earth and Planetary Science Letters</i> , 2019, 523, 115707.	1.8	52
407	Birth and demise of the Bangong-Nujiang Tethyan Ocean: A review from the Gerze area of central Tibet. <i>Earth-Science Reviews</i> , 2019, 198, 102907.	4.0	90
408	Origin of Mesozoic ophiolitic mélanges in the western Yarlung Zangbo suture zone, SW Tibet. <i>Gondwana Research</i> , 2019, 76, 204-223.	3.0	15
409	Early Cretaceous tectonomagmatic evolution and basin development of western Bangong-Nujiang suture: A complete history of soft collision. <i>Lithos</i> , 2019, 344-345, 360-373.	0.6	10
410	Hf and Nd Isotopic Constraints on Pre- and Syn-collisional Crustal Thickness of Southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 11038-11054.	1.4	13
411	Tracking the Growth of the Himalayan Fold-and-Thrust Belt From Lower Miocene Foreland Basin Strata: Dumri Formation, Western Nepal. <i>Tectonics</i> , 2019, 38, 3765-3793.	1.3	10
412	The formation and expansion of the eastern Proto-Tibetan Plateau: Insights from low-temperature thermochronology. <i>Journal of Asian Earth Sciences</i> , 2019, 183, 103975.	1.0	19
413	Investigation of Mode I Notch Toughness of Zr <sub>41</sub> Ti <sub>13</sub> Cu <sub>10</sub> Ni <sub>12.5</sub> Be <sub>22.5</sub> Metallic Glass under Dynamic Loading Conditions. <i>Journal of Materials Engineering and Performance</i> , 2019, 28, 6025-6032.	1.2	3
414	Geochemical characteristics and magma fertility for the Jurassic arc rocks in the Gangdese belt, Tibet. <i>Ore Geology Reviews</i> , 2019, 115, 103169.	1.1	14
415	Hydrothermal evolution and ore precipitation of the No. 2 porphyry Cu-Au deposit in the Xiongcu district, Tibet: Evidence from cathodoluminescence, fluid inclusions, and isotopes. <i>Ore Geology Reviews</i> , 2019, 114, 103141.	1.1	14
416	Provenance of Bengal Shelf Sediments: 2. Petrology and Geochemistry of Sand. <i>Minerals (Basel)</i> , 2019, 9, 23-33.	0.8	23
417	Precollisional Latitude of the Northern Tethyan Himalaya From the Paleocene Redbeds and Its Implication for Greater India and the India-Asia collision. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 10777-10798.	1.4	26



#	ARTICLE	IF	CITATIONS
418	Tectonic Implications and Petrogenesis of the Various Types of Magmatic Rocks from the Zedang Area in Southern Tibet. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 1125-1143.	1.1	7
419	Closure of the Bangong-Nujiang Tethyan Ocean in the central Tibet: Results from the provenance of the Duoni Formation. <i>Journal of Sedimentary Research</i> , 2019, 89, 1039-1054.	0.8	21
420	Early Mesozoic Magmatism Within the Tibetan Plateau: Implications for the Paleotethyan Tectonic Evolution and Continental Amalgamation. <i>Tectonics</i> , 2019, 38, 3505-3543.	1.3	33
421	The North Lhasa terrane in Tibet was attached with the Gondwana before it was drafted away in Jurassic: Evidence from detrital zircon studies. <i>Journal of Asian Earth Sciences</i> , 2019, 185, 104055.	1.0	17
422	Characterization of the complete mitochondrial genome of <i>Blaps rynchopetera</i> Fairmaire (Insecta: Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50	0.2	9
423	The Ancestral Lhasa River: A Late Cretaceous trans-arc river that drained the proto-Tibetan Plateau. <i>Geology</i> , 2019, 47, 1029-1033.	2.0	26
424	Provenance of Bengal Shelf Sediments: 1. Mineralogy and Geochemistry of Silt. <i>Minerals (Basel, Tj ETQq0 0 0 rgBT/Overlock 10 Tf 50</i>	0.8	17
425	Zircon U-Pb, Molybdenite Re-Os and Quartz Vein Rb-Sr Geochronology of the Luobuzhen Au-Ag and Hongshan Cu Deposits, Tibet, China: Implications for the Oligocene-Miocene Porphyry Epithermal Metallogenic System. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 476.	0.8	7
426	Lithospheric electrical structure in the central Tibetan Plateau and its tectonic significance. <i>Journal of Asian Earth Sciences</i> , 2019, 184, 103996.	1.0	13
427	Petrogenesis, geochemistry and geological significance of Paleocene Granite in South Gangdese, Tibet. <i>Acta Geochimica</i> , 2019, 38, 883-896.	0.7	2
428	Geochronology and petrogenesis of the Xiongmei Cu-bearing granodiorite porphyry in North Lhasa subterrane, central Tibet: Implication for the evolution of Bangong-Nujiang metallogenic belt. <i>Ore Geology Reviews</i> , 2019, 114, 103119.	1.1	7
429	Back-arc basin evolution in the southern Lhasa sub-terrane, southern Tibet: Constraints from U-Pb ages and in-situ Lu-Hf isotopes of detrital zircons. <i>Journal of Asian Earth Sciences</i> , 2019, 185, 104026.	1.0	10
430	Subduction of Indian continental lithosphere constrained by Eocene-Oligocene magmatism in northern Myanmar. <i>Lithos</i> , 2019, 348-349, 105211.	0.6	5
431	The generation and reworking of continental crust during early Paleozoic in Gondwanan affinity terranes from the Tibet Plateau. <i>Earth-Science Reviews</i> , 2019, 190, 486-497.	4.0	24
432	Pre-Cenozoic evolution of the Aghil Range (western Tibetan Plateau): A missing piece of the Tibet-Pamir-Karakorum geopuzzle. <i>Gondwana Research</i> , 2019, 69, 122-143.	3.0	8
433	History of subduction erosion and accretion recorded in the Yarlung Suture Zone, southern Tibet. <i>Geological Society Special Publication</i> , 2019, 483, 517-554.	0.8	22
434	The Langjiexue Group is an in situ sedimentary sequence rather than an exotic block: Constraints from coeval Upper Triassic strata of the Tethys Himalaya (Qulonggongba Formation). <i>Science China Earth Sciences</i> , 2019, 62, 783-797.	2.3	13
435	Petrogenesis of the Payangazu Complex in Southern Mandalay, Central Myanmar and Its Tectonic Implications. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 20-36.	1.1	6

#	ARTICLE	IF	CITATIONS
436	Metallogeny of the Lietinggang-Leqingla Fe-Cu-(Mo)-Pb-Zn polymetallic deposit, evidence from Geochronology, Petrogenesis, and Magmatic oxidation state, Lhasa terrane. <i>Ore Geology Reviews</i> , 2019, 106, 318-339.	1.1	9
437	Magma mixing origin for the Quxu intrusive complex in southern Tibet: insights into the early Eocene magmatism and geodynamics of the southern Lhasa subterrane. <i>Lithos</i> , 2019, 328-329, 14-32.	0.6	37
438	A 6000-km-long Neo-Tethyan arc system with coherent magmatic flare-ups and lulls in South Asia. <i>Geology</i> , 2019, 47, 573-576.	2.0	73
439	Metamorphism and Oceanic Crust Exhumation Constrained by the Jilang Eclogite and Meta-Quartzite from the Sumdo (U)HP Metamorphic Belt. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 510-524.	1.1	7
440	Petrogenesis of early Late Cretaceous Asa-intrusive rocks in central Tibet, western China: post-collisional partial melting of thickened lower crust. <i>International Journal of Earth Sciences</i> , 2019, 108, 1979-1999.	0.9	13
441	Petrogenesis of high-K calc-alkaline granodiorite and its enclaves from the SE Lhasa block, Tibet (SW Tj ETQq1 1 0.784314 rgBT /Ove 2019, 131, 1224-1238.	1.6	21
442	Postcollisional delamination and partial melting of enriched lithospheric mantle: Evidence from Oligocene (ca. 30 Ma) potassium-rich lavas in the Gemuchaka area of the central Qiangtang Block, Tibet. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 1385-1408.	1.6	22
443	Late Cretaceous Transtension in the Eastern Tibetan Plateau: Evidence From Postcollisional A-Type Granite and Syenite in the Changdu Area, China. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 6409-6427.	1.4	16
444	Nature and Evolution of Crust in Southern Lhasa, Tibet: Transformation From Microcontinent to Juvenile Terrane. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 6452-6474.	1.4	36
445	Two Types of mafic rocks in southern Tibet: A mark of tectonic setting change from Neo-Tethyan oceanic crust subduction to Indian continental crust subduction. <i>Journal of Asian Earth Sciences</i> , 2019, 181, 103883.	1.0	3
446	Origin and early evolution of the Lhasa Terrane, South Tibet: Constraints from the Bomi Gneiss Complex. <i>Precambrian Research</i> , 2019, 331, 105360.	1.2	20
447	Crustal Thickening of the South Qiangtang Terrane, Tibetan Plateau: Constraint from Late Cretaceous High-Sr/Y Granitic Rocks. <i>Journal of Geology</i> , 2019, 127, 457-473.	0.7	8
448	Crust-mantle mixing and crustal reworking of southern Tibet during Indian continental subduction: Evidence from Miocene high-silica potassic rocks in Central Lhasa block. <i>Lithos</i> , 2019, 342-343, 407-419.	0.6	14
449	Geodynamic transition from subduction to extension: evidence from the geochronology and geochemistry of granitoids in the Sangsang area, southern Lhasa Terrane, Tibet. <i>International Journal of Earth Sciences</i> , 2019, 108, 1663-1681.	0.9	12
450	Paleoproterozoic basement of the Xing'an Block in the eastern Central Asian Orogenic Belt: Evidence from the geochemistry and zircon U-Pb geochronology of granitic gneisses. <i>Precambrian Research</i> , 2019, 331, 105372.	1.2	13
451	Sediment-hosted Pb-Zn deposits in the Tethyan domain from China to Iran: Characteristics, tectonic setting, and ore controls. <i>Gondwana Research</i> , 2019, 75, 249-281.	3.0	24
452	Mesozoic-Cenozoic geological evolution of the Himalayan-Tibetan orogen and working tectonic hypotheses. <i>Numerische Mathematik</i> , 2019, 319, 159-254.	0.7	408
453	Geochronology, Petrogeochemistry, and Tectonic Setting of Cretaceous Granitoids in the Zanzongcuo Zone, Northern Tibet, China. <i>Geochemistry International</i> , 2019, 57, 424-437.	0.2	1

#	ARTICLE	IF	CITATIONS
454	Early Jurassic volcanic rocks in the Xiongcu district, southern Lhasa subterrane, Tibet: Implications for the tectono-magmatic events associated with the early evolution of the Neo-Tethys Ocean. <i>Lithos</i> , 2019, 340-341, 166-180.	0.6	30
455	Petrology and geochemistry of Upper Jurassic Weimei Formation sandstones in southern Tibet: implications for provenance and tectonic setting. <i>Geosciences Journal</i> , 2019, 23, 767-790.	0.6	4
456	Geochemical evidence for thin syn-collision crust and major crustal thickening between 45 and 32 Ma at the southern margin of Tibet. <i>Gondwana Research</i> , 2019, 73, 123-135.	3.0	37
457	Early Cretaceous sedimentary evolution of the northern Lhasa terrane and the timing of initial Lhasa-Qiangtang collision. <i>Gondwana Research</i> , 2019, 73, 136-152.	3.0	57
458	Complex subduction beneath the Tibetan plateau: A slab warping model. <i>Physics of the Earth and Planetary Interiors</i> , 2019, 292, 42-54.	0.7	27
459	The role of clinopyroxene in amphibole fractionation of arc magmas: Evidence from mafic intrusive rocks within the Gangdese arc, southern Tibet. <i>Lithos</i> , 2019, 338-339, 174-188.	0.6	18
460	LA-ICP-MS zircon U-Pb age and geochemical characteristics of the acid intrusive rocks in the Lhaguo Tso area of Bangong-Nujiang suture zone, Tibet. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	0.6	1
461	Initial Rifting of the Lhasa Terrane from Gondwana: Insights From the Permian (~262 Ma) Amphibole-Rich Lithospheric Mantle-Derived Yawa Basaltic Intrusions in Southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 2564-2581.	1.4	54
462	Petrogenesis of lherzolites from the Purang ophiolite, Yarlung-Zangbo suture zone, Tibet: origin and significance of ultra-high pressure and other "unusual" minerals in the Neo-Tethyan lithospheric mantle. <i>International Geology Review</i> , 2019, 61, 2184-2210.	1.1	17
463	Early Paleozoic magmatism along the northern margin of East Gondwana. <i>Lithos</i> , 2019, 334-335, 25-41.	0.6	41
464	Petrogenesis of Early Cretaceous high-Mg# granodiorites in the northeastern Lhasa terrane, SE Tibet: Evidence for mantle-deep crustal interaction. <i>Journal of Asian Earth Sciences</i> , 2019, 177, 17-37.	1.0	5
465	Timing and mechanism of Bangong-Nujiang ophiolite emplacement in the Gerze area of central Tibet. <i>Gondwana Research</i> , 2019, 71, 179-193.	3.0	37
466	Late Cryogenian magmatic activity in the North Lhasa terrane, Tibet: Implication of slab break-off process. <i>Gondwana Research</i> , 2019, 71, 129-149.	3.0	16
467	Origin and tectonic implications of Early Cretaceous high- and low-Mg series rocks and mafic enclaves in the Bomi-Chayu Fold Belt, SE Tibet. <i>Lithos</i> , 2019, 334-335, 102-116.	0.6	7
468	Spatial and temporal variations in the geochemistry of Cretaceous high-Sr/Y rocks in Central Tibet. <i>Numerische Mathematik</i> , 2019, 319, 105-121.	0.7	24
469	Differential exhumation histories between Qulong and Xiongcu porphyry copper deposits in the Gangdese copper metallogenic Belt: Insights from low temperature thermochronology. <i>Ore Geology Reviews</i> , 2019, 107, 801-819.	1.1	22
470	Constructing the Early Mesozoic Gangdese Crust in Southern Tibet by Hornblende-dominated Magmatic Differentiation. <i>Journal of Petrology</i> , 2019, 60, 515-552.	1.1	79
471	Petrogenesis of Late Cretaceous mafic enclaves and their host granites in the Nyemo region of southern Tibet: Implications for the tectonic-magmatic evolution of the Central Gangdese Belt. <i>Journal of Asian Earth Sciences</i> , 2019, 176, 27-41.	1.0	54

#	ARTICLE	IF	CITATIONS
472	Early–Middle Jurassic (182–170 Ma) Ruocuo adakitic porphyries, southern margin of the Lhasa terrane, Tibet: Implications for geodynamic setting and porphyry Cu–Au mineralization. <i>Journal of Asian Earth Sciences</i> , 2019, 173, 336-351.	1.0	24
473	Crustal reworking at convergent margins traced by Fe isotopes in I-type intrusions from the Gangdese arc, Tibetan Plateau. <i>Chemical Geology</i> , 2019, 510, 47-55.	1.4	8
474	Fluid inclusions, isotopic characteristics and geochronology of the Sinongduo epithermal Ag-Pb-Zn deposit, Tibet, China. <i>Ore Geology Reviews</i> , 2019, 107, 692-706.	1.1	20
475	Petrogenesis and tectonic implications of Late Cretaceous highly fractionated I-type granites from the Qiangtang block, central Tibet. <i>Journal of Asian Earth Sciences</i> , 2019, 176, 337-352.	1.0	23
476	New insights into the collision process of India and Eurasia: Evidence from the syntectonic-sedimentation-induced inclinational divergence of Cretaceous paleomagnetic data of the Lhasa Terrane. <i>Earth-Science Reviews</i> , 2019, 190, 570-588.	4.0	18
477	Palaeodrainage evolution of the large rivers of East Asia, and Himalayan-Tibet tectonics. <i>Earth-Science Reviews</i> , 2019, 192, 601-630.	4.0	62
478	The role of strike-slip faulting in the history of the Hukawng Block and the Jade Mines Uplift, Myanmar. <i>Proceedings of the Geologists Association</i> , 2019, 130, 126-141.	0.6	16
479	Zircon U-Pb-Hf isotopes and mineral chemistry of Early Cretaceous granodiorite in the Lunggar iron deposit in central Lhasa, Tibet Y, China. <i>Journal of Central South University</i> , 2019, 26, 3457-3469.	1.2	10
480	Origin of Early Cretaceous calc-alkaline granite, Taxkorgan: Implications for evolution of Tethys evolution in central Pamir. <i>Journal of Central South University</i> , 2019, 26, 3470-3487.	1.2	1
481	The Origin of Garnets in Anatectic Rocks from the Eastern Himalayan Syntaxis, Southeastern Tibet: Constraints from Major and Trace Element Zoning and Phase Equilibrium Relationships. <i>Journal of Petrology</i> , 2019, 60, 2241-2280.	1.1	13
482	Dating Oceanic Subduction in the Jurassic Bangong–Nujiang Oceanic Arc: A Zircon U–Pb Age and Lu–Hf Isotopes and Al-in-Hornblende Barometry Study of the Lameila Pluton in Western Tibet, China. <i>Minerals (Basel, Switzerland)</i> , 2019, 9, 754.	0.8	4
483	Initial growth of the Northern Lhasa plain, Tibetan Plateau in the early Late Cretaceous (ca. 92 Ma). <i>Bulletin of the Geological Society of America</i> , 0, .	1.6	10
484	Zircon U-Pb chronology and provenance of the Paleogene sandstones in the Nima basin, Tibet: implication for coeval paleogeography. <i>Arabian Journal of Geosciences</i> , 2019, 12, 1.	0.6	3
485	Late Cretaceous volcanic rocks in the Sangri area, southern Lhasa Terrane, Tibet: Evidence for oceanic ridge subduction. <i>Lithos</i> , 2019, 326-327, 144-157.	0.6	67
486	Compositional variations of granitic rocks in continental margin arc: Constraints from the petrogenesis of Eocene granitic rocks in the Tengchong Block, SW China. <i>Lithos</i> , 2019, 326-327, 125-143.	0.6	18
487	Arc Andesitic Rocks Derived From Partial Melts of Mantle Diapir in Subduction Zones: Evidence From Whole-Rock Geochemistry and Sr–Nd–Mo Isotopes of the Paleogene Linzizong Volcanic Succession in Southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2019, 124, 456-475.	1.4	22
488	The Himalayan Foreland Basin from collision onset to the present: a sedimentary–petrology perspective. <i>Geological Society Special Publication</i> , 2019, 483, 65-122.	0.8	46
489	Two parallel magmatic belts with contrasting isotopic characteristics from southern Tibet to Myanmar: zircon U–Pb and Hf isotopic constraints. <i>Journal of the Geological Society</i> , 2019, 176, 574-587.	0.9	36

#	ARTICLE	IF	CITATIONS
490	Fabrics and water contents of peridotites in the Neotethyan Luobusa ophiolite, southern Tibet: implications for mantle recycling in supra-subduction zones. <i>Journal of the Geological Society</i> , 2019, 176, 975-991.	0.9	14
491	Early Cretaceous arc granitoids from the central Lhasa subterrane: Production of the northward subduction of Yarlung Zangbo Neo-Tethyan Ocean?. <i>Geological Journal</i> , 2019, 54, 4001-4013.	0.6	7
492	Genesis and tectonic setting of Middle Permian OIB-type mafic rocks in the Sumdo area, southern Lhasa terrane. <i>Lithos</i> , 2019, 324-325, 429-438.	0.6	24
493	Magmatism and metallogenic mechanism of the Gaerqiong and Galale Cu-Au deposits in the west central Lhasa subterrane, Tibet: Constraints from geochronology, geochemistry, and Sr-Nd-Pb-Hf isotopes. <i>Ore Geology Reviews</i> , 2019, 105, 616-635.	1.1	16
494	Timeline of the South Tibet "Himalayan belt: the geochronological record of subduction, collision, and underthrusting from zircon and monazite U-Pb ages. <i>Canadian Journal of Earth Sciences</i> , 2019, 56, 1318-1332.	0.6	26
495	Gangdese magmatism in southern Tibet and India-Asia convergence since 120 Ma. <i>Geological Society Special Publication</i> , 2019, 483, 583-604.	0.8	110
496	Generation of leucogranites via fractional crystallization: A case from the Late Triassic Luoza batholith in the Lhasa Terrane, southern Tibet. <i>Gondwana Research</i> , 2019, 66, 63-76.	3.0	28
497	Late Cretaceous magmatic activity in the southern Lhasa terrane: insights from the Dazhuqu hornblende gabbro and the Xietongmen granite porphyry. <i>International Geology Review</i> , 2019, 61, 1642-1665.	1.1	10
498	Lithium isotope systematics of the Sumdo Eclogite, Tibet: Tracing fluid/rock interaction of subducted low-T altered oceanic crust. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 246, 385-405.	1.6	28
499	Contrasting arc magma fertilities in the Gangdese belt, Southern Tibet: Evidence from geochemical variations of Jurassic volcanic rocks. <i>Lithos</i> , 2019, 324-325, 789-802.	0.6	27
500	Along-arc variations in isotope and trace element compositions of Paleogene gabbroic rocks in the Gangdese batholith, southern Tibet. <i>Lithos</i> , 2019, 324-325, 877-892.	0.6	27
501	Discovery of Middle Jurassic trench deposits in the Bangong-Nujiang suture zone: Implications for the timing of Lhasa-Qiangtang initial collision. <i>Tectonophysics</i> , 2019, 750, 344-358.	0.9	34
502	Detrital zircon U-Pb geochronology of a Cenozoic foreland basin in Northeast India: Implications for zircon provenance during the collision of the Indian and Asian plates. <i>Terra Nova</i> , 2019, 31, 18-27.	0.9	27
503	Southward extension of the Bangonghu-Nujiang Suture: Evidence from Early Cretaceous intermediate and felsic magmatism in the Gaoligong Orogen, China. <i>Journal of Asian Earth Sciences</i> , 2019, 175, 1-25.	1.0	33
504	Neoproterozoic sedimentary rocks track the location of the Lhasa Block during the Rodinia breakup. <i>Precambrian Research</i> , 2019, 320, 63-77.	1.2	33
505	Deconvolving the pre-Himalayan Indian margin "Tales of crustal growth and destruction. <i>Geoscience Frontiers</i> , 2019, 10, 863-872.	4.3	41
506	The metamorphic evolution and tectonic significance of the Sumdo HP-UHP metamorphic terrane, central-south Lhasa Block, Tibet. <i>Geological Society Special Publication</i> , 2019, 474, 209-229.	0.8	13
507	Evolution of the northward subduction of the Neo-Tethys: Implications of geochemistry of Cretaceous arc volcanics in Qinghai-Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2019, 515, 83-94.	1.0	11

#	ARTICLE	IF	CITATIONS
508	The Jurassic Yeba Formation in the Gangdese arc of S. Tibet: implications for upper plate extension in the Lhasa terrane. <i>International Geology Review</i> , 2019, 61, 481-503.	1.1	21
509	Late Cretaceous tectono-magmatic activity in the Nize region, central Tibet: evidence for lithospheric delamination beneath the Qiangtang–Lhasa collision zone. <i>International Geology Review</i> , 2019, 61, 562-583.	1.1	20
510	Detrital zircon geochronology and geochemistry of Jurassic sandstones in the Xiongacun district, southern Lhasa subterrane, Tibet, China: implications for provenance and tectonic setting. <i>Geological Magazine</i> , 2019, 156, 683-701.	0.9	20
511	Reconstructing Greater India: Paleogeographic, kinematic, and geodynamic perspectives. <i>Tectonophysics</i> , 2019, 760, 69-94.	0.9	129
512	Sulphur and lead isotopic compositions of the Pb–Zn polymetallic deposits in the Linzizong volcanic area, Gangdese belt, Tibet: Implications for variation characteristics of ore-forming material sources and exploration targeting. <i>Geological Journal</i> , 2020, 55, 650-670.	0.6	5
513	Age and isotope geochemistry of magmatic rocks of the Lohit Plutonic Complex, eastern Himalaya: implications for the evolution of Transhimalayan arc magmatism. <i>Journal of the Geological Society</i> , 2020, 177, 379-394.	0.9	16
514	Geochemistry, detrital zircon geochronology and Hf isotope of the clastic rocks in southern Tibet: Implications for the Jurassic-Cretaceous tectonic evolution of the Lhasa terrane. <i>Gondwana Research</i> , 2020, 78, 41-57.	3.0	22
515	Late Cretaceous magmatism in the NW Lhasa Terrane, southern Tibet: Implications for crustal thickening and initial surface uplift. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 334-352.	1.6	8
516	Petrogenesis of Late Triassic high-Mg diorites and associated granitoids with implications for Paleo-Tethys evolution in the northeast Tibetan Plateau. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 955-976.	1.6	11
517	Late Cretaceous Neo-Tethyan slab roll-back: Evidence from zircon U-Pb-O and whole-rock geochemical and Sr-Nd-Fe isotopic data of adakitic plutons in the Himalaya-Tibetan Plateau. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 409-426.	1.6	16
518	Petrogenesis of Jurassic Xietongmen intrusive rocks at the southern margin of the Lhasa terrane: implications for intra-oceanic arc evolution. <i>Australian Journal of Earth Sciences</i> , 2020, 67, 339-350.	0.4	0
519	Early Jurassic and Late Cretaceous granites in the Tongka micro-block, Central Tibet: Implications for the evolution of the Bangong-Nujiang ocean. <i>Journal of Asian Earth Sciences</i> , 2020, 194, 104030.	1.0	10
520	Reworked Precambrian metamorphic basement of the Lhasa terrane, southern Tibet: Zircon/titanite U–Pb geochronology, Hf isotope and geochemistry. <i>Precambrian Research</i> , 2020, 336, 105496.	1.2	21
521	Transition from oceanic subduction to continental collision recorded in the Bangong-Nujiang suture zone: Insights from Early Cretaceous magmatic rocks in the north-central Tibet. <i>Gondwana Research</i> , 2020, 78, 77-91.	3.0	25
522	Forearc tectonic evolution in the middle of the Bangong–Nujiang Tethys Ocean: New geochemical evidence of the Lanong ophiolites from the Zangbei lakes region. <i>Geological Journal</i> , 2020, 55, 3917-3935.	0.6	3
523	The Late Jurassic Zedong ophiolite: A remnant of subduction initiation within the Yarlung Zangbo Suture Zone (southern Tibet) and its tectonic implications. <i>Gondwana Research</i> , 2020, 78, 172-188.	3.0	22
524	Provenance of glacial marine conglomerates in the Permian Lagar Formation of southern Tibet: Evidence for affinity of the Lhasa Terrane with Australia. <i>Journal of Asian Earth Sciences</i> , 2020, 187, 104064.	1.0	3
525	Process of lithospheric delamination beneath the Lhasa–Qiangtang collision orogen: Constraints from the geochronology and geochemistry of Late Cretaceous volcanic rocks in the Lhasa terrane, central Tibet. <i>Lithos</i> , 2020, 356-357, 105219.	0.6	8

#	ARTICLE	IF	CITATIONS
526	Miocene potassic and adakitic intrusions in eastern central Lhasa terrane, Tibet: Implications for origin and tectonic of postcollisional magmatism. <i>Geological Journal</i> , 2020, 55, 3036-3053.	0.6	6
527	Petrogenesis of Early Jurassic (ca. 181 Ma) dacitic rhyolitic volcanic rocks in the Amdo ophiolite mélange, central Tibetan Plateau: Low-pressure partial melts of Bangong-Nujiang Tethys oceanic crust?. <i>Geological Journal</i> , 2020, 55, 3283-3296.	0.6	7
528	Thermochronological insights into the intracontinental orogeny of the Chinese western Tianshan orogen. <i>Journal of Asian Earth Sciences</i> , 2020, 194, 103927.	1.0	16
529	Late Jurassic I-type rhyolites from the Duobuza region, north-central Tibet: evidence for the occurrence of juvenile lower crust and crustal growth in the Southern Qiangtang Terrane. <i>International Geology Review</i> , 2020, 62, 1450-1466.	1.1	4
530	The lower crust of the Gangdese magmatic arc, southern Tibet, implication for the growth of continental crust. <i>Gondwana Research</i> , 2020, 77, 136-146.	3.0	69
531	Lithium isotopic evidence for subduction of the Indian lower crust beneath southern Tibet. <i>Gondwana Research</i> , 2020, 77, 168-183.	3.0	20
532	Geodynamics of the divergent double subduction along the Bangong-Nujiang tethyan suture zone: Insights from late mesozoic intermediate-mafic rocks in central Tibet. <i>Gondwana Research</i> , 2020, 79, 233-247.	3.0	20
533	Geochemical evidence for the production of granitoids through reworking of the juvenile mafic arc crust in the Gangdese orogen, southern Tibet. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 1347-1364.	1.6	22
534	Miocene adakites in south Tibet: Partial melting of the thickened Lhasa juvenile mafic lower crust with the involvement of ancient Indian continental crust compositions. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 1273-1290.	1.6	11
535	Generation of the 105–100 Ma Dagze volcanic rocks in the north Lhasa Terrane by lower crustal melting at different temperature and depth: Implications for tectonic transition. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 1257-1272.	1.6	26
536	Reduced fluids in porphyry copper-gold systems reflect the occurrence of the wall-rock thermogenic process: An example from the No.1 deposit in the Xiongqun district, Tibet, China. <i>Ore Geology Reviews</i> , 2020, 118, 103212.	1.1	12
537	Geochemistry of the Eocene clastic sediments (Suonahu Formation) in the North Qiangtang Basin, Tibet: implications for paleoclimate conditions, provenance and tectonic setting. <i>Canadian Journal of Earth Sciences</i> , 2020, 57, 40-55.	0.6	3
538	Inherited terrane properties explain enigmatic post-collisional Himalayan-Tibetan evolution. <i>Geology</i> , 2020, 48, 8-14.	2.0	36
539	How faithfully do the geochronological and geochemical signatures of detrital zircon, titanite, rutile and monazite record magmatic and metamorphic events? A case study from the Himalaya and Tibet. <i>Earth-Science Reviews</i> , 2020, 201, 103082.	4.0	28
540	New insights into the hydrothermal evolution of skarn deposits: A case study of the Dongzhongla Pb-Zn deposit in Tibet, SW China. <i>Journal of Asian Earth Sciences</i> , 2020, 191, 104215.	1.0	3
541	Provenance analysis of Cretaceous peripheral foreland basin in central Tibet: Implications to precise timing on the initial Lhasa-Qiangtang collision. <i>Tectonophysics</i> , 2020, 775, 228311.	0.9	37
542	Genesis of high-potassium calc-alkaline peraluminous I-type granite: New insights from the Gaoligong belt granites in southeastern Tibet Plateau. <i>Lithos</i> , 2020, 354-355, 105343.	0.6	8
543	Provenance and tectonic setting of Upper Triassic turbidites in the eastern Tethyan Himalaya: Implications for early-stage evolution of the Neo-Tethys. <i>Earth-Science Reviews</i> , 2020, 200, 103030.	4.0	23

#	ARTICLE	IF	CITATIONS
544	Provenance of Lower Cretaceous sedimentary rocks in the northern margin of the Lhasa terrane, Tibet: Implications for the timing of the Lhasa-Qiangtang collision. <i>Journal of Asian Earth Sciences</i> , 2020, 190, 104162.	1.0	17
545	Geochronology and geochemistry of volcanic rocks of the Bima Formation, southern Lhasa subterrane, Tibet: Implications for early Neo-Tethyan subduction. <i>Gondwana Research</i> , 2020, 80, 335-349.	3.0	26
546	Late Mesozoic tectonic evolution of the central Bangong-Nujiang Suture Zone, central Tibetan Plateau. <i>International Geology Review</i> , 2020, 62, 2300-2323.	1.1	11
547	Zircon U-Pb geochronology, geochemistry, S-Pb-Hf isotopic compositions, and mineral chemistry of the Xin'gaguo skarn Pb-Zn deposit, Tibet, China. <i>Geological Journal</i> , 2020, 55, 4790-4809.	0.6	4
548	The latest Jurassic protoliths of the Sangsang mafic schists in southern Tibet: Implications for the spatial extent of Greater India. <i>Gondwana Research</i> , 2020, 79, 248-262.	3.0	8
549	New constraints on the tectono-magmatic evolution of the central Gangdese belt from Late Cretaceous magmatic suite in southern Tibet. <i>Gondwana Research</i> , 2020, 80, 123-141.	3.0	23
550	Crustal structure of western Tibet revealed by Lg attenuation tomography. <i>Tectonophysics</i> , 2020, 775, 228245.	0.9	4
551	Two phases of post-onset collision adakitic magmatism in the southern Lhasa subterrane, Tibet, and their tectonic implications. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 1587-1602.	1.6	13
552	Origin of Early Cretaceous Cu-bearing magmas associated with slab break-off in Northern Lhasa subterrane: Implications for the multisource of the postcollisional magma. <i>Geological Journal</i> , 2020, 55, 4642-4655.	0.6	3
553	Geochemistry and zircon trace elements composition of the Miocene ore-bearing biotite monzogranite porphyry in the Demingding porphyry Cu-Mo deposit, Tibet: Petrogenesis and implication for magma fertility. <i>Geological Journal</i> , 2020, 55, 4525-4542.	0.6	4
554	Extraction of high-silica granites from an upper crustal magma reservoir: Insights from the Narusongduo magmatic system, Gangdese arc. <i>American Mineralogist</i> , 2020, 105, 1572-1584.	0.9	9
555	Geological, Geochemical, and Mineralogical Constraints on the Genesis of the Polymetallic Pb-Zn-Rich Nuocang Skarn Deposit, Western Gangdese, Tibet. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 839.	0.8	2
556	Contrasting latest Permian intracontinental gabbro and Late Triassic arc gabbro-diorite in the Gangdese constrain the subduction initiation of the Neo-Tethys. <i>International Geology Review</i> , 2020, , 1-20.	1.1	4
557	The first large-scale bioavailable Sr isotope map of China and its implication for provenance studies. <i>Earth-Science Reviews</i> , 2020, 210, 103353.	4.0	35
558	Early Carboniferous Back-Arc Rifting-Related Magmatism in Southern Tibet: Implications for the History of the Lhasa Terrane Separation From Gondwana. <i>Tectonics</i> , 2020, 39, e2020TC006237.	1.3	34
559	Cenozoic crustal-scale duplexing and flat Moho in southern Tibet: Evidence from reflection seismology. <i>Tectonophysics</i> , 2020, 790, 228562.	0.9	5
560	Discovery of Late Triassic mineralization in the Gangdese Metallogenic Belt, Tibet: The Banduo Pb-Zn deposit, Somdo area. <i>Ore Geology Reviews</i> , 2020, 126, 103754.	1.1	2
561	The embryonic Himalayan foreland basin revealed in the eastern Yarlung Zangbo suture zone, southeastern Tibet. <i>Sedimentary Geology</i> , 2020, 407, 105743.	1.0	3



#	ARTICLE	IF	CITATIONS
562	Oldest Jurassic wood with Gondwanan affinities from the Middle Jurassic of Tibetan Plateau and its paleoclimatological and paleoecological significance. <i>Review of Palaeobotany and Palynology</i> , 2020, 281, 104283.	0.8	6
563	Miocene multi-source magma system and magma mixing in the Zhunuo porphyry Cu deposit, southern Tibet, China. <i>Geological Journal</i> , 2020, 55, 8092-8108.	0.6	2
564	Syn-collisional magmatism at the Longgen Pb-Zn deposit, western Nyainqentanglha belt, Tibet: Petrogenesis and implications for regional polymetallic metallogeny. <i>Ore Geology Reviews</i> , 2020, 126, 103730.	1.1	14
565	Eocene Rotation of the Northeastern Central Tibetan Plateau Indicating Stepwise Compressions and Eastward Extrusions. <i>Geophysical Research Letters</i> , 2020, 47, e2020GL088989.	1.5	22
566	Miocene Subsidence and Surface Uplift of Southernmost Tibet Induced by Indian Subduction Dynamics. <i>Geochemistry, Geophysics, Geosystems</i> , 2020, 21, e2020GC009078.	1.0	7
567	The odyssey of Tibetan Plateau accretion prior to Cenozoic India-Asia collision: Probing the Mesozoic tectonic evolution of the Bangong-Nujiang Suture. <i>Earth-Science Reviews</i> , 2020, 211, 103376.	4.0	25
568	Petrogenesis of Late Early Cretaceous high-silica granites from the Bangong-Nujiang suture zone, Central Tibet. <i>Lithos</i> , 2021, 402-403, 105788.	0.6	2
569	Decoding the oxygen fugacity of ore-forming fluids from garnet chemistry, the Longgen skarn Pb-Zn deposit, Tibet. <i>Ore Geology Reviews</i> , 2020, 126, 103770.	1.1	16
570	Deep thermal state on the eastern margin of the Lhasa-Gangdese belt and its constraints on tectonic dynamics based on the 3-D electrical model. <i>Tectonophysics</i> , 2020, 793, 228606.	0.9	7
571	Kinematics, strain patterns, rheology, and geochronology of Woka ductile shear zone: Product of uplift of Gangdese batholith and Great Counter Thrust activity. <i>Geological Journal</i> , 2020, 55, 7251-7271.	0.6	4
572	Mesozoic Subduction Accretion History in Central Tibet Constrained From Provenance Analysis of the Mugangri Subduction Complex in the Bangong-Nujiang Suture Zone. <i>Tectonics</i> , 2020, 39, e2020TC006144.	1.3	19
573	Late Cretaceous adakitic rocks from the western Tibetan Plateau: implications for the subduction of the Neo-Tethys Ocean. <i>International Geology Review</i> , 2020, , 1-16.	1.1	3
574	Tomographic Imaging of the India-Asia Plate Collisional Tectonics and Mantle Upwelling Beneath Western Tibet. <i>Acta Geologica Sinica</i> , 2020, 94, 1159-1166.	0.8	4
575	Identification and Origin of Jurassic (~182 Ma) Zircon Grains from Chromitite within the Peridotite of the Jijal Complex, Kohistan Arc in North Pakistan. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 1085.	0.8	0
576	Magmatic record of continuous Neo-Tethyan subduction after initial India-Asia collision in the central part of southern Tibet. <i>Bulletin of the Geological Society of America</i> , 0, , .	1.6	7
577	Identification of Forearc Sediments in the Milin-Zedong Region and Their Constraints on Tectonomagmatic Evolution of the Gangdese Arc, Southern Tibet. <i>Lithosphere</i> , 2020, 2020, .	0.6	3
578	Aptian Flysch in Central Tibet: Constraints on the Timing of Closure of the Bangong-Nujiang Tethyan Ocean. <i>Tectonics</i> , 2020, 39, e2020TC006198.	1.3	29
579	Mesozoic crustal evolution of southern Tibet: Constraints from the early Jurassic igneous rocks in the Central Lhasa terrane. <i>Lithos</i> , 2020, 366-367, 105557.	0.6	8

#	ARTICLE	IF	CITATIONS
580	Redox state of southern Tibetan upper mantle and ultrapotassic magmas. <i>Geology</i> , 2020, 48, 733-736.	2.0	27
581	Post-collisional mafic magmatism: Record of lithospheric mantle evolution in continental orogenic belt. <i>Science China Earth Sciences</i> , 2020, 63, 2029-2041.	2.3	11
582	Compositional and geochronological signatures of metamafic dykes from the Sangsang peridotites, South Tibet: Evidence for magma-starved forearc rifting during Neo-Tethyan subduction re-initiation. <i>Geoscience Frontiers</i> , 2020, 11, 2271-2286.	4.3	2
583	A New Discovery of Ag-Pb-Zn Mineralization via Modern Portable Analytical Technology and Stream Sediment Data Processing Methods in Dajiacuo Area, Western Tibet (China). <i>Journal of Earth Science (Wuhan, China)</i> , 2020, 31, 668-682.	1.1	8
584	Formation and composition of the Late Cretaceous Gangdese arc lower crust in southern Tibet. <i>Contributions To Mineralogy and Petrology</i> , 2020, 175, 1.	1.2	35
585	Pn uppermost mantle tomography of Central Tibet: Implication for mechanisms of N-S rifts and conjugate faults. <i>Tectonophysics</i> , 2020, 788, 228499.	0.9	12
586	Formation of the Cretaceous skarn Cu-Au deposits of the southern Gangdese belt, Tibet: Case studies of the Kelu and Sangbujiala deposits. <i>Ore Geology Reviews</i> , 2020, 122, 103481.	1.1	14
587	Formation of the North-South Seismic Zone and Emeishan Large Igneous Province in Central China: Insights from P-Wave Teleseismic Tomography. <i>Bulletin of the Seismological Society of America</i> , 2020, 110, 3064-3076.	1.1	8
588	Geochronology, geochemistry, origin, and tectonic implications of high-pressure mafic granulites of the Amdo region, Central Tibet. <i>Geological Journal</i> , 2020, 55, 7458-7473.	0.6	3
589	Petrogenesis and geodynamic implications of the intrusions related to the Pusangguo skarn Cu-dominated polymetallic deposit in Tibet: Constraints from geochronology, geochemistry, and Sr-Nd-Pb-Hf isotopes. <i>Geological Journal</i> , 2020, 55, 7659-7686.	0.6	2
590	High-Resolution 3D Shear Wave Velocity Model of the Tibetan Plateau: Implications for Crustal Deformation and Porphyry Cu Deposit Formation. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019215.	1.4	29
591	Amphibole and whole-rock geochemistry of early Late Jurassic diorites, Central Tibet: Implications for petrogenesis and geodynamic processes. <i>Lithos</i> , 2020, 370-371, 105644.	0.6	2
592	Shoshonitic enclaves in the high Sr/Y Nyemo pluton, southern Tibet: Implications for Oligocene magma mixing and the onset of extension of the southern Lhasa terrane. <i>Lithos</i> , 2020, 362-363, 105490.	0.6	5
593	Ordovician successions in southern-central Xizang (Tibet), China—Refining the stratigraphy of the Himalayan and Lhasa terranes. <i>Gondwana Research</i> , 2020, 83, 372-389.	3.0	8
594	First mid-ocean ridge-type ophiolite from the Meso-Tethys suture zone in the north-central Tibetan plateau. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2202-2220.	1.6	34
595	Generation of Jurassic high-Mg diorite and plagiogranite intrusions of the Asa area, Tibet: Products of intra-oceanic subduction of the Meso-Tethys Ocean. <i>Lithos</i> , 2020, 362-363, 105481.	0.6	6
596	Discovery of Vestige Sedimentary Archives of the India-Asia Collision in the Eastern Yarlung Zangbo Suture Zone. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB018192.	1.4	6
597	Numerical modelling of rare earth element fractionation trends in garnet: a tool to monitor skarn evolution. <i>Contributions To Mineralogy and Petrology</i> , 2020, 175, 1.	1.2	10

#	ARTICLE	IF	CITATIONS
598	Subduction collision and exhumation of eclogites in the Lhasa terrane, Tibet Plateau. <i>Gondwana Research</i> , 2022, 102, 394-404.	3.0	16
599	Rejuvenation of ancient micro-continents during accretionary orogenesis: Insights from the Yili Block and adjacent regions of the SW Central Asian Orogenic Belt. <i>Earth-Science Reviews</i> , 2020, 208, 103255.	4.0	55
600	Genesis and geodynamic process of early Cretaceous intermediate felsic batholith within the Chem Co zone, western Qiangtang and implications for Bangong-Nujiang Tethyan Ocean subduction. <i>Gondwana Research</i> , 2020, 82, 193-220.	3.0	4
601	Slab break-off origin of 105 Ma A-type porphyritic granites in the Asa area of Tibet. <i>Geological Magazine</i> , 2020, 157, 1281-1298.	0.9	5
602	Geochemical characteristics of the Nyemo intrusion and crust-mantle interactions in southern Gangdese, Tibet. <i>Geological Magazine</i> , 2020, 157, 1747-1766.	0.9	1
603	Detrital zircon U-Pb geochronology of the Wuyu (Oiyug) Basin, southern Tibetan Plateau, and its geological implications. <i>Gondwana Research</i> , 2020, 83, 36-48.	3.0	1
604	Geology, geochronology and geochemistry of the Miocene Jiaoxi quartz vein-type W deposit in the western part of the Lhasa Terrane, Tibet: Implications for ore genesis. <i>Ore Geology Reviews</i> , 2020, 120, 103433.	1.1	15
605	Southward subduction of the Bangong-Nujiang Tethys Ocean: insights from ca. 161-129 Ma arc volcanic rocks in the north of Lhasa terrane, Tibet. <i>International Journal of Earth Sciences</i> , 2020, 109, 631-647.	0.9	19
606	Magmatic evolution and related W-Mo mineralization in the Larong deposit, eastern Tibet: Evidence from zircon U-Pb ages, geochemistry and Sr-Nd-Hf isotopes. <i>Ore Geology Reviews</i> , 2020, 120, 103411.	1.1	5
607	Late Cretaceous granitic intrusions and associated deposits in the Yidun Arc of the eastern Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2020, 192, 104249.	1.0	9
608	Timing and causes of the mid-Cretaceous global plate reorganization event. <i>Earth and Planetary Science Letters</i> , 2020, 534, 116071.	1.8	22
609	Sediment provenance of pre- and post-collisional Cretaceous-Paleogene strata from the frontal Himalaya of northwest India. <i>Earth and Planetary Science Letters</i> , 2020, 534, 116079.	1.8	23
610	Petrogenesis of mafic dykes from the western Bastar craton of Central India and their relation to outgrowth of Columbia supercontinent. <i>Mineralogy and Petrology</i> , 2020, 114, 243-262.	0.4	4
611	Aeromagnetic Anomalies in Central Yarlung-Zangbo Suture Zone (Southern Tibet) and Their Geological Origins. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB017351.	1.4	6
612	Zircon U-Pb geochronology and Sr-Nd-Hf-O isotope geochemistry of Late Jurassic granodiorites in the southern Qiangtang block, Tibet: Remelting of ancient mafic lower crust in an arc setting?. <i>Journal of Asian Earth Sciences</i> , 2020, 192, 104235.	1.0	5
613	Fluid inclusion and stable isotope (C, O and S) constraints on the genesis of the high-grade Langdu Cu skarn deposit in Yunnan, SW China. <i>Ore Geology Reviews</i> , 2020, 118, 103354.	1.1	5
614	Multimineral fingerprinting of modern sand generated from the Tethys Himalaya (Nianchu River,). <i>Tectonophysics</i> , 2020, 810, 229-247.	1.0	7
615	Subduction Initiation During Collision-Induced Subduction Transference: Numerical Modeling and Implications for the Tethyan Evolution. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019288.	1.4	29

#	ARTICLE	IF	CITATIONS
616	Prolonged Neo-Tethyan magmatic arc in Myanmar: evidence from geochemistry and Sr <sup>87</sup> /Nd <sup>143</sup> /Hf isotopes of Cretaceous mafic felsic intrusions in the Banmauk Kawlin area. <i>International Journal of Earth Sciences</i> , 2020, 109, 649-668.	0.9	17
617	Petrogenesis and Geological Implications of the Oligocene Mingze monzodiorites, Southern Lhasa. <i>Minerals (Basel, Switzerland)</i> , 2020, 10, 301.	0.8	2
618	Formation of Late Cretaceous high-Mg granitoid porphyry in central Lhasa, Tibet: Implications for crustal thickening prior to India-Asia collision. <i>Geological Journal</i> , 2020, 55, 6696-6717.	0.6	9
619	Extremely light K in subducted low-T altered oceanic crust: Implications for K recycling in subduction zone. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 277, 206-223.	1.6	35
620	Magmatic and structural controls on the tonnage and metal associations of collision-related porphyry copper deposits in southern Tibet. <i>Ore Geology Reviews</i> , 2020, 122, 103509.	1.1	10
621	Metallogeny of the continental collision-related Jiagang W-Mo deposit, Tibet: Evidence from geochronology and petrogenesis. <i>Ore Geology Reviews</i> , 2020, 122, 103519.	1.1	6
622	Ore genesis of skarn mineralization in continental collision orogens: A case study from the Pusanguo Co-bearing Cu-Pb-Zn deposit in Tibet. <i>Ore Geology Reviews</i> , 2020, 122, 103523.	1.1	8
623	From extension to tectonic inversion: Mid-Cretaceous onset of Andean-type orogeny in the Lhasa block and early topographic growth of Tibet. <i>Bulletin of the Geological Society of America</i> , 2020, 132, 2432-2454.	1.6	18
624	The complex life cycle of oceanic lithosphere: A study of Yarlung-Zangbo ophiolitic peridotites, Tibet. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 277, 175-191.	1.6	41
625	Spatial and temporal influence of Pacific subduction on South China: geochemical migration of Cretaceous mafic intermediate rocks. <i>Journal of the Geological Society</i> , 2020, 177, 1013-1024.	0.9	19
626	Geology and origin of the Zhunuo porphyry copper deposit, Gangdese belt, southern Tibet. <i>Mineralium Deposita</i> , 2021, 56, 457-480.	1.7	31
627	New titanite U-Pb and molybdenite Re-Os ages for a hydrothermal vein-type Cu deposit in the Lanping Basin, Yunnan, SW China: constraints on regional metallogeny and implications for exploration. <i>Mineralium Deposita</i> , 2021, 56, 441-456.	1.7	9
628	Late Jurassic Changmar Complex from the Shyok ophiolite, NW Himalaya: a prelude to the Ladakh Arc. <i>Geological Magazine</i> , 2021, 158, 239-260.	0.9	13
629	Neo-Tethyan slab tearing constrained by Palaeocene MORB-like magmatism in southern Tibet. <i>Geological Journal</i> , 2021, 56, 205-223.	0.6	7
630	Forearc magmatic evolution during subduction initiation: Insights from an Early Cretaceous Tibetan ophiolite and comparison with the Izu-Bonin-Mariana forearc. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 753-776.	1.6	34
631	Neoproterozoic Amdo and Jiayuqiao microblocks in the Tibetan Plateau: Implications for Rodinia reconstruction. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 663-678.	1.6	18
632	An extensional collapse model for the Lhasa-Qiangtang orogen in Central Tibet. <i>Gondwana Research</i> , 2021, 89, 66-87.	3.0	4
633	Early Cretaceous volcanic rocks in Yunzhug area, central Tibet, China, associated with arc-continent collision in the Tibetan Plateau?. <i>Lithos</i> , 2021, 380-381, 105827.	0.6	5

#	ARTICLE	IF	CITATIONS
634	Identification of the Early Jurassic mylonitic granitic pluton and tectonic implications in Namling area, southern Tibet. <i>Geoscience Frontiers</i> , 2021, 12, 13-28.	4.3	7
635	Origin and tectonic implications of boninite dikes in the Shiquanhe ophiolite, western Bangong Suture, Tibet. <i>Journal of Asian Earth Sciences</i> , 2021, 205, 104594.	1.0	6
636	Titanite in situ SIMS U <sup>238</sup> -Pb geochronology, elemental and Nd isotopic signatures record mineralization and fluid characteristics at the Pusangguo skarn deposit, Tibet. <i>Mineralium Deposita</i> , 2021, 56, 907-916.	1.7	20
637	Sedimentology and provenance of newly identified Upper Cretaceous trench basin strata, Dã <sup>3</sup> nggar, southern Tibet: Implications for development of the Eurasian margin prior to India-Asia collision. <i>Basin Research</i> , 2021, 33, 1454-1473.	1.3	8
638	New <sup>40</sup> Ar/ <sup>39</sup> Ar and (U-Th)/He dating for the Zhunuo porphyry Cu deposit, Gangdese belt, southern Tibet: implications for pulsed magmatic-hydrothermal processes and ore exhumation and preservation. <i>Mineralium Deposita</i> , 2021, 56, 917-934.	1.7	12
639	Cenozoic retrogression and exhumation of the amphibolites in the eastern Gangdese Belt, SW China. <i>Journal of Asian Earth Sciences</i> , 2021, 205, 104574.	1.0	2
640	Genesis of the Lakang'e porphyry Mo (Cu) deposit, Tibet: Constraints from geochemistry, geochronology, Sr-Nd-Pb-Hf isotopes, zircon and apatite. <i>Lithos</i> , 2021, 380-381, 105834.	0.6	6
641	Middle Permian adakitic granite dikes in the Sumdo region, central Lhasa terrane, central Tibet: Implications for the subduction of the Sumdo Paleo-Tethys Ocean. <i>Journal of Asian Earth Sciences</i> , 2021, 205, 104610.	1.0	12
642	Helium and argon isotope geochemistry of the Tibetan Qulong porphyry Cu-Mo deposit, China. <i>Acta Geochimica</i> , 2021, 40, 32-41.	0.7	1
643	Hydrocarbon-seep deposits in the lower Permian Angie Formation, Central Lhasa Block, Tibet. <i>Gondwana Research</i> , 2021, 90, 258-272.	3.0	9
644	Timing and origin of the Shesuo skarn Cu-polymetallic deposit in the northern Lhasa subterrane, central Tibet: Implications for Early Cretaceous Cu(Mo) metallogenesis in the Bangong-Nujiang metallogenic belt. <i>Ore Geology Reviews</i> , 2021, 129, 103919.	1.1	3
645	Petrogenesis of ca. 113 Ma volcanic rocks in the central Lhasa subterrane, southern Tibet: Implications for the tectonic setting and continental crustal reworking. <i>Geological Journal</i> , 2021, 56, 1987-2007.	0.6	3
646	The role of hydrous mantle-derived magmas in the generation of Late Cretaceous granitoids in the Gangdese batholith: insights from the Shanba and Zongga plutons in the southern Lhasa subterrane, Tibet. <i>Mineralogy and Petrology</i> , 2021, 115, 113-136.	0.4	1
647	Genesis and multi-stage evolution of crustal magma: A case study of the Late Jurassic Xurucuo plutonic complex in the South Lhasa terrane, Tibet. <i>Lithos</i> , 2021, 380-381, 105869.	0.6	1
648	Early Paleozoic accretionary orogenesis in the northeastern Indochina and implications for the paleogeography of East Gondwana: constraints from igneous and sedimentary rocks. <i>Lithos</i> , 2021, 382-383, 105921.	0.6	14
649	Timing and genetic link of porphyry Mo and skarn Pb-Zn mineralization in the Chagele deposit, Western Nyainqentanglha belt, Tibet. <i>Ore Geology Reviews</i> , 2021, 129, 103929.	1.1	15
650	Middle Triassic arc magmatism in the southern Lhasa terrane: Geochronology, petrogenesis and tectonic setting. <i>Lithos</i> , 2021, 380-381, 105857.	0.6	8
651	The middle Cretaceous (110-94 Ma) evolution of Tangza Basin in the western Tibetan Plateau and implications for initial topographic growth of northern Lhasa. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1283-1300.	1.6	4

#	ARTICLE	IF	CITATIONS
652	Early Eocene high-flux magmatism and concurrent high-temperature metamorphism in the Gangdese belt, southern Tibet. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 1194-1216.	1.6	5
653	Simultaneous growth and reworking of the Lhasa basement: A case study from Early Cretaceous magmatism in the north-central Tibet. <i>Lithos</i> , 2021, 380-381, 105863.	0.6	3
654	Petrogenesis and tectonic implications of Palaeocene (ca. 54 Ma) rhyolites in the western Lhasa Terrane, south Tibet: Constraints from geochemistry and Sr-Nd-Hf isotope compositions. <i>Geological Journal</i> , 2021, 56, 494-507.	0.6	0
655	Syn-collisional magmatic record of Indian steep subduction by 50 Ma. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 949-962.	1.6	8
656	Early Neoproterozoic granitic gneisses in the Amdo micro-continent, Tibet: petrogenesis and geodynamic implications. <i>International Geology Review</i> , 2021, 63, 342-356.	1.1	8
657	Generation of syn-collisional S-type granites in collision zones: An example from the Late Triassic Tanggula Batholith in northern Tibet. <i>Gondwana Research</i> , 2022, 104, 185-198.	3.0	4
658	Cambrian magmatic flare-up, central Tibet: Magma mixing in proto-Tethyan arc along north Gondwanan margin. <i>Bulletin of the Geological Society of America</i> , 2021, 133, 2171-2188.	1.6	15
659	Triassic magmatism in Northeast China: Implications for spatiotemporal distribution, continental crustal accretion, and geodynamic evolution. <i>International Geology Review</i> , 2022, 64, 770-798.	1.1	5
660	Biostratigraphy and provenance analysis of the Cretaceous to Palaeogene deposits in southern Tibet: Implications for the India-Asia collision. <i>Basin Research</i> , 2021, 33, 1749-1775.	1.3	6
661	Evolution of continental arc at root caused by igneous garnet and amphibole fractionation: Evidence from Jurassic intermediate felsic intrusive rocks in southern Qiangtang, Tibet. <i>Lithos</i> , 2021, 382-383, 105935.	0.6	3
662	Imaging the Late Triassic lithospheric architecture of the Yidun Terrane, eastern Tibetan Plateau: Observations and interpretations. <i>Bulletin of the Geological Society of America</i> , 0, , .	1.6	5
663	Contrasting Sr Nd Hf isotope systematics in Early Jurassic magmatic rocks from the Lhasa terrane: Implications for the lithospheric architecture of the Lhasa terrane. <i>Lithos</i> , 2021, 402-403, 106050.	0.6	4
664	The composition of garnet in granite and pegmatite from the Gangdese orogen in southeastern Tibet: Constraints on pegmatite petrogenesis. <i>American Mineralogist</i> , 2021, 106, 265-281.	0.9	12
665	Crustal electrical structure and deep metallogenic mechanism in the Xiongcu and Niangre districts of the Tibetan Plateau. <i>Journal of Applied Geophysics</i> , 2021, 185, 104260.	0.9	2
666	Towards interactive global paleogeographic maps, new reconstructions at 60, 40 and 20 Ma. <i>Earth-Science Reviews</i> , 2021, 214, 103508.	4.0	25
667	Middle Triassic volcanic rocks from the Gangdese belt, southern Tibet: petrogenesis and implications for Tethys tectonic evolution. <i>International Geology Review</i> , 0, , 1-18.	1.1	0
668	Recycling of subducted Indian continental crust and its significance on post-collisional ultrapotassic magmatism in southwestern Tibet. <i>Contributions To Mineralogy and Petrology</i> , 2021, 176, 1.	1.2	0
669	Tetrad effect of rare earth elements caused by fractional crystallization in high-silica granites: An example from central Tibet. <i>Lithos</i> , 2021, 384-385, 105968.	0.6	6

#	ARTICLE	IF	CITATIONS
670	Application of exploration geochemistry data to identify anomalies in the plateau region: a case study from the Xiongcu district in the Gangdese metallogenic belt, Tibet, China. <i>Geochemistry: Exploration, Environment, Analysis</i> , 2021, 21, .	0.5	2
671	Late Triassic Orogenic Assembly of the Tibetan Plateau: Constraints from Magmatism and Metamorphism in the East Lhasa Terrane. <i>Journal of Petrology</i> , 2021, 62, .	1.1	2
672	Late Cenozoic Denudation and Topographic Evolution History of the Lhasa River Drainage in Southern Tibetan Plateau: Insights From Inverse Thermal History Modeling. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	7
673	An island arc origin of Jurassic plagiogranite in the Shiquanhe ophiolite, western Bangong Suture, Tibet: Zircon $^{206}\text{Pb}/^{238}\text{U}$ chronology, geochemistry, and tectonic implications of Bangong $^{40}\text{Ar}/^{39}\text{K}$ Tethys. <i>Geological Journal</i> , 2021, 56, 3941-3958.	0.6	2
674	Early Cenozoic partial melting of meta-sedimentary rocks of the eastern Gangdese arc, southern Tibet, and its contribution to syn-collisional magmatism. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 179-200.	1.6	8
675	Role of Groundwater in Sustaining Northern Himalayan Rivers. <i>Geophysical Research Letters</i> , 2021, 48, e2020GL092354.	1.5	32
676	Raman geobarometry of quartz inclusions in eclogitic garnet constrains the metamorphic evolution and exhumation of the Sumdo oceanic slab in Tibet. <i>Gondwana Research</i> , 2022, 104, 172-184.	3.0	6
677	Evolution of the Tethyan Bangong-Nujiang Ocean and its SE Asian connection: Perspective from the Early Cretaceous high-Mg granitoids in SW China. <i>Lithos</i> , 2021, 388-389, 106074.	0.6	4
678	Paleogene magmatic flex and flux in the Ladakh Arc, NW Himalaya: Chronostratigraphy of the Khardung Formation. <i>Lithos</i> , 2021, 388-389, 106053.	0.6	5
679	Hydrothermal zircon geochronology in the Shangxu Gold Deposit and implication for the Early Cretaceous Orogenic Gold Mineralization in the Middle Bangong-Nujiang Suture Zone. <i>Acta Geologica Sinica</i> , 0, , .	0.8	0
680	Isotopic spatial-temporal evolution of magmatic rocks in the Gangdese belt: Implications for the origin of Miocene post-collisional giant porphyry deposits in southern Tibet. <i>Bulletin of the Geological Society of America</i> , 0, , .	1.6	11
681	Genesis of the Jigongcu Re-rich quartz vein-type Mo deposit, southern Tibet: Constraints from mineralogy, fluid inclusions, geochronology, $^{34}\text{S}$ isotopes, and in situ trace element compositions of molybdenite. <i>Ore Geology Reviews</i> , 2021, 132, 104069.	1.1	2
682	On the origin of high-pressure mafic granulite in the Eastern Himalayan Syntaxis: Implications for the tectonic evolution of the Himalayan orogen. <i>Gondwana Research</i> , 2022, 104, 4-22.	3.0	16
683	Evidence for deep processes from the Miocene potassic rock: Dynamic subsidence and uplift of the India-Asia Suture Zone. <i>Lithos</i> , 2021, 388-389, 106061.	0.6	0
684	Late Triassic rifting and volcanism on the northeastern Indian margin: A new phase of Neo-Tethyan seafloor spreading and its paleogeographic implications. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 570, 110367.	1.0	7
685	Middle-late Permian mantle plume/hotspot-ridge interaction in the Sumdo Paleo-Tethys Ocean region, Tibet: Evidence from mafic rocks. <i>Lithos</i> , 2021, 390-391, 106128.	0.6	2
686	Apatite fission track thermochronology of Cenozoic igneous rocks from porphyry copper deposits in the Gangdese belt of southern Tibet: Implications for cooling history and ore preservation. <i>Ore Geology Reviews</i> , 2021, 133, 104075.	1.1	7
687	Mantle micro-block beneath the Indian Ocean and its implications on the continental rift-drift-collision of the Tethyan evolution. <i>Earth-Science Reviews</i> , 2021, 217, 103622.	4.0	3

#	ARTICLE	IF	CITATIONS
688	Multistage Fractional Crystallization in the Continental Arc Magmatic System: Constraints from the Appinites in Tengchong Block, Southeastern Extension of Tibet. <i>Lithosphere</i> , 2021, 2021, .	0.6	5
689	Mesozoic multiple magmatic events in Bangor area: Constraints on the tectonic evolution of <sc>Bangongâ€™Nujiang</sc> Tethys Ocean. <i>Geological Journal</i> , 2021, 56, 4557-4593.	0.6	2
690	Two Stages of Accelerated Exhumation in the Middle Reach of the Yarlung River, Southern Tibet Since the Midâ€™Miocene. <i>Tectonics</i> , 2021, 40, e2020TC006618.	1.3	21
691	Temporalâ€™Spatial Separation of Cu from Mo in the Jiama Porphyry Copperâ€™Polymetallic Deposit, Southern Tibet, China. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 609.	0.8	0
692	Petrogenesis and Geodynamic Implications of Miocene Felsic Magmatic Rocks in the Wuyu Basin, Southern Gangdese Belt, Qinghai-Tibet Plateau. <i>Minerals (Basel, Switzerland)</i> , 2021, 11, 655.	0.8	0
693	Heavy magnesium isotopes in the Gangdese Magmatic Belt: Implications for magmatism in the Mesozoic subduction system of southern Tibet. <i>Lithos</i> , 2021, 390-391, 106106.	0.6	2
694	Origin of syn-collisional granitoids in the Gangdese orogen: Reworking of the juvenile arc crust and the ancient continental crust. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 577-598.	1.6	8
695	Zircon Uâ€™Pb geochronology, Hf isotope composition, and petrochemical characteristics of Paleocene granitoids in the western Gangdese Belt, Tibet. <i>Russian Geology and Geophysics</i> , 2021, 62, 666-684.	0.3	0
696	The first intra-oceanic island-arc porphyry Cu (Au) deposit in the western Bangong-Nujiang suture zone: Evidence from the Saidengnan Cu (Au) deposit. <i>Gondwana Research</i> , 2022, 104, 92-111.	3.0	3
697	The Bangong-Nujiang Suture Zone, Tibet Plateau: Its role in the tectonic evolution of the eastern Tethys Ocean. <i>Earth-Science Reviews</i> , 2021, 218, 103656.	4.0	14
698	Petrogenesis and Tectonic Implications of the Latest Cretaceous Intrusive Rocks from the Eastern Gangdese Belt, Southeast Tibet. <i>Acta Geologica Sinica</i> , 2022, 96, 891-903.	0.8	4
699	Enrichment Nature of Ultrapotassic Rocks in Southern Tibet Inherited from their Mantle Source. <i>Journal of Petrology</i> , 2021, 62, .	1.1	9
700	Late Cretaceous hydrous melting and reworking of juvenile lower crust of the eastern Gangdese magmatic arc, southern Tibet. <i>Gondwana Research</i> , 2022, 104, 112-125.	3.0	6
701	Petrogenesis of the Pandao granites in the Wutai Mountains area in the North China Craton: Constraints from geochemistry, zircon <sc>Uâ€™Pb</sc> geochronology, and Hf isotopes. <i>Geological Journal</i> , 2021, 56, 4809-4829.	0.6	1
702	Late Jurassicâ€™Early Cretaceous magmatic activity in the Central Lhasa Terrane: Petrogenesis and implications for the initial subduction of the Slainajap oceanic lithosphere. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 573, 110438.	1.0	5
703	Lithospheric Structure Near the Northern Xainzaâ€™Dinggye Rift, Tibetan Plateauâ€™Implications for Rheology and Tectonic Dynamics. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2020JB021442.	1.4	8
704	Lower Cretaceous turbidites in the Shiquanheâ€™Namco Ophiolite MÃ©lange Zone, Asa area, Tibet: Constraints on the evolution of the Meso-Tethys Ocean. <i>Geoscience Frontiers</i> , 2021, 12, 101127.	4.3	5
705	Petrogenesis of early Eocene granites and associated mafic enclaves in the Gangdese batholith, Tibet: Implications for net crustal growth in collision zones. <i>Lithos</i> , 2021, 394-395, 106170.	0.6	2



#	ARTICLE	IF	CITATIONS
706	Petrogenesis of Early-Middle Jurassic gabbros in southern Tibet with implications for crustal growth in the southern Lhasa subterrane. <i>International Geology Review</i> , 2022, 64, 1755-1780.	1.1	2
707	Miocene adakitic volcanism in eastern Lhasa Terrane, Tibet: perspective from zircon U-Pb geochronology, whole-rock geochemistry and Sr-Nd-Hf isotopes. <i>International Geology Review</i> , 0, , 1-15.	1.1	2
708	A model involving amphibolite lower crust melting and subsequent melt extraction for leucogranite generation. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1160-1179.	1.6	4
709	Biostratigraphic indices for Lower Jurassic carbonate-platform deposits (Perdido Group), Overthrust Terrane Association, Timor-Leste. <i>Journal of Asian Earth Sciences</i> , 2021, 215, 104797.	1.0	2
710	Hydrothermal Zircon Geochronology in the Shangxu Gold Deposit and its Implication for the Early Cretaceous Orogenic Gold Mineralization in the Middle Bangonghu-Nujiang Suture Zone. <i>Acta Geologica Sinica</i> , 2021, 95, 1249-1259.	0.8	8
711	Late Cretaceous adakitic and A-type granitoids in Chanang, southern Tibet: Implications for Neo-Tethyan slab rollback. <i>Gondwana Research</i> , 2021, 96, 89-104.	3.0	11
712	Early Jurassic accretion of retrograde eclogites and granulites in the Amdo complex, Bangonghu-Nujiang suture zone, central Tibet. <i>Gondwana Research</i> , 2022, 104, 70-91.	3.0	5
713	Late Triassic foreland basin and Early Palaeozoic basement in the eastern Yidun Microblock and its tectonic implications for the eastern Palaeo-Tethys. <i>Geological Journal</i> , 2021, 56, 5821-5838.	0.6	5
714	Geochronology and petrogenesis of Eocene gabbros and granitic rocks of the eastern Gangdese belt, southern Tibet: Implications for the timing of India-Asia collision. <i>Gondwana Research</i> , 2021, 97, 145-157.	3.0	7
715	Jurassic-Cretaceous arc magmatism along the Shyok-Bangong Suture from NW Himalaya: Formation of the peri-Gondwana basement to the Ladakh Arc. <i>Journal of the Geological Society</i> , 0, , jgs2021-035.	0.9	1
716	Origin of the enrichment of B and alkali metal elements in the geothermal water in the Tibetan Plateau: Evidence from B and Sr isotopes. <i>Chemie Der Erde</i> , 2021, 81, 125797.	0.8	12
717	Middle Crustal Partial Melting Triggered Since the Mid-Miocene in Southern Tibet: Insights From Magnetotelluric Data. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB022435.	1.4	9
718	Genesis and mineralization potential of the Late Cretaceous Chemen granodioritic intrusion in the southern Gangdese magmatic belt, Tibet. <i>Journal of Asian Earth Sciences</i> , 2021, 217, 104829.	1.0	6
719	The Late Triassic-Jurassic magmatic belt and its implications for the double subduction of the Neo-Tethys Ocean in the southern Lhasa subterrane, Tibet. <i>Gondwana Research</i> , 2021, 97, 1-21.	3.0	6
720	Subduction initiation of the Neo-Tethys oceanic lithosphere by collision-induced subduction transference. <i>Gondwana Research</i> , 2022, 104, 54-69.	3.0	14
721	Apatite and zircon compositions for Miocene mineralizing and barren intrusions in the Gangdese porphyry copper belt of southern Tibet: Implication for ore control. <i>Ore Geology Reviews</i> , 2021, 139, 104474.	1.1	5
722	From arc-continent collision to ocean closure: Lower Cretaceous Shamuluo Formation in the western segment of the Bangonghu-Nujiang suture zone, central Tibet. <i>Geoscience Frontiers</i> , 2021, 12, 101207.	4.3	6
723	Cumulate mush hybridization by melt invasion: Evidence from compositionally-diverse amphiboles in ultramafic-mafic arc cumulates within the eastern Gangdese Batholith, southern Tibet. <i>Journal of Petrology</i> , 0, , .	1.1	6

#	ARTICLE	IF	CITATIONS
724	Zircon U-Pb and Lu-Hf isotopes and geochemistry of granitoids in central Tibet: Bringing the missing Early Jurassic subduction events to light. <i>Gondwana Research</i> , 2021, 98, 125-146.	3.0	6
725	Southward subduction of the Bangong-Nujiang oceanic lithosphere triggered back-arc spreading: Evidence from the Late Jurassic Kongnongla magnesian andesites in central Tibet. <i>Lithos</i> , 2021, 398-399, 106250.	0.6	1
726	Cretaceous forearc basin remnant sediments in the eastern Yarlung Zangbo suture zone, near the eastern Himalaya syntaxis. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 580, 110620.	1.0	4
727	Three stages of early Paleozoic magmatism in the Tibetan-Himalayan orogen: New insights into the final Gondwana assembly. <i>Journal of Asian Earth Sciences</i> , 2021, 221, 104949.	1.0	3
728	Boron isotope composition of detrital tourmaline: A new tool in provenance analysis. <i>Lithos</i> , 2021, 400-401, 106360.	0.6	5
729	Constraining the genesis of tungsten mineralization in the Jiaoxi deposit, Tibet: A fluid inclusion and H, O, S and Pb isotope investigation. <i>Ore Geology Reviews</i> , 2021, 139, 104448.	1.1	7
730	Ca. 110 Ma adakite-like magmatism along the Bangong-Nujiang suture zone: Implications for crustal thickening and early uplift in the central Tibetan Plateau. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 584, 110661.	1.0	5
731	Multi-scale exploration of giant Qulong porphyry deposit in a collisional setting. <i>Ore Geology Reviews</i> , 2021, 139, 104455.	1.1	7
732	Late Mesozoic diorites of the middle Gangdese magmatic belt of southern Tibet: New insights from SHRIMP U-Pb dating and Sr-Nd-Hf-O isotopes. <i>Lithos</i> , 2021, 404-405, 106420.	0.6	3
733	The Mesozoic Amdo micro-block and East Asian superconvergent tectonic system. <i>Gondwana Research</i> , 2022, 101, 257-277.	3.0	3
734	Early Jurassic S-type granitoids in the Nyainqentanglha Range, South Tibet: A record of slab roll-back of subducted Neo-Tethyan Ocean. <i>Gondwana Research</i> , 2022, 101, 175-191.	3.0	4
735	Remagnetization of the Jurassic limestones in the Zaduo area, Eastern Qiangtang Terrane (Tibetan). <i>Tectonophysics</i> , 2022, 228, 2073-2091.	1.0	4
736	Reheating and Magma Mixing Recorded by Zircon and Quartz from High-Silica Rhyolite in the Coqen Region, Southern Tibet. <i>American Mineralogist</i> , 2021, 106, 112-122.	0.9	7
737	Cretaceous magmatic rocks in the Nyima area, North Tibet: Constraints for the tectonic evolution of the Bangong-Nujiang suture zone. <i>Acta Petrologica Sinica</i> , 2021, 37, 545-562.	0.3	4
738	U-Pb zircon age and geochemistry of the Cuocun gabbro in the southern Lhasa Terrane: Implications for Early Cretaceous rollback of the Neo-Tethyan oceanic slab. <i>Geological Journal</i> , 2021, 56, 1424-1444.	0.6	3
739	Porphyry mineralization in the Tethyan orogen. <i>Science China Earth Sciences</i> , 2020, 63, 2042-2067.	2.3	56
740	Ages and petrogenesis of the late Triassic andesitic rocks at the Luerma porphyry Cu deposit, western Gangdese, and implications for regional metallogeny. <i>Gondwana Research</i> , 2020, 85, 103-123.	3.0	22
741	GEOLOGY AND GEOCHEMISTRY CONSTRAINTS ON THE GENESIS OF THE NO.2 PORPHYRY COPPER-GOLD DEPOSIT IN THE XIONGCUN DISTRICT, GANGDESE PORPHYRY COPPER BELT, TIBET, CHINA. <i>Applied Ecology and Environmental Research</i> , 2017, 15, 477-508.	0.2	13

#	ARTICLE	IF	CITATIONS
742	Metamorphic $P-T$ path and tectonic implication of the sillimanite-garnet-biotite schist in the eastern Gangdese magmatic arc. <i>Acta Petrologica Sinica</i> , 2019, 35, 363-375.	0.3	11
743	Late Cretaceous magmatism and metamorphism records and its tectonic significance of garnet amphibolite from the eastern end of the Gangdese magmatic arc. <i>Acta Petrologica Sinica</i> , 2019, 35, 376-386.	0.3	11
744	Geochronology, geochemistry and petrogenesis of the Late Jurassic-Early Cretaceous granitoids in Zuozuo, western Central Lhasa Terrane, Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 405-422.	0.3	3
745	Zircon U-Pb age and Hf isotope of intrusive rocks from the Yawa area in the west part of southern Lhasa terrane, Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 423-438.	0.3	5
746	Geochemical characteristics and genesis of the Songka Late Cretaceous adakitic high-Mg diorite in the southern margin of Gangdese, southern Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 455-471.	0.3	17
747	An innovative perspective for the evolution of Bangong-Nujiang Ocean: Also discussing the Paleo-and Neo-Tethys conversion. <i>Acta Petrologica Sinica</i> , 2019, 35, 625-641.	0.3	28
748	Main collisional mineralization of Bangong-Nujiang metallogenic belt, Tibet: Geochronological, geochemical and isotopic evidence from Rongga molybdenum deposit. <i>Acta Petrologica Sinica</i> , 2019, 35, 705-723.	0.3	6
749	Geological and geochemical characteristics of the Jiaoxi deposit in the western Bangong-Nujiang metallogenic belt, Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 724-736.	0.3	5
750	Geochronology, geochemistry and tectonic significance of high-pressure metamorphic rocks from Yadan area in Central Qiangtang, Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 775-798.	0.3	5
751	The discovery of high-Mg rhyolitic rocks in Peng Tso area, Tibet and its significance for evolution of Bangong-Nujiang Ocean. <i>Acta Petrologica Sinica</i> , 2019, 35, 799-815.	0.3	9
752	The origin of the mafic microgranular enclaves from Jiama porphyry Cu polymetallic deposit, Tibet: Implications for magma mixing/mingling and mineralization. <i>Acta Petrologica Sinica</i> , 2019, 35, 934-952.	0.3	13
753	Geochemical characteristics and genesis of the Miocene high Sr/Y intermediate-felsic magmatic rocks in eastern Gangdese batholith, southern Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 1627-1646.	0.3	15
754	Evolution history of the Chem Co pluton, Longmu Co region and its tectonic implications: Constraints from geochemistry and geochronology. <i>Acta Petrologica Sinica</i> , 2019, 35, 1647-1672.	0.3	1
755	Detrital zircon geochronology of the Shamuluo Formation in Geji region of central Tibet: Provenance and evidence for the closure time of the Bangong Co-Nujiang Tethys Ocean. <i>Acta Petrologica Sinica</i> , 2019, 35, 1738-1756.	0.3	5
756	Petrogenesis and tectonic implications of the ore-bearing porphyries in the Xiongcu district: Constraints from the geochronology and geochemistry. <i>Acta Petrologica Sinica</i> , 2019, 35, 2105-2123.	0.3	4
757	Late Early Cretaceous andesites at Zanzong Co area in Shuanghu County, northern Tibet: Chronological constraints for early uplift of Tibetan Plateau. <i>Acta Petrologica Sinica</i> , 2019, 35, 2173-2188.	0.3	2
758	Genesis and geological significance of Early Jurassic metamorphic gabbro in the Sumdo area, Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 3065-3082.	0.3	5
759	Jurassic high-Mg andesitic rocks in the middle part of the Bangong-Nujiang suture zone, Tibet: New constraints for the tectonic evolution of the Meso-Tethys Ocean. <i>Acta Petrologica Sinica</i> , 2019, 35, 3097-3114.	0.3	16

#	ARTICLE	IF	CITATIONS
760	Geochronology and petrogenesis of highly fractionated Early Cretaceous granite in Baingoin area, Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 409-425.	0.3	4
761	Zircon U-Pb geochronology and geochemistry: Constraints on petrogenesis of the lately Late Cretaceous mafic dykes in northern Lhasa terrane, Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 443-454.	0.3	2
762	Tethyan geodynamics. <i>Acta Petrologica Sinica</i> , 2020, 36, 1627-1674.	0.3	149
763	Geological features of Neothyan ophiolites in Tibetan Plateau and its tectonic evolution. <i>Acta Petrologica Sinica</i> , 2020, 36, 2913-2945.	0.3	15
764	Amphibole-rich cumulate xenoliths in the Zhazhalong intrusive suite, Gangdese arc: Implications for the role of amphibole fractionation during magma evolution. <i>American Mineralogist</i> , 2020, 105, 262-275.	0.9	25
765	A Downgoing Indian Lithosphere Control on Along-Strike Variability of Porphyry Mineralization in the Gangdese Belt of Southern Tibet. <i>Economic Geology</i> , 2021, 116, 29-46.	1.8	25
766	Chapter 5 Porphyry Copper Deposits in China. , 2019, , 133-187.		23
767	Crustal reworking and growth during India-Asia continental collision: Insights from early Cenozoic granitoids in the central Lhasa Terrane, Tibet. <i>Geological Journal</i> , 2022, 57, 79-98.	0.6	1
768	Tracing erosion patterns in South Tibet: Balancing sediment supply to the Yarlung Tsangpo from the Himalaya versus Lhasa Block. <i>Basin Research</i> , 2022, 34, 411-439.	1.3	9
769	Petrogenesis of microgranitoid enclaves and their host granites: The example of Late Cretaceous Guyong pluton in Tengchong Block, SW China. <i>Geological Journal</i> , 2022, 57, 208-220.	0.6	1
770	Mantle wedge enrichment beneath southern Tibet during the late stage (100-45 Ma) of oceanic subduction: Geochemical constraints from mantle-derived intrusions. <i>Lithos</i> , 2021, 406-407, 106505.	0.6	0
771	The India-Eurasia convergence system: Late Oligocene to early Miocene passive roof thrusting driven by deep-rooted duplex stacking. <i>Geosystems and Geoenvironment</i> , 2022, 1, 100006.	1.7	23
772	Provenance and tectonic setting of the Sumdo Formation in the Lhasa Terrane, Tibet: Implications for early subduction evolution of the Sumdo Paleotethys Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2021, 584, 110712.	1.0	16
773	On the significance of periglacial conditions in active mountain belts for chemical weathering processes: Insights from the Chayu area, SE Tibet. <i>Chemical Geology</i> , 2021, 585, 120581.	1.4	3
774	Detrital zircon age spectra of the Yungou Formation and its constrain to the related block affinity, western Yunnan. <i>Acta Petrologica Sinica</i> , 2019, 35, 2911-2925.	0.3	0
775	Trace element geochemistry of zircon, apatite, and titanite of Late Cretaceous hornblende gabbro and granite porphyry in the southern Lhasa subterrane: Implications for petrogenesis and mineralization. <i>Acta Petrologica Sinica</i> , 2019, 35, 2124-2142.	0.3	0
776	Petrogenesis of the Pa'a batholiths in the Geji area, western segment of the Bangong Co-Nujiang River suture zone: Constraints by geochemistry, zircon U-Pb geochronology and Hf isotope. <i>Acta Petrologica Sinica</i> , 2019, 35, 687-704.	0.3	1
777	The genesis and significance of the Paleocene granitoids in the Riazhai Pb polymetallic deposit, southern Tibet. <i>Acta Petrologica Sinica</i> , 2019, 35, 3529-3548.	0.3	0

#	ARTICLE	IF	CITATIONS
778	Petrogenesis and geodynamic settings of the intermediate-acid intrusions related to the Pusangguo copper-dominated polymetallic deposit in Tibet: Constraints from geochronology, geochemistry and Sr-Nd-Pb-Hf isotopes. <i>Acta Petrologica Sinica</i> , 2019, 35, 737-759.	0.3	5
779	Lithospheric electrical structure of Bangong-Nujiang suture and its significance in the central Tibetan Plateau. , 2019, , .		0
780	Multiple sources and magmatic evolution of the Late Triassic Daocheng batholith in the Yidun Terrane: Implications for evolution of the Paleo-Tethys Ocean in the eastern Tibetan Plateau. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1660-1680.	1.6	5
781	Controlling factors of different Late Cretaceous granitoid-related mineralization between western margin of the Yangtze Block and the neighbor Yidun arc. <i>Ore Geology Reviews</i> , 2021, 139, 104554.	1.1	6
782	Transition from oceanic subduction to continental collision in central Tibet: evidence from the Cretaceous magmatism in Qiangtang block. <i>International Geology Review</i> , 0, , 1-19.	1.1	3
783	Mafic Microgranular Enclaves Formed by Gas-driven Filter Pressing During Rapid Cooling: an Example from the Gangdese Batholith in Southern Tibet. <i>Journal of Petrology</i> , 2021, 61, .	1.1	6
784	Metamorphism of pelites in the eastern Gangdese magmatic arc and its tectonic implications. <i>Acta Petrologica Sinica</i> , 2020, 36, 2631-2645.	0.3	3
785	Petrogenesis and geodynamic significances of Late Jurassic-Cretaceous intrusion in the Mainling area, eastern Gangdese, southern Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 3041-3062.	0.3	4
786	Carboniferous magmatic records in the eastern Gangdese batholith, southern Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 3018-3040.	0.3	5
787	Oligocene-Miocene high Sr/Y magmatism and implications for deep processes of Qulin pluton in Gangdese batholith, southern Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 2646-2666.	0.3	4
788	Geochemical characteristics and petrogenesis of Late Cretaceous hypersthene-bearing intrusive rocks in the Gangdese batholith, southern Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 2667-2700.	0.3	3
789	Geochemistry and petrogenesis of sandstones and their basaltic interlayers of Shexing Formation from Linzhou basin, South Tibet. <i>Acta Petrologica Sinica</i> , 2020, 36, 2729-2750.	0.3	4
790	The Mesozoic magmatic, metamorphic, and tectonic evolution of the eastern Gangdese magmatic arc, southern Tibet. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 1721-1740.	1.6	9
791	Tectonic evolution and geodynamics of the Neo-Tethys Ocean. <i>Science China Earth Sciences</i> , 2022, 65, 1-24.	2.3	58
792	Zircon Hf- <sup>176</sup> Y isotopic mapping of Middle- <sup>176</sup> Y Lower Yangtze River Valley Metallogenic Belt, China: Constraints on crustal properties and ore cluster formation. <i>Lithos</i> , 2021, 406-407, 106526.	0.6	2
793	In-situ U- <sup>206</sup> Pb geochronology of Ti-bearing andradite as a practical tool for linking skarn alteration and Pb- <sup>206</sup> Zn mineralization: A case study of the Mengya- <sup>206</sup> Zn deposit, Tibet. <i>Ore Geology Reviews</i> , 2021, 139, 104565.	1.1	10
794	Early mesozoic arc-back-arc system in the leading edge of the Tibetan Plateau. <i>Lithos</i> , 2021, 406-407, 106530.	0.6	2
795	Linking a fractionated magmatic system to skarn W-Mo mineralization in the Hahaigang deposit, Tibet: Implications for regional tungsten metallogeny and exploration. <i>Ore Geology Reviews</i> , 2021, 139, 104558.	1.1	2

#	ARTICLE	IF	CITATIONS
796	Paleozoic crustal evolution and tectonic switching in the Northeastern Tianshan: insights from zircon Hf isotopes of granitoids. <i>Journal of the Geological Society</i> , 2021, 178, .	0.9	14
797	Geochronology, geochemistry and petrogenesis of Miocene adakitic rocks in Milashan, Southern Tibet. <i>Acta Petrologica Sinica</i> , 2021, 37, 3479-3500.	0.3	0
798	Geochemistry and petrogenesis of Jurassic granites in Nyemo area, South Lhasa terrane, Tibet. <i>Acta Petrologica Sinica</i> , 2021, 37, 3464-3478.	0.3	3
799	Precambrian metamorphic basement of the southern Lhasa terrane, Tibet. <i>Precambrian Research</i> , 2022, 368, 106478.	1.2	8
800	Middle-Late Jurassic magmatism in the west central Lhasa subterrane, Tibet: Petrology, zircon chronology, elemental and Sr-Nd-Pb-Hf-Mg isotopic geochemistry. <i>Lithos</i> , 2022, 408-409, 106549.	0.6	1
801	Heterogeneous mantle associated with asthenosphere and Indian slab metasomatism: Constraints on fertilization of porphyry Cu mineralization in Tibetan orogen. <i>Ore Geology Reviews</i> , 2022, 140, 104601.	1.1	5
802	Paleomagnetic and geochronological results of the Risong Formation in the western Lhasa Terrane: Insights into the Lhasa-Qiangtang collision and stratal age. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 586, 110778.	1.0	14
803	Late Jurassic Nb-enriched basalts from the Bilong Co area in the southern Qiangtang Terrane, central Tibet, and their implications. <i>Geological Journal</i> , 2022, 57, 358-379.	0.6	1
804	Geochronology and geochemistry of Cretaceous-Eocene granites, Tengchong Block (SW China): Petrogenesis and implications for Mesozoic-Cenozoic tectonic evolution of Eastern Tethys. <i>Geoscience Frontiers</i> , 2021, 13, 101338.	4.3	4
805	Mesoscopic and Microscopic Magmatic Structures in the Quxu Batholith of the Gangdese Belt, Southern Tibet: Implications for Multiple Hybridization Processes. <i>Frontiers in Earth Science</i> , 2021, 9, .	0.8	0
806	Geochemistry and Petrogenesis of Late Cretaceous-Paleocene Granites from the Tengchong Block, Western Yunnan: Implications for Angle-switching of Subducting Slab. <i>Acta Geologica Sinica</i> , 2022, 96, 1600-1614.	0.8	1
807	Construction of the Continental Asia in Phanerozoic: A Review. <i>Acta Geologica Sinica</i> , 2022, 96, 26-51.	0.8	21
808	Kinematics, strain pattern, and temperature environment of the Yeba shear zone and multistage structural evolution of the Yeba Group. <i>International Journal of Earth Sciences</i> , 0, , 1.	0.9	1
809	University of Geosciences, 2021, 46, 2832.	0.1	0
810	Petrogenesis and geodynamic significances of the early Late Cretaceous intrusion in the Langxian Complex, eastern Gangdese batholith of southern Tibet. <i>Acta Petrologica Sinica</i> , 2021, 37, 3348-3376.	0.3	2
811	Distribution and its significance of dikes in southern Tibetan Plateau. <i>Acta Petrologica Sinica</i> , 2021, 37, 3399-3412.	0.3	1
812	Metamorphism and tectonic mechanisms of subduction zones. <i>Acta Petrologica Sinica</i> , 2021, 37, 3377-3398.	0.3	2
813	Late Cretaceous metamorphism of sedimentary rocks in the eastern Gangdese magmatic arc and its tectonic significance. <i>Acta Petrologica Sinica</i> , 2021, 37, 3445-3463.	0.3	1

#	ARTICLE	IF	CITATIONS
814	Early Cretaceous magmatism of the Langxian complex in the eastern Gangdese batholith, southern Tibet: Neo-Tethys ocean subduction re-initiation. <i>Acta Petrologica Sinica</i> , 2021, 37, 2995-3034.	0.3	4
815	è¥¿:è—ä,œä—ç¼~æ—©ä°CEäâ,—é¿è±è~â±ç°â²©é”†çÿ³U-bâ¹´é¾4,,â'CEHfâCEä½ç´ç%°1â¾4• Diqui Kexue - Zhongguo Dizhi Daxue Xuebao / Geosciences, 2021, 46, 3880.	0.1	3
816	Elevation of zircon Hf isotope ratios during crustal anatexis: Evidence from migmatites close to the eastern Himalayan syntaxis in southeastern Tibet. <i>Lithos</i> , 2022, 412-413, 106592.	0.6	2
817	Tectonic transition from Paleo- to Neo-Tethyan Ocean in Tangjia-Sumdo area, Southern Tibet: Constraints from Early Jurassic magmatism. <i>Gondwana Research</i> , 2022, 105, 12-24.	3.0	5
818	Late Cretaceous K-rich rhyolitic crystal tuffs from the Chuduoqu area in Eastern Qiangtang subterrane: evidence for crustal thickening of the central Tibetan Plateau prior to India-Asia collision. <i>Acta Geochimica</i> , 2022, 41, 147-163.	0.7	0
819	A Test of the Hypothesis That Syn-collisional Felsic Magmatism Contributes to Continental Crustal Growth Via Deep Learning Modeling and Principal Component Analysis of Big Geochemical Datasets. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	2
820	Petrogenesis and tectonic setting of the late Early Cretaceous Kong Co A-type granite in the northern margin of Central Lhasa Subterrane, Tibet. <i>Acta Petrologica Sinica</i> , 2022, 38, 230-252.	0.3	6
821	Genesis and tectonic setting of Late Jurassic-Early Cretaceous granites in Nachatang area, Central Lhasa Terrane: Constraints from geochemistry, chronology and Hf isotopes. <i>Acta Petrologica Sinica</i> , 2022, 38, 209-229.	0.3	0
822	From the southern Gangdese Yeba arc to the Bangong-Nujiang Ocean: Provenance of the Upper Jurassic-Lower Cretaceous Lagongtang Formation (northern Lhasa, Tibet). <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 588, 110837.	1.0	9
823	Provenance of Late Cretaceous accretionary complex within the Yarlung-Zangpo suture zone, Bainang, southern Tibet: Implications for the subduction-accretion of the Neo-Tethyan ocean. <i>Gondwana Research</i> , 2022, 106, 78-91.	3.0	5
824	Early Cretaceous back-arc basin basalt-type gabbros in the southeastern Tibetan Plateau: Implications for Neo-Tethyan oceanic slab subduction. <i>Geological Journal</i> , 2022, 57, 2024-2045.	0.6	0
825	The Early Cretaceous Zaduo Granite, Eastern Qiangtang Terrane (China): An Attempt to Constrain its Paleolatitude and Tectonic Implications. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
826	Petrogenesis of Early Cretaceous High-Mg Adakitic Pluton in the North Lhasa Block, Tibet Plateau: Implications for the Tethyan Orogeny. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 213.	0.8	2
827	Upper Oligocene-Lower Miocene Gangdese Conglomerate Along the Yarlung-Zangbo Suture Zone and its Implications for Palaeo-Yarlung-Zangbo Initiation. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	1
828	Continental crust recycling in ancient oceanic subduction zone: Geochemical insights from arc basaltic to andesitic rocks and paleo-trench sediments in southern Tibet. <i>Lithos</i> , 2022, 414-415, 106619.	0.6	5
829	Structural setting of the Narusongduo Pb-Zn ore deposit in the Gangdese belt, central Tibet. <i>Ore Geology Reviews</i> , 2022, 143, 104748.	1.1	4
830	Origin of the volcanic rocks in Dianzhong Formation, central Lhasa Terrane, Tibet: implication for the genesis of syn-collisional magmatism and Neo-Tethyan slab roll-back. <i>International Geology Review</i> , 2023, 65, 21-39.	1.1	6
831	Granitic Magmatism in Eastern Tethys Domain (Western China) and their Geodynamic Implications. <i>Acta Geologica Sinica</i> , 2022, 96, 401-415.	0.8	8

#	ARTICLE	IF	CITATIONS
832	Late Mesozoic-Cenozoic multistage exhumation of the central Bangong-Nujiang Suture, Central Tibet. <i>Tectonophysics</i> , 2022, 827, 229268.	0.9	7
833	Tectonic burial of sedimentary rocks drives the building of juvenile crust of magmatic arc. <i>Bulletin of the Geological Society of America</i> , 2022, 134, 3064-3078.	1.6	3
834	Middle Permian magmatism in the Tangjia-Sumdo region, Tibet: evidence for intra-oceanic subduction. <i>International Geology Review</i> , 2023, 65, 563-584.	1.1	2
835	Late Cretaceous Metamorphism and Anatexis of the Gangdese Magmatic Arc, South Tibet: Implications for Thickening and Differentiation of Juvenile Crust. <i>Journal of Petrology</i> , 2022, 63, .	1.1	7
836	A Single Drasâ€Kohistanâ€Ladakh Arc Revealed by Volcaniclastic Records. <i>Geochemistry, Geophysics, Geosystems</i> , 2022, 23, .	1.0	11
837	Resolving the timing of Lhasa-Qiangtang block collision: Evidence from the Lower Cretaceous Duoni Formation in the Baingoin foreland basin. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 595, 110956.	1.0	5
838	Rutile to titanite transformation in eclogites and its geochemical consequences: An example from the Sumdo eclogite, Tibet. <i>Acta Geologica Sinica</i> , 0, , .	0.8	1
839	Contribution of continental subduction to very light B isotope signatures in post-collisional magmas: Evidence from southern Tibetan ultrapotassic rocks. <i>Earth and Planetary Science Letters</i> , 2022, 584, 117508.	1.8	14
840	Jurassic tectonic evolution of Tibetan Plateau: A review of Bangong-Nujiang Meso-Tethys Ocean. <i>Earth-Science Reviews</i> , 2022, 227, 103973.	4.0	12
841	Partial melting caused by subduction of young, hot oceanic crust in shallow high-temperature and low-pressure environments: Indications from Middle and Late Jurassic oceanic plagiogranite in Shiquanhe, Central Tibet. <i>Lithos</i> , 2022, , 106698.	0.6	1
842	In situ Srâ€O isotopic and elemental compositions of apatite and zircon from Pengcuolin granodiorites: implications for Jurassic metallogenic variation in the southern Tibet. <i>Ore Geology Reviews</i> , 2022, , 104869.	1.1	3
843	Petrogenesis of the East Hoerba harzburgites, SW Tibet: Implications for melt stagnation in the lithospheric mantle of Neo-Tethys. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, , 110984.	1.0	1
844	In situ apatite U-Pb dating for the ophiolite-hosted Nianzha orogenic gold deposit, Southern Tibet. <i>Ore Geology Reviews</i> , 2022, 144, 104811.	1.1	8
845	Westward migration of high-magma addition rate events in SE Tibet. <i>Tectonophysics</i> , 2022, 830, 229308.	0.9	3
846	Early Mesozoic magmatism records the tectonic evolution from syn- to post-collisional setting in the Central Lhasa subterrane, Tibet. <i>Lithos</i> , 2022, 416-417, 106642.	0.6	1
847	Late Early Cretaceous magmatic constraints on the timing of closure of the Bangongâ€Nujiang Tethyan Ocean, Central Tibet. <i>Lithos</i> , 2022, 416-417, 106648.	0.6	2
848	Early Eocene high-Sr/Y magmas from the Urumieh-Dokhtar paleo-arc, Iran: Implications for the origin of high-flux events in magmatic arcs. <i>Lithos</i> , 2022, 416-417, 106656.	0.6	4
849	Geology and factors controlling the formation of the newly discovered Beimulang porphyry Cu deposit in the western Gangdese, southern Tibet. <i>Ore Geology Reviews</i> , 2022, 144, 104823.	1.1	4



#	ARTICLE	IF	CITATIONS
850	The influence of tectonic and climatic factors on detrital zircon U Pb age population of Paleozoic metasedimentary rocks in the Lhasa terrane. <i>Lithos</i> , 2022, 418-419, 106670.	0.6	3
851	Zircon <sup>U</sup> Pb ages of Lohit Plutonic Complex, NE India: Constraints on episodic magmatism of eastern Trans-Himalaya. <i>Geological Journal</i> , 2022, 57, 503-513.	0.6	6
852	Triassic trachytic volcanism in the Bangong-Nujiang Ocean: geochemical and geochronological constraints on a continental rifting event. <i>Geological Magazine</i> , 2022, 159, 519-534.	0.9	2
853	Temporal and Spatial Variations of Enriched Source Components in Linzizong Volcanic Succession, Tibet, and Implications for the India-Asia Collision. <i>Journal of Petrology</i> , 2022, 63, .	1.1	11
854	Controls on the metallogensis of the Lhasa-Mozugongka district, Gangdese Belt, Tibetan Plateau: Constraints on melt distribution and viscosity from the 3-D electrical structure of the lithosphere. <i>Ore Geology Reviews</i> , 2022, 145, 104881.	1.1	6
855	Subduction Erosion Revealed by Late Mesozoic Magmatism in the Gangdese Arc, South Tibet. <i>Geophysical Research Letters</i> , 2022, 49, .	1.5	2
856	Petrogenesis and Geodynamic Implications of Early Cretaceous (~130 Ma) Magmatism in the Baingoin Batholith, Central Tibet: Products of Subducting Slab Rollback. <i>Acta Geologica Sinica</i> , 2022, 96, 1960-1978.	0.8	3
857	è¥žè—â%ãšç³èCEçÿžâCEçÿ³èç±é—³é•çÿŽçâ²©æ^â>âšâœ°è~æ,,â¹%. <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of Geosciences</i> , 2022, 47, 1059.	0.1	0
858	Hot Spring Gas Geochemical Characteristics and Geological Implications of the Northern Yadong-Gulu Rift in the Tibetan Plateau. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	2
859	Constrained Gravity Inversion With Adaptive Inversion Grid Refinement in Spherical Coordinates and Its Application to Mantle Structure Beneath Tibetan Plateau. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	7
860	Topographic Response of Hinterland Basins in Tibet to the India-Asia Convergence: 3D Thermo-Mechanical Modeling. <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	3
861	Petrogenesis of Eocene Wangdui adakitic pluton in the western Gangdese belt, southern Tibet: implications for crustal thickening. <i>Geological Magazine</i> , 2022, 159, 1335-1354.	0.9	3
862	Sm-Nd isotopic compositions of deep-marine mudstones, Xigaze forearc basin, southern Tibet: implications for drainage evolution and expansion. <i>Journal of Asian Earth Sciences</i> , 2022, , 105228.	1.0	0
863	Tectonic controls on the isotopic juvenility of mid-Cretaceous continental arcs: Global compilations and implications for chemical weathering. <i>Earth and Planetary Science Letters</i> , 2022, 587, 117550.	1.8	3
864	Provenance of the early Paleozoic sedimentary succession in the Lancang Block, SW China: Implications for the tectonic evolution of the northern margin of Gondwana. <i>Journal of Asian Earth Sciences</i> , 2022, 231, 105229.	1.0	5
865	Magmatic evolution and formation of the giant Jiama porphyry-skarn deposit in southern Tibet. <i>Ore Geology Reviews</i> , 2022, 145, 104889.	1.1	8
866	Petrogenesis of Eocene high-silica granites in the Maliaoshan area, northern Tibet: Implications for the Eocene magmatic flare-up in the Northern Qiangtang Block. <i>Journal of Asian Earth Sciences</i> , 2022, 234, 105268.	1.0	1
867	Petrogenesis of the quartz diorite from the Lietinggang-Leqingla Pb-Zn-Fe-Cu-(Mo) deposit in southern Tibet: Implications for the genesis of a skarn-type polymetallic deposit in the Tibetan-Himalayan collisional orogen. <i>Ore Geology Reviews</i> , 2022, 145, 104920.	1.1	0

#	ARTICLE	IF	CITATIONS
868	Terminal stage of divergent double subduction: Insights from Early Cretaceous magmatic rocks in the Gerze area, central Tibet. <i>Lithos</i> , 2022, 420-421, 106713.	0.6	4
869	Nature of the Late Cretaceous mantle source beneath the western Lhasa terrane, southern Tibet: Insights from the newly discovered mafic intrusion. <i>Lithos</i> , 2022, 420-421, 106712.	0.6	3
870	The first identified oceanic core complex in the Bangong-Nujiang suture zone, central Tibet: New insights into the early Mesozoic tectonic evolution of the Meso-Tethys Ocean. <i>Journal of Asian Earth Sciences</i> , 2022, 233, 105248.	1.0	5
871	Cross Orogenic Belts in Central China: Implications for the tectonic and paleogeographic evolution of the East Asian continental collage. <i>Gondwana Research</i> , 2022, 109, 18-88.	3.0	39
872	An early cretaceous arc-back-arc system in western Yunnan, SW China: Constraints from U Pb zircon ages and geochemistry of volcanic rocks in the western Baoshan block. <i>Lithos</i> , 2022, , 106753.	0.6	3
873	High- and low-Mg adakitic rocks in southern Tibet: Implication for the crustal thickening and geodynamic process in the late Cretaceous. <i>Lithos</i> , 2022, 422-423, 106748.	0.6	1
874	New Paleomagnetic Constraints on the Early Cretaceous Paleolatitude of the Lhasa Terrane (Tibet). <i>Frontiers in Earth Science</i> , 2022, 10, .	0.8	2
875	Carboniferous magmatic records of central Mongolia and its implications for the southward subduction of the Mongol-Okhotsk Ocean. <i>International Geology Review</i> , 2023, 65, 823-842.	1.1	2
876	Apatite halogens and Sr-O and zircon Hf-O isotopes: Recycled volatiles in Jurassic porphyry ore systems in southern Tibet. <i>Chemical Geology</i> , 2022, 605, 120924.	1.4	40
877	New paleomagnetic results of the Upper Cretaceous to Lower Eocene sedimentary rocks from the Xigaze forearc basin and their tectonic implications. <i>Tectonophysics</i> , 2022, 837, 229433.	0.9	5
878	Jurassic true polar wander recorded by the Lhasa terrane on its northward journey from Gondwana to Eurasia. <i>Earth and Planetary Science Letters</i> , 2022, 592, 117609.	1.8	12
879	æ·%è*âœ°â½“â-ç¼~æ—©â\$œ—°ä,-èçŽžè¾¼%œé·žâ²©â¹`â»£â¼ã€â²©çÿ³âœ°çfâCE-â¼ç%¹â¾âšâ...¶âœ°è^æ.â¹%. Diqiu Kexue Geosciences, 2022, 47, 1349.	0.1	0
880	Overriding Lithospheric Strength Affects Continental Collisional Mode Selection and Subduction Transference: Implications for the Greater India-Asia Convergent System. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	3
881	Low-Angle Normal Faults on the NW Shelf of Australia: Implications for Late Paleozoic Rifting. <i>Tectonics</i> , 2022, 41, .	1.3	1
882	Active construction of southernmost Tibet revealed by deep seismic imaging. <i>Nature Communications</i> , 2022, 13, .	5.8	7
883	Mechanism of crustal thickening and exhumation of southern Lhasa terrane during the Late Cretaceous: Evidence from high-pressure metamorphic rocks of the Eastern Himalayan Syntaxis. <i>Bulletin of the Geological Society of America</i> , 2023, 135, 608-620.	1.6	3
884	The Early Cretaceous tectonic evolution of the Neo-Tethys: constraints from zircon U-Pb geochronology and geochemistry of the Liuqiong adakite, Gongga, Tibet. <i>Geological Magazine</i> , 0, , 1-16.	0.9	0
885	Bidirectional subduction of the Bangong-Nujiang ocean revealed by deep-crustal seismic reflection profile. <i>Tectonophysics</i> , 2022, 837, 229455.	0.9	3

#	ARTICLE	IF	CITATIONS
886	Cretaceous uplift history of the Tibetan Plateau: Insights from the transition of marine to terrestrial facies in central Tibet. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2022, 601, 111103.	1.0	5
887	Discrepant chemical differentiation and magmatic-hydrothermal evolution of high-silica magmatism associated with Pb-Zn and W mineralization in the Lhasa terrane. <i>Geoscience Frontiers</i> , 2022, 13, 101411.	4.3	3
888	è¥žè—æ%“ăŠé”™é“ŕ(ăšé†ăž)çŸžăŠă«çŸžă²©çŸžæ^ăăă...ŕæ%¾çŸžæ,,ă¹%. <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science Frontiers</i> , 2022, 47, 2199.	0.1	0
889	Geochronology, Geochemistry and Geological Significance of Volcanic Rocks of the Bangba District, Western Segment of the Central Lhasa Subterrane. <i>Journal of Earth Science (Wuhan, China)</i> , 2022, 33, 681-695.	1.1	2
890	The effect of crystal fractionation on the geochemical composition of syn-exhumation magmas: Implication for the formation of high $^{56}\text{Fe}$ granites in collisional orogens. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 332, 156-185.	1.6	7
891	In-situ mineralogical interpretation of the mantle geophysical signature of the Gangdese Cu-porphyry mineral system. <i>Gondwana Research</i> , 2022, 111, 53-63.	3.0	15
892	Subduction initiation triggered by collision: A review based on examples and models. <i>Earth-Science Reviews</i> , 2022, 232, 104129.	4.0	19
893	Asthenospheric mantle metasomatized by subducted marine sediments: Li isotopic evidence from Dagze mafic rocks, southern Tibet. <i>Lithos</i> , 2022, 426-427, 106782.	0.6	0
894	Late cretaceous magmatism in the Northern Lhasa subterrane, central Tibet: geodynamic implications. <i>International Geology Review</i> , 2023, 65, 1644-1663.	1.1	1
895	Genesis of Pyroxenite Veins in the Zedang Ophiolite, Southern Tibetan Plateau. <i>Acta Geologica Sinica</i> , 2023, 97, 707-726.	0.8	5
896	Locating northern Qiangtang on the margin of Gondwana or Laurasia? Evidence from detrital zircon geochronology. <i>Journal of Asian Earth Sciences</i> , 2022, 237, 105343.	1.0	3
897	Early Cretaceous Granitoids Magmatism in the Nagqu Area, Northern Tibet: Constraints on the Timing of the Lhasa-Qiangtang Collision. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 933.	0.8	5
898	Petrogenesis of the Late Jurassic Granodiorite and Its Implications for Tectonomagmatic Evolution in the Nuocang District, Western Gangdeses. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1058.	0.8	0
899	Geochronology and petrogenesis of the Yeba formation volcanic rocks in the Epingsong area, southern Lhasa terrane, Tibet: record of the Neo-Tethys subduction. <i>International Geology Review</i> , 2023, 65, 1765-1780.	1.1	0
900	Ba-Sr-Nd isotopes of Miocene trachyandesites in Lhasa block of southern Tibet: Insights into petrogenesis and crustal reworking. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
901	Plateau archives of lithosphere dynamics, cryosphere and paleoclimate: The formation of Cretaceous desert basins in east Asia. <i>Geoscience Frontiers</i> , 2022, 13, 101454.	4.3	4
902	Application of Machine Learning to Characterizing Magma Fertility in Porphyry Cu Deposits. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	8
903	Petrogenesis of the late Cretaceous Budongla Mg-rich monzodiorite pluton in the central Lhasa subterrane, Tibet, China: Whole-rock geochemistry, zircon U-Pb dating, and zircon Lu-Hf isotopes. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1

#	ARTICLE	IF	CITATIONS
904	Genesis of the Danping bauxite deposit in northern Guizhou, Southwest China: Constraints from in-situ elemental and sulfur isotope analyses in pyrite. <i>Ore Geology Reviews</i> , 2022, 148, 105056.	1.1	4
905	Adakite generation as a result of fluid-fluxed melting at normal lower crustal pressures. <i>Earth and Planetary Science Letters</i> , 2022, 594, 117744.	1.8	17
907	Extreme Mo isotope variations recorded in high-SiO <sub>2</sub> granites: Insights into magmatic differentiation and melt–fluid interaction. <i>Geochimica Et Cosmochimica Acta</i> , 2022, 334, 241-258.	1.6	5
908	A crystal mush origin for the high Sr/Y plutons: Insights from the Nyemo Igneous Complex in the Gangdese arc, southern Tibet. <i>Lithos</i> , 2022, 428-429, 106832.	0.6	2
909	Early Miocene (21–23 Ma) high Sr/Y volcanic field in the Gangdese batholith, southern Tibet. <i>Lithos</i> , 2022, 428-429, 106807.	0.6	4
910	Subduction initiation of the Bangong–Nujiang Tethys Ocean, Tibetan Plateau. <i>Journal of Asian Earth Sciences</i> , 2022, 238, 105394.	1.0	1
911	Permian arc magmatism in southern Tibet: Implications for the subduction and accretion of the Zhikong–Sumdo Paleo-Tethys Ocean. <i>Gondwana Research</i> , 2022, 111, 265-279.	3.0	2
912	Late Cretaceous adakitic intrusive rocks in the Laimailang area, Gangdese batholith: Implications for the Neo-Tethyan Ocean subduction. <i>Open Geosciences</i> , 2022, 14, 930-944.	0.6	0
913	Identification of the early cretaceous granitic pluton and tectonic implications in the middle gangdese belt, southern tibet. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	0
914	Early Eocene A-type (ferroan) rhyolites in southwestern Tibet: A far-field tectonic effect of the India–Eurasia collision. <i>International Geology Review</i> , 2023, 65, 2047-2066.	1.1	1
915	Subducted Front of the Indian Continental Crust Beneath the Tibetan Plateau in the Early Eocene. <i>Earth and Space Science</i> , 2022, 9, .	1.1	2
916	Thrust Structure and Bidirectional Paleocurrent in the Jingzhushan Formation during the Late Cretaceous in the Nyima Basin, Tibet Plateau, China: Approach of Magnetic Fabric and Zircon Chronology. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1225.	0.8	1
917	Late Paleozoic to Early Mesozoic Evolution of Neo-Tethys: Geochemical Evidence from Early Triassic Mafic Intrusive Rocks in the Tethyan Himalaya. <i>Journal of Geology</i> , 2022, 130, 297-310.	0.7	1
918	An Oligocene-Miocene intermontane narrow lowland in the central Tibetan Plateau: Insights from provenance analysis and palynological record of a Cenozoic sedimentary succession. <i>Journal of Asian Earth Sciences</i> , 2022, 240, 105438.	1.0	1
919	Miocene tearing of Himalayan lithospheric mantle: Evidence from mantle-derived silicocarbonatites from the Cona rift. <i>Chemical Geology</i> , 2022, 611, 121119.	1.4	6
920	Late Paleozoic–Early Mesozoic granitic rocks in Eastern Peninsular Malaysia: New insights for the subduction and evolution of the Paleo-Tethys. <i>Journal of Asian Earth Sciences</i> , 2022, 239, 105427.	1.0	4
921	Petrogenesis of meta-sedimentary rocks in the deep crust of the eastern Gangdese arc. <i>Lithos</i> , 2022, 430-431, 106884.	0.6	2
923	Role of Alkaline Magmatism in Formation of Porphyry Deposits in Nonarc Settings: Gangdese and Sanjiang Metallogenic Belts. , 2021, , 205-229.		3

#	ARTICLE	IF	CITATIONS
924	Origin and Geodynamic Mechanism of the Tibetan Demingding Porphyry Mo (Cu) Deposit from Oceanic Subduction to Continental Collision. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1266.	0.8	2
925	Genesis of hydrous-oxidized parental magmas for porphyry Cu (Mo, Au) deposits in a postcollisional setting: examples from the Sanjiang region, SW China. <i>Mineralium Deposita</i> , 2023, 58, 161-196.	1.7	9
926	Volcanic and sedimentary rocks reveal the Paleozoic tectonic evolution of the Lhasa Terrane, Tibet. <i>International Geology Review</i> , 2023, 65, 2212-2234.	1.1	0
927	Geochemical evidence for the Eocene surface uplift of the southern Lhasa subterrane, southern Tibet and the implications. <i>Lithos</i> , 2022, 434-435, 106919.	0.6	1
928	Fluid origin and evolution of the Pusangguo Cu-Pb-Zn skarn deposit in Tibet: Constraints from fluid inclusions and isotope compositions. <i>Ore Geology Reviews</i> , 2022, 150, 105197.	1.1	2
929	Relationship of the Crustal Structure, Rheology, and Tectonic Dynamics Beneath the Lhasa-Gangdese Terrane (Southern Tibet) Based on a 3D Electrical Model. <i>Journal of Geophysical Research: Solid Earth</i> , 2022, 127, .	1.4	12
930	Volatile evolution of magmas associated with the Bairong deposit, Tibet, and implications for porphyry Cu-Mo mineralization. <i>Ore Geology Reviews</i> , 2022, 150, 105201.	1.1	1
931	Subducted oceanic plateau fed crustal growth: Insights from Amdo dacites in central Tibetan Plateau. <i>Lithos</i> , 2022, 434-435, 106944.	0.6	1
932	The occurrence of cobalt and implications for genesis of the Pusangguo cobalt-rich skarn deposit in Gangdese, Tibet. <i>Ore Geology Reviews</i> , 2022, 150, 105193.	1.1	4
933	Identifying potential porphyry copper mineralization at the Zhuoqian ore-cluster district in western Gangdese, southern Tibet: Insights from shortwave infrared (SWIR) spectrometry and geochemical anomalies. <i>Ore Geology Reviews</i> , 2022, 151, 105202.	1.1	1
934	Boron source and evolution of the Zabuye salt lake, Tibet: Indication from boron geochemistry and isotope. <i>Applied Geochemistry</i> , 2023, 148, 105516.	1.4	5
935	Genesis of the Sinongduo Carbonate-hosted Pb-Zn-Ag Deposit in the Central Lhasa Terrane, Tibet. <i>Acta Geologica Sinica</i> , 2023, 97, 759-776.	0.8	1
936	è¥žè—â”šŠœ°â€ŸçŸç,çœæ'â²>âž<â²©çŸ³ç»,â•šâšâ...¶æž,,éœæ,,â¹%. <i>Diqiu Kexue - Zhongguo Dizhi Daxue Xuebao/Earth Science - Journal of Geosciences</i> , 2022, 47, 2968.	0.1	0
937	The Cretaceous stationary Lhasa terrane constrained by the paleolatitude of 103Ma volcanic rocks from the Nima area. <i>Global and Planetary Change</i> , 2023, 220, 103998.	1.6	3
938	Genesis and prospecting significance of the Buziwannan gold-polymetallic ore deposit in the West Kunlun Orogen Belt, China: Constraints from mineral geochemistry and in situ S-Pb isotope analyses of sulfides. <i>Journal of Geochemical Exploration</i> , 2023, 244, 107125.	1.5	0
939	Age and compositions of garnet in a magnesian skarn Au-Cu deposit, Tibet, implications for ore-fluid evolution. <i>Ore Geology Reviews</i> , 2023, 152, 105248.	1.1	1
940	Genetic pattern of the Albian volcanic rocks in the Ziruco area, Northern Tibet: Implications for A-type granites. <i>Lithos</i> , 2023, 436-437, 106970.	0.6	0
941	Geochemistry and geochronology of the Miocene adakite-like potassic dikes in Tethyan Himalaya: New insights into Indian lithosphere slab tearing and breakoff. <i>Chemical Geology</i> , 2023, 616, 121239.	1.4	2

#	ARTICLE	IF	CITATIONS
942	Coexistence of Carboniferous oceanic island basalts with Permian supra-subduction zone ophiolites in the Changning-Menglian accretionary wedge: Implication for tectonic reconstruction. <i>Geological Journal</i> , 2023, 58, 3008-3025.	0.6	1
943	Constraints on the timing of the India-Asia collision and unroofing history of the Himalayan orogen using detrital zircon U-Pb-Hf and whole-rock Sr-Nd isotopes in Cretaceous-Miocene Lesser Himalayan sedimentary rocks. <i>Basin Research</i> , 2023, 35, 949-977.	1.3	1
944	Geochronology, geochemistry, and Sr-Nd-Hf isotopes of the Cretaceous igneous rocks in the Zhilingtou area, SE China, and their geological significance. <i>Ore Geology Reviews</i> , 2022, , 105273.	1.1	0
945	Paleogeographic Evolution of Southeast Asia: Geochemistry and Geochronology of the Katha-Gangaw Range, Northern Myanmar. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1632.	0.8	1
946	Multiple Sources of Indosinian Granites and Constraints on the Tectonic Evolution of the Paleo-Tethys Ocean in East Kunlun Orogen. <i>Minerals (Basel, Switzerland)</i> , 2022, 12, 1604.	0.8	5
947	Subduction-related Late Triassic Luerma porphyry copper deposit, western Gangdese, Tibet, China: Evidence from geology, geochemistry, and geochronology. <i>Ore Geology Reviews</i> , 2023, 154, 105253.	1.1	1
948	3-D electrical structure and tectonic dynamics in the Yangbajing area based on the array magnetotelluric data. <i>Frontiers in Earth Science</i> , 0, 10, .	0.8	1
949	Two Phases of Crustal Shortening in Northeastern Tibet as a Result of a Stronger Qaidam Lithosphere During the Cenozoic India-Asia Collision. <i>Tectonics</i> , 2023, 42, .	1.3	1
950	Jurassic-Early Cretaceous tectonic evolution of the North China Craton and Yanshanian intracontinental orogeny in East Asia: New insights from a general review of stratigraphy, structures, and magmatism. <i>Earth-Science Reviews</i> , 2023, 237, 104320.	4.0	5
951	An early Eocene magmatic event in southern Tibet triggered by oceanic slab break-off: evidence from ocean island basalt-like mafic rocks. <i>Contributions To Mineralogy and Petrology</i> , 2023, 178, .	1.2	0
952	Origin and tectonic implications of Paleocene high-Mg dioritic plutons in the Lhasa terrane, Qulong area, Tibet. <i>Journal of Asian Earth Sciences</i> , 2023, , 105539.	1.0	0
953	Present-day kinematics and seismic potential of the Ganzi-Yushu fault, eastern Tibetan plateau, constrained from InSAR. <i>Frontiers in Earth Science</i> , 0, 11, .	0.8	3
954	Growth of the continental crust induced by slab rollback in subduction zones: Evidence from Middle Jurassic arc andesites in central Tibet. <i>Gondwana Research</i> , 2023, 117, 8-22.	3.0	2
955	Origin of K-feldspar megacrysts of Quxu batholith in Gangdese belt, South Tibet: Implication for magma rejuvenation in a crystal mush reservoir. <i>Lithos</i> , 2023, 438-439, 107019.	0.6	1
956	Geochemical constraints on the multistage evolution of the Yilashan ophiolite, central Tibet. <i>Ore Geology Reviews</i> , 2023, 153, 105283.	1.1	0
957	Granitic record of the assembly of the Asian continent. <i>Earth-Science Reviews</i> , 2023, 237, 104298.	4.0	9
958	Constraints on the rollback of the Neo-Tethyan oceanic plate: Geochronology and geochemistry of volcanic rocks from the Dianzhong Formation, western Gangdese belt (Tibetan Plateau). <i>Numerische Mathematik</i> , 2022, 322, 396-411.	0.7	0
959	Geochronology, Geochemistry and Petrogenesis of the Bangbule Quartz Porphyry: Implications for Metallogenesis. <i>Acta Geologica Sinica</i> , 2023, 97, 744-758.	0.8	2

#	ARTICLE	IF	CITATIONS
960	Late Permian to early Triassic gabbro in North Lhasa, Tibet: evidence for plume “ subduction-zone interaction of the Palaeo-Tethys ocean. <i>Geological Magazine</i> , 0, , 1-16.	0.9	0
961	Grain-size and compositional variability of Yarlung Tsangpo sand (Xigaze transect, south Tibet): Implications for sediment mixing by fluvial and aeolian processes. <i>Journal of Palaeogeography</i> , 2023, 12, 195-210.	0.9	2
962	Crustal accretion in a slow-spreading center of Meso-Tethyan Ocean: Constraints from cumulates in the Dongco ophiolite (Central Tibet). <i>Lithos</i> , 2023, 446-447, 107144.	0.6	1
963	Crustal thickening and uplift of the northwestern Lhasa Terrane, central Tibetan Plateau: Insights from Mid-Eocene volcanic rocks in the Gerze Region. <i>Lithos</i> , 2023, 446-447, 107157.	0.6	0
964	Mineralogy and geochemistry of the Zedong Late Cretaceous (1494Ma) biotite granodiorite in the Southern Lhasa Terrane: Implications for the tectonic setting and Cu-Au mineralization. <i>Lithos</i> , 2023, 446-447, 107158.	0.6	0
965	Mobilization of Cu in the continental lower crust: A perspective from Cu isotopes. <i>Geoscience Frontiers</i> , 2023, 14, 101590.	4.3	5
966	Cenozoic low temperature cooling history of the eastern Lhasa terrane: Implications for high-relief topography of external drainage area in the southern Tibetan Plateau. <i>Geoscience Frontiers</i> , 2023, 14, 101610.	4.3	5
967	Lower Cretaceous deep marine deposits in western Tibet: Implications for paleoceanographic evolution of the Mesotethyan Ocean. <i>Cretaceous Research</i> , 2023, 148, 105527.	0.6	0
968	Linking rapid eruption of the Linzizong volcanic rocks and Early Eocene Climatic Optimum (EECO): Constraints from the Pana Formation in the Linzhou and Pangduo basins, southern Tibet. <i>Lithos</i> , 2023, 446-447, 107159.	0.6	2
970	Different magma differentiation processes of post-onset collision adakitic rocks in the Gangdese Batholith: Evidence from zircon trace elements. <i>Chemical Geology</i> , 2023, 620, 121345.	1.4	2
971	Response of the North Lhasa terrane to the initial break-up of Rodinia: Evidence from the newly identified early Neoproterozoic gabbros in the Asa area, southern Tibet. <i>Precambrian Research</i> , 2023, 386, 106971.	1.2	1
972	The initial slab rollback of Neo-Tethys Ocean: Constrain from Gongga adakitic rocks and enclaves in the late Cretaceous. <i>Lithos</i> , 2023, 440-441, 107050.	0.6	0
973	Ultrapotassic enclaves in the Miocene adakitic granitoids, southern Tibet: Direct evidence for collision-related crust-mantle interaction and its implications. <i>Lithos</i> , 2023, 442-443, 107052.	0.6	1
974	Using Zircons to Disentangle Back-Veining and Hybridization of Diorite Dykes: an Example From the Gangdese Arc, Tibet. <i>Journal of Petrology</i> , 2023, 64, .	1.1	2
975	Petrogenesis of the Quxu intrusive complex: Implications for Eocene magmatism in the southern Lhasa Terrane, Tibet. <i>Geological Journal</i> , 2023, 58, 1727-1740.	0.6	1
976	Compositions and ages of Early Cretaceous volcanic and plutonic rocks in central Tibet: Insights into the magmatic and uplift response to slab breakoff. , 2023, 19, 583-598.		1
977	Possible South-Dipping Mesozoic Subduction at Southern Tethys Ocean-Constrained from Global Tectonic Reconstructions and Seismic Tomography. <i>Journal of Earth Science (Wuhan, China)</i> , 2023, 34, 260-279.	1.1	3
978	Shallow subduction of Indian slab and tectono-magmatic control on post-collisional porphyry mineralization in southeastern Tibet. <i>Ore Geology Reviews</i> , 2023, 155, 105360.	1.1	0

#	ARTICLE	IF	CITATIONS
979	Late Cretaceous and Early Palaeocene intermediateâ€f felsic intrusions from the Maizhokunggar region, southern Lhasa, Tibet: Implications for the geodynamic transition from oceanic subduction to continental collision. <i>Geological Journal</i> , 2023, 58, 1892-1910.	0.6	0
980	Late <sc>Cretaceousâ€Palaeocene</sc> arc magmatism in Bumeicun, Gangdese, southern Tibet: Products of slab rollback of <sc>Neoâ€Tethyan</sc> Ocean?. <i>Geological Journal</i> , 2023, 58, 2526-2554.	0.6	1
981	Early cretaceous bimodal volcanic rocks in Wuga Co area, central tibet: The first identification of direct products derived from slab sinking in the Bangong-Nujiang suture zone. <i>Frontiers in Earth Science</i> , 0, 11, .	0.8	0
982	Pn velocity and anisotropy at the lithospheric mantle wedge beneath the middle-eastern Gangdese Metallogenic Belt, southern Tibet, China. <i>Journal of Asian Earth Sciences</i> , 2023, , 105633.	1.0	1
983	Emplacement ages, geochemical and Srâ€Ndâ€Hf isotopic characteristics of Cenozoic granites in the Phan Si Pan uplift, Northwestern Vietnam: petrogenesis and tectonic implication for the adjacent structure of the Red River shear zone. <i>International Journal of Earth Sciences</i> , 2023, 112, 1475-1497.	0.9	2
984	Constraining the deep dynamic process beneath the Bangong-Nujiang suture zone: A case study from the early cretaceous trachytic rocks. <i>International Geology Review</i> , 0, , 1-14.	1.1	0
985	New Middle Jurassic Paleomagnetic and Geochronologic Results From the Lhasa Terrane: Contributions to the Closure of the Mesoâ€Tethys Ocean and Jurassic True Polar Wander. <i>Geophysical Research Letters</i> , 2023, 50, .	1.5	3
986	Interaction of upwelling asthenosphere with oceanic lithospheric mantle in Bangong-Nujiang subduction zone: A new mechanism for the petrogenesis of Nb-enriched basalts. <i>Lithos</i> , 2023, 448-449, 107172.	0.6	1
987	Lithofacies, geochemistry, and sequences of basalt and carbonate rocks of a Middle Permian composite seamount (central Yarlung Zangbo Suture Zone, Tibet): Implications to the incipient opening of the Neo-Tethys Ocean. <i>Lithos</i> , 2023, 448-449, 107175.	0.6	4
988	Zircon Uâ€Pb Geochronology, Geochemistry and Geological Significance of the Santaishanâ€Yingjiang Ultramafic Rocks in Western Yunnan, China. <i>Minerals (Basel, Switzerland)</i> , 2023, 13, 536.	0.8	1
989	Geodynamics of the one-way subduction of the Neo-Tethys Ocean. <i>Chinese Science Bulletin</i> , 2023, 68, 1699-1708.	0.4	7
990	Magmatic response to slab breakoff of the Neo-Tethyan ocean: Constraints from Eocene diorites and gabbros in the southern Lhasa terrane, Tibet. <i>Journal of Asian Earth Sciences</i> , 2023, 251, 105673.	1.0	0
991	Late Mesozoic basin evolution in NE China and its surrounding areas, mechanisms of the continental-scale extensional regime in East Asia during the Late Jurassicâ€Early Cretaceous. <i>Earth-Science Reviews</i> , 2023, 241, 104418.	4.0	4
992	Tectonic and climate forcing of exhumation in the SE Tibetan Plateau over the past 7ÂMa: Insights from the deltaic-submarine fan system in the Andaman Sea, northeastern Indian Ocean. <i>Palaeogeography, Palaeoclimatology, Palaeoecology</i> , 2023, 620, 111573.	1.0	0
993	Microplate boundaries and patterns in the southern Tibetan Plateau revealed by gravity and magnetic data. <i>Tectonophysics</i> , 2023, 856, 229858.	0.9	2
1003	Application of the Luâ€Hf Isotopic System to Ore Geology, Metallogenesi and Mineral Exploration. <i>Mineral Resource Reviews</i> , 2023, , 189-208.	1.5	5