

CITATION REPORT

List of articles citing

The role of diet in the prevention of type 2 diabetes

DOI: 10.1016/j.numecd.2011.03.009

Nutrition, Metabolism and Cardiovascular Diseases,
2011, 21 Suppl 2, B32-48.

Source: <https://exaly.com/paper-pdf/50359351/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
250	The complex interplay of genetic and lifestyle risk factors in type 2 diabetes: an overview. 2012 , 2012, 482186		17
249	Carbohydrates for Physical Activity: A Strategy to Avoid Undesirable Health Consequences. 2012 , 6, 121-132	2	
248	Lower educational level is a predictor of incident type 2 diabetes in European countries: the EPIC-InterAct study. 2012 , 41, 1162-73		103
247	Nutritional modulation of insulin resistance. 2012 , 2012, 424780		23
246	Nutraceuticals as Ligands of PPAR α 2012 , 2012, 858352		43
245	What dietary modification best improves insulin sensitivity and why?. 2012 , 77, 508-12		31
244	Associations of the FTO rs9939609 and the MC4R rs17782313 polymorphisms with type 2 diabetes are modulated by diet, being higher when adherence to the Mediterranean diet pattern is low. 2012 , 11, 137		102
243	Relationship between the adoption of preventive practices and the metabolic profile of women with prior gestational diabetes mellitus. 2012 , 37, 1232-8		11
242	Dietary patterns and odds of Type 2 diabetes in Beirut, Lebanon: a case-control study. 2012 , 9, 111		39
241	Zinc, copper, iron, and chromium concentrations in young patients with type 2 diabetes mellitus. 2012 , 148, 161-4		104
240	Hypoglycemic effect of protopanaxadiol-type ginsenosides and compound K on Type 2 diabetes mice induced by high-fat diet combining with streptozotocin via suppression of hepatic gluconeogenesis. 2012 , 83, 192-8		86
239	Short-term role of the dietary total antioxidant capacity in two hypocaloric regimes on obese with metabolic syndrome symptoms: the RESMENA randomized controlled trial. 2013 , 10, 22		53
238	The potential role of phytochemicals in wholegrain cereals for the prevention of type-2 diabetes. 2013 , 12, 62		103
237	Association between legume intake and self-reported diabetes among adult men and women in India. 2013 , 13, 706		24
236	Role of dietary n-3 polyunsaturated fatty acids in type 2 diabetes: a review of epidemiological and clinical studies. 2013 , 74, 303-8		28
235	The effect of LXR β /ChREBP and Elovl6 in liver and white adipose tissue on medium- and long-chain fatty acid diet-induced insulin resistance. 2013 , 102, 183-92		21
234	Higher dietary flavonol intake is associated with lower incidence of type 2 diabetes. <i>Journal of Nutrition</i> , 2013 , 143, 1474-80	4.1	85

233	Antidiabetic effects of malonyl ginsenosides from <i>Panax ginseng</i> on type 2 diabetic rats induced by high-fat diet and streptozotocin. 2013 , 145, 233-40		92
232	Dairy product intake in relation to glucose regulation indices and risk of type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 822-8	4.5	61
231	Higher regular fat dairy consumption is associated with lower incidence of metabolic syndrome but not type 2 diabetes. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 816-21	4.5	71
230	Diurnal eating rhythms: association with long-term development of diabetes in the 1946 British birth cohort. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 1025-30	4.5	17
229	Fish consumption, omega-3 fatty acids, and environmental contaminants in relation to low-grade inflammation and early atherosclerosis. 2013 , 120, 43-54		33
228	Evaluation of EZSCAN as a screening tool for impaired glucose metabolism. 2013 , 100, 210-4		14
227	Diet quality is prospectively associated with incident impaired fasting glucose in older adults. 2013 , 30, 557-62		14
226	Consumption of plant seeds and cardiovascular health: epidemiological and clinical trial evidence. 2013 , 128, 553-65		95
225	Red meat consumption is associated with the risk of type 2 diabetes in men but not in women: a Japan Public Health Center-based Prospective Study. 2013 , 110, 1910-8		33
224	Dose-response effect of fruit and vegetables on insulin resistance in people at high risk of cardiovascular disease: a randomized controlled trial. 2013 , 36, 3888-96		21
223	Factor analysis is more appropriate to identify overall dietary patterns associated with diabetes when compared with Treelet transform analysis. <i>Journal of Nutrition</i> , 2013 , 143, 392-8	4.1	20
222	Plasma uric acid is associated with increased risk of type 2 diabetes independent of diet and metabolic risk factors. <i>Journal of Nutrition</i> , 2013 , 143, 80-5	4.1	68
221	Relationships of the Mediterranean dietary pattern with insulin resistance and diabetes incidence in the Multi-Ethnic Study of Atherosclerosis (MESA). 2013 , 109, 1490-7		70
220	Cross-sectional assessment of nut consumption and obesity, metabolic syndrome and other cardiometabolic risk factors: the PREDIMED study. <i>PLoS ONE</i> , 2013 , 8, e57367	3.7	78
219	Lifestyles and risk factors associated with adherence to the Mediterranean diet: a baseline assessment of the PREDIMED trial. <i>PLoS ONE</i> , 2013 , 8, e60166	3.7	66
218	Secondary Aging. 2013 , 1133-1135		
217	Therapeutic interventions to reduce the risk of progression from prediabetes to type 2 diabetes mellitus. 2014 , 10, 173-88		50
216	Effect of tree nuts on glycemic control in diabetes: a systematic review and meta-analysis of randomized controlled dietary trials. <i>PLoS ONE</i> , 2014 , 9, e103376	3.7	90

215	Improvement of insulin sensitivity by isoenergy high carbohydrate traditional Asian diet: a randomized controlled pilot feasibility study. <i>PLoS ONE</i> , 2014 , 9, e106851	3-7	11
214	Food pattern, lifestyle and diabetes mellitus. 2014 , 3, e8725		36
213	Rye Products and Prevention of Type 2 Diabetes. 2014 , 205-225		1
212	Diabetes barriers and self-care management: the patient perspective. 2014 , 23, 601-26		19
211	Relation of the Mediterranean diet with the incidence of gestational diabetes. 2014 , 68, 8-13		106
210	Can eating red meat increase the risk of developing Type 2 diabetes?. 2014 , 4, 1-4		2
209	The use of expensive technologies instead of simple, sound and effective lifestyle interventions: a perpetual delusion. 2014 , 68, 897-904		12
208	Initial investigation of dietitian perception of plant-based protein quality. 2014 , 2, 371-9		10
207	Mediterranean diet and type 2 diabetes. 2014 , 30 Suppl 1, 34-40		50
206	Mediterranean diets and metabolic syndrome status in the PREDIMED randomized trial. 2014 , 186, E649-57		184
205	Wine consumption throughout life is inversely associated with type 2 diabetes risk, but only in overweight individuals: results from a large female French cohort study. 2014 , 29, 831-9		21
204	The association between dietary factors and gestational hypertension and pre-eclampsia: a systematic review and meta-analysis of observational studies. 2014 , 12, 157		69
203	Excess body iron and the risk of type 2 diabetes mellitus: a nested case-control in the PREDIMED (PREvention with MEDiterranean Diet) study. 2014 , 112, 1896-904		24
202	Dietary pattern trajectories during 15 years of follow-up and HbA1c, insulin resistance and diabetes prevalence among Chinese adults. 2014 , 68, 773-9		31
201	Does personality affect dietary intake?. 2014 , 30, 403-9		69
200	Impaired glycemia increases disease progression in mild cognitive impairment. 2014 , 35, 585-9		103
199	Apple flavonols and n-3 polyunsaturated fatty acid-rich fish oil lowers blood C-reactive protein in rats with hypercholesterolemia and acute inflammation. 2014 , 34, 535-43		17
198	Anti-diabetic potential of Panax notoginseng saponins (PNS): a review. 2014 , 28, 510-6		80

197	Nutrigenetics: bridging two worlds to understand type 2 diabetes. 2014 , 14, 477		9
196	The impact of cereal grain consumption on the development and severity of non-alcoholic fatty liver disease. 2014 , 53, 1727-35		28
195	Comparative effect of two Mediterranean diets versus a low-fat diet on glycaemic control in individuals with type 2 diabetes. 2014 , 68, 767-72		127
194	Antitumor activity of the dietary diterpene carnosol against a panel of human cancer cell lines. 2014 , 5, 1261-9		32
193	Effects of auricular stimulation in the cavum conchae on glucometabolism in patients with type 2 diabetes mellitus. 2014 , 22, 858-63		4
192	Mediterranean diet and cardiovascular health: Teachings of the PREDIMED study. 2014 , 5, 330S-6S		209
191	Intake of fruit, berries, and vegetables and risk of type 2 diabetes in Finnish men: the Kuopio Ischaemic Heart Disease Risk Factor Study. 2014 , 99, 328-33		106
190	Effects of compound K on hyperglycemia and insulin resistance in rats with type 2 diabetes mellitus. 2014 , 95, 58-64		54
189	Stability of dietary patterns assessed with reduced rank regression; the Zutphen Elderly Study. 2014 , 13, 30		20
188	Microvascular disorders in obese Zucker rats are restored by a rice bran diet. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2014 , 24, 524-31	4.5	17
187	Involvement in meal preparation at home is associated with better diet quality among Canadian children. 2014 , 46, 304-308		60
186	Butanol fraction of <i>Khaya senegalensis</i> root modulates β cell function and ameliorates diabetes-related biochemical parameters in a type 2 diabetes rat model. 2014 , 154, 832-8		20
185	St. John's wort promotes adipocyte differentiation and modulates NF- κ B activation in 3T3-L1 cells. 2014 , 37, 1132-8		13
184	Allopregnanolone preferentially induces energy-rich food intake in male Wistar rats. <i>Physiological Reports</i> , 2014 , 2, e12190	2.6	9
183	Intake of Total Polyphenols and Some Classes of Polyphenols Is Inversely Associated with Diabetes in Elderly People at High Cardiovascular Disease Risk. <i>Journal of Nutrition</i> , 2015 , 146, 767-777	4.1	62
182	Prevalence, public health aspects and prevention of diabetes. 2015 , 1-8		
181	Relationship between family meal frequency and individual dietary intake among diabetic patients. 2015 , 14, 66		4
180	Ampelopsin protects endothelial cells from hyperglycemia-induced oxidative damage by inducing autophagy via the AMPK signaling pathway. 2015 , 41, 463-75		22

179	Pasos Saludables: A Pilot Randomized Intervention Study to Reduce Obesity in an Immigrant Farmworker Population. 2015 , 57, 1039-46		16
178	Type 2 diabetes in Brazil: epidemiology and management. 2015 , 8, 17-28		28
177	The Consumption of Bicarbonate-Rich Mineral Water Improves Glycemic Control. 2015 , 2015, 824395		31
176	Mediterranean Diet for Prevention of Cardiovascular Disease and Type 2 Diabetes. 2015 , 327-339		
175	Lifestyle factors and indices of kidney function in the Framingham Heart Study. 2015 , 41, 267-74		47
174	Dietary changes associated with improvement of metabolic syndrome components in postmenopausal women receiving two different nutrition interventions. 2015 , 22, 758-64		12
173	Protective Effects of the Mediterranean Diet on Type 2 Diabetes and Metabolic Syndrome. <i>Journal of Nutrition</i> , 2015 , 146, 920S-927S	4.1	125
172	A Healthy Nordic Diet Alters the Plasma Lipidomic Profile in Adults with Features of Metabolic Syndrome in a Multicenter Randomized Dietary Intervention. <i>Journal of Nutrition</i> , 2015 , 146, 662-672	4.1	51
171	Early Diet and Later Cancer Risk: Prospective Associations of Dietary Patterns During Critical Periods of Childhood with the GH-IGF Axis, Insulin Resistance and Body Fatness in Younger Adulthood. 2015 , 67, 877-92		6
170	Nutrients, foods, and colorectal cancer prevention. 2015 , 148, 1244-60.e16		327
169	Alcohol consumption and incidence of type 2 diabetes. Results from the CoLaus study. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2015 , 25, 75-84	4.5	23
168	Molybdenum and copper in four varieties of common bean (<i>Phaseolus vulgaris</i>): new data of potential utility in designing healthy diet for diabetic patients. 2015 , 163, 244-54		9
167	Mediterranean Diet and Quality of Life. 2015 , 61-68		1
166	Tyrosol, a phenolic compound, ameliorates hyperglycemia by regulating key enzymes of carbohydrate metabolism in streptozotocin induced diabetic rats. 2015 , 229, 44-54		38
165	New insights into the role of nutrition in CVD prevention. 2015 , 17, 26		26
164	The effect of macrobiotic Ma-Pi 2 diet on systemic inflammation in patients with type 2 diabetes: a post hoc analysis of the MADIAB trial. 2015 , 3, e000079		6
163	Promising approaches of computer-supported dietary assessment and management-Current research status and available applications. 2015 , 84, 997-1008		29
162	Ginsenoside Compound K suppresses the hepatic gluconeogenesis via activating adenosine-5' monophosphate kinase: A study in vitro and in vivo. 2015 , 139, 8-15		37

161	A high quality diet is associated with reduced systemic inflammation in middle-aged individuals. 2015 , 238, 38-44		39
160	Potent effects of the total saponins from <i>Dioscorea nipponica</i> Makino against streptozotocin-induced type 2 diabetes mellitus in rats. 2015 , 29, 228-40		22
159	Effects of Dietary Lipid Intake on Diabetes. 2016 , 151-176		3
158	Development and Validation of a Risk-Score Model for Type 2 Diabetes: A Cohort Study of a Rural Adult Chinese Population. <i>PLoS ONE</i> , 2016 , 11, e0152054	3.7	18
157	Meat Consumption and Risk of Developing Type 2 Diabetes in the SUN Project: A Highly Educated Middle-Class Population. <i>PLoS ONE</i> , 2016 , 11, e0157990	3.7	20
156	Dietary Interventions for Type 2 Diabetes: How Millet Comes to Help. 2016 , 7, 1454		27
155	Polymorphism, Carbohydrates, Fat, and Type 2 Diabetes. 2016 , 301-311		
154	Effects of S-Allylcysteine on Biomarkers of the Polyol Pathway in Rats with Type 2 Diabetes. 2016 , 40, 442-448		23
153	Association of Mediterranean diet and cardiorespiratory fitness with the development of pre-diabetes and diabetes: the Coronary Artery Risk Development in Young Adults (CARDIA) study. 2016 , 4, e000229		5
152	Could gestational diabetes mellitus be managed through dietary bioactive compounds? Current knowledge and future perspectives. 2016 , 115, 1129-44		37
151	Analysis of the interaction between transcription factor 7-like 2 genetic variants with nopal and wholegrain fibre intake: effects on anthropometric and metabolic characteristics in type 2 diabetes patients. 2016 , 116, 969-78		10
150	Hypoglycemic effect of D-chiro-inositol in type 2 diabetes mellitus rats through the PI3K/Akt signaling pathway. 2016 , 433, 26-34		55
149	Using both principal component analysis and reduced rank regression to study dietary patterns and diabetes in Chinese adults. <i>Public Health Nutrition</i> , 2016 , 19, 195-203	3.3	48
148	Prediabetes: A Worldwide Epidemic. 2016 , 45, 751-764		37
147	Effect of sardine proteins on hyperglycaemia, hyperlipidaemia and lecithin:cholesterol acyltransferase activity, in high-fat diet-induced type 2 diabetic rats. 2016 , 115, 6-13		15
146	Higher Fruit Intake Is Related to TNF- α Hypomethylation and Better Glucose Tolerance in Healthy Subjects. 2016 , 9, 95-105		11
145	Effects of <i>Lactobacillus plantarum</i> CCFM0236 on hyperglycaemia and insulin resistance in high-fat and streptozotocin-induced type 2 diabetic mice. 2016 , 121, 1727-1736		45
144	Legume consumption and its association with fasting glucose, insulin resistance and type 2 diabetes in the Indian Migration Study. <i>Public Health Nutrition</i> , 2016 , 19, 3017-3026	3.3	11

143	Interaction of an S100A9 gene variant with saturated fat and carbohydrates to modulate insulin resistance in 3 populations of different ancestries. 2016 , 104, 508-17	8
142	Phytochemicals in regulating fatty acid oxidation: Potential underlying mechanisms and their involvement in obesity and weight loss. 2016 , 165, 153-63	95
141	Racial-ethnic disparities in the association between risk factors and diabetes: The Northern Manhattan Study. 2016 , 83, 31-6	17
140	Food-Based Approaches for Achieving Nutritional Adequacy with the Mediterranean, DASH, and USDA Food Patterns. 2016 , 239-259	0
139	Higher intake of fruits, vegetables or their fiber reduces the risk of type2 diabetes: A meta-analysis. 2016 , 7, 56-69	172
138	Butanol fraction of <i>Parkia biglobosa</i> (Jacq.) G. Don leaves enhance pancreatic β cell functions, stimulates insulin secretion and ameliorates other type 2 diabetes-associated complications in rats. 2016 , 183, 103-111	29
137	The role of dietary acid load and mild metabolic acidosis in insulin resistance in humans. 2016 , 124, 171-177	31
136	The insulin resistance phenotype (muscle or liver) interacts with the type of diet to determine changes in disposition index after 2 years of intervention: the CORDIOPREV-DIAB randomised clinical trial. 2016 , 59, 67-76	53
135	Modulation of sialic acid levels among some organs during insulin resistance or hyperglycemic states. 2016 , 411, 235-9	7
134	Effects of butanol fraction of <i>Ziziphus mucronata</i> root ethanol extract on glucose homeostasis, serum insulin and other diabetes-related parameters in a murine model for type 2 diabetes. 2017 , 55, 416-422	12
133	Soluble transferrin receptor and risk of type 2 diabetes in the obese and nonobese. <i>European Journal of Clinical Investigation</i> , 2017 , 47, 221-230	4.6 13
132	Approaches to the prevention of type 2 diabetes in Gibraltar. 2017 , 26, 131-137	
131	WITHDRAWN: Membrane-lipid therapy: A historical perspective of membrane-targeted therapies-From lipid bilayer structure to the pathophysiological regulation of cells. 2017 ,	
130	Feasibility and Acceptability of a Clinic-based Mediterranean-style Diet Intervention to Reduce Cardiovascular Risk for Hispanic Americans With Type 2 Diabetes. 2017 , 43, 286-296	3
129	The PREDIMED study. 2017 , 64, 63-66	0
128	Rice Today, Roti Tomorrow. 2017 ,	6
127	Healthy lifestyle and normal waist circumference are associated with a lower 5-year risk of type 2 diabetes in middle-aged and elderly individuals: Results from the healthy aging longitudinal study in Taiwan (HALST). 2017 , 96, e6025	4
126	May the Mediterranean diet attenuate the risk of type 2 diabetes associated with obesity: the Seguimiento Universidad de Navarra (SUN) cohort. 2017 , 117, 1478-1485	7

125	Membrane-lipid therapy: A historical perspective of membrane-targeted therapies - From lipid bilayer structure to the pathophysiological regulation of cells. 2017 , 1859, 1493-1506		50
124	Saponins from stems and leaves of <i>Panax ginseng</i> prevent obesity via regulating thermogenesis, lipogenesis and lipolysis in high-fat diet-induced obese C57BL/6 mice. 2017 , 106, 393-403		37
123	Lifestyle recommendations for the prevention and management of metabolic syndrome: an international panel recommendation. <i>Nutrition Reviews</i> , 2017 , 75, 307-326	6.4	183
122	An assessment of the nutraceutical potential of <i>Juglans regia</i> L. leaf powder in diabetic rats. 2017 , 107, 554-564		57
121	The PREDIMED study. 2017 , 64, 63-66		13
120	Perceived impact of Nepalese food and food culture in diabetes. 2017 , 113, 376-386		11
119	"2-(4-Fluorobenzamido)-4-methylthiazole-5-carboxylic acid" a novel thiazole compound, ameliorates insulin sensitivity and hyperlipidaemia in streptozotocin-induced diabetic rats: Plausible role of inflammatory and oxidative stress markers. <i>Biomedicine and Pharmacotherapy</i> , 2017 , 95, 1232-1241	7.5	2
118	<i>Lactobacillus casei</i> CCFM419 attenuates type 2 diabetes via a gut microbiota dependent mechanism. 2017 , 8, 3155-3164		74
117	Bioactive phytochemicals in barley. 2017 , 25, 148-161		144
116	The problematic messages of nutritional discourse: A case-based critical media analysis. 2017 , 108, 42-50		30
115	Hydroxytyrosol in the Prevention of the Metabolic Syndrome and Related Disorders. 2017 , 9,		70
114	Effects of Higher Dietary Protein and Fiber Intakes at Breakfast on Postprandial Glucose, Insulin, and 24-h Interstitial Glucose in Overweight Adults. 2017 , 9,		2
113	Relationship between dairy products, fish and shellfish intake and metabolic syndrome risk factors in prediabetes: based on the sixth Korea National Health and Nutrition Examination Survey (KNHANES VI-3) 2015. 2017 , 50, 447		1
112	Changing Diet Quality in China during 2004-2011. 2016 , 14,		14
111	Associations of Fasting Blood Glucose with Influencing Factors in Northeast China: A Quantile Regression Analysis. 2017 , 14,		5
110	Social Demography of Transitional Dietary Patterns in Thailand: Prospective Evidence from the Thai Cohort Study. 2017 , 9,		8
109	Antidiabetic Effect of Rosella-Stevia Tea on Prediabetic Women in Yogyakarta, Indonesia. 2018 , 37, 373-379		7
108	Association of dietary patterns with circadian preference, sleep and personality in high school students. 2018 , 1-13		1

107	Dietary Patterns and Whole Plant Foods in Type 2 Diabetes Prevention and Management. 2018 , 257-290	
106	Fatty acid transport receptor soluble CD36 and dietary fatty acid pattern in type 2 diabetic patients: a comparative study. 2018 , 119, 153-162	9
105	Hyperuricaemia and development of type 2 diabetes mellitus in Asian population. 2018 , 45, 499-506	18
104	Palmitic and Oleic Acid: The Yin and Yang of Fatty Acids in Type 2 Diabetes Mellitus. 2018 , 29, 178-190	206
103	Different Dietary Patterns and New-Onset Diabetes Mellitus After Kidney Transplantation: A Cross-Sectional Study. 2018 , 28, 110-117	
102	Oxidative stress biomarkers in type 2 diabetes mellitus for assessment of cardiovascular disease risk. 2018 , 12, 455-462	37
101	Dietary program and physical activity impact on biochemical markers in patients with type 2 diabetes: A systematic review. 2018 , 50, 590-610	14
100	Nutritional composition, antidiabetic and antilipidemic potentials of flour blends made from unripe plantain, soybean cake, and rice bran. 2018 , 42, e12447	6
99	Diet After Gestational Diabetes (GDM). 2018 , 317-329	
98	The role of whey protein in postprandial glycaemic control. 2018 , 77, 42-51	10
97	Fiber in Type 2 Diabetes Prevention and Management. 2018 , 227-249	
96	Automatic Diet Recording Based on Deep Learning. 2018 ,	1
95	Plant versus animal based diets and insulin resistance, prediabetes and type 2 diabetes: the Rotterdam Study. 2018 , 33, 883-893	93
94	Impact of fish consumption by subjects with prediabetes on the metabolic risk factors: using data in the 2015 (6th) Korea National Health and Nutrition Examination Surveys. 2018 , 12, 233-242	3
93	Implementing Medical Nutritional Therapy Through Dietary Patterns in Prevention and Treatment of Diabetes. 2018 , 7, 125-136	0
92	Effects of the fenugreek extracts on high-fat diet-fed and streptozotocin-induced type 2 diabetic mice. 2018 , 1, 68-73	7
91	Relationship between polyunsaturated fatty acid composition in serum phospholipids, systemic low-grade inflammation, and glycaemic control in patients with type 2 diabetes and atherosclerotic cardiovascular disease. 2018 , 17, 29	17
90	The independent associations of protein consumption with body fat and glycaemic control in adult Chinese. 2019 , 58, 1981-1990	3

89	Fruit and Vegetable Intake and Risk of Posttransplantation Diabetes in Renal Transplant Recipients. 2019 , 42, 1645-1652		17
88	Associations of nutrient intakes with obesity and diabetes mellitus in the longitudinal medical surveys of Japanese Americans. 2019 , 10, 1229-1236		9
87	Effects of asiatic acid, an active constituent in <i>Centella asiatica</i> (L.): restorative perspectives of streptozotocin-nicotinamide induced changes on lipid profile and lipid metabolic enzymes in diabetic rats. 2019 , 28, 1321-1329		5
86	Effects of nut and seed consumption on markers of glucose metabolism in adults with prediabetes: a systematic review of randomised controlled trials. 2019 , 122, 361-375		5
85	Diet Quality Is an Indicator of Disease Risk Factors in Hispanic College Freshmen. 2019 , 119, 760-768		3
84	Hypoglycemic Effects of Oat Oligopeptides in High-Calorie Diet/STZ-Induced Diabetic Rats. 2019 , 24,		8
83	Sustainable Food Purchasing in the Health Care Sector: From Ideals to Institutionalization. 2019 , 239-260		1
82	Associations between Dietary Polyphenols and Type 2 Diabetes in a Cross-Sectional Analysis of the PREDIMED-Plus Trial: Role of Body Mass Index and Sex. <i>Antioxidants</i> , 2019 , 8,	7.1	17
81	Nutraceuticals and Diet-based Phytochemicals in Type 2 Diabetes Mellitus: From Whole Food to Components with Defined Roles and Mechanisms. 2019 , 16, 12-25		7
80	Promising effects of Eglucans on glyceamic control in diabetes. 2019 , 83, 159-166		31
79	Being born small-for-gestational-age is associated with an unfavourable dietary intake in Danish adolescent girls: findings from the Danish National Birth Cohort. 2019 , 10, 488-496		1
78	Prediabetes diagnosis criteria, type 2 diabetes risk and dietary modulation: The CORDIOPREV study. 2020 , 39, 492-500		6
77	Factors associated with progression to pre-diabetes: a recurrent events analysis. 2020 , 25, 135-141		3
76	L-Carnitine Is Involved in Hyperbaric Oxygen-Mediated Therapeutic Effects in High Fat Diet-Induced Lipid Metabolism Dysfunction. 2020 , 25,		4
75	Quercetin modulates hyperglycemia by improving the pancreatic antioxidant status and enzymes activities linked with glucose metabolism in type 2 diabetes model of rats: In silico studies of molecular interaction of quercetin with hexokinase and catalase. 2020 , 44, e13127		3
74	Eviniferin, a promising natural oligostilbene, ameliorates hyperglycemia and hyperlipidemia by activating AMPK. 2020 , 11, 10084-10093		6
73	Dietary Intervention Modulates the Expression of Splicing Machinery in Cardiovascular Patients at High Risk of Type 2 Diabetes Development: From the CORDIOPREV Study. 2020 , 12,		1
72	Physiological relevance of food antioxidants. 2020 , 93, 205-250		3

71	A formula based on autonomic test using EZSCAN and anthropometric data for diagnosis of DM in China. 2020 , 10, 4870	
70	Glycemic index of millet based food mix and its effect on pre diabetic subjects. 2020 , 57, 2732-2738	8
69	Ergothioneine is associated with reduced mortality and decreased risk of cardiovascular disease. 2020 , 106, 691-697	38
68	Dietary Nonheme, Heme, and Total Iron Intake and the Risk of Diabetes in Adults: Results From the China Health and Nutrition Survey. 2020 , 43, 776-784	12
67	Dynamics of Chinese Diet Divergence from Chinese Food Pagoda and Its Association with Adiposity and Influential Factors: 2004-2011. 2020 , 17,	6
66	Diet, Lifestyle and Cardiovascular Diseases: Linking Pathophysiology to Cardioprotective Effects of Natural Bioactive Compounds. 2020 , 17,	77
65	Bread making with sourdough and intact cereal and legume grains - effect on glycaemic index and glycaemic load. 2021 , 72, 134-142	2
64	Relationship between dietary choline intake and diabetes mellitus in the National Health and Nutrition Examination Survey 2007-2010. 2021 , 13, 554-561	6
63	Immune Function Response Following a Low-carbohydrate, High-fat Diet (LCHFD) in Patients with Type 2 Diabetes. 2021 , 12,	1
62	Conversational Agent for Healthy Lifestyle Behavior Change: Web-Based Feasibility Study. 2021 , 5, e27956	1
61	Hypoglycemic Effects of Licochalcone A on the Streptozotocin-Induced Diabetic Mice and Its Mechanism Study. 2021 , 69, 2444-2456	7
60	Domeless receptor loss in fat body tissue reverts insulin resistance induced by a high-sugar diet in <i>Drosophila melanogaster</i> . 2021 , 11, 3263	7
59	Determinants of Dietary Adherence Among Type 2 Diabetes Patients Aimed COVID-19 at the University of Gondar Comprehensive Specialized Hospital. 2021 , 14, 917-927	0
58	Changes in intake of dairy product subgroups and risk of type 2 diabetes: modelling specified food substitutions in the Danish Diet, Cancer and Health cohort. 2021 , 60, 3449-3459	2
57	Effect of Sea Buckthorn on Plasma Glucose in Individuals with Impaired Glucose Regulation: A Two-Stage Randomized Crossover Intervention Study. 2021 , 10,	2
56	Effects of <i>Gynura bicolor</i> on Glycemic Control and Antioxidant Ability in Prediabetes. 2021 , 11, 5066	0
55	Starchy vegetable intake in the first trimester is associated with a higher risk of gestational diabetes mellitus: a prospective population-based study. 2021 , 1-8	
54	Type 2 diabetes mellitus risk assessment among doctors in Ondo state. 2021 , 33, 114-120	0

53	Nutritional composition and antioxidant properties of three varieties of carrot (<i>Daucus carota</i>). 2021 , 12, e00801		2
52	Factors influencing the nutritional behavior of Syrian migrants in Germany - results of a qualitative study. 2021 , 21, 1334		0
51	Associations between dietary acid load and obesity among Iranian women.. 2021 , 13, 285-297		1
50	Prospective Study of Plant-Based Dietary Patterns and Diabetes in Puerto Rican Adults. <i>Journal of Nutrition</i> , 2021 , 151, 3795-3800	4.1	1
49	Effect of brown seaweed on plasma glucose in healthy, at-risk, and type 2 diabetic individuals: systematic review and meta-analysis. <i>Nutrition Reviews</i> , 2021 ,	6.4	1
48	Testosterone Combined with Voluntary Exercise Attenuates Diabetes-induced Pancreatic Apoptosis in Castrated Diabetic Rats Induced by HFD/STZ. <i>Brazilian Archives of Biology and Technology</i> , 64,	1.8	1
47	Natural Foods as Biosystems to Face Noncommunicable Chronic Diseases: An Overview. 2014 , 289-318		1
46	A risk score to predict type 2 diabetes mellitus in an elderly Spanish Mediterranean population at high cardiovascular risk. <i>PLoS ONE</i> , 2012 , 7, e33437	3.7	23
45	Regional Variability of Lifestyle Factors and Hypertension with Prediabetes and Newly Diagnosed Type 2 Diabetes Mellitus: The Population-Based KORA-F4 and SHIP-TREND Studies in Germany. <i>PLoS ONE</i> , 2016 , 11, e0156736	3.7	15
44	Population-based nutrition study on an urban population with type 2 diabetes mellitus. <i>Diabetes Mellitus</i> , 2015 , 18, 59-65	1.6	3
43	Efficacy of nutritional interventions to lower circulating ceramides in young adults: FRUVEDomic pilot study. <i>Physiological Reports</i> , 2017 , 5, e13329	2.6	21
42	NUTRITION AS THE RISK FACTOR FOR CARDIOVASCULAR PATHOLOGY FROM EPIDEMIOLOGICAL PERSPECTIVE. <i>Cardiovascular Therapy and Prevention (Russian Federation)</i> , 2018 , 17, 88-94	0.9	1
41	Dietary Patterns and 10-year (2002-2012) Incidence of Type 2 Diabetes: Results from the ATTICA Cohort Study. <i>Review of Diabetic Studies</i> , 2016 , 13, 246-256	3.6	7
40	Diabetes Prevention and Weight Loss with a Fully Automated Behavioral Intervention by Email, Web, and Mobile Phone: A Randomized Controlled Trial Among Persons with Prediabetes. <i>Journal of Medical Internet Research</i> , 2015 , 17, e240	7.6	120
39	Effect of nutritional counseling and long term isomaltulose based liquid formula (MHN-01) intake on metabolic syndrome. <i>Journal of Clinical Biochemistry and Nutrition</i> , 2015 , 57, 140-4	3.1	7
38	Effect of L-aminobutyric acid-rich yogurt on insulin sensitivity in a mouse model of type 2 diabetes mellitus. <i>Journal of Dairy Science</i> , 2020 , 103, 7719-7729	4	9
37	41. Reduced-fat cheeses: composition and health potential. <i>Human Health Handbooks</i> , 2013 , 637-650		1
36	Effect of an Integrated Naturopathy and Yoga Program on Long-Term Glycemic Control in Type 2 Diabetes Mellitus Patients: A Prospective Cohort Study. <i>International Journal of Yoga</i> , 2020 , 13, 42-49	1.6	2

35	Relationship between Dietary Patterns and Incidence of Type 2 Diabetes. <i>International Journal of Preventive Medicine</i> , 2019 , 10, 122	1.6	20
34	Functional Foods: Can Food Technology Help in the Prevention and Treatment of Diabetes?. <i>Food and Nutrition Sciences (Print)</i> , 2013 , 04, 827-837	0.4	2
33	The Role of Modified Mediterranean Diet and Quantum Therapy in Type 2 Diabetes Mellitus Primary Prevention. <i>Journal of Pharmacy and Nutrition Sciences (discontinued)</i> ,	0.3	1
32	Effects of Root Extract of in Mice with High-Fat-Diet/Streptozotocin-Induced Diabetes and C2C12 Myoblast Differentiation. <i>ACS Omega</i> , 2021 , 6, 26959-26968	3.9	1
31	Chronic disease surveillance in Alberta's tomorrow project using administrative health data. <i>International Journal of Population Data Science</i> , 2021 , 6, 1672	1.4	0
30	Quantum Therapy: A New Way in Osteoporosis Primary Prevention and Treatment. <i>Journal of Pharmacy and Nutrition Sciences (discontinued)</i> ,	0.3	
29	Essential Fatty Acid Metabolism in Metabolic Syndrome and Neurological Disorders. 2013 , 67-101		
28	Metabolic Syndrome. 2014 , 69-114		
27	The Role of Nutrition in Successful Aging. 2015 , 231-250		
26	Role of Fiber in the Prevention of Type 2 Diabetes. 2015 , 371-398		
25	Assessment of risk of developing diabetes mellitus among local government employees in Onitsha, south-eastern Nigeria. <i>Epidemiology Reports</i> , 2015 , 3, 4		1
24	Prevalence and Correlates of Family Meals among Families of 3rd Graders. <i>Archives of Community Medicine and Public Health</i> , 007-011	0.4	
23	Diabetes Mellitus. <i>Springer Series on Epidemiology and Public Health</i> , 2020 , 73-86	0.4	
22	Changes in intake of dairy product subgroups and risk of type 2 diabetes: modelling specified food substitutions in the Danish Diet, Cancer and Health cohort.		
21	Relationship between dietary choline intake and diabetes mellitus in the National Health and Nutrition Examination Survey 2007-2010.		
20	Chapter 1:Diabetes and Obesity: An Overview of Nutritional Effects. <i>Food Chemistry, Function and Analysis</i> , 2020 , 1-23	0.6	
19	A Review on the Assessment of the Efficacy of Common Treatments in Polycystic Ovarian Syndrome on Prevention of Diabetes Mellitus. <i>Journal of Family & Reproductive Health</i> , 2017 , 11, 56-66	0.6	3
18	The role of Mediterranean diet and its components on the progress of osteoarthritis. <i>Journal of Frailty, Sarcopenia and Falls</i> , 2017 , 2, 45-52	1.6	

17	Ginsenoside Rb1 Protects Against Diabetic Cardiomyopathy by Regulating the Adipocytokine Pathway.. <i>Journal of Inflammation Research</i> , 2022 , 15, 71-83	4.8	2
16	Adopting a High-Polyphenolic Diet Is Associated with an Improved Glucose Profile: Prospective Analysis within the PREDIMED-Plus Trial.. <i>Antioxidants</i> , 2022 , 11,	7.1	1
15	Complete nutrition drink with retrograded starch is low glycemic, and the individual glucose response to the low glycemic complete nutrition drink depends on fasting insulin levels and HOMA-IR in a randomized cross-over control trial.. <i>Journal of Nutritional Science</i> , 2022 , 11, e25	2.7	
14	Exploring diet associations with Covid-19 and other diseases: a Network Analysis-based approach.. <i>Medical and Biological Engineering and Computing</i> , 2022 , 60, 991	3.1	0
13	Association between RAC1 gene variation, redox homeostasis and type 2 diabetes mellitus.. <i>European Journal of Clinical Investigation</i> , 2022 , e13792	4.6	2
12	Modulation of gut microbiota by bioactive compounds for prevention and management of type 2 diabetes. <i>Biomedicine and Pharmacotherapy</i> , 2022 , 152, 113148	7.5	4
11	Red meat consumption is associated with prediabetes and diabetes in rural Vietnam: A cross-sectional study. <i>Public Health Nutrition</i> , 1-25	3.3	0
10	Meat Food Group Intakes and the Risk of Type 2 Diabetes Incidence. <i>Frontiers in Nutrition</i> , 9,	6.2	
9	Public perceptions of a healthy lifestyle change conversational agent in Singapore: A qualitative study. 2022 , 8, 205520762211311		0
8	Association between ultra-processed food consumption and gut microbiota in senior subjects with overweight/obesity and metabolic syndrome. 9,		1
7	A Matter of the Heart: Why It Is Time to Change How We Talk About Maternal Mortality.		0
6	Evaluating <i>Khaya senegalensis</i> for dipeptidyl peptidaseIV inhibition using in vitro analysis and molecular dynamic simulation of identified bioactive compounds.		0
5	Cardiometabolic health improvements upon dietary intervention are driven by tissue-specific insulin resistance phenotype: A precision nutrition trial. 2023 , 35, 71-83.e5		0
4	Blood indices of omega-3 and omega-6 polyunsaturated fatty acids are altered in hyperglycemia. 2023 , 30, 103577		0
3	Effect of Dietary Phenolic Compounds on Incidence of Type 2 Diabetes in the Beguimiento Universidad de Navarra(SUN) Cohort. 2023 , 12, 507		0
2	Automated Diet Capture Using Voice Alerts and Speech Recognition on Smartphones: Pilot Usability and Acceptability Study (Preprint).		0
1	Automated Diet Capture Using Voice Alerts and Speech Recognition on Smartphones: Pilot Usability and Acceptability Study. 7, e46659		0