

CITATION REPORT

List of articles citing

Special aspects of cosmetic spray safety evaluations:
principles on inhalation risk assessment

DOI: 10.1016/j.toxlet.2011.05.1038
Toxicology Letters, 2011, 205, 97-104.

Source: <https://exaly.com/paper-pdf/50368519/citation-report.pdf>

Version: 2024-04-29

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
139	Skin exposure to deodorants/antiperspirants in aerosol form. 2012 , 50, 2206-15		13
138	Safety assessment of diethanolamides as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 36S-58S	2.4	5
137	Safety assessment of silylates and surface-modified siloxysilicates. <i>International Journal of Toxicology</i> , 2013 , 32, 5S-24S	2.4	4
136	Safety assessment of triethanolamine and triethanolamine-containing ingredients as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 59S-83S	2.4	28
135	Safety assessment of bis-diglyceryl polyacyladipate-2 and bis-diglyceryl polyacyladipate-1 as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 56S-64S	2.4	1
134	Safety assessment and biological effects of a new cold processed SilEmulsion for dermatological purpose. 2013 , 2013, 181634		6
133	Safety assessment of decyl glucoside and other alkyl glucosides as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 22S-48S	2.4	22
132	Safety assessment of amino acids as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 41S-64S	2.4	20
131	Safety assessment of borosilicate glasses as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 65S-72S	2.4	5
130	Safety assessment of alkyl glyceryl ethers as used in cosmetics. <i>International Journal of Toxicology</i> , 2013 , 32, 5S-21S	2.4	22
129	Effects of residential indoor air quality and household ventilation on preterm birth and term low birth weight in Los Angeles County, California. 2013 , 103, 686-94		22
128	Safety assessment of Vitis vinifera (grape)-derived ingredients as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 48S-83S	2.4	28
127	Amended safety assessment of Hypericum perforatum-derived ingredients as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 5S-23S	2.4	6
126	Safety Assessment of Chlorphenesin as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 5S-15S	2.4	11
125	Safety assessment of nylon as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 47S-60S	2.4	2
124	Safety assessment of modified terephthalate polymers as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 36S-47S	2.4	3
123	Safety Assessment of PEGylated oils as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 13S-39S	2.4	6

122	Safety assessment of Tin(IV) oxide as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 40S-6S	2.4	1
121	Potential hazard of volatile organic compounds contained in household spray products. 2014 , 85, 266-274		25
120	Principle considerations for the risk assessment of sprayed consumer products. <i>Toxicology Letters</i> , 2014 , 227, 41-9	4.4	23
119	Human exposure to conventional and nanoparticle--containing sprays-a critical review. 2014 , 48, 5366-78		39
118	Safety assessment of animal- and plant-derived amino acids as used in cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 5S-12S	2.4	6
117	Safety Assessment of Citric Acid, Inorganic Citrate Salts, and Alkyl Citrate Esters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 16S-46S	2.4	25
116	Safety Assessment of Dimethicone Crosspolymers as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 65S-115S	2.4	2
115	Safety Assessment of Cucumis sativus (Cucumber)-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2014 , 33, 47S-64S	2.4	2
114	Safety Assessment of Panax spp Root-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 5S-42S	2.4	5
113	Sun lotion chemicals as endocrine disruptors. 2015 , 14, 32-46		36
112	Safety Assessment of Ethanolamine and Ethanolamine Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 84S-98S	2.4	3
111	Safety Assessment of Boron Nitride as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 53S-60S	2.4	16
110	Safety Assessment of Alkyl Ethylhexanoates as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 61S-73S	2.4	0
109	Safety Assessment of Alkyl PEG Sulfosuccinates as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 70S-83S	2.4	
108	Safety Assessment of Ethanolamides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 18S-34S	2.4	1
107	Safety Assessment of Galactomannans as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 35S-65S	2.4	10
106	Safety Assessment of Talc as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 66S-129S	2.4	28
105	Safety Assessment of Alkyl Esters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 5S-69S	2.4	11

104	Safety Assessment of Pentaerythrityl Tetraesters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2015 , 34, 99S-112S	2.4	2
103	Safety Assessment of Microbial Polysaccharide Gums as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 5S-49S	2.4	31
102	Safety Assessment of Formic Acid and Sodium Formate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 41S-54S	2.4	4
101	Safety Assessment of Achillea millefolium as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 5S-15S	2.4	4
100	Safety Assessment of Dialkyl Sulfosuccinate Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 34S-46S	2.4	6
99	Safety Assessment of Polyquaternium-22 and Polyquarternium-39 as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 47S-53S	2.4	3
98	Safety Assessment of Methyl Glucose Polyethers and Esters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 12S-40S	2.4	
97	Optical isopropanol biosensor using NADH-dependent secondary alcohol dehydrogenase (S-ADH). 2016 , 159, 418-424		12
96	Safety Assessment of Alkyl PEG/PPG Ethers as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2016 , 35, 60S-89S	2.4	3
95	Effects of thermodynamics on the solvation of amino acids in the pure and binary mixtures of solutions: A review. 2017 , 232, 332-350		24
94	Risk assessment of zinc oxide, a cosmetic ingredient used as a UV filter of sunscreens. 2017 , 20, 155-182		56
93	Safety Assessment of Amino Acid Alkyl Amides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2017 , 36, 17S-56S	2.4	12
92	Safety Assessment of Anthemis nobilis-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2017 , 36, 57S-66S	2.4	2
91	Safety Assessment of Diethanolamine and Its Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2017 , 36, 89S-110S	2.4	5
90	Retinol and Retinyl Palmitate. <i>International Journal of Toxicology</i> , 2017 , 36, 53S-58S	2.4	3
89	Amended Safety Assessment of Isethionate Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2017 , 36, 5S-16S	2.4	0
88	Safety Assessment of Cross-Linked Alkyl Acrylates as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2017 , 36, 59S-88S	2.4	1
87	A review of models for near-field exposure pathways of chemicals in consumer products. 2017 , 574, 1182-1208		45

86	Inhalation risk of indoor aerosol spray products commercially available in Bangladesh. 2018 , 75, 732-739		2
85	Health risk assessment of dermal and inhalation exposure to deodorants in Korea. 2018 , 625, 1369-1379		15
84	A methodology for the assessment of inhalation exposure to aluminium from antiperspirant sprays. 2018 , 92, 1383-1392		2
83	Development and Evaluation of an In Vitro Test System for Toxicity Screening of Aerosols Released from Consumer Products and First Application to Aerosols from a Hair Straightening Process. 2018 , 4, 180-192		5
82	Safety Assessment of Tripeptide-1, Hexapeptide-12, Their Metal Salts and Fatty Acyl Derivatives, and Palmitoyl Tetrapeptide-7 as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 90S-102S [†]	2.4	3
81	Safety Assessment of Rosmarinus officinalis (Rosemary)-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 12S-50S	2.4	9
80	Amended Safety Assessment of Chamomilla recutita-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 51S-79S	2.4	1
79	Safety Assessment of Pentaerythrityl Tetra-Di-t-Butyl Hydroxyhydrocinnamate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 80S-89S	2.4	1
78	Safety Assessment of Barium Sulfate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 5S-11S	2.4	1
77	Safety Assessment of Tocopherols and Tocotrienols as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 61S-94S	2.4	11
76	Safety Assessment of PEGs Cocamine and Related Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 10S-60S	2.4	2
75	Safety Assessment of PEG-150 Pentaerythrityl Tetrastearate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 5S-9S	2.4	1
74	Safety Assessment of Hydrolyzed Wheat Protein and Hydrolyzed Wheat Gluten as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 55S-66S	2.4	15
73	Safety Assessment of Magnesium Sulfate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 47S-54S	2.4	2
72	Safety Assessment of Polyether Lanolins as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 19S-27S	2.4	
71	Safety Assessment of Alkyl Betaines as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 28S-46S	2.4	9
70	Health Risk Assessment on Hazardous Ingredients in Household Deodorizing Products. 2018 , 15,		3
69	Principles for the safety evaluation of cosmetic powders. <i>Toxicology Letters</i> , 2018 , 297, 8-18	4.4	8

68	Risk assessment to human health: Consumer exposure to ingredients in air fresheners. <i>Regulatory Toxicology and Pharmacology</i> , 2018 , 98, 31-40	3.4	13
67	Safety Assessment of Tromethamine, Aminomethyl Propanediol, and Aminoethyl Propanediol as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2018 , 37, 5S-18S	2.4	4
66	Safety Assessment of Sorbitan Esters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 60S-80S	2.4	2
65	Safety Assessment of Alkyl Phosphates as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 12S-32S	2.4	
64	Safety Assessment of PCA (2-Pyrrolidone-5-Carboxylic Acid) and Its Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 5S-11S	2.4	2
63	Particle Size Distribution Analysis of OTC Aerosol or Powder Drug Products With Potential for Inadvertent Inhalation Exposure to Consumers. 2019 , 108, 1506-1511		1
62	Amended Safety Assessment of Methylisothiazolinone as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 70S-84S	2.4	9
61	Safety Assessment of Fatty Acid Amidopropyl Dimethylamines as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 39S-69S	2.4	2
60	Safety Assessment of Monosaccharides, Disaccharides, and Related Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 5S-38S	2.4	1
59	Combined Assessment of Preschool Childrens Exposure to Substances in Household Products. 2019 , 16,		
58	Safety Assessment of Derived Ingredients As Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 48S-70S	2.4	2
57	Characterization of an aerosol generation system to assess inhalation risks of aerosolized nano-enabled consumer products. 2019 , 31, 357-367		4
56	Safety Assessment of Glycerin as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 6S-22S	2.4	17
55	Safety Assessment of (Oat)-Derived Ingredients As Used in Cosmetics. <i>International Journal of Toxicology</i> , 2019 , 38, 23S-47S	2.4	2
54	Air pollution of beauty salons by cosmetics from the analysis of suspended particulate matter. 2019 , 17, 551-558		15
53	Effect of indoor environmental quality on building-related symptoms among the residents of apartment-type buildings in Bangkok area. 2020 , 26, 2663-2677		6
52	Risk Assessment of Cosmetic Preservatives Using QSAR. 2020 , 5, 44-62		1
51	Safety Assessment of PEGylated Alkyl Glycerides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 26S-58S	2.4	4

50	Safety Assessment of Polyene Group as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 59S-90S	2.4	1
49	Safety Assessment of Lecithin and Other Phosphoglycerides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 5S-25S	2.4	0
48	Safety Assessment of Silk Protein Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 127S-144S	2.4	5
47	Safety Assessment of Polyaminopropyl Biguanide (Polyhexamethylene Biguanide Hydrochloride) as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 26S-73S	2.4	3
46	Safety and health risk assessment methodology of dermal and inhalation exposure to formulated products ingredients. <i>Regulatory Toxicology and Pharmacology</i> , 2020 , 116, 104753	3.4	5
45	Amended Safety Assessment of Parabens as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 5S-97S	2.4	11
44	Safety Assessment of Monoglyceryl Monoesters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 93S-126S	2.4	2
43	Safety Assessment of Ceramides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2020 , 39, 5S-25S		0
42	Behavioral characteristics to airborne particles generated from commercial spray products. 2020 , 140, 105747		3
41	Hazard identification and consumer safety characterization for trans-1-chloro-3,3,3-trifluoropropene (trans-1233zd). <i>Toxicology Letters</i> , 2020 , 332, 181-191	4.4	
40	Anti-perspirant deodorant particulate matter temporal concentrations during home usage. 2021 , 195, 107738		0
39	Cerium-Containing N-Acetyl-6-Aminoheptanoic Acid Formulation Accelerates Wound Reparation in Diabetic Animals. <i>Biomolecules</i> , 2021 , 11,	5.9	0
38	Advantages of Hyaluronic Acid and Its Combination with Other Bioactive Ingredients in Cosmeceuticals. <i>Molecules</i> , 2021 , 26,	4.8	17
37	Amended Safety Assessment of Methylisothiazolinone as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 5S-19S	2.4	2
36	Safety Assessment of Peel-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 77S-99S	2.4	1
35	Safety Assessment of Phosphoric Acid and Its Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 34S-85S	2.4	
34	Final Amended Safety Assessment of Sodium Sulfate as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 86S-94S	2.4	0
33	Amended Safety Assessment of Fatty Acyl Sarcosines and Sarcosinate Salts as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 117S-133S	2.4	

32	Safety Assessment of Citrus Fruit-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 5S-38S	2.4	0
31	Air quality and particulate matter speciation in a beauty salon and surrounding outdoor environment: Exploratory study. <i>Atmospheric Pollution Research</i> , 2021 , 12, 101174	4.5	1
30	Beyond dermal exposure: The respiratory tract as a target organ in hazard assessments of cosmetic ingredients. <i>Regulatory Toxicology and Pharmacology</i> , 2021 , 124, 104976	3.4	0
29	Safety Assessment of Plant- and Seed-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 39S-52S	2.4	
28	Safety Assessment of Keratin and Keratin-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 36S-51S	2.4	2
27	Safety Assessment of Saccharide Esters as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 52S-116S	2.4	1
26	Safety Assessment of Inorganic Hydroxides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 16S-35S	2.4	
25	Air Curtains Equipped With Hydroalcoholic Aerosol Sprayers for Massive COVID-19 Disinfection. <i>Frontiers in Public Health</i> , 2020 , 8, 582782	6	4
24	The role of vitamin E acetate (VEA) and its derivatives in the vaping associated lung injury: systematic review of evidence. <i>Critical Reviews in Toxicology</i> , 2021 , 51, 15-23	5.7	3
23	QSAR Models for Human Carcinogenicity: An Assessment Based on Oral and Inhalation Slope Factors. <i>Molecules</i> , 2020 , 26,	4.8	6
22	Exposure to Substances by Use of Consumer Products. 2019 , 361-479		1
21	Study on Consumer Exposure to Sun Spray and Sun Cream in South Korea. <i>Toxicological Research</i> , 2019 , 35, 389-394	3.7	2
20	Safety Assessment of Flower- and Leaf-Derived Ingredients as Used in Cosmetics. <i>International Journal of Toxicology</i> , 2021 , 40, 53S-76S	2.4	
19	Health Effects of Dyes, Minerals, and Vitamins Used in Cosmetics. <i>Women</i> , 2021 , 1, 223-237		1
18	Tin. 2022 , 807-856		0
17	Implication of parabens in cosmetics and cosmeceuticals: Advantages and limitations.. <i>Journal of Cosmetic Dermatology</i> , 2022 ,	2.5	3
16	Amended Safety Assessment of Butyl Polyoxyalkylene Ethers as Used in Cosmetics.. <i>International Journal of Toxicology</i> , 2022 , 10915818211059697	2.4	
15	Safety Assessment of Bovine Milk Proteins and Protein Derivatives as Used in Cosmetics.. <i>International Journal of Toxicology</i> , 2022 , 10915818221098137	2.4	

14	Safety Assessment of -derived Ingredients as Used in Cosmetics.. <i>International Journal of Toxicology</i> , 2022 , 10915818221080088	2.4
13	Safety Assessment of Carbonate Salts as Used in Cosmetics.. <i>International Journal of Toxicology</i> , 2022 , 10915818221087202	2.4
12	Safety Assessment of Ethers and Esters of Ascorbic Acid as Used in Cosmetics.. <i>International Journal of Toxicology</i> , 2022 , 10915818221093545	2.4
11	Safety Assessment of Plant-Derived Proteins and Peptides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 109158182211007	2.4
10	Safety Assessment of Skin and Connective Tissue-Derived Proteins and Peptides as Used in Cosmetics. <i>International Journal of Toxicology</i> , 109158182211047	2.4
9	In vitro evaluation of the inhalation toxicity of the cosmetic ingredient Aluminum Chlorohydrate. <i>Journal of Applied Toxicology</i> ,	4.1
8	Amended Safety Assessment of Malic Acid and Sodium Malate as Used in Cosmetics. 109158182211175	
7	Safety Assessment of Panthenol, Pantothenic Acid, and Derivatives as Used in Cosmetics. 109158182211248	o
6	Amended Safety Assessment of Triglycerides as Used in Cosmetics. 109158182211237	o
5	Particle size distribution in the evaluation of the inhalation toxicity of cosmetic spray products. 2023 , 139, 105359	o
4	Safety Assessment of Apple-Derived Ingredients as Used in Cosmetics. 109158182311568	o
3	Safety Assessment of Cocos nucifera (Coconut)-Derived Ingredients as Used in Cosmetics. 109158182311577	o
2	Safety Assessment of Helianthus annuus (Sunflower)-Derived Ingredients as Used in Cosmetics. 109158182311629	
1	Safety Assessment of Eucalyptus globulus (Eucalyptus)-Derived Ingredients as Used in Cosmetics. 109158182311643	