

Return to the Preinjury Level of Competitive Sport After Reconstruction Surgery

American Journal of Sports Medicine

39, 538-543

DOI: [10.1177/0363546510384798](https://doi.org/10.1177/0363546510384798)

Citation Report

#	ARTICLE	IF	CITATIONS
1	A scientific approach to optimal treatment of cruciate ligament injuries. Monthly Notices of the Royal Astronomical Society: Letters, 2011, 82, 389-392.	1.2	10
2	Muscle strength and hop performance criteria prior to return to sports after ACL reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1798-1805.	2.3	329
3	Return to sport. Knee Surgery, Sports Traumatology, Arthroscopy, 2011, 19, 1795-1797.	2.3	16
4	Special Considerations for ACL Graft Selection in the Young, Active Military Patient. Journal of Knee Surgery, 2011, 24, 073-082.	0.9	5
5	Assessing activity participation in the ACL injured population: a systematic review of activity rating scale measurement properties. Physical Therapy Reviews, 2012, 17, 99-109.	0.3	9
6	Single-Legged Hop Tests as Predictors of Self-Reported Knee Function After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2012, 40, 2348-2356.	1.9	252
7	Return or Retirement?. American Journal of Sports Medicine, 2012, 40, 2437-2439.	1.9	6
8	Return to Preinjury Sports Participation Following Anterior Cruciate Ligament Reconstruction: Contributions of Demographic, Knee Impairment, and Self-report Measures. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 893-901.	1.7	165
9	Return-to-Sport Outcomes at 2 to 7 Years After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2012, 40, 41-48.	1.9	331
10	Return to High School and College-Level Football After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2012, 40, 2523-2529.	1.9	254
11	Managing Knee Injuries: Keeping Up With Changes. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 150-152.	1.7	6
12	Fear of re-injury in people who have returned to sport following anterior cruciate ligament reconstruction surgery. Journal of Science and Medicine in Sport, 2012, 15, 488-495.	0.6	124
13	Rate of Force Development as an Adjunctive Outcome Measure for Return-to-Sport Decisions After Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 772-780.	1.7	148
14	Current Concepts for Anterior Cruciate Ligament Reconstruction: A Criterion-Based Rehabilitation Progression. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 601-614.	1.7	407
15	No Increased Occurrence of Osteoarthritis After Anterior Cruciate Ligament Reconstruction After Isolated Anterior Cruciate Ligament Injury in Athletes. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2012, 28, 517-525.	1.3	55
16	The effects of neuromuscular training on the gait patterns of ACL-deficient men and women. Clinical Biomechanics, 2012, 27, 360-365.	0.5	66
17	Recent Advances in the Rehabilitation of Anterior Cruciate Ligament Injuries. Journal of Orthopaedic and Sports Physical Therapy, 2012, 42, 153-171.	1.7	140
18	Sports involvement following ACL reconstruction is related to lower extremity neuromuscular adaptations, subjective knee function and health locus of control. Knee Surgery, Sports Traumatology, Arthroscopy, 2013, 21, 2019-2028.	2.3	11

#	ARTICLE	IF	CITATIONS
19	Symmetry restoration and functional recovery before and after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 859-868.	2.3	89
20	Lessons learned from the last 20 years of ACL-related in vivo-biomechanics research of the knee joint. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2013, 21, 755-766.	2.3	40
21	Anterior cruciate ligament- specialized post-operative return-to-sports (ACL-SPORTS) training: a randomized control trial. <i>BMC Musculoskeletal Disorders</i> , 2013, 14, 108.	0.8	72
22	Return to sport following anterior cruciate ligament reconstruction. <i>International Orthopaedics</i> , 2013, 37, 285-290.	0.9	75
23	Task based rehabilitation protocol for elite athletes following Anterior Cruciate ligament reconstruction: a clinical commentary. <i>Physical Therapy in Sport</i> , 2013, 14, 188-198.	0.8	75
24	A systematic review of the psychological factors associated with returning to sport following injury. <i>British Journal of Sports Medicine</i> , 2013, 47, 1120-1126.	3.1	306
25	Pre-operative quadriceps strength predicts IKDC2000 scores 6months after anterior cruciate ligament reconstruction. <i>Knee</i> , 2013, 20, 208-212.	0.8	81
26	Cartilage Status in Relation to Return to Sports After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 550-559.	1.9	63
27	Abnormal Frontal Plane Knee Mechanics During Sidestep Cutting in Female Soccer Athletes After Anterior Cruciate Ligament Reconstruction and Return to Sport. <i>American Journal of Sports Medicine</i> , 2013, 41, 918-923.	1.9	55
28	Asymmetries in Functional Hop Tests, Lower Extremity Kinematics, and Isokinetic Strength Persist 6 to 9 Months Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 154-162.	1.7	120
29	Fear of Reinjury (Kinesiophobia) and Persistent Knee Symptoms Are Common Factors for Lack of Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1322-1329.	1.3	157
30	Effect of Prehabilitation on the Outcome of Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 2117-2127.	1.9	104
31	Current Concepts for Injury Prevention in Athletes After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2013, 41, 216-224.	1.9	317
32	Kinesiophobia After Anterior Cruciate Ligament Rupture and Reconstruction: Noncopers Versus Potential Copers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 821-832.	1.7	73
33	Is patellofemoral joint osteoarthritis an under-recognised outcome of anterior cruciate ligament reconstruction? A narrative literature review. <i>British Journal of Sports Medicine</i> , 2013, 47, 66-70.	3.1	128
34	Neuromuscular Training to Target Deficits Associated With Second Anterior Cruciate Ligament Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 777-A11.	1.7	146
35	Training for Prevention of ACL Injury. <i>Strength and Conditioning Journal</i> , 2013, 35, 59-65.	0.7	13
36	Factors Related to Return to Sport After ACL Reconstruction: When Is It Safe?. , 2013, , 169-181.		2

#	ARTICLE	IF	CITATIONS
37	A Prospective Randomized Study Comparing Double- and Single-Bundle Techniques for Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2013, 41, 2484-2491.	1.9	67
38	Psychological Responses Matter in Returning to Preinjury Level of Sport After Anterior Cruciate Ligament Reconstruction Surgery. American Journal of Sports Medicine, 2013, 41, 1549-1558.	1.9	423
39	Functional outcomes following a non-operative treatment algorithm for anterior cruciate ligament injuries in skeletally immature children 12 years and younger. A prospective cohort with 2 years follow-up. British Journal of Sports Medicine, 2013, 47, 488-494.	3.1	83
40	Gait Patterns Differ Between ACL-Reconstructed Athletes Who Pass Return-to-Sport Criteria and Those Who Fail. American Journal of Sports Medicine, 2013, 41, 1310-1318.	1.9	187
41	Injury Prevention in Different Sports. , 2013, , 1-11.		0
42	Effects of Exercise on Lower Extremity Muscle Function After Anterior Cruciate Ligament Reconstruction. Journal of Sport Rehabilitation, 2013, 22, 33-40.	0.4	30
43	Effects of Preoperative Quadriceps Strength on the Knee Functional Scores One Year after Anterior Cruciate Ligament Reconstruction. The Korean Journal of Sports Medicine, 2013, 31, 7.	0.3	0
44	The Correlation of the Evaluation of Quality of Life Depends on Knee Strength after 1-Year an Anterior Cruciate Ligament Reconstruction. The Korean Journal of Sports Medicine, 2014, 32, 139.	0.3	2
45	Resultados da reconstrucao do ligamento cruzado anterior em atletas amadores de futebol. Revista Brasileira De Medicina Do Esporte, 2014, 20, 65-69.	0.1	0
46	We Can Do Better. Journal of Orthopaedic and Sports Physical Therapy, 2014, 44, 634-635.	1.7	8
47	Adolescent differences in knee stability following computer-assisted anterior cruciate ligament reconstruction. Orthopedic Reviews, 2014, 6, 5653.	0.3	11
48	Experiences of returning to elite alpine skiing after ACL injury and ACL reconstruction. International Journal of Adolescent Medicine and Health, 2014, 26, 69-77.	0.6	24
49	Risk for Revision After Anterior Cruciate Ligament Reconstruction Is Higher Among Adolescents. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711455240.	0.8	91
50	Motion Alterations After Anterior Cruciate Ligament Reconstruction: Comparison of the Injured and Uninjured Lower Limbs During a Single-Legged Jump. Journal of Athletic Training, 2014, 49, 311-316.	0.9	28
51	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. British Journal of Sports Medicine, 2014, 48, 1543-1552.	3.1	920
52	Factors Affecting Return to Play After Anterior Cruciate Ligament Reconstruction: A Review of the Current Literature. Physician and Sportsmedicine, 2014, 42, 71-79.	1.0	16
54	Dynamic Postural Stability in Young Adolescent Male and Female Athletes. Pediatric Physical Therapy, 2014, 26, 447-452.	0.3	23
55	The impact of force filtering cut-off frequency on the peak knee abduction moment during landing: artefact or artifact?. British Journal of Sports Medicine, 2014, 48, 464-468.	3.1	62

#	ARTICLE	IF	CITATIONS
56	Jogging Biomechanics after Exercise in Individuals with ACL-Reconstructed Knees. <i>Medicine and Science in Sports and Exercise</i> , 2014, 46, 1067-1076.	0.2	45
57	Functional bracing of ACL injuries: current state and future directions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1131-1141.	2.3	43
58	Anterior cruciate ligament injury after more than 20 years. Concentric and eccentric knee muscle strength. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014, 24, e501-509.	1.3	62
59	Anterior Cruciate Ligament Injury and Radiologic Progression of Knee Osteoarthritis. <i>American Journal of Sports Medicine</i> , 2014, 42, 2242-2252.	1.9	362
60	Self-Reported Knee Function Can Identify Athletes Who Fail Return-to-Activity Criteria up to 1 Year After Anterior Cruciate Ligament Reconstruction: A Delaware-Oslo ACL Cohort Study. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 914-923.	1.7	118
61	Basic science of anterior cruciate ligament injury and repair. <i>Bone and Joint Research</i> , 2014, 3, 20-31.	1.3	212
62	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 1613-1619.	3.1	315
63	Critères de reprise du sport après reconstruction du ligament croisé antérieur. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 145-148.	0.1	0
64	Incidence of Second ACL Injuries 2 Years After Primary ACL Reconstruction and Return to Sport. <i>American Journal of Sports Medicine</i> , 2014, 42, 1567-1573.	1.9	593
65	Gender differences following computer-navigated single- and double-bundle anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 2145-2152.	2.3	18
66	Anterior Cruciate Ligament Reconstruction. , 2014, , .		11
67	Variables associated with return to sport following anterior cruciate ligament reconstruction: a systematic review. <i>British Journal of Sports Medicine</i> , 2014, 48, 356-364.	3.1	242
68	Normalization Considerations for Using the Unilateral Seated Shot Put Test in Rehabilitation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 518-524.	1.7	45
70	Critères de reprise du sport après reconstruction du ligament croisé antérieur. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 185-187.	0.1	0
71	Les critères physiques de reprise du sport après ligamentoplastie du LCA. <i>Journal De Traumatologie Du Sport</i> , 2014, 31, 161-165.	0.1	1
72	Altered biomechanical strategies and medio-lateral control of the knee represent incomplete recovery of individuals with injury during single leg hop. <i>Journal of Biomechanics</i> , 2014, 47, 675-680.	0.9	36
73	Return to Sport after Anterior Cruciate Ligament Reconstruction: A Literature Review. <i>Journal of Novel Physiotherapies</i> , 2014, 04, .	0.1	4
74	Principles of postoperative anterior cruciate ligament rehabilitation. <i>World Journal of Orthopedics</i> , 2014, 5, 450.	0.8	52

#	ARTICLE	IF	CITATIONS
75	Impact of Patient Sex on Clinical Outcomes. Orthopaedic Journal of Sports Medicine, 2014, 2, 232596711455063.	0.8	13
76	Injury Risk Estimation Expertise: Cognitive-Perceptual Mechanisms of ACL-IQ. Journal of Sport and Exercise Psychology, 2015, 37, 291-304.	0.7	4
77	Antecedent anterior cruciate ligament reconstruction surgery and optimal duration of supervised physiotherapy. Journal of Back and Musculoskeletal Rehabilitation, 2015, 28, 877-882.	0.4	2
78	Preseason Perceived Physical Capability and Previous Injury. Journal of Athletic Training, 2015, 50, 937-943.	0.9	14
79	Clinical Implications of Uninvolved Limb Function After Anterior Cruciate Ligament Reconstruction: Letter to the Editor. American Journal of Sports Medicine, 2015, 43, NP34-NP34.	1.9	0
80	Clinical Implications of Uninvolved Limb Function After Anterior Cruciate Ligament Reconstruction: Response. American Journal of Sports Medicine, 2015, 43, NP34-NP36.	1.9	0
81	Psychological Aspects of Recovery Following Anterior Cruciate Ligament Reconstruction. Journal of the American Academy of Orthopaedic Surgeons, The, 2015, 23, 501-509.	1.1	124
82	Intrinsic factors associated with return to sport after anterior cruciate ligament reconstruction: A systematic review. South African Journal of Physiotherapy, 2015, 71, 230.	0.3	4
83	Regenerative Treatments to Enhance Orthopedic Surgical Outcome. PM and R, 2015, 7, S41-S52.	0.9	38
84	Sex-Specific Gait Adaptations Prior to and up to 6 Months After Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 207-214.	1.7	48
85	Increased Compliance With Supervised Rehabilitation Improves Functional Outcome and Return to Sport After Anterior Cruciate Ligament Reconstruction in Recreational Athletes. Orthopaedic Journal of Sports Medicine, 2015, 3, 232596711562077.	0.8	33
86	Changes in Quadriceps and Hamstring Cocontraction Following Landing Instruction in Patients With Anterior Cruciate Ligament Reconstruction. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 273-280.	1.7	29
87	Return to Play After Anterior Cruciate Ligament Reconstruction in Major League Baseball Athletes. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2015, 31, 896-900.	1.3	29
88	Consensus criteria for defining "successful outcome"™ after ACL injury and reconstruction: a Delaware-Oslo ACL cohort investigation. British Journal of Sports Medicine, 2015, 49, 335-342.	3.1	222
89	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. American Journal of Sports Medicine, 2015, 43, 848-856.	1.9	204
90	Neuroplasticity Following Anterior Cruciate Ligament Injury: A Framework for Visual-Motor Training Approaches in Rehabilitation. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 381-393.	1.7	154
92	Functional assessments for decision-making regarding return to sports following ACL reconstruction. Part II: clinical application of a new test battery. Knee Surgery, Sports Traumatology, Arthroscopy, 2015, 23, 1283-1291.	2.3	106
93	Drop-Landing Performance and Knee-Extension Strength After Anterior Cruciate Ligament Reconstruction. Journal of Athletic Training, 2015, 50, 596-602.	0.9	31

#	ARTICLE	IF	CITATIONS
94	Clinical Thresholds for Quadriceps Assessment After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 36-46.	0.4	70
95	Sports Injuries and Prevention. , 2015, , .		3
96	Return to recreational sports activity after anterior cruciate ligament reconstruction: a one- to six-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1117-1122.	1.3	34
97	Biomechanics Associated with Patellofemoral Pain and ACL Injuries in Sports. <i>Sports Medicine</i> , 2015, 45, 1325-1337.	3.1	76
98	Functional Testing Differences in Anterior Cruciate Ligament Reconstruction Patients Released Versus Not Released to Return to Sport. <i>American Journal of Sports Medicine</i> , 2015, 43, 1648-1655.	1.9	53
99	Return to Play Following Anterior Cruciate Ligament Reconstruction. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, 283-296.	1.1	102
100	Anterior cruciate ligament injury about 20 years post-treatment: A kinematic analysis of one-leg hop. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015, 25, 818-827.	1.3	26
101	Injury Risk Estimation Expertise. <i>American Journal of Sports Medicine</i> , 2015, 43, 1640-1647.	1.9	11
102	Changes in Involved and Uninvolved Limb Function During Rehabilitation After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 1391-1398.	1.9	66
103	Biomechanical Outcomes of Bridge-enhanced Anterior Cruciate Ligament Repair Are Influenced by Sex in a Preclinical Model. <i>Clinical Orthopaedics and Related Research</i> , 2015, 473, 2599-2608.	0.7	26
104	Reference Values for the Marx Activity Rating Scale in a Young Athletic Population. <i>Sports Health</i> , 2015, 7, 403-408.	1.3	23
105	What Can the First 2 Months Tell Us About Outcomes After Anterior Cruciate Ligament Reconstruction?. <i>Journal of Athletic Training</i> , 2015, 50, 508-515.	0.9	12
106	A Multisensor Integration-Based Complementary Tool for Monitoring Recovery Progress of Anterior Cruciate Ligament-Reconstructed Subjects. <i>IEEE/ASME Transactions on Mechatronics</i> , 2015, 20, 2328-2339.	3.7	9
107	The Influence of Quadriceps Strength Asymmetry on Patient-Reported Function at Time of Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 2242-2249.	1.9	147
108	Sport Specialization, Part I. <i>Sports Health</i> , 2015, 7, 437-442.	1.3	262
109	Young Athletes With Quadriceps Femoris Strength Asymmetry at Return to Sport After Anterior Cruciate Ligament Reconstruction Demonstrate Asymmetric Single-Leg Drop-Landing Mechanics. <i>American Journal of Sports Medicine</i> , 2015, 43, 2727-2737.	1.9	175
110	High Variability in Outcome Reporting Patterns in High-Impact ACL Literature. <i>Journal of Bone and Joint Surgery - Series A</i> , 2015, 97, 1529-1542.	1.4	64
111	Injury Risk Estimation Expertise. <i>Orthopaedic Journal of Sports Medicine</i> , 2015, 3, 232596711561479.	0.8	1

#	ARTICLE	IF	CITATIONS
112	Muscle strength and functional performance is markedly impaired at the recommended time point for sport return after anterior cruciate ligament reconstruction in recreational athletes. <i>Human Movement Science</i> , 2015, 39, 73-87.	0.6	60
113	The roles of acceptance and catastrophizing in rehabilitation following anterior cruciate ligament reconstruction. <i>Journal of Science and Medicine in Sport</i> , 2015, 18, 250-254.	0.6	38
114	The effects of attentional focus on jump performance and knee joint kinematics in patients after ACL reconstruction. <i>Physical Therapy in Sport</i> , 2015, 16, 114-120.	0.8	91
115	Psychological predictors of anterior cruciate ligament reconstruction outcomes: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 752-762.	2.3	207
116	Short-term effects of partial meniscectomy on the clinical results of anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 184-187.	2.3	13
117	Knee Muscle Strength after Revision Anterior Cruciate Ligament (ACL) Reconstruction: Comparison Primary ACL Reconstruction. <i>The Korean Journal of Sports Medicine</i> , 2016, 34, 72.	0.3	2
118	A study of isokinetic strength and laxity with and without anterior cruciate ligament injury. <i>Journal of Physical Therapy Science</i> , 2016, 28, 3272-3275.	0.2	3
120	Tissue Engineering Approach for ACL Healing. , 2016, , 549-562.		1
121	2016 Consensus statement on return to sport from the First World Congress in Sports Physical Therapy, Bern. <i>British Journal of Sports Medicine</i> , 2016, 50, 853-864.	3.1	552
122	ACL injuries in men's professional football: a 15-year prospective study on time trends and return-to-play rates reveals only 65% of players still play at the top level 3â€¦years after ACL rupture. <i>British Journal of Sports Medicine</i> , 2016, 50, 744-750.	3.1	226
123	How Are We Measuring Patient Satisfaction After Anterior Cruciate Ligament Reconstruction?. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711667397.	0.8	23
124	Evidence-based clinical practice update: practice guidelines for anterior cruciate ligament rehabilitation based on a systematic review and multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2016, 50, 1506-1515.	3.1	512
125	The Association Between Knee Confidence and Muscle Power, Hop Performance, and Postural Orientation in People With Anterior Cruciate Ligament Injury. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2016, 46, 477-482.	1.7	20
126	Anterior Cruciate Ligament Injuries in Baseball Players. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 2278-2284.	1.3	9
127	Psychological Factors Associated With Anterior Cruciate Ligament Reconstruction Recovery. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711663834.	0.8	54
128	Motion Task Selection for Kinematic Evaluation After Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2016, 32, 1453-1465.	1.3	15
129	The anterior cruciate ligament clinical pathway: Towards a systematic evaluation of ACL injured patients. <i>Sports Orthopaedics and Traumatology</i> , 2016, 32, 104-109.	0.1	1
130	The Financial and Professional Impact of Anterior Cruciate Ligament Injuries in National Football League Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711666392.	0.8	43

#	ARTICLE	IF	CITATIONS
131	Improvement of Repeated-Sprint Ability and Horizontal-Jumping Performance in Elite Young Basketball Players With Low-Volume Repeated-Maximal-Power Training. <i>International Journal of Sports Physiology and Performance</i> , 2016, 11, 464-473.	1.1	35
132	Injury Patterns among Elite Football Players: A Media-based Analysis over 6 Seasons with Emphasis on Playing Position. <i>International Journal of Sports Medicine</i> , 2016, 37, 898-908.	0.8	54
133	The Role of Imaging in Determining Return to Play. <i>Radiologic Clinics of North America</i> , 2016, 54, 979-988.	0.9	4
134	Variables Affecting Return to Play After Anterior Cruciate Ligament Injury in the National Football League. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711667011.	0.8	30
135	Using an accelerometer and the step-up-and-over test to evaluate the knee function of patients with anterior cruciate ligament reconstruction. <i>Clinical Biomechanics</i> , 2016, 39, 32-37.	0.5	5
136	Common Errors in ACL Surgery (ICL 4). , 2016, , 43-52.		0
137	Return to Play Following Anterior Cruciate Ligament Reconstruction. <i>Clinics in Sports Medicine</i> , 2016, 35, 655-668.	0.9	18
138	Return to Sport (General Aspects). , 2016, , 49-54.		0
139	Sport-Specific Yearly Risk and Incidence of Anterior Cruciate Ligament Tears in High School Athletes. <i>American Journal of Sports Medicine</i> , 2016, 44, 2716-2723.	1.9	221
140	Activity preferences, lifestyle modifications and re-injury fears influence longer-term quality of life in people with knee symptoms following anterior cruciate ligament reconstruction: a qualitative study. <i>Journal of Physiotherapy</i> , 2016, 62, 103-110.	0.7	67
141	Return to Sport Among French Alpine Skiers After an Anterior Cruciate Ligament Rupture. <i>American Journal of Sports Medicine</i> , 2016, 44, 324-330.	1.9	34
142	Factors associated with a more rapid recovery after anterior cruciate ligament reconstruction using multivariate analysis. <i>Knee</i> , 2016, 23, 121-126.	0.8	12
143	Risk of Reinjury or Subsequent Injury After Anterior Cruciate Ligament Reconstruction. <i>Operative Techniques in Sports Medicine</i> , 2016, 24, 65-72.	0.2	1
144	Preoperative Phase in the Rehabilitation of the Patient Undergoing Anterior Cruciate Ligament Reconstruction. <i>Operative Techniques in Sports Medicine</i> , 2016, 24, 12-20.	0.2	14
145	Comparison of knee flexion isokinetic deficits between seated and prone positions after ACL reconstruction with hamstrings graft: Implications for rehabilitation and return to sports decisions. <i>Journal of Science and Medicine in Sport</i> , 2016, 19, 559-562.	0.6	15
146	The Importance of Patient Sex in the Outcomes of Anterior Cruciate Ligament Reconstructions. <i>American Journal of Sports Medicine</i> , 2016, 44, 242-254.	1.9	123
147	Impaired voluntary quadriceps force control following anterior cruciate ligament reconstruction: relationship with knee function. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1424-1431.	2.3	44
148	The Dutch language anterior cruciate ligament return to sport after injury scale (ACL-RSI) â€“ validity and reliability. <i>Journal of Sports Sciences</i> , 2017, 35, 393-401.	1.0	46

#	ARTICLE	IF	CITATIONS
149	Comparison of patient-reported outcomes among those who chose ACL reconstruction or non-surgical treatment. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2017, 27, 535-544.	1.3	41
150	Factors informing fear of reinjury after anterior cruciate ligament reconstruction. <i>Physiotherapy Theory and Practice</i> , 2017, 33, 103-114.	0.6	43
151	Report of the Clinical and Functional Primary Outcomes in Men of the ACL-SPORTS Trial: Similar Outcomes in Men Receiving Secondary Prevention With and Without Perturbation Training 1 and 2 Years After ACL Reconstruction. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2523-2534.	0.7	42
152	Do Patients Failing Return-to-Activity Criteria at 6 Months After Anterior Cruciate Ligament Reconstruction Continue Demonstrating Deficits at 2 Years?. <i>American Journal of Sports Medicine</i> , 2017, 45, 1037-1048.	1.9	69
153	Individualizing the Return to Sports After Anterior Cruciate Ligament Reconstruction. <i>Operative Techniques in Orthopaedics</i> , 2017, 27, 70-78.	0.2	10
156	Return to Play and Decreased Performance After Anterior Cruciate Ligament Reconstruction in National Football League Defensive Players. <i>American Journal of Sports Medicine</i> , 2017, 45, 1815-1821.	1.9	34
157	Evaluation of lower limb kinetics during gait, sprint and hop tests before and after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2017, 18, 177-184.	1.0	18
158	Young Athletes After Anterior Cruciate Ligament Reconstruction Cleared for Sports Participation: How Many Actually Meet Recommended Return-to-Sport Criteria Cutoffs?. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2017, 47, 1-27.	1.7	93
159	High rate of return to activity after ACL reconstruction in patients over 40 years of age: a systematic review. <i>Journal of ISAKOS</i> , 2017, 2, 200-204.	1.1	2
160	Younger Patients and Men Achieve Higher Outcome Scores Than Older Patients and Women After Anterior Cruciate Ligament Reconstruction. <i>Clinical Orthopaedics and Related Research</i> , 2017, 475, 2472-2480.	0.7	44
161	Functional Brace in ACL Surgery: Force Quantification in an In Vivo Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711771424.	0.8	5
162	Progressive Changes in Walking Kinematics and Kinetics After Anterior Cruciate Ligament Injury and Reconstruction: A Review and Meta-Analysis. <i>Journal of Athletic Training</i> , 0, , .	0.9	2
163	A 3DCT scan based assessment of femoral tunnel placement in arthroscopic ACL reconstruction by modified transtibial and anteromedial portal technique and its relation with the functional outcome: A retrospective comparative study. <i>Journal of Arthroscopy and Joint Surgery</i> , 2017, 4, 72-78.	0.3	3
165	The influence of connective tissue growth factor on rabbit ligament injury repair. <i>Bone and Joint Research</i> , 2017, 6, 399-404.	1.3	13
166	Rehabilitation Principles of the Anterior Cruciate Ligament Reconstructed Knee. <i>Clinics in Sports Medicine</i> , 2017, 36, 189-232.	0.9	90
167	Return to knee-strenuous sport after anterior cruciate ligament reconstruction: a report from a rehabilitation outcome registry of patient characteristics. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 1364-1374.	2.3	77
168	Factors affecting quadriceps strength recovery after anterior cruciate ligament reconstruction with hamstring autografts in athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3213-3219.	2.3	30
169	Single-Leg Power Output and Between-Limbs Imbalances in Team-Sport Players: Unilateral Versus Bilateral Combined Resistance Training. <i>International Journal of Sports Physiology and Performance</i> , 2017, 12, 106-114.	1.1	100

#	ARTICLE	IF	CITATIONS
170	Return to Sport following ACL Reconstruction: The Australian Experience. , 2017, , 413-426.		1
171	Utilization of Osseous Landmarks for Anatomic Anterior Cruciate Ligament Femoral Tunnel Placement. <i>Journal of Knee Surgery</i> , 2017, 30, 359-363.	0.9	6
172	Development of a test battery to enhance safe return to sports after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 192-199.	2.3	204
173	Sports-specific differences in postsurgical infections after arthroscopically assisted anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2017, 25, 3878-3883.	2.3	16
174	Fascial Manipulation Â® for persistent knee pain following ACL and meniscus repair. <i>Journal of Bodywork and Movement Therapies</i> , 2017, 21, 452-458.	0.5	8
175	Quantitative Improvements in Hop Test Scores After a 6-Week Neuromuscular Training Program. <i>Sports Health</i> , 2017, 9, 22-29.	1.3	17
176	Knee Biomechanics during Side-Step Cutting and Performance on Return to Sport Tests: Retrospective Analysis Following Anterior Cruciate Ligament Re- Injury. <i>International Journal of Physical Medicine & Rehabilitation</i> , 2017, 05, .	0.5	1
177	Evaluation of Isokinetic Single-Leg Cycling as a Rehabilitation Exercise Following Anterior Cruciate Ligament Reconstruction Surgery. <i>Journal of Functional Morphology and Kinesiology</i> , 2017, 2, 32.	1.1	3
178	Translation, cultural adaptation and validation of simplified Chinese version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. <i>PLoS ONE</i> , 2017, 12, e0183095.	1.1	20
179	Measuring individual hierarchy of anxiety invoking sports related activities: development and validation of the Photographic Series of Sports Activities for Anterior Cruciate Ligament Reconstruction (PHOSA-ACLR). <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 287.	0.8	9
180	Quadriceps force and anterior tibial force occur obviously later than vertical ground reaction force: a simulation study. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 467.	0.8	11
181	Acceptability of a digital health intervention alongside physiotherapy to support patients following anterior cruciate ligament reconstruction. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 471.	0.8	33
182	Effects of the menstrual cycle on lower-limb biomechanics, neuromuscular control, and anterior cruciate ligament injury risk: a systematic review. <i>Muscles, Ligaments and Tendons Journal</i> , 2017, 7, 136.	0.1	38
183	The time has come to incorporate a greater focus on rate of force development training in the sports injury rehabilitation process. <i>Muscles, Ligaments and Tendons Journal</i> , 2017, 7, 435.	0.1	43
184	Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction, Part I: A Qualitative Investigation of Psychosocial Factors. <i>Journal of Athletic Training</i> , 2018, 53, 452-463.	0.9	69
185	Medial meniscal and chondral pathology at the time of revision anterior cruciate ligament reconstruction results in inferior mid-term patient-reported outcomes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 1059-1064.	2.3	26
186	How Can MRI Help with Decision-Making?. , 2018, , 255-262.		0
187	Development and Implementation of aÂ Modular Return-to-Play Test Battery After ACL Reconstruction. , 2018, , 217-235.		3

#	ARTICLE	IF	CITATIONS
188	Blood Flow Restriction Therapy for Stimulating Skeletal Muscle Growth: Practical Considerations for Maximizing Recovery in Clinical Rehabilitation Settings. <i>Techniques in Orthopaedics</i> , 2018, 33, 89-97.	0.1	18
189	Return to Military Duty After Anterior Cruciate Ligament Reconstruction. <i>Military Medicine</i> , 2018, 183, e83-e89.	0.4	34
190	Non-knee-spanning muscles contribute to tibiofemoral shear as well as valgus and rotational joint reaction moments during unanticipated sidestep cutting. <i>Scientific Reports</i> , 2018, 8, 2501.	1.6	51
191	Cognitive Demands Influence Lower Extremity Mechanics During a Drop Vertical Jump Task in Female Athletes. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 381-387.	1.7	47
192	National Athletic Trainers' Association Position Statement: Prevention of Anterior Cruciate Ligament Injury. <i>Journal of Athletic Training</i> , 2018, 53, 5-19.	0.9	118
193	Factors Associated With Psychological Readiness to Return to Sport After Anterior Cruciate Ligament Reconstruction Surgery. <i>American Journal of Sports Medicine</i> , 2018, 46, 1545-1550.	1.9	151
194	Sex Differences in Common Sports Injuries. <i>PM and R</i> , 2018, 10, 1073-1082.	0.9	81
195	Return to Sports Following Anterior Cruciate Ligament Reconstruction: Recommendations of the German Knee Society (Deutsche Kniegesellschaft, DKG). , 2018, , 159-172.		1
196	Low rates of patients meeting return to sport criteria 9 months after anterior cruciate ligament reconstruction: a prospective longitudinal study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 3636-3644.	2.3	117
197	Psychological Factors Influencing Return to Sport After Anterior Cruciate Ligament Reconstruction. , 2018, , 73-83.		5
198	Clinical Efficacy of Jump Training Augmented With Body Weight Support After ACL Reconstruction: A Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2018, 46, 1650-1660.	1.9	8
199	Return to Play Criteria: The Norwegian Experience. , 2018, , 139-148.		1
200	A Test Battery for Return to Play in Football. , 2018, , 99-109.		0
201	Eighty-three per cent of elite athletes return to preinjury sport after anterior cruciate ligament reconstruction: a systematic review with meta-analysis of return to sport rates, graft rupture rates and performance outcomes. <i>British Journal of Sports Medicine</i> , 2018, 52, 128-138.	3.1	305
202	Superior return to sports rate after patellar tendon autograft over patellar tendon allograft in revision anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 574-581.	2.3	24
203	Accelerated Return to Sport After Anterior Cruciate Ligament Reconstruction and Early Knee Osteoarthritis Features at 1 Year: An Exploratory Study. <i>PM and R</i> , 2018, 10, 349-356.	0.9	27
204	Strength and functional symmetry is associated with post-operative rehabilitation in patients following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2353-2361.	2.3	94
205	Poor knee function after ACL reconstruction is associated with attenuated landing force and knee flexion moment during running. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 391-398.	2.3	17

#	ARTICLE	IF	CITATIONS
206	Reference values for fatigued versus non-fatigued limb symmetry index measured by a newly designed single-leg hop test battery in healthy subjects: a pilot study. <i>Sport Sciences for Health</i> , 2018, 14, 105-113.	0.4	18
207	Effects of inter-limb asymmetries on physical and sports performance: a systematic review. <i>Journal of Sports Sciences</i> , 2018, 36, 1135-1144.	1.0	242
208	Return to Sport After Surgical Management of Proximal Hamstring Avulsions: A Systematic Review and Meta-analysis. <i>Clinical Journal of Sport Medicine</i> , 2020, 30, 598-611.	0.9	13
209	Use of functional performance tests in sports: Evaluation proposal for football players in the rehabilitation phase. <i>Turkish Journal of Physical Medicine and Rehabilitation</i> , 2018, 64, 148-154.	1.1	8
210	Rate of return to agility competition for dogs with cranial cruciate ligament tears treated with tibial plateau leveling osteotomy. <i>Journal of the American Veterinary Medical Association</i> , 2018, 253, 1439-1444.	0.2	15
211	Patient Characteristics and Predictors of Return to Sport at 12 Months After Anterior Cruciate Ligament Reconstruction: The Importance of Patient Age and Postoperative Rehabilitation. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711879757.	0.8	48
213	Agreement between test procedures for the single-leg hop for distance and the single-leg mini squat as measures of lower extremity function. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2018, 10, 15.	0.7	6
215	Decision to Return to Sport Participation After Anterior Cruciate Ligament Reconstruction, Part II: Self-Reported and Functional Performance Outcomes. <i>Journal of Athletic Training</i> , 2018, 53, 464-474.	0.9	31
216	Ready or Not. <i>American Journal of Sports Medicine</i> , 2018, 46, 1542-1544.	1.9	2
217	Rehabilitation Practice Patterns Following Anterior Cruciate Ligament Reconstruction: A Survey of Physical Therapists. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 801-811.	1.7	67
218	Criteria for Return to Play After Anterior Cruciate Ligament Reconstruction. , 2018, , 480-484.e2.		0
219	Return to Level I Sports After Anterior Cruciate Ligament Reconstruction: Evaluation of Age, Sex, and Readiness to Return Criteria. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711878804.	0.8	70
220	Bilateral Alterations in Running Mechanics and Quadriceps Function Following Unilateral Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2018, 48, 960-967.	1.7	36
221	Alpine Skiing Injuries. <i>Sports Et Traumatologie</i> , 2018, , .	0.0	0
222	Management of ACL Injuries in Handball. , 2018, , 279-294.		0
223	Visual-Motor Control of Drop Landing After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2018, 53, 486-496.	0.9	37
224	Functional Outcome Assessment in Hip Preservation Surgery. <i>JBJS Reviews</i> , 2018, 6, e6-e6.	0.8	5
225	Functional and Patient-Reported Outcomes Improve Over the Course of Rehabilitation: A Secondary Analysis of the ACL-SPORTS Trial. <i>Sports Health</i> , 2018, 10, 441-452.	1.3	30

#	ARTICLE	IF	CITATIONS
226	Evidence-Based Best-Practice Guidelines for Preventing Anterior Cruciate Ligament Injuries in Young Female Athletes: A Systematic Review and Meta-analysis. <i>American Journal of Sports Medicine</i> , 2019, 47, 1744-1753.	1.9	108
227	On-field Rehabilitation Part 1: 4 Pillars of High-Quality On-field Rehabilitation Are Restoring Movement Quality, Physical Conditioning, Restoring Sport-Specific Skills, and Progressively Developing Chronic Training Load. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 565-569.	1.7	46
228	Factors affecting return to sport following hamstrings anterior cruciate ligament reconstruction in non-elite athletes. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1771-1779.	0.6	19
229	Responsiveness of the anterior cruciate ligament "Return to Sports after Injury (ACL-RSI) and Injury "Psychological Readiness to Return to Sport (I-PRRS) scales. <i>Journal of Sports Sciences</i> , 2019, 37, 2499-2505.	1.0	21
230	A decade of Australian and New Zealand orthopaedic publications: a bibliometric trend analysis from 2008 to 2018. <i>International Orthopaedics</i> , 2019, 43, 2217-2226.	0.9	7
231	Clinical, functional, and isokinetic study of a prospective series of anterior cruciate ligament ligamentoplasty with pedicular hamstrings. <i>International Orthopaedics</i> , 2019, 43, 2557-2562.	0.9	7
232	Psychosocial Barriers After Anterior Cruciate Ligament Reconstruction: A Clinical Review of Factors Influencing Postoperative Success. <i>Sports Health</i> , 2019, 11, 528-534.	1.3	35
233	Which criteria are used to clear patients to return to sport after primary ACL reconstruction? A scoping review. <i>British Journal of Sports Medicine</i> , 2019, 53, 1154-1161.	3.1	151
234	Horizontal jumping biomechanics among elite male handball players with and without anterior cruciate ligament reconstruction. An inertial sensor unit-based study. <i>Physical Therapy in Sport</i> , 2019, 39, 52-63.	0.8	6
235	Comparison of Short-term Biodex Results After Anatomic Anterior Cruciate Ligament Reconstruction Among 3 Autografts. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711984763.	0.8	23
236	Is Fatigue a Risk Factor for Anterior Cruciate Ligament Rupture?. <i>Sports Medicine</i> , 2019, 49, 1629-1635.	3.1	50
237	The association of psychological readiness to return to sport after anterior cruciate ligament reconstruction and hip and knee landing kinematics. <i>Clinical Biomechanics</i> , 2019, 68, 104-108.	0.5	19
238	Suture Augmented Versus Standard Anterior Cruciate Ligament Reconstruction: A Matched Comparative Analysis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2114-2122.	1.3	52
239	The validity and reliability of the Vail Sport Test, as a measure of performance following anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2019, 38, 162-169.	0.8	4
240	Optimising the Late-Stage Rehabilitation and Return-to-Sport Training and Testing Process After ACL Reconstruction. <i>Sports Medicine</i> , 2019, 49, 1043-1058.	3.1	103
241	Postural stability and regulation before and after anterior cruciate ligament reconstruction "A two years longitudinal study. <i>Physical Therapy in Sport</i> , 2019, 38, 49-58.	0.8	11
242	A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2019, 20, 10.	1.0	40
243	ACL rupture in the immediate build-up to the Olympic Games: return to elite alpine ski competition 5 months after injury and ACL repair. <i>BMJ Case Reports</i> , 2019, 12, e227735.	0.2	12

#	ARTICLE	IF	CITATIONS
244	Eccentric knee flexor weakness in elite female footballers 10 years following anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2019, 37, 144-149.	0.8	25
245	A Comparison of 3 Different Unilateral Strength Training Strategies to Enhance Jumping Performance and Decrease Interlimb Asymmetries in Soccer Players. <i>International Journal of Sports Physiology and Performance</i> , 2019, 14, 1256-1264.	1.1	30
246	Knee Function, Strength, and Resumption of Preinjury Sports Participation in Young Athletes Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 145-153.	1.7	55
247	Smaller Change in Psychological Readiness to Return to Sport Is Associated With Second Anterior Cruciate Ligament Injury Among Younger Patients. <i>American Journal of Sports Medicine</i> , 2019, 47, 1209-1215.	1.9	52
248	Association Between Isokinetic Knee Strength and Perceived Function and Patient Satisfaction With Sports and Recreational Ability After Matrix-Induced Autologous Chondrocyte Implantation. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711988587.	0.8	7
249	Injuries in Swedish floorball players: A nationwide matched cohort study. <i>Cogent Medicine</i> , 2019, 6, 1673087.	0.7	2
250	Electromyography Evaluation of Bodyweight Exercise Progression in a Validated Anterior Cruciate Ligament Injury Rehabilitation Program. <i>American Journal of Physical Medicine and Rehabilitation</i> , 2019, 98, 998-1004.	0.7	3
251	The Warrior Athlete Part 2 Return to Duty in the US Military: Advancing ACL Rehabilitation in the Tactical Athlete. <i>Sports Medicine and Arthroscopy Review</i> , 2019, 27, e12-e24.	1.0	9
252	Pain and outcome prediction in muscle strength rehabilitation after knee injury in recreational athletes. <i>International Journal of Rehabilitation Research</i> , 2019, 42, 168-173.	0.7	4
253	Associations between Distance and Loading Symmetry during Return to Sport Hop Testing. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 624-629.	0.2	15
254	A Review of the Sport-Injury and -Rehabilitation Literature: From Abstraction to Application. <i>Sport Psychologist</i> , 2019, 33, 232-243.	0.4	9
255	The relationship between knee muscle strength and knee biomechanics during running at 6 and 12 months after anterior cruciate ligament reconstruction. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2019, 16, 14-18.	0.4	6
256	Team Approach: Return to Play After Anterior Cruciate Ligament Reconstruction. <i>JBJS Reviews</i> , 2019, 7, e1-e1.	0.8	5
257	Body Composition and Strength Parameters in Elite Judo Athletes 5 Years after Anterior Cruciate Ligament Reconstruction. <i>International Journal of Sports Medicine</i> , 2019, 40, 38-42.	0.8	14
258	Partial meniscectomy adversely affects return-to-sport outcome after anatomical double-bundle anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 912-920.	2.3	10
259	Timeline for Maximal Subjective Outcome Improvement After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 2501-2509.	1.9	37
260	The Development and Reliability of 4 Clinical Neurocognitive Single-Leg Hop Tests: Implications for Return to Activity Decision-Making. <i>Journal of Sport Rehabilitation</i> , 2019, 28, 536-544.	0.4	23
261	Expectations for Return to Preinjury Sport Before and After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 578-583.	1.9	67

#	ARTICLE	IF	CITATIONS
262	Quadriceps Strength and Volitional Activation After Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>Sports Health</i> , 2019, 11, 163-179.	1.3	94
263	Nearly 90% participation in sports activity 12Âyears after non-surgical management for anterior cruciate ligament injury relates to physical outcome measures. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 2511-2519.	2.3	11
264	Demographic and surgical factors affect quadriceps strength after ACL reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 921-930.	2.3	36
265	Low Rates of Return to Preinjury Sport After Bilateral Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 334-338.	1.9	19
266	Greater knee flexion excursion/moment in hopping is associated with better knee function following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 596-603.	2.3	6
267	Update on functional recovery process for the injured athlete: return to sport continuum redefined. <i>British Journal of Sports Medicine</i> , 2019, 53, 265-267.	3.1	46
268	Jumping performance based on duration of rehabilitation in female football players after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019, 27, 556-563.	2.3	10
269	Divided attention during cutting influences lower extremity mechanics in female athletes. <i>Sports Biomechanics</i> , 2019, 18, 264-276.	0.8	26
270	Pain Catastrophizing in College Athletes. <i>Journal of Sport Rehabilitation</i> , 2020, 29, 168-173.	0.4	10
271	Hop Testing Lacks Strong Association With Key Outcome Variables After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2020, 48, 511-522.	1.9	31
272	Measuring only hop distance during single leg hop testing is insufficient to detect deficits in knee function after ACL reconstruction: a systematic review and meta-analysis. <i>British Journal of Sports Medicine</i> , 2020, 54, 139-153.	3.1	88
273	Factors correlating with recovery of quadriceps strength after double-bundle anterior cruciate ligament reconstruction with hamstring tendon autografts. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2020, 30, 307-312.	0.6	3
274	Isokinetic eccentric training is more effective than constant load eccentric training for quadriceps rehabilitation following anterior cruciate ligament reconstruction: a randomized controlled trial. <i>Brazilian Journal of Physical Therapy</i> , 2020, 24, 424-432.	1.1	22
275	Is It Time We Better Understood the Tests We are Using for Return to Sport Decision Making Following ACL Reconstruction? A Critical Review of the Hop Tests. <i>Sports Medicine</i> , 2020, 50, 485-495.	3.1	87
276	Optimising the â€œMid-Stageâ€™ Training and Testing Process After ACL Reconstruction. <i>Sports Medicine</i> , 2020, 50, 657-678.	3.1	41
277	Rate of Force Development Remains Reduced in the Knee Flexors 3 to 9 Months After Anterior Cruciate Ligament Reconstruction Using Medial Hamstring Autografts: A Cross-Sectional Study. <i>American Journal of Sports Medicine</i> , 2020, 48, 3214-3223.	1.9	9
278	Return to Play and Performance After Primary ACL Reconstruction in American Football Players: A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712095965.	0.8	15
279	BAck iN the Game (BANG) â€œ a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	0.8	15

#	ARTICLE	IF	CITATIONS
280	Limb differences in hamstring muscle function and morphology after anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2020, 45, 168-175.	0.8	9
281	Musculoskeletal Issues and Care Specific to the Female Athlete. <i>Current Physical Medicine and Rehabilitation Reports</i> , 2020, 8, 249-259.	0.3	0
282	The Gap Between Subjective Return to Sports and Subjective Athletic Performance Intensity After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712094740.	0.8	10
283	The Use of Psychological Patient Reported Outcome Measures to Identify Adolescent Athletes at Risk for Prolonged Recovery Following an ACL Reconstruction. <i>Journal of Pediatric Orthopaedics</i> , 2020, 40, e844-e852.	0.6	12
284	Return to Sport After ACL Reconstruction With a BTB Versus Hamstring Tendon Autograft: A Systematic Review and Meta-analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096491.	0.8	65
285	Muscle contributions to tibiofemoral shear forces and valgus and rotational joint moments during single leg drop landing. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2020, 30, 1664-1674.	1.3	27
286	Clinical Decision Algorithm Associated With Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2020, 55, 691-698.	0.9	23
287	Preoperative quadriceps strength as a predictor of return to sports after anterior cruciate ligament reconstruction in competitive athletes. <i>Physical Therapy in Sport</i> , 2020, 45, 7-13.	0.8	3
288	Psychological Readiness to Return to Sport Following Anterior Cruciate Ligament Reconstruction. <i>JBJS Reviews</i> , 2020, 8, e0110-e0110.	0.8	11
289	Associations of Early Sport Specialization and High Training Volume With Injury Rates in National Collegiate Athletic Association Division I Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712090682.	0.8	21
290	Passing return to sports tests after ACL reconstruction is associated with greater likelihood for return to sport but fail to identify second injury risk. <i>Knee</i> , 2020, 27, 949-957.	0.8	55
291	Australian Footballers Returning from Anterior Cruciate Ligament Reconstruction Later than 12 Months have Worse Outcomes. <i>Indian Journal of Orthopaedics</i> , 2020, 54, 317-323.	0.5	4
292	Factors Influencing Return to Play and Second Anterior Cruciate Ligament Injury Rates in Level 1 Athletes After Primary Anterior Cruciate Ligament Reconstruction: 2-Year Follow-up on 1432 Reconstructions at a Single Center. <i>American Journal of Sports Medicine</i> , 2020, 48, 812-824.	1.9	46
293	Are athletes ready to return to competitive sports following ACL reconstruction and medical clearance?. <i>Cogent Medicine</i> , 2020, 7, .	0.7	2
294	Effect of leg dominance on early functional outcomes and return to sports after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949901989623.	0.4	12
295	Analysis of Internal Knee Forces Allows for the Prediction of Rupture Events in a Clinically Relevant Model of Anterior Cruciate Ligament Injuries. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596711989375.	0.8	17
296	Professional Advancement and Performance of Amateur Baseball Players Selected in the Major League Baseball Draft With Previous Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2020, 48, 581-587.	1.9	0
297	Knee abduction moment is predicted by lower gluteus medius force and larger vertical and lateral ground reaction forces during drop vertical jump in female athletes. <i>Journal of Biomechanics</i> , 2020, 103, 109669.	0.9	31

#	ARTICLE	IF	CITATIONS
298	Leg asymmetry and muscle function recovery after anterior cruciate ligament reconstruction in elite athletes: a pilot study on slower recovery of the dominant leg. <i>Biology of Sport</i> , 2020, 37, 175-184.	1.7	7
299	Early clinical and neuromuscular properties in patients with normal or sub-normal subjective knee function after anterior cruciate ligament reconstruction. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2020, 140, 1231-1239.	1.3	6
300	Physical prognostic factors predicting outcome following anterior cruciate ligament reconstruction: protocol for a systematic review. <i>BMJ Open</i> , 2020, 10, e033429.	0.8	2
301	Low-Intensity Electrical Stimulation to Improve the Neurological Aspect of Weakness in Individuals with Chronic Anterior Cruciate Ligament Lesion. <i>BioMed Research International</i> , 2020, 2020, 1-8.	0.9	3
302	Return to Sports after Anterior Cruciate Ligament Injury: a Matched-Pair Analysis of Repair with Internal Brace and Reconstruction Using Hamstring or Quadriceps Tendons. <i>Sportverletzung-Sportschaden</i> , 2021, 35, 36-44.	0.6	21
303	Association between ankle angle at initial contact and biomechanical ACL injury risk factors in male during self-selected single-leg landing. <i>Gait and Posture</i> , 2021, 83, 127-131.	0.6	4
304	Sleep and psychological factors are associated with meeting discharge criteria to return to sport following ACL reconstruction in athletes. <i>Biology of Sport</i> , 2021, 38, 305-313.	1.7	3
305	Recommendations for Hamstring Function Recovery After ACL Reconstruction. <i>Sports Medicine</i> , 2021, 51, 607-624.	3.1	19
306	Return to Preinjury Function Following Knee Injury. <i>International Journal of Athletic Therapy and Training</i> , 2021, 26, 47-58.	0.1	0
307	Prediction of improvement after anterior cruciate ligament reconstruction. <i>Open Medicine (Poland)</i> , 2021, 16, 833-842.	0.6	3
308	Effect of Sand on Landing Knee Valgus During Single-Leg Land and Drop Jump Tasks: Possible Implications for ACL Injury Prevention and Rehabilitation. <i>Journal of Sport Rehabilitation</i> , 2021, 30, 97-104.	0.4	4
309	Optimizing outcomes of anterior cruciate ligament (ACL) reconstruction in female athletes: from graft choice to return to sport criteria. <i>Annals of Joint</i> , 0, 6, 40-40.	1.0	1
310	Hamstrings Neuromuscular Function After Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-Analysis. <i>Sports Medicine</i> , 2021, 51, 1751-1769.	3.1	22
311	The Relationship of Athlete Factors and Patient Reported Outcomes on Return To Play 1-Year Post-Anterior Cruciate Ligament Reconstruction. , 2021, 5, 1-8.		0
312	Return to Sport After Anterior Cruciate Ligament Reconstruction in a Cohort of Division I NCAA Athletes From a Single Institution. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098228.	0.8	9
313	The Top 100 Most Cited Articles on Anterior Cruciate Ligament Reconstruction: A Bibliometric Analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712097637.	0.8	19
314	Temporal Utilization of Physical Therapy Visits After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712098229.	0.8	13
315	Return to Sport Composite Test After Anterior Cruciate Ligament Reconstruction (K-STARTS): Factors Affecting Return to Sport Test Score in a Retrospective Analysis of 676 Patients. <i>Sports Health</i> , 2021, 13, 364-372.	1.3	14

#	ARTICLE	IF	CITATIONS
316	Objective and Subjective Analysis of the Knee Joint Function Using Lower Extremity Assessment Protocol after Anterior Cruciate Ligament Reconstruction. <i>The Korean Journal of Sports Medicine</i> , 2021, 39, 34-41.	0.3	1
317	Anterior Cruciate Ligament Injuries in Australian Rules Football: Incidence, Prevention and Return to Play Outcomes. <i>Open Access Journal of Sports Medicine</i> , 2021, Volume 12, 33-41.	0.6	16
318	Characterizing body composition, cardiorespiratory fitness, and physical activity in women with anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 48, 54-59.	0.8	9
319	Single leg hop for distance symmetry masks lower limb biomechanics: time to discuss hop distance as decision criterion for return to sport after ACL reconstruction?. <i>British Journal of Sports Medicine</i> , 2022, 56, 249-256.	3.1	51
320	Double-Bundle Anterior Cruciate Ligament Reconstruction With Lateral Extra-Articular Tenodesis Is Effective in Restoring Knee Stability in a Chronic, Complex Anterior Cruciate Ligament-Injured Knee Model: A Cadaveric Biomechanical Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2220-2234.	1.3	14
321	Anterior Cruciate Ligament Loading Increases With Pivot-Shift Mechanism During Asymmetrical Drop Vertical Jump in Female Athletes. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712198909.	0.8	8
322	Single-leg hop distance normalized to body height is associated with the return to sports after anterior cruciate ligament reconstruction. <i>Journal of Experimental Orthopaedics</i> , 2021, 8, 26.	0.8	5
323	Which Hop Tests Can Best Identify Functional Limb Asymmetry in Patients 9-12 Months After Anterior Cruciate Ligament Reconstruction Employing a Hamstrings Tendon Autograft?. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 393-403.	0.5	15
324	Recommendations for Movement Re-training After ACL Reconstruction. <i>Sports Medicine</i> , 2021, 51, 1601-1618.	3.1	30
325	Athletic identity and sport commitment in athletes after anterior cruciate ligament reconstruction who have returned to sports at their pre-injury level of competition. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 37.	0.7	17
326	Should return to pivoting sport be avoided for the secondary prevention of osteoarthritis after anterior cruciate ligament reconstruction? A prospective cohort study with MRI, radiographic and symptomatic outcomes. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1673-1681.	0.6	9
327	Return to preinjury sports after anterior cruciate ligament reconstruction is predicted by five independent factors. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 84-92.	2.3	14
328	Effects of a neuromuscular training program using external focus attention cues in male athletes with anterior cruciate ligament reconstruction: a randomized clinical trial. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2021, 13, 49.	0.7	16
329	Rehabilitation duration and time of starting sport-related activities associated with return to the previous level of sports after anterior cruciate ligament reconstruction. <i>Physical Therapy in Sport</i> , 2021, 49, 164-170.	0.8	4
330	The 6-m Timed Hop Is Not a Suitable Clinical Assessment Tool for Use Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2021, 30, 595-600.	0.4	2
331	Recommendations for Plyometric Training after ACL Reconstruction – A Clinical Commentary. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 879-895.	0.5	12
332	Composite psychosocial risk based on the fear avoidance model in patients undergoing anterior cruciate ligament reconstruction: Cluster-based analysis. <i>Physical Therapy in Sport</i> , 2021, 50, 217-225.	0.8	4
333	Return to Preinjured Function Following Ankle Injury. <i>International Journal of Athletic Therapy and Training</i> , 2021, 26, 201-211.	0.1	0

#	ARTICLE	IF	CITATIONS
334	Optimizing outcomes of ACL surgeryâ€”Is autograft reconstruction the only reasonable option?. Journal of Orthopaedic Research, 2021, 39, 1843-1850.	1.2	12
335	An ecological dynamics approach to ACL injury risk research: a current opinion. Sports Biomechanics, 2021, , 1-14.	0.8	13
336	Including jump height when normalizing single hop impact kinetics can change the directionality of findings. Clinical Biomechanics, 2021, 88, 105443.	0.5	0
337	Comparison of Three Eccentric Overload Training Strategies on Power Output and Interlimb Asymmetry in Youth Soccer Players. International Journal of Environmental Research and Public Health, 2021, 18, 8270.	1.2	3
338	Hamstrings Contraction Regulates the Magnitude and Timing of the Peak ACL Loading During the Drop Vertical Jump in Female Athletes. Orthopaedic Journal of Sports Medicine, 2021, 9, 232596712110344.	0.8	6
339	Biomechanical Effects of Aspect Ratio of the Knee during Outside-In Anterior Cruciate Ligament Reconstruction Surgery. BioMed Research International, 2021, 2021, 1-9.	0.9	1
340	A cross-sectional study to assess variability in knee frontal plane movement during single leg squat in patients with anterior cruciate ligament injury. Journal of Bodywork and Movement Therapies, 2021, 28, 144-149.	0.5	3
341	Return-to-sport following anterior cruciate ligament reconstruction in team sport athletes. Part I: From initial injury to return-to-competition. Apunts Sports Medicine, 2021, 56, 100362.	0.3	2
342	Anterior Cruciate Ligament. , 2022, , 77-89.		1
343	Anterior Cruciate Ligament Injury Prevention. , 2022, , 49-63.		0
344	The majority of athletes fail to return to play following anterior cruciate ligament reconstruction due to reasons other than the operated knee. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3877-3882.	2.3	20
347	Rehabilitation and Return to Sports. , 2014, , 477-487.		2
348	Anterior cruciate ligament reconstruction with boneâ€”patellar tendonâ€”bone graft is associated with higher and earlier return to sports as compared to hamstring tendon graft. Knee Surgery, Sports Traumatology, Arthroscopy, 2020, 28, 3659-3665.	2.3	9
349	Correlations of Single-Leg Performance Tests to Patient-Reported Outcomes After Primary Anterior Cruciate Ligament Reconstruction. Clinical Journal of Sport Medicine, 2021, 31, e265-e270.	0.9	15
350	Influence of Graft Diameter on Functional Outcomes After Anterior Cruciate Ligament Reconstruction: A Prospective Study with a 1-Year Follow-Up. Medical Science Monitor, 2018, 24, 4339-4345.	0.5	8
351	Functional outcome from anterior cruciate ligament surgery: A review. OA Orthopaedics, 2013, 1, .	0.1	12
352	Isokinetic Identification of Knee Joint Torques before and after Anterior Cruciate Ligament Reconstruction. PLoS ONE, 2015, 10, e0144283.	1.1	23
353	Whatâ€™s New in Sports Medicine. Journal of Bone and Joint Surgery - Series A, 2012, 94, 757-765.	1.4	2

#	ARTICLE	IF	CITATIONS
354	The Evolution of Anatomic Anterior Cruciate Ligament Reconstruction. <i>The Open Orthopaedics Journal</i> , 2012, 6, 287-294.	0.1	28
355	Return to sports and re-rupture rate following anterior cruciate ligament reconstruction in amateur sportsman: long-term outcomes. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 1902-1907.	0.4	22
357	Neuromuscular recovery in ACL reconstruction with Bone-Tendon-Patellar-Bone and Semitendinosus-Gracilis autograft. <i>Acta Biomedica</i> , 2017, 88, 62-68.	0.2	5
358	COMPARISON OF THE "BACK IN ACTION"™ TEST BATTERY TO STANDARD HOP TESTS AND ISOKINETIC KNEE DYNAMOMETRY IN PATIENTS FOLLOWING ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 389-400.	0.5	23
359	TWO YEAR ACL REINJURY RATE OF 2.5%: OUTCOMES REPORT OF THE MEN IN A SECONDARY ACL INJURY PREVENTION PROGRAM (ACL-SPORTS). <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 422-431.	0.5	35
360	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 561-574.	0.5	20
361	BENEFITS AND USE OF AQUATIC THERAPY DURING REHABILITATION AFTER ACL RECONSTRUCTION -A CLINICAL COMMENTARY. <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 978-993.	0.5	21
362	A TEN TASK-BASED PROGRESSION IN REHABILITATION AFTER ACL RECONSTRUCTION: FROM POST-SURGERY TO RETURN TO PLAY " A CLINICAL COMMENTARY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 611-623.	0.5	19
363	Progressive Changes in Walking Kinematics and Kinetics After Anterior Cruciate Ligament Injury and Reconstruction: A Review and Meta-Analysis. <i>Journal of Athletic Training</i> , 2017, 52, 847-860.	0.9	94
364	Depression and psychiatric disease associated with outcomes after anterior cruciate ligament reconstruction. <i>World Journal of Orthopedics</i> , 2016, 7, 709.	0.8	35
365	Return to Motor Activity after Anterior Cruciate Ligament Reconstruction " Pilot Study. <i>Ortopedia Traumatologia Rehabilitacja</i> , 2014, 16, 477-486.	0.1	2
366	Critères de reprise du sport après reconstruction chirurgicale du LCA. , 2012, , 113-118.		0
367	Psychological Factors in the ACL Reconstruction Population: Are They Predictive of Patient Outcomes?. , 2013, , 189-199.		0
369	The Knee. , 2014, , 1-24.		0
370	Injury Prevention in Different Sports. , 2015, , 3151-3160.		0
371	Return to Play Decision-Making Following Anterior Cruciate Ligament Reconstruction: Multi-Factor Considerations. , 2015, , 1491-1502.		0
372	Functional Hop Tests Contribute to Safe Return to Sports After Anterior Cruciate Ligament Reconstruction. , 2015, , 243-256.		0
373	Gender Differences in Knee Laxity and Function after Anterior Cruciate Ligament Reconstruction. <i>The Korean Journal of Sports Medicine</i> , 2015, 33, 120.	0.3	0

#	ARTICLE	IF	CITATIONS
374	Return to the Field for Football (Soccer) After Anterior Cruciate Ligament Reconstruction: Guidelines. , 2015, , 1503-1515.		1
375	Combined Effects of Aquatic and Land-Based Rehabilitation in Female Soccer Players Post ACL Reconstruction: An Overview of Current Evidence. Journal of Physical Therapy and Health Promotion, 2015, 3, 11-19.	0.2	0
376	The Knee: Physical Therapy Patient Management Using Current Evidence. , 2016, , 1-83.		0
377	Rehabilitation in Patients with Anterior Cruciate Ligament Reconstruction Using Auxiliary Platelet-Rich Plasma Therapy. Acta Marisiensis - Seria Medica, 2016, 62, 167-172.	0.3	1
378	Injury patterns in patients presenting with a recurrent anterior cruciate ligament tear following primary reconstruction. Annals of Translational Medicine, 2016, 4, 232-232.	0.7	2
379	Functional Performance Deficits Exist in Female NAIA Collegiate Athletes With History of Anterior Cruciate Ligament Reconstruction. Athletic Training & Sports Health Care, 2016, 8, 216-221.	0.4	0
380	Basics on Knee (dys)Function. , 2017, , 49-52.		0
381	A Systematic Review of ACL Reconstruction Rehabilitation. The Egyptian Journal of Hospital Medicine, 2017, 68, 853-864.	0.0	0
383	The Use of a Functional Testing Algorithm (FTA) to Make Qualitative and Quantitative Decisions to Return Athletes Back to Sports Following Shoulder Injuries. , 2018, , 237-244.e2.		0
384	Functional Tests Assessing Return to Activity after Anterior Cruciate Ligament Reconstruction. Exercise Science, 2018, 27, 268-273.	0.1	0
385	Preoperative Issues. , 2019, , 30-33.		0
386	Key Vital Steps in Returning Athletes to Sports Following ACL Surgery. , 2019, , 341-358.		0
387	Advantages and Potential Consequences of Return to Sport After ACL Reconstruction: Quality of Life, Reinjury Rates, and Knee Osteoarthritis. , 2019, , 3-23.		2
388	Return to Sport After Primary ACL Reconstruction in Amateur, Children, and Elite Athletes: Feasibility and Reinjury Concerns. , 2019, , 79-118.		0
389	Ä–n Ä†apraz BaÄŸ RekonstrÄ¼ksiyonu YapÄ±lan Hastalarda Kinezyofobi. Sakarya Medical Journal, 0, , .	0.1	0
390	INTER-RATER AND TEST-RETEST RELIABILITY OF TWO NEW SINGLE LEG SIT-TO-STAND TESTS. International Journal of Sports Physical Therapy, 2020, 15, 388-394.	0.5	7
391	Return to Sports After Knee Surgery for Intraarticular Pathology. , 2021, , 319-326.		0
392	CRITERION-BASED REHABILITATION PROGRAM WITH RETURN TO SPORT TESTING FOLLOWING ACL RECONSTRUCTION: A CASE SERIES. International Journal of Sports Physical Therapy, 2020, 15, 1151-1173.	0.5	14

#	ARTICLE	IF	CITATIONS
393	Comparison of Recovery Status Using Three Hop Tests One Year after Anterior Cruciate Ligament Reconstruction. <i>Rigakuryoho Kagaku</i> , 2020, 35, 899-903.	0.0	0
395	Returning to Sport After Anterior Cruciate Ligament Reconstruction in Physically Active Individuals. <i>Cureus</i> , 2020, 12, e10466.	0.2	5
396	The clinical utility of functional performance tests within one-year post-acl reconstruction: a systematic review. <i>International Journal of Sports Physical Therapy</i> , 2011, 6, 333-42.	0.5	53
397	Functional performance testing of the hip in athletes: a systematic review for reliability and validity. <i>International Journal of Sports Physical Therapy</i> , 2012, 7, 402-12.	0.5	60
398	Development of a physical performance assessment checklist for athletes who sustained a lower extremity injury in preparation for return to sport: a delphi study. <i>International Journal of Sports Physical Therapy</i> , 2013, 8, 44-53.	0.5	18
399	Lower extremity functional tests and risk of injury in division iii collegiate athletes. <i>International Journal of Sports Physical Therapy</i> , 2013, 8, 216-27.	0.5	67
400	Muscle activity response to external moment during single-leg drop landing in young basketball players: the importance of biceps femoris in reducing internal rotation of knee during landing. <i>Journal of Sports Science and Medicine</i> , 2012, 11, 255-9.	0.7	7
401	Normative data for hop tests in high school and collegiate basketball and soccer players. <i>International Journal of Sports Physical Therapy</i> , 2014, 9, 596-603.	0.5	37
402	THE USE OF FUNCTIONAL TESTS TO PREDICT SAGITTAL PLANE KNEE KINEMATICS IN NCAA-D1 FEMALE ATHLETES. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 493-504.	0.5	3
403	Y BALANCE TEST AND ANTERIOR REACH SYMMETRY AT THREE MONTHS IS RELATED TO SINGLE LEG FUNCTIONAL PERFORMANCE AT TIME OF RETURN TO SPORTS FOLLOWING ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 602-11.	0.5	26
404	HIGH REPETITION JUMP TRAINING COUPLED WITH BODY WEIGHT SUPPORT IN A PATIENT WITH KNEE PAIN AND PRIOR HISTORY OF ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION: A CASE REPORT. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 1035-49.	0.5	1
405	THE EFFECTS OF ANTICIPATION ON THE MECHANICS OF THE KNEE DURING SINGLE-LEG CUTTING TASKS: A SYSTEMATIC REVIEW. <i>International Journal of Sports Physical Therapy</i> , 2015, 10, 918-28.	0.5	36
406	PATIENT-SPECIFIC AND SURGERY-SPECIFIC FACTORS THAT AFFECT RETURN TO SPORT AFTER ACL RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2016, 11, 264-78.	0.5	22
407	TWO YEAR ACL REINJURY RATE OF 2.5%: OUTCOMES REPORT OF THE MEN IN A SECONDARY ACL INJURY PREVENTION PROGRAM (ACL-SPORTS). <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 422-431.	0.5	12
408	COMPARISON OF THE 'BACK IN ACTION' TEST BATTERY TO STANDARD HOP TESTS AND ISOKINETIC KNEE DYNAMOMETRY IN PATIENTS FOLLOWING ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 389-400.	0.5	10
409	RELATIONSHIP BETWEEN THE LOWER QUARTER Y-BALANCE TEST SCORES AND ISOKINETIC STRENGTH TESTING IN PATIENTS STATUS POST ACL RECONSTRUCTION. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 152-159.	0.5	6
410	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. <i>International Journal of Sports Physical Therapy</i> , 2018, 13, 561-574.	0.5	6
411	Comparisons of Single Leg Squat Variations on Lower Limb Muscle Activation and Center of Pressure Alterations. <i>International Journal of Exercise Science</i> , 2019, 12, 950-959.	0.5	0

#	ARTICLE	IF	CITATIONS
412	Effectiveness of Accelerated Recovery Performance for Post-ACL Reconstruction Rehabilitation. <i>Hawai'i Journal of Health & Social Welfare</i> , 2019, 78, 41-46.	0.2	6
413	BENEFITS AND USE OF AQUATIC THERAPY DURING REHABILITATION AFTER ACL RECONSTRUCTION -A CLINICAL COMMENTARY. <i>International Journal of Sports Physical Therapy</i> , 2019, 14, 978-993.	0.5	2
414	From the central pivot to the peripheal knee injuries in the skier: a narrative review. <i>Acta Biomedica</i> , 2019, 90, 39-42.	0.2	1
415	INTER-RATER AND TEST-RETEST RELIABILITY OF TWO NEW SINGLE LEG SIT-TO-STAND TESTS. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 388-394.	0.5	1
416	Association between Functional Performance and Return to Performance in High-Impact Sports after Lower Extremity Injury: A Systematic Review. <i>Journal of Sports Science and Medicine</i> , 2020, 19, 564-576.	0.7	4
417	A TEN TASK-BASED PROGRESSION IN REHABILITATION AFTER ACL RECONSTRUCTION: FROM POST-SURGERY TO RETURN TO PLAY - A CLINICAL COMMENTARY. <i>International Journal of Sports Physical Therapy</i> , 2020, 15, 611-623.	0.5	6
418	Movement strategy correspondence across jumping and cutting tasks after anterior cruciate ligament reconstruction. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2021, , .	1.3	3
419	Effects of Three Different Combined Training Interventions on Jump, Change of Direction, Power Performance, and Inter-Limb Asymmetry in Male Youth Soccer Players. <i>Sports</i> , 2021, 9, 158.	0.7	1
420	Physical prognostic factors predicting outcome following anterior cruciate ligament reconstruction: A systematic review and narrative synthesis. <i>Physical Therapy in Sport</i> , 2021, 53, 115-142.	0.8	1
421	Normative values for single-leg hop performance in Saudi healthy population. <i>Saudi Journal of Sports Medicine</i> , 2021, 21, 87.	0.1	0
422	Relationship Between Isokinetic Knee Strength and Single-Leg Drop Jump Performance 9 Months After ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712110638.	0.8	3
423	Quadriceps strength is an early indicator of return to competitive sports 1Âyear after anterior cruciate ligament reconstruction in adult amateur athletes. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2023, 33, 361-366.	0.6	1
425	Sexual Dimorphisms in Anterior Cruciate Ligament Injury: A Current Concepts Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110253.	0.8	12
426	Effects of Direction-Specific Training Interventions on Physical Performance and Inter-Limb Asymmetries. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 1029.	1.2	8
427	ACL Rehabilitation: How Can We Lessen Injury Rates?. <i>Operative Techniques in Sports Medicine</i> , 2022, , 150892.	0.2	2
428	Optimizing Health and Athletic Performance for Women. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 10-20.	1.3	10
429	Acute effect of eccentric knee exercises on dynamic balance among athletes and non-athletes. <i>Medical Journal of Dr D Y Patil Vidyapeeth</i> , 2022, .	0.0	0
430	Single leg vertical jump performance identifies knee function deficits at return to sport after ACL reconstruction in male athletes. <i>British Journal of Sports Medicine</i> , 2022, 56, 490-498.	3.1	55

#	ARTICLE	IF	CITATIONS
431	Rates and Determinants of Returning to Australian Rules Football in Male Nonprofessional Athletes After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210749.	0.8	1
432	Creating Crosswalks for Knee Outcomes After ACL Reconstruction Between the KOOS and the IKDC-SKF. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 723-731.	1.4	4
433	Anterior cruciate ligament repair with internal brace augmentation: A systematic review. <i>Knee</i> , 2022, 35, 192-200.	0.8	28
434	Disrupted knee "disrupted me": a strenuous process of regaining balance in the aftermath of an anterior cruciate ligament injury. <i>BMC Musculoskeletal Disorders</i> , 2022, 23, 290.	0.8	2
435	The effect of proprioception training on knee kinematics after anterior cruciate ligament reconstruction: A randomized control trial. <i>Journal of Back and Musculoskeletal Rehabilitation</i> , 2022, 35, 1085-1095.	0.4	4
436	Side Effects and Patient Tolerance with the Use of Blood Flow Restriction Training after ACL Reconstruction in Adolescents: A Pilot Study. <i>International Journal of Sports Physical Therapy</i> , 2022, 17, 347-354.	0.5	6
437	Current trends in the anterior cruciate ligament part II: evaluation, surgical technique, prevention, and rehabilitation. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 34-51.	2.3	34
438	Symmetry in Triple Hop Distance Hides Asymmetries in Knee Function After ACL Reconstruction in Athletes at Return to Sports. <i>American Journal of Sports Medicine</i> , 2022, 50, 441-450.	1.9	19
439	Between-Limb Symmetry in ACL and Tibiofemoral Contact Forces in Athletes After ACL Reconstruction and Clearance for Return to Sport. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210847.	0.8	6
440	Muscle Force Contributions to Anterior Cruciate Ligament Loading. <i>Sports Medicine</i> , 2022, 52, 1737-1750.	3.1	26
441	Evidence for isokinetic and functional testing in return to sport decisions following <scp>ACL</scp> surgery. <i>PM and R</i> , 2022, 14, 678-690.	0.9	14
446	Association between landing biomechanics, knee pain, and kinesiophobia in athletes following anterior cruciate ligament reconstruction: A cross-sectional study. <i>PM and R</i> , 2022, , .	0.9	3
447	Exercise before and after orthopedic surgery. , 2022, , 301-316.		0
448	Therapeutic Patient Education after Anterior Cruciate Ligament Reconstruction: Evaluation of the Knowledge and Certitudes with a Self-Report Questionnaire. <i>Healthcare (Switzerland)</i> , 2022, 10, 934.	1.0	3
449	Biopsychosocial Factors Associated With Return to Preinjury Sport After ACL Injury Treated Without Reconstruction: NACOX Cohort Study 12-Month Follow-up. <i>Sports Health</i> , 0, , 194173812210947.	1.3	4
450	Measurement properties of the Brazilian Portuguese anterior cruciate ligament - return to sport after injury (ACL-RSI) scale short version after anterior cruciate ligament reconstruction. <i>Brazilian Journal of Physical Therapy</i> , 2022, 26, 100421.	1.1	1
452	Ä–n Ä†apraz BaÄŸ Cerrahi ZamanlamasÄ±nÄ±n Artrofibrozis Ve Spora DÄŸnÄŸÄŸ Etkisi Ä€“ Derleme. <i>Adnan Menderes Äœniversitesi SaÄŸliÄ±k Bilimleri FakÄŸltesi Dergisi</i> , 0, , .	0.4	0
453	Entry angle during jump landing changes biomechanical risk factors for ACL injury. <i>Sports Biomechanics</i> , 0, , 1-13.	0.8	0

#	ARTICLE	IF	CITATIONS
454	Blood Flow Restriction Therapy Preserves Lower Extremity Bone and Muscle Mass After ACL Reconstruction. <i>Sports Health</i> , 2023, 15, 361-371.	1.3	10
455	Epidemiologic characteristics of anterior cruciate ligament injury in 10 consecutive seasons of Turkish Division-1 professional football league. <i>Spor Hekimligi Dergisi</i> , 0, , .	0.1	1
456	Rehabilitation after anterior cruciate ligament and meniscal injuries: a best-evidence synthesis of systematic reviews for the OPTIKNEE consensus. <i>British Journal of Sports Medicine</i> , 2022, 56, 1445-1453.	3.1	25
457	Return to Sports After Anterior Cruciate Ligament Reconstruction: Validity and Reliability of the SPORTS Score at 6 and 12 Months. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210984.	0.8	3
458	The Normal Anterolateral Ligament of the Knee according to Ultrasound Examination. <i>Visnyk Ortopedii Travmatologii Protezuvannia</i> , 2022, , 32-37.	0.1	0
459	Isokinetic Muscle Strength in Elite Soccer Players 3 and 6 months After Anterior Cruciate Ligament Reconstruction. <i>Journal of Strength and Conditioning Research</i> , 2022, Publish Ahead of Print, .	1.0	0
460	Characteristics of return to running programs following an anterior cruciate ligament reconstruction: A scoping review of 64 studies with clinical perspectives. <i>Physical Therapy in Sport</i> , 2022, 57, 61-70.	0.8	5
461	Return to duty in military personnel after ACL reconstruction: STG versus ST4 double adjustable-loop device. <i>Orthopaedics and Traumatology: Surgery and Research</i> , 2022, 108, 103378.	0.9	8
462	Returning Athletes to Sports Following Anterior Cruciate Ligament Tears. <i>Current Reviews in Musculoskeletal Medicine</i> , 2022, 15, 616-628.	1.3	2
464	Pattern of anterior cruciate ligament injuries in armed forces. <i>Journal of Marine Medical Society</i> , 2022, 24, 118.	0.0	0
465	Interventions for increasing return to sport rates after an anterior cruciate ligament reconstruction surgery: A systematic review. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	4
466	Risk Factors for Anterior Cruciate Ligament Graft Failure in Professional Athletes: An Analysis of 342 Patients With a Mean Follow-up of 100 Months From the SANTI Study Group. <i>American Journal of Sports Medicine</i> , 2022, 50, 3218-3227.	1.9	12
467	Multiplanar knee kinematics-based test battery helpfully guide return-to-sports decision-making after anterior cruciate ligament reconstruction. <i>Frontiers in Bioengineering and Biotechnology</i> , 0, 10, .	2.0	3
468	ACL Blasts From Past to Present. <i>American Journal of Sports Medicine</i> , 2022, 50, 3169-3173.	1.9	1
469	Psychological readiness of elite rugby players at return to play after severe knee injury. <i>African Journal for Physical Activity and Health Sciences</i> , 2022, 28, 185-202.	0.0	0
471	The Effect of Progressive Resistance Exercise on Knee Muscle Strength and Function in Participants with Persistent Hamstring Deficit Following ACL Reconstruction: A Randomized Controlled Trial. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2023, 53, 40-48.	1.7	1
472	Predictions of total work based on measures of muscle strength and hop performance in individuals after ACL reconstruction. <i>Physical Therapy in Sport</i> , 2023, 59, 130-135.	0.8	0
473	Agreement Between Isokinetic Dynamometer and Hand-held Isometric Dynamometer as Measures to Detect Lower Limb Asymmetry in Muscle Torque After Anterior Cruciate Ligament Reconstruction. <i>International Journal of Sports Physical Therapy</i> , 2022, 17, .	0.5	1

#	ARTICLE	IF	CITATIONS
474	Current study on the influence of psychological factors on returning to sports after ACLR. Heliyon, 2022, 8, e12434.	1.4	4
475	Risk factors for postoperative surgical site infections after anterior cruciate ligament reconstruction: a systematic review and meta-analysis. British Journal of Sports Medicine, 2023, 57, 118-128.	3.1	6
476	Elit Futbolcularda AĖleri, Medial Yan ve Ađapraz Tek Bacak SÄ±Ađrama Testleri: FarklıA± Lig Seviyelerinde. Akdeniz Spor Bilimleri Dergisi, 0, , .	0.1	0
478	Sex-Specific Changes in Physical Risk Factors for Anterior Cruciate Ligament Injury by Chronological Age and Stages of Growth and Maturation From 8 to 18 Years of Age. Journal of Athletic Training, 2022, 57, 830-876.	0.9	4
479	Understanding Youth Sport Coaches' Perceptions of Evidence-Based Injury-Prevention Training Programs: A Systematic Literature Review. Journal of Athletic Training, 2022, 57, 877-893.	0.9	3
480	Quadriceps Weakness is Associated with Neuroplastic Changes Within Specific Corticospinal Pathways and Brain Areas After Anterior Cruciate Ligament Reconstruction: Theoretical Utility of Motor Imagery-Based Brain-Computer Interface Technology for Rehabilitation. Arthroscopy, Sports Medicine, and Rehabilitation, 2023, 5, e207-e216.	0.8	0
481	Sex and gender differences in lower limb chronic exertional compartment syndrome: a systematic review. Physician and Sportsmedicine, 2024, 52, 1-11.	1.0	1
482	The Evaluation of Asymmetry in Isokinetic and Electromyographic Activity (sEMG) of the Knee Flexor and Extensor Muscles in Football Players after ACL Rupture Reconstruction and in the Athletes following Mild Lower-Limb Injuries. Journal of Clinical Medicine, 2023, 12, 1144.	1.0	1
483	Aspetar clinical practice guideline on rehabilitation after anterior cruciate ligament reconstruction. British Journal of Sports Medicine, 2023, 57, 500-514.	3.1	23
484	Sex-specific differences in neuromuscular activation of the knee stabilizing muscles in adults -A± systematic review. Archives of Physiotherapy, 2023, 13, .	0.7	1
485	Overuse Noncontact ACL Injury in Young Athletes: Since We Canâ€™t Completely Fix It, Why Not Prevent It?. Sports Health, 2023, 15, 162-164.	1.3	0
486	Impact of Occupation on 12-Month Outcomes After Anterior Cruciate Ligament Reconstruction in Male Patients. Orthopaedic Journal of Sports Medicine, 2023, 11, 232596712211303.	0.8	0
487	Use of Fantasy Points in Evaluating Professional Athlete Performance After Anterior Cruciate Ligament (ACL) Reconstruction. Cureus, 2023, , .	0.2	0
488	Return to Sport After an Anterior Cruciate Ligament Tear: Bridging the Gap Between Research and Practice. Strength and Conditioning Journal, 2023, Publish Ahead of Print, .	0.7	0
489	Secondary Anterior Cruciate Ligament Injury Prevention Training in Athletes: What Is the Missing Link?. International Journal of Environmental Research and Public Health, 2023, 20, 4821.	1.2	0
490	Only 10% of Patients With a Concomitant MCL Injury Return to Their Preinjury Level of Sport 1 Year After ACL Reconstruction: A Matched Comparison With Isolated ACL Reconstruction. Sports Health, 2024, 16, 124-135.	1.3	3
491	Comparison of Differences in Thigh Muscle Morphology and Function according to Post-anterior Cruciate Ligament Surgery Period. Exercise Science, 2023, 32, 73-82.	0.1	0
494	The Future of Sport and Exercise Science Research in the Female Athlete. , 2023, , 519-536.		0

#	ARTICLE	IF	CITATIONS
498	Optimising the Early-Stage Rehabilitation Process Post-ACL Reconstruction. Sports Medicine, 2024, 54, 49-72.	3.1	2
507	Return to Play Decision-Making Following ACL Reconstruction: Multifactor Considerations. , 2024, , 1-22.		0