Definition of Nonresponse to Analgesic Treatment of An Literature Review of the Smallest Detectable Difference and the Minimal Clinically Important Difference on the

International Journal of Inflammation 2011, 1-6

DOI: 10.4061/2011/231926

Citation Report

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Effects of Transcutaneous Electrical Nerve Stimulation on Pain, Pain Sensitivity, and Function in People With Knee Osteoarthritis: A Randomized Controlled Trial. Physical Therapy, 2012, 92, 898-910. | 1.1 | 132 |
| 2 | Dorsal Penile Nerve Block Prior to Inflatable Penile Prosthesis Placement: A Randomized, Placeboâ€Controlled Trial. Journal of Sexual Medicine, 2012, 9, 2975-2979. | 0.3 | 20 |
| 3 | Pain from donor site after anterior cervical fusion with bone graft: a prospective randomized study with 12Âmonths of follow-up. European Spine Journal, 2013, 22, 142-147. | 1.0 | 26 |
| 4 | Anterior cervical decompression and fusion on neck range of motion, pain, and function: a prospective analysis. Spine Journal, 2013, 13, 1650-1658. | 0.6 | 24 |
| 5 | Reproducibility of tender point examination in chronic low back pain patients as measured by intrarater and inter-rater reliability and agreement: a validation study. BMJ Open, 2013, 3, e002532. | 0.8 | 19 |
| 6 | Measurement Properties of the High-Level Mobility Assessment Tool for Mild Traumatic Brain Injury. Physical Therapy, 2013, 93, 900-910. | 1.1 | 21 |
| 7 | Pain rating schema: three distinct subgroups of individuals emerge when rating mild, moderate, and severe pain. Journal of Pain Research, 2013, 7, 13. | 0.8 | 11 |
| 8 | Reliability and responsiveness of the Norwegian version of the Neck Disability Index. Scandinavian Journal of Pain, 2014, 5, 28-33. | 0.5 | 13 |
| 9 | Arthrocentesis as initial treatment for temporomandibular joint arthropathy: A randomized controlled trial. Journal of Cranio-Maxillo-Facial Surgery, 2014, 42, e134-e139. | 0.7 | 57 |
| 10 | Integrative oncology: really the best of both worlds?. Nature Reviews Cancer, 2014, 14, 692-700. | 12.8 | 30 |
| 11 | Determining the clinical importance of treatment benefits for interventions for painful orthopedic conditions. Journal of Orthopaedic Surgery and Research, 2015, 10, 24. | 0.9 | 253 |
| 12 | Scientific fraud. Trends in Anaesthesia and Critical Care, 2015, 5, 76-79. | 0.4 | 1 |
| 13 | The role of academic health centres to inform evidence-based integrative oncology practice. Nature Reviews Cancer, 2015, 15, 247-247. | 12.8 | 3 |
| 14 | Analgesic efficacy of opioids in chronic pain: recent metaâ€analyses. British Journal of Pharmacology, 2015, 172, 324-333. | 2.7 | 89 |
| 15 | Pain mediates the association between physical activity and the impact of fibromyalgia on daily function. Clinical Rheumatology, 2015, 34, 143-149. | 1.0 | 13 |
| 16 | Is multimodal care effective for the management of patients with whiplash-associated disorders or neck pain and associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1541-1565. | 0.6 | 50 |
| 17 | Pain Perception in Phacoemulsification with Topical Anesthesia and Evaluation of Factors Related with Pain. Türk Oftalmoloji Dergisi, 2016, 46, 151-155. | 0.4 | 13 |
| 18 | The Value of Median Nerve Sonography as a Predictor for Short- and Long-Term Clinical Outcomes in Patients with Carpal Tunnel Syndrome: A Prospective Long-Term Follow-Up Study. PLoS ONE, 2016, 11, e0162288. | 1.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The Effectiveness of Noninvasive Interventions for Temporomandibular Disorders. Clinical Journal of Pain, 2016, 32, 260-278. | 0.8 | 37 |
| 20 | Reliability of tristimulus colourimetry in the assessment of cutaneous bruise colour. Injury, 2016, 47, 1258-1263. | 0.7 | 7 |
| 21 | A slap on the back and a pat on the head. Spine Journal, 2016, 16, 1500-1502. | 0.6 | 0 |
| 22 | The Treatment of Neck Pain–Associated Disorders and Whiplash-Associated Disorders: A Clinical Practice Guideline. Journal of Manipulative and Physiological Therapeutics, 2016, 39, 523-564.e27. | 0.4 | 112 |
| 23 | Is it acupuncture or not? Testing acupuncture injection of vitamin K3 for dysmenorrhoea. Focus on Alternative and Complementary Therapies, 2016, 21, 94-96. | 0.1 | 0 |
| 24 | Are non-invasive interventions effective for the management of headaches associated with neck pain? An update of the Bone and Joint Decade Task Force on Neck Pain and Its Associated Disorders by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. European Spine Journal, 2016. 25. 1971-1999. | 1.0 | 45 |
| 25 | Reliability of patient-reported outcomes in rheumatoid arthritis patients: an observational prospective study. Rheumatology, 2016, 55, 41-48. | 0.9 | 11 |
| 26 | Are psychological interventions effective for the management of neck pain and whiplash-associated disorders? A systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Spine Journal, 2016, 16, 1566-1581. | 0.6 | 36 |
| 27 | Does Tourniquet Use in TKA Affect Recovery of Lower Extremity Strength and Function? A Randomized Trial. Clinical Orthopaedics and Related Research, 2016, 474, 69-77. | 0.7 | 154 |
| 28 | Are non-steroidal anti-inflammatory drugs effective for the management of neck pain and associated disorders, or non-specific low back pain? A systematic review of systematic reviews by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. European Spine Journal. 2016. 25. 34-61. | 1.0 | 43 |
| 29 | Does Kinesio Taping of the Knee Improve Pain and Functionality in Patients with Knee Osteoarthritis?. American Journal of Physical Medicine and Rehabilitation, 2017, 96, 25-33. | 0.7 | 65 |
| 30 | Pain relief that matters to patients: systematic review of empirical studies assessing the minimum clinically important difference in acute pain. BMC Medicine, 2017, 15, 35. | 2.3 | 259 |
| 31 | A randomized trial to determine the duration of analgesia following a 15- and a 30-minute application of acupuncture-like TENS on patients with chronic low back pain. Physiotherapy Theory and Practice, 2017, 33, 361-369. | 0.6 | 10 |
| 32 | Minimal clinically important difference for pain on the VAS scale and the relation to quality of life in women with endometriosis. Sexual and Reproductive Healthcare, 2017, 13, 35-40. | 0.5 | 24 |
| 33 | Early recovery after hip arthroscopy for femoroacetabular impingement syndrome: a prospective, observational study. Journal of Hip Preservation Surgery, 2017, 4, 299-307. | 0.6 | 20 |
| 34 | How Much Pain Is Significant? Defining the Minimal Clinically Important Difference for the Visual Analog Scale for Pain After Total Joint Arthroplasty. Journal of Arthroplasty, 2018, 33, S71-S75.e2. | 1.5 | 168 |
| 35 | Periarticular Ropivacaine Cocktail Is Equivalent to Liposomal Bupivacaine Cocktail in Bilateral Total Knee Arthroplasty. Journal of Arthroplasty, 2018, 33, 2455-2459. | 1.5 | 33 |
| 36 | Development and validation of Spasticity Index-Amyotrophic Lateral Sclerosis. Acta Neurologica Scandinavica, 2018, 138, 47-54. | 1.0 | 7 |

3

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | Prospective, Observational Study of Opioid Use After Hip Arthroscopy for Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2018, 34, 1488-1497.e6. | 1.3 | 38 |
| 38 | Validación y fiabilidad de la versión española de la escala autoadministrada de Evaluación de Signos y SÃntomas Neuropáticos de Leeds (S-LANSS). NeurologÃa, 2018, 33, 505-514. | 0.3 | 16 |
| 39 | Measuring Physical and Cognitive Fatigue in People With Postâ€Polio Syndrome: Development of the Neurological Fatigue Index for Postâ€Polio Syndrome (NFIâ€PP). PM and R, 2018, 10, 129-136. | 0.9 | 1 |
| 40 | Both ipsilateral and contralateral localized vibratory stimulations modulated pain-related sensory thresholds on the foot in mice and humans. Journal of Pain Research, 2018, Volume 11, 1645-1657. | 0.8 | 6 |
| 42 | Minimum clinically important differences in chronic pain vary considerably by baseline pain and methodological factors: systematic review of empirical studies. Journal of Clinical Epidemiology, 2018, 101, 87-106.e2. | 2.4 | 147 |
| 43 | Validity and reliability of the Spanish-language version of the self-administered Leeds Assessment of Neuropathic Symptoms and Signs (S-LANSS) pain scale. NeurologÃa (English Edition), 2018, 33, 505-514. | 0.2 | 1 |
| 44 | Balance- and Strength-Training Protocols to Improve Chronic Ankle Instability Deficits, Part II: Assessing Patient-Reported Outcome Measures. Journal of Athletic Training, 2018, 53, 578-583. | 0.9 | 22 |
| 45 | Tourniquet use in lower limb fracture surgery: a systematic review and meta-analysis. European Journal of Orthopaedic Surgery and Traumatology, 2019, 29, 175-181. | 0.6 | 14 |
| 46 | Guideline implementation in the Canadian chiropractic setting: a pilot cluster randomized controlled trial and parallel study. Chiropractic & Manual Therapies, 2019, 27, 31. | 0.6 | 5 |
| 47 | The association between depressive symptoms or depression and health outcomes in adults with low back pain with or without radiculopathy: protocol of a systematic review. Systematic Reviews, 2019, 8, 267. | 2.5 | 9 |
| 48 | Nonâ€pharmacological management of persistent headaches associated with neck pain: A clinical practice guideline from the Ontario protocol for traffic injury management (OPTIMa) collaboration. European Journal of Pain, 2019, 23, 1051-1070. | 1.4 | 61 |
| 49 | The Effect of Positional Release Therapy on Intercollegiate Male Basketball Athletes Classified With Patella Tendinopathy. International Journal of Athletic Therapy and Training, 2019, 24, 108-114. | 0.1 | 3 |
| 50 | The Therapeutic Benefits of Saline Solution Injection for Lateral Epicondylitis: A Meta-analysis of Randomized Controlled Trials Comparing Saline Injections With Nonsurgical Injection Therapies. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2019, 35, 1847-1859.e12. | 1.3 | 23 |
| 51 | Effects of Core Neuromuscular Training on Pain, Balance, and Functional Performance in Women With Patellofemoral Pain Syndrome: A Clinical Trial. Journal of Chiropractic Medicine, 2019, 18, 9-18. | 0.3 | 29 |
| 52 | Incidence of Knee Pain Beyond 1 Year: Suprapatellar Versus Infrapatellar Approach for Intramedullary Nailing of the Tibia. Journal of Orthopaedic Trauma, 2019, 33, 438-442. | 0.7 | 22 |
| 53 | Efficacy of foot orthoses as nonoperative treatment for hallux valgus: A 2-year follow-up study. Journal of Orthopaedic Science, 2019, 24, 526-531. | 0.5 | 16 |
| 54 | A Retrospective Study of the Association between Pain Intensity and Opioid Use with Length of Stay during Musculoskeletal Inpatient Rehabilitation after Primary Knee and Hip Arthroplasty. PM and R, 2020, 12, 462-469. | 0.9 | 6 |
| 55 | Hip abductor strength–based exercise therapy in treating women with moderate-to-severe knee osteoarthritis: a randomized controlled trial. Clinical Rehabilitation, 2020, 34, 160-169. | 1.0 | 9 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 56 | Intra-articular injections of allogeneic human adipose-derived mesenchymal progenitor cells in patients with symptomatic bilateral knee osteoarthritis: a Phase I pilot study. Regenerative Medicine, 2020, 15, 1625-1636. | 0.8 | 23 |
| 57 | The Effect of a Single Hyaluronic Acid Injection in Ankle Arthritis: A Prospective Cohort Study. Journal of Foot and Ankle Surgery, 2020, 59, 961-963. | 0.5 | 8 |
| 58 | Measuring quality of life in ALS/MND: validation of the WHOQOL-BREF. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2020, 21, 364-372. | 1.1 | 5 |
| 59 | The effect of conditioning stimulus intensity on conditioned pain modulation (CPM) hypoalgesia. Canadian Journal of Pain, 2021, 5, 22-29. | 0.6 | 9 |
| 60 | Reliability and Minimal Detectable Change of Muscle Thickness and Echo Intensity Measurements in the Lower Extremities of Inpatients with Stroke. Rigakuryoho Kagaku, 2021, 36, 239-246. | 0.0 | 0 |
| 61 | Clinical Efficacy of Platelet-Rich Plasma Injection and Its Association With Growth Factors in the Treatment of Mild to Moderate Knee Osteoarthritis: A Randomized Double-Blind Controlled Clinical Trial As Compared With Hyaluronic Acid. American Journal of Sports Medicine, 2021, 49, 487-496. | 1.9 | 47 |
| 62 | Assessment of the Minimum Clinically Important Difference in the Smartphone-based 6-minute Walking Test After Surgery for Lumbar Degenerative Disc Disease. Spine, 2021, 46, E959-E965. | 1.0 | 5 |
| 63 | Effectiveness of Pain Control of Local Anaesthetic Wound Infusion Following Elective Midline Laparotomy: A Randomized Trial. World Journal of Surgery, 2021, 45, 2100-2107. | 0.8 | 1 |
| 64 | Arthroscopic management of unexplained pain following total knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 2022, 142, 1109-1115. | 1.3 | 4 |
| 65 | In Patients with Early Peripheral Psoriatic Arthritis Baseline C-Reactive Protein, Pain and Ultrasound-Detected Synovitis Predict Subsequent Treatment with ts/bDMARDs. A Retrospective Analysis. Journal of Clinical Medicine, 2021, 10, 2834. | 1.0 | 2 |
| 66 | Strain Elastography and Tendon Response to an Exercise Program in Patients With Supraspinatus Tendinopathy: An Exploratory Study. Orthopaedic Journal of Sports Medicine, 2020, 8, 232596712096518. | 0.8 | 6 |
| 67 | Effects of kinesiotape on pain, range of motion, and functional status in patients with osteoarthritis: a randomized controlled trial. Journal of Exercise Rehabilitation, 2019, 15, 603-609. | 0.4 | 9 |
| 68 | Effects of kinesiotaping on knee osteoarthritis: a literature review. Journal of Exercise Rehabilitation, 2019, 15, 498-503. | 0.4 | 19 |
| 69 | Early mobilization versus bed rest for deep vein thrombosis. Medwave, 2016, 16, e6478-e6478. | 0.2 | 4 |
| 70 | \hat{A} «I am getting better \hat{A} » and \hat{A} «I feel good \hat{A} »: searching for an objective criterion for a clinical response to analgesic therapy for rheumatic diseases. Sovremennaya Revmatologiya, 2020, 14, 90-96. | 0.1 | 3 |
| 71 | Functional performance testing of the hip in athletes: a systematic review for reliability and validity. International Journal of Sports Physical Therapy, 2012, 7, 402-12. | 0.5 | 60 |
| 72 | The effectiveness of structured patient education for the management of musculoskeletal disorders and injuries of the extremities: a systematic review by the Ontario Protocol for Traffic Injury Management (OPTIMa) Collaboration. Journal of the Canadian Chiropractic Association, 2015, 59, 349-62. | 0.2 | 2 |
| 73 | Structured Education and Neuromuscular Exercise Program for Hip and/or Knee Osteoarthritis: A Health Technology Assessment. Ontario Health Technology Assessment Series, 2018, 18, 1-110. | 3.0 | 6 |

| # | Article | IF | Citations |
|----|---|-----|-----------|
| 74 | Effect of Anti-Inflammatory Diets on Pain in Rheumatoid Arthritis: A Systematic Review and Meta-Analysis. Nutrients, 2021, 13, 4221. | 1.7 | 35 |
| 75 | Comparing longitudinal patient-reported outcome measures between Swedish patients with recent-onset systemic lupus erythematosus and early rheumatoid arthritis. Clinical Rheumatology, 2022, 41, 1561-1568. | 1.0 | 4 |
| 76 | Wearable transcutaneous electrical nerve stimulation (actiTENS®) is effective and safe for the treatment of knee osteoarthritis pain: a randomized controlled trial <i>versus</i> weak opioids. Therapeutic Advances in Musculoskeletal Disease, 2022, 14, 1759720X2110662. | 1.2 | 8 |
| 78 | Safety and Efficacy of Injecting Mesenchymal Stem Cells Into a Human Knee Joint To Treat Osteoarthritis: A Systematic Review. Cureus, 2022, , . | 0.2 | 9 |
| 80 | Effect of Music in Reducing Pain during Hemodialysis Access Cannulation. Clinical Journal of the American Society of Nephrology: CJASN, 2022, 17, 1337-1345. | 2.2 | 6 |
| 81 | Standing Steadiness and Asymmetry after High Tibial Osteotomy Surgery: A 2 Year Follow-Up Study. Journal of Personalized Medicine, 2022, 12, 1594. | 1.1 | 1 |
| 82 | Comparing dry needling or local acupuncture to various wet needling injection types for musculoskeletal pain and disability. A systematic review of randomized clinical trials. Disability and Rehabilitation, 2024, 46, 414-428. | 0.9 | 1 |
| 83 | Laser therapy versus pulsed electromagnetic field therapy as treatment modalities for early knee osteoarthritis: a randomized controlled trial. BMC Geriatrics, 2023, 23, . | 1.1 | 1 |