# Upper extremity function in stroke subjects: relationships between the international classification of functioning, disability, and health domains

DOI: 10.1016/j.jht.2011.01.002
Journal of Hand Therapy, 2011, 24, 257-64; quiz 265.

| # | Paper | IF | Citations |
|---|---|---|---|
| 164 | Effect of therapist-based versus robot-assisted bilateral arm training on motor control, functional performance, and quality of life after chronic stroke: a clinical trial. *Physical Therapy*, **2012**, 92, 1006-16 | 3.3 | 42 |
| 163 | Bibliography Current World Literature. **2012**, 23, i-ix | | |
| 162 | Robotic approaches for rehabilitation of hand function after stroke. **2012**, 91, S242-54 | | 100 |
| 161 | Different instructions during the ten-meter walking test determined significant increases in maximum gait speed in individuals with chronic hemiparesis. **2012**, 16, 122-7 | | 48 |
| 160 | Upper Extremity Function in Stroke Subjects: Relationships between the International Classification of Functioning, Disability, and Health Domains. **2012**, 2012, 258-259 | | |
| 159 | Isometric hand grip strength correlated with isokinetic data of the shoulder stabilizers in individuals with chronic stroke. **2012**, 16, 275-280 | | 17 |
| 158 | Effect of Visual Feedback Information on Isometric Contraction of Forearm Flexor Muscles in Men and Women After Ischemic Stroke. **2012**, 48, 92 | | |
| 157 | An overview and profile of the ICF's use in Brazil--a decade of history. **2012**, 16, 454-62 | | 15 |
| 156 | Effects of trunk restraint in addition to home-based modified constraint-induced movement therapy after stroke: a randomized controlled trial. **2012**, 7, 258-64 | | 10 |
| 155 | Measuring participation after stroke: a review of frequently used tools. *Archives of Physical Medicine and Rehabilitation*, **2013**, 94, 177-92 | 2.8 | 79 |
| 154 | A feasibility study of the effect of multichannel electrical stimulation and gravity compensation on hand function in stroke patients: a pilot study. **2013**, 2013, 6650370 | | 1 |
| 153 | Upper limb rehabilitation following stroke: current evidence and future perspectives. **2013**, 9, 629-647 | | 8 |
| 152 | A model of persistent learned nonuse following focal ischemia in rats. *Neurorehabilitation and Neural Repair*, **2013**, 27, 900-7 | 4.7 | 16 |
| 151 | Effectiveness of commercial gaming-based virtual reality movement therapy on functional recovery of upper extremity in subacute stroke patients. **2014**, 38, 485-93 | | 53 |
| 150 | A virtual reality system integrated with robot-assisted haptics to simulate pinch-grip task: Motor ingredients for the assessment in chronic stroke. *NeuroRehabilitation*, **2014**, 35, 435-49 | 2 | 13 |
| 149 | Addition of trunk restraint to home-based modified constraint-induced movement therapy does not bring additional benefits in chronic stroke individuals with mild and moderate upper limb impairments: A pilot randomized controlled trial. *NeuroRehabilitation*, **2014**, 35, 391-404 | 2 | 9 |
| 148 | Influences of hand dominance on the maintenance of benefits after home-based modified constraint-induced movement therapy in individuals with stroke. **2014**, 18, 435-44 | | 9 |

| | | | |
|---|---|---|---|
| 147 | Computerised pinch dynamometry in the assessment of adult hand spasticity. **2014**, 61, 415-23 | | |
| 146 | Poststroke shoulder pain and its association with upper extremity sensorimotor function, daily hand activities, perceived participation, and life satisfaction. **2014**, 6, 781-9 | | 17 |
| 145 | An introductory study of common grasps used by adults during performance of activities of daily living. *Journal of Hand Therapy*, **2014**, 27, 225-33; quiz 234 | 1.6 | 68 |
| 144 | Cyclical electrical stimulation increases strength and improves activity after stroke: a systematic review. **2014**, 60, 22-30 | | 33 |
| 143 | Reliability and validity of the modified sphygmomanometer test for the assessment of strength of upper limb muscles after stroke. **2015**, 47, 697-705 | | 10 |
| 142 | International Neuromodulation Society 12th World Congress Neuromodulation: Medicine Evolving Through Technology June 6–11, 2015 Montreal, Canada. **2015**, 18, e107-e399 | | 1 |
| 141 | Assessment of the strength of the trunk and upper limb muscles in stroke subjects with portable dynamometry: a literature review. **2015**, 28, 169-186 | | 9 |
| 140 | Assessment of grip strength with the modified sphygmomanometer test: association between upper limb global strength and motor function. **2015**, 19, 498-506 | | 16 |
| 139 | Using the robotic sixth finger and vibrotactile feedback for grasp compensation in chronic stroke patients. **2015**, | | 25 |
| 138 | Training Intensity Affects Motor Rehabilitation Efficacy Following Unilateral Ischemic Insult of the Sensorimotor Cortex in C57BL/6 Mice. *Neurorehabilitation and Neural Repair*, **2015**, 29, 590-8 | 4.7 | 37 |
| 137 | Cloud-based rehabilitation and recovery prediction system for stroke patients. **2015**, 18, 803-815 | | 13 |
| 136 | Cross-cultural validity of the Brazilian version of the ABILHAND questionnaire for chronic stroke individuals, based on Rasch analysis. **2016**, 48, 6-13 | | 9 |
| 135 | Adaptação transcultural e reprodutibilidade do Measure of the Quality of the Enviroment em indivíduos com hemiparesia. **2016**, 27, 42 | | 5 |
| 134 | Health professionals identify components of the International Classification of Functioning, Disability and Health (ICF) in questionnaires for the upper limb. **2016**, 20, 15-25 | | 5 |
| 133 | Does the Length of Elbow Flexors and Visual Feedback Have Effect on Accuracy of Isometric Muscle Contraction in Men after Stroke?. *BioMed Research International*, **2016**, 2016, 7641705 | 3 | |
| 132 | Effects of functional and analytical strength training on upper-extremity activity after stroke: a randomized controlled trial. **2016**, 20, 543-552 | | 12 |
| 131 | Tablet Apps and Dexterity: Comparison Between 3 Age Groups and Proof of Concept for Stroke Rehabilitation. *Journal of Neurologic Physical Therapy*, **2016**, 40, 31-9 | 4.1 | 36 |
| 130 | Associations Between Sensorimotor Impairments in the Upper Limb at 1 Week and 6 Months After Stroke. *Journal of Neurologic Physical Therapy*, **2016**, 40, 186-95 | 4.1 | 24 |

| | | | |
|---|---|---|---|
| 129 | Respiratory muscle training increases respiratory muscle strength and reduces respiratory complications after stroke: a systematic review. **2016**, 62, 138-44 | | 58 |
| 128 | Handgrip strength deficits best explain limitations in performing bimanual activities after stroke. **2016**, 28, 1161-5 | | 13 |
| 127 | Guidelines for Adult Stroke Rehabilitation and Recovery: A Guideline for Healthcare Professionals From the American Heart Association/American Stroke Association. **2016**, 47, e98-e169 | | 1129 |
| 126 | Alterations of scapular movements during a reach-task in chronic hemiparetic subjects. **2016**, 49, 62 | | |
| 125 | Perceived ability to perform daily hand activities after stroke and associated factors: a cross-sectional study. *BMC Neurology*, **2016**, 16, 208 | 3.1 | 22 |
| 124 | Examining the Disability Model From the International Classification of Functioning, Disability, and Health Using a Large Data Set of Community-Dwelling Malaysian Older Adults. **2016**, 28, 704-25 | | 12 |
| 123 | Feasibility and effectiveness of adding object-related bilateral symmetrical training to mirror therapy in chronic stroke: A randomized controlled pilot study. **2016**, 32, 83-91 | | 11 |
| 122 | Assessing the impact of upper limb disability following stroke: a qualitative enquiry using internet-based personal accounts of stroke survivors. *Disability and Rehabilitation*, **2016**, 38, 945-51 | 2.4 | 20 |
| 121 | Compensating Hand Function in Chronic Stroke Patients Through the Robotic Sixth Finger. **2017**, 25, 142-150 | | 40 |
| 120 | Muscle Strength and Poststroke Hemiplegia: A Systematic Review of Muscle Strength Assessment and Muscle Strength Impairment. *Archives of Physical Medicine and Rehabilitation*, **2017**, 98, 368-380 | 2.8 | 18 |
| 119 | Aplicaci□ mundial de la Clasificaci□ Internacional del Funcionamiento, de la Discapacidad y de la Salud en Fisioterapia: revisi□ sistem□ica. **2017**, 51, 119-128 | | 16 |
| 118 | A soft supernumerary robotic finger and mobile arm support for grasping compensation and hemiparetic upper limb rehabilitation. **2017**, 93, 1-12 | | 23 |
| 117 | Bimanual coordination: A missing piece of arm rehabilitation after stroke. **2017**, 35, 347-364 | | 38 |
| 116 | A soft robotic supernumerary finger and a wearable cutaneous finger interface to compensate the missing grasping capabilities in chronic stroke patients. **2017**, | | 5 |
| 115 | A new hand function assessment method using an infrared imaging device. **2017**, 2017, 1571-1574 | | 1 |
| 114 | Validity, reliability and ease of use of the disabilities of arm, shoulder and hand questionnaire in adults following stroke. *Disability and Rehabilitation*, **2017**, 39, 2504-2511 | 2.4 | 16 |
| 113 | Strength deficits of the paretic lower extremity muscles were the impairment variables that best explained restrictions in participation after stroke. *Disability and Rehabilitation*, **2017**, 39, 2158-2163 | 2.4 | 11 |
| 112 | Assessment of a 7-DOF Hand Exoskeleton for Neurorehabilitation. **2017**, 409-413 | | 2 |

| | | | |
|---|---|---|---|
| 111 | Wearable Robotics: Challenges and Trends. **2017**, | | 7 |
| 110 | Real-time muscle fatigue monitoring based on median frequency of electromyography signal. **2017**, | | 3 |
| 109 | Pinch simulation with haptic feedback for stroke rehabilitation: A pilot study. **2017**, | | 1 |
| 108 | The Efficacy of a Haptic-Enhanced Virtual Reality System for Precision Grasp Acquisition in Stroke Rehabilitation. **2017**, 2017, 9840273 | | 16 |
| 107 | Progressive resistance training increases strength after stroke but this may not carry over to activity: a systematic review. **2018**, 64, 84-90 | | 26 |
| 106 | Tracking changes in glenohumeral joint position in acute post-stroke hemiparetic patients: an observational study. *Disability and Rehabilitation*, **2018**, 40, 259-266 | 2.4 | 4 |
| 105 | Performance and capacity-based measures of locomotion, compared to impairment-based measures, best predicted participation in individuals with hemiparesis due to stroke. *Disability and Rehabilitation*, **2018**, 40, 1791-1798 | 2.4 | 23 |
| 104 | Shoulder pain after stroke - experiences, consequences in daily life and effects of interventions: a qualitative study. *Disability and Rehabilitation*, **2018**, 40, 1176-1182 | 2.4 | 17 |
| 103 | Ipsilesional Arm Aiming Movements After Stroke: Influence of the Degree of Contralesional Impairment. **2018**, 50, 104-115 | | 5 |
| 102 | Rehabilitation Interventions for Upper Limb Function in the First Four Weeks Following Stroke: A Systematic Review and Meta-Analysis of the Evidence. *Archives of Physical Medicine and Rehabilitation*, **2018**, 99, 367-382 | 2.8 | 35 |
| 101 | Kinematic Analysis of a Drinking Task in Chronic Hemiparetic Patients Using Features Analysis and Statistical Parametric Mapping. *Archives of Physical Medicine and Rehabilitation*, **2018**, 99, 501-511.e4 | 2.8 | 9 |
| 100 | Upper Limb Isokinetic Strengthening Versus Passive Mobilization in Patients With Chronic Stroke: A Randomized Controlled Trial. *Archives of Physical Medicine and Rehabilitation*, **2018**, 99, 321-328 | 2.8 | 12 |
| 99 | Individuals' perception about upper limb influence on participation after stroke: an observational study. *Topics in Stroke Rehabilitation*, **2018**, 25, 174-179 | 2.6 | 2 |
| 98 | . **2018**, | | 7 |
| 97 | Estimating Voluntary Activation Of The Elbow And Wrist Muscles In Chronic Hemiparetic Stroke Using Twitch Interpolation Methodology. **2018**, 2018, 2244-2247 | | 0 |
| 96 | The VRehab System: A Low-Cost Mobile Virtual Reality System for Post-Stroke Upper Limb Rehabilitation for Medically Underserved Populations. **2018**, | | 3 |
| 95 | Interventions involving repetitive practice improve strength after stroke: a systematic review. **2018** , 64, 210-221 | | 23 |
| 94 | A low cost kinect-based virtual rehabilitation system for inpatient rehabilitation of the upper limb in patients with subacute stroke: A randomized, double-blind, sham-controlled pilot trial. *Medicine (United States)*, **2018**, 97, e11173 | 1.8 | 20 |

| | | | |
|---|---|---|---|
| 93 | Effects of newly developed compact robot-aided upper extremity training system (Neuro-X ) in patients with stroke: A pilot study. **2018**, 50, 607-612 | | 4 |
| 92 | The effect of a dysfunctional upper limb on community-dwelling stroke survivors and their carers: An interpretative phenomenological analysis. **2018**, 23, e1726 | | 2 |
| 91 | Motor Impairment-Related Alterations in Biceps and Triceps Brachii Fascicle Lengths in Chronic Hemiparetic Stroke. *Neurorehabilitation and Neural Repair*, **2018**, 32, 799-809 | 4.7 | 15 |
| 90 | A Novel Multistandard Compliant Hand Function Assessment Method Using an Infrared Imaging Device. **2019**, 23, 758-765 | | 9 |
| 89 | A systematic review investigating the relationship of electroencephalography and magnetoencephalography measurements with sensorimotor upper limb impairments after stroke. **2019**, 311, 318-330 | | 10 |
| 88 | Responsiveness and Predictive Ability of the Chinese Version of the Action Research Arm Test in People with Cerebral Infarction. *BioMed Research International*, **2019**, 2019, 8270187 | 3 | 3 |
| 87 | . **2019**, | | 4 |
| 86 | Electromyogram-Related Neuromuscular Electrical Stimulation for Restoring Wrist and Hand Movement in Poststroke Hemiplegia: A Systematic Review and Meta-Analysis. *Neurorehabilitation and Neural Repair*, **2019**, 33, 96-111 | 4.7 | 35 |
| 85 | Analysis of Agonist and Antagonist Muscles Coupling During Hand Grip in Post Stroke Participants. **2019**, 41-46 | | |
| 84 | A novel upper-limb function measure derived from finger-worn sensor data collected in a free-living setting. **2019**, 14, e0212484 | | 17 |
| 83 | Bimanual force control differs between increment and decrement. *Neuroscience Letters*, **2019**, 701, 218-225 | 3 | 5 |
| 82 | Sensory Function, Measured as Active Discriminative Touch, is Associated With Dexterity after Stroke. **2019**, 11, 821-827 | | 5 |
| 81 | Hand function and type of grasp used by chronic stroke individuals in actual environment. *Topics in Stroke Rehabilitation*, **2019**, 26, 247-254 | 2.6 | 5 |
| 80 | Upper-limb movement smoothness after stroke and its relationship with measures of body function/structure and activity - A cross-sectional study. **2019**, 401, 75-78 | | 7 |
| 79 | Post-stroke upper limb rehabilitation using virtual reality interventions: Do outcome measures assess extent or type of motor improvement?. **2019**, | | 3 |
| 78 | Autonomous Use of the Home Virtual Rehabilitation System: A Feasibility and Pilot Study. *Games for Health Journal*, **2019**, 8, 432-438 | 4.2 | 11 |
| 77 | Pilot Study of a Powered Exoskeleton for Upper Limb Rehabilitation Based on the Wheelchair. *BioMed Research International*, **2019**, 2019, 9627438 | 3 | 6 |
| 76 | Structural muscular adaptations in upper limb after stroke: a systematic review. *Topics in Stroke Rehabilitation*, **2019**, 26, 73-79 | 2.6 | 6 |

| | | | |
|---|---|---|---|
| 75 | A Single Trial May Be Used for Measuring Muscle Strength With Dynamometers in Individuals With Stroke: A Cross-Sectional Study. **2019**, 11, 372-378 | | 3 |
| 74 | Outcome measures in post-stroke arm rehabilitation trials: do existing measures capture outcomes that are important to stroke survivors, carers, and clinicians?. **2019**, 33, 737-749 | | 21 |
| 73 | Long-term use of the JACO robotic arm: a case series. *Disability and Rehabilitation: Assistive Technology*, **2019**, 14, 267-275 | 1.8 | 6 |
| 72 | 3-D Dynamic Modeling and Validation of Human Arm for Torque Determination During Eating Activity Using Kane's Method. **2020**, 44, 661-694 | | 2 |
| 71 | Respiratory repercussions of neurological diseases and how best to manage them. **2020**, 14, 89-102 | | 0 |
| 70 | The influence of sleep quality and circadian preferences on upper extremity rehabilitation in stroke patients after constraint-induced movement therapy. **2020**, 43, 20-27 | | 1 |
| 69 | Muscle Activity After Stroke: Perspectives on Deploying Surface Electromyography in Acute Care. **2020**, 11, 576757 | | 2 |
| 68 | Augmenting Human Manipulation Abilities with Supernumerary Robotic Limbs. **2020**, | | 0 |
| 67 | Clinical Application of Virtual Reality for Upper Limb Motor Rehabilitation in Stroke: Review of Technologies and Clinical Evidence. **2020**, 9, | | 27 |
| 66 | Estudio descriptivo sobre la Clasificación Internacional del Funcionamiento y el diagnóstico de fisioterapia. **2020**, 42, 230-240 | | |
| 65 | Technology for maintaining oral care after stroke: considerations for patient-centered practice. *Disability and Rehabilitation: Assistive Technology*, **2020**, 1-11 | 1.8 | 1 |
| 64 | Validation of the Telephone-Based Application of the ABILHAND for Assessment of Manual Ability After Stroke. *Journal of Neurologic Physical Therapy*, **2020**, 44, 256-260 | 4.1 | 5 |
| 63 | Low-Frequency Repetitive Transcranial Magnetic Stimulation Over Contralesional Motor Cortex for Motor Recovery in Subacute Ischemic Stroke: A Randomized Sham-Controlled Trial. *Neurorehabilitation and Neural Repair*, **2020**, 34, 856-867 | 4.7 | 6 |
| 62 | Perspectives, satisfaction, self-efficacy, and barriers to aerobic exercise reported by individuals with chronic stroke in a developing country. *Disability and Rehabilitation*, **2020**, 1-6 | 2.4 | 2 |
| 61 | Force control predicts fine motor dexterity in high-functioning stroke survivors. *Neuroscience Letters*, **2020**, 729, 135015 | 3.3 | 5 |
| 60 | Performance of neurophysiological, neuroimaging, biomechanical and clinical predictors and prediction models of upper extremity motor recovery following stroke - a systematic review protocol. *Physical Therapy Reviews*, **2020**, 25, 73-80 | 0.7 | |
| 59 | Machine-learning prediction of self-care activity by grip strengths of both hands in poststroke hemiplegia. *Medicine (United States)*, **2020**, 99, e19512 | 1.8 | 2 |
| 58 | Evaluation of Commercial Ropes Applied as Artificial Tendons in Robotic Rehabilitation Orthoses. *Applied Sciences (Switzerland)*, **2020**, 10, 920 | 2.6 | 2 |

| | | | |
|---|---|---|---|
| 57 | Early non-invasive brain stimulation with modified constraint-induced movement therapy for motor and functional upper limb recovery in stroke patients: Study protocol. *British Journal of Occupational Therapy*, **2020**, 83, 523-529 | 1 | 1 |
| 56 | Accuracy of the Upper Limb Prediction Algorithm PREP2 Applied 2 Weeks Poststroke: A Prospective Longitudinal Study. *Neurorehabilitation and Neural Repair*, **2021**, 35, 68-78 | 4.7 | 9 |
| 55 | Visual-Electrotactile Stimulation Feedback to Improve Immersive Brain-Computer Interface Based on Hand Motor Imagery. *Computational Intelligence and Neuroscience*, **2021**, 2021, 1-13 | 3 | 2 |
| 54 | Exploring physiotherapists' and occupational therapists' perceptions of the upper limb prediction algorithm PREP2 after stroke in a rehabilitation setting: a qualitative study. *BMJ Open*, **2021**, 11, e038880 | 2 | 1 |
| 53 | Protocols Used by Occupational Therapists on Shoulder Pain after Stroke: Systematic Review and Meta-Analysis. *Occupational Therapy International*, **2021**, 2021, 8811721 | 1.4 | 0 |
| 52 | Enhanced Visual Feedback Using Immersive VR Affects Decision Making Regarding Hand Use With a Simulated Impaired Limb. *Frontiers in Human Neuroscience*, **2021**, 15, 677578 | 3.3 | 2 |
| 51 | Upper limbs cycle ergometer increases muscle strength, trunk control and independence of acute stroke subjects: A randomized clinical trial. *NeuroRehabilitation*, **2021**, 48, 533-542 | 2 | 0 |
| 50 | Serial sarcomere number is substantially decreased within the paretic biceps brachii in individuals with chronic hemiparetic stroke. *Proceedings of the National Academy of Sciences of the United States of America*, **2021**, 118, | 11.5 | 3 |
| 49 | Upper Limb Energy Demand During Unilateral Arm Crank Submaximal Exercise Testing in Individuals With Chronic Stroke. *Archives of Physical Medicine and Rehabilitation*, **2021**, 102, 1755-1763 | 2.8 | |
| 48 | Daily Life Upper Limb Activity for Patients with Match and Mismatch between Observed Function and Perceived Activity in the Chronic Phase Post Stroke. *Sensors*, **2021**, 21, | 3.8 | 2 |
| 47 | Virtual reality interventions to enhance upper limb motor improvement after a stroke: commonly used types of platform and outcomes. *Disability and Rehabilitation: Assistive Technology*, **2020**, 1-9 | 1.8 | 6 |
| 46 | Serial sarcomere number is substantially decreased within the paretic biceps brachii in individuals with chronic hemiparetic stroke. | | 1 |
| 45 | Volume and intramuscular fat content of upper extremity muscles in individuals with chronic hemiparetic stroke. | | 3 |
| 44 | Towards the Design of a Ring Sensor-based mHealth System to Achieve Optimal Motor Function in Stroke Survivors. **2019**, 3, 1-26 | | 6 |
| 43 | Rehabilitation Games in Real-World Clinical Settings. *ACM Transactions on Computer-Human Interaction*, **2020**, 27, 1-43 | 4.7 | 2 |
| 42 | Haptic Nudges Increase Affected Upper Limb Movement During Inpatient Stroke Rehabilitation: Multiple-Period Randomized Crossover Study. *JMIR MHealth and UHealth*, **2020**, 8, e17036 | 5.5 | 3 |
| 41 | Interventions to Improve Movement and Functional Outcomes in Adult Stroke Rehabilitation: Review and Evidence Summary. *Journal of Participatory Medicine*, **2018**, 10, e3 | 1.4 | 6 |
| 40 | Relaõ entre a forã de preensõ manual e capacidade funcional apã Acidente Vascular Cerebral. *Revista Neurociencias*, **2015**, 23, 74-80 | 0 | 3 |

| | | | |
|---|---|---|---|
| 39 | Effects of Mirror Therapy on the Lower Limb Functionality Hemiparesis after Stroke. *Health*, **2016**, 08, 1442-1452 | 0.4 | 3 |
| 38 | The Relationship between Strength of the Affected Leg and Walking Speed after Stroke Varies According to the Level of Walking Disability: A Systematic Review. *Physical Therapy*, **2021**, | 3.3 | 1 |
| 37 | The Effects of Weight-Bearing Exercise on Upper Extremity Activities Performance in the Female Stroke Patients. *International Journal of Contents*, **2013**, 9, 65-70 | | |
| 36 | Propriedades de medida do LIFE-H 3.1 Brasil para avaliação da participação social de hemiparéticos. *Revista Neurociencias*, **2015**, 23, 506-515 | 0 | 1 |
| 35 | The Consistency and Construct Validity of Wolf Motor Function Test With Functional Variables and SF-36 Questionnaire in Iranian Stroke Patients. *Caspian Journal of Neurological Sciences*, **2018**, 4, 49-56 | 2 | |
| 34 | Desempenho ocupacional e aplicação da Classificação Internacional de Funcionalidade (CIF) em um serviço de reabilitação. *Revista De Salud Publica*, **2019**, 21, 1-10 | 0.2 | |
| 33 | Reduction in voluntary activation of elbow and wrist muscles in individuals with chronic hemiparetic stroke. | | 0 |
| 32 | Effects of respiratory reeducation exercise using a pressure biofeedback unit on the quality of life of persons with stroke. *Physical Therapy Rehabilitation Science*, **2020**, 9, 238-243 | 0.5 | |
| 31 | Motor relearning program along with electrical stimulation for improving upper limb function in stroke patients: A quasi experimental study. *Pakistan Journal of Medical Sciences*, **2020**, 36, 1613-1617 | 2 | |
| 30 | Resistive strength training for arm rehabilitation after stroke. *The Cochrane Library*, | 5.2 | |
| 29 | Motor relearning program along with electrical stimulation for improving upper limb function in stroke patients: A´quasi experimental study. *Pakistan Journal of Medical Sciences*, **2020**, 36, 1613-1617 | 2 | 0 |
| 28 | The Effect of Robot-Mediated Virtual Reality Gaming on Upper Limb Spasticity Poststroke: A Randomized-Controlled Trial.. *Games for Health Journal*, **2022**, | 4.2 | 1 |
| 27 | Dynamic causal modeling of sensorimotor networks elicited by saltatory pneumotactile velocity in the glabrous hand.. *Journal of Neuroimaging*, **2022**, | 2.8 | |
| 26 | How to Score the Peak Oxygen Consumption Obtained Through Cardiopulmonary Exercise Test in Individuals after Stroke?. *Journal of Stroke and Cerebrovascular Diseases*, **2022**, 31, 106314 | 2.8 | |
| 25 | Biomechanical Assessment of Post-Stroke Patients' Upper Limb before and after Rehabilitation Therapy Based on FES and VR.. *Sensors*, **2022**, 22, | 3.8 | 0 |
| 24 | Kinect-Based Rehabilitation Systems for Stroke Patients: A Scoping Review.. *BioMed Research International*, **2022**, 2022, 4339054 | 3 | 0 |
| 23 | Effects of Ordered Grasping Movement on Brain Function in the Performance Virtual Reality Task: A Near-Infrared Spectroscopy Study.. *Frontiers in Human Neuroscience*, **2022**, 16, 798416 | 3.3 | 1 |
| 22 | Evolution and prediction of mismatch between observed and perceived upper limb function after stroke: a prospective, longitudinal, observational cohort study.. *BMC Neurology*, **2021**, 21, 488 | 3.1 | |

| | | | |
|---|---|---|---|
| 21 | Mechanical Design of a Supernumerary Robotic Finger for Grasping Abilities Compensation. **2021**, | | |
| 20 | The sustainability of upper limb robotic therapy for stroke survivors in an inpatient rehabilitation setting.. *Disability and Rehabilitation*, **2021**, 1-6 | 2.4 | 0 |
| 19 | Scoping Review on Brain-Computer Interface-Controlled Electrical Stimulation Interventions for Upper Limb Rehabilitation in Adults: A Look at Participants, Interventions, and Technology. *Physiotherapy Canada Physiotherapie Canada*, | 0.8 | 1 |
| 18 | Measurement properties of the Brazilian version of the Stroke Upper Limb Capacity Scale (SULCS-Brazil). *Topics in Stroke Rehabilitation*, 1-10 | 2.6 | |
| 17 | Body structure/function impairments and activity limitations of post-stroke that predict social participation: a systematic review. *Topics in Stroke Rehabilitation*, 1-14 | 2.6 | 1 |
| 16 | Home-based is as effective as centre-based rehabilitation for improving upper limb motor recovery and activity limitations after stroke: A systematic review with meta-analysis. 026921552211210 | | |
| 15 | Upper limb soft robotic wearable devices: a systematic review. **2022**, 19, | | 2 |
| 14 | Walking confidence and perceived locomotion ability explain participation after stroke: A cross-sectional experimental study. | | 1 |
| 13 | A real-time algorithm for the detection of compensatory movements during reaching. **2022**, 9, 205566832211170 | | |
| 12 | Evaluation of Changes in Kinematic Measures of Three Dimensional Reach to Grasp Movements in the Early Subacute Period of Recovery from Stroke. **2022**, | | 0 |
| 11 | Upper limb exosuit cable routing optimization. **2022**, | | 0 |
| 10 | Envisioning the use of in-situ arm movement data in stroke rehabilitation: Stroke survivors and occupational therapists perspectives. **2022**, 17, e0274142 | | 0 |
| 9 | Effect of Immersive Virtual Mirror Visual Feedback on Mu Suppression and Coherence in Motor and Parietal Cortex in Stroke. | | 0 |
| 8 | Interaction of network and rehabilitation therapy parameters in defining recovery after stroke in a Bilateral Neural Network. **2022**, 19, | | 0 |
| 7 | Feasibility of Wearable PPG for Simultaneous Hand Gesture and Force Level Classification. **2023**, 1-1 | | 0 |
| 6 | Immersive Virtual Reality in Post-Stroke Rehabilitation: A Systematic Review. **2023**, 23, 1712 | | 0 |
| 5 | Effects of moderate-intensity aerobic exercise on serum BDNF and motor learning in the upper-limb in patients after chronic-stroke: A randomized, controlled feasibility study with embedded health economic evaluation. **2023**, 52, 485-506 | | 0 |
| 4 | Application of Mobile-Based Games in The Rehabilitation of Stroke Survivors. **2023**, 54, 184-208 | | 0 |

| | | |
|---|---|---|
| 3 | Laboratory-Based Examination of the Reliability and Validity of Kinematic Measures of Wrist and Finger Function Collected by a Telerehabilitation System in Persons with Chronic Stroke. **2023**, 23, 2656 | 0 |
| 2 | Virtual and Augmented Reality in Post-stroke Rehabilitation: A Narrative Review. **2023**, | 0 |
| 1 | Upper limb assessment with inertial measurement units according to the international classification of functioning in stroke: a systematic review and correlation meta-analysis. 1-20 | 0 |