CITATION REPORT List of articles citing

Long-term outcomes of surgical resection of the jaws in cancer patients with bisphosphonate-related osteonecrosi

DOI: 10.1016/j.oraloncology.2011.02.024 Oral Oncology, 2011, 47, 420-4.

Source: https://exaly.com/paper-pdf/51087463/citation-report.pdf

Version: 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| # | Paper | IF | Citations |
|----|--|------------------|-----------|
| 97 | Osteomalacia: the missing link in the pathogenesis of bisphosphonate-related osteonecrosis of the jaws?. <i>Oncologist</i> , 2012 , 17, 1114-9 | 5.7 | 26 |
| 96 | Resective surgical approach shows a high performance in the management of advanced cases of bisphosphonate-related osteonecrosis of the jaws: a retrospective survey of 347 cases. <i>Journal of Oral and Maxillofacial Surgery</i> , 2012 , 70, 2501-7 | 1.8 | 88 |
| 95 | Bisphosphonates-related osteonecrosis of the jaws: a concise review of the literature and a report of a single-centre experience with 151 patients. <i>Journal of Oral Pathology and Medicine</i> , 2012 , 41, 214-2 | 13.3 | 79 |
| 94 | The saxon bisphosphonate register - therapy and prevention of bisphosphonate-related osteonecrosis of the jaws. <i>Oral Oncology</i> , 2012 , 48, 349-54 | 4.4 | 54 |
| 93 | Conservative management of bisphosphonate-related osteonecrosis of the jaws: staging and treatment outcomes. <i>Oral Oncology</i> , 2013 , 49, 977-983 | 4.4 | 40 |
| 92 | Osteonecrosi dei mascellari associata a bisfosfonati, denosumab e farmaci anti-angiogenetici nei pazienti oncologici e osteoporotici: diagnosi e terapia. <i>Dental Cadmos</i> , 2013 , 81, 566-589 | 2.3 | 2 |
| 91 | The outcome after surgical therapy of bisphosphonate-associated osteonecrosis of the jawresults of a clinical case series with an average follow-up of 20 months. <i>Clinical Oral Investigations</i> , 2014 , 18, 1299-1304 | 4.2 | 17 |
| 90 | Factors predicting the prognosis of oral alendronate-related osteonecrosis of the jaws: a 4-year cohort study. <i>Head and Neck</i> , 2013 , 35, 1787-95 | 4.2 | 13 |
| 89 | Evaluation of socket healing in patients undergoing bisphosphonate therapy: experience of a single Institution. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2013 , 18, e650-6 | 2.6 | 7 |
| 88 | Conservative treatment of bisphosphonate-related osteonecrosis of the jaw in multiple myeloma patients. <i>International Journal of Dentistry</i> , 2014 , 2014, 427273 | 1.9 | 18 |
| 87 | Epidemiology, clinical manifestations, risk reduction and treatment strategies of jaw osteonecrosis in cancer patients exposed to antiresorptive agents. <i>Future Oncology</i> , 2014 , 10, 257-75 | 3.6 | 82 |
| 86 | Bisphosphonate-Related Osteonecrosis of the Jaw (BRONJ). 2014 , 153-165 | | 1 |
| 85 | Characteristics of the early stages of intravenous bisphosphonate-related osteonecrosis of the jaw in patients with breast cancer. <i>Acta Odontologica Scandinavica</i> , 2014 , 72, 656-63 | 2.2 | 7 |
| 84 | Retrospective analysis of 27 cases of bisphosphonate-related osteonecrosis of the jaw treated surgically or nonsurgically. <i>Journal of Dental Sciences</i> , 2014 , 9, 185-194 | 2.5 | 4 |
| 83 | Outcomes of osseous free flap reconstruction in stage III bisphosphonate-related osteonecrosis of the jaw: systematic review and a new case series. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, 377 | -86 ⁶ | 23 |
| 82 | Non-complex reconstructive techniques in the management of BRONJ: a case series of patient-related outcomes. <i>Oral and Maxillofacial Surgery</i> , 2014 , 18, 223-7 | 1.6 | 7 |
| 81 | A systematic review of therapeutical approaches in bisphosphonates-related osteonecrosis of the jaw (BRONJ). <i>Oral Oncology</i> , 2014 , 50, 1049-57 | 4.4 | 115 |

(2016-2014)

| 80 | Staging of osteonecrosis of the jaw requires computed tomography for accurate definition of the extent of bony disease. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2014 , 52, 603-8 | 1.4 | 72 |
|----|---|-----|-----|
| 79 | Intraoperative efficiency of fluorescence imaging by Visually Enhanced Lesion Scope (VELscope) in patients with bisphosphonate related osteonecrosis of the jaw (BRONJ). <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2014 , 42, e157-64 | 3.6 | 36 |
| 78 | Comments on "diagnosis and management of osteonecrosis of the jaw: a systematic review and international consensus". <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 1113-5 | 6.3 | 19 |
| 77 | Stage-related treatment concept of medication-related osteonecrosis of the jaw-a case series. <i>Clinical Oral Investigations</i> , 2015 , 19, 1329-38 | 4.2 | 22 |
| 76 | [Bisphosphonate-associated osteonecrosis of the jaw]. Schmerz, 2015, 29, 171-8 | 2.4 | 1 |
| 75 | Management of bisphosphonate-related osteonecrosis of the jaw: a literature review. <i>Oral Diseases</i> , 2015 , 21, 927-36 | 3.5 | 24 |
| 74 | Treatment strategies and outcomes of bisphosphonate-related osteonecrosis of the jaw (BRONJ) with characterization of patients: a systematic review. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2015 , 44, 568-85 | 2.9 | 176 |
| 73 | Intraoperative detection of viable bone with fluorescence imaging using Visually Enhanced Lesion Scope in patients with bisphosphonate-related osteonecrosis of the jaw: clinical and pathological evaluation. <i>Osteoporosis International</i> , 2015 , 26, 1997-2006 | 5.3 | 10 |
| 72 | Management of Medication-Related Osteonecrosis of the Jaw. <i>Oral and Maxillofacial Surgery Clinics of North America</i> , 2015 , 27, 517-25 | 3.4 | 19 |
| 71 | Successful long-term mandibular reconstruction and rehabilitation using non-vascularised autologous bone graft and recombinant human BMP-7 with subsequent endosseous implant in a patient with bisphosphonate-related osteonecrosis of the jaw. <i>British Journal of Oral and</i> | 1.4 | 14 |
| 70 | Diagnosis and management of osteonecrosis of the jaw: a systematic review and international consensus. <i>Journal of Bone and Mineral Research</i> , 2015 , 30, 3-23 | 6.3 | 680 |
| 69 | Treatment of osteonecrosis of the jaw related to bisphosphonates and other antiresorptive agents. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal,</i> 2016 , 21, e595-600 | 2.6 | 15 |
| 68 | Analysis of different therapeutic protocols for osteonecrosis of the jaw associated with oral and intravenous bisphosphonates. <i>Medicina Oral, Patologia Oral Y Cirugia Bucal</i> , 2017 , 22, e43-e57 | 2.6 | 8 |
| 67 | Imaging in Patients with Bisphosphonate-Associated Osteonecrosis of the Jaws (MRONJ). <i>Dentistry Journal</i> , 2016 , 4, | 3.1 | 13 |
| 66 | Antiresorptiva-assoziierte Kiefernekrose. <i>Der MKG-Chirurg</i> , 2016 , 9, 207-217 | 0.2 | 1 |
| 65 | Medication-related osteonecrosis of the jaw: Is autologous platelet concentrate application effective for prevention and treatment? Alsystematic review. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1067-72 | 3.6 | 42 |
| 64 | Fluorescence-guided surgery for the treatment of medication-related osteonecrosis of the jaw: A prospective cohort study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2016 , 44, 1073-80 | 3.6 | 45 |
| 63 | Resection and microvascular reconstruction of bisphosphonate-related osteonecrosis of the jaw: The role of microvascular reconstruction. <i>Head and Neck</i> , 2016 , 38, 1278-85 | 4.2 | 9 |

| 62 | Osteonecrosi dei mascellari sotto bifosfonati. <i>EMC - Otorinolaringoiatria</i> , 2016 , 15, 1-10 | 0 | |
|----|--|----------------------|------------------|
| 61 | Evaluation of dental implants as a risk factor for the development of bisphosphonate-related osteonecrosis of the jaw in breast cancer patients. <i>Odontology / the Society of the Nippon Dental University</i> , 2016 , 104, 363-71 | 3.6 | 17 |
| 60 | Does Fluorodeoxyglucose Positron Emission Tomography With Computed Tomography Facilitate Treatment of Medication-Related Osteonecrosis of the Jaw?. <i>Journal of Oral and Maxillofacial Surgery</i> , 2016 , 74, 945-58 | 1.8 | 17 |
| 59 | Surgical management of bisphosphonate-related osteonecrosis of the jaws: literature review. <i>Oral and Maxillofacial Surgery</i> , 2016 , 20, 9-17 | 1.6 | 23 |
| 58 | Surgical resection and vascularized bone reconstruction in advanced stage medication-related osteonecrosis of the jaw. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2017 , 46, 871-876 | 2.9 | 24 |
| 57 | Effectiveness of treatments for medication-related osteonecrosis of the jaw: A systematic review and meta-analysis. <i>Journal of the American Dental Association</i> , 2017 , 148, 584-594.e2 | 1.9 | 40 |
| 56 | Case-Based Review of Osteonecrosis of the Jaw (ONJ) and Application of the International Recommendations for Management From the International Task Force on ONJ. <i>Journal of Clinical Densitometry</i> , 2017 , 20, 8-24 | 3.5 | 125 |
| 55 | Extensive Surgical Procedures Result in Better Treatment Outcomes for Bisphosphonate-Related Osteonecrosis of the Jaw in Patients With Osteoporosis. <i>Journal of Oral and Maxillofacial Surgery</i> , 2017 , 75, 1404-1413 | 1.8 | 34 |
| 54 | Bone Margin Analysis for Osteonecrosis and Osteomyelitis of the Jaws. <i>Oral and Maxillofacial Surgery Clinics of North America</i> , 2017 , 29, 301-313 | 3.4 | 12 |
| 53 | Comparison of auto-fluorescence and tetracycline fluorescence for guided bone surgery of medication-related osteonecrosis of the jaw: a randomized controlled feasibility study. International Journal of Oral and Maxillofacial Surgery, 2017, 46, 157-166 | 2.9 | 32 |
| 52 | Surgical treatment vs. conservative treatment in intravenous bisphosphonate-related osteonecrosis of the jaws. Systematic review. <i>Journal of Clinical and Experimental Dentistry</i> , 2017 , 9, ex | 30 2-2 30 |)7 ¹⁵ |
| 51 | Osteonecrosis of the Jaws. Prevalence, Risk Factors and Role of Microbiota and Inflammation in a Population of Spain. 2017 , | | 1 |
| 50 | Double-layer closure techniques after bone surgery of medication-related osteonecrosis of the jaw - A single center cohort[study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 815-824 | 3.6 | 34 |
| 49 | Reconstructive Surgery Following Bisphosphonate-Related Osteonecrosis of the Jaws: Evolving Concepts. <i>Recent Clinical Techniques, Results, and Research in Wounds</i> , 2018 , 129-143 | O | |
| 48 | Osteonecrosis of the Jaw. 2018 , 927-932 | | |
| 47 | A literature review of perioperative antibiotic administration in surgery for medication-related osteonecrosis of the jaw. <i>Oral and Maxillofacial Surgery</i> , 2018 , 22, 369-378 | 1.6 | 13 |
| 46 | Conservative Surgical Treatment of Bisphosphonate-Related Osteonecrosis of the Jaw with Er,Cr:YSGG Laser and Platelet-Rich Plasma: A Longitudinal Study. <i>BioMed Research International</i> , 2018 , 2018, 3982540 | 3 | 21 |
| 45 | Prevalence, initiating factor, and treatment outcome of medication-related osteonecrosis of the jaw-a 4-year prospective study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2018 , 126, 477-485 | 2 | 17 |

(2021-2018)

| 44 | Microsurgical Reconstruction of the Jaws Using Vascularised Free Flap Technique in Patients with Medication-Related Osteonecrosis: A Systematic Review. <i>BioMed Research International</i> , 2018 , 2018, 9858921 | 3 | 12 |
|----|---|--------------------|----|
| 43 | Treatment of pathologic fractures of the mandible in stage III medication-related osteonecrosis of the jaw-an observational study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2018 , 46, 1241-1246 | 3.6 | 5 |
| 42 | Medication-Related Osteonecrosis of the Jaws. <i>Journal of the National Cancer Institute Monographs</i> , 2019 , 2019, | 4.8 | 9 |
| 41 | Three-dimensional radiologic-pathologic correlation of medication-related osteonecrosis of the jaw using 3D bone SPECT/CT imaging. <i>Dentomaxillofacial Radiology</i> , 2019 , 48, 20190208 | 3.9 | 4 |
| 40 | Treatment of bisphosphonate-related osteonecrosis using platelet-rich plasma: microtomographic, microscopic, and immunohistochemical analyses. <i>Brazilian Oral Research</i> , 2019 , 33, e050 | 2.6 | 8 |
| 39 | From Osteoclast Differentiation to Osteonecrosis of the Jaw: Molecular and Clinical Insights. <i>International Journal of Molecular Sciences</i> , 2019 , 20, | 6.3 | 26 |
| 38 | Adjuvant therapies in the management of medication-related osteonecrosis of the jaws: Systematic review. <i>Head and Neck</i> , 2019 , 41, 4209-4228 | 4.2 | 18 |
| 37 | Novel insight into the management of bisphosphonate-related osteonecrosis of the jaw (BRONJ). Japanese Dental Science Review, 2019 , 55, 95-102 | 6.8 | 11 |
| 36 | Is the conservative non-surgical management of medication-related osteonecrosis of the jaw an appropriate treatment option for early stages? A long-term single-center cohort study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019 , 47, 491-499 | 3.6 | 36 |
| 35 | Medication-related osteonecrosis of the jaw: definition and best practice for prevention, diagnosis, and treatment. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2019 , 127, 117-135 | 2 | 97 |
| 34 | Comparison of mucosal and mucoperiosteal wound cover for the treatment of medication-related osteonecrosis of the jaw lesions: a retrospective cohort study. <i>Clinical Oral Investigations</i> , 2019 , 23, 351 | - 3 539 | 5 |
| 33 | Oral Surgical Management of Bone and Soft Tissues in MRONJ Treatment: A Decisional Tree. <i>Life</i> , 2020 , 10, | 3 | 3 |
| 32 | Role of Local Flaps to Achieve Primary Wound Closure in Medication-Related Osteonecrosis of the Jaws Osseous-Resective Surgery. <i>Journal of Craniofacial Surgery</i> , 2020 , 31, e347-e352 | 1.2 | 2 |
| 31 | Incidence of and risk factors for medication-related osteonecrosis of the jaw in women with breast cancer with bone metastasis: a population-based study. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 130, 252-257 | 2 | 5 |
| 30 | Platelet-Rich Plasma (PRP) in Dental Extraction of Patients at Risk of Bisphosphonate-Related Osteonecrosis of the Jaws: A Two-Year Longitudinal Study. <i>Applied Sciences (Switzerland)</i> , 2020 , 10, 448 | 3 7 .6 | 2 |
| 29 | Comment on Medication-Related Osteonecrosis of the Jaw: MASCC/ISOO/ASCO Clinical Practice Guideline Summary. <i>JCO Oncology Practice</i> , 2020 , 16, 142-145 | 2.3 | 5 |
| 28 | Enhancement of bone perfusion through cortical perforations to improve healing of medication-related osteonecrosis of the jaw: a retrospective study. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2021 , 50, 740-745 | 2.9 | |
| 27 | A systematic review of metastatic cancer presenting in osteonecrosis of the jaws (MC-ONJ) in patients undergoing antiresorptive and/or antiangiogenic therapy for skeletal-related adverse events. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 , 131, 650-659 | 2 | 4 |

| 26 | Human amniotic membrane: an improvement in the treatment of Medication-related osteonecrosis of the jaw (MRONJ)? A case-control study. <i>Cell and Tissue Banking</i> , 2021 , 1 | 2.2 | 1 |
|----|--|-----------------|----|
| 25 | New Perspective for Soft Tissue Closure in Medication-Related Osteonecrosis of the Jaw (MRONJ) Using Barbed Sutures. <i>Journal of Clinical Medicine</i> , 2021 , 10, | 5.1 | 1 |
| 24 | Survival of metastatic cancer patients and myeloma after diagnosis of Osteonecrosis of Jaws (ONJ). Potential impact on ONJ treatment strategies <i>Qeios</i> , | Ο | 1 |
| 23 | Dentoalveolar surgery and Prevention of Medication-related Osteonecrosis of the Jaw (MR-ONJ) in patients treated with Bisphosphonates: our experience <i>Qeios</i> , | О | |
| 22 | The use of platelet rich plasma in the management of medication-related osteonecrosis of the jaws: a cohort study. <i>Qeios</i> , | 0 | |
| 21 | Expected survival of cancer patients and myeloma undergoing bisphosphonates or denosumab. Potential impact on diagnosis and management of Osteonecrosis of Jaws (ONJ). <i>Qeios</i> , | 0 | O |
| 20 | CURATIVE RATES OF MEDICATION-RELATED OSTEONECROSIS OF THE JAW FOLLOWING APPLICATION OF THE SICMF-SIPMO SURGICAL TREATMENT ALGORITHM. <i>Qeios</i> , | 0 | 1 |
| 19 | The Treatment of Medication-Related Osteonecrosis of the Jaw (MRONJ): A Systematic Review with a Pooled Analysis of Only Surgery versus Combined Protocols. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18, | 4.6 | 5 |
| 18 | Do various imaging modalities provide potential early detection and diagnosis of medication-related osteonecrosis of the jaw? A review. <i>Dentomaxillofacial Radiology</i> , 2021 , 50, 2020041 | 7 .9 | 5 |
| 17 | Quantitative Segmentation Analysis of the Radiological Changes by Using ITK-SNAP: Risk Assessment of the Severity and Recurrence of Medication-related Osteonecrosis of the Jaw. <i>International Journal of Medical Sciences</i> , 2021 , 18, 2209-2216 | 3.7 | 2 |
| 16 | The impact of surgical intervention and antibiotics on MRONJ stage II and III - Retrospective study. Journal of Cranio-Maxillo-Facial Surgery, 2017 , 45, 1183-1189 | 3.6 | 18 |
| 15 | Bisphosphonate-related osteonecrosis of the jaws. A severe side effect of bisphosphonate therapy. <i>Acta Medica (Hradec Kralove)</i> , 2012 , 55, 111-5 | 0.8 | 25 |
| 14 | Experience with the treatment of bisphosphonate-related osteonecrosis of the jaw. <i>Biomedical Papers of the Medical Faculty of the University Palacky&#x0301;, Olomouc, Czechoslovakia</i> , 2015 , 159, 313-7 | 1.7 | 3 |
| 13 | Bisphosphonate-Associated Osteonecrosis of the Jaws. 929-940 | | |
| 12 | Uso de bifosfonatos asociado a riesgo de osteonecrosis en maxilares. Atenciō Familiar, 2019 , 27, 43 | 0 | |
| 11 | CD34 and CD105 Microvessels in Resected Bone Specimen May Implicate Wound Healing in MRONJ. International Journal of Environmental Research and Public Health, 2021 , 18, | 4.6 | O |
| 10 | Evaluation of segmental mandibular resection without microvascular reconstruction in patients affected by medication-related osteonecrosis of the jaw: a systematic review. <i>British Journal of Oral and Maxillofacial Surgery</i> , 2021 , 59, 648-660 | 1.4 | 0 |
| 9 | Mandibulectomy Reconstruction with Pectoralis Major Island Flap Associated with Primary Reconstruction Plate for Mandibular Medication-Related Osteonecrosis. <i>Current Health Sciences Journal</i> , 2021 , 47, 117-122 | 0.3 | |

CITATION REPORT

| 8 | A preliminary clinical study of segmental mandibulectomy on medication-related osteonecrosis of the jaw <i>Journal of Dental Sciences</i> , 2022 , 17, 444-450 | 2.5 | О |
|---|--|-----|---|
| 7 | Osteonecrosis of the Jaw. 2022 , 857-902 | | |
| 6 | How Surgery Affects Patients with Jaw Osteonecrosis? A Quality of Life Analysis Study. <i>Turk Osteoporoz Dergisi</i> , 2022 , 28, 41-47 | 3 | |
| 5 | Osteonecrosis of the jaw and antiresorptive agents in benign and malignant diseases: a critical review organized by ECTS <i>Journal of Clinical Endocrinology and Metabolism</i> , 2021 , | 5.6 | 2 |
| 4 | Ozone Infiltration for Osteonecrosis of the Jaw Therapy: A Case Series. 2022 , 11, 5307 | | O |
| 3 | Reporting Criteria for Clinical Trials on Medication-Related Osteonecrosis of the Jaw (MRONJ): A Review and Recommendations. 2022 , 11, 4097 | | O |
| 2 | Italian Position Paper (SIPMO-SICMF) on Medication-Related Osteonecrosis of the Jaw (MRONJ). | | O |
| 1 | Risk factors and CT findings associated with treatment outcomes in patients with medication-related osteonecrosis of the jaw: A retrospective study. | | O |