

CITATION REPORT

List of articles citing

A meta-analysis of the randomized controlled trials on elective neck dissection versus therapeutic neck dissection in oral cavity cancers with clinically node-negative neck

DOI: 10.1016/j.oraloncology.2011.03.009
Oral Oncology, 2011, 47, 320-4.

Source: <https://exaly.com/paper-pdf/51087472/citation-report.pdf>

Version: 2024-04-20

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
119	Interventions for the treatment of oral and oropharyngeal cancers: surgical treatment. 2011 , CD006205		39
118	Elective versus therapeutic neck dissection in the clinically node negative neck in early oral cavity cancers: do we have the answer yet?. <i>Oral Oncology</i> , 2011 , 47, 780-2	4.4	22
117	Imaging in oral cancers. 2012 , 22, 195-208		28
116	A meta-analysis of the randomized controlled trials on elective neck dissection versus therapeutic neck dissection in oral cavity cancers with clinically node-negative neck. 2012 , 2012, 8-9		
115	Cervical neck dissection for complete responders in head-and-neck: a utilitarian ideal? In regard to Thariat et al "Prediction of neck dissection requirement after definitive radiotherapy for head-and-neck squamous cell carcinoma." (<i>Int J Radiat Oncol Biol Phys</i> 2012;82:e367-e374). 2012 , 83, 768		3
114	Evidence-based practice: management of the clinical node-negative neck in early-stage oral cavity squamous cell carcinoma. 2012 , 45, 1181-93		26
113	Robot-assisted Supraomohyoid neck dissection via a modified face-lift or retroauricular approach in early-stage cN0 squamous cell carcinoma of the oral cavity: a comparative study with conventional technique. 2012 , 19, 3871-8		77
112	An update on squamous carcinoma of the oral cavity, oropharynx, and maxillary sinus. 2012 , 24, 307-16, x		16
111	Sentinel lymph node biopsy for the diagnosis of lymph node involvement in oral/oropharyngeal squamous cell carcinoma. 2012 ,		
110	Tumour infiltration depth \geq 4 mm is an indication for an elective neck dissection in pT1cN0 oral squamous cell carcinoma. <i>Oral Oncology</i> , 2012 , 48, 337-42	4.4	78
109	Elective neck dissection: the gold standard for oral cavity carcinoma. <i>Oral Oncology</i> , 2012 , 48, 291-2	4.4	2
108	Incidence of occult cervical metastasis in head and neck carcinomas: development over time. 2013 , 107, 384-7		30
107	Elective neck dissection vs observation in transorally treated early head and neck carcinomas with cN0 neck. 2013 , 133, 313-7		5
106	Lack of claudin-7 is a strong predictor of regional recurrence in oral and oropharyngeal squamous cell carcinoma. <i>Oral Oncology</i> , 2013 , 49, 998-1005	4.4	24
105	mTHPC mediated photodynamic therapy (PDT) of squamous cell carcinoma in the head and neck: a systematic review. <i>Oral Oncology</i> , 2013 , 49, 192-210	4.4	41
104	mTHPC-mediated photodynamic therapy of early stage oral squamous cell carcinoma: a comparison to surgical treatment. 2013 , 20, 3076-82		36
103	Emerging insights into head and neck cancer metastasis. 2013 , 35, 1669-78		37

102	Oral hybrid verrucous carcinoma: a clinical study. 2014 , 5, 257-62		2
101	Diagnostic value of retrospective PET-MRI fusion in head-and-neck cancer. 2014 , 14, 846		23
100	Regional failures after selective neck dissection in previously untreated squamous cell carcinoma of oral cavity. 2014 , 2014, 205715		5
99	Outcome and prognostic factors in T4a oropharyngeal carcinoma, including the role of HPV infection. 2014 , 2014, 390825		4
98	Sentinel node biopsy as an alternative to elective neck dissection for staging of early oral carcinoma. 2014 , 36, 241-6		19
97	Outcome after elective neck dissection and observation for the treatment of the clinically node-negative neck (cN0) in squamous cell carcinoma of the oropharynx. 2014 , 271, 567-74		6
96	Epidemiology and survival of HPV-related tonsillar carcinoma. 2014 , 3, 652-9		11
95	Tumour thickness as a predictor of nodal metastases in oral cancer: comparison between tongue and floor of mouth subsites. <i>Oral Oncology</i> , 2014 , 50, 1165-8	4.4	45
94	Multi-institutional investigation of the prognostic value of lymph node yield in advanced-stage oral cavity squamous cell carcinoma. 2014 , 36, 1446-52		20
93	Neck observation is appropriate in T1-2, cN0 oral squamous cell carcinoma without perineural invasion or lymphovascular invasion. <i>Oral Oncology</i> , 2014 , 50, 857-62	4.4	24
92	Sentinel lymph node biopsy for oral cancer: supporting evidence and recent novel developments. <i>Current Oncology Reports</i> , 2014 , 16, 385	6.3	5
91	Survival after curative surgical treatment for primary oral squamous cell carcinoma. 2014 , 42, 1572-6		32
90	Oral cavity squamous cell carcinoma: role of pretreatment imaging and its influence on management. 2014 , 69, 916-30		68
89	A clinical study of stage I and II squamous cell carcinoma of the tongue. 2015 , 25, 21-27		6
88	Primary cN0 lip squamous cell carcinoma and elective neck dissection: Systematic review and meta-analysis. 2015 , 37, 1392-400		17
87	Neck dissection for oral squamous cell carcinoma: our experience and a review of the literature. 2015 , 41, 299-305		4
86	Elective versus Therapeutic Neck Dissection in Node-Negative Oral Cancer. 2015 , 373, 521-9		604
85	Influence of surgical margins on local recurrence in T1/T2 oral squamous cell carcinoma. 2015 , 37, 1176-80		28

84	Oral cavity squamous cell carcinoma: factors related to occult lymph node metastasis. 2015 , 81, 248-54		19
83	Elective neck dissection versus observation in the clinically node negative neck in early oral cancer: Do we have the answer yet?. <i>Oral Oncology</i> , 2015 , 51, 963-965	4.4	11
82	Elective versus therapeutic neck dissection in node-negative oral cancer: Evidence from five randomized controlled trials. <i>Oral Oncology</i> , 2015 , 51, 976-981	4.4	65
81	Diagnostic evaluation of sentinel lymph node biopsy in early head and neck squamous cell carcinoma: a meta-analysis. 2015 , 37, 127-33		22
80	Current philosophy in the surgical management of neck metastases for head and neck squamous cell carcinoma. 2015 , 37, 915-26		39
79	Prospective study of ultrasound-guided fine-needle aspiration cytology and sentinel node biopsy in the staging of clinically negative T1 and T2 oral cancer. 2015 , 37, 1504-8		24
78	Elective neck dissection versus observation in early stage oral squamous cell carcinoma: recurrence and survival. 2016 , 42, 358-364		3
77	Trends in oral cavity cancer incidence, mortality, survival and treatment in the Netherlands. 2016 , 139, 574-83		69
76	Contralateral neck failure in lateralized oral squamous cell carcinoma. 2016 , 86, 188-92		10
75	Diagnostic and therapeutic features associated with modification of quality-of-life outcomes between one and six months after major surgery for head and neck cancer. 2016 , 82, 548-57		10
74	Management of neck metastases in head and neck cancer: United Kingdom National Multidisciplinary Guidelines. 2016 , 130, S161-S169		51
73	Sentinel lymph node biopsy in T1/T2 squamous cell carcinomas of the tongue: A prospective study. 2016 , 11, 600-604		18
72	Sentinel lymph node biopsy for the diagnosis of lymph node involvement in oral/oropharyngeal squamous cell carcinoma. 2016 ,		
71	Neck dissection versus "watchful-waiting" in early squamous cell carcinoma of the tongue our experience on 127 cases. 2016 , 25, 401-404		16
70	Sentinel lymph node biopsy reduces the incidence of secondary neck metastasis in patients with oral squamous cell carcinoma. 2016 , 5, 57-60		10
69	Tumoral Expression of CD44 and HIF1 β Predict Stage I Oral Cavity Squamous Cell Carcinoma Outcome. <i>Laryngoscope Investigative Otolaryngology</i> , 2016 , 1, 6-12	2.8	3
68	Prediction of occult lymph node metastasis in squamous cell carcinoma of the oral cavity and the oropharynx using peritumoral Prospero homeobox protein 1 lymphatic nuclear quantification. 2016 , 38, 1407-15		5
67	Level IIB Neck Dissection in Oral Squamous Cell Carcinoma: Science or Myth?. 2016 , 27, 1035-40		8

66	Oncologic safety of facial artery myomucosal flaps in oral cavity reconstruction. 2016 , 38 Suppl 1, E1200-2		4
65	Anatomic Invasive Depth Predicts Delayed Cervical Lymph Node Metastasis of Tongue Squamous Cell Carcinoma. 2016 , 40, 934-42		11
64	Preoperative ultrasonography for evaluation of clinically N0 neck in oral cavity carcinoma. 2017 , 45, 420-426		6
63	Elective neck dissection in unilateral carcinomas of the tongue: Unilateral versus bilateral approach. 2017 , 45, 579-584		6
62	A diagnosis system for detecting cervical lymph node metastasis in oral squamous cell carcinoma: Collective consideration of the results of multiple imaging modalities. 2017 , 29, 210-216		2
61	Squamous cell carcinoma of the anterior tongue: is tumour thickness an indicator for cervical metastasis?. 2017 , 46, 407-412		9
60	Neck failure after elective neck dissection in patients with oral squamous cell carcinoma. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2017 , 124, 32-36	2	7
59	Recurrent oral cavity cancer: Patterns of failure after salvage multimodality therapy. 2017 , 39, 633-638		14
58	Metastatic pattern in squamous cell carcinoma of the hard palate and maxillary alveolar ridge: clinical experience and review of the literature. 2017 , 1, 7-14		
57	Correlation between podoplanin expression and extracapsular spread in squamous cell carcinoma of the oral cavity using subjective immunoreactivity scores and semiquantitative image analysis. 2017 , 39, 98-108		10
56	Variation in treatment and outcome in the early stage oral cavity squamous cell carcinoma. 2017 , 274, 953-960		10
55	Sentinel lymph node biopsy for early oral cancers: Westmead Hospital experience. 2017 , 87, 65-69		11
54	Nanomaterials: promising structures for the management of oral cancer. 2017 , 511-544		7
53	Depth of invasion and GLUT-1 as risk predictors in oral squamous cell carcinoma: An immunohistochemical study. 2017 , 2, 2057178X1668969		2
52	Pre-Radiation dental considerations and management for head and neck cancer patients. <i>Oral Oncology</i> , 2018 , 76, 42-51	4.4	21
51	Clinical analysis of neck node metastasis in oral cavity cancer. 2018 , 44, 282-288		8
50	Association of neck dissection with survival for early stage N0 tongue cancer: A SEER population-based study. 2018 , 97, e13633		7
49	Interventions for the treatment of oral and oropharyngeal cancers: surgical treatment. 2018 , 12, CD006205		13

48	Oral cancers: Current status. <i>Oral Oncology</i> , 2018 , 87, 64-69	4.4	36
47	Cumulative incidence of neck recurrence with increasing depth of invasion. <i>Oral Oncology</i> , 2018 , 87, 36-42	4.4	14
46	Standardtherapie von Plattenepithelkarzinomen der Mundhöhle gem Leitlinien. 2018 , 11, 5-14		2
45	Cancers of the Oral Cavity: Diagnosis and Treatment. 2018 ,		
44	Elective Neck Dissection Versus Observation in Squamous Cell Carcinoma of Oral Cavity With Clinically N0 Neck: A Systematic Review and Meta-Analysis of Prospective Studies. 2019 , 77, 184-194		27
43	Prediction of Occult Lymph Node Metastasis in Head and Neck Cancer with CD31 Vessel Quantification. <i>Otolaryngology - Head and Neck Surgery</i> , 2019 , 160, 277-283	5.5	6
42	Elective Versus Therapeutic Neck Dissection for Clinically Node Negative Early Oral Cancer. 2019 , 3-11		
41	Can pattern and depth of invasion predict lymph node relapse and prognosis in tongue squamous cell carcinoma. 2019 , 19, 714		21
40	Sentinel Lymph Node Biopsy Using Preoperative Computed Tomographic Lymphography and Intraoperative Indocyanine Green Fluorescence Imaging in Patients With Localized Tongue Cancer. 2019 , 145, 735-740		11
39	Health-related quality of life in patients with T1N0 oral squamous cell carcinoma: selective neck dissection compared with wait and watch surveillance. 2019 , 57, 649-654		8
38	Comparison of retroauricular and small transcervical approaches for endoscopic-assisted selective neck dissection: a cadaveric study. 2019 , 48, 584-589		1
37	Controversies in relation to neck management in N0 early oral tongue cancer. 2019 , 49, 297-305		19
36	Guidelines for the Surgical Management of Oral Cancer: Korean Society of Thyroid-Head and Neck Surgery. 2019 , 12, 107-144		27
35	Elective Neck Dissection Versus Wait-and-Watch Policy for Oral Cavity Squamous Cell Carcinoma in Early Stage: A Systematic Review and Meta-Analysis Based on Survival Data. 2019 , 77, 2154-2167		14
34	Management of the Neck in Squamous Cell Carcinoma of the Oral Cavity and Oropharynx: ASCO Clinical Practice Guideline. 2019 , 37, 1753-1774		94
33	A Multicenter Retrospective Study of Elective Neck Dissection for T1-2N0M0 Tongue Squamous Cell Carcinoma: Analysis Using Propensity Score-Matching. 2019 , 26, 555-563		10
32	Neck nodal recurrence and survival of clinical T1-2 N0 oral squamous cell carcinoma in comparison of elective neck dissection versus observation: A meta-analysis. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2020 , 129, 296-310	2	10
31	Management of the neck in oral cancers. <i>Oral Oncology</i> , 2020 , 100, 104476	4.4	10

30	Clinical Spectrum, Pattern, and Level-Wise Nodal Involvement Among Oral Squamous Cell Carcinoma Patients - Audit of 945 Oral Cancer Patient Data. 2020 , 11, 86-91		2
29	Pathological responses to low-dose irradiation and Pepleomycin in Oral squamous cell carcinoma are predictive of Locoregional control. 2020 , 20, 1216		
28	Extent of neck dissection for patients with clinical N1 oral cancer. 2020 , 25, 1067-1071		5
27	Management of the clinically N neck in early-stage oral squamous cell carcinoma (OSCC). An EACMFS position paper. 2020 , 48, 711-718		15
26	Elective neck dissection in T1/T2 oral squamous cell carcinoma with N0 neck: essential or not? A systematic review and meta-analysis. 2020 , 277, 1741-1752		14
25	Detection of Occult Metastases in Patients with T1 and T2 Stage Lower Lip Squamous Cell Carcinomas after Positive Lymphoscintigraphy. 2020 , 10,		1
24	Tumor histologic grade as a risk factor for neck recurrence in patients with T1-2N0 early tongue cancer. <i>Oral Oncology</i> , 2020 , 106, 104706	4.4	2
23	Actin-Associated Gene Expression is Associated with Early Regional Metastasis of Tongue Cancer. 2021 , 131, 813-819		6
22	Reconstructive Options in the Vessel-Depleted Neck: Past, Present and Future Strategies. 2021 , 211-226		
21	Circulating hybrid cells predict presence of occult nodal metastases in oral cavity carcinoma. 2021 , 43, 2193-2201		3
20	Functional Outcomes with Facial Artery Musculo-Mucosal (FAMM) Flap and Dental Implants for Reconstruction of Floor of the Mouth and Tongue Defects in Oncologic Patients. 2021 , 10,		1
19	Impact of Preoperative Risk Factors on Inpatient Stay and Facility Discharge After Free Flap Reconstruction. <i>Otolaryngology - Head and Neck Surgery</i> , 2021 , 1945998211037541	5.5	0
18	Clinical characterization and treatment of head and neck mucosal melanoma: a Chilean experience. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 , 132, 273-280	2	
17	Lip and Oral Cavity Squamous Cell Carcinoma. <i>Hematology/Oncology Clinics of North America</i> , 2021 , 35, 895-911	3.1	2
16	PARP1/2 imaging with 18F-PARPi in patients with head and neck cancer.		2
15	MFAP5 and TNNC1: Potential markers for predicting occult cervical lymphatic metastasis and prognosis in early stage tongue cancer. <i>Oncotarget</i> , 2017 , 8, 2525-2535	3.3	22
14	Indian clinical practice consensus guidelines for the management of oral cavity cancer. <i>Indian Journal of Cancer</i> , 2020 , 57, S6-S8	0.9	3
13	Clinical outcome of surgical treatment of T1-2 N0 squamous cell carcinoma of oral tongue with observation for the neck: Analysis of 176 cases. <i>Annals of Maxillofacial Surgery</i> , 2016 , 6, 235-240	1	5

12	An Epidemiological Model to Find out Factors Associated with Nodal Involvement among Indian Oral Cancer Patients. <i>Open Journal of Epidemiology</i> , 2018 , 08, 117-129	0.2	1
11	Occult Nodal Metastasis in Oral Cavity Cancers. <i>Cureus</i> , 2020 , 12, e11640	1.2	3
10	Role of Surgery in Treatment of Head and Neck Cancer. 2013 , 509-562		0
9	Depth of tumor infiltration as a prognosticator in pT1-2 cN0 oral squamous cell carcinoma thereby need for elective neck dissection [A meta-analysis. <i>Cancer Research Statistics and Treatment</i> , 2019 , 2, 61	0.3	2
8	Sentinel lymph node biopsy in squamous cell carcinoma of the head and neck: 10 years of experience. <i>Acta Otorhinolaryngologica Italica</i> , 2012 , 32, 18-25	2.8	17
7	Standardized Diagnostic Workup and Patient-Centered Decision Making for Surgery and Neck Dissection Followed by Risk-Factor Adapted Adjuvant Therapy Improve Loco-Regional Control in Local Advanced Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 737080	5.3	
6	Elective Neck Dissection Versus Therapeutic Neck Dissection in Clinically Node-Negative Early Stage Oral Cancer: A Meta-analysis of Randomized Controlled Trials. <i>Journal of Maxillofacial and Oral Surgery</i> , 1	0.9	0
5	Critical Review of the Current Evidence on Sentinel Node Biopsy in Oral Cancer.. <i>Current Oncology Reports</i> , 2022 , 1	6.3	0
4	Development of a radiomics and machine learning model for predicting occult cervical lymph node metastasis in patients with tongue cancer.. <i>Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology</i> , 2021 ,	2	1
3	Patients of stage I oral cancer with pathologically low-risk feature managed by primary tumor resection alone: Impact of depth of invasion and a nomogram analysis. <i>Laryngoscope Investigative Otolaryngology</i> ,	2.8	
2	Expression of defensin-associated gene can be correlated with lymph node metastasis of early stage tongue cancer.		1
1	A Clinicopathological Evaluation of the Correlation of Carcinoma Oral Tongue (Anterior Two Thirds) with Cervical Nodal Metastasis to Assess the Level of Neck Dissection: A Hospital Based Prospective Study. 2023 , 75, 80-87		0