## CITATION REPORT List of articles citing

(18)FDG-PET/CT for detecting distant metastases and second primary cancers in patients with head and neck cancer. A meta-analysis

DOI: 10.1016/j.oraloncology.2011.04.021 Oral Oncology, 2011, 47, 560-5.

Source: https://exaly.com/paper-pdf/51087513/citation-report.pdf

Version: 2024-04-18

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
105	Surgical management of metastatic spinal tumors. <b>2012</b> , 19, 122-8		76
104	Newer Methods for Improving Yield from FDG-PET Imaging for Accurate Staging, Determining Tumor Biology, and Assessing Prognosis. <b>2012</b> , 7, 425-30		
103	Evidence-based practice: endoscopic skull base resection for malignancy. <b>2012</b> , 45, 1127-42		13
102	FDG-PET/CT Initial and Subsequent Therapy Evaluation: Progressing to PET/MR Imaging. <b>2012</b> , 7, 369-8	30	2
101	Distant metastases from head and neck squamous cell carcinoma. Part II. Diagnosis. <i>Oral Oncology</i> , <b>2012</b> , 48, 780-6	4.4	27
100	PET/CT: Emphasis and current utility in oral cancer. <i>Oral Oncology</i> , <b>2012</b> , 48, e42	4.4	1
99	18F-FDG PET/CT for detecting distant metastases in patients with recurrent head and neck squamous cell carcinoma. <b>2012</b> , 106, 708-12		32
98	HPV status and second primary tumours in oropharyngeal squamous cell carcinoma. 2013, 42, 36		51
97	[IE]fluoro-2-deoxy-d-glucose positron emission tomography/computed tomography imaging in oncology: initial staging and evaluation of cancer therapy. <b>2013</b> , 22, 427-37		23
96	Initial staging of squamous cell carcinoma of the oral cavity, larynx and pharynx (excluding nasopharynx). Part 2: Remote extension assessment and exploration for secondary synchronous locations outside of the upper aerodigestive tract. 2012 SFORL guidelines. <b>2013</b> , 130, 107-12		32
95	Bilan initial des carcinomes pidermode de la cavitibuccale, du larynx et du pharynx (cavum exclu). Partie 2´: bilan dextension ^distance et recherche de secondes localisations synchrones hors voies afodigestives supfieures. Recommandations de la SFORL 2012. <b>2013</b> , 130, 112-117		
94	Role of positron emission tomography/computed tomography (PET/CT) in head and neck cancer. <b>2013</b> , 51, 881-93		25
93	Cancer. <b>2013</b> , 204-217		1
92	18F-FDG-PET/CT for the assessment of the contralateral neck in patients with head and neck squamous cell carcinoma. <b>2013</b> , 123, 1210-5		13
91	(18)F-FDG PET/CT surveillance at 3-6 and 12 months for detection of recurrence and second primary cancer in patients with head and neck squamous cell carcinoma. <b>2013</b> , 109, 2973-9		56
90	Adding maximum standard uptake value of primary lesion and lymph nodes in 18F-fluorodeoxyglucose PET helps predict distant metastasis in patients with nasopharyngeal carcinoma. <b>2014</b> , 9, e103153		11
89	Role of (18)F-FDG PET/CT in pre and post treatment evaluation in head and neck carcinoma. <b>2014</b> , 6, 177-91		42

88	Positron Emission Tomography (PET) in Oncology. <b>2014</b> , 6, 1821-89	167
87	Accuracy of (18)F-flurodeoxyglucose-positron emission tomography/computed tomography in the staging of newly diagnosed nasopharyngeal carcinoma: a systematic review and meta-analysis. <b>2014</b> , 48, 331-8	27
86	[Imaging in head and neck cancers]. <b>2014</b> , 101, 469-80	6
85	Prognostic value of metabolic tumor volume and total lesion glycolysis in head and neck cancer: a systematic review and meta-analysis. <b>2014</b> , 55, 884-90	205
84	18FDG PET-CT for distant metastases in patients with recurrent head and neck cancer after definitive treatment. A meta-analysis. <i>Oral Oncology</i> , <b>2014</b> , 50, 163-7	32
83	18F-fluoro-deoxy-glucose-positron emission tomography/computed tomography in diagnosis of head and neck squamous cell carcinoma: a systematic review and meta-analysis. <b>2014</b> , 50, 2271-9	36
82	Present and future role of FDG-PET/CT imaging in the management of head and neck carcinoma. <b>2015</b> , 33, 776-89	5
81	Meta-analysis of (18) fluorodeoxyglucose positron emission tomography-CT for diagnosis of lung malignancies in patients with head and neck squamous cell carcinomas. <b>2015</b> , 37, 1680-4	8
80	FDG PET/CT for Management and Assessing Outcomes of Squamous Cell Cancer of the Oral Cavity. <b>2015</b> , 205, W150-61	18
79	The role of PET-CT in radiotherapy planning of solid tumours. <b>2015</b> , 49, 1-9	13
78	18F FDG PET/CT and Head and Neck Cancer: Patient Management and Outcomes. 2015, 10, 125-45	18
77	H-fluorodeoxyglucose-positron emission tomography/computed tomography in malignancies of the thyroid and in head and neck squamous cell carcinoma: a review of the literature. <b>2015</b> , 10, 75-88	5
76	PET/CT in Head-neck Malignancies: The Implications for Personalized Clinical Practice. 2016, 11, 219-32	10
75	Impact of (18)F-FDG PET/CT staging on management and prognostic stratification in head and neck squamous cell carcinoma: A prospective observational study. <b>2016</b> , 63, 88-96	27
74	Cancer of the Hypopharynx. <b>2016</b> , 65-82	
73	Incidental focal F-FDG uptake in the frontal process of the maxilla on PET/CT: prevalence and clinical significance. <b>2016</b> , 30, 619-623	
72	The surgical management and treatment of metastatic lesions in the proximal femur: A mini review. <b>2016</b> , 95, e3892	10
71	Pretreatment screening for distant metastases in the Dutch head and neck centers: 10 years later. <b>2016</b> , 273, 3287-91	3

70	Predictive factors for long-term survival in head and neck squamous cell carcinoma patients with distant metastasis after initial definitive treatment. <b>2016</b> , 142, 295-304	8
69	FDG PET/CT in cancer: comparison of actual use with literature-based recommendations. <b>2016</b> , 43, 695-706	40
68	FDG-PET/contrast-enhanced CT as a post-treatment tool in head and neck squamous cell carcinoma: comparison with FDG-PET/non-contrast-enhanced CT and contrast-enhanced CT. <b>2016</b> , 26, 1018-30	26
67	Screening for distant metastases in head and neck cancer patients using FDG-PET and chest CT: validation of an algorithm. <b>2016</b> , 273, 2643-50	14
66	F-FLT and F-FDG PET/CT in Predicting Response to Chemoradiotherapy in Nasopharyngeal Carcinoma: Preliminary Results. <b>2017</b> , 7, 40552	16
65	[PET-CT in head and neck cancer]. <b>2017</b> , 65, 504-513	3
64	Chapter 3 The Role of PET/CT in Squamous Cell Carcinoma of the Head and Neck. 2017, 38, 479-494	6
63	Head-to-Head Comparison of Chest X-Ray/Head and Neck MRI, Chest CT/Head and Neck MRI, and F-FDG PET/CT for Detection of Distant Metastases and Synchronous Cancer in Oral, Pharyngeal, and Laryngeal Cancer. <b>2017</b> , 58, 1919-1924	48
62	Basic and important points regarding the diagnosis of oral cancers using fluorine-18-labeled fluoro-2-deoxy-d-glucose positron emission tomographydomputed tomography: a review. <b>2017</b> , 33, 170-177	
61	The adverse impact of surveillance intervals on the sensitivity of FDG-PET/CT for the detection of distant metastases in head and neck cancer patients. <b>2017</b> , 274, 1113-1120	6
60	Usefulness of esophagogastroduodenoscopy and F-fluorodeoxyglucose positron-emission tomography in detecting synchronous multiple primary cancers with oral cancer. <b>2017</b> , 21, 391-396	1
59	Clinical Practice in PET/CT for the Management of Head and Neck Squamous Cell Cancer. <b>2017</b> , 209, 289-303	69
58	Multimodal Imaging of Head and Neck Squamous Cell Carcinoma. <b>2017</b> , 24, 172-179	8
57	Brain metastasis from oral cancer. <b>2017</b> , 29, 66-70	
56	Guidelines for the Surgical Management of Laryngeal Cancer: Korean Society of Thyroid-Head and Neck Surgery. <b>2017</b> , 10, 1-43	35
55	Prognostic value of 18F-FDG-PET/CT in patients with nasopharyngeal carcinoma: a systematic review and meta-analysis. <b>2017</b> , 8, 33884-33896	25
54	Clinical value of FDG PET/CT in screening for distant metastases in head and neck squamous cell carcinoma. <b>2018</b> , 43, 875-881	6
53	Detection of Distant Metastases in Head and Neck Cancer: Changing Landscape. <b>2018</b> , 35, 161-172	10

52	Diagnostic performance of fluorodesoxyglucose positron emission/computed tomography and magnetic resonance imaging in detecting T1-T2 head and neck squamous cell carcinoma. <b>2018</b> , 128, 378-385	9
51	PET-Computed Tomography in Head and Neck Cancer: Current Evidence and Future Directions. <b>2018</b> , 26, 37-49	7
50	Up-front PET/CT changes treatment intent in patients with head and neck squamous cell carcinoma. <b>2018</b> , 45, 613-621	11
49	Update 2018: 18F-FDG PET/CT and PET/MRI in Head and Neck Cancer. <b>2018</b> , 43, e439-e452	7
48	IntfE complinentaire de la TEP/TDM au FDG et de limagerie conventionnelle dans le bilan initial et le suivi post-thiapeutique des cancers des VADS : recommandations et perspectives. <b>2018</b> , 42, 422-427	
47	Prognostic significance of combined pretreatment lymphocyte counts and body mass index in patients with head and neck cancer treated with radiation therapy. <b>2018</b> , 7, 2808	4
46	Evidence-Based Practice: Endoscopic Skull Base Resection for Malignancy. <b>2018</b> , 149-161	
45	PET/CT prior to salvage surgery in recurrent head and neck squamous cell carcinoma. <b>2019</b> , 276, 2895-2902	2
44	Appropriate timing of surveillance intervals with whole-body F-FDG PET/CT following treatment for sinonasal malignancies. <b>2019</b> , 118, 75-80	3
43	Clinical utility of F-FDG PET/CT for patients with recurrent head and neck squamous cell carcinoma. <b>2019</b> , 139, 810-815	2
42	Second primary cancers in patients with oral cavity cancer included in the Korea Central Cancer Registry. <i>Oral Oncology</i> , <b>2019</b> , 95, 16-28	5
41	Carcinomes des VADS l'Adfiopathies cervicales ml'astatiques sans primitif connu l'Cancers des glandes salivaires. <b>2019</b> , 43, 8-29	1
40	Guidelines for the Surgical Management of Oral Cancer: Korean Society of Thyroid-Head and Neck Surgery. <b>2019</b> , 12, 107-144	27
39	18F-FDG PET/CT in staging and delineation of radiotherapy volume for head and neck cancer. <b>2019</b> , 38, 154-159	Ο
38	Molecular Imaging with Positron Emission Tomography. <b>2019</b> , 437-483	
37	Workup of Suspected Chest Metastases on F-FDG-PET/CT in Head and Neck Cancer: Worth the Wait?. <b>2019</b> , 98, 158-164	2
36	F-FDG PET/CT in staging and delineation of radiotherapy volume for head and neck cancer. <b>2019</b> , 38, 154-159	2
35	Performance of whole-body F-FDG PET/CT as a posttreatment surveillance tool for sinonasal malignancies. <b>2019</b> , 276, 847-855	4

34	Gluteus medius muscle metastasis of squamous cell carcinoma of larynx: a rare case. <b>2020</b> , 86 Suppl 1, 23-25	2
33	Distant metastases and synchronous malignancies on FDG-PET/CT in patients with head and neck cancer: a retrospective study. <b>2020</b> , 61, 1196-1204	O
32	Positron Emission Tomography in Head and Neck Cancer. <b>2020</b> , 467-494	
31	Oligometastatic Disease Management: Finding the Sweet Spot. <b>2020</b> , 10, 617793	4
30	Integration of 18-FDG PET/CT in the Initial Work-Up to Stage Head and Neck Cancer: Prognostic Significance and Impact on Therapeutic Decision Making. <b>2020</b> , 7, 273	1
29	Addressing the contralateral neck for ipsilateral disease recurrence in oral cavity cancers. <b>2021</b> , 47, 1384-1	388 1
28	Impact of FDG-PET/CT on restaging and response evaluation of locally advanced head and neck cancer patient management. 1-10	
27	PET/CT versus PET/MRT bei Kopf-Hals-Tumoren. <b>2021</b> , 42, 354-360	
26	FDG-PET/CT identified distant metastases and synchronous cancer in squamous cell carcinoma of the head and neck: the impact of smoking and P16-s. <b>2021</b> , 1	
25	PET Imaging for Head and Neck Cancers. <b>2021</b> , 59, 773-788	4
25 24	PET Imaging for Head and Neck Cancers. 2021, 59, 773-788  A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. 2018, 59, 575-581	5
	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in	5 26
24	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. <b>2018</b> , 59, 575-581	
24	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. <b>2018</b> , 59, 575-581  Appropriateness criteria of FDG PET/CT in oncology. <b>2015</b> , 25, 88-101  Positron Emission Tomography in Mucosal Melanomas of Head and Neck: Results from a South	26
24 23 22	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. 2018, 59, 575-581  Appropriateness criteria of FDG PET/CT in oncology. 2015, 25, 88-101  Positron Emission Tomography in Mucosal Melanomas of Head and Neck: Results from a South Asian Tertiary Cancer Care Center. 2017, 16, 197-201  Second primary malignancies in laryngeal carcinoma patients treated with definitive radiotherapy.	26 4
24 23 22 21	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. 2018, 59, 575-581  Appropriateness criteria of FDG PET/CT in oncology. 2015, 25, 88-101  Positron Emission Tomography in Mucosal Melanomas of Head and Neck: Results from a South Asian Tertiary Cancer Care Center. 2017, 16, 197-201  Second primary malignancies in laryngeal carcinoma patients treated with definitive radiotherapy. 2019, 56, 29-34  Role of PET/CT in treatment planning for head and neck cancer patients undergoing definitive	26 4 3
24 23 22 21 20	A PET/CT-Based Strategy Is a Stronger Predictor of Survival Than a Standard Imaging Strategy in Patients with Head and Neck Squamous Cell Carcinoma. 2018, 59, 575-581  Appropriateness criteria of FDG PET/CT in oncology. 2015, 25, 88-101  Positron Emission Tomography in Mucosal Melanomas of Head and Neck: Results from a South Asian Tertiary Cancer Care Center. 2017, 16, 197-201  Second primary malignancies in laryngeal carcinoma patients treated with definitive radiotherapy. 2019, 56, 29-34  Role of PET/CT in treatment planning for head and neck cancer patients undergoing definitive radiotherapy. 2014, 15, 10899-903	<ul><li>26</li><li>4</li><li>3</li><li>2</li></ul>

## CITATION REPORT

16	PET in the Diagnosis of Head and Neck Cancer. <b>2020</b> , 187-221		
15	F-18 FDG PET Tests in Head and Neck Cancer. <b>2021</b> , 51-69		
14	Diagnostic Imaging of Oral Squamous Cell Carcinoma. <b>2020</b> , 127-140		
13	Tumoren im Kopf-Hals-Bereich. <b>2022</b> , 230-241		
12	Imaging Considerations for Laryngeal Cancer Surgery. <b>2021</b> , 369-401		
11	Treatment of Head and Neck Cancers Using Radiotherapy.		
10	Oral Cancer: What the General Surgeon Should Know <b>2022</b> , 102, 309-324		
9	PET Imaging of Oral Cavity and Oropharyngeal Cancers 2022,		
8	Table_1.docx. <b>2020</b> ,		
7	Table_2.docx. <b>2020</b> ,		
6	Correlation between lifestyles of tobacco smoking and alcohol drinking, and expression of p53 and GLUT1 in synchronous oral squamous cell carcinoma with colorectal cancer. <b>2022</b> ,		
5	Oligometastasis in head and neck squamous cell carcinoma. <i>International Journal of Radiation Oncology Biology Physics</i> , <b>2022</b> ,	4	Ο
4	Detection of distant metastases and distant second primary cancers in head and neck squamous cell carcinoma: comparison of [18F]FDG PET/MRI and [18F]FDG PET/CT. <i>Insights Into Imaging</i> , <b>2022</b> , 13,	5.6	1
3	89Zr-panitumumab combined with 18F-FDG-PET improves detection and staging of head and neck squamous cell carcinoma.		Ο
2	Real-Life Performance of F-18-FDG PET/CT in Patients with Cervical Lymph Node Metastasis of Unknown Primary Tumor. <b>2022</b> , 10, 2095		O
1	The oligometastatic setting in HNSCC: A critical review by the Rete Oncologica Piemonte e Valle d?Aosta multidisciplinary team. <b>2023</b> , 185, 103968		O