

CITATION REPORT

List of articles citing

Cationic and anionic dye adsorption by agricultural solid wastes: A comprehensive review

DOI: 10.1016/j.desal.2011.07.019
Desalination, 2011, 280, 1-13.

Source: <https://exaly.com/paper-pdf/51157729/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1164	Bidirectionally pH-Responsive Zwitterionic Polymer Hydrogels with Switchable Selective Adsorption Capacities for Anionic and Cationic Dyes.		
1163	Equilibrium, kinetic, and thermodynamic studies of Basic Blue 9 dye sorption on agro-industrial lignocellulosic materials. 2012 , 10, 1913-1926		5
1162	Use of <i>Spirulina platensis</i> micro and nanoparticles for the removal synthetic dyes from aqueous solutions by biosorption. 2012 , 47, 1335-1343		62
1161	Removal of anionic dye Congo red from aqueous solution by raw pine and acid-treated pine cone powder as adsorbent: equilibrium, thermodynamic, kinetics, mechanism and process design. 2012 , 46, 1933-46		543
1160	Biocomposite fiber of calcium alginate/multi-walled carbon nanotubes with enhanced adsorption properties for ionic dyes. 2012 , 90, 399-406		101
1159	Sodium alginate/Na ⁺ -rectorite composite microspheres: preparation, characterization, and dye adsorption. 2012 , 90, 853-8		30
1158	Adsorption of an industrial anionic dye by modified-KSF-montmorillonite: Evaluation of the kinetic, thermodynamic and equilibrium data. 2012 , 203, 259-268		88
1157	Survey of recent trends in biochemically assisted degradation of dyes. 2012 , 209, 520-530		135
1156	Potential of Canola Stalk as Biosorbent for the Removal of Remazol Black B Reactive Dye from Aqueous Solutions. 2012 , 32, 328-341		10
1155	Kinetics and Mechanism of Tartrazine Adsorption onto Chitin and Chitosan. 2012 , 51, 6862-6868		100
1154	Industrial Cellulignin Wastes as Adsorbent for Removal of Methylene Blue Dye from Aqueous Solutions. 2012 , 8,		7
1153	Batch adsorption of basic dye using acid treated kenaf fibre char: Equilibrium, kinetic and thermodynamic studies. 2012 , 181-182, 449-457		240
1152	Sorption equilibrium, kinetic, thermodynamic, and desorption studies of Reactive Red 120 on <i>Chara contraria</i> . 2012 , 191, 228-235		75
1151	Adsorption of malachite green from aqueous solution by naoh-modified rice husk: Fixed-bed column studies. 2013 , 32, 633-639		17
1150	Removal of dyes using agricultural waste as low-cost adsorbents: a review. 2013 , 3, 773-790		279
1149	Kinetic and Thermodynamic Studies of the Adsorption of Several Anionic Dyes From Water Samples on Magnetite-Modified Multi-Walled Carbon Nanotubes. 2013 , 48, 2638-2648		9
1148	A novel water treatment magnetic nanomaterial for removal of anionic and cationic dyes under severe condition. 2013 , 233, 258-264		91

1147	Sequestration of dye from textile industry wastewater using agricultural waste products as adsorbents. 2013 , 1, 629-641	120
1146	Predictive modeling of an azo metal complex dye sorption by pumpkin husk. 2013 , 20, 7355-66	14
1145	Sorption and desorption studies of a reactive azo dye on effective disposal of redundant material. 2013 , 20, 4647-58	14
1144	Adsorption of Direct Blend Yellow D-3RNL onto bamboo-base activated carbon: optimization, kinetics, and isotherm. 2013 , 51, 5792-5804	3
1143	Optimization of Biosorption Conditions for Color Removal by Taguchi DOE Methodology. 2013 , 32, 1129-1133	8
1142	Dye anionic sorption in aqueous solution onto a cellulose surface chemically modified with aminoethanethiol. 2013 , 218, 89-98	88
1141	Adsorptive removal of rhodamine B from textile wastewater using water chestnut (<i>Trapa natans</i> L.) peel: adsorption dynamics and kinetic studies. 2013 , 95, 919-931	82
1140	Color removal from aqueous solutions of metal-containing dye using pine cone. 2013 , 51, 4573-4581	14
1139	Optimization of methyl orange bioremoval by <i>Prunus amygdalus</i> L. (almond) shell waste: Taguchi methodology approach and biosorption system design. 2013 , 51, 7067-7073	4
1138	Designed synthesis of hematite-based nanosorbents for dye removal. 2013 , 1, 9837	69
1137	Batch and fixed bed adsorption study for the removal of Drimarine Black CL-B dye from aqueous solution using a lignocellulosic waste: A cost affective adsorbent. 2013 , 50, 568-579	82
1136	Adsorption properties of dye imprinted polysiloxane composite microspheres using strong basic anion-exchange resin as matrix. 2013 , 51, 7604-7611	2
1135	Coalesced chitosan activated carbon composite for batch and fixed-bed adsorption of cationic and anionic dyes. 2013 , 105, 199-206	107
1134	Evaluation of the individuality of white rot macro fungus for the decolorization of synthetic dye. 2013 , 20, 238-49	15
1133	Adsorption of phenol from aqueous solutions by <i>Luffa cylindrica</i> fibers: Kinetics, isotherm and thermodynamic studies. 2013 , 39, 215-223	84
1132	Evaluation of polystyrene anion exchange resin for removal of reactive dyes from aqueous solutions. 2013 , 91, 1343-1351	32
1131	Removal of uranyl ions in aquatic mediums by using a new material: gallocyanine grafted hydrogel. 2013 , 254-255, 397-405	39
1130	Dye removal by almond shell residues: studies on biosorption performance and process design. 2013 , 33, 2821-6	28

1129	Continuous sorption of synthetic dyes on dried biomass of microalga <i>Chlorella pyrenoidosa</i> . 2013 , 67,	17
1128	The use of low-cost adsorbents for wastewater purification in mining industries. 2013 , 20, 7878-99	70
1127	Modeling studies: Adsorption of aniline blue by using <i>Prosopis Juliflora</i> carbon/Ca/alginate polymer composite beads. 2013 , 92, 2171-80	40
1126	Adsorption of anionic and cationic dyes from single and binary systems by industrial waste lead/zinc mine tailings. 2013 , 3, 10745	22
1125	Biosorption of toxic congo red dye from aqueous solution by eco-friendly biosorbent <i>Saccharum bengalense</i> : kinetics and thermodynamics. 2013 , 51, 5638-5648	9
1124	Investigation of equilibrium, kinetic, thermodynamic and mechanism of Basic Blue 16 adsorption by montmorillonitic clay. 2013 , 19, 757-768	32
1123	Tobacco Stem Ash as an Adsorbent for Removal of Methylene Blue from Aqueous Solution: Equilibrium, Kinetics, and Mechanism of Adsorption. 2013 , 224, 1	33
1122	Negative Solvatochromism of an Anionic Thiazole-Based Dye. 2013 , 2, 498-503	14
1121	Optimizing Dye Adsorption Onto a Waste-Derived (Modified Charcoal Ash) Adsorbent Using Box-Behnken and Central Composite Design Procedures. 2013 , 224, 1	16
1120	Sorption of Methylene Blue and Acid Orange 7 onto <i>Ananas comosus</i> Peels and Leaves Based Activated Carbon. 2013 , 330, 112-116	3
1119	Hypercrosslinked Polymers Preparation VS Methylene Blue Adsorption. 2013 , 743-744, 539-544	
1118	Removal of Cationic Dyes by Polyphenylene Sulfide-Based Strong Acid Ion Exchange Fiber. 2013 , 743-744, 567-572	
1117	Adsorption of crystal violet from aqueous solution by chemically modified phoenix tree leaves in batch mode. 2013 , 1-11	2
1116	Adsorption of neutral red and malachite green onto grapefruit peel in single and binary systems. 2013 , 85, 466-77	10
1115	Equilibrium and thermodynamics of azo dyes biosorption onto <i>Spirulina platensis</i> . 2013 , 30, 13-21	59
1114	Adsorption properties of low-cost biomaterial derived from <i>Prunus amygdalus</i> L. for dye removal from water. 2013 , 2013, 961671	27
1113	Recent advances in heterogeneous photocatalytic decolorization of synthetic dyes. 2014 , 2014, 692307	194
1112	Carrier Assisted Emulsion Liquid Membrane Process for Recovery of Basic Dye from Wastewater using Continuous Extractor. 2014 , 67,	4

1111	Performance evaluation of SBR for the treatment of dyeing wastewater by simultaneous biological and adsorption processes. 2014 , 4, 82-90	33
1110	Comparative Study on the Adsorption of Tartrazine and Indigo Carmine onto Maize Cob Carbon. 2014 , 49, 877-886	16
1109	Green Adsorbents for Wastewaters: A Critical Review. 2014 , 7, 333-364	228
1108	Assessment of food processing and pharmaceutical industrial wastes as potential biosorbents: a review. 2014 , 2014, 146769	24
1107	Biosorption of Drimarine Blue HF-RL using raw, pretreated, and immobilized peanut hulls. 2014 , 52, 7339-7353	4
1106	Fixed-bed column studies for the removal of cationic and anionic dyes by chemically modified oil palm empty fruit bunch fibers: single- and multi-solute systems. 2014 , 1-8	3
1105	Application of conventional and statistical experimental methodology to optimize malachite green dye removal from aqueous solutions. 2014 , 1-13	5
1104	Use of Chitosan with Different Deacetylation Degrees for the Adsorption of Food Dyes in a Binary System. 2014 , 42, 767-774	13
1103	Responsive Nanoporous Smectic Liquid Crystal Polymer Networks as Efficient and Selective Adsorbents. 2014 , 24, 5045-5051	87
1102	Adsorption of basic red 9 on activated waste <i>Gossypium hirsutum</i> seeds: Process modeling, analysis and optimization using statistical design. 2014 , 20, 2699-2709	44
1101	Evaluation of peanut husk as a novel, low cost biosorbent for the removal of Indosol Orange RSN dye from aqueous solutions: batch and fixed bed studies. 2014 , 16, 527-544	60
1100	Effective removal of maxilon red grl from aqueous solutions by walnut shell: Nonlinear kinetic and equilibrium models. 2014 , 33, 396-401	7
1099	Batch and fixed bed column studies for the removal of Indosol Yellow BG dye by peanut husk. 2014 , 45, 541-553	137
1098	Aluminum-doped zinc oxide powders: synthesis, properties and application. 2014 , 25, 678-692	11
1097	Potential use of low-cost lignocellulosic waste for the removal of direct violet 51 from aqueous solution: equilibrium and breakthrough studies. 2014 , 66, 557-71	46
1096	The adsorption mechanism of anionic and cationic dyes by Jerusalem artichoke stalk-based mesoporous activated carbon. 2014 , 2, 220-229	108
1095	Dye and its removal from aqueous solution by adsorption: a review. 2014 , 209, 172-84	2204
1094	Adsorption of Rhodamine-B from aqueous solution using treated rice husk-based activated carbon. 2014 , 446, 1-7	151

1093	Optimized and functionalized paper sludge activated with potassium fluoride for single and binary adsorption of reactive dyes. 2014 , 20, 830-840	31
1092	Synthesis and Characterisation of Novel-Activated Carbon from Waste Biomass Pine Cone and Its Application in the Removal of Congo Red Dye from Aqueous Solution by Adsorption. 2014 , 225, 1	104
1091	Adsorption/desorption of Direct Yellow 28 on apatitic phosphate: Mechanism, kinetic and thermodynamic studiesPeer review under responsibility of University of Bahrain.View all notes. 2014 , 16, 64-73	12
1090	Shrimp shell as an efficient bioadsorbent for Acid Blue 25 dye removal from aqueous solution. 2014 , 45, 2926-2934	45
1089	Adsorption of methylene blue on activated carbon fiber prepared from coconut husk: isotherm, kinetics and thermodynamics studies. 2014 , 52, 6720-6732	29
1088	Crop Residue Ashes as Adsorbents for Basic Dye (Methylene Blue) Removal: Adsorption Kinetics and Dynamics. 2014 , 42, 1098-1105	17
1087	Efficient Removal of Anionic and Cationic Dyes from an Aqueous Solution Using Pullulan-graft-Polyacrylamide Porous Hydrogel. 2014 , 225, 1	65
1086	Functionalized Carbon Spheres for Extraction of Nanoparticles and Catalyst Support in Water. 2014 , 2, 2675-2682	48
1085	Reviews of Environmental Contamination and Toxicology Volume 232. 2014 ,	1
1084	Equilibrium modeling for adsorptive removal of Indosol Black NF dye by low-cost agro-industrial waste: batch and continuous study. 2014 , 52, 4492-4507	6
1083	Fe ₃ O ₄ @wheat straw: preparation, characterization and its application for methylene blue adsorption. 2014 , 7-8, 23-37	49
1082	Preparation of polyethersulfone/plant-waste-particles mixed matrix membranes for adsorptive removal of cationic dyes from water. 2014 , 471, 285-298	56
1081	Magnetically separable Ni _{0.6} Fe _{2.4} O ₄ nanoparticles as an effective adsorbent for dye removal: Synthesis and study on the kinetic and thermodynamic behaviors for dye adsorption. 2014 , 258, 218-228	107
1080	Magnetic composite an environmental super adsorbent for dye sequestration [A review. 2014 , 1-2, 36-49	106
1079	Alkali treated Foumanat tea waste as an efficient adsorbent for methylene blue adsorption from aqueous solution. 2014 , 6, 64-80	80
1078	Synthesis of Magnetic Fe ₃ O ₄ @hierarchical Hollow Silica Nanospheres for Efficient Removal of Methylene Blue from Aqueous Solutions. 2014 , 53, 10629-10636	48
1077	Adsorption of basic red 9 onto activated carbon derived from immature cotton seeds: isotherm studies and error analysis. 2014 , 52, 7743-7765	39
1076	Graphene nanosheets as efficient adsorbent for an azo dye removal: kinetic and thermodynamic studies. 2014 , 16, 1	21

1075	Solvent-free synthesis of carboxylate-functionalized cellulose from waste cotton fabrics for the removal of cationic dyes from aqueous solutions. 2014 , 21, 473-484	28
1074	Preparation of activated carbon derived from leather waste by H ₃ PO ₄ activation and its application for basic fuchsin adsorption. 2014 , 52, 2440-2449	19
1073	Preparation of iron, aluminium, calcium, magnesium, and zinc humates for environmental applications. 2014 , 68,	4
1072	Litchi pericarps used as adsorbents for methylene blue removal from solution. 2014 , 1-9	
1071	Chitosan scaffold as an alternative adsorbent for the removal of hazardous food dyes from aqueous solutions. 2014 , 424, 7-15	83
1070	Design and Computation of Modern Engineering Materials. 2014 ,	3
1069	Optimization of Simultaneous Removal of Methylene Blue, Crystal Violet, and Fuchsine from Aqueous Solutions by Magnetic NaY Zeolite Composite. 2014 , 225, 1	44
1068	Predictive modeling of sorption and desorption of a reactive azo dye by pumpkin husk. 2014 , 21, 5086-97	18
1067	Removal of malachite green dye from wastewater by different organic acid-modified natural adsorbent: kinetics, equilibriums, mechanisms, practical application, and disposal of dye-loaded adsorbent. 2014 , 21, 11552-64	68
1066	Adsorption of the Prototype Anionic Anthraquinone, Acid Blue 25, on a Modified Banana Peel: Comparison with Equilibrium and Kinetic Ligand Receptor Biochemical Data. 2014 , 53, 2251-2260	15
1065	Cu ₂ O/BiVO ₄ heterostructures: synthesis and application in simultaneous photocatalytic oxidation of organic dyes and reduction of Cr(VI) under visible light. 2014 , 255, 394-402	240
1064	Fitting of equilibrium and kinetic data for the removal of Novacron Orange P-2R by sugarcane bagasse. 2014 , 20, 1684-1692	37
1063	Removal of crystal violet from aqueous solutions using coal. 2014 , 422, 1-8	22
1062	Study of adsorption of cationic dye on magnetic kappa-carrageenan/PVA nanocomposite hydrogels. 2014 , 2, 1578-1587	97
1061	Development of novel chitosan-chitin composites for adsorption of dyes and metal ions from wastewater. 2014 , 254, 491-502	241
1060	Potential use of shell biomass (<i>Juglans regia</i> L.) for dye removal: Relationships between kinetic pseudo-second-order model parameters and biosorption efficiency. 2014 , 52, 219-226	7
1059	Removal Of Contaminants From Aqueous Solutions Using Hop (<i>Humulus Lupulus</i> L.) Agricultural By-Products. 2015 , 14, 212-227	3
1058	Hierarchical Fe ₃ O ₄ Core-Shell Layered Double Hydroxide Composites as Magnetic Adsorbents for Anionic Dye Removal from Wastewater. 2015 , 2015, 4182-4191	43

1057	Synthesis of Silica@Ni-Co Mixed Metal Oxide CoreShell Nanorattles and Their Potential Use as Effective Adsorbents for Waste Water Treatment. 2015 , 2015, 4260-4274	16
1056	Effect of Physicochemical Parameters on Methylene Blue Adsorption by Sulfuric Acid Treated Spent Grated Coconut. 2015 , 752-753, 71-76	
1055	Surfactant-coated Tea Waste: Preparation, Characterization and its Application for Methylene Blue Adsorption from Aqueous Solution. 2015 , 05,	6
1054	THE REMOVAL OF METHYLENE BLUE AND REMAZOL BRILLIANT BLUE R DYES BY USING ORANGE PEEL AND SPENT TEA LEAVES. 2015 , 74,	6
1053	Preparation of Polyaniline/Filter-Paper Composite for Removal of Coomassie Brilliant Blue. 2015 , 23, 191-198	4
1052	. 2015 ,	34
1051	Removal of methyl orange from aqueous solution via adsorption on cork as a natural and low-cost adsorbent: equilibrium, kinetic and thermodynamic study of removal process. 2015 , 53, 3711-3723	41
1050	Synthesis and characterization of Ni-MCM-41 for methyl blue adsorption. 2015 , 214, 88-94	83
1049	Synthesis of water-dispersible graphene-modified magnetic polypyrrole nanocomposite and its ability to efficiently adsorb methylene blue from aqueous solution. 2015 , 279, 757-766	113
1048	Assessment of the banana pseudostem as a low-cost biosorbent for the removal of reactive blue 5G dye. 2015 , 36, 2892-902	16
1047	Removal of reactive black 8 dye from aqueous solutions using zinc oxide nanoparticles: investigation of adsorption parameters. 2015 , 56, 1558-1565	21
1046	Removal of organic pollutants from aqueous solution using agricultural wastes: A review. 2015 , 212, 739-762	183
1045	Surface characterization and methylene blue adsorption studies on a mesoporous adsorbent from chemically modified Areca triandra palm shell. 2015 , 1-12	
1044	Adsorption isotherm, kinetic modeling and thermodynamics of crystal violet dye on coconut husk-based activated carbon. 2015 , 53, 3656-3667	36
1043	Adsorption of Methylene Blue by ultrasonic surface modified chitin. 2015 , 446, 133-40	166
1042	Synthesis and characterization of uranyl ion-imprinted microspheres based on amidoximated modified alginate. 2015 , 75, 354-63	35
1041	BoxBehnken design optimization for the removal of Direct Violet 51 dye from aqueous solution using lignocellulosic waste. 2015 , 56, 2425-2437	14
1040	Development of sludge-based adsorbents: preparation, characterization, utilization and its feasibility assessment. 2015 , 151, 221-32	99

1039	Adsorption of methylene blue and methyl violet by camellia seed powder: kinetic and thermodynamic studies. 2015 , 53, 3681-3690	22
1038	Cationic dye adsorption using porous composite membrane prepared from plastic and plant wastes. 2015 , 51, 119-126	22
1037	Synthesis and characterization of a new fast swelling poly(EPMA-co-METAC) as superabsorbent polymer for anionic dye absorbent. 2015 , 24, 149-159	10
1036	Recent advances in new generation dye removal technologies: novel search for approaches to reprocess wastewater. 2015 , 5, 30801-30818	573
1035	The effective removal of methylene blue dye from aqueous solutions by NaAlg-g-poly(acrylic acid-co-acryl amide)/clinoptilolite hydrogel nanocomposite. 2015 , 16, 354-362	35
1034	Removal of COD from real textile effluents using agro-industrial wastes. 2015 , 53, 2585-2592	8
1033	Adsorption characterization of Pb(II) ions onto iodate doped chitosan composite: equilibrium and kinetic studies. 2015 , 5, 54188-54201	80
1032	CaCO ₃ -decorated cellulose aerogel for removal of Congo Red from aqueous solution. 2015 , 22, 2683-2691	34
1031	Porous hematite microflowers toward the adsorption of organic pollutants from water. 2015 , 159, 64-67	5
1030	Synthesis, characterization and permeation performance of cellulose acetate/polyethylene glycol-600 membranes loaded with silver particles for ultra low pressure reverse osmosis. 2015 , 57, 129-138	26
1029	Bio-char derived from sewage sludge by liquefaction: Characterization and application for dye adsorption. 2015 , 346, 223-231	133
1028	Surface characterization of rice husk bio-char produced by liquefaction and application for cationic dye (Malachite green) adsorption. 2015 , 155, 77-85	190
1027	Biosorption of azo dyes by raspberry-like Fe ₃ O ₄ @yeast magnetic microspheres and their efficient regeneration using heterogeneous Fenton-like catalytic processes over an up-flow packed reactor. 2015 , 115, 547-562	15
1026	Onion membrane: an efficient adsorbent for decoloring of wastewater. 2015 , 13, 16	9
1025	Synthesis of magnetic nanocomposites (AMMC-Fe ₃ O ₄) for cationic dye removal: Optimization, kinetic, isotherm, and thermodynamics analysis. 2015 , 54, 96-108	11
1024	Adsorptive removal of direct dyes by PEI-treated peanut husk biomass: BoxBehnken experimental design. 2015 , 31, 252-264	21
1023	Experimental study on the adsorptive behavior of Congo red in cationic surfactant-modified tea waste. 2015 , 95, 226-236	78
1022	Enhanced adsorption removal of methyl orange from aqueous solution by nanostructured proton-containing MnO ₂ . 2015 , 3, 5674-5682	108

1021	Effectiveness of carbon nanotube-cobalt ferrite nanocomposites for the adsorption of rhodamine B from aqueous solutions. 2015 , 5, 22724-22739	74
1020	One-pot preparation of a MnO ₂ -graphene-carbon nanotube hybrid material for the removal of methyl orange from aqueous solutions. 2015 , 39, 5484-5492	27
1019	Valorization of an agricultural waste, Stipa tenassicima fibers, by biosorption of an anionic azo dye, Congo red. 2015 , 54, 245-254	25
1018	The use of a forest waste biomass, cone of Pinus brutia for the removal of an anionic azo dye Congo red from aqueous medium. 2015 , 55, 1956-1965	18
1017	Simultaneous removal of cationic and anionic dyes by the mixed sorbent of magnetic and non-magnetic modified sugarcane bagasse. 2015 , 451, 153-60	39
1016	Fabrication of attapulgite/carbon composites from spent bleaching earth for the efficient adsorption of methylene blue. 2015 , 5, 38443-38451	25
1015	Dye Adsorption on Expanding Three-Layer Clays. 2015 , 331-358	
1014	Biosorption of Organic Dyes: Research Opportunities and Challenges. 2015 , 295-329	14
1013	Interpretations about methylene blue adsorption by surface modified chitin using the statistical physics treatment. 2015 , 21, 557-564	26
1012	Carbon nanotube based polymer nanocomposites: biomimic preparation and organic dye adsorption applications. 2015 , 5, 82503-82512	52
1011	Ordered mesoporous carbons modified with cerium as effective adsorbents for azo dyes removal. 2015 , 154, 236-245	50
1010	Characterization of Oreochromis niloticus fish scales and assessment of their potential on the adsorption of reactive blue 5G dye. 2015 , 482, 693-701	43
1009	Kinetic, isotherm, and thermodynamic studies for removal of direct red 12b using nanostructured biosilica incorporated into calcium alginate matrix. 2015 , 34, 1435-1443	15
1008	Adsorption characteristics of jackfruit leaf powder for the removal of Amido black 10B dye. 2015 , 34, 461-470	27
1007	Dye sequestration using agricultural wastes as adsorbents. 2015 , 12, 8-24	291
1006	Decolorization of dyes with different molecular properties using free and immobilized laccases from Trametes versicolor. 2015 , 212, 30-37	41
1005	Cyanoguanidine-crosslinked chitosan to adsorption of food dyes in the aqueous binary system. 2015 , 211, 425-430	29
1004	Cr-Doped ZnO Nanoparticles: Synthesis, Characterization, Adsorption Property, and Recyclability. 2015 , 7, 27449-57	135

1003	Poly(acrylic acid)-zeolite nanocomposites for dye removal from single and binary systems. 2015 , 1-19	7
1002	Removal of Neutral Red from aqueous solution using Pleurotus ostreatus nanoparticles by response surface methodology. 2015 , 54, 2794-2805	6
1001	Investigation of templated and supported polyaniline adsorbent materials. 2015 , 5, 6976-6984	26
1000	Separation of transition metals and chelated complexes in wastewaters. 2015 , 34, 761-783	12
999	Microwave-assisted facile one-pot method for preparation of BiOCl/ZnO nanocomposites as novel dye adsorbents by synergistic collaboration. 2015 , 12, 909-919	15
998	Efficient removal of Orange G using Prussian Blue nanoparticles supported over alumina. 2015 , 240, 67-72	22
997	Incorporation of iron nanoparticles into clinoptilolite and its application for the removal of cationic and anionic dyes. 2015 , 21, 1143-1151	40
996	Response surface methodological evaluation of the adsorption of textile dye onto biosilica/alginate nanobiocomposite: thermodynamic, kinetic, and isotherm studies. 2015 , 56, 1389-1402	43
995	Adsorption Characteristics of Congo Red from Aqueous Solution onto Tea Waste. 2015 , 202, 181-193	101
994	Application of a novel lignocellulosic biomaterial for the removal of Direct Yellow 50 dye from aqueous solution: Batch and column study. 2015 , 47, 160-170	64
993	Removal of Lissamine rhodamine B and acid orange 10 from aqueous solution using activated carbon/surfactant: Process optimization, kinetics and equilibrium. 2015 , 47, 149-159	23
992	Photocatalytic degradation of Rhodamine 6G using ZnO-montmorillonite nanocomposite: a kinetic approach. 2015 , 54, 374-381	21
991	Coconut coir dust as a low cost adsorbent for the removal of cationic dye from aqueous solution. 2016 , 20, S67-S76	128
990	Biosorption potential of surface-modified waste sugar beet pulp for the removal of Reactive Yellow 2 (RY2) anionic dye. 2016 , 40, 1044-1054	2
989	Study on Adsorption of Malachite Green by Date Palm Fiber. 2016 , 32, 3139-3144	6
988	Sawdust Derivative for Environmental Application: Chemistry, Functionalization and Removal of textile dye from aqueous solution. 2016 , 88, 1212-20	5
987	Process Optimization Studies of Malachite Green dye Adsorption onto Eucalyptus (Eucalyptus globulus) Wood Biochar using Response Surface Methodology. 2016 , 32, 2621-2631	4
986	A Comparative Study on Equilibrium Adsorption of Dyes on Adsorbents Prepared from Coastal Plant, C. equisetifolia Seeds via Green Modification and Activated Carbon. 2016 , 62, 06001	

985	Biosorption Kinetic Models on the Removal of Congo red onto Unripe Calamansi (Citrus microcarpa) peels. 2016 , 32, 2889-2900	2
984	Immobilization of Magnetic Nanoparticles onto Amine-Modified Nano-Silica Gel for Copper Ions Remediation. 2016 , 9,	25
983	Adsorption mechanism and kinetics of azo dye chemicals on oxide nanotubes: a case study using porous CeO ₂ nanotubes. 2016 , 18, 1	15
982	Environmentally friendly reduced graphene oxide as a broad-spectrum adsorbent for anionic and cationic dyes via π - π Interactions. 2016 , 4, 12126-12135	160
981	Optimization of anionic dye adsorption onto Melia azedarach sawdust in aqueous solutions: effect of calcium cations. 2016 , 11, 258-270	11
980	Dye adsorption on zinc oxide nanoparticulates atomic-layer-deposited on polytetrafluoroethylene membranes. 2016 , 62, 3982-3991	33
979	Decolorization of bismarck brown R and crystal violet in liquid phase using modified pea peels: non-linear isotherm and kinetics modeling. 2016 , 2, 1	11
978	Al-Doped chitosan nonwoven in a novel adsorption reactor with a cylindrical sleeve for dye removal: performance and mechanism of action. 2016 , 6, 110935-110942	3
977	Treatment of textile industry effluents using orange waste: a proposal to reduce color and chemical oxygen demand. 2016 , 74, 994-1004	12
976	Adsorption of methylene blue on an agro-waste oiltea shell with and without fungal treatment. 2016 , 6, 38450	33
975	A novel magnetic biochar from sewage sludge: synthesis and its application for the removal of malachite green from wastewater. 2016 , 74, 1971-1979	21
974	Comparative Study Between Response Surface Methodology and Artificial Neural Network for Adsorption of Crystal Violet on Magnetic Activated Carbon. 2016 , 41, 2611-2621	21
973	Ultrafast and efficient removal of cationic dyes using a magnetic nanocomposite based on functionalized cross-linked poly(methylacrylate). 2016 , 105, 95-102	14
972	Coagulation/flocculation process for dye removal using water treatment residuals: modelling through artificial neural networks. 2016 , 57, 26392-26400	49
971	Synthesis of one-dimensional Bi ₂ O ₂ CO ₃ Bi(OHCO ₃) \cdot 2H ₂ O heterojunctions with excellent adsorptive and photocatalytic performance. 2016 , 6, 42452-42460	10
970	Inquiring the photocatalytic activity of cuprous oxide nanoparticles synthesized by a green route on methylene blue dye. 2016 , 7, 157-166	23
969	Solar Red and Brittle Blue direct dyes adsorption onto Eucalyptus angophoroides bark: Equilibrium, kinetics and thermodynamic studies. 2016 , 4, 2431-2439	128
968	Treatability of Methylene Blue Solution by Adsorption Process Using Neobalanocarpus hepmii and Capsicum annum. 2016 , 227, 1	9

967	Factorial design analysis for adsorption of Indigo Carmine onto Montmorillonite-Evaluation of the kinetics and equilibrium data. 2016 , 98, 28-34	19
966	Adsorption isotherms and kinetic studies of crystal violet dye removal from aqueous solution using surfactant modified magnetic nanoadsorbent. 2016 , 63, 354-362	135
965	Superb Dye Adsorption and Dye-Sensitized Change in Cu ₂ O Ag Crystal Faces in the Dark. 2016 , 120, 21580-21588	36
964	Catalytic decoloration of commercial azo dyes by copper-carbon composites derived from metal organic frameworks. 2016 , 689, 625-631	34
963	Citrus pectin derived ultrasmall Fe ₃ O ₄ @C nanoparticles as a high-performance adsorbent toward removal of methylene blue. 2016 , 222, 995-1002	33
962	Use of chabazite, a naturally abundant zeolite, for the investigation of the adsorption kinetics and mechanism of methylene blue dye. 2016 , 235, 78-86	69
961	Treatment of Reactive Dyes from Water and Wastewater through Chitosan and its Derivatives. 2016 , 347-377	5
960	Integrating chloroethyl phosphate with biopolymer cellulose and assessing their potential for absorbing brilliant green dye. 2016 , 4, 3348-3356	15
959	Utilization of LDH-based materials as potential adsorbents and photocatalysts for the decontamination of dyes wastewater: a review. 2016 , 6, 79415-79436	107
958	Adsorption rate of Reactive Black 5 on chitosan based materials: geometry and swelling effects. 2016 , 22, 973-983	33
957	Mixed titanium, silicon, and aluminum oxide nanostructures as novel adsorbent for removal of rhodamine 6G and methylene blue as cationic dyes from aqueous solution. 2016 , 163, 142-152	57
956	Adsorptive CuO/CuAl ₂ O ₄ Nanoparticles for the Separation of Aqueous Methyl Orange. 2016 , 12, 21-32	
955	Biodegradable poly(butylene succinate-co-terephthalate) nanofibrous membranes functionalized with cyclodextrin polymer for effective methylene blue adsorption. 2016 , 6, 108240-108246	25
954	Recovered materials from spent lithium-ion batteries (LIBs) as adsorbents for dye removal: Equilibrium, kinetics and mechanism. 2016 , 4, 4631-4643	25
953	Preparation and Characterization of Textile Sludge-Based Activated Carbon for Dyes Removal. 2016 , 818, 250-253	
952	Comparative study of cationic and anionic dye removal from aqueous solutions using sawdust-based adsorbent. 2016 , 35, 1078-1090	26
951	Synthesis, characterization of magnetic chitosan/active charcoal composite and using at the adsorption of methylene blue and reactive blue4. 2016 , 232, 26-38	89
950	Adsorption performances of the reusable ionic liquid-iron coordination complex (ILICC) adsorbent to remove reactive dyes. 2016 , 57, 20544-20551	4

949	Adsorption removal of Methylene Blue (MB) dye from aqueous solution by bio-char prepared from Eucalyptus sheathiana bark: kinetic, equilibrium, mechanism, thermodynamic and process design. 2016 , 57, 28964-28980	44
948	Functionalization of magnetic chitosan with graphene oxide for removal of cationic and anionic dyes from aqueous solution. 2016 , 152, 520-531	126
947	Self-assembly Z-scheme heterostructured photocatalyst of Ag ₂ O@Ag-modified bismuth vanadate for efficient photocatalytic degradation of single and dual organic pollutants under visible light irradiation. 2016 , 6, 60291-60307	32
946	Rapid and high-capacity adsorption of sulfonated anionic dyes onto basic bismuth(III) nitrate via bidentate bridging and electrostatic attracting interactions. 2016 , 6, 39861-39869	13
945	Mesoporous activated carbon from industrial laundry sewage sludge: Adsorption studies of reactive dye Remazol Brilliant Blue R. 2016 , 303, 467-476	165
944	Adsorption of fluoride over a metal organic framework Uio-66 functionalized with amine groups and optimization with response surface methodology. 2016 , 221, 279-286	94
943	Adsorptive amputation of hazardous azo dye Congo red from wastewater: a critical review. 2016 , 23, 14810-53	96
942	Biosorption of Congo Red from aqueous solution by crab shell residue: a comprehensive study. 2016 , 5, 537	8
941	Removal of dyes by adsorption on magnetically modified activated sludge. 2016 , 13, 1653-1664	30
940	Ammonium-Functionalized Hollow Polymer Particles As a pH-Responsive Adsorbent for Selective Removal of Acid Dye. 2016 , 8, 16690-8	93
939	Fabrication of core-shell structured magnetic nanocellulose base polymeric ionic liquid for effective biosorption of Congo red dye. 2016 , 218, 326-34	75
938	Removal of indigo carmine from aqueous solution by microwave-treated activated carbon from peanut shell. 2016 , 57, 718-727	17
937	Simultaneous adsorption of lead (II) and 3,7-Bis(dimethylamino)-phenothiazin-5-ium chloride from aqueous solution by activated carbon prepared from plantain peels. 2016 , 57, 6540-6553	8
936	Removal of anionic dyes from aqueous solution by adsorption onto amino-functionalized magnetic nanoadsorbent. 2016 , 57, 7054-7065	17
935	Adsorption of methylene blue dye from aqueous solution by novel biomass Eucalyptus sheathiana bark: equilibrium, kinetics, thermodynamics and mechanism. 2016 , 57, 5858-5878	55
934	Response surface methodology approach for optimization of adsorption process for the removal of Indosol Yellow BG dye from aqueous solution by agricultural waste. 2016 , 57, 11773-11781	15
933	Cleaner approach in leather dyeing using graft copolymer as high performance auxiliary: related kinetics and mechanism. 2016 , 112, 4863-4878	13
932	Development of novel acid-base ions exchanger for basic dye removal: phosphoric acid doped pyrazole-g-polyglycidyl methacrylate. 2016 , 57, 24047-24055	3

931	Chemical preparation of crab shell-based activated carbon with superior adsorption performance for dye removal from wastewater. 2016 , 61, 327-335	46
930	Synthesis and application of recyclable magnetic freeze-dried graphene oxide nanocomposite as a high capacity adsorbent for cationic dye adsorption. 2016 , 57, 22655-22670	19
929	A new functionalized magnetic nanocomposite of poly(methylacrylate) for the efficient removal of anionic dyes from aqueous media. 2016 , 6, 7982-7989	12
928	Melamine-anchored magnetic multiwall carbon nanotubes: tailoring functional groups reactivity for efficient adsorption of anionic dye. 2016 , 57, 20565-20573	5
927	Assessment of Potential Capability of Water Bamboo Leaves on the Adsorption Removal Efficiency of Cationic Dye from Aqueous Solutions. 2016 , 24, 148-158	27
926	Functional porous carbons from waste cotton fabrics for dyeing wastewater purification. 2016 , 17, 212-219	13
925	Batch and Column Adsorption of Reactive Red 198 from Textile Industry Effluent by Microporous Activated Carbon Developed from Walnut Shells. 2016 , 7, 1255-1270	22
924	Potential of Melaleuca diosmifolia as a novel, non-conventional and low-cost coagulating adsorbent for removing both cationic and anionic dyes. 2016 , 37, 198-207	24
923	Kinetics, isotherm, and thermodynamic studies of the adsorption of reactive red 195 A dye from water by modified Switchgrass Biochar adsorbent. 2016 , 37, 156-167	121
922	Diazo dye sorption by Ni-modified pumpkin husk. 2016 , 57, 25242-25255	5
921	Superabsorbent amphoteric nanohydrogels: Synthesis, characterization and dyes adsorption studies. 2016 , 27, 471-474	11
920	Fixed-bed column studies for the removal of anionic dye from aqueous solution using TiO ₂ @glucose carbon composites and bed regeneration study. 2016 , 27, 867-877	8
919	Adsorption dynamics, diffusion and isotherm models of poly(NIPAm/LMSH) nanocomposite hydrogels for the removal of anionic dye Amaranth from an aqueous solution. 2016 , 124-125, 157-166	36
918	Overview on the Potential of Coal-Based Bottom Ash as Low-Cost Adsorbents. 2016 , 4, 1870-1884	24
917	Simultaneous adsorption and degradation of organic dyes using MnFe ₂ O ₄ /calcium alginate nano-composites coupled with GOx and laccase. 2016 , 4, 1722-1730	24
916	Removal of malachite green dye from aqueous solutions using organically modified hydroxyapatite. 2016 , 4, 633-638	51
915	Kinetic and isotherm error optimization studies for adsorption of atrazine and imidacloprid on bark of Eucalyptus tereticornis L. 2016 , 51, 192-203	28
914	Nitrogen-functionalised carbon nanotubes as a novel adsorbent for the removal of Cu(II) from aqueous solution. 2016 , 6, 2731-2745	35

913	Semiconducting properties of hydrothermally synthesized libethenite application to orange G photodegradation. 2016 , 41, 470-479	18
912	Microwave treated <i>Salvadora oleoides</i> as an eco-friendly biosorbent for the removal of toxic methyl violet dye from aqueous solution--A green approach. 2016 , 18, 477-86	4
911	Wasted cockle shell (<i>Anadara granosa</i>) as a natural adsorbent for treating polluted river water in the fabricated column model (FCM). 2016 , 57, 16395-16403	5
910	Anionic surfactant-modified rice straw for removal of methylene blue from aqueous solution. 2016 , 57, 18202-18216	9
909	Evaluation of the mesoporous silica material MCM-41 for competitive adsorption of Basic Violet 5BN and Basic Green from industrial dye wastewater. 2016 , 57, 17494-17511	2
908	Adsorption equilibrium, kinetics, and thermodynamics assessment of the removal of the reactive red 141 dye using sesame waste. 2016 , 57, 18087-18098	5
907	Adsorptive removal of cationic (BY2) dye from aqueous solutions onto Turkish clay: Isotherm, kinetic, and thermodynamic analysis. 2016 , 34, 103-111	14
906	Equilibrium and kinetic studies of azo dye molecules biosorption on phycocyanin-extracted residual biomass of microalga <i>Spirulina platensis</i> . 2016 , 57, 12257-12263	10
905	Application of Nanocrystalline Iranian Diatomite in Immobilized Form for Removal of a Textile Dye. 2016 , 37, 723-732	10
904	Dye removal by incineration residues of pharmaceutical wastes in aqueous solution. 2016 , 57, 6063-6071	5
903	Adsorption of methylene blue onto Fe ₃ O ₄ /activated montmorillonite nanocomposite. 2016 , 119, 132-140	207
902	Adsorption of anionic dyes from an aqueous solution by banana peel and green coconut mesocarp. 2016 , 57, 14093-14108	9
901	Continuous adsorption study of congo red using tea waste in a fixed-bed column. 2016 , 57, 8437-8446	20
900	Design analysis of fixed-bed synergic adsorption of heavy metals and acid blue 25 on activated carbon. 2016 , 57, 9824-9836	13
899	Malachite green and crystal violet biosorption onto coco-peat: characterization and removal studies. 2016 , 57, 6423-6431	20
898	Preparation of a cellulose-based adsorbent with covalently attached hydroxypropyldodecyldimethylammonium groups for the removal of C.I. Reactive Blue 21 dye from aqueous solution. 2016 , 57, 10604-10615	8
897	Characterization of a low cost <i>Lagenaria vulgaris</i> based carbon for ranitidine removal from aqueous solutions. 2017 , 10, 956-964	18
896	Biosorption of Congo Red from aqueous solution onto burned root of <i>Eichhornia crassipes</i> biomass. 2017 , 7, 1841-1854	29

895	Removal of ionizable aromatic pollutants from contaminated water using nano FeO based magnetic cationic hydrogel: Sorptive performance, magnetic separation and reusability. 2017 , 322, 195-204	61
894	Biosorption studies on waste cotton seed for cationic dyes sequestration: equilibrium and thermodynamics. 2017 , 7, 1987-1995	17
893	Liquid phase adsorptions of Rhodamine B dye onto raw and chitosan supported mesoporous adsorbents: isotherms and kinetics studies. 2017 , 7, 2297-2307	32
892	Assessment of adsorption kinetics for removal potential of Crystal Violet dye from aqueous solutions using Moroccan pyrophyllitePeer review under responsibility of University of Bahrain.View all notes. 2017 , 23, 20-28	45
891	Starch/rice husk ash based superabsorbent composite: high methylene blue removal efficiency. 2017 , 26, 93-105	33
890	Decolorization and degradation of Congo red by a newly isolated white rot fungus, Ceriporia lacerata, from decayed mulberry branches. 2017 , 117, 236-244	61
889	Phosphorylation of chitosan/HEMA interpenetrating polymer network prepared by γ radiation for metal ions removal from aqueous solutions. 2017 , 162, 16-27	50
888	Synthesis of an inorganic-framework molecularly imprinted Fe-doped TiO ₂ composite and its selective photo-Fenton-like degradation of acid orange II. 2017 , 92, 2038-2049	14
887	Removal of indigo carmine (IC) from aqueous solution by adsorption through abrasive spherical materials made of rice husk ash (RHA). 2017 , 106, 224-238	26
886	Removal of methylene blue from aqueous system using tobacco stems biomass: Kinetics, mechanism and single-stage adsorber design. 2017 , 36, 1005-1012	15
885	Water-n-BuOH solvothermal synthesis of ZnAl-LDHs with different morphologies and its calcined product in efficient dyes removal. 2017 , 494, 215-222	41
884	Improvement adsorption capacity of methylene blue onto modified Tamazert kaolin. 2017 , 35, 753-773	32
883	l-cysteine-reduced graphene oxide/poly(vinyl alcohol) ultralight aerogel as a broad-spectrum adsorbent for anionic and cationic dyes. 2017 , 52, 5807-5821	32
882	Polyaniline-doped TiO ₂ /PLLA fibers with enhanced visible-light photocatalytic degradation performance. 2017 , 18, 50-56	5
881	Biosorption of six basic and acidic dyes on brown alga Sargassum ilicifolium: optimization, kinetic and isotherm studies. 2017 , 75, 2631-2638	12
880	Factor Affecting Textile Dye Removal Using Adsorbent From Activated Carbon: A Review. 2017 , 103, 06015	16
879	Transport of anionic azo dyes from aqueous solution to gemini surfactant-modified wheat bran: Synchrotron infrared, molecular interaction and adsorption studies. 2017 , 595, 723-732	41
878	A comprehensive study on adsorption behavior of some azo dyes from aqueous solution onto different adsorbents. 2017 , 76, 478-489	5

877	Mixed silica-alumina oxide as sorbent for dyes and metal ions removal from aqueous solutions and wastewaters. 2017 , 250, 128-147	63
876	Applications of artificial neural networks for adsorption removal of dyes from aqueous solution: A review. 2017 , 245, 20-39	144
875	Directly Converting Agricultural Straw into All-Biomass Nanocomposite Films Reinforced with Additional in Situ-Retained Cellulose Nanocrystals. 2017 , 5, 5127-5133	25
874	Kinetic modeling, equilibrium isotherm and thermodynamic studies on a batch adsorption of anionic dye onto eco-friendly dried <i>Carpobrotus edulis</i> plant. 2017 , 226, 977-992	17
873	Photocatalytic Degradation of Safranin by ZnO/Bentonite: Photodegradation versus Adsorbability. 2017 , 98, 55-63	8
872	Green biosorbents based on chitosan-montmorillonite beads for anionic dye removal. 2017 , 5, 3309-3318	63
871	Ultrafast Dye Removal Using Ionic Liquid/Graphene Oxide Sponge. 2017 , 5, 6026-6035	107
870	Adsorption of solophenyl red 3BL polyazo dye onto amine-functionalized mesoporous carbons. 2017 , 505, 593-604	39
869	Ultrasonic treatment of water contaminated with various pollutants onto copper nanowires loaded on activated carbon using response surface methodology and artificial intelligent. 2017 , 31, e3878	
868	Degradation kinetics of pollutants present in a simulated wastewater matrix using UV/TiO ₂ photocatalysis and its microbiological toxicity assessment. 2017 , 43, 6317-6341	33
867	Adsorption and desorption of cationic malachite green dye on cellulose nanofibril aerogels. 2017 , 173, 286-294	162
866	Razor clam (<i>Ensis directus</i>) shell as a low-cost adsorbent for the removal of Congo red and Rhodamine B dyes from aqueous solution. 2017 ,	1
865	A prototype of novel agro-waste based column bed device for removal of textile dye Optilan Red. 2017 , 76, 1251-1260	5
864	Utilization of magnetic nano cobalt ferrite doped <i>Capra aegagrus hircus</i> dung activated carbon composite for the adsorption of anionic dyes. 2017 , 5, 2820-2829	13
863	Mechanism, adsorption kinetics and applications of carbonaceous adsorbents derived from black liquor sludge. 2017 , 77, 236-243	19
862	Mass transfer models for the adsorption of Acid Red 357 and Acid Black 210 by tannery solid wastes. 2017 , 35, 300-316	8
861	Adsorption Characteristics of Activated Carbon for the Reclamation of Colored Effluents Containing Orange G and New Solid-Liquid Phase Equilibrium Model. 2017 , 62, 558-567	12
860	Removal of Acid Blue 25 from aqueous solutions using Bengal gram fruit shell (BGFS) biomass. 2017 , 19, 431-438	8

859	Assessment of molecularly imprinted polymers (MIPs) in the preconcentration of disperse red 73 dye prior to photoelectrocatalytic treatment. 2017 , 24, 4134-4143	6
858	Malachite green B cationic dye and its removal from aqueous solution by adsorption. 2017 , 7, 3407-3445	89
857	Ag@AgCl-TiO ₂ /organic rectorite/quaternized chitosan microspheres: An efficient and environmental photocatalyst. 2017 , 134,	3
856	Polyaniline as an Inceptive Dye Adsorbent from Effluent. 2017 , 51-99	4
855	Synthetic dye decolorization by <i>Marasmiellus palmivorus</i> : Simultaneous cultivation and high laccase-crude broth treatment. 2017 , 12, 314-322	7
854	Cr(OH)-NPs-CNC hybrid nanocomposite: a sorbent for adsorptive removal of methylene blue and malachite green from solutions. 2017 , 24, 25291-25308	23
853	Green synthesis of mesoporous anatase TiO ₂ nanoparticles and their photocatalytic activities. 2017 , 7, 48083-48094	74
852	Removal of Congo red and Brilliant green dyes from aqueous solution using flower shaped ZnO nanoparticles. 2017 , 5, 5420-5428	49
851	Adsorptive removal of aqueous bezafibrate by magnetic ferrite modified carbon nanotubes. 2017 , 7, 39594-39603	9
850	Preparation and Adsorption Properties of Fe/Chitosan/Fly Ash Composite. 2017 , 898, 1885-1891	1
849	Preparation of SA-g-(PAA-co-PDMC) polyampholytic superabsorbent polymer and its application to the anionic dye adsorption removal from effluents. 2017 , 188, 329-340	51
848	Chitosan/polyethylene glycol impregnated activated carbons: Synthesis, characterization and adsorption performance. 2017 , 11, 575-585	12
847	Application of saponin biosurfactant and its recovery in the MEUF process for removal of methyl violet from wastewater. 2017 , 203, 8-16	27
846	Adsorptive removal of phosphate using nano cobalt hydroxide as a sorbent from aqueous solution; multivariate optimization and adsorption characterization. 2017 , 725, 1006-1017	26
845	Porous lightweight composites reinforced with fibrous structures. 2017 ,	4
844	Biobased Composites for Medical and Industrial Applications. 2017 , 291-339	
843	High-surface-area and nitrogen-rich mesoporous carbon material from fishery waste for effective adsorption of methylene blue. 2017 , 321, 428-434	58
842	Treated digested residue during anaerobic co-digestion of Agri-food organic waste: Methylene blue adsorption, mechanism and CCD-RSM design. 2017 , 5, 5857-5867	47

841	Bio-inspired, fouling resistant, tannic acid functionalized halloysite nanotube reinforced polysulfone loose nanofiltration hollow fiber membranes for efficient dye and salt separation. 2017 , 20, 138-148	31
840	Acid Blue 113 removal from aqueous solution using novel biosorbent based on NaOH treated and surfactant modified fallen leaves of Prunus Dulcis. 2017 , 5, 3384-3394	57
839	Enhanced adsorption of cationic dyes using sulfonic acid modified activated carbon. 2017 , 5, 3508-3517	90
838	Novel polymorphous aluminosilicate nano minerals: Preparation, characterization and dyes wastewater treatment. 2017 , 34, 2406-2417	2
837	Enhanced removal and adsorption characters of aniline by the inorganically modified mesoporous silica nano-spheres. 2017 , 513, 250-258	12
836	Immobilized ligninolytic enzymes: An innovative and environmental responsive technology to tackle dye-based industrial pollutants - A review. 2017 , 576, 646-659	264
835	Rice husk templated water treatment sludge as low cost dye and metal adsorbent. 2017 , 26, 661-668	24
834	Oxidation of aqueous organic pollutants using a stable copper nanoparticle suspension. 2017 , 95, 343-352	15
833	Influence of alternating current on the adsorption of indigo carmine. 2017 , 24, 9940-9950	33
832	An efficient removal of crystal violet dye from waste water by adsorption onto TLAC/Chitosan composite: A novel low cost adsorbent. 2017 , 96, 324-333	172
831	Enhanced adsorption of the cationic dyes in the spherical CuO/meso-silica nano composite and impact of solution chemistry. 2017 , 485, 192-200	73
830	Preparation of Fe ₃ O ₄ -octadecyltrichlorosilane for removal of methyl orange and methylene blue: Influence of pH and ionic strength on competitive adsorption. 2017 , 32, 1413-1419	3
829	Removal of methylene blue by adsorption onto activated carbon developed from Ficus carica bast. 2017 , 10, S1445-S1451	476
828	Equilibrium and kinetic adsorption study of aqueous basic dye solutions using waste foundry sand. 2017 , 11, 87	
827	Optimizing the Removal of Rhodamine B in Aqueous Solutions by Reduced Graphene Oxide-Supported Nanoscale Zerovalent Iron (nZVI/rGO) Using an Artificial Neural Network-Genetic Algorithm (ANN-GA). 2017 , 7,	34
826	Fly ash as an adsorbent for the removal of reactive blue 25 dye from aqueous solutions: optimization, kinetic and isotherm investigations. 2017 , 66, 300	2
825	Removal of an Acid Dye from Water Using Calcined and Uncalcined ZnAl-r Anionic Clay. 2017 , 89, 783-790	3
824	Competitive adsorption of methyl orange and ethyl orange by AB-8 resin. 2017 , 6, 369-377	3

823	Adsorption of acid dye onto activated Algerian clay. 2017 , 31, 51	10
822	IMPACT OF CORONA TREATED ACTIVATED CARBON IN ANIONIC AND CATIONIC DYE ADSORPTION. 2017 , 23, 219-228	3
821	Crosslinked Egg White as Eco-Friendly, Reusable, and Cost-Effective Biosorbent for Rapid Removal of Indigo Carmine. 2018 , 46, 1700186	11
820	Fabrication, characterization and adsorption behavior of montmorillonite/polypyrrole nanocomposites for Eosin Y removal. 2018 , 75, 4881-4899	3
819	A Review on Adsorption of Cationic Dyes using Activated Carbon. 2018 , 144, 02022	20
818	Adsorption of cationic dye onto fly ash-based geopolymer: Batch and fixed bed column studies. 2018 , 149, 02088	9
817	Synthesis and RSM-CCD optimization of microwave-induced green interpenetrating network hydrogel adsorbent based on gum copal for selective removal of malachite green from waste water. 2018 , 58, 2293-2303	17
816	Catalytic synthesis of graphene-like polyaniline derivative - MFe ₂ O ₄ (M; Cu, Mn) nanohybrid as multifunctionality water decontaminant. 2018 , 125, 108-117	7
815	Optimization of simultaneous removal of binary mixture of indigo carmine and methyl orange dyes by cobalt hydroxide nano-particles through Taguchi method. 2018 , 262, 405-414	32
814	Adsorption behavior of methylene blue on glycerol based carbon materials. 2018 , 6, 1714-1725	31
813	Utilization of Waste Biomass (Kitchen Waste) Hydrolysis Residue as Adsorbent for Dye Removal: Kinetic, Equilibrium, and Thermodynamic Studies. 2018 , 185, 971-985	8
812	3D Oxidized Graphene Frameworks: An Efficient Adsorbent for Methylene Blue. 2018 , 70, 469-472	7
811	Dyes adsorption using clay and modified clay: A review. 2018 , 256, 395-407	405
810	Simultaneous Adsorption of Cationic and Anionic Dyes by Chitosan/Cellulose Beads for Wastewaters Treatment. 2018 , 12, 59-65	17
809	A semi-conducting polypyrrole/coffee grounds waste composite for rhodamine B dye adsorption. 2018 , 27, 171-181	12
808	Kinetic analysis of the adsorption of dyes from high strength wastewater on cement kiln dust. 2018 , 6, 834-841	55
807	Microwave-enhanced advanced oxidation processes for the degradation of dyes in water. 2018 , 16, 969-1007	65
806	Direct carbonization of Zn/Co zeolitic imidazolate frameworks for efficient adsorption of Rhodamine B. 2018 , 347, 640-647	90

805	Recent progress of metal-graphene nanostructures in photocatalysis. 2018 , 10, 9427-9440	71
804	Modeling and optimization of reactive yellow 145 dye removal process onto synthesized MnO _x -CeO ₂ using response surface methodology. 2018 , 548, 191-197	10
803	Modifying cellulose with metaphosphoric acid and its efficiency in removing brilliant green dye. 2018 , 114, 470-478	24
802	Efficient dye adsorption by highly porous nanofiber aerogels. 2018 , 547, 117-125	37
801	Synthesis of surfactant-coated cobalt ferrite nanoparticles for adsorptive removal of acid blue 45 dye. 2018 , 5, 035058	3
800	Adsorption of methylene blue dye from aqueous solutions onto walnut shells powder: Equilibrium and kinetic studies. 2018 , 11, 74-81	96
799	Evaluation of the Biosorption Characteristics of Tremella fuciformis for the Decolorization of Cationic Dye from Aqueous Solution. 2018 , 26, 1051-1060	2
798	Assessment of hydrothermally modified fly ash for the treatment of methylene blue dye in the textile industry wastewater. 2018 , 20, 625-639	24
797	Preparation and characterization of sulfonated polystyrene/magnetite nanocomposites for organic dye adsorption. 2018 , 27, 403-413	26
796	Phenomenological modeling of reactive dye adsorption onto fish scales surface in the presence of electrolyte and surfactant mixtures. 2018 , 39, 2467-2483	10
795	Effect of solid state fermentation of peanut shell on its dye adsorption performance. 2018 , 249, 307-314	47
794	Superb adsorption of organic dyes from aqueous solution on hierarchically porous composites constructed by ZnAl-LDH/Al(OH) ₃ nanosheets. 2018 , 259, 123-133	46
793	Fabrication, activity and mechanism studies of transition metal molybdate/molybdenum trioxide hybrids as novel CWAO catalysts. 2018 , 191, 354-363	10
792	Ternary self-assembly method of mesoporous silica and Cu ₂ O combined graphene composite by nonionic surfactant and photocatalytic degradation of cationic-anionic dye pollutants. 2018 , 190, 77-89	24
791	Adsorption of Procion Red MX-5B and Crystal Violet Dyes from Aqueous Solution onto Corncob Activated Carbon. 2018 , 65, 259-270	21
790	Thermoreversible gelation of poly(urethane acyl-semicarbazides) carrying cycloaliphatic moieties and studies on selective adsorption of dyes from wastewater. 2018 , 99, 90-101	4
789	Fabrication of novel PPSU/ZSM-5 ultrafiltration hollow fiber membranes for separation of proteins and hazardous reactive dyes. 2018 , 82, 342-350	31
788	Adsorption properties and mechanisms of palygorskite for removal of various ionic dyes from water. 2018 , 151, 20-28	104

787	Synthesis and application of a new carboxylated cellulose derivative. Part III: Removal of auramine-O and safranin-T from mono- and bi-component spiked aqueous solutions. 2018 , 512, 575-590	24
786	Degradation of dyes (methylene blue) using natural rubber incorporated with silver nanoparticles in water treatment tank. 2018 ,	0
785	A review of agricultural waste activated carbon and effect on adsorption parameters. 2018 , 9, 301	
784	Sugarcane Bagasse As Potentially Low-Cost Biosorbent. 2018 ,	1
783	Removal of an Azo Textile Dye from Wastewater by Cyclodextrin-Epichlorohydrin Polymers. 2018 ,	1
782	Isothermal Adsorption Properties for the Adsorption and Removal of Reactive Blue 221 Dye from Aqueous Solutions by Cross-Linked Chitosan Glycan as Acid-Resistant Adsorbent. 2018 , 10,	12
781	Green synthesis of magnetite nanoparticles using aqueous pod extract of Dolichos lablab L for an efficient adsorption of crystal violet. 2018 , 1, 121-132	19
780	Adsorption of congo red dye from aqueous solution onto amino-functionalized silica gel. 2018 , 23, 1053-1060	33
779	Removal of Arsenic(III) from Aqueous Solution Using Metal Organic Framework-Graphene Oxide Nanocomposite. 2018 , 8,	43
778	Decolorization of Suncion Red P-2B Solution by Gamma Co-60 Irradiation in the Presence of Hydrogen Peroxide. 2018 , 21, 118-126	6
777	Hybrid Metal-Organic-Framework/Inorganic Nanocatalyst toward Highly Efficient Discoloration of Organic Dyes in Aqueous Medium. 2018 , 57, 13270-13278	37
776	Effect of bis[2-(methacryloyloxy)ethyl] phosphate as a crosslinker on poly(AAm-co-AMPS)/Na-MMT hydrogel nanocomposite as potential adsorbent for dyes: kinetic, isotherm and thermodynamic study. 2018 , 25, 1	19
775	Remediation of Water Contaminants. 2018 , 1-19	1
774	Fabrication of FeO/MgAl-layered double hydroxide magnetic composites for the effective removal of Orange II from wastewater. 2018 , 78, 1179-1188	8
773	Exploring the adsorption mechanisms of cationic and anionic dyes onto agricultural waste peels of banana, cucumber and potato: Adsorption kinetics and equilibrium isotherms as a tool. 2018 , 6, 6958-6970	71
772	Remediation of methylene blue from aqueous solution by Chlorella pyrenoidosa and Spirulina maxima biosorption: Equilibrium, kinetics, thermodynamics and optimization studies. 2018 , 6, 6680-6690	28
771	Isothermal study of Congo Red dye biosorptive removal from water by Solanum tuberosum and Pisum sativum peels in economical way. 2018 , 32, 213	10
770	Pine Cone biomass as an efficient precursor for the synthesis of activated biocarbon for adsorption of anionic dye from aqueous solution: Isotherm, kinetic, thermodynamic and regeneration studies. 2018 , 10, 41-49	36

769	Zeolite Y-carbonaceous composite membrane with a pseudo solid foam structure assessed by nanofiltration of aqueous dye solutions. 2018 , 567, 146-156	12
768	The adsorption property and mechanism of phenyl/amine end-capped tetraaniline for alizarin red S. 2018 , 296, 1777-1786	4
767	Feasibility and optimisation of a batch mode capacitive deionization (BM CDI) process for textile cationic dyes (TCD) removal and recovery from industrial wastewaters. 2018 , 205, 721-727	12
766	Adsorption of basic and reactive dyes from aqueous solution onto Intsia bijuga sawdust-based activated carbon: batch and column study. 2018 , 25, 31508-31519	17
765	Facile preparation of functionalized carbon nanotubes with tannins through mussel-inspired chemistry and their application in removal of methylene blue. 2018 , 271, 246-253	48
764	Optimization of crystal violet adsorption onto Date palm leaves as a potent biosorbent from aqueous solutions using response surface methodology and ant colony. 2018 , 6, 3942-3950	44
763	Dye adsorption characteristic of ultrasound pre-treated pomelo peel. 2018 , 6, 3502-3509	24
762	Crossed mixture-process design for optimization of simultaneous adsorption of Tartrazine and Indigo carmine dyes by cobalt hydroxide nanosorbent. 2018 , 32, e3039	6
761	Synthesis of mesoporous triple-metal nanosorbent from layered double hydroxide as an efficient new sorbent for removal of dye from water and wastewater. 2018 , 159, 332-341	24
760	Molecular modeling of cationic dyes adsorption on agricultural Algerian olive cake waste. 2018 , 264, 127-133	36
759	A Novel One-Pot Route for Large-Scale Synthesis of Novel Magnetic CNTs/ Hybrids and Their Applications for Binary Dye Removal. 2018 , 6, 8178-8191	30
758	Sonoprecipitation dispersion of ZnO nanoparticles over graphene oxide used in photocatalytic degradation of methylene blue in aqueous solution: Influence of irradiation time and power. 2018 , 48, 370-382	46
757	Bidirectionally pH-Responsive Zwitterionic Polymer Hydrogels with Switchable Selective Adsorption Capacities for Anionic and Cationic Dyes. 2018 , 57, 8209-8219	25
756	pH responsive adsorption/desorption studies of organic dyes from their aqueous solutions by katira gum-cl-poly(acrylic acid-co-N-vinyl imidazole) hydrogel. 2018 , 553, 472-486	40
755	Improved removal of dyes by [sodium alginate/4-methyl-2-(naphthalen-2-yl)-N-propylpentanamide-functionalized ethoxy-silica] composite gel beads. 2018 , 117, 247-255	16
754	Kinetics, Isotherm, and Thermodynamic Studies of Methylene Blue Adsorption on Polyaniline and Polypyrrole Macro-Nanoparticles Synthesized by C-Dot-Initiated Polymerization. 2018 , 3, 7196-7203	44
753	Efficiency of various recent wastewater dye removal methods: A review. 2018 , 6, 4676-4697	802
752	Adsorption and Oxidation Techniques to Remove Organic Pollutants from Water. 2018 , 249-300	4

751	Photocatalytic activities of contaminants by Bi ₂ WO ₆ -graphene composites decorated with mesoporous silica. 2018 , 766, 477-487	15
750	Low cost zwitterionic adsorbent coating for treatment of anionic and cationic dyes. 2018 , 67, 187-198	20
749	Various methods for removal of dyes from industrial effluents - a review. 2018 , 11, 1-21	17
748	<i>Pseudomonas aeruginosa</i> USM-AR2/SiO ₂ biosorbent for the adsorption of methylene blue. 2018 , 6, 4908-49168	
747	Advanced Engineered Nanomaterials for the Treatment of Wastewater. 2018 , 959-970	3
746	Adsorption of Triarylmethane Dye on Ca-Montmorillonite: Equilibrium, Kinetics, and Thermodynamics. 2018 , 80, 453-458	4
745	Fast removal of methylene blue from aqueous solution using coal-based activated carbon.. 2018 , 8, 26978-26986	14
744	Methylene blue removal using modified celery (<i>Apium graveolens</i>) as a low-cost biosorbent in batch mode: Kinetic, equilibrium, and thermodynamic studies. 2018 , 1173, 541-551	20
743	Potential of Cellulose Functionalized with Carboxylic Acid as Biosorbent for the Removal of Cationic Dyes in Aqueous Solution. 2018 , 23,	29
742	One-Step Fabrication of Dual Responsive Lignin Coated Fe ³⁺ Nanoparticles for Efficient Removal of Cationic and Anionic Dyes. 2018 , 8,	39
741	Adsorption Removal of Multiple Dyes Using Biogenic Selenium Nanoparticles from an <i>Escherichia coli</i> Strain Overexpressed Selenite Reductase CsrF. 2018 , 8,	12
740	Utilizations of agricultural waste as adsorbent for the removal of contaminants: A review. 2018 , 211, 235-253	218
739	Regeneration performance of clay-based adsorbents for the removal of industrial dyes: a review.. 2018 , 8, 24571-24587	124
738	Biosorption of rhodamine B dye from dyeing stones effluents using the green microalgae <i>Chlorella pyrenoidosa</i> . 2018 , 198, 1302-1310	73
737	A new synergetic mesoporous silica combined to CdSe-graphene nanocomposite for dye degradation and hydrogen evolution in visible light. 2018 , 107, 14-27	16
736	Corn cob as an effective, eco-friendly, and economic biosorbent for removing the azo dye Direct Yellow 27 from aqueous solutions. 2018 , 13, e0196428	31
735	Adsorption of Congo red from aqueous solution onto shrimp shell powder. 2018 , 36, 1310-1330	42
734	Potential of amino-functionalized cellulose as an alternative sorbent intended to remove anionic dyes from aqueous solutions. 2018 , 116, 1282-1295	22

733	Facile synthesis of TiO ₂ /BC composites for enhanced photocatalytic abatement of multiple pollutant dye mixtures: a comprehensive study on the kinetics, mechanism, and effects of environmental factors. 2018 , 44, 1963-1988	18
732	Carbon composite lignin-based adsorbents for the adsorption of dyes. 2018 , 206, 587-596	169
731	Highly efficient visible light driven photocatalytic activities of the LaCuS ₂ -graphene composite-decorated ordered mesoporous silica. 2018 , 205, 11-21	11
730	Application of polypyrrole modified cathode in bio-electro-Fenton coupled with microbial desalination cell (MDC) for enhanced degradation of methylene blue. 2018 , 400, 350-359	24
729	Computational study of acid blue 80 dye adsorption on low cost agricultural Algerian olive cake waste: Statistical mechanics and molecular dynamic simulations. 2018 , 271, 40-50	23
728	Sugarcane bagasse powder as biosorbent for reactive red 120 removals from aqueous solution. 2018 , 140, 012027	5
727	Treating MTBE-contaminated water using sewage sludge-derived activated carbon. 2018 , 25, 29397-29407	6
726	Adsorptive performance of MOF nanocomposite for methylene blue and malachite green dyes: Kinetics, isotherm and mechanism. 2018 , 223, 29-36	186
725	Effective Removal of the Remazol Yellow GR Dye Using Cellulose Functionalized by Basic Groups. 2018 , 229, 1	4
724	Adsorption kinetics and surface modeling of aqueous methylene blue onto activated carbonaceous wood sawdust. 2018 , 26, 433-442	31
723	Facile green synthesis of Fe ₃ O ₄ nanoparticles using aqueous leaf extract of Zanthoxylum armatum DC. for efficient adsorption of methylene blue. 2018 , 6, 145-155	31
722	Synthesis and characterization of a novel amphoteric adsorbent coating for anionic and cationic dyes adsorption: Experimental investigation and statistical physics modelling. 2018 , 351, 221-229	50
721	A Review on Heavy Metal Ions and Dye Adsorption from Water by Agricultural Solid Waste Adsorbents. 2018 , 229, 1	209
720	Enhanced adsorption capacity and selectivity toward inorganic and organic mercury ions from aqueous solution by dye-affinity adsorbents. 2019 , 38, S54-S67	2
719	Nanofiltration of Dye Bath Towards Zero Liquid Discharge: A Technical and Economic Evaluation. 2019 , 47-61	1
718	Equilibrium, kinetic and thermodynamic studies of a low-cost biosorbent for the removal of Congo red dye: Acid and CTAB-acid modified celery (<i>Apium graveolens</i>). 2019 , 1176, 181-193	49
717	Adsorptive removal of methylene blue from aqueous solution on activated carbon prepared from Malawian baobab fruit shell wastes: Equilibrium, kinetics and thermodynamic studies. 2019 , 54, 27-41	6
716	Flocculant-Assisted Synthesis of Graphene-Like Carbon Nanosheets for Oxygen Reduction Reaction and Supercapacitor. 2019 , 9,	8

715	Itaconic acid: an effective sorbent for removal of pollutants from dye industry effluents. 2019 , 12, 6-17	23
714	Preliminary study on the synthesis of granular ordered mesoporous carbon/montmorillonite composite adsorbents for removal of water pollutants. 2019 ,	1
713	N, S Dual-Doped Carbon Derived from Dye Sludge by Using Polymeric Flocculant as Soft Template. 2019 , 9,	4
712	Brewers' spent grain in adsorption of aqueous Congo Red and malachite Green dyes: Batch and continuous flow systems. 2019 , 380, 120897	35
711	A breakthrough column study for removal of malachite green using coco-peat. 2019 , 21, 1263-1271	14
710	Remediation of remazol dyes by biochar derived from <i>Caulerpa scalpelliformis</i> : An eco-friendly approach. 2019 , 7, 103297	28
709	Double-Silicate Derived Hybrid Foams for High-Capacity Adsorption of Textile Dye Effluent: Statistical Optimization and Adsorption Studies. 2019 , 35, 9382-9395	15
708	Single and simultaneous adsorption of rhodamine B and congo red from aqueous solution by organo-vermiculites. 2019 , 292, 111408	12
707	Removal of Cationic or Anionic Dyes from Water Using Ion Exchange Cellulose Monoliths as Adsorbents. 2019 , 92, 1453-1461	25
706	Natural Sawdust as Adsorbent for the Eriochrome Black T Dye Removal from Aqueous Solution. 2019 , 230, 1	34
705	Gamma radiolysis of erythrosine dye in aqueous solutions. 2019 , 321, 965-971	7
704	Effect of Salinity on the Adsorption Behavior of Methylene Blue onto Comminuted Raw Avocado Residue: CCD-RSM Design. 2019 , 230, 1	11
703	Comparative Desorption Studies on Remediation of Remazol Dyes Using Biochar (Sorbent) Derived from Green Marine Seaweeds. 2019 , 4, 7437-7445	13
702	Potential and challenges of enzyme incorporated nanotechnology in dye wastewater treatment: A review. 2019 , 7, 103261	53
701	New low-cost ultrafiltration membrane made from purified natural clays for direct Red 80 dye removal. 2019 , 7, 103268	33
700	Preparation of a poly(acrylic acid) based hydrogel with fast adsorption rate and high adsorption capacity for the removal of cationic dyes.. 2019 , 9, 21075-21085	34
699	The wastage of the cotton stalks (<i>Gossypium hirsutum</i> L.) as low-cost adsorbent for removal of the Basic Green 5 dye from aqueous solutions. 2019 , 9, 1	5
698	A Critical Insight into Biomass Derived Biosorbent for Bioremediation of Dyes. 2019 , 4, 9762-9775	6

697	Adsorption and Removal of Methylene Blue from Aqueous Solution Using Sterile Bract of <i>Araucaria angustifolia</i> as Novel Natural Adsorbent. 2019 , 13, 991-1003	5
696	Understanding Mechanism of Adsorption in the Decolorization of Aqueous Methyl Violet (6B) Solution by Okra Polysaccharides: Experiment and Theory. 2019 , 4, 17880-17889	10
695	Surface Modified of Cellulose Acetate Electrospun Nanofibers by Polyaniline/ β -cyclodextrin Composite for Removal of Cationic Dye from Aqueous Medium. 2019 , 20, 2057-2069	22
694	Kinetics, isotherm, and thermodynamic studies of methylene blue selective adsorption and photocatalysis of malachite green from aqueous solution using layered Na-intercalated Cu-doped Titania. 2019 , 183, 105323	16
693	Alginate-coated perlite beads for the efficient removal of methylene blue, malachite green, and methyl violet from aqueous solutions: kinetic, thermodynamic, and equilibrium studies. 2019 , 10,	31
692	Synthetic and application of a novel resin from waste foam packing for adsorption of Acid Orange 67 from aqueous solution. 2019 , 43,	4
691	Removal of dye from polluted water using novel nano manganese oxide-based materials. 2019 , 32, 100911	92
690	Biosurfactant: A new frontier for greener technology and environmental sustainability. 2019 , 184, 109607	126
689	The impact of raw materials cost on the adsorption process. 2019 , 30, 1-14	2
688	Preparation, characterization and application of sorbent envelopes with <i>Carica papaya</i> seeds and <i>Citrus grandis</i> rind for cationic dyes removal. 2019 , 12, 343-352	3
687	Glyphosate adsorption by <i>Eucalyptus camaldulensis</i> bark-mediated char and optimization through response surface modeling. 2019 , 9, 1	15
686	Potentiality of <i>Eichhornia</i> shoots ash towards removal of Congo red from aqueous solution: Isotherms, kinetics, thermodynamics and optimization studies. 2019 , 9, 100269	9
685	Adsorption and anion exchange insight of indigo carmine onto CuAl-LDH/SWCNTs nanocomposite: kinetic, thermodynamic and isotherm analysis.. 2018 , 9, 560-568	32
684	A comparative analysis of source based distinctly functionalized nanostructured cellulose for the adsorptive removal of toxic colorants. 2019 , 26, 1703-1724	8
683	Mesoporous anatase crystal-silica nanocomposites with large intrawall mesopores presenting quite excellent photocatalytic performances. 2019 , 246, 284-295	16
682	Elaboration and Characterization of New Adsorbent Using Oil Shale Ash for Dyes Removal from Aqueous Solutions. 2019 , 105-107	
681	A new paradigm of ultrathin 2D nanomaterial adsorbents in aqueous media: graphene and GO, MoS ₂ , MXenes, and 2D MOFs. 2019 , 7, 16598-16621	57
680	Production of cellulose from <i>Aegagropila Linnaei</i> macro-algae: Chemical modification, characterization and application for the bio-sorption of cationic and anionic dyes from water. 2019 , 135, 152-162	22

679	Effective separation of methylene blue dye from aqueous solutions by integration of micellar enhanced ultrafiltration with vacuum membrane distillation. 2019 , 375, 122015	35
678	How to Improve Selectivity of a Material for Adsorptive Separation Applications. 2019 , 1469-1505	
677	Gemini surfactant modified organo-clays for removal of organic pollutants from water: A review. 2019 , 375, 121910	57
676	Facile synthesis of FeO nanoparticles from Egyptian insecticide cans for efficient photocatalytic degradation of methylene blue and crystal violet dyes. 2019 , 222, 117195	52
675	Potentiality of mosambi (Citrus limetta) peel dust toward removal of Cr(VI) from aqueous solution: an optimization study. 2019 , 9, 1	12
674	High effective adsorption of acid fuchsin dye using magnetic biodegradable polymer-based nanocomposite from aqueous solutions. 2019 , 149, 103966	21
673	The preparation of thin-walled multi-cavities Cyclodextrin polymer and its static and dynamic properties for dyes removal. 2019 , 245, 105-113	8
672	Remediation of complex remazol effluent using biochar derived from green seaweed biomass. 2019 , 21, 1179-1189	23
671	A review on the recent advances, challenges and future aspect of layered double hydroxides (LDH) containing hybrids as promising adsorbents for dyes removal. 2019 , 288, 110989	114
670	Tannic acid-polyethyleneimine crosslinked loose nanofiltration membrane for dye/salt mixture separation. 2019 , 584, 324-332	120
669	Recent advances for dyes removal using novel adsorbents: A review. 2019 , 252, 352-365	424
668	Insights into the mechanism of methylene blue removed by novel and classic biochars. 2019 , 79, 1561-1570	4
667	Fast removal of methylene blue (MB) with functionalized resin. 2019 , 56, 697-707	7
666	Adsorption of phosphate and photodegradation of cationic dyes with BiOI in phosphate-cationic dye binary system. 2019 , 223, 196-202	22
665	Enhanced adsorption of Rhodamine B by magnetic nitrogen-doped porous carbon prepared from bimetallic ZIFs. 2019 , 575, 10-17	30
664	Application of nontoxic green emulsion liquid membrane prepared by sunflower oil for water decolorization: Process optimization by response surface methodology. 2019 , 77, 215-222	14
663	Enhanced removal of Orange G from aqueous solutions by modified chitosan beads: Performance and mechanism. 2019 , 133, 1260-1267	17
662	DMF-treated strategy of carbon nanospheres for high-efficient and selective removal of organic dyes. 2019 , 484, 144-151	16

661	Novel polyphenylsulfone (PPSU)/nano tin oxide (SnO ₂) mixed matrix ultrafiltration hollow fiber membranes: Fabrication, characterization and toxic dyes removal from aqueous solutions. 2019 , 139, 170-180	35
660	Taguchi DoE methodology for modeling of synthetic dye biosorption from aqueous effluents: parametric and phenomenological studies. 2019 , 21, 1065-1071	2
659	Modelling on the Removal of Dye from Industrial Wastewater Using Surface Improved Enteromorpha intestinalis. 2019 , 13, 349-366	13
658	Continuous flow biosorptive removal of methylene blue and crystal violet dyes using alginate/water hyacinth beads. 2019 , 5, 1594513	3
657	Surface Plasmon-Based Nanomaterials as Photocatalyst. 2019 , 173-187	4
656	Treatment of Dye Containing Real Industrial Effluents using NaOH-Activated Ficus racemosa and Prunus dulcis based Novel Adsorbents. 2019 , 13, 337-347	9
655	Use of bentonite calcined clay as an adsorbent: equilibrium and thermodynamic study of Rhodamine B adsorption in aqueous solution. 2019 , 26, 28622-28632	9
654	A new alternative to use soybean hulls on the adsorptive removal of aqueous dyestuff. 2019 , 6, 175-182	13
653	A Comprehensive Study on the Dye Adsorption Behavior of Polyoxometalate-Complex Nano-Hybrids Containing Classic Octamolybdate and Biimidazole Units. 2019 , 24,	8
652	Removal of malachite green dye from aqueous solutions by a magnetic adsorbent. 2019 , 1-13	4
651	Impact of pH on the Treatment of Artificial Textile Wastewater Containing Azo Dyes Using Pond Systems. 2019 , 13, 367-385	7
650	Enhanced dyes adsorption from wastewater via FeO nanoparticles functionalized activated carbon. 2019 , 373, 397-407	145
649	Experimental study and mathematical modeling of biosorption of methylene blue from aqueous solution in a packed bed of microalgae Scenedesmus. 2019 , 225, 133-142	26
648	Adsorption studies of Cr(VI) and Cu(II) metal ions from aqueous solutions by synthesized Ag and Mg co-doped TiO ₂ nanoparticles. 2019 , 54, 2983-2992	1
647	Bamboo charcoal modified with Cu ²⁺ and 3-aminopropyl trimethoxy silane for the adsorption of acid fuchsin dye: Optimization by response surface methodology and the adsorption mechanism. 2019 , 136, 47728	2
646	Efficient and selective removal of cationic organic dyes from their aqueous solutions by a nanocomposite hydrogel, katira gum-cl-poly(acrylic acid-co-N, N-dimethylacrylamide)@bentonite. 2019 , 173, 46-64	33
645	Application of titania based adsorbent for removal of acid, reactive and direct dyes from textile effluents. 2019 , 25, 621-630	10
644	Study on the adsorption of dyestuffs with different properties by sludge-rice husk biochar: Adsorption capacity, isotherm, kinetic, thermodynamics and mechanism. 2019 , 285, 62-74	97

643	Ferroelectric Fe _{0.1} Co _{0.9} Codoped BaTiO ₃ Nanoparticles for the Photocatalytic Oxidation of Azo Dyes. 2019 , 2, 2890-2901	15
642	Removal of Methylene Blue Dye from Textile Wastewater Using Water Hyacinth Activated Carbon as Adsorbent: Synthesis, Characterization and Kinetic Studies. 2019 ,	2
641	A critical review on ultrasonic-assisted dye adsorption: Mass transfer, half-life and half-capacity concentration approach with future industrial perspectives. 2019 , 49, 1959-2015	21
640	Nanocatalytic physicochemical adsorption and degradation of organic dyes. 2019 , 92, 1	4
639	Kinetic, thermodynamics and equilibrium studies on the removal of Congo red dye using activated teak leaf powder. 2019 , 9, 1	17
638	Adsorption Properties of β - and Hydroxypropyl- β -Cyclodextrins Cross-Linked with Epichlorohydrin in Aqueous Solution. A Sustainable Recycling Strategy in Textile Dyeing Process. 2019 , 11,	22
637	Highly brilliant green removal from wastewater by mesoporous adsorbents: Kinetics, thermodynamics and equilibrium isotherm studies. 2019 , 146, 1255-1262	27
636	Immobilized Nanocatalysts for Degradation of Industrial Wastewater. 2019 , 133-145	1
635	Supplementing multi-functional groups to polysulfone membranes using Azadirachta indica leaves powder for effective and highly selective acid recovery. 2019 , 369, 1-8	11
634	Nanocomposites for Environmental Pollution Remediation. 2019 , 1407-1440	3
633	Selective and Efficient Removal of Anionic Dyes from Solution by Zirconium(IV) Hydroxide-Coated Magnetic Materials. 2019 , 64, 791-799	22
632	Preparation and characterisation of high performing magnesite-halloysite nanocomposite and its application in the removal of methylene blue dye. 2019 , 1184, 389-399	19
631	Synthesis of a novel 3,5-diacrylamidobenzoic acid based hyper-cross-linked resin for the efficient adsorption of Congo Red and Rhodamine B. 2019 , 369, 528-538	41
630	Lanthanum enriched aminosilane-grafted mesoporous carbon material for efficient adsorption of tartrazine azo dye. 2019 , 280, 7-19	17
629	Adsorption of methylene blue from aqueous solution onto viscose-based activated carbon fiber felts: Kinetics and equilibrium studies. 2019 , 37, 312-332	24
628	Removal of Rhodamine B (A Basic Dye) and Acid Yellow 17 (An Acidic Dye) from Aqueous Solutions by Ordered Mesoporous Carbon and Commercial Activated Carbon. 2019 , 3, 30	27
627	Synthesis of Mesoporous Silica Nanoparticle from Banana Peel Ash for Removal of Phenol and Methyl Orange in Aqueous Solution. 2019 , 19, 1119-1125	26
626	Adsorption Kinetic, Isotherm and Thermodynamic of 2,4-Dichlorophenoxyacetic Acid Herbicide in Novel Alternative Natural Adsorbents. 2019 , 230, 1	6

625	Adsorption of an anionic dye (Congo red) from aqueous solutions by pine bark. 2019 , 9, 16530	86
624	Synthesis of Chitosan-Ignosulfonate Composite as an Adsorbent for Dyes and Metal Ions Removal from Wastewater. 2019 , 4, 21421-21430	26
623	Temperature-dependent mechanisms of DOM removal by biological activated carbon filters. 2019 , 5, 2232-2241	7
622	Enhancing adsorption capacity of Egyptian diatomaceous earth by thermo-chemical purification: Methylene blue uptake. 2019 , 534, 408-419	38
621	Enhanced X-RAYS degradation of methylene blue in the presence of gold microspheres. 2019 , 156, 73-80	5
620	Saponin extracted waste biomass of Sapindus mukorossi for adsorption of methyl violet dye in aqueous system. 2019 , 14, 166-174	17
619	Current trends and future prospects of ammonia removal in wastewater: A comprehensive review on adsorptive membrane development. 2019 , 213, 114-132	66
618	Optimization of the integral valorization process for orange peel waste using a design of experiments approach: Production of high-quality pectin and activated carbon. 2019 , 85, 202-213	42
617	Covalent Construction of Sustainable Hybrid UiO-66-NH ₂ @Tb-CP Material for Selective Removal of Dyes and Detection of Metal Ions. 2019 , 7, 3203-3212	72
616	Low - cost multilayered green fiber for the treatment of textile industry waste water. 2019 , 365, 297-305	26
615	Adsorption of methyl blue from solution using walnut shell and reuse in a secondary adsorption for Congo red. 2019 , 5, 238-242	39
614	Sustainable colorants. 2019 , 21-55	4
613	A novel thiosemicarbazide modified chitosan (TSFCS) for efficiency removal of Pb (II) and methyl red from aqueous solution. 2019 , 123, 457-467	18
612	Magnetically modified macroalgae Cymopolia barbata biomass as an adsorbent for safranin O removal. 2019 , 225, 174-180	20
611	Adsorptive removal of anionic dye using calcined oyster shells: isotherms, kinetics, and thermodynamics. 2019 , 26, 5944-5954	36
610	Influence of surfactant on the synthesis of BiOCl/WO ₃ microcomposites for enhanced adsorption in aqueous solutions. 2019 , 36, 468-477	8
609	Kinetics and Equilibrium Studies of Eriobotrya Japonica: A Novel Adsorbent Preparation for Dyes Sequestration. 2019 , 233, 1469-1484	27
608	Methylene blue (a cationic dye) adsorption performance of graphene oxide fabricated Fe-Al bimetal oxide composite from water. 2019 , 54, 57-69	5

607	Solvent-free hydrothermal synthesis of gamma-aluminum oxide nanoparticles with selective adsorption of Congo red. 2019 , 536, 180-188	27
606	Modelling dye removal by adsorption onto water treatment residuals using combined response surface methodology-artificial neural network approach. 2019 , 231, 241-248	107
605	Study of mathematical models for the removal of Ni ²⁺ from aqueous solutions using Citrullus lanatus rind, an agro-based waste. 2019 , 33, 276-291	10
604	Photocatalytic activities using a nanocomposite of mesoporous SiO ₂ and CdInSe-graphene nanoparticles under visible light irradiation. 2019 , 371, 271-281	4
603	Synergy of adsorption and advanced oxidation processes in recalcitrant wastewater treatment. 2019 , 17, 1125-1142	35
602	Adsorption Removal of Safranin Dye Contaminants from Water Using Various Types of Natural Zeolite. 2019 , 11, 1635-1647	55
601	Mesoporous CuO-graphene coating of mesoporous TiO ₂ for enhanced visible-light photocatalytic activity of organic dyes. 2019 , 211, 646-657	27
600	Facile fabrication of porous NiCo ₂ O ₄ nanosheets with high adsorption performance toward Congo red. 2019 , 124, 289-295	36
599	Adsorptive Removal of Basic Yellow Dye Using Bigadiç Zeolites: FTIR Analysis, Kinetics, and Isotherms Modeling. 2019 , 38, S185-S195	6
598	Efficient Removal of Cationic Dyes From Aqueous Solutions Using the Low-Cost Algerian Olive Cake Waste Adsorbent. 2019 , 71, 791-800	11
597	Use of Agro-waste Musa acuminata and Solanum tuberosum peels for economical sorptive removal of Emerald green dye in ecofriendly way. 2019 , 206, 819-826	26
596	Adsorption of Basic Magenta II onto H ₂ SO ₄ activated immature Gossypium hirsutum seeds: Kinetics, isotherms, mass transfer, thermodynamics and process design. 2019 , 12, 1322-1337	33
595	The role of auxiliaries in the immersion dyeing of textile fibres part 2: Analysis of conventional models that describe the manner by which inorganic electrolytes promote direct dye uptake on cellulosic fibres. 2019 , 161, 531-545	10
594	The role of auxiliaries in the immersion dyeing of textile fibres: Part 1 an overview. 2019 , 161, 519-530	14
593	Magnetic Fe ₃ O ₄ -chitosan micro- and nanoparticles for wastewater treatment. 2019 , 37, 732-740	14
592	Application of silica nanoparticles to develop faujasite nanocomposite for heavy metal and carcinogenic dye degradation. 2019 , 38, S15-S23	9
591	Adsorption behaviors of crystal violet from aqueous solution using Anatolian black pine (Pinus nigra Arnold.): kinetic and equilibrium studies. 2020 , 55, 406-414	7
590	Adsorption of Eosin Y, methyl orange and brilliant green from aqueous solution using ferroferric oxide/polypyrrole magnetic composite. 2020 , 77, 1049-1066	17

589	Recycling of Agricultural Waste for Wastewater Treatment. 2020 , 514-519	6
588	A combined effect of adsorption and reduction potential of biochar derived from Mentha plant waste on removal of methylene blue dye from aqueous solution. 2020 , 55, 907-921	25
587	A low-cost and eco-friendly biosorbent material for effective synthetic dye removal from aquatic environment: characterization, optimization, kinetic, isotherm and thermodynamic studies. 2020 , 22, 353-362	2
586	Eucalyptus leaf powder as an efficient scavenger for Congo red from water: Comprehensive batch and column investigation. 2020 , 55, 3047-3059	12
585	Recent progress on solution and materials chemistry for the removal of hydrogen sulfide from various gas plants. 2020 , 297, 111886	21
584	Preparation of a novel magnetic geopolymer/zero-valent iron composite with remarkable adsorption performance towards aqueous Acid Red 97. 2020 , 207, 1048-1061	8
583	Recent trends on numerical investigations of response surface methodology for pollutants adsorption onto activated carbon materials: A review. 2020 , 50, 1043-1084	58
582	Adsorption kinetics of methylene blue removal from aqueous solutions using potassium hydroxide (KOH) modified apricot kernel shells. 2020 , 100, 1549-1565	14
581	Facile in-situ synthesis of PEI-Pt modified bacterial cellulose bio-adsorbent and its distinctly selective adsorption of anionic dyes. 2020 , 586, 124163	23
580	Green fabrication of ZnO nanoparticles using Eucalyptus spp. leaves extract and their application in wastewater remediation. 2020 , 247, 125803	45
579	Degradation of Anthraquinone Dyes from Effluents: A Review Focusing on Enzymatic Dye Degradation with Industrial Potential. 2020 , 54, 647-664	137
578	Nano-engineered Adsorbent for the Removal of Dyes from Water: A Review. 2020 , 16, 14-40	92
577	Review on recent advances of carbon based adsorbent for methylene blue removal from waste water. 2020 , 16, 100233	85
576	Sorption of paralytic shellfish toxins (PSTs) in algal polysaccharide gels. 2020 , 45, 101655	3
575	Batch and continuous closed circuit semi-fluidized bed operation: Removal of MB dye using sugarcane bagasse biochar and alginate composite adsorbents. 2020 , 8, 103637	55
574	Insight into the Synergistic Effect of Adsorption-Photocatalysis for the Removal of Organic Dye Pollutants by Cr-Doped ZnO. 2020 , 36, 520-533	27
573	Application of a new metal-organic framework of [NiF(4,4'-bipy)(HO)](VO).8HO as an efficient adsorbent for removal of Congo red dye using experimental design optimization. 2020 , 182, 109054	22
572	Synthesis and characterization of highly durable and reusable superabsorbent core-shell particles. 2020 , 60, 306-313	1

571	An insight into methylene blue adsorption characteristics onto functionalized alginate bio-polymer gel beads with Carrageenan-calcium phosphate, carboxymethyl cellulose, and celite 545. 2020 , 156, 1091-1103	12
570	Removal of heavy metal ions and anionic dyes from aqueous solutions using amide-functionalized cellulose-based adsorbents. 2020 , 230, 115619	21
569	Magsorbents: Potential candidates in wastewater treatment technology A review on the removal of methylene blue dye. 2020 , 500, 166408	90
568	Cactus material-based adsorbents for the removal of heavy metals and dyes: a review. 2020 , 7, 012002	9
567	Hollow silica nanoparticles synthesized from core-shell nanoparticles as highly efficient adsorbent for methylene blue and its invitro release: Mechanism and Kinetics study. 2020 , 587, 124333	12
566	The Kinetics and Equilibrium Thermodynamics Study on the Removal of Direct Blue and Titan Yellow Dyes from Aqueous Media by Modified Rice Husk Char. 2020 , 234, 485-503	2
565	Adsorption of anionic and cationic dyes into shaped MCM-41. 2020 , 26, 75-88	11
564	Graphene oxide-mesoporous SiO ₂ hybrid composite for fast and efficient removal of organic cationic contaminants. 2020 , 158, 193-201	24
563	Recent advances in carbon nanomaterial-based adsorbents for water purification. 2020 , 405, 213111	183
562	Efficient Selective Sorption of Cationic Organic Pollutant from Water and Its Photocatalytic Degradation by AlVO ₃ -CN Nanocomposite. 2020 , 20, 2179-2194	11
561	Localized hydrogels based on cellulose nanofibers and wood pulp for rapid removal of methylene blue. 2020 , 58, 3042-3049	4
560	Ultrasound assisted adsorption of reactive dye-145 by biochars from marine <i>Chlorella</i> sp. extracted solid waste pyrolyzed at various temperatures. 2020 , 8, 104403	11
559	Biodegradable natural carbohydrate polymeric sustainable adsorbents for efficient toxic dye removal from wastewater. 2020 , 319, 114356	56
558	Selective removal of dual dyes from aqueous solutions using a metal organic framework (MIL-53(Al)). 2020 , 190, 114762	15
557	Synthesis and characterization of a novel activated carbon using nonliving lichen <i>Cetraria islandica</i> (L.) ach. and its application in water remediation: Equilibrium, kinetic and thermodynamic studies of malachite green removal from aqueous media. 2020 , 21, 100653	1
556	Environmental applications of <i>Luffa cylindrica</i> -based adsorbents. 2020 , 319, 114127	20
555	Batch adsorption of methylene blue dye using <i>Enterolobium contortisiliquum</i> as bioadsorbent: Experimental, mathematical modeling and simulation. 2020 , 91, 362-371	11
554	Solvothermal synthesis and characterization of novel [Ni(II)(Tpy)(Pydc)] ₂ H ₂ O metal-organic framework as an adsorbent for the uptake of caffeine drug from aqueous solution. 2020 , 44, 18780-18791	2

553	Removal of methylene blue from aqueous solution using Mg-Fe, Zn-Fe, Mn-Fe layered double hydroxide. 2020 , 81, 2522-2532	9
552	Lignin extraction from barley straw using ultrasound-assisted treatment method for a lignin-based biocomposite preparation with remarkable adsorption capacity for heavy metal. 2020 , 164, 1133-1148	17
551	Amino-functionalized titanate nanotubes for highly efficient removal of anionic dye from aqueous solution. 2020 , 512, 145659	10
550	Biodecolorization of Reactive Dyes Using Biochar Derived from Coconut Shell: Batch, Isotherm, Kinetic and Desorption Studies. 2020 , 5, 7734-7742	3
549	Efficiency of Sawdust as Low-Cost Adsorbent for Dyes Removal. 2020 , 2020, 1-17	34
548	Biochar derived from <i>Caulerpa scalpelliformis</i> for the removal of Reactive Yellow 81 in batch and packed bed column. 2020 , 1	1
547	Efficient photocatalysis of organic dyes under simulated sunlight irradiation by a novel magnetic CuFe ₂ O ₄ @porphyrin nanofiber hybrid material fabricated via self-assembly. 2020 , 281, 118655	13
546	Effect of reaction parameters on the adsorption. 2020 , 119-135	2
545	Efficient adsorbent derived from <i>Argania Spinosa</i> for the adsorption of cationic dye: Kinetics, mechanism, isotherm and thermodynamic study. 2020 , 20, 100601	13
544	Facile light-assisted preparation of reusable magnetic Fe ₃ O ₄ @SiO ₂ @Chitosan composite for adsorption of dyes. 2020 , 562, 28-38	1
543	Brilliant Green Dye Biosorption Using Activated Carbon Derived from Guava Tree Wood. 2020 , 2020, 1-12	8
542	Classification of water contaminants. 2020 , 11-36	1
541	Chitosan-coated nonwoven polyethylene terephthalate material for efficient removal of cationic and anionic dyes from aqueous solution. 2020 , 1-23	1
540	Industrial solid waste for heavy metals adsorption features and challenges; a review. 2020 , 9, 10235-10253	76
539	Adsorption of Anionic Dye on the Acid-Functionalized Bentonite. 2020 , 13,	17
538	Adsorption of Direct Red 23 dye from aqueous solution by means of modified montmorillonite nanoclay as a superadsorbent: Mechanism, kinetic and isotherm studies. 2020 , 37, 2192-2201	4
537	Microwave induced catalytic treatment of brilliant green dye with carbon doped zinc oxide nanoparticles: Central composite design, toxicity assessment and cost analysis. 2020 , 14, 100361	8
536	Preparation, characterization and application of Fe-pillared bentonite to the removal of Coomassie blue dye from aqueous solutions. 2020 , 46, 4985-5008	17

535	Hierarchical approach towards adsorptive removal of Alizarin Red S dye using native chitosan and its successively modified versions. 2020 , 82, 715-731	7
534	Magnetite Fe ₃ O ₄ -activated carbon composite as adsorbent of rhodamine B dye. 2020 , 483, 012046	3
533	Adsorptive performance of chemically treated olive pomace for the removal of crystal violet from aqueous solutions: characterisation, optimisation, regeneration and isotherm studies. 2020 , 1-18	1
532	Adsorption Characteristics of Activated Carbon for the Reclamation of Eosin Y and Indigo Carmine Colored Effluents and New Isotherm Model. 2020 , 25,	4
531	Study of dye desorption mechanism of bone char utilizing different regenerating agents. 2020 , 2, 1	3
530	Adsorption of synthetic dyed wastewater using activated carbon from rice husk. 2020 , 2, 1	3
529	One water-stable magnetic coordination polymer material (Fe ₃ O ₄ @PmPD[Co-BT]) as an efficient adsorbent for rapid dye removal. 2020 , 44, 20626-20633	2
528	Preparation and characterization of novel polyoxometalate/CoFeO/metal-organic framework magnetic core-shell nanocomposites for the rapid removal of organic dyes from water.. 2020 , 10, 39881-39893 ¹⁹	
527	Melt-spun modified poly (styrene-co-butyl acrylate) fiber as a carrier to support manganese oxide and its application in dye wastewater decolorization. 2020 , 27, 28209-28221	
526	New insights in the use of a strong cationic resin in dye adsorption. 2020 , 81, 773-780	7
525	Sustainable hybrid silica extracted from rice husk with polyvinyl alcohol and nicotinic acid as multi adsorbent for textile wastewater treatment. 2020 , 27, 26742-26749	12
524	Highly efficient removal from aqueous solution by adsorption of Maxilon Red GRL dye using activated pine sawdust. 2020 , 37, 985-999	9
523	Kinetics and mechanisms of congo-red dye removal from aqueous solution using activated Moringa oleifera seed coat as adsorbent. 2020 , 10, 1	33
522	Hierarchical porous induced competent removal of low concentration azo dye molecules by generating a leachy crystalline structure H-MIL-53(Fe). 2020 , 31, 2717-2720	6
521	Effective adsorption of chloroanilines from aqueous solution by m-phenylenediamine modified hyper-cross-linked resin: Kinetic, equilibrium, and thermodynamic studies. 2020 , 601, 124996	6
520	Surface Modification of Cured Inorganic Foams with Cationic Cellulose Nanocrystals and Their Use as Reactive Filter Media for Anionic Dye Removal. 2020 , 12, 27745-27757	15
519	A magnetic hierarchical zero-valent iron nanoflake-decorated graphene nanoplate composite for simultaneous adsorption and reductive degradation of rhodamine B. 2020 , 44, 9083-9089	7
518	Biosorption study for removal of methylene blue dye from aqueous solution using a novel activated carbon obtained from nonliving lichen (<i>Pseudevernia furfuracea</i> (L.) Zopf.). 2020 , 19, 100527	9

517	Biodegradation of crystal violet mediated by CotA from <i>Bacillus amyloliquefaciens</i> . 2020 , 130, 347-351	8
516	Magnetic Fe ₃ O ₄ Nanoparticle Biochar Derived from Pomelo Peel for Reactive Red 21 Adsorption from Aqueous Solution. 2020 , 2020, 1-14	4
515	Optimizing of malachite green extraction from aqueous solutions using hydrophilic and hydrophobic nanoparticles. 2020 , 308, 113014	19
514	Comparison of Azithromycin Removal from Water Using UV Radiation, Fe (VI) Oxidation Process and ZnO Nanoparticles. 2020 , 17,	7
513	A Comprehensive review on the hierarchical performances of eco-friendly and functionally advanced modified and recyclable carbon materials. 2020 , 17, 1521-1537	3
512	Adsorption of organic and inorganic pollutants on activated bio-carbons prepared by chemical activation of residues of supercritical extraction of raw plants. 2020 , 393, 124785	23
511	Comprehensive kinetic and mass transfer modeling for methylene blue dye adsorption onto CuO nanoparticles loaded on nanoporous activated carbon prepared from waste coconut shell. 2020 , 307, 112949	44
510	Tailored Lignocellulose-Based Biodegradable Matrices with Effective Cargo Delivery for Crop Protection. 2020 , 8, 6590-6600	3
509	The Removal of Crystal Violet from Textile Wastewater Using Palm Kernel Shell-Derived Biochar. 2020 , 10, 2251	28
508	Synthesis and characterization of conducting polypyrrole/bentonite nanocomposites and in-situ oxidative polymerization of pyrrole: adsorption of 4-nitrophenol by polypyrrole/bentonite nanocomposite. 2020 , 207, 1171-1183	4
507	Solvent-free synthesis of magnetic biochar and activated carbon through ball-mill extrusion with FeO nanoparticles for enhancing adsorption of methylene blue. 2020 , 722, 137972	62
506	Tunable electrochemical synthesis of pyrrole-based adsorbents. 2020 , 55, 3329-3342	
505	Synthesis of a novel polysuccinimide based resin for the ultrahigh removal of anionic azo dyes from aqueous solution. 2020 , 184, 109337	18
504	Stepwise Ethanol-Water Fractionation of Enzymatic Hydrolysis Lignin to Improve Its Performance as a Cationic Dye Adsorbent. 2020 , 25,	10
503	Process optimisation of methylene blue sequestration onto physical and chemical treated coffee husk based adsorbent. 2020 , 2, 1	7
502	Facile, one-pot biosynthesis and characterization of iron, copper and silver nanoparticles using <i>Syzygium cumini</i> leaf extract: As an effective antimicrobial and aflatoxin B1 adsorption agents. 2020 , 15, e0234964	30
501	Chemically Cross-Linked Cellulose Nanocrystal Aerogels for Effective Removal of Cation Dye. 2020 , 8, 570	25
500	Activated banana peel carbon: a potential adsorbent for Rhodamine B decontamination from aqueous system. 2020 , 10, 1	22

499	Polymer based gels and their applications in remediation of dyes from textile effluents. 2020 , 57, 906-926	10
498	Dye removal from effluents using biopolymer membranes. 2020 , 383-395	
497	Development of hybrid gel beads of lignocellulosic compounds derived from agricultural waste: Efficient lead adsorbents for a comparative biosorption. 2020 , 315, 113715	4
496	Adsorption of dye yellow no. 6 from synthetic wastewater by activated carbon derived from waste polymer via microwave irradiated. 2020 ,	
495	Adsorption of methylene blue on chemically modified lychee seed biochar: Dynamic, equilibrium, and thermodynamic study. 2020 , 315, 113743	75
494	Biosorptive removal of acid orange 74 dye by HCl-pretreated Lemna sp. 2020 , 15, e0228595	11
493	Adsorptive Remediation of Congo Red Dye in Aqueous Solutions Using Acid Pretreated Sugarcane Bagasse. 2020 , 28, 1129-1137	9
492	Encapsulation of K6P2W18O62 into magnetic nanoporous Fe3O4/MIL-101 (Fe) for highly enhanced removal of organic dyes. 2020 , 285, 121264	19
491	Adsorption of Methylene Blue in Water onto Activated Carbon by Surfactant Modification. 2020 , 12, 587	120
490	Iron oxide nanocatalyst with titanium and silver nanoparticles: Synthesis, characterization and photocatalytic activity on the degradation of Rhodamine B dye. 2020 , 10, 3055	40
489	Highly efficient adsorption performance of a novel magnetic geopolymer/Fe3O4 composite towards removal of aqueous acid green 16 dye. 2020 , 8, 103804	35
488	Green synthesis of TiO2 and its photocatalytic activity. 2020 , 11-61	6
487	An enhanced recyclable 3D adsorbent for diverse bio-applications using biocompatible magnetic nanomulberry and cucurbituril composites. 2020 , 10, 443	5
486	Preparation of mesoporous anatase titania with large secondary mesopores and extraordinarily high photocatalytic performances. 2020 , 269, 118756	11
485	Removal of amaranth dye over surfactant modified dull pink clay from aqueous medium. 2020 , 1-18	6
484	Araticum (<i>Annona crassiflora</i>) seed powder (ASP) for the treatment of colored effluents by biosorption. 2020 , 27, 11184-11194	20
483	Adsorption of Congo red with hydrothermal treated shiitake mushroom. 2020 , 7, 015103	15
482	Fabrication of low-cost ceramic ultrafiltration membrane made from bentonite clay and its application for soluble dyes removal. 2020 , 40, 2453-2462	38

- 481 Amidoxime Modified Polymers of Intrinsic Microporosity (PIM-1); A Versatile Adsorbent for Efficient Removal of Charged Dyes; Equilibrium, Kinetic and Thermodynamic Studies. **2020**, 28, 995-1009 9
- 480 Construction of Kevlar nanofiber/graphene oxide composite beads as safe, self-anticoagulant, and highly efficient hemoperfusion adsorbents. **2020**, 8, 1960-1970 11
- 479 pH-responsive magnetic graphene oxide/poly(NVI-co-AA) hydrogel as an easily recyclable adsorbent for cationic and anionic dyes. **2020**, 588, 124393 36
- 478 Facile synthesis of porous carbon/Fe₃O₄ composites derived from waste cellulose acetate by one-step carbothermal method as a recyclable adsorbent for dyes. **2020**, 9, 3384-3393 12
- 477 Ice-templated porous polymer/UiO-66 monolith for Congo Red adsorptive removal. **2020**, 13, 5669-5678 10
- 476 Treatment of water containing methylene by biosorption using Brazilian berry seeds (*Eugenia uniflora*). **2020**, 27, 20831-20843 17
- 475 Imidazole framework based metal oxide nanoparticles photocatalysts: An approach towards amputation of organic pollutants from water. **2020**, 173-193
- 474 Adsorption of Copper and Methylene Blue on an Agrowaste of *Mauritia Flexuosa*. **2020**, 146, 04020039 4
- 473 *Catharanthus roseus* extract mediated synthesis of cobalt nanoparticles: evaluation of antioxidant, antibacterial, hemolytic and catalytic activities. **2020**, 50, 1171-1180 6
- 472 Selective adsorption of organic pigments on inorganically modified mesoporous biochar and its mechanism based on molecular structure. **2020**, 573, 21-30 20
- 471 Study of the Photocatalytic Activity Using Silica-Based Materials Doped with Silver Nanoparticles for Degradation of Rhodamine B Dye. **2020**, 231, 1 1
- 470 Review on sustainable production of biochar through hydrothermal liquefaction: Physico-chemical properties and applications. **2020**, 310, 123414 56
- 469 Uniformly coating ZnAl layered double oxide nanosheets with ultra-thin carbon by ligand and phase transformation for enhanced adsorption of anionic pollutants. **2020**, 397, 122766 35
- 468 Iron-nickel bimetallic metal-organic frameworks as bifunctional Fenton-like catalysts for enhanced adsorption and degradation of organic contaminants under visible light: Kinetics and mechanistic studies. **2021**, 401, 123261 46
- 467 The use of pomegranate seed activated by mechanochemical process as a novel adsorbent for the removal of anionic dyestuffs: response surface method approach. **2021**, 208, 1279-1300 1
- 466 Cationic dye removal using a newer material fabricated by Taro Mucilage-g-PLA and Organobentonite clay. **2021**, 34, 569-574 2
- 465 Malachite green adsorption onto modified pine cone: Isotherms, kinetics and thermodynamics mechanism. **2021**, 208, 318-327 11
- 464 Process Optimization and Modeling the Adsorption of Polycyclic Aromatic-Congo Red Dye onto *Delonix regia* Pod-Derived Activated Carbon. **2021**, 41, 400-418 7

463	Photocatalytic MOF fibrous membranes for cyclic adsorption and degradation of dyes. 2021 , 56, 3127-3139	15
462	Removal of methylene blue from aqueous solution using Lathyrus sativus husk: Adsorption study, MPR and ANN modelling. 2021 , 149, 345-361	29
461	Analysis of 16 phthalate esters in wastewater from textile plants using headspace solid-phase microextraction and gas chromatography with mass spectrometric detection. 2021 , 91, 306-315	0
460	A review of adsorptive remediation of environmental pollutants from aqueous phase by ordered mesoporous carbon. 2021 , 403, 126286	41
459	Multivariate optimization of high removal of lead(II) using an efficient synthesized Ni-based metal-organic framework adsorbent. 2021 , 29, 146-153	4
458	Physicochemical analysis of multilayer adsorption mechanism of anionic dyes on lignocellulosic biomasses via statistical physics and density functional theory. 2021 , 322, 114511	12
457	Adsorption of methylene blue dye over activated charcoal from the fruit peel of plant hydnocarpus pentandra. 2021 , 37, 2302-2305	12
456	Successful adsorption of bright blue and methylene blue on modified pods of Caesalpinia echinata in discontinuous system. 2021 , 28, 8407-8420	4
455	Adsorptive seawater desalination using MOF-incorporated Cu-alginate/PVA beads: Ion removal efficiency and durability. 2021 , 268, 128797	6
454	The use and the performance of chemically treated artichoke leaves for textile industrial effluents treatment. 2021 , 31, 100597	10
453	Removal of leucomalachite green in an aqueous solution by the electron beam process. 2021 , 40, 101781	3
452	The utilization of agro-biomass/byproducts for effective bio-removal of dyes from dyeing wastewater: A comprehensive review. 2021 , 9, 104901	45
451	Microbial Electrochemical System: A Sustainable Approach for Mitigation of Toxic Dyes and Heavy Metals from Wastewater. 2021 , 25, 04020082	15
450	Degradation of tricyclazole from aqueous solution and real wastewater by electron-beam irradiation. 2021 , 21, 101315	6
449	Adsorptive Removal of Basic Green Dye from Aqueous Solution Using Humic Acid Modified Magnetite Nanoparticles: Kinetics, Equilibrium and Thermodynamic Studies. 2021 , 29, 967-984	8
448	Adsorption of organic dyes from wastewater by metal-doped porous carbon materials. 2021 , 284, 124773	54
447	Flocculation-to-adsorption transition of novel salt-responsive polyelectrolyte for recycling of highly polluted saline textile effluents. 2021 , 413, 127410	14
446	Surface functionalization of cellulose with polyethyleneimine and magnetic nanoparticles for efficient removal of anionic dye in wastewater. 2021 , 9, 104639	19

445	Renewable adsorbents from carboxylate-modified agro-forestry residues for efficient removal of methylene blue dye. 2021 , 149, 109811	9
444	Fast and effective adsorption of amoxicillin from aqueous solutions by L-methionine modified montmorillonite K10. 2021 , 611, 125792	9
443	Nanomodified sugarcane bagasse biosorbent: synthesis, characterization, and application for Cu(II) removal from aqueous medium. 2021 , 28, 24744-24755	6
442	Removal of Acid Yellow 17 from Textile Wastewater by Adsorption and Heterogeneous Persulfate Oxidation. 2020 , 18, 1-16	2
441	Biosynthesis of NiO Nanoparticles Using Soursop (<i>Annona muricata</i> L.) Fruit Peel Green Waste and Their Photocatalytic Performance on Crystal Violet Dye. 2021 , 32, 949-958	9
440	Application of seed residues from <i>Anadenanthera macrocarpa</i> and <i>Cedrela fissilis</i> as alternative adsorbents for remarkable removal of methylene blue dye in aqueous solutions. 2021 , 28, 2342-2354	7
439	Biodegradation and detoxification of the triphenylmethane dye coomassie brilliant blue by the extracellular enzymes from mycelia of <i>Lactarius deliciosus</i> . 2021 , 15, 421-436	7
438	Green Synthesis of Carbon Dots and Their Application as Photocatalyst in Dye Degradation Studies. 2021 , 46, 437-446	23
437	Cinnamon bark as low-cost and eco-friendly adsorbent for the removal of indigo carmine and malachite green dyestuffs. 2021 , 101, 735-757	11
436	Kinetic studies of graphene oxide towards the removal of rhodamine B and congo red. 2021 , 101, 1258-1272	4
435	Electrospun-based TiO ₂ nanofibers for organic pollutant photodegradation: a comprehensive review. 2019 ,	1
434	Adsorption of Acid orange 7 dyes from aqueous solution using Polypyrrole/nanosilica composite: Experimental and modelling. 1-18	17
433	Biodecolorization of Reactive Red 120 in batch and packed bed column using biochar derived from <i>Ulva reticulata</i> . 1	10
432	Magnetite nanoparticles as sorbents for dye removal: a review. 2021 , 19, 2487-2525	28
431	Recent advances on the removal of dyes from wastewater using various adsorbents: a critical review.	97
430	Adsorbent. 2021 , 33, 71-210	7
429	Bio-Based Adsorbents in Water/Wastewater Treatment. 2021 , 830-830	0
428	Conducting Polymer Based Nanoadsorbents for Removal of Heavy Metal Ions/Dyes from Wastewater. 2021 , 135-157	2

427	Dye Pollution in Water and Wastewater. 2021 , 1-25	3
426	Nanomaterials and Their Role in Removing Contaminants from Wastewater: A Critical Review. 2021 , 135-159	1
425	Facile Green Preparation of Lignocellulosic Biosorbent from Lemongrass Leaf for Cationic Dye Adsorption. 2021 , 29, 1681-1693	4
424	An overview of the biosorption mechanism for the bioremediation of synthetic dyes using yeast cells. 2021 , 10, 58-76	7
423	ISOTHERM, KINETIC AND THERMODYNAMIC STUDIES OF METHYLENE BLUE ADSORPTION USING <i>Leucaena leucocephala</i> .	
422	Emerging nanocomposites as highly efficient materials for photocatalysis of dyes: synthesis routes, characterization, and reaction mechanism. 2021 , 421-467	1
421	Composites leading to a clean and green future. 2021 , 253-285	1
420	Preparation of polyaniline iron oxide composite (PANI/Fe ₃ O ₄) for enhanced Congo red removal performance. 2021 , 46, 1875-1881	2
419	Lignocellulosics as adsorbents for removal of dyes from water. 2021 , 195-222	
418	Carbohydrate-derived functionalized nanomaterials for drug delivery and environment remediation. 2021 , 339-364	
417	Efficient removal of methylene blue dye from an aqueous solution using silica nanoparticle crosslinked acrylamide hybrid hydrogels.	3
416	Fungal biosorption as an alternative for the treatment of dyes in waste waters: a review. 2021 , 10, 26-43	9
415	A review on removal of industrial dyes using low cost natural adsorbents. 2021 ,	0
414	Treatment of textile wastewater using adsorption and adsorbents. 2021 , 235-273	4
413	Using dyes to evaluate the photocatalytic activity. 2021 , 125-224	1
412	Methods for the Treatment of Wastewaters Containing Dyes and Pigments. 2021 , 597-661	4
411	High rhodamine B and methyl orange removal performance of graphene oxide/carbon nanotube nanostructures. 2021 , 34, 184-193	4
410	Decontamination of Anthraquinone Dyes Polluted Water Using Bioinspired Silica as a Sustainable Sorbent. 1	3

409	Removal of Acid Brown 354 from wastewater by aminized cellulose acetate nanofibers: experimental and theoretical study of the effect of different parameters on adsorption efficiency. 2021 , 83, 1649-1661	1
408	Optimization of Congo red dye adsorption from wastewater by a modified commercial zeolite catalyst using response surface modeling approach. 2021 , 83, 1369-1383	19
407	The Removal of Reactive Red 141 From Wastewater: A Study of Dye Adsorption Capability of Water-Stable Electrospun Polyvinyl Alcohol Nanofibers. 2021 , 21, 20-31	3
406	Real-Time Adsorption and Photodegradation Investigation of Dye Removal on g-C ₃ N ₄ Surface by Attenuated Total Reflectance Induced Evanescent Spectroscopy. 2021 , 125, 4027-4040	5
405	Performance of MnO ₂ nanoparticles-coated cationic CTAB for detoxification and decolorization of sulfonated remazol red and reactive black 5 dyes from water. 1	2
404	Physicochemical Interactions in Systems C.I. Direct Yellow 50 Weakly Basic Resins: Kinetic, Equilibrium, and Auxiliaries Addition Aspects. 2021 , 13, 385	5
403	Green Synthesis of Ag-Au Bimetallic Nanocomposites Using Waste Tea Leaves Extract for Degradation Congo Red and 4-Nitrophenol. 2021 , 13, 3318	5
402	Efficient removal of azo dyes with nano-flower formation using nano-basic resins. 1	1
401	Rapid synthesis of a novel nano-crystalline mesoporous faujasite type metal-organic framework, ZIF-8 catalyst, its detailed characterization, and NaBH ₄ assisted, enhanced catalytic Rhodamine B degradation. 2021 , 26, 101993	4
400	Investigation of methylene blue adsorption from aqueous solution onto ZnO nanoparticles: equilibrium and Box-Behnken optimisation design. 1-26	4
399	Alginate-based adsorbents for removal of metal ions and radionuclides from aqueous solutions: A review. 2021 , 174, 216-228	30
398	Prospect of clay-based flexible adsorbent coatings as cleaner production technique in wastewater treatment, challenges, and issues: A review. 2021 , 120, 178-206	7
397	Synthesis and characterization of Cu(OH)-NWs-PVA-AC Nano-composite and its use as an efficient adsorbent for removal of methylene blue. 2021 , 11, 5686	11
396	Graphene-based materials for adsorptive removal of pollutants from water and underlying interaction mechanism. 2021 , 289, 102360	18
395	Utilization of a Novel Low-Cost Gibto (Lupinus Albus) Seed Peel Waste for the Removal of Malachite Green Dye: Equilibrium, Kinetic, and Thermodynamic Studies. 2021 , 2021, 1-16	6
394	Removal of Basic Orange 2 dye and Ni from aqueous solutions using alkaline-modified nanoclay. 2021 , 83, 2271-2286	3
393	Removal of 3-chloroaniline from aqueous solution by treated coffee waste: isotherm modelling and thermodynamic studies. 1-21	1
392	Production of mesoporous and thermally stable silica powder from low grade kaolin based on eco-friendly template free route via acidification of appropriate zeolite compound for removal of cationic dye from wastewater. 2021 , 19, 100366	2

391	Waste tire carbon in synergetic interaction with spent gamma radioactive source for efficient radiocatalytic degradation of organic dye. 2021 , 408, 124922	1
390	Synergistic effect in concurrent removal of toxic methylene blue and acid red-1 dyes from aqueous solution by durian rind: kinetics, isotherm, thermodynamics, and mechanism. 2021 , 23, 1432-1443	6
389	Multifunctional crosslinked chitosan/nitrogen-doped graphene quantum dot for wastewater treatment. 2021 ,	10
388	Application of geopolymers for treatment of water contaminated with organic and inorganic pollutants: State-of-the-art review. 2021 , 9, 105095	24
387	Nature-inspired organic semiconductor via solvophobic self-assembly of porphyrin derivative as an effective photocatalyst for degradation of rhodamine B dye. 2021 , 40, 101876	4
386	Utilization of Agro-Waste in the Elimination of Dyes from Aqueous Solution: Equilibrium, Kinetic and Thermodynamic Studies. 86, 11-23	2
385	Production of Ulva prolifera derived biochar and evaluation of adsorptive removal of Reactive Red 120: batch, isotherm, kinetic, thermodynamic and regeneration studies. 1	6
384	Trends in Using Electron Beam for Treating Textile and Dyeing Wastewater. 2021 , 525-557	0
383	Recent Advances in Adsorption Kinetic Models: Their Application to Dye Types. 2021 , 14, 103031	41
382	Siloxene: A novel 2D photocatalyst for degradation of dye molecules. 2021 , 26, 100721	2
381	Batch and column mode removal of the turquoise blue (TB) over bio-char based adsorbent from Prosopis Juliflora: Comparative study. 2021 , 271, 129426	2
380	Cellular responses and phenol bioremoval by green alga Scenedesmus abundans: Equilibrium, kinetic and thermodynamic studies. 2021 , 22, 101463	8
379	An overview of effect of process parameters for removal of CO ₂ using biomass-derived adsorbents. 1	3
378	Self-propelling nanomotor made from halloysite and catalysis in Fenton-like reaction. 2021 , 104, 4867-4877	5
377	Current approaches and methodologies to explore the perceptive adsorption mechanism of dyes on low-cost agricultural waste: A review. 2021 , 319, 111040	23
376	Carboxylic Acid-Terminated Carbon Nanoflakes for Selective Adsorption of Water-Soluble Cationic Dyes. 2021 , 4, 5611-5620	6
375	Effect of Phosphate species on biomass carbonization. 2021 , 1882, 012113	1
374	Removal of Persistent Organic Pollutants (POPs) from water and wastewater by adsorption and electrocoagulation process. 2021 , 13, 100575	28

373	Synthesis and characterization of Graphene Oxide-Ammonium Ferric Sulfate composite for the removal of dyes from tannery wastewater. 2021 , 12, 1715-1727	8
372	Optimization of process conditions using RSM and ANFIS for the removal of Remazol Brilliant Orange 3R in a packed bed column. 2021 , 98, 100086	4
371	The role of inorganic electrolyte (salt) in cellulosic fibre dyeing: Part 2 theories of how inorganic electrolyte promotes dye uptake.	1
370	Investigation of the adsorption of Astrazon Blue FGRL dye in synthetic wastewater using waste mine clay. 2021 , 42, 260-268	1
369	Utilization of Agro-based Adsorbents in Binary Wastewater Treatment. 2021 , 7, 451-454	
368	Removal of an emerging pharmaceutical pollutant, sulfasalazine, by adsorption onto pomegranate peels. 1-10	
367	Application of the novel pH-catalytic-magnetic tri-functionalities augmented bead for removal of organic dye pollutants. 2021 , 40, e13699	1
366	Raw pomegranate peel as promise efficient biosorbent for the removal of Basic Red 46 dye: equilibrium, kinetic, and thermodynamic studies. 1	2
365	Multifunctional amphoteric resin to remove both anionic and cationic dyes from aqueous solution. 2021 , 138, 51283	2
364	Heterogeneous Fenton-Like Oxidation of Methylene Blue Using Alternative Catalysts. 2021 , 29, 91-97	
363	Comparison of batch and fixed bed column adsorption: a critical review. 1	2
362	Optimization of 4-nonylphenol adsorption on activated carbons derived from safou seeds using response surface methodology. 2021 , 4, 100052	2
361	A Brief Comparative Study on Removal of Toxic Dyes by Different Types of Clay.	
360	An azine-based polymer derived hierarchically porous N-doped carbon for hydrophilic dyes removal. 2021 , 413, 125299	9
359	Removal of Indigo Dye by CaCO ₃ /Ca(OH) ₂ Composites and Resource Recovery. 2021 , 60, 10312-10318	1
358	A Review of Caffeine Adsorption Studies onto Various Types of Adsorbents. 2021 , 2021, 9998924	2
357	Laponite-AMPS/AA composite hydrogels for efficient removal of methylene blue (MB). 2021 , 28, 1	0
356	Recent advances in the synthesis and applications of magnetic polymer nanocomposites. 2021 , 99, 1-18	9

355	Banana stem based activated carbon as a low-cost adsorbent for methylene blue removal: Isotherm, kinetics, and reusability. 2021 , 61, 1946-1946	10
354	Adsorption of ketoprofen and 2- nitrophenol on activated carbon prepared from winery wastes: A combined experimental and theoretical study. 2021 , 333, 115906	12
353	(Mart.) Solms (natural or carbonized) as biosorbent to remove pollutants in water. 2021 , 3, 750	1
352	Composite carbon materials from winery composted waste for the treatment of effluents contaminated with ketoprofen and 2-nitrophenol. 2021 , 9, 105421	13
351	Synthesis and effective dispersion of Fe ₃ O ₄ NPs on alfalfa as a green nanoadsorbent for the removal of cationic dyes from aqueous solutions. 1-18	
350	Synthesis and Characterization of Nanocomposites Containing Silver Nanoparticle [Decorated Multiwalled Carbon Nanotubes for Water Disinfection. 1	1
349	Development of fruit waste derived bio-adsorbents for wastewater treatment: A review. 2021 , 416, 125848	28
348	Preparation of composite hydrogels containing fly ash as low-cost adsorbent material and its use in dye adsorption. 1	4
347	Polypyrrole functionalized Cobalt oxide Graphene (COPYGO) nanocomposite for the efficient removal of dyes and heavy metal pollutants from aqueous effluents. 2021 , 416, 125929	9
346	Kinetic and thermodynamic investigations of sewage sludge biochar in removal of Remazol Brilliant Blue R dye from aqueous solution and evaluation of residual dyes cytotoxicity. 2021 , 23, 101556	18
345	Self-Assembled Hierarchical Cu O@CHO Nanoflakes for Superior Fenton-like Catalysis over a Wide Range of pH. 2021 , 6, 22188-22201	4
344	Preparation of biologically reduced graphene oxide-based aerogel and its application in dye adsorption. 2021 , 783, 147028	12
343	Kinetic and Thermodynamic Study of Adsorption Methylene Blue by Nitrated Biomass of Prunus Cerasus. 2021 , 242-246	1
342	Degradation of synthetic dyes using nanoparticles: a mini-review. 2021 , 28, 49434-49446	2
341	Effective adsorptive removal of atrazine herbicide in river waters by a novel hydrochar derived from Prunus serrulata bark. 2021 , 1	3
340	Biosorption of Malachite Green Dye from Wastewater with Henfeathers -Analysis of Various Mathematical Models Wrt Continuous Adsorption. 2021 , 10, 15-23	
339	Two notable porous polynuclear materials ER1.30@CMERI-2020 and ER1.65@CMERI-2020 for remedial solution of fluoride, PWEs and anionic dyes from contaminated water bodies: Fabrication of household water purification unit. 2021 , 9, 105518	1
338	Green synthesis for novel sorbent of sand coated with (Ca/Al)-layered double hydroxide for the removal of toxic dye from aqueous environment. 2021 , 9, 105342	6

337	Continuous Sorption of Remazol Brilliant Orange 3R Using Caulerpa scalpelliformis Biochar. 2021 , 2021, 1-7	1
336	One-step green synthesis of nano-sodalite zeolite and its performance for the adsorptive removal of crystal violet.	1
335	Fabrication of dual cross-linked spherical treated waste biomass/alginate adsorbent and its potential for efficient removal of lead ions from aqueous solutions. 2021 , 168, 113575	3
334	Structural, photocatalytic and electrochemical studies on facile combustion synthesized low-cost nano chromium (III) doped polycrystalline magnesium aluminate spinels. 2021 , 6, 462-471	5
333	Dye Waste: A significant environmental hazard. 2021 ,	0
332	Self-Assembly of Porphyrin Nanofibers on ZnO Nanoparticles for the Enhanced Photocatalytic Performance for Organic Dye Degradation. 2021 , 6, 23203-23210	3
331	Lignin-based adsorbent materials for metal ion removal from wastewater: A review. 2021 , 167, 113510	13
330	Adsorption of textile wastewater containing triple dye on the garden soil: optimisation and modelling by Taguchi method. 1-16	
329	Potentials of agricultural wastes as the ultimate alternative adsorbent for cadmium removal from wastewater. A review. 2021 , 13, e00934	5
328	A green approach to remove acetamiprid insecticide using pistachio shell-based modified activated carbon; economical groundwater treatment. 2021 , 316, 128226	8
327	Fabrication and Application of Zeolite/Acanthophora Spicifera Nanoporous Composite for Adsorption of Congo Red Dye from Wastewater. 2021 , 11,	3
326	Adsorption of industrial dyes on functionalized and nonfunctionalized asphaltene: A combined molecular dynamics and quantum mechanics study. 2021 , 337, 116433	6
325	Lignocellulose-based materials and their application in the removal of dyes from water: A review. 2021 , 29, e00320	4
324	Removal and degradation of mixed dye pollutants by integrated adsorption-photocatalysis technique using 2-D MoS/TiO nanocomposite. 2021 , 279, 130467	27
323	Preparation and Characterization of Sludge-Based Magnetic Biochar by Pyrolysis for Methylene Blue Removal. 2021 , 11,	4
322	New TiO-doped Cu-Mg spinel-ferrite-based photocatalyst for degrading highly toxic rhodamine B dye in wastewater. 2021 , 420, 126636	11
321	Synthesis of 3,5-diaminobenzoic acid containing crosslinked porous polyamine resin as a new adsorbent for efficient removal of cationic and anionic dyes from aqueous solutions. 2021 , 43, 102304	6
320	Magnetically separable mesoporous alginate polymer beads assist adequate removal of aqueous methylene blue over broad solution pH. 2021 , 319, 128694	6

3 ¹⁹	Conversion of industrial carpet waste into adsorbent materials for organic dye removal from water. 2021 , 4, 100150	7
3 ¹⁸	Machine learning in natural and engineered water systems. 2021 , 205, 117666	14
3 ¹⁷	Sorptive removal of malachite green from aqueous solution by magnetite/coir pith supported sodium alginate beads: Kinetics, isotherms, thermodynamics and parametric optimization. 2021 , 24, 101818	4
3 ¹⁶	Improving the removal efficiency of methylene blue on 3D-printed camellia seed powder scaffold using porogen. 2021 , 171, 113930	1
3 ¹⁵	Activated carbon with ultrahigh surface area derived from sawdust biowaste for the removal of rhodamine B in water. 2021 , 24, 101811	3
3 ¹⁴	Preparation of 3D flower-like double oxide hydrotalcite composite using pollen as a biotemplate and their effective adsorption for quinolone antibiotics. 2021 , 171, 106796	0
3 ¹³	A comprehensive analysis of biosorptive removal of basic dyes by different biosorbents. 2021 , 16, 100560	2
3 ¹²	A novel solar-triggered MIL-125(Ti)/g-C ₃ N ₄ /SA composite aerogel with high catalytic activity for degradation of organic contaminants. 2021 , 279, 119696	2
3 ¹¹	Adsorptive removal of dyes from wastewater using a metal-organic framework: A review. 2021 , 284, 131314	48
3 ¹⁰	Green synthesis and characterization studies of biogenic zirconium oxide (ZrO ₂) nanoparticles for adsorptive removal of methylene blue dye. 2022 , 1247, 131275	8
3 ⁰⁹	Sustainable approaches for removing Rhodamine B dye using agricultural waste adsorbents: A review. 2022 , 287, 132080	25
3 ⁰⁸	Low-Cost Nanoparticles for Remediation of Arsenic Contaminated Water and Soils. 2021 , 217-251	1
3 ⁰⁷	Dye Removal Ability of Pure and Doped Graphitic Carbon Nitride. 2021 , 17,	1
3 ⁰⁶	Continuous sorption of methylene blue dye from aqueous solution using effective microorganisms-based water hyacinth waste compost in a packed column. 1	7
3 ⁰⁵	Sorption of brilliant green dye using soybean straw-derived biochar: characterization, kinetics, thermodynamics and toxicity studies. 2021 , 43, 2913-2926	5
3 ⁰⁴	Bio-mass derived functionalized graphene aerogel: a sustainable approach for the removal of multiple organic dyes and their mixtures. 2021 , 45, 9073-9083	22
3 ⁰³	Removal of sunset yellow FCF from aqueous solutions using a highly cross-linked PDMA star polymer. 2021 , 30, 257-268	1
3 ⁰²	Trichoderma Biomass as an Alternative for Removal of Congo Red and Malachite Green Industrial Dyes. 2021 , 11, 448	7

301	Nanostructured Materials for the Photocatalytic Degradation of Organic Pollutants in Water. 2019 , 65-90	5
300	A Review on Pharmaceutical Removal from Aquatic Media by Adsorption: Understanding the Influential Parameters and Novel Adsorbents. 2020 , 207-265	7
299	Hybrid Adsorbents for Dye Removal from Wastewater. 2021 , 405-451	3
298	Pyrolysis of different sewage sludge feedstocks for biochar products: Characterization and application. 2020 , 27, 3302-3319	5
297	Synthesis of Rice Husk-Derived Magnetic Biochar Through Liquefaction to Adsorb Anionic and Cationic Dyes from Aqueous Solutions. 2021 , 46, 233-246	6
296	Effective adsorption of methylene blue by biodegradable superabsorbent cassava starch-based hydrogel. 2020 , 158, 258-264	30
295	Integrated Approach On Degradation Of Azo Dyes Using Laccase Enzyme And Nanoparticle With Its Interaction By In Silico Analysis.	1
294	Study of Adsorption Phenomena by Using Almond Husk for Removal of Aqueous Dyes. 2017 , 12, 80-88	3
293	Kinetics, Isotherm and Thermodynamic Studies of The Adsorption Behavior of Basic Yellow 51 Onto Rice Husk and Burned Rice Husk. 1977-1988	5
292	Nanostructured Materials and their Potential as Electrochemical Sensors. 2020 , 16, 534-543	1
291	The Use of Acrylamide-Crotonic Acid Nested Network Structured Hydrogels for Adsorption of the Methylene Blue. 2017 , 9, 119-130	1
290	Bitilac Centaurea Solstitialis Bitkisi Kullanarak Sulu Çözeltilerden Malahit Yeşil Boya Giderimi ve Tepki Yöntemi ile Optimizasyon: Kinetik, İsotherm ve Termodinamik İnceleme. 755-768	9
289	Modified Electrospun Polymeric Nanofibers and Their Nanocomposites as Nanoadsorbents for Toxic Dye Removal from Contaminated Waters: A Review. 2020 , 13,	28
288	Isotherm and Kinetic Studies of Methylene Blue Adsorption Using Activated Carbon Prepared from Teak Wood Waste Biomass. 2019 , 19, 827-836	4
287	Adsorption of Reactive Dyes on Activated Carbon Developed from <i>Enteromorpha prolifera</i> . 2013 , 04, 17-26	58
286	Adsorption of Congo Red from Aqueous Solution Using CTAB-Kaolin from Bechar Algeria. 2014 , 04, 332-341	14
285	Comparative Isotherms Studies on Adsorptive Removal of Congo Red from Wastewater by Watermelon Rinds and Neem-Tree Leaves. 2014 , 04, 139-146	36
284	Statistical Foundation of Empirical Isotherms. 2014 , 04, 687-701	22

283	Adsorptive Treatment of Textile Wastewater Using Activated Carbon Produced from &i>Mucuna pruriens &/i> Seed Shells. 2016 , 04, 21-37	24
282	Application of surface modified sericite to remove anionic dye from an aqueous solution. 2017 , 22, 312-319	9
281	Adsorption of Organic Dyes from Aqueous Solution by Surfactant Modified Corn Straw. 2013 , 134-139	8
280	Removal of methylene blue from wastewater using hydrogel nanocomposites: A review. 2021 , 11, 1847980421j0394	0
279	Adsorption Performance of Dyes Over Zeolite for Textile Wastewater Treatment. 2021 , 28, 329-337	1
278	Biosorption of cationic Hg and Remazol brilliant blue anionic dye from binary solution using <i>Gelidium corneum</i> biomass. 2021 , 11, 20908	1
277	Efficient Removal of Cationic Dyes by Surfactant Modified Fe ₃ O ₄ Nanoparticles. 2021 , 127680	1
276	A review on adsorbent parameters for removal of dye products from industrial wastewater.	3
275	Biosorptive removal of crystal violet dye from aqueous solutions by leaves and pomace in ecofriendly way. 2021 , 1-10	1
274	Preparation and Application of Chitosan-Based Membrane: Focusing on Dye Removal. 2022 , 121-179	0
273	Extracellular DNA: Insight of a Signal Molecule in Crop Protection. 2021 , 10,	2
272	Progresses and expansions of chitosan-graphene oxide hybrid networks utilizing as adsorbents and their organic dye removal performances: A short review. 1121-1136	1
271	Sustainable reduction of Cr (VI) and its elemental mapping on chitosan coated citrus limetta peels biomass in synthetic wastewater. 1-18	2
270	Adsorptive removal of basic yellow 2 onto reed stem and poplar leaf: A comprehensive study. 2021 , 24, 100546	0
269	Comparative Study for Removal of the Methyl Red by Two Illites Clays. 2014 , 315-328	
268	How to Improve Selectivity of a Material for Adsorptive Separation Applications. 2018 , 1-37	0
267	Remediation of Water Contaminants. 2019 , 373-391	2
266	USE OF THE WALNUT SHELL (<i>JUGLANS REGIA</i>) AS A SORPTION MATERIAL TO REMOVE POLLUTANTS FROM NATURAL AND WASTE WATER. 2020 , 5-18	0

265	BEKOTU POSASI KULLANILARAK SULARDAN DEMİR(III) İYONUNUN GİDERİMESİ 961-980	
264	Preparation of a New Zwitterionic Sulfobetaine Methacrylate Based Superabsorbent Copolymer Hydrogel and Its Adsorption Behavior Toward Cationic and Anionic Dyes. 1-23	0
263	Biomass-Derived Adsorbents for Dye and Heavy Metal Removal from Wastewater. 2021 , 2021, 1-14	4
262	Optimization of the spontaneous adsorption of food colors from aqueous medium using functionalized Chitosan/Cinnamaldehyde hydrogel. 2021 , 193, 758-767	1
261	Sono-assisted adsorption of acid violet 7 and basic violet 10 dyes from aqueous solutions: Evaluation of isotherm and kinetic parameters. 2022 , 27, 200287-0	3
260	Mamey Apple Peel for Cr ³⁺ Removal from Contaminated Waters. 2021 , 177-189	
259	Decolorization of dyes from textile wastewater using biochar: a review. 2020 , 36-46	2
258	Valorization of food waste as adsorbents for toxic dye removal from contaminated waters: A review. 2022 , 424, 127432	10
257	Synthesis and characterization of imidazolium based ionic liquid modified montmorillonite for the adsorption of Orange II dye: Effect of chain length. 2022 , 1249, 131628	3
256	Effective performance of silica nanoparticles extracted from bamboo leaves ash for removal of phenol. 2020 , 31, A27-A32	2
255	Bacterial Metabolites for Removal of Toxic Dyes and Heavy Metals. 2020 , 85-116	0
254	Bioremediation of synthetic dyes: Dye decolorizing peroxidases (DyPs). 2020 , 453-486	1
253	Preparation of Nanocarbon-Supported Nanofiber Fabric for Purification of Contaminated Water. 2020 , 66, 7-15	1
252	Investigation of Adsorption Characteristic of Basic Blue 41 (BB41) onto Raw Kaohya Ca-Bentonite. 309-319	0
251	One step acid modification of the residual bark from using HSO and application in the removal of 2,4-dichlorophenoxyacetic from aqueous solution. 2021 , 1-12	
250	Adsorption of cationic dye onto fly ash-based geopolymer: Batch and fixed bed column studies. 2018 , 149, 02088	
249	Interactions of Cationic and Anionic Dyes with Activated Carbons. 2020 , 18, 269-274	2
248	Recent advances in dye and metal ion removal using efficient adsorbents and novel nano-based materials: an overview.. 2021 , 11, 36528-36553	18

247	Graphene-based materials behaviour for dyes adsorption. 2022 , 30, 103033	2
246	Recent Approaches in the Preparation of Various Biosorbents. 2022 , 79-101	1
245	Double Network Gelatin/Chitosan Hydrogel Effective Removal of Dyes from Aqueous Solutions. 1	2
244	Use of Ionic Liquid Pretreated and Fermented Sugarcane Bagasse as an Adsorbent for Congo Red Removal. 2021 , 13,	1
243	A comprehensive review on the removal of noxious pollutants using carrageenan based advanced adsorbents. 2021 , 289, 133100	4
242	Biopolymer-Based Membrane Adsorber for Removing Contaminants from Aqueous Solution: Progress and Prospects. 2021 , e2100669	3
241	Cyanobacterial Biomass as a Potential Biosorbent for the Removal of Recalcitrant Dyes from Water. 2021 , 13, 3176	0
240	Negatively charged hollow crosslinked aromatic polymer fiber membrane for high-efficiency removal of cationic dyes in wastewater. 2021 , 433, 133650	2
239	Adsorption of atrazine herbicide from water by diospyros kaki fruit waste activated carbon. 2021 , 347, 117990	3
238	Agricultural Bio-wastes: A Potent Sustainable Adsorbent for Contaminant Removal. 2021 , 1-21	
237	A review of the potential of conventional and advanced membrane technology in the removal of pathogens from wastewater.. 2022 , 286, 120454	5
236	Mapping the desalination journal: A systematic bibliometric study over 54 years. <i>Desalination</i> , 2022 , 526, 115535	10.3 3
235	Congo red dye removal from aqueous environment by cationic surfactant modified-biomass derived carbon: Equilibrium, kinetic, and thermodynamic modeling, and forecasting via artificial neural network approach.. 2021 , 290, 133346	37
234	Fabrication of monoBODIPY-functionalized Fe ₃ O ₄ @SiO ₂ @TiO ₂ nanoparticles for the photocatalytic degradation of rhodamine B under UV irradiation and the detection and removal of Cu(II) ions in aqueous solutions. 2022 , 899, 163360	6
233	Remediation of noxious wastewater using nanohybrid adsorbent for preventing water pollution.. 2021 , 292, 133380	1
232	Recent trends in the application of metal-organic frameworks (MOFs) for the removal of toxic dyes and their removal mechanism-a review. 2022 , 31, e00378	3
231	Adsorptive removal of organic dyes via porous materials for wastewater treatment in recent decades: A review on species, mechanisms and perspectives.. 2021 , 293, 133464	13
230	Organic agroindustrial waste transformation into vermicompost. 2021 ,	

229	Maxilon Blue GRL Boyar Maddesinin İlit Kil Minerali İle Gideriminin Optimizasyonu.	
228	Sequestration of Hazardous Dyes from Aqueous Solution Using Raw and Modified Agricultural Waste. 2021 , 2021, 1-21	0
227	Novel Composite Films Based on Acrylic Fibers Waste/Nano-chitosan for Congo Red Adsorption. 1	0
226	Synthetic wastewater treatment of anticancer agents using synthesized hydrophilic silica aerogels. 1-15	
225	Biosorption of Heavy Metals and Metal-Complexed Dyes Under the Influence of Various Physicochemical Parameters. 2022 , 189-205	
224	Selective capture of anionic and cationic dyes via chitosan-g-poly-(IA-co-DADMAC)/Fe ₃ O ₄ polymer composite hydrogel. 1	1
223	Sawdust-biomass based materials for sequestration of organic/inorganic pollutants and potential for engineering applications. 2022 , 100274	4
222	Nanomaterial-based biosorbents: Adsorbent for efficient removal of selected organic pollutants from industrial wastewater. 2022 , 8, 46-58	7
221	Synthesis, characterization and application of Carboxymethyl cellulose, Guar gum, and Graphene oxide as novel composite adsorbents for removal of malachite green from aqueous solution. 2022 , 5, 335	1
220	Biosorption of Basic Red 46 using raw cactus fruit peels: equilibrium, kinetic and thermodynamic studies. 1	0
219	Degradation of rhodamine B by persulfate activated with green tea iron nanoparticles.. 2022 , 1-12	0
218	Specific adsorbents for the treatment of OMW phenolic compounds by activation of bio-residues from the olive oil industry.. 2022 , 306, 114490	2
217	Hollow carbon fibers and flakes derived from Calotropis procera as adsorbents for dye removal from aqueous solutions. 2022 , 279, 125752	
216	Functionalized wood as bio-based advanced materials: Properties, applications, and challenges. 2022 , 157, 112074	2
215	Superlyophobic graphene oxide/polydopamine coating under liquid system for liquid/liquid separation, dye removal, and anti-corrosion. 2022 , 190, 329-336	3
214	Industrial performance, reusability and mechanical reliability of mesoporous gamma alumina packed bed fabricated through boehmite extrusion for removal of reactive dyes from textile wastewaters.. 2022 , 429, 128259	0
213	Agricultural Bio-wastes: A Potent Sustainable Adsorbent for Contaminant Removal. 2022 , 571-591	
212	Biodecolorization of reactive blue 19 using biochar derived from groundnut shell: batch adsorption isotherms, kinetics and regeneration studies. 1	

211	Nonlinear Fitting for Estimation of Adsorption Equilibrium, Kinetic and Thermodynamic Parameters of Methylene Blue onto Activated Carbon. 67-84	
210	Efficacy of Eosin Dye Removal by Peanut Shell Agrowaste Adsorbent. 64,	
209	Nanocellulose as a bioadsorbent for water and wastewater purification. 2022 , 409-437	1
208	Anaerobic Processes in Dye Removal. 2022 , 95-118	
207	Fe-Mn-Si-O and Fe-Mn-Si-O/multi walled carbon nanotubes: synthesis, characteristics, adsorption and catalytic behavior. 1-11	
206	Sequestration of Organic Dyes from Wastewater Using Hydrogel Nanocomposites. 2022 , 201-223	
205	Adsorption for rhodamine b dye and biological activity of nano-porous chitosan from shrimp shells.. 2022 , 1	0
204	Recent Developments in the Application of Bio-Waste-Derived Adsorbents for the Removal of Methylene Blue from Wastewater: A Review.. 2022 , 14,	14
203	The Utilization of Algae and Seaweed Biomass for Bioremediation of Heavy Metal-Contaminated Wastewater.. 2022 , 27,	12
202	Ionic Liquid Agar-Alginate Beads as a Sustainable Phenol Adsorbent.. 2022 , 14,	1
201	Aminated magnetic polymeric resin for removal of anthraquinone and azo dyes from aqueous solutions. 2022 , 29, 1	0
200	A Review on Euphorbia neriifolia plant. 361-365	
199	Biochar for removal of dyes in contaminated water: an overview. 2022 , 4, 1	12
198	Magnetic iron oxide nanosorbents effective in dye removal. 1	1
197	Effective Removal of Reactive Yellow 145 (RY145) using Biochar Derived from Groundnut Shell. 2022 , 2022, 1-7	2
196	Experimental design optimization and isotherm modeling for removal of copper(II) by calcium-terephthalate MOF synthesized from recycled PET waste.	1
195	Highly selective adsorption and efficient recovery of cationic micropollutants from aqueous solution via ultrathin indium vanadate nanoribbons. 2022 , 120952	0
194	Graphene oxide-chitosan composite material as adsorbent in removing methylene blue dye from synthetic wastewater. 2022 ,	1

193	Rapid and Efficient Removal of Anionic Dye in Water Using a Chitosan-Coated Iron Oxide-Immobilized Polyvinylidene Fluoride Membrane.. 2022 , 7, 8759-8766	2
192	Evaluation of Original and Enzyme-Modified Figue Fibers as an Azo Dye Biosorbent Material. 2022 , 14, 1035	0
191	Adsorption and interaction studies of methylene blue dye onto agar-carboxymethylcellulose-silver nanocomposite in aqueous media. 1	0
190	Novel Copolymer Cationic from Agroindustrial Waste using Microwave. 2022 , 10, 458-464	
189	Active removal of anionic azo dyes (MO , CR , EBT) from aqueous solution by potential adsorptive capacity of zinc oxide quantum dots.	0
188	Facile synthesis, characterization and application of magnetic Fe ₃ O ₄ -coir pith composites for the removal of methyl violet from aqueous solution: Kinetics, isotherm, thermodynamics and parametric optimization. 2022 , 99, 100447	
187	A comprehensive review on spinel based novel catalysts for visible light assisted dye degradation. 2022 , 161, 703-722	3
186	Microwave-assisted synthesis of carbon nanotubes for the removal of toxic cationic dyes from textile wastewater. 2022 , 356, 119045	4
185	Chitosan crosslinked composite based on corncob lignin biochar to adsorb methylene blue: Kinetics, isotherm, and thermodynamics. 2022 , 642, 128621	5
184	Hydrothermal synthesis of magnetic-biochar nanocomposite derived from avocado peel and its performance as an adsorbent for the removal of methylene blue from wastewater. 2022 , 18, 100123	1
183	A review of avocado waste-derived adsorbents: Characterizations, adsorption characteristics, and surface mechanism.. 2022 , 134036	1
182	Advances in adsorptive membrane technology for water treatment and resource recovery applications: A critical review. 2022 , 10, 107633	4
181	Addition of Phosphatases and Phytases to Mature Compost to Increase Available Phosphorus: A Short Study. 2021 , 11, 2555	0
180	AN EFFECTIVE BIOSORBENT DERIVED N EFFECTIVE BIOSORBENT DERIVED FROM PRODUCTION WASTE ROM PRODUCTION WASTE FOR WATER TREATMENT: STUDYING OR WATER TREATMENT: STUDYING THE ADSORPTION OF SYNTHETIC DYES HE ADSORPTION OF SYNTHETIC DYES. 2021 , 17, 83-96	1
179	Application of Waste-Derived Activated Red Mud/Base Treated Rice Husk Composite in Sulfate Adsorption from Aqueous Solution. 2022 , 16, 1	0
178	Elimination of Acid Red 88 by Waste Product from the Phosphate Industry: Batch Design and Regeneration.	
177	Hagenia abyssinica leaf powder as a novel low-cost adsorbent for removal of methyl violet from aqueous solution: Optimization, isotherms, kinetics, and thermodynamic studies. 2022 , 102577	1
176	Equilibrium and kinetics of sorption and resorption of acid and basic dyes using the pulp of carob pods. 1-13	0

- 175 Biological Removal of Dyes from Wastewater: A Review of Its Efficiency and Advances. **2022**, 2, 59-75 ○
- 174 Graphene oxide-covered melamine foam utilizing as a hybrid foam toward organic dye removal and recyclability. **2022**, ○
- 173 Table_1.DOCX. **2020**,
- 172 Natural Biodegradable Polymeric Bio-adsorbents for Textile Wastewater. **2022**, 209-225
- 171 Fabrication of quaternized sisal fiber by electron beam radiation and its adsorption of indigo carmine from aqueous solution. 1 ○
- 170 Enhancement of Congo red dye removal efficiency using Mg-Fe-layered double hydroxide. 1 2
- 169 Preparation and characterization of biochar from cement waste for removal of rhodamine B dye. ○
- 168 Basic blue 41 dye removal from aqueous solution using lignocellulosic material: kinetics, equilibrium and statistical design optimization. 2
- 167 Biosorption of Bromocresol green from aqueous solution by *Earliella scabrosa* fungal biomass in removal of environmental pollutants. 1 ○
- 166 Synthesis of hollow mesoporous manganese dioxide nanoadsorbents with strong negative charge and their ultra-efficient adsorption for cationic dyes. **2022**, 121241 1
- 165 Nitrogen-functionalized bone chars with developed surface area for efficient adsorption of multiple aquatic pollutants. **2022**, 647, 129061 1
- 164 pH graded lignin obtained from the by-product of extraction xylan as an adsorbent. **2022**, 184, 114967 ○
- 163 Recent Progress of Adsorptive Ultrafiltration Membranes in Water Treatment A Mini Review. **2022**, 12, 519 ○
- 162 Removal of Reactive Blue 19 from Aqueous Solution and Batik Wastewater Using Iron Modified Activated Carbon. 920, 63-67
- 161 Do Red Seaweed Nanoparticles Enhance Bioremediation Capacity of Toxic Dyes from Aqueous Solution?. **2022**, 8, 310 2
- 160 Experimental Investigation on Reactive Orange 16 Removal Using Waste Biomass of *Ulva prolifera*. **2022**, 2022, 1-8 ○
- 159 Optimization by Box Behnken Design for Eosin Yellow Dye Removal from Aqueous Medium using Date Palm Seeds-Porous Carbon@TiO₂ Blend. 183-192
- 158 Aminated polystyrene-polymaleic(anhydride) hollow microsphere membrane for fast and efficient dyes and oils filtration from water. 1

- 157 Nanoceramic Based Composites for Removal of Dyes from Aqueous Stream. **2022**, 277-295
- 156 Engineering globins for efficient biodegradation of malachite green: two case studies of myoglobin and neuroglobin. **2022**, 12, 18654-18660
- 155 WITHDRAWN: Isolation of functional ligninolytic *Bacillus aryabhattai* from paper mill sludge and its lignin degradation potential. **2022**, e00750
- 154 Removal of Methylene Blue Using Cheap Adsorbent: Optimization, ANOVA analysis.
- 153 Low-cost novel nano-constructed granite composites for removal of hazardous Terasil dye from wastewater. 0
- 152 Regulation pore size distribution for facilitating malachite green removal on carbon foam. **2022**, 113715 1
- 151 Synthesis and Optical Characterization of a Rhodamine B Spirolactam Dimer. 1
- 150 Synthesis, physico-chemical, and structural properties of silicate apatites: Effect of synthetic methods on apatite structure and dye removal. **2022**, 142, 109628
- 149 Performance and degradation pathways of bromoconazole by gamma radiation in aqueous solutions. **2022**, 164, 299-308
- 148 Modeling of Adsorptive Properties and Regeneration of Ihiala Clay on Removal of Congo Red (CR) Dyes Using ANN, ANFIS, and RSM Cum Kinetics Investigation.
- 147 Review of activated carbon adsorbent material for textile dyes removal: Preparation, and modelling. **2022**, 5, 100325 3
- 146 Removal of Organic Pollutants from Waste Water by Adsorption onto Rice Husk-Based Adsorbents, an Agricultural Waste. **2022**, 287-313
- 145 Synthesis, column packing and liquid chromatography of molecularly imprinted polymers for the acid black 1, acid black 210, and acid Brown 703 dyes. **2022**, 12, 19611-19623 3
- 144 Novel Magnetic Nanocomposites Based on Carboxyl-Functionalized SBA-15 Silica for Effective Dye Adsorption from Aqueous Solutions. **2022**, 12, 2247 0
- 143 MnO₂ Nanowire Structure Obtained at Low Temperature with Aspects in Environmental Remediation and Sustainable Energy Applications. **2022**, 12, 6821
- 142 Construction of a 3D Metal-Organic Framework and Its Composite for Water Remediation via Selective Adsorption and Photocatalytic Degradation of Hazardous Dye. **2022**, 7, 24438-24451 2
- 141 Methyl orange decolourization through hydrodynamic cavitation in high salinity solutions. **2022**, 109050 0
- 140 Isolation of functional ligninolytic *Bacillus aryabhattai* from paper mill sludge and its lignin degradation potential. **2022**, e00755 0

139	Thin Films (FTO/BaTiO ₃ /AgNPs) for Enhanced Piezo-Photocatalytic Degradation of Methylene Blue and Ciprofloxacin in Wastewater. 2022 , 7, 24329-24343	1
138	Superhydrophobic Phosphonium Modified Robust 3D Covalent Organic Framework for Preferential Trapping of Charge Dispersed Oxoanionic Pollutants. 2205222	0
137	Sono-precipitation fabrication of ZnO over modified SAPO-34 zeotype for effective degradation of methylene blue pollutant under simulated solar light illumination. 2022 , 165, 307-322	1
136	Tuning adsorption, structure and compressive strength of sepiolite- and metakaolin-based alkali activated monoliths for methylene blue removal from waste water. 2022 , 33, 102110	0
135	A review on activated carbon modifications for the treatment of wastewater containing anionic dyes. 2022 , 306, 135566	2
134	Adsorption of Methyl Orange on a Novel Palygorskite/UiO-66 Nanocomposite. 2022 , 12, 7468	1
133	Biosorption studies of methylene blue dye using NaOH-treated <i>Aspergillus niger</i> -filled sodium alginate microbeads. 1-15	0
132	The effect of borate bioactive glass ceramics containing silver nanoparticles on removal physiognomies of methylene blue. 2022 , 267, 169694	
131	Surface Modification of Biochar for Dye Removal from Wastewater. 2022 , 12, 817	1
130	Mechanism and Application of Metal-Organic Framework in Wastewater Treatment. 6, 25-32	
129	<i>Tricosanthes cucumerina</i> : a potential biomass for efficient removal of methylene blue from water. 1-15	3
128	A kinetic and isotherm study on removing methylene blue from aqueous solutions by oxidized cellulose nanostructure.	0
127	Adsorptive removal of hazardous dye (crystal violet) using bay leaves (<i>Laurus nobilis</i> L.): surface characterization, batch adsorption studies, and statistical analysis.	0
126	UiO-66/Palygorskite/TiO ₂ Ternary Composites as Adsorbents and Photocatalysts for Methyl Orange Removal. 2022 , 12, 8223	3
125	Comprehensive investigation of Basic Red 46 removal by pinecone adsorbent: experimental, isotherm, kinetic and thermodynamic studies.	
124	2-(2-Cholesteroxyethoxyl)ethyl-3?-S-glutathionylpropionate (COXP) for brain-targeting liposomes. 2022 , 75, 103674	
123	Photocatalytic degradation of azo dyes in textile wastewater by Polyaniline composite catalyst-a review. 2022 , 17, e01305	0
122	The efficiency of adsorption modelling and Plackett-Burman design for remediation of crystal violet by <i>Sargassum latifolium</i> . 2022 , 44, 102459	1

- 121 Theoretical assessment of the adsorption mechanism of methylene blue and malachite green on metalloporphyrin. **2022**, 290, 117158
- 120 2D-3D magnetic NiFe layered double hydroxide decorated diatomite as multi-function material for anionic, cationic dyes, arsenate, and arsenite adsorption. **2022**, 229, 106664 3
- 119 Recent advances in the removal of dyes from wastewater using low-cost adsorbents. **2022**, 321, 115981 5
- 118 Removal of toxic thymol sulfone phthalein dye from wastewater by using efficient adsorbent NiO nanoparticles. **2022**, 1269, 133864 1
- 117 High performance Juncus effusus cellulosic adsorbent modified with citric acid and magnetic Fe₃O₄ for dye wastewater. 0
- 116 Comparative removal of hazardous cationic dyes by MOF-5 and modified graphene oxide. **2022**, 12, 0
- 115 Adsorption studies using natural palygorskite for the treatment of real sanitary landfill leachate. **2022**, 10, 108545 0
- 114 Engineered biochar prepared using a self-template coupled with physicochemical activation for highly efficient adsorption of crystal violet. **2022**, 139, 104533 0
- 113 Immobilization of exopolymeric substances from bacteria for metal removal: A study on characterization, optimization, reusability and toxicity. **2022**, 323, 116244 0
- 112 A censorious review on the role of natural lignocellulosic fiber waste as a low-cost adsorbent for removal of diverse textile industrial pollutants. **2022**, 215, 114183 0
- 111 Fabrication of MnO₂/Fe-Mn binary oxide nanocomposite as an efficient adsorbent for the removal of methylene blue from wastewater. **2023**, 1272, 134118 0
- 110 Magnetic-Based Biocomposites in Dye Adsorption. **2022**, 19-39 0
- 109 Microbial removal of triarylmethane dyes: A sustainable approach for the aquatic ecosystem services. **2022**, 57-75 0
- 108 Cationic dye removal using surface treated activated carbon as an adsorbent. 0
- 107 Exploration of the Initial Photocatalytic Activity Parameters of Fe₂O₃ Rutile for Methylene Blue Discoloration in Water Through the Ofat Process. 0
- 106 Chitosan-Based Composite Beads for Removal of Anionic Dyes. **2022**, 47-73 0
- 105 Applications of Chitosan- and Chitin-Based Biomaterials in Cationic Dye Removal. **2022**, 29-45 0
- 104 Application of Agricultural Wastes for Cationic Dyes Removal from Wastewater. **2022**, 239-274 0

- 103 Synthesis, characterization, adsorption study, quantum mechanics, monte carlo and molecular dynamics of lead based polymeric compound towards mopping of aqueous methyl red dye. **2022**, 4, 100499 0
- 102 Application of Dried Fungus in Textile Wastewater. **2022**, 349-369 0
- 101 Advances in nitrogen-based dye removal technologies by biochar. **2022**, 101-121 0
- 100 Recent Trends in Textile Wastewater Treatment Using Agricultural Waste. **2022**, 89-110 0
- 99 Novel modeling and optimization framework for Navy Blue adsorption onto eco-friendly magnetic geopolymer composite. **2023**, 216, 114346 0
- 98 Utilization of Amino-Silane Modified Lignin Derivative as an Adsorbent for Cationic Dye Removal. **2022**, 54, 112-127 0
- 97 Adsorptive Detoxification of Congo Red and Brilliant Green Dyes Using Chemically Processed Brassica Oleracea Biowaste from Waste Water. **2022**, 2022, 1-14 0
- 96 Methylene blue dye: Toxicity and potential technologies for elimination from (waste)water. **2022**, 100678 5
- 95 Removal of Azo Dye Carmoisine by Adsorption Process on Diatomite. **2022**, 2022, 1-17 0
- 94 Adsorption of Remazol Brilliant Violet-5R from Aqueous Solution Using Sugarcane Bagasse as Biosorbent: Kinetic and Thermodynamic Studies. **2022**, 14, 3014 1
- 93 Sustainable Adsorbents from Plant-Derived Agricultural Wastes for Anionic Dye Removal: A Review. **2022**, 14, 11098 4
- 92 Adsorption of Hexavalent Chromium Using Activated Carbon Produced from Sargassum ssp.: Comparison between Lab Experiments and Molecular Dynamics Simulations. **2022**, 27, 6040 0
- 91 Enhanced Adsorption of Rhodamine B on Biomass of Cypress/False Cypress (Chamaecyparis lawsoniana) Fruit: Optimization and Kinetic Study. **2022**, 14, 2987 1
- 90 Magnetite Metal-Organic Frameworks: Applications in Environmental Remediation of Heavy Metals, Organic Contaminants, and Other Pollutants. 3
- 89 Biomass conversion of agricultural waste residues for different applications: a comprehensive review. 1
- 88 Apricot seed shell: an agro-waste biosorbent for acid blue 193 dye adsorption. 0
- 87 Recyclable 3D konjac glucomannan/graphene oxide aerogel loaded with ZIF-67 for comprehensive adsorption of methylene blue and methyl orange. **2022**, 0
- 86 Green Synthesized Cu₂O-Cu(OH)₂@Cu Nanocomposites with Fenton-like Catalytic Properties for the Degradation of Cationic and Anionic Dyes. **2022**, 12, 1328 0

85	Conversion of foliar residues of <i>Sansevieria trifasciata</i> into adsorbents: dye adsorption in continuous and discontinuous systems.	0
84	Cationic Surfactant-Modified Cellulose Nanocrystal/Alginate Hydrogel Beads for Enhanced Adsorptive Removal of 4-Chlorophenol from Wastewater.	1
83	Ni/SrTiO ₃ Nanoparticles for Photodegradation of Methylene Blue. 2022 , 5, 13295-13307	0
82	Use of Anionic Surfactant-Modified Activated Carbon for Efficient Adsorptive Removal of Crystal Violet Dye. 2022 , 2022, 1-28	0
81	Enhanced Removal of Methylene Blue Dye by Sustainable Biochar Derived from Rice Straw Digestate. 932, 119-129	0
80	Mixed-phase of mesoporous titania nanoparticles as visible-light driven photodegradation of 2-chlorophenol: influence type of surfactant.	0
79	Thermodynamic, Nonlinear Kinetic, and Isotherm Studies of Bisphenol A Uptake onto Chemically Activated Carbons Derived from Safou (<i>Dacryodes edulis</i>) Seeds. 2022 , 2022, 1-17	0
78	Sustainable conversion of saturated adsorbents (SAs) from wastewater into value-added products: future prospects and challenges with toxic per- and poly-fluoroalkyl substances (PFAS).	0
77	Removal of Alizarin red S by calcium-terephthalate MOF synthesized from recycled PET-waste using Box-Behnken and Taguchi designs optimization approaches. 2022 , 316, 123560	1
76	Preparation and Adsorption Properties of Graphene-Modified, Pitch-Based Carbon Foam Composites. 2022 , 14, 4455	1
75	Photocatalytic and Adsorptive Removal of Liquid Textile Industrial Waste with Carbon-Based Nanomaterials. 2023 , 1-73	0
74	Statistically optimized sequential hydrothermal route for FeTiO ₃ surface modification: evaluation of hazardous cationic dyes adsorptive removal.	1
73	Heavy metal ions and dyes removal from aqueous solution using aloe vera-based biosorbent: A systematic review. 2022 , 114669	0
72	Cellulose-based materials and their adsorptive removal efficiency for dyes: A review. 2022 ,	2
71	The Combined Implementation of Electrocoagulation and Adsorption Processes for the Treatment of Wastewaters. 2022 , 4, 1020-1053	2
70	Easily separated and sustainable cellulose-based adsorbent using a facile two-steps modification for highly efficient methylene blue removal.	0
69	Development of Azo Dye Immobilized Poly (Glycidyl Methacrylate-Co-Methyl Methacrylate) Polymers Composites as Novel Adsorbents for Water Treatment Applications: Methylene Blue-Polymers Composites. 2022 , 14, 4672	0
68	ZnO/Cassava Starch-Based Hydrogel Composite for Effective Treatment of Dye-Contaminated Wastewater. 2200481	0

67	Recent Developments and Challenges in the Application of Fungal Laccase for the Biodegradation of Textile Dye Pollutants. 2022 , 20,	○
66	The impact of activation temperature and time on the characteristics and performance of agricultural waste-based activated carbons for removing dye and residual COD from wastewater. 2022 , 134899	○
65	Activated carbon from H ₃ PO ₄ -activated Moringa Stenopetale Seed Husk for removal of methylene blue: Optimization using the response surface method (RSM). 2022 , 16, 100214	○
64	Simultaneous removal of Basic blue and Toluidine blue O dyes by Magnetic Fe ₃ O ₄ @polydopamine nanoparticle as an efficient adsorbent using derivative spectrophotometric determination and central composite design optimization. 2022 , 146, 110203	○
63	Ultrasonic supported dye removal by a novel biomass. 2022 ,	○
62	Degradation of an acid dye using calcium oxide extracted from waste egg shells. 2022 ,	○
61	Agricultural Lolium perenne seeds as a low-cost biosorbent for Safranin T adsorption from wastewater: Isotherm, kinetic, and thermodynamic studies. 2023 , 129, 103338	○
60	Supramolecular nanoarchitectonics with TPPS porphyrin as a fluorescent probe for detection of aminoglycoside antibiotics and their photocatalytic applications for the degradation of rhodamine B dye. 2023 , 437, 114436	○
59	Utilization of Agro-Waste in the Elimination of Dyes from Aqueous Solution: Equilibrium, Kinetic and Thermodynamic Studies. 86, 11-23	○
58	Adsorption Performance and Reuse Potential of a Green Alga for the removal of an Acidic dye from Synthetic Wastewater. 2022 , 319-326	○
57	Dye removal by clay-pumpkin seed cake composite: modelling and optimization.	○
56	Applying Chitin Enhanced Diafiltration Process (CEFP) in Removing Cobalt from Synthetic Wastewater. 2022 , 12, 1194	○
55	Synthesis of Zn _x Ni _{1-x} Fe ₂ O ₄ , Mn _x Ni _{1-x} Fe ₂ O ₄ , Mg _x Ni _{1-x} Fe ₂ O ₄ , Cu _x Ni _{1-x} Fe ₂ O ₄ and Ca _x Ni _{1-x} Fe ₂ O ₄ via co-precipitation method and their application for treatment of textile wastewater.	○
54	Efficient adsorption of methyl orange and methylene blue dyes by a novel carbazole-based hyper-crosslinked porous polymer.	○
53	Polyaniline/Glaucanite Nanocomposite Adsorbent for Congo Red Dye from Textile Wastewater. 2022 , 9, 384	1
52	Agro-Wastes as Low-Cost Biosorbent for Dyes Removal from Wastewater. 2023 , 149-172	○
51	Assembled Porphyrin Nanofiber on the Surface of g-C ₃ N ₄ Nanomaterials for Enhanced Photocatalytic Degradation of Organic Dyes. 2022 , 12, 1630	1
50	Development of Azo Dye Immobilized Sulfonated Poly (Glycidyl Methacrylate) Polymer Composite as Novel Adsorbents for Water Treatment Applications: Methylene Blue Immobilization Isotherm, Kinetic, Thermodynamic, and Simulations Studies. 2022 , 27, 8418	○

49	Comprehensive review on machine learning methodologies for modeling dye removal processes in wastewater. 2022 , 135522	0
48	Efficient Dye Removal from Real Textile Wastewater Using Orange Seed Powder as Suitable Bio-Adsorbent and Membrane Technology. 2022 , 14, 4104	0
47	Equilibrium Studies for Dye Adsorption onto Red Clay.	0
46	Functionalized MoO ₃ Nanosheets for High-Efficiency RhB Removal. 2200154	0
45	Potential of Adsorption of Diverse Environmental Contaminants onto Microplastics. 2022 , 14, 4086	1
44	Role of Chemical Activating Agent on the Characteristics of Activated Carbon Derived from Fruit-Peel Waste for Aqueous Dye Removal. 937, 165-180	0
43	Removal of heavy metals and dyes from its aqueous solution utilizing metal organic Frameworks (MOFs): Review. 2022 ,	1
42	Preparation of alumina-supported Fe-Al-La composite for fluoride removal from an aqueous matrix.	0
41	Green Materials from Agricultural Waste for Wastewater Treatment and Remediation. 2023 , 1-9	0
40	Ni(ii) and Co(ii) complexes for the selective adsorption of anionic dyes from aqueous solutions.	0
39	Adsorption study of Methylene blue dye: an effluents from local textile industry using Pennisteam pupureum (elephant grass). 1-11	0
38	Bamboo Nanocellulose/Montmorillonite Nanosheets/Polyethyleneimine Gel Adsorbent for Methylene Blue and Cu(II) Removal from Aqueous Solutions. 2023 , 9, 40	0
37	Room Temperature Fabrication of Cobalt Mullite for the Snappy Adsorption of Cationic and Anionic Dyes.	0
36	Hydrolysate from the enzymatic treatment of corn cob as a carbon source for heterotrophic denitrification process. 2023 , 51, 103473	0
35	Synthesis of hybrid framework of tenorite and octahedrally coordinated aluminosilicate for the robust adsorption of cationic and anionic dyes. 2023 , 220, 115111	0
34	Exploration of the initial photocatalytic activity parameters of Fe ₂ O ₃ /titanite for methylene blue discoloration in water through the OFAT process. 2023 , 438, 114495	0
33	Dye sequestration from aqueous phase using natural and synthetic adsorbents in batch mode: present status and future perspectives.	0
32	Chitosan-Graphene Oxide Dip-Coated Polyacrylonitrile-Ethylenediamine Electrospun Nanofiber Membrane for Removal of the Dye Stuffs Methylene Blue and Congo Red. 2023 , 13, 498	1

- 31 Adsorptive removal of hazardous dyes from industrial waste using activated carbon: an appraisal. **2023**, 455-483 ○
- 30 A brief overview on advances in water treatment process. **2023**, 107-131 ○
- 29 Sulfonate Ligands-Induced Formation of Alkali Metal-Cucurbit[5]uril-based Assemblies. ○
- 28 Facile synthesis of carbon dots via pyrolysis and their application in photocatalytic degradation of rhodamine B (RhB). ○
- 27 Visible-light-driven photocatalytic activity of NiFe₂O₄@Ti-doped ZnO magnetically separable nanoparticles anchored on N-doped rGO nanosheets. **2023**, 135, 109839 ○
- 26 Photocatalytic removal of organic dyes by titanium doped alumina nanocomposites: Using multivariate factorial and kinetics models. **2023**, 1285, 135509 ○
- 25 Fabrication of highly crystalline covalent organic framework for solid-phase extraction of three dyes from food and water samples. **2023**, 46, ○
- 24 Magnetic CoFe₂O₄@HAp-GQDs nanocomposites for removal of Brilliant crystal blue dye using FCCD optimization and adsorption characterization. **2023**, 290, 116290 ○
- 23 Efficient Removal of Methylene Blue Dye from Aqueous Solution Using a New Biosorbent Derived from Enset (Ensete Ventricosum). ○
- 22 Fabrication, Properties, and Performance of Polymer-Clay Nanocomposites for Organic Dye Removal from Aqueous Media. **2023**, 2023, 1-17 ○
- 21 Adsorption of crystal violet dye from wastewater on Phyllanthus emblica fruit (PEF) powder: kinetic and thermodynamic. 1-26 ○
- 20 Effect of pH on Removal of Lead Using Plant-Based Surfactant Impregnated on Activated Carbon. ○
- 19 Electrostatic boosting of ionic dye pollutant removal from aquatic environment using a single electrode photoreactor. **2023**, 6, ○
- 18 Efficient adsorption of methyl orange and methylene blue dyes by a novel carbazole-based hyper-crosslinked porous polymer. ○
- 17 Easily separated and sustainable cellulose-based adsorbent using a facile two-step modification for highly efficient methylene blue removal. ○
- 16 Sphagnum perichaetiale Hampe biomass as a novel, green, and low-cost biosorbent in the adsorption of toxic crystal violet dye. **2023**, 30, 52472-52484 ○
- 15 Adsorptive removal of crystal violet dye by Azadirachta indica (neem) sawdust: A low-cost bio-sorbent. **2023**, ○
- 14 Removal of Toxic Basic Fuchsin Dye from Liquids by Antibiotic Azithromycin Using Adsorption, TD-DFT Calculations, Kinetic, and Equilibrium Studies. **2023**, 62, 4312-4327 ○

- 13 Synthesis of activated carbon from cherry tree waste and its application in removing cationic red 14 dye from aqueous environments. **2023**, 13, ○
- 12 Montmorillonite-Based Natural Adsorbent from Colombia for the Removal of Organic Pollutants from Water: Isotherms, Kinetics, Nature of Pollutants, and Matrix Effects. **2023**, 15, 1046 ○
- 11 Tarımsal Atıkların Boyar Madde Giderimindeki Etkisinin İncelenmesi. ○
- 10 Study on the Adsorption of Orange G dye by the PA65 with Pore Structure. **2023**, 234, ○
- 9 The emergence of adsorptive membrane treatment for pollutants removal: A mini bibliometric analysis study. **2023**, ○
- 8 Nano chitosan adsorption of o-Nitroaniline. **2023**, ○
- 7 Antibacterial and Photocatalytic Dye Degradation Activities of Green Synthesized NiSe Nanoparticles from Hibiscus rosa-sinensis Leaf Extract. **2023**, 15, 1380 ○
- 6 Post-Digital Learning for Rural Development: A Case Study of Open Biotec MOOCs in Colombia. **2023**, 15, 141 ○
- 5 Extractives-free Sugarcane Bagasse as Adsorbent for the Removal of Rhodamine B (Basic Violet 10) with High Capacity and Reusability. **2023**, ○
- 4 Adsorptive properties of highly porous activated carbon from *Euterpe oleracea* towards the toxic herbicide atrazine. **2023**, 11, 109966 ○
- 3 Chitosan/polyvinyl alcohol/hydroxyapatite nanocomposite membrane for the efficient adsorption of Congo red anionic dye. ○
- 2 Facile preparation of porphyrin@g-C₃N₄/Ag nanocomposite for improved photocatalytic degradation of organic dyes in aqueous solution. **2023**, 115984 ○
- 1 Application of Alkali Lignin and Spruce Sawdust for the Effective Removal of Reactive Dyes from Model Wastewater. **2023**, 28, 4114 ○