

Traditional, state-of-the-art and future thermal building solutions – Properties, requirements and possibilities

Energy and Buildings

43, 2549-2563

DOI: [10.1016/j.enbuild.2011.05.015](https://doi.org/10.1016/j.enbuild.2011.05.015)

Citation Report

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Preparation and Properties of a Novel Nonflammable Thermal Insulation Material. <i>Advanced Materials Research</i> , 2012, 450-451, 1504-1512.  | 0.3 | 4         |
| 2  | Comprehensive characterization of thermophysical properties in solids using thermal impedance. <i>Journal of Applied Physics</i> , 2012, 112, .   | 1.1 | 3         |
| 3  | PROCESSED STRAW AS EFFECTIVE THERMAL INSULATION FOR BUILDING ENVELOPE CONSTRUCTIONS. <i>Engineering Structures and Technologies</i> , 2012, 4, 96-103.  | 0.2 | 11        |
| 4  | Sustainable refurbishment in building technology. <i>Smart and Sustainable Built Environment</i> , 2012, 1, 241-252.  | 2.2 | 21        |
| 5  | Theoretical investigation on thermal insulation performance of closed cavity containing a hollow cylinder. <i>Energy and Buildings</i> , 2012, 54, 131-140.   | 3.1 | 1         |
| 6  | Predicted and in situ performance of a solar air collector incorporating a translucent granular aerogel cover. <i>Energy and Buildings</i> , 2012, 49, 173-187.   | 3.1 | 41        |
| 7  | Accelerated climate ageing of building materials, components and structures in the laboratory. <i>Journal of Materials Science</i> , 2012, 47, 6475-6496.   | 1.7 | 104       |
| 8  | Analyses on performances of heat and multilayer reflection insulators. <i>Journal of Central South University</i> , 2012, 19, 1645-1656.  | 1.2 | 6         |
| 9  | Vacuum insulation properties of phenolic foam. <i>International Journal of Heat and Mass Transfer</i> , 2012, 55, 5343-5349.  | 2.5 | 46        |
| 10 | Combined heat transfer in multi-layered radiation shields for vacuum insulation panels: Theoretical/numerical analyses and experiment. <i>Applied Energy</i> , 2012, 94, 295-302.                               | 5.1 | 20        |
| 11 | Energy efficiency in building installations using thermal insulating materials in northeast Brazil. <i>Energy and Buildings</i> , 2012, 47, 35-43.  | 3.1 | 17        |
| 12 | Fenestration of today and tomorrow: A state-of-the-art review and future research opportunities. <i>Solar Energy Materials and Solar Cells</i> , 2012, 96, 1-28.  | 3.0 | 430       |
| 13 | Sintering Behavior of Expanded Perlite Thermal Insulation Board: Modeling and Experiments. <i>Industrial &amp; Engineering Chemistry Research</i> , 2013, 52, 10244-10249.                                      | 1.8 | 9         |
| 14 | Passive alternatives to mechanical air conditioning of building: A review. <i>Building and Environment</i> , 2013, 66, 54-64.   | 3.0 | 137       |
| 15 | Insulation corkboard for sustainable energy and environmental protection. <i>Ciência &amp; Tecnologia Dos Materiais</i> , 2013, 25, 38-41.  | 0.5 | 12        |
| 16 | The effect of drying condition of glassfibre core material on the thermal conductivity of vacuum insulation panel. <i>Materials &amp; Design</i> , 2013, 50, 1030-1037.   | 5.1 | 25        |
| 17 | Increasing Energy Efficiency of the Translucent Enclosure Walls of a Building. <i>Procedia Engineering</i> , 2013, 57, 869-875.   | 1.2 | 1         |
| 18 | The challenge of removing snow downfall on photovoltaic solar cell roofs in order to maximize solar energy efficiency – Research opportunities for the future. <i>Energy and Buildings</i> , 2013, 67, 334-351. | 3.1 | 83        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | A new house wall system for residential buildings. <i>Energy and Buildings</i> , 2013, 67, 403-418.  | 3.1 | 27        |
| 21 | The variation of thermal conductivity of fibrous insulation materials under different levels of moisture content. <i>Construction and Building Materials</i> , 2013, 43, 533-544.                                | 3.2 | 134       |
| 22 | The future of construction materials research and the seventh UN Millennium Development Goal: A few insights. <i>Construction and Building Materials</i> , 2013, 40, 729-737.                                    | 3.2 | 108       |
| 23 | Solar radiation glazing factors for window panes, glass structures and electrochromic windows in buildings – Measurement and calculation. <i>Solar Energy Materials and Solar Cells</i> , 2013, 116, 291-323.    | 3.0 | 151       |
| 24 | Determination of Optimum Drying Condition of VIP Core Material by Wet Method. <i>Drying Technology</i> , 2013, 31, 1084-1090.  | 1.7 | 10        |
| 25 | Self-cleaning glazing products: A state-of-the-art review and future research pathways. <i>Solar Energy Materials and Solar Cells</i> , 2013, 109, 126-141.  | 3.0 | 157       |
| 26 | Optimization of passive solar design strategies: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2013, 25, 177-196.  | 8.2 | 187       |
| 27 | Study on performance of energy-efficient retrofitting measures on commercial building external walls in cooling-dominant cities. <i>Applied Energy</i> , 2013, 103, 97-108.                                      | 5.1 | 101       |
| 28 | Key performance indicators (KPIs) for evaluation of energy conservation in buildings. , 2013, , .  |     | 7         |
| 29 | Preparation of Styrene-Acrylate Emulsion (SAE) Latex by Recycling Waste Expandable Polystyrene Foam. <i>Advanced Materials Research</i> , 2013, 700, 199-203.  | 0.3 | 1         |
| 30 | High performance thermal insulation materials for buildings. , 2013, , 188-206.  |     | 8         |
| 32 | <i>Buildings</i> . , 2015, , 671-738.  |     | 13        |
| 33 | Theoretical and Experimental Analysis of Moisture-Dependent Thermal Conductivity of Lightweight Ceramic Bricks. <i>International Journal of Thermophysics</i> , 2014, 35, 1912-1921.                             | 1.0 | 11        |
| 34 | Novel Honeycomb Glassfiber Mat as the Core of Vacuum Insulation Panel. <i>Advanced Materials Research</i> , 0, 900, 247-250.   | 0.3 | 1         |
| 35 | Life cycle assessment (LCA) of building thermal insulation materials. , 2014, , 267-286.   |     | 11        |
| 36 | A multi-objective evolutionary optimization of fuzzy controller for energy conservation in air conditioning systems. <i>International Journal of Energy Research</i> , 2014, 38, 847-859.                        | 2.2 | 7         |
| 37 | Flexible Aerogels from Hyperbranched Polyurethanes: Probing the Role of Molecular Rigidity with Poly(Urethane Acrylates) Versus Poly(Urethane Norbornenes). <i>Chemistry of Materials</i> , 2014, 26, 6979-6993. | 3.2 | 65        |
| 38 | Analysis of Material Solutions of Exterior Walls with Contact Thermal Insulation System. <i>Key Engineering Materials</i> , 2014, 635, 165-168.  | 0.4 | 1         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 39 | Robustness classification of materials, assemblies and buildings. Journal of Building Physics, 2014, 37, 213-245.   | 1.2 | 21        |
| 40 | System Approach for Building Energy Conservation. Energy Procedia, 2014, 62, 666-675.   | 1.8 | 8         |
| 41 | Air-conditioning energy consumption due to green roofs with different building thermal insulation. Applied Energy, 2014, 128, 49-59.  | 5.1 | 100       |
| 42 | Advanced thermal insulation and absorption properties of recycled cellulose aerogels. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2014, 445, 128-134.                                   | 2.3 | 217       |
| 43 | Novel sustainable hemp-based composites for application in the building industry: Physical, thermal and mechanical characterization. Energy and Buildings, 2014, 77, 219-226.                                 | 3.1 | 142       |
| 44 | Toward aerogel based thermal superinsulation in buildings: A comprehensive review. Renewable and Sustainable Energy Reviews, 2014, 34, 273-299.   | 8.2 | 541       |
| 45 | Assessment of the economic performance of vacuum insulation panels for housing projects. Energy and Buildings, 2014, 70, 45-51.   | 3.1 | 26        |
| 46 | Eco-efficient construction and building materials research under the EU Framework Programme Horizon 2020. Construction and Building Materials, 2014, 51, 151-162.   | 3.2 | 180       |
| 47 | Vacuum insulation panel products: A state-of-the-art review and future research pathways. Applied Energy, 2014, 116, 355-375.   | 5.1 | 187       |
| 48 | Aerogel-incorporated concrete: An experimental study. Construction and Building Materials, 2014, 52, 130-136.   | 3.2 | 179       |
| 49 | Vacuum insulated panels for sustainable buildings: a review of research and applications. International Journal of Energy Research, 2014, 38, 1-19.   | 2.2 | 54        |
| 50 | Structure of vacuum insulation panel in building system. Energy and Buildings, 2014, 85, 644-653.   | 3.1 | 38        |
| 51 | Insulating and Strength Properties of an Aerogel-Incorporated Mortar Based an UHPC Formulations. Key Engineering Materials, 0, 629-630, 43-48.  | 0.4 | 16        |
| 52 | Structure, energy and cost efficiency evaluation of three different lightweight construction systems used in low-rise residential buildings. Energy and Buildings, 2014, 84, 727-739.                         | 3.1 | 28        |
| 53 | The thermal conductivity of polymethylsilsesquioxane aerogels and xerogels with varied pore sizes for practical application as thermal superinsulators. Journal of Materials Chemistry A, 2014, 2, 6525-6531. | 5.2 | 176       |
| 54 | A study of the thermal conductivity of granular silica materials for VIPs at different levels of gaseous pressure and external loads. Energy and Buildings, 2014, 85, 199-211.                                | 3.1 | 16        |
| 55 | The influence of different electricity-to-emissions conversion factors on the choice of insulation materials. Energy and Buildings, 2014, 85, 362-373.  | 3.1 | 16        |
| 56 | Correlation study between flammability and the width of organic thermal insulation materials for building exterior walls. Energy and Buildings, 2014, 82, 243-249.  | 3.1 | 73        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 57 | Comparative environmental life cycle assessment of thermal insulation materials of buildings. <i>Energy and Buildings</i> , 2014, 82, 466-481.   | 3.1 | 192       |
| 58 | Experimental and numerical study of heat transfer across insulation wall of a refrigerated integral panel van. <i>Applied Thermal Engineering</i> , 2014, 73, 196-204.   | 3.0 | 58        |
| 59 | Thermal properties of the composite material clay/granular cork. <i>Construction and Building Materials</i> , 2014, 70, 183-190.   | 3.2 | 59        |
| 60 | Nano Insulation Materials: Synthesis and Life Cycle Assessment. <i>Procedia CIRP</i> , 2014, 15, 490-495.  | 1.0 | 36        |
| 61 | Thermographic analysis of polyurethane foams integrated with phase change materials designed for dynamic thermal insulation in refrigerated transport. <i>Applied Thermal Engineering</i> , 2014, 70, 201-210.                   | 3.0 | 57        |
| 62 | Environmental impacts and thermal insulation performance of innovative composite solutions for building applications. <i>Construction and Building Materials</i> , 2014, 55, 406-414.  | 3.2 | 111       |
| 63 | Effect of pressure holding time of extraction process on thermal conductivity of glassfiber VIPs. <i>Journal of Materials Processing Technology</i> , 2014, 214, 539-543.  | 3.1 | 15        |
| 64 | Pinus pinaster tannin/furanic foams: Part II. Physical properties. <i>Industrial Crops and Products</i> , 2014, 61, 531-536.   | 2.5 | 25        |
| 65 | Integration of life cycle assessment in the design of hollow silica nanospheres for thermal insulation applications. <i>Building and Environment</i> , 2014, 80, 115-124.  | 3.0 | 23        |
| 66 | Improving the energy-efficiency of historic masonry buildings. A case study: A minor centre in the Abruzzo region, Italy. <i>Energy and Buildings</i> , 2014, 80, 415-423.   | 3.1 | 67        |
| 67 | An energy retrofitting methodology of Mediterranean historical buildings. <i>Management of Environmental Quality</i> , 2015, 26, 984-997.  | 2.2 | 9         |
| 68 | Numerical Simulation of Thermal Comfort Performance in a Room with Different Insulating Materials Using Computational Fluid Dynamics. <i>Key Engineering Materials</i> , 0, 650, 29-37.  | 0.4 | 1         |
| 69 | Energy Efficiency and Sustainability Attributes of the Solar Decathlon Projects. , 2015, , .   |     | 3         |
| 72 | Preparation of the Monolith of Hierarchical Macro/Mesoporous Calcium Silicate Ultrathin Nanosheets with Low Thermal Conductivity by Means of Ambient-Pressure Drying. <i>Chemistry - an Asian Journal</i> , 2015, 10, 1394-1401. | 1.7 | 6         |
| 73 | Morphology of Burned Ultra-low Density Fiberboards. <i>BioResources</i> , 2015, 10, .  | 0.5 | 0         |
| 74 | Energy and Environmental Evaluation of Non-Transparent Constructions of Building Envelope for Wooden Houses. <i>Energies</i> , 2015, 8, 11047-11075.   | 1.6 | 20        |
| 75 | Polymer/Carbon-Based Hybrid Aerogels: Preparation, Properties and Applications. <i>Materials</i> , 2015, 8, 6806-6848.   | 1.3 | 163       |
| 76 | Near-Field Thermal Radiation: Recent Progress and Outlook. <i>Nanoscale and Microscale Thermophysical Engineering</i> , 2015, 19, 98-126.  | 1.4 | 116       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 77 | The development of a monolithic aerogel glazed window for an energy retrofiting project. Applied Energy, 2015, 154, 603-615.   | 5.1 | 135       |
| 79 | Silica Aerogels: A Multifunctional Building Material. , 2015, , 35-41.   |     | 4         |
| 80 | Thermal Insulation Products and Applications - Future Road Maps. Energy Procedia, 2015, 78, 309-314.   | 1.8 | 9         |
| 81 | An optimal maintenance plan for building envelope insulation materials after retrofitting. , 2015, , .   |     | 2         |
| 82 | Thermal Inertia for Composite Materials White Cement-cork, Cement Mortar-cork, and Plaster-cork. Energy Procedia, 2015, 74, 991-999.                                 | 1.8 | 12        |
| 83 | Development of Glazing Systems with Silica Aerogel. Energy Procedia, 2015, 78, 394-399.  | 1.8 | 25        |
| 84 | Nanocellular polymer foams as promising high performance thermal insulation materials. European Polymer Journal, 2015, 65, 33-45.                                    | 2.6 | 120       |
| 85 | Phase change materials and products for building applications: A state-of-the-art review and future research opportunities. Energy and Buildings, 2015, 94, 150-176. | 3.1 | 419       |
| 86 | Experimental investigations of aerogel-incorporated ultra-high performance concrete. Construction and Building Materials, 2015, 77, 307-316.                         | 3.2 | 122       |
| 87 | Dense nanopowder composites for thermal insulation. Physica Status Solidi (A) Applications and Materials Science, 2015, 212, 439-442.                                | 0.8 | 8         |
| 88 | Policies and Programs for Sustainable Energy Innovations. Innovation, Technology and Knowledge Management, 2015, , .   | 0.4 | 1         |
| 89 | Factors affecting the in situ measurement accuracy of the wall heat transfer coefficient using the heat flow meter method. Energy and Buildings, 2015, 86, 754-765.  | 3.1 | 95        |
| 90 | Preparation and characterization of granular silica aerogel/polyisocyanurate rigid foam composites. Construction and Building Materials, 2015, 93, 309-316.          | 3.2 | 54        |
| 91 | Energy performance analysis of variable thermal resistance envelopes in residential buildings. Energy and Buildings, 2015, 103, 317-325.                             | 3.1 | 105       |
| 92 | Porous, Water-Resistant Multifilament Yarn Spun from Gelatin. Biomacromolecules, 2015, 16, 1997-2005.  | 2.6 | 15        |
| 93 | Traditional fired-clay bricks versus large and highly perforated fired-clay bricks masonry. , 2015, , 63-81.   |     | 2         |
| 94 | A sustainability assessment of advanced materials for novel housing solutions. Building and Environment, 2015, 92, 182-191.  | 3.0 | 38        |
| 95 | Configured cavity-core matrix for vacuum insulation panel: Concept, preparation and thermophysical properties. Energy and Buildings, 2015, 97, 98-106.               | 3.1 | 13        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 96  | Development of Nano Insulation Materials for Building Constructions. , 2015, , 429-434.   |      | 4         |
| 97  | Nanotechnology in Construction. , 2015, , .   |      | 27        |
| 98  | Thermal Insulation Monolith of Aluminum Tobermorite Nanosheets Prepared from Fly Ash. ACS Sustainable Chemistry and Engineering, 2015, 3, 2866-2873.                                      | 3.2  | 27        |
| 99  | Effect of facade components on energy efficiency in office buildings. Applied Energy, 2015, 158, 422-432.   | 5.1  | 73        |
| 100 | Integration of form-stable paraffin/nanosilica phase change material composites into vacuum insulation panels for thermal energy storage. Applied Energy, 2015, 159, 601-609.             | 5.1  | 43        |
| 101 | Preparation of Modified Urea-Formaldehyde/Phosphate Foamed Thermal Insulation Material. Advanced Materials Research, 0, 1120-1121, 523-530.   | 0.3  | 2         |
| 102 | Experimental study on the physicalâ€mechanical durability of innovative hemp-based composites for the building industry. Energy and Buildings, 2015, 104, 316-322.                        | 3.1  | 26        |
| 103 | Paraffin/expanded vermiculite composite phase change material as aggregate for developing lightweight thermal energy storage cement-based composites. Applied Energy, 2015, 160, 358-367. | 5.1  | 162       |
| 104 | Thermal Characterization of Materials based on Clay and Granular: Cork or Expanded Perlite. Energy Procedia, 2015, 74, 1150-1161.   | 1.8  | 28        |
| 105 | Chitosan Aerogels: Transparent, Flexible Thermal Insulators. Chemistry of Materials, 2015, 27, 7569-7572.   | 3.2  | 160       |
| 106 | A comparative study of the environmental impact of Swedish residential buildings with vacuum insulation panels. Energy and Buildings, 2015, 109, 183-194.                                 | 3.1  | 49        |
| 107 | Polysaccharidic binders for the conception of an insulating agro-composite. Composites Part A: Applied Science and Manufacturing, 2015, 78, 152-159.                                      | 3.8  | 6         |
| 108 | Towards a sustainable use of primary boron. Approach to a sustainable use of primary resources. Resources, Conservation and Recycling, 2015, 103, 9-18.                                   | 5.3  | 13        |
| 110 | Numerical modeling and optimization of an insulation system for underground thermal energy storage. Applied Thermal Engineering, 2015, 91, 687-693.                                       | 3.0  | 9         |
| 112 | Applications of Terahertz Spectroscopy in the Field of Construction and Building Materials. Applied Spectroscopy Reviews, 2015, 50, 279-303.  | 3.4  | 41        |
| 113 | Development and performance evaluation of a new thermal insulation material from rice straw using high frequency hot-pressing. Energy and Buildings, 2015, 87, 116-122.                   | 3.1  | 152       |
| 114 | Thermal barrier coatings based on alumina microparticles. Progress in Organic Coatings, 2015, 78, 124-132.  | 1.9  | 16        |
| 115 | Thermally insulating and fire-retardant lightweight anisotropic foams based on nanocellulose and graphene oxide. Nature Nanotechnology, 2015, 10, 277-283.                                | 15.6 | 1,103     |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 116 | Design and multi-physical properties of a new insulating concrete using sunflower stem aggregates and eco-friendly binders. <i>Materials and Structures/Materiaux Et Constructions</i> , 2015, 48, 1815-1829.         | 1.3 | 34        |
| 117 | Balancing Function and Environment toward Sustainable Design: A Building Insulation Case Study. <i>Journal of Sustainable Development</i> , 2016, 9, 207.   | 0.1 | 0         |
| 118 | Unconventional Insulation Materials. , 0, , .   |     | 9         |
| 119 | Modeling and Optimization of the Thermal Performance of a Wood-Cement Block in a Low-Energy House Construction. <i>Energies</i> , 2016, 9, 677.   | 1.6 | 11        |
| 120 | Flexural and Thermal Properties of Novel Energy Conservation Slotted Reinforced Concrete Beams. <i>Advances in Materials Science and Engineering</i> , 2016, 2016, 1-14.  | 1.0 | 1         |
| 121 | Nano-based thermal insulation for energy-efficient buildings. , 2016, , 129-181.  |     | 19        |
| 122 | Building Integrated Photovoltaics: A Concise Description of the Current State of the Art and Possible Research Pathways. <i>Energies</i> , 2016, 9, 21.   | 1.6 | 70        |
| 123 | Building insulating materials. , 2016, , 107-125.   |     | 1         |
| 124 | The roles of thermal insulation and heat storage in the energy performance of the wall materials: a simulation study. <i>Scientific Reports</i> , 2016, 6, 24181.   | 1.6 | 39        |
| 125 | Optimizing the thermal effectiveness of an insulation wrap with internal folded polypropylene film for the transportation of frozen food. <i>International Journal of Refrigeration</i> , 2016, 67, 42-53.            | 1.8 | 9         |
| 126 | Insulation materials for the building sector: A review and comparative analysis. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 62, 988-1011.  | 8.2 | 615       |
| 127 | Energy retrofit of the Krsan Castle: From sustainable to responsible designâ€”A case study. <i>Energy and Buildings</i> , 2016, 122, 23-33.   | 3.1 | 20        |
| 128 | Determination of Thermal Conductivity of Closed-Cell Insulation Materials That Depend on Temperature and Density. <i>Arabian Journal for Science and Engineering</i> , 2016, 41, 4337-4346.                           | 1.1 | 39        |
| 129 | Effect of nano vacuum insulation panel and nanogel glazing on the energy performance of office building. <i>Applied Energy</i> , 2016, 173, 141-151.  | 5.1 | 39        |
| 130 | Thermal and mechanical properties of gypsumâ€”cement foam concrete: effects of surfactant. <i>European Journal of Environmental and Civil Engineering</i> , 0, , 1-20.  | 1.0 | 16        |
| 131 | Hydrophobic treatment of wood fibrous thermal insulator by octadecyltrichlorosilane and its influence on hygric properties and resistance against moulds. <i>Composites Part B: Engineering</i> , 2016, 106, 285-293. | 5.9 | 42        |
| 132 | Optimization of the formulation for the synthesis of bio-based foams. <i>European Polymer Journal</i> , 2016, 84, 577-588.  | 2.6 | 8         |
| 133 | A benchmarking approach to the progress of green materials and systemsâ€™ use in the UAE construction industry. <i>World Journal of Science Technology and Sustainable Development</i> , 2016, 13, 315-327.           | 2.0 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 134 | Evaluating solar irradiance over facades in high building cities, based on LiDAR technology. Applied Energy, 2016, 183, 133-147.   | 5.1 | 39        |
| 135 | Design and experimental investigation of a stretched parabolic linear Fresnel reflector collecting system. Energy Conversion and Management, 2016, 126, 89-98.   | 4.4 | 55        |
| 137 | Energy and economic analysis and feasibility of retrofit actions in Italian residential historical buildings. Energy and Buildings, 2016, 128, 649-659.  | 3.1 | 71        |
| 138 | Calcined clays as binder for thermal insulating and structural aerogel incorporated mortar. Cement and Concrete Composites, 2016, 72, 213-221.   | 4.6 | 42        |
| 139 | Effects of Nanoporosity on the Mechanical Properties and Applications of Aerogels in Composite Structures. , 2016, , 97-126.   |     | 0         |
| 140 | A method for the steady-state thermal simulation of district heating systems and model parameters calibration. Energy Conversion and Management, 2016, 120, 294-305.   | 4.4 | 59        |
| 141 | The Effect of Fiber, Opacifier Ratios and Compression Pressure on the Thermal Conductivity of Fumed Silica Based Vacuum Insulation Panels. Arabian Journal for Science and Engineering, 2016, 41, 4263-4272.   | 1.1 | 6         |
| 142 | Preparation and characterization of capric-myristic-stearic acid eutectic mixture/modified expanded vermiculite composite as a form-stable phase change material. Applied Energy, 2016, 178, 616-623.  | 5.1 | 90        |
| 143 | Environmental assessment of facade-building systems and thermal insulation materials for different climatic conditions. Journal of Cleaner Production, 2016, 113, 102-113.   | 4.6 | 87        |
| 144 | Technical and economical assessment of energy-saving roof and wall construction in Thailand. Journal of the Chinese Institute of Engineers, Transactions of the Chinese Institute of Engineers, Series A/Chung-kuo Kung Ch'eng Hsueh K'an, 2016, 39, 1-11. | 0.6 | 58        |
| 145 | Sunlight-curable boehmite/siloxane-modified methacrylic based nanocomposites as insulating coatings for stone substrates. Progress in Organic Coatings, 2016, 95, 107-119.   | 1.9 | 25        |
| 146 | Environmental implications of the use of agglomerated cork as thermal insulation in buildings. Journal of Cleaner Production, 2016, 126, 97-107.   | 4.6 | 58        |
| 147 | Traditional and Innovative Materials for Energy Efficiency in Buildings. Key Engineering Materials, 0, 678, 14-34.   | 0.4 | 19        |
| 148 | Nanocellulose Aerogels as Thermal Insulation Materials. , 2016, , 411-427.   |     | 14        |
| 149 | Innovative mineral fiber insulation panels for buildings: Thermal and acoustic characterization. Applied Energy, 2016, 169, 421-432.   | 5.1 | 89        |
| 150 | Introduction to Nano- and Biotech-Based Materials for Energy Building Efficiency. , 2016, , 1-16.  |     | 3         |
| 151 | Experimental investigation of the fire resistance of multi-layer drywall systems incorporating Vacuum Insulation Panels and Phase Change Materials. Fire Safety Journal, 2016, 81, 8-16.   | 1.4 | 21        |
| 152 | Improved Thermal Insulation for Contemporary Automotive Roof Structures Based on a Computational Fluid Dynamics Heat Flux Approach. Heat Transfer Engineering, 2016, 37, 1418-1426.  | 1.2 | 2         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 153 | Coupled thermal-hydrological-mechanical behavior of rock mass surrounding a high-temperature thermal energy storage cavern at shallow depth. <i>International Journal of Rock Mechanics and Minings Sciences</i> , 2016, 83, 149-161. | 2.6 | 26        |
| 154 | Prospects of energy conservation and management in buildings – The Saudi Arabian scenario versus global trends. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 58, 1647-1663.  | 8.2 | 62        |
| 155 | Mechanical and thermal performance of concrete and mortar cellular materials containing plastic waste. <i>Construction and Building Materials</i> , 2016, 104, 298-310.   | 3.2 | 92        |
| 156 | The role of climatic-design-operational parameters on combined PV/T collector performance: A critical review. <i>Renewable and Sustainable Energy Reviews</i> , 2016, 57, 602-647.  | 8.2 | 91        |
| 157 | Effect of storage and curing conditions at elevated temperatures on aerogel-incorporated mortar samples based on UHPC recipe. <i>Construction and Building Materials</i> , 2016, 106, 640-649.  | 3.2 | 57        |
| 158 | The potential of lightweight low-energy houses with hybrid adaptable thermal storage: Comparing the performance of promising concepts. <i>Energy and Buildings</i> , 2016, 110, 79-93.  | 3.1 | 37        |
| 159 | Structural characterization of thermal building insulation materials using terahertz spectroscopy and terahertz pulsed imaging. <i>NDT and E International</i> , 2016, 77, 11-18.   | 1.7 | 28        |
| 160 | Aerogels and Foamed Nanostructured Polymer Blends. , 2016, , 75-99.   |     | 7         |
| 161 | Experimental and numerical characterization of innovative cardboard based panels: Thermal and acoustic performance analysis and life cycle assessment. <i>Building and Environment</i> , 2016, 95, 145-159.                           | 3.0 | 61        |
| 162 | The Effectiveness of Horizontal Barriers in Preventing Fire Spread on Vertical Insulation Panels Made of Polystyrene Foams. <i>Fire Technology</i> , 2016, 52, 649-662.   | 1.5 | 14        |
| 163 | A new prefabricated external thermal insulation composite board with ceramic finishing for buildings retrofitting. <i>Materials and Structures/Materiaux Et Constructions</i> , 2016, 49, 1527-1542.                                  | 1.3 | 12        |
| 164 | Blowing agent free generation of nanoporous poly(methylmethacrylate) materials. <i>Colloid and Polymer Science</i> , 2017, 295, 379-389.  | 1.0 | 4         |
| 165 | Silver nanoparticles as low-emissivity coating materials. <i>Translational Materials Research</i> , 2017, 4, 015001.  | 1.2 | 16        |
| 166 | Experimental study of the thermal conductivity of polyurethane foams. <i>Applied Thermal Engineering</i> , 2017, 115, 528-538.  | 3.0 | 142       |
| 167 | Investigation of the moisture induced degradation of the thermal properties of aerogel blankets: Measurements, calculations, simulations. <i>Energy and Buildings</i> , 2017, 139, 506-516.   | 3.1 | 62        |
| 168 | Synthesis and characterization of silica aerogel reinforced rigid polyurethane foam for thermal insulation application. <i>Journal of Non-Crystalline Solids</i> , 2017, 461, 1-11.   | 1.5 | 102       |
| 169 | Energy efficiency in the Romanian residential building stock: A literature review. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 74, 349-363.   | 8.2 | 47        |
| 170 | Exploring the potential of resorcinol-formaldehyde xerogels as thermal insulators. <i>Microporous and Mesoporous Materials</i> , 2017, 244, 50-54.  | 2.2 | 24        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 171 | A review on insulation materials for energy conservation in buildings. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 73, 1352-1365.  | 8.2 | 485       |
| 172 | Methodologies for Selection of Thermal Insulation Materials for Cost-Effective, Sustainable, and Energy-Efficient Retrofitting. , 2017, , 23-55.   |     | 2         |
| 173 | Phase Change Materials for Application in Energy-Efficient Buildings. , 2017, , 57-118.  |     | 32        |
| 174 | Cost-Effective Energy Retrofitting of Buildings in Spain. , 2017, , 515-551.   |     | 0         |
| 175 | Large scale experimental study on the fire hazard of buildingsâ€™ U-shape facade wall geometry. <i>Journal of Civil Engineering and Management</i> , 2017, 23, 455-463.  | 1.9 | 7         |
| 176 | Effect of the thermal insulation layer location on wall dynamic thermal response rate under the air-conditioning intermittent operation. <i>Case Studies in Thermal Engineering</i> , 2017, 10, 79-85.                           | 2.8 | 27        |
| 177 | Using lightweight cement composite and photocatalytic coating to reduce cooling energy consumption of buildings. <i>Construction and Building Materials</i> , 2017, 145, 555-564.  | 3.2 | 31        |
| 178 | Thermal conductivity calculation in anisotropic crystals by molecular dynamics: Application to $\text{Fe}_2\text{O}_3$ . <i>Journal of Chemical Physics</i> , 2017, 146, 054505.   | 1.2 | 12        |
| 179 | Improvement of thermal insulation performance of silica aerogels by $\text{Al}_2\text{O}_3$ powders doping. <i>Ceramics International</i> , 2017, 43, 10799-10804.   | 2.3 | 31        |
| 180 | Microstructure and property characterization of flexible syntactic foam for insulation material via mold casting. <i>International Journal of Precision Engineering and Manufacturing - Green Technology</i> , 2017, 4, 169-176. | 2.7 | 8         |
| 181 | Effectiveness of vertical barriers in preventing lateral flame spread over exposed EPS insulation wall. <i>Fire Safety Journal</i> , 2017, 91, 155-164.  | 1.4 | 16        |
| 182 | Energy efficiency and thermal performance of lightweight steel-framed (LSF) construction: A review. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 78, 194-209.   | 8.2 | 92        |
| 183 | The influence of thermal treatment on the microstructure and thermal insulation performance of silica aerogels. <i>Journal of Non-Crystalline Solids</i> , 2017, 470, 178-183.   | 1.5 | 27        |
| 184 | Experimental determination of the effective thermal conductivity of Vacuum Insulation Panels at fire temperatures. <i>Fire and Materials</i> , 2017, 41, 738-749.  | 0.9 | 1         |
| 185 | SELECTION OF THE INSULATION MATERIALS FOR REFURBISHMENT PURPOSES. <i>Engineering Structures and Technologies</i> , 2017, 9, 104-115.   | 0.2 | 2         |
| 186 | Carbon footprint of thermal insulation materials in building envelopes. <i>Energy Efficiency</i> , 2017, 10, 1511-1528.  | 1.3 | 37        |
| 187 | A general strategy for improving the thermal insulation performance of aerogels by multiple impregnation. <i>Scripta Materialia</i> , 2017, 139, 5-8.  | 2.6 | 15        |
| 188 | Environmental assessment of a nano-technological aerogel-based panel for building insulation. <i>Journal of Cleaner Production</i> , 2017, 161, 1404-1415.   | 4.6 | 41        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 189 | Thermal performance of scrap tire blocks as roof insulator. <i>Energy and Buildings</i> , 2017, 149, 384-390.  | 3.1 | 20        |
| 190 | Phase change materials and carbon nanostructures for thermal energy storage: A literature review. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 79, 1212-1228.   | 8.2 | 161       |
| 191 | High thermal insulation and compressive strength polypropylene foams fabricated by high-pressure foam injection molding and mold opening of nano-fibrillar composites. <i>Materials and Design</i> , 2017, 131, 1-11.                | 3.3 | 161       |
| 192 | Mechanically robust and shape-memory hybrid aerogels for super-insulating applications. <i>Journal of Materials Chemistry A</i> , 2017, 5, 15048-15055.  | 5.2 | 29        |
| 193 | The impact of the temperature dependent thermal conductivity of insulating materials on the effective building envelope performance. <i>Energy and Buildings</i> , 2017, 144, 262-275.   | 3.1 | 127       |
| 194 | Environmental performance of expanded cork slab and granules through life cycle assessment. <i>Journal of Cleaner Production</i> , 2017, 145, 294-302.   | 4.6 | 25        |
| 195 | Flyweight 3D Graphene Scaffolds with Microinterface Barrier-Derived Tunable Thermal Insulation and Flame Retardancy. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 14232-14241.   | 4.0 | 67        |
| 197 | Characterization and engineering application of a novel ceramic composite insulation material. <i>Composites Part B: Engineering</i> , 2017, 111, 143-147.   | 5.9 | 39        |
| 198 | The development history and prospects of biomass-based insulation materials for buildings. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 69, 912-932.  | 8.2 | 174       |
| 199 | An innovative structural and energy retrofitting system for URM walls using textile reinforced mortars combined with thermal insulation: Mechanical and fire behavior. <i>Construction and Building Materials</i> , 2017, 133, 1-13. | 3.2 | 77        |
| 200 | Assessing and understanding the interaction between mechanical and thermal properties in concrete for developing a structural and insulating material. <i>Construction and Building Materials</i> , 2017, 132, 353-364.              | 3.2 | 18        |
| 201 | High tech startup creation for energy efficient built environment. <i>Renewable and Sustainable Energy Reviews</i> , 2017, 71, 618-629.  | 8.2 | 35        |
| 202 | An overview of energy retrofit actions feasibility on Italian historical buildings. <i>Energy</i> , 2017, 137, 991-1000.   | 4.5 | 72        |
| 203 | Enhancements of thermal insulation and mechanical property of silica aerogel monoliths by mixing graphene oxide. <i>Materials Chemistry and Physics</i> , 2017, 187, 183-190.  | 2.0 | 83        |
| 204 | Potential energy savings from deployment of Dynamic Insulation Materials for US residential buildings. <i>Building and Environment</i> , 2017, 114, 203-218.   | 3.0 | 100       |
| 205 | Temperature-induced microstructural changes of fiber-reinforced silica aerogel (FRAB) and rock wool thermal insulation materials: A comparative study. <i>Energy and Buildings</i> , 2017, 138, 80-87.                               | 3.1 | 46        |
| 206 | Reversible transition between isotropic and anisotropic thermal transport in elastic polyurethane foams. <i>Materials Horizons</i> , 2017, 4, 236-241.   | 6.4 | 24        |
| 207 | Energy in buildings – Policy, materials and solutions. <i>MRS Energy &amp; Sustainability</i> , 2017, 4, 1.  | 1.3 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 208 | Marshmallow-like silicone gels as flexible thermal insulators and liquid nitrogen retention materials and their application in containers for cryopreserved embryos. <i>Applied Materials Today</i> , 2017, 9, 560-565.            | 2.3 | 12        |
| 209 | The benefits of using aerogel-enhanced systems in building retrofits. <i>Energy Procedia</i> , 2017, 134, 626-635.   | 1.8 | 30        |
| 210 | The impact of temperature dependency of the building insulation thermal conductivity in the Canadian climate. <i>Energy Procedia</i> , 2017, 132, 237-242.   | 1.8 | 20        |
| 211 | Air-Filled Nanopore Based High-Performance Thermal Insulation Materials. <i>Energy Procedia</i> , 2017, 132, 231-236.  | 1.8 | 16        |
| 212 | Translucent, hydrophobic, and mechanically tough aerogels constructed from trimethylsilylated chitosan nanofibers. <i>Nanoscale</i> , 2017, 9, 12311-12315.  | 2.8 | 51        |
| 213 | Low-density and structure-tunable microcellular PMMA foams with improved thermal-insulation and compressive mechanical properties. <i>European Polymer Journal</i> , 2017, 95, 382-393.  | 2.6 | 136       |
| 214 | Thermophysical investigations of nanotechnological insulation materials. <i>AIP Conference Proceedings</i> , 2017, , .   | 0.3 | 5         |
| 215 | Thermal performance and service life of vacuum insulation panels with aerogel composite cores. <i>Energy and Buildings</i> , 2017, 154, 606-617.   | 3.1 | 96        |
| 216 | Lightweight and Ultrastrong Polymer Foams with Unusually Superior Flame Retardancy. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 26392-26399.  | 4.0 | 66        |
| 217 | Alternative low cost based core systems for vacuum insulation panels. <i>Ciência &amp; Tecnologia Dos Materiais</i> , 2017, 29, e151-e156.   | 0.5 | 3         |
| 218 | A cork-silica xerogel nanocomposite with unique properties. <i>Journal of Sol-Gel Science and Technology</i> , 2017, 83, 567-573.  | 1.1 | 5         |
| 219 | Synthesis and characterization of flame retardant rigid polyurethane foam based on a reactive flame retardant containing phosphazene and cyclophosphonate. <i>Polymer Degradation and Stability</i> , 2017, 144, 62-69.            | 2.7 | 89        |
| 220 | Comparative study of hygrothermal properties of five thermal insulation materials. <i>Case Studies in Thermal Engineering</i> , 2017, 10, 628-640.   | 2.8 | 35        |
| 221 | Superlight, Mechanically Flexible, Thermally Superinsulating, and Antifrosting Anisotropic Nanocomposite Foam Based on Hierarchical Graphene Oxide Assembly. <i>ACS Applied Materials &amp; Interfaces</i> , 2017, 9, 44010-44017. | 4.0 | 60        |
| 222 | Thermal conductivity analysis and applications of nanocellulose materials. <i>Science and Technology of Advanced Materials</i> , 2017, 18, 877-892.  | 2.8 | 87        |
| 223 | Ambient-dried thermal superinsulating monolithic silica-based aerogels with short cellulosic fibers. <i>Journal of Materials Science</i> , 2017, 52, 2210-2221.  | 1.7 | 41        |
| 224 | Building renovation adopts mass customization. <i>Journal of Intelligent Information Systems</i> , 2017, 49, 119-146.  | 2.8 | 9         |
| 225 | A nZEB housing structure derived from end of life containers: Energy, lighting and life cycle assessment. <i>Building Simulation</i> , 2017, 10, 165-181.  | 3.0 | 19        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 226 | Novel aqueous spongy foams made of three-dimensionally dispersed wood-fiber: entrapment and stabilization with NFC/MFC within capillary foams. <i>Cellulose</i> , 2017, 24, 241-251. | 2.4 | 21        |
| 227 | Comprehensive thermal transmittance investigations carried out on opaque aerogel insulation blanket. <i>Materials and Structures/Materiaux Et Constructions</i> , 2017, 50, 1.       | 1.3 | 27        |
| 228 | Experimental Analysis of Transparent Insulation Based on Poly-carbonate Multi-Wall Systems: Thermal and Optical Performance. <i>Energy Procedia</i> , 2017, 132, 502-507.            | 1.8 | 7         |
| 229 | Long-term performance of aerogel-enhanced materials. <i>Energy Procedia</i> , 2017, 132, 303-308.  | 1.8 | 23        |
| 230 | Qualitative Experimental research on thermal response of interior finishing material under air-conditioning intermittent running. <i>Procedia Engineering</i> , 2017, 205, 410-414.  | 1.2 | 3         |
| 232 | A new model for exergetic optimum insulation thickness. <i>International Journal of Exergy</i> , 2017, 22, 309.  | 0.2 | 6         |
| 233 | Cardboard-Based Packaging Materials as Renewable Thermal Insulation of Buildings: Thermal and Life-Cycle Performance. <i>Journal of Renewable Materials</i> , 2017, 5, 84-93.        | 1.1 | 14        |
| 234 | Green composites for the built environment. , 2017, , 123-148.   |     | 2         |
| 235 | Aerogels for Optofluidic Waveguides. <i>Micromachines</i> , 2017, 8, 98.   | 1.4 | 14        |
| 236 | Experimental Evaluation of Thermal Performance and Durability of Thermally-Enhanced Concretes. <i>Applied Sciences (Switzerland)</i> , 2017, 7, 811.                                 | 1.3 | 10        |
| 237 | Form Follows Environment: Biomimetic Approaches to Building Envelope Design for Environmental Adaptation. <i>Buildings</i> , 2017, 7, 40.  | 1.4 | 56        |
| 238 | Assessment Method for Combined Structural and Energy Retrofitting in Masonry Buildings. <i>Buildings</i> , 2017, 7, 71.  | 1.4 | 32        |
| 239 | The Techno-Economics of Small-Scale Residential Heating in Low Carbon Futures. <i>Energies</i> , 2017, 10, 1915.   | 1.6 | 10        |
| 240 | Energy and Sustainable Strategies in the Renovation of Existing Buildings: An Italian Case Study. <i>Sustainability</i> , 2017, 9, 1472.   | 1.6 | 15        |
| 241 | A Comparative Study of Energy Performance of Fumed Silica Vacuum Insulation Panels in an Apartment Building. <i>Energies</i> , 2017, 10, 2000.                                       | 1.6 | 12        |
| 242 | Thermal Insulation of Thermal Storage Containers. , 2017, , 219-222.   |     | 2         |
| 243 | Insulation Material for a Model House in Zaouiat Sidi Abdessalam. , 2017, , .  |     | 5         |
| 244 | A Non-Ventilated Solar Façade Concept Based on Selective and Transparent Insulation Material Integration: An Experimental Study. <i>Energies</i> , 2017, 10, 815.                    | 1.6 | 17        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 245 | Application of some Solar Passive Concepts to Create more Energy Efficient Studio Apartment. , 2017, , .  |     | 0         |
| 246 | Experimental investigation on the influencing factors of preparing porous fly ash-based geopolymer for insulation material. <i>Energy and Buildings</i> , 2018, 168, 9-18.  | 3.1 | 57        |
| 247 | Fire-Retardant and Thermally Insulating Phenolic-Silica Aerogels. <i>Angewandte Chemie - International Edition</i> , 2018, 57, 4538-4542.   | 7.2 | 266       |
| 248 | A sensitivity analysis of a cost optimality study on the energy retrofit of a single-family reference building in Portugal. <i>Energy Efficiency</i> , 2018, 11, 1411-1432.   | 1.3 | 11        |
| 249 | Anisotropic, lightweight, strong, and super thermally insulating nanowood with naturally aligned nanocellulose. <i>Science Advances</i> , 2018, 4, eaar3724.  | 4.7 | 336       |
| 250 | Fire-Retardant and Thermally Insulating Phenolic-Silica Aerogels. <i>Angewandte Chemie</i> , 2018, 130, 4628-4632.  | 1.6 | 173       |
| 252 | Nano-fibrillated cellulose-hydroxyapatite based composite foams with excellent fire resistance. <i>Carbohydrate Polymers</i> , 2018, 195, 71-78.  | 5.1 | 99        |
| 253 | Larch ( <i>Larix decidua</i> ) bark insulation board: interactions of particle orientation, physical-mechanical and thermal properties. <i>European Journal of Wood and Wood Products</i> , 2018, 76, 489-498.                          | 1.3 | 10        |
| 254 | Porous materials in building energy technologies-A review of the applications, modelling and experiments. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 91, 229-247.  | 8.2 | 131       |
| 255 | Benzotriazole-based conjugated microporous polymers as efficient flame retardants with better thermal insulation properties. <i>Journal of Materials Chemistry A</i> , 2018, 6, 8633-8642.  | 5.2 | 51        |
| 256 | Concurrent seismic and energy retrofitting of RC and masonry building envelopes using inorganic textile-based composites combined with insulation materials: A new concept. <i>Composites Part B: Engineering</i> , 2018, 148, 166-179. | 5.9 | 95        |
| 257 | Multi-functional hydroxyapatite/polyvinyl alcohol composite aerogels with self-cleaning, superior fire resistance and low thermal conductivity. <i>Composites Science and Technology</i> , 2018, 158, 128-136.                          | 3.8 | 84        |
| 258 | Heat insulating, fire retardant and flexible inorganic nanocomposite paper. <i>Materials and Design</i> , 2018, 144, 281-289.   | 3.3 | 33        |
| 259 | Long-term thermal conductivity of aerogel-enhanced insulating materials under different laboratory aging conditions. <i>Energy</i> , 2018, 147, 1188-1202.  | 4.5 | 100       |
| 260 | A new approach to determine insulation material and thickness from a life-cycle perspective. <i>Proceedings of Institution of Civil Engineers: Energy</i> , 2018, 171, 171-181.   | 0.5 | 5         |
| 261 | Highly Compressible, Anisotropic Aerogel with Aligned Cellulose Nanofibers. <i>ACS Nano</i> , 2018, 12, 140-147.  | 7.3 | 364       |
| 262 | Sodium alginate adhesives as binders in wood fibers/textile waste fibers biocomposites for building insulation. <i>Carbohydrate Polymers</i> , 2018, 184, 1-8.  | 5.1 | 79        |
| 263 | Climate change mitigation: resilience indicators for roof solutions. <i>International Journal of Disaster Resilience in the Built Environment</i> , 2018, 9, 4-17.  | 0.7 | 3         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 264 | Thermal conductivity of hygroscopic foams based on cellulose nanofibrils and a nonionic polyoxamer. <i>Cellulose</i> , 2018, 25, 1117-1126.  | 2.4 | 35        |
| 265 | Fabrication and mechanism of poly(butylene succinate) urethane ionomer microcellular foams with high thermal insulation and compressive feature. <i>European Polymer Journal</i> , 2018, 99, 250-258.  | 2.6 | 47        |
| 266 | The thermophysical behaviour of cork supports doped with an innovative thermal insulation and protective coating: A numerical analysis based on in situ experimental data. <i>Energy and Buildings</i> , 2018, 159, 508-528.                           | 3.1 | 17        |
| 267 | Characterization of thermal insulating micro-surfacing modified by inorganic insulating material. <i>Construction and Building Materials</i> , 2018, 175, 296-306.   | 3.2 | 16        |
| 268 | The combined effect of heat and moisture transfer dependent thermal conductivity of polystyrene insulation material: Impact on building energy performance. <i>Energy and Buildings</i> , 2018, 169, 228-235.  | 3.1 | 96        |
| 269 | Nanotechnology Considerations for Poultry and Livestock Production Systems – A Review. <i>Annals of Animal Science</i> , 2018, 18, 319-334.  | 0.6 | 40        |
| 270 | Novel Rigid Polyisocyanurate Foams from Synthesized Biobased Polyester Polyol with Enhanced Properties. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6577-6589.   | 3.2 | 22        |
| 271 | Hollow silica nanospheres as thermal insulation materials for construction: Impact of their morphologies as a function of synthesis pathways and starting materials. <i>Construction and Building Materials</i> , 2018, 166, 72-80.                    | 3.2 | 21        |
| 272 | Evaluation of silica aerogel-reinforced polyurethane foams for footwear applications. <i>Journal of Materials Science</i> , 2018, 53, 9463-9472.   | 1.7 | 20        |
| 273 | Thermal management of standby battery for outdoor base station based on the semiconductor thermoelectric device and phase change materials. <i>Applied Thermal Engineering</i> , 2018, 137, 203-217.   | 3.0 | 64        |
| 274 | Exploring design principles of biological and living building envelopes: what can we learn from plant cell walls?. <i>Intelligent Buildings International</i> , 2018, 10, 78-102.  | 1.3 | 24        |
| 275 | Impact of solar energy on the energy balance of attic rooms in high latitude countries. <i>Applied Thermal Engineering</i> , 2018, 136, 548-559.   | 3.0 | 13        |
| 276 | Development of polymeric heat insulators based on emirati red shale filler: Thermal and physical properties. <i>Polymer Composites</i> , 2018, 39, E1463.  | 2.3 | 16        |
| 277 | Preparation and characterization of capric-palmitic-stearic acid ternary eutectic mixture/expanded vermiculite composites as form-stabilized thermal energy storage materials. <i>Journal of Materials Science and Technology</i> , 2018, 34, 379-386. | 5.6 | 54        |
| 278 | Thermal characterization of insulating materials. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 82, 1765-1773.   | 8.2 | 29        |
| 279 | A review on energy conscious designs of building façades in hot and humid climates: Lessons for (and) Tj ETQq1 1,0,784314,rgBT /Ove  | 8.2 | 71        |
| 280 | The effect of passive measures on thermal comfort and energy conservation. A case study of the hot summer and cold winter climate in the Yangtze River region. <i>Journal of Building Engineering</i> , 2018, 15, 298-310.                             | 1.6 | 115       |
| 281 | Ultralight and Low Thermal Conductivity Polyimide–Polyhedral Oligomeric Silsesquioxanes Aerogels. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1700403.  | 1.7 | 25        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 282 | Development of high thermal insulation and compressive strength BPP foams using mold-opening foam injection molding with in-situ fibrillated PTFE fibers. <i>European Polymer Journal</i> , 2018, 98, 1-10.               | 2.6 | 117       |
| 283 | Continuous ultrasound-assisted fabrication of lightweight polypropylene foam with low thermal conductivity and excellent sound insulation properties. <i>Polymer Engineering and Science</i> , 2018, 58, 1678-1684.       | 1.5 | 11        |
| 284 | Thermal conductivity of insulations approached from a new aspect. <i>Journal of Thermal Analysis and Calorimetry</i> , 2018, 133, 329-335.  | 2.0 | 18        |
| 285 | Comparative analysis on thermal performance of different wall insulation forms under the air-conditioning intermittent operation in summer. <i>Applied Thermal Engineering</i> , 2018, 130, 429-438.                      | 3.0 | 43        |
| 286 | Aerogel-enhanced systems for building energy retrofits: Insights from a case study. <i>Energy and Buildings</i> , 2018, 159, 370-381.   | 3.1 | 88        |
| 287 | Hydroxyethyl cellulose/alumina-based aerogels as lightweight insulating materials with high mechanical strength. <i>Journal of Materials Science</i> , 2018, 53, 1556-1567.   | 1.7 | 22        |
| 288 | Coupling controlled environmental forcing and transient plane source method: An innovative thermal characterization procedure for building insulation materials. <i>Applied Thermal Engineering</i> , 2018, 130, 254-263. | 3.0 | 11        |
| 289 | Fire-resistant, ultralight, superelastic and thermally insulated polybenzazole aerogels. <i>Journal of Materials Chemistry A</i> , 2018, 6, 20769-20777.  | 5.2 | 49        |
| 290 | Production of insulating panel from pruning remains: an economic and environmental analysis. <i>Energy Procedia</i> , 2018, 147, 145-153.   | 1.8 | 6         |
| 291 | A review of the properties of recycled and waste materials for energy refurbishment of existing buildings towards the requirements of NZEB. <i>Energy Procedia</i> , 2018, 148, 868-875.                                  | 1.8 | 27        |
| 292 | Solar energy impact on space heating and cooling needs in moderate climate. <i>IOP Conference Series: Materials Science and Engineering</i> , 2018, 415, 012008.  | 0.3 | 2         |
| 294 | Development and Validation of Numerical Models for Evaluation of Foam-Vacuum Insulation Panel Composite Boards, Including Edge Effects. <i>Energies</i> , 2018, 11, 2228.   | 1.6 | 11        |
| 295 | Cellulose Aerogels for Thermal Insulation in Buildings: Trends and Challenges. <i>Coatings</i> , 2018, 8, 345.  | 1.2 | 64        |
| 296 | Large-Size Transparent Wood for Energy-Saving Building Applications. <i>ChemSusChem</i> , 2018, 11, 4086-4093.  | 3.6 | 80        |
| 297 | Polyurethane Foams: Past, Present, and Future. <i>Materials</i> , 2018, 11, 1841.   | 1.3 | 463       |
| 298 | Silica Aerogels: A Review of Molecular Dynamics Modelling and Characterization of the Structural, Thermal, and Mechanical Properties. , 2018, , 1-21.   |     | 1         |
| 299 | Thermal insulating plates produced on the basis of vegetable agricultural waste. <i>Energy and Buildings</i> , 2018, 180, 72-82.  | 3.1 | 50        |
| 300 | Feasibility of the use of mineral wool fibres recovered from CDW for the reinforcement of conglomerates by study of their porosity. <i>Construction and Building Materials</i> , 2018, 191, 460-468.                      | 3.2 | 33        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 301 | Stimuli-Responsive Polyurethane Dispersions in Aqueous Auto-Dispersion. <i>Israel Journal of Chemistry</i> , 2018, 58, 1338-1346.   | 1.0 | 6         |
| 302 | Foam materials with controllable pore structure prepared from nanofibrillated cellulose with addition of alcohols. <i>Industrial Crops and Products</i> , 2018, 125, 314-322.   | 2.5 | 12        |
| 303 | Inherently flame-retardant rigid polyurethane foams with excellent thermal insulation and mechanical properties. <i>Polymer</i> , 2018, 153, 616-625.   | 1.8 | 113       |
| 304 | A review on optimization methods applied in energy-efficient building geometry and envelope design. <i>Renewable and Sustainable Energy Reviews</i> , 2018, 92, 897-920.  | 8.2 | 258       |
| 305 | Advanced Building Energy Efficiency Systems. , 2018, , 45-115.  |     | 3         |
| 306 | Sustainable nanocomposites of epoxy and silica xerogel synthesized from corn stalk ash: Enhanced thermal and acoustic insulation performance. <i>Composites Part B: Engineering</i> , 2018, 150, 1-6.                               | 5.9 | 42        |
| 307 | Innovative composite on the basis of an aerogel mat with an epoxy resin modified with PET waste and PCM. <i>E3S Web of Conferences</i> , 2018, 44, 00031.   | 0.2 | 7         |
| 308 | Thermally insulating lightweight cement-based composites incorporating glass beads and nano-silica aerogels for sustainably energy-saving buildings. <i>Energy and Buildings</i> , 2018, 174, 97-110.                               | 3.1 | 91        |
| 310 | Disturbance observer and ageing estimation for a temperature controlled food transporter. , 2018, , .   |     | 1         |
| 311 | Innovative Structural and Energy Retrofitting System for Masonry Walls Using Textile Reinforced Mortars Combined with Thermal Insulation: In-Plane Mechanical Behavior. <i>Journal of Composites for Construction</i> , 2018, 22, . | 1.7 | 33        |
| 312 | Correlation between the Thermo-physical Properties and Core Material Structure of Vacuum Insulation Panel: Role of Fiber Types. <i>Fibers and Polymers</i> , 2018, 19, 1032-1038.   | 1.1 | 7         |
| 313 | Photo-crosslinkable polyurethanes reinforced with coumarin modified silica nanoparticles for photo-responsive coatings. <i>Progress in Organic Coatings</i> , 2018, 123, 63-74.   | 1.9 | 26        |
| 314 | Fabrication and Characterization of Multiscale PLA Structures Using Integrated Rapid Prototyping and Gas Foaming Technologies. <i>Nanomaterials</i> , 2018, 8, 575.   | 1.9 | 12        |
| 315 | Ice-Templated Poly(vinyl alcohol): Enhanced Strength and Low Thermal Conductivity. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1800198.  | 1.7 | 6         |
| 316 | Development and thermal performance verification of composite insulation boards containing foam-encapsulated vacuum insulation panels. <i>Applied Energy</i> , 2018, 228, 1159-1172.  | 5.1 | 44        |
| 317 | Thermal conductivity of concrete - A review. <i>Journal of Building Engineering</i> , 2018, 20, 81-93.  | 1.6 | 403       |
| 318 | Modeling the Effect of Infrared Opacifiers on Coupled Conduction-Radiation Heat Transfer in Expanded Polystyrene. <i>Journal of Heat Transfer</i> , 2018, 140, .  | 1.2 | 2         |
| 319 | Model predictive temperature control and ageing estimation for an insulated cool box. <i>Applied Thermal Engineering</i> , 2018, 144, 269-277.  | 3.0 | 6         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 320 | Optimization of the wall thermal insulation characteristics based on the intermittent heating operation. <i>Case Studies in Construction Materials</i> , 2018, 9, e00188.  | 0.8 | 18        |
| 322 | Qualitative analysis of promising materials and technologies for the design and evaluation of Climate Adaptive Opaque Façades. <i>Building and Environment</i> , 2018, 144, 482-501.   | 3.0 | 38        |
| 323 | 2.24 Insulation Materials. , 2018, , 760-795.  |     | 4         |
| 324 | Effects of bentonite slurry on air-void structure and properties of foamed concrete. <i>Construction and Building Materials</i> , 2018, 179, 207-219.  | 3.2 | 60        |
| 325 | Noble-gas-infused neoprene closed-cell foams achieving ultra-low thermal conductivity fabrics. <i>RSC Advances</i> , 2018, 8, 21389-21398.   | 1.7 | 12        |
| 326 | Life cycle assessment (LCA) of double-skin façade (DSF) system with fiber-reinforced concrete for sustainable and energy-efficient buildings in the tropics. <i>Building and Environment</i> , 2018, 142, 327-341.               | 3.0 | 48        |
| 327 | Efficient Structural Sandwich Wall Panels Devoid of Thermal Bridges. <i>Lecture Notes in Civil Engineering</i> , 2019, , 59-67.  | 0.3 | 1         |
| 328 | Review of High-Temperature Thermal Insulation Materials. <i>Journal of Thermophysics and Heat Transfer</i> , 2019, 33, 271-284.  | 0.9 | 27        |
| 329 | Passive cooling systems in livestock buildings towards energy saving: A critical review. <i>Energy and Buildings</i> , 2019, 202, 109368.  | 3.1 | 31        |
| 330 | Composite material for thermal insulation based on moss raw material. <i>Construction and Building Materials</i> , 2019, 228, 116699.  | 3.2 | 39        |
| 331 | On the use of phase change materials applied on cork-coconut-cork panels. <i>Journal of Thermal Analysis and Calorimetry</i> , 2019, 138, 4061-4090.   | 2.0 | 11        |
| 332 | Cloud-based Low-cost Energy Monitoring System through Internet of Things. , 2019, , .  |     | 5         |
| 333 | Experimental and Numerical Examination of Naturally-Aged Foam-VIP Composites. <i>Energies</i> , 2019, 12, 2539.  | 1.6 | 2         |
| 334 | Study on the influence of enclosed vertical channels on downward flame spread over XPS thermal insulation materials. <i>Case Studies in Thermal Engineering</i> , 2019, 14, 100486.  | 2.8 | 8         |
| 335 | Microcellular foaming behaviors of chain extended poly (butylene succinate)/polyhedral oligomeric silsesquioxane composite induced by isothermal crystallization. <i>Polymer Degradation and Stability</i> , 2019, 167, 228-240. | 2.7 | 39        |
| 336 | Preparation of Thermosetting/Thermoplastic Polyimide Foam with Pleated Cellular Structure via In Situ Simultaneous Orthogonal Polymerization. <i>ACS Applied Polymer Materials</i> , 2019, 1, 2430-2440.                         | 2.0 | 18        |
| 337 | Physical Properties of Straw Bales as a Construction Material: A Review. <i>Sustainability</i> , 2019, 11, 3388.   | 1.6 | 35        |
| 338 | Improvement of performance of foam perlite thermal insulation material by the design of a triple-hierarchical porous structure. <i>Energy and Buildings</i> , 2019, 200, 21-30.  | 3.1 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 340 | Ionic liquid-based monolithic porous polymers as efficient flame retardant and thermal insulation materials. <i>Polymer</i> , 2019, 185, 121947.   | 1.8 | 13        |
| 342 | Preparation and properties of polystyrene/silica fibres flexible thermal insulation materials by centrifugal spinning. <i>Polymer</i> , 2019, 185, 121964.                                 | 1.8 | 25        |
| 343 | Polystyrene nanofibers for nonwoven porous building insulation materials. <i>Engineering Reports</i> , 2019, 1, e12037.  | 0.9 | 17        |
| 344 | Critical Performance Aspects of Retrofitting Apartment Buildings Using a Multifunctional Façade System. <i>Buildings</i> , 2019, 9, 184.   | 1.4 | 2         |
| 345 | Preparation and Characterization of Novel Plaster with Improved Thermal Energy Storage Performance. <i>Energies</i> , 2019, 12, 3318.  | 1.6 | 13        |
| 346 | Flexible and Washable CNT-Embedded PAN Nonwoven Fabrics for Solar-Enabled Evaporation and Desalination of Seawater. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 35005-35014. | 4.0 | 175       |
| 347 | Evaluating the environmental and economic sustainability of energy efficiency measures in buildings. <i>IOP Conference Series: Earth and Environmental Science</i> , 2019, 257, 012028.    | 0.2 | 2         |
| 348 | Monolithic nanoporous polymers bearing POSS moiety as efficient flame retardant and thermal insulation materials. <i>Reactive and Functional Polymers</i> , 2019, 143, 104345.             | 2.0 | 14        |
| 349 | Energy efficiency and impact carbon of a multilayer material composed of ecological additives.. <i>Energy Procedia</i> , 2019, 157, 419-427.   | 1.8 | 9         |
| 350 | Thermal characterization of a new multilayer building material based on clay, cork and cement mortar. <i>Energy Procedia</i> , 2019, 157, 480-491.   | 1.8 | 20        |
| 351 | Whole building retrofit using vacuum insulation panels and energy performance analysis. <i>Energy and Buildings</i> , 2019, 203, 109430.   | 3.1 | 28        |
| 352 | Experimental study on the impact of facade design on indoor thermal environment in tropical residential buildings. <i>Building and Environment</i> , 2019, 166, 106418.                    | 3.0 | 28        |
| 353 | Composites with Excellent Insulation and High Adaptability for Lightweight Envelopes. <i>Energies</i> , 2019, 12, 53.  | 1.6 | 7         |
| 354 | Numerical and experimental study on the thermal performance of aerogel insulating panels for building energy efficiency. <i>Renewable Energy</i> , 2019, 138, 445-457.                     | 4.3 | 60        |
| 355 | Ultralight and Flexible Monolithic Polymer Aerogel with Extraordinary Thermal Insulation by A Facile Ambient Process. <i>Advanced Materials Interfaces</i> , 2019, 6, 1900314.             | 1.9 | 29        |
| 356 | Thermomechanical behavior and thermal stability of polyurethane rigid nanocomposite foams containing binary nanoparticle mixtures. <i>Polymer Testing</i> , 2019, 77, 105930.              | 2.3 | 27        |
| 357 | Halving energy demand from buildings: The impact of low consumption practices. <i>Technological Forecasting and Social Change</i> , 2019, 146, 253-266.                                    | 6.2 | 46        |
| 358 | A dynamic thermal response on thermal conductivity at different temperature and moisture levels of EPS insulation. <i>Case Studies in Thermal Engineering</i> , 2019, 14, 100481.          | 2.8 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 359 | Microcellular morphology evolution of polystyrene/thermoplastic polyurethane blends in the presence of supercritical CO <sub>2</sub> . <i>Frontiers in Forests and Global Change</i> , 2019, 38, 68-85.                                 | 0.6 | 10        |
| 360 | Biomimetic Carbon Tube Aerogel Enables Super-Elasticity and Thermal Insulation. <i>CheM</i> , 2019, 5, 1871-1882.   | 5.8 | 136       |
| 361 | Thermal conductivity of amorphous silica nanoparticles. <i>Journal of Nanoparticle Research</i> , 2019, 21, 1.  | 0.8 | 17        |
| 362 | Critical Analysis of in situ Performance of Glass Fiber Core VIPs in Extreme Cold Climate. <i>Frontiers in Energy Research</i> , 2019, 7, .   | 1.2 | 8         |
| 363 | Effects of the Heat Treatment in the Properties of Fibrous Aerogel Thermal Insulation. <i>Energies</i> , 2019, 12, 2001.  | 1.6 | 9         |
| 364 | Carbon-Filled Organic Phase-Change Materials for Thermal Energy Storage: A Review. <i>Molecules</i> , 2019, 24, 2055.   | 1.7 | 45        |
| 365 | Preparation of low density organosilica monoliths containing hollow silica nanospheres as thermal insulation materials. <i>Materials Letters</i> , 2019, 250, 151-154.  | 1.3 | 12        |
| 366 | Thermo-economic analysis of building energy retrofits using VIP - Vacuum Insulation Panels. <i>Energy and Buildings</i> , 2019, 196, 269-279.   | 3.1 | 40        |
| 367 | Superelastic, Anticorrosive, and Flame-Resistant Nitrogen-Containing Resorcinol Formaldehyde/Graphene Oxide Composite Aerogels. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 10873-10879.                                | 3.2 | 20        |
| 368 | Vacuum insulation panels in construction solutions for energy efficient retrofitting of buildings. Two case studies in Spain and Sweden. <i>Energy and Buildings</i> , 2019, 197, 131-139.  | 3.1 | 27        |
| 369 | Preparation, characterization and thermal degradation behavior of rigid polyurethane foam using a malic acid based polyols. <i>Industrial Crops and Products</i> , 2019, 136, 121-128.  | 2.5 | 50        |
| 370 | Thermal and Mechanical Properties of SiO <sub>2</sub> Aerogel Incorporated Geopolymer Insulation Materials. <i>Journal of Materials in Civil Engineering</i> , 2019, 31, .  | 1.3 | 7         |
| 371 | Influence of NiTi alloy phase change heat-storage particles on thermophysical parameters, phase change heat-storage thermoregulation effect, and pavement performance of asphalt mixture. <i>Renewable Energy</i> , 2019, 141, 431-443. | 4.3 | 34        |
| 372 | Hierarchically porous SiO <sub>2</sub> /polyurethane foam composites towards excellent thermal insulating, flame-retardant and smoke-suppressant performances. <i>Journal of Hazardous Materials</i> , 2019, 375, 61-69.                | 6.5 | 103       |
| 373 | Assessing the Potentiality of Animal Fat Based-Bio Phase Change Materials (PCM) for Building Applications: An Innovative Multipurpose Thermal Investigation. <i>Energies</i> , 2019, 12, 1111.  | 1.6 | 25        |
| 374 | Sustainable thermal insulation biocomposites from rice husk, wheat husk, wood fibers and textile waste fibers: Elaboration and performances evaluation. <i>Industrial Crops and Products</i> , 2019, 135, 238-245.                      | 2.5 | 160       |
| 375 | Photothermal Clothing for Thermally Preserving Pipeline Transportation of Crude Oil. <i>Advanced Functional Materials</i> , 2019, 29, 1900703.  | 7.8 | 46        |
| 376 | Tailoring the thermal and mechanical properties of lightweight cement-based composites by macro and micro fillers. <i>Cement and Concrete Composites</i> , 2019, 102, 169-184.  | 4.6 | 26        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 377 | Traditional, state-of-the-art and renewable thermal building insulation materials: An overview. <i>Construction and Building Materials</i> , 2019, 214, 709-735.   | 3.2 | 318       |
| 378 | Chemical and Mineralogical Studies of Magmatic Rocks of Uzbekistan for Obtaining Heat-Insulating Materials. <i>Glass and Ceramics (English Translation of Steklo I Keramika)</i> , 2019, 75, 491-495.                              | 0.2 | 20        |
| 379 | Thermal bridges of metal fasteners for aerogel-enhanced blankets. <i>Energy and Buildings</i> , 2019, 185, 307-315.  | 3.1 | 32        |
| 380 | Structural and thermal retrofitting of masonry walls: An integrated cost-analysis approach for the Italian context. <i>Building and Environment</i> , 2019, 155, 127-136.  | 3.0 | 36        |
| 381 | Perspectives on industrialized transportable solar powered zero energy buildings. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 108, 112-124.  | 8.2 | 27        |
| 383 | Demonstration of self-healing barrier films for vacuum insulation panels. <i>Vacuum</i> , 2019, 164, 132-139.  | 1.6 | 8         |
| 384 | Resilient Si <sub>3</sub> N <sub>4</sub> Nanobelt Aerogel as Fire-Resistant and Electromagnetic Wave-Transparent Thermal Insulator. <i>ACS Applied Materials &amp; Interfaces</i> , 2019, 11, 15795-15803.                         | 4.0 | 138       |
| 386 | Quantitative analysis of the influence of subfreezing temperature on the mechanical properties of steam-cured concrete. <i>Construction and Building Materials</i> , 2019, 206, 504-511.   | 3.2 | 22        |
| 387 | A novel inorganic thermal insulation material utilizing perlite tailings. <i>Energy and Buildings</i> , 2019, 190, 25-33.  | 3.1 | 45        |
| 388 | Threshold cell diameter for high thermal insulation of water-blown rigid polyurethane foams. <i>Journal of Industrial and Engineering Chemistry</i> , 2019, 73, 344-350.   | 2.9 | 40        |
| 389 | Aerogel-enhanced insulation for building applications. , 2019, , 395-416.  |     | 7         |
| 390 | Using algorithms to designate pre-fabricated wall materials: A case study with two implementation methods. <i>Case Studies in Construction Materials</i> , 2019, 10, e00220.   | 0.8 | 1         |
| 391 | Fabrication of boron nitride nanosheet/polymer composites with tunable thermal insulating properties. <i>New Journal of Chemistry</i> , 2019, 43, 4878-4885.   | 1.4 | 13        |
| 392 | “Stiff”-“Soft”-Binary Synergistic Aerogels with Superflexibility and High Thermal Insulation Performance. <i>Advanced Functional Materials</i> , 2019, 29, 1806407.  | 7.8 | 111       |
| 393 | Experimental and Numerical Energy Assessment of a Monolithic Aerogel Glazing Unit for Building Applications. <i>Applied Sciences (Switzerland)</i> , 2019, 9, 5473.  | 1.3 | 13        |
| 394 | Cradle to Cradle® Parquet for Generations: Respect Natural Resources and Offers Preservation for the Future. <i>Environmental Footprints and Eco-design of Products and Processes</i> , 2019, , 83-106.                            | 0.7 | 1         |
| 395 | Computational analysis of the thermal behavior on a silica (SiO <sub>2</sub> ) aerogel coating for applications in the construction industry. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 519, 012008. | 0.3 | 5         |
| 396 | Behavior of multilayer materials when exposed to open flame. <i>Materials Today: Proceedings</i> , 2019, 19, 1073-1080.  | 0.9 | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 397 | Silica aerogel composites with embedded fibres: a review on their preparation, properties and applications. <i>Journal of Materials Chemistry A</i> , 2019, 7, 22768-22802.                     | 5.2 | 208       |
| 398 | Nano insulation materials exploiting the Knudsen effect. <i>IOP Conference Series: Materials Science and Engineering</i> , 2019, 634, 012003.   | 0.3 | 7         |
| 399 | Yearly Energy Performance Assessment of Employing Expanded Polystyrene with Variable Temperature and Moistureâ€™Thermal Conductivity Relationship. <i>Materials</i> , 2019, 12, 3000.           | 1.3 | 9         |
| 400 | Effect of various curing methods and addition of silica aerogel on mortar properties. <i>Gradevinar</i> , 2019, 71, 651-661.  | 0.2 | 7         |
| 401 | Modelling the Strength of Cellulose Nanofiber-Filled Rigid Low-Density PU Foams. <i>Key Engineering Materials</i> , 0, 827, 159-164.  | 0.4 | 4         |
| 402 | A Taguchi approach for optimizing the mixture design of cold-bonded PCM aggregates. <i>Energy Sources, Part A: Recovery, Utilization and Environmental Effects</i> , 2019, , 1-21.              | 1.2 | 1         |
| 403 | Lightweight, mechanically flexible and thermally superinsulating rGO/polyimide nanocomposite foam with an anisotropic microstructure. <i>Nanoscale Advances</i> , 2019, 1, 4895-4903.           | 2.2 | 27        |
| 404 | Electrochemical Getters: A Novel Approach toward Improved Thermal Insulation. <i>Journal of the Electrochemical Society</i> , 2019, 166, B1701-B1706.   | 1.3 | 1         |
| 405 | Development of Environmentally Sustainable Materials. <i>Ecowise</i> , 2019, , 1-18.  | 0.1 | 0         |
| 406 | Flexible and coatable insulating silica aerogel/polyurethane composites via soft segment control. <i>Composites Science and Technology</i> , 2019, 171, 244-251.                                | 3.8 | 35        |
| 407 | Fire damage of RC slab structure of a shopping center. <i>Engineering Failure Analysis</i> , 2019, 97, 53-60.   | 1.8 | 17        |
| 408 | A review and evaluation of thermal insulation materials and methods for thermal energy storage systems. <i>Renewable and Sustainable Energy Reviews</i> , 2019, 103, 71-84.                     | 8.2 | 181       |
| 409 | Low-density PMMA/MAM nanocellular polymers using low MAM contents: Production and characterization. <i>Polymer</i> , 2019, 163, 115-124.  | 1.8 | 26        |
| 410 | Advanced Polymers for Reduced Energy Consumption in Architecture. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1800597.   | 2.0 | 4         |
| 411 | Silica aerogel derived from rice husk: an aggregate replacer for lightweight and thermally insulating cement-based composites. <i>Construction and Building Materials</i> , 2019, 195, 312-322. | 3.2 | 57        |
| 412 | Building Envelope. , 2019, , 295-439.   |     | 6         |
| 413 | Exceptional flame-retardant cellulosic foams modified with phosphorus-hybridized graphene nanosheets. <i>Cellulose</i> , 2019, 26, 1247-1260.   | 2.4 | 27        |
| 414 | Preparation and properties of ultra-lightweight EPS concrete based on pre-saturated bentonite. <i>Construction and Building Materials</i> , 2019, 195, 505-514.                                 | 3.2 | 28        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 415 | A transparent insulation facade enhanced with a selective absorber: A cooling energy load and validated building energy performance prediction model. <i>Energy and Buildings</i> , 2019, 183, 266-282.              | 3.1 | 21        |
| 416 | Stability investigations of the thermal insulating performance of aerogel blanket. <i>Energy and Buildings</i> , 2019, 185, 103-111.   | 3.1 | 36        |
| 417 | A novel multilayer sandwich fabric-based composite material for infrared stealth and super thermal insulation protection. <i>Composite Structures</i> , 2019, 212, 58-65.  | 3.1 | 59        |
| 418 | High voltage resistance ceramic coating fabricated on titanium alloy for insulation shielding application. <i>Ceramics International</i> , 2019, 45, 1909-1917.  | 2.3 | 11        |
| 419 | Multi-objective optimization of heat transfer mechanisms of microcellular polymeric foams from thermal-insulation point of view. <i>Thermal Science and Engineering Progress</i> , 2019, 9, 21-29.                   | 1.3 | 59        |
| 420 | A material characterization and embodied energy study of novel clay-alginate composite aerogels. <i>Energy and Buildings</i> , 2019, 184, 88-98.   | 3.1 | 9         |
| 421 | Mathematical Model Using Soft Computing Techniques for Different Thermal Insulation Materials. <i>Journal of Intelligent Systems</i> , 2019, 28, 821-833.  | 1.2 | 0         |
| 422 | Porous polyurethane-polystyrene composites produced in a co-expansion process. <i>Arabian Journal of Chemistry</i> , 2020, 13, 37-44.  | 2.3 | 5         |
| 423 | Flame-retardant agent and fire-retardant fabrics reinforced the polyurethane foam: Combustion resistance and mechanical properties. <i>Journal of Sandwich Structures and Materials</i> , 2020, 22, 2408-2420.       | 2.0 | 1         |
| 424 | Modeling Microstructure Effect on Thermal Conductivity of Aerogel-Based Vacuum Insulation Panels. <i>Heat Transfer Engineering</i> , 2020, 41, 882-895.  | 1.2 | 8         |
| 425 | Environmental Life Cycle Analysis of Earthen Building Materials. , 2020, , 63-68.  |     | 11        |
| 426 | Characterization of Wood, Cork and Their Composites for Building Insulation. , 2020, , 44-59.  |     | 6         |
| 427 | A 3D model to predict the influence of nanoscale pores or reduced gas pressures on the effective thermal conductivity of cellular porous building materials. <i>Journal of Building Physics</i> , 2020, 43, 277-300. | 1.2 | 7         |
| 428 | Effect of R-values changes in the baseline codes: Embodied energy and environmental life cycle impacts of building envelopes. <i>Energy Reports</i> , 2020, 6, 554-560.  | 2.5 | 11        |
| 429 | Thermal Transport in 3D Nanostructures. <i>Advanced Functional Materials</i> , 2020, 30, 1903841.  | 7.8 | 83        |
| 430 | A strong, flame-retardant, and thermally insulating wood laminate. <i>Chemical Engineering Journal</i> , 2020, 383, 123109.  | 6.6 | 69        |
| 431 | Layer-by-layer modified low density cellulose fiber networks: A sustainable and fireproof alternative to petroleum based foams. <i>Carbohydrate Polymers</i> , 2020, 230, 115616.                                    | 5.1 | 21        |
| 432 | Review of precast concrete sandwich panels and their innovations. <i>Construction and Building Materials</i> , 2020, 233, 117145.  | 3.2 | 85        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 433 | Advanced Materials for High-Temperature Thermal Transport. <i>Advanced Functional Materials</i> , 2020, 30, 1904815.  | 7.8  | 63        |
| 434 | Super-low thermal conductivity fibrous nanocomposite membrane of hollow silica/polyacrylonitrile. <i>Composites Science and Technology</i> , 2020, 188, 107992.   | 3.8  | 21        |
| 435 | Potential energy savings and mitigation of emissions by insulation for residential buildings in Mexico. <i>Energy and Buildings</i> , 2020, 209, 109698.  | 3.1  | 23        |
| 436 | Highly expanded, highly insulating polypropylene/polybutylene-terephthalate composite foams manufactured by nano-fibrillation technology. <i>Materials and Design</i> , 2020, 188, 108450.                      | 3.3  | 39        |
| 437 | Elastic Aerogels of Cellulose Nanofibers@Metal-Organic Frameworks for Thermal Insulation and Fire Retardancy. <i>Nano-Micro Letters</i> , 2020, 12, 9.  | 14.4 | 104       |
| 438 | Microstructural design and thermal characterization of composite diatomite-vermiculite paraffin-based form-stable PCM for cementitious mortars. <i>Construction and Building Materials</i> , 2020, 232, 117167. | 3.2  | 36        |
| 439 | Retrofitting with different building materials: Life-cycle primary energy implications. <i>Energy</i> , 2020, 192, 116648.  | 4.5  | 31        |
| 440 | Studies on active thermal insulation technology based on heat sink principle. <i>Applied Thermal Engineering</i> , 2020, 167, 114758.   | 3.0  | 2         |
| 441 | A review of the challenges posed by the use of vacuum panels in external insulation finishing systems. <i>Applied Energy</i> , 2020, 257, 114028.   | 5.1  | 65        |
| 442 | Investigation of mechanical and thermal properties of nano SiO <sub>2</sub> /hydrophobic silica aerogel-coated concrete with thermal insulation properties. <i>Structural Concrete</i> , 2020, 21, 1123-1133.   | 1.5  | 15        |
| 443 | Thermophysical heat storage for cooling, heating, and power generation: A review. <i>Applied Thermal Engineering</i> , 2020, 166, 114728.   | 3.0  | 46        |
| 444 | Composition of cooling load formed by non-transparent envelopes of a common office building under air-conditioning intermittent operation. <i>Journal of Building Physics</i> , 2020, 43, 528-544.              | 1.2  | 6         |
| 445 | Green and High-Expansion PLLA/PDLA Foams with Excellent Thermal Insulation and Enhanced Compressive Properties. <i>Industrial &amp; Engineering Chemistry Research</i> , 2020, 59, 19244-19251.                 | 1.8  | 27        |
| 446 | Polyimide-Based Foams: Fabrication and Multifunctional Applications. <i>ACS Applied Materials &amp; Interfaces</i> , 2020, 12, 48246-48258.   | 4.0  | 61        |
| 447 | Enhancing the mechanical and thermal properties of aerated geopolymer concrete using porous lightweight aggregates. <i>Construction and Building Materials</i> , 2020, 264, 120713.                             | 3.2  | 48        |
| 448 | Experimental and numerical study on the thermal performance of polycarbonate panels. <i>Journal of Building Engineering</i> , 2020, 32, 101715.   | 1.6  | 4         |
| 449 | Stimuli-responsive micro/nanoporous hairy skin for adaptive thermal insulation and infrared camouflage. <i>Materials Horizons</i> , 2020, 7, 3258-3265.   | 6.4  | 53        |
| 450 | Residual gas analysis in vacuum insulation panel (VIP) with glass fiber core and investigation of getter for VIP. <i>Building and Environment</i> , 2020, 186, 107337.  | 3.0  | 12        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 451 | Feasibility study of an off-grid container unit for industrial construction. <i>Sustainable Cities and Society</i> , 2020, 61, 102335.  | 5.1  | 7         |
| 452 | Silica Aerogel Thermal Insulation Coating as Commodity Usage. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 811, 012009.  | 0.3  | 1         |
| 453 | Computational simulation of the temperature distribution of aerogel-based coated and uncoated multi-layer panels for thermal insulation. <i>IOP Conference Series: Materials Science and Engineering</i> , 2020, 844, 012070.           | 0.3  | 2         |
| 454 | Comparative analysis of building insulation material properties and performance. <i>Renewable and Sustainable Energy Reviews</i> , 2020, 131, 110038.   | 8.2  | 180       |
| 455 | Ultralight and robust aerogels based on nanochitin towards water-resistant thermal insulators. <i>Carbohydrate Polymers</i> , 2020, 248, 116755.  | 5.1  | 28        |
| 456 | Exceeding the Applicability Limit of Aerogel Super Insulation Materials in Different Environmental Conditions. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7824.  | 1.3  | 2         |
| 457 | Thermally Insulating Nanocellulose-Based Materials. <i>Advanced Materials</i> , 2021, 33, e2001839.   | 11.1 | 153       |
| 458 | Effectiveness of VIPs and PCMs on the energy performance and thermal comfort in buildings. , 2020, , .  |      | 2         |
| 459 | Thermal Conductivity of Silica-aerogel (SA) and Autoclave Aerated Concrete (AAC) Composites. <i>E3S Web of Conferences</i> , 2020, 172, 21007.  | 0.2  | 6         |
| 460 | Experimental study of the thermal performance of a building wall with vacuum insulation panels and extruded polystyrene foams. <i>Applied Thermal Engineering</i> , 2020, 180, 115801.  | 3.0  | 29        |
| 461 | Eco-Friendly Thermal Insulation Structures Based on Natural and Biodegradable Materials for Environmentally Durable Development. <i>Solid State Phenomena</i> , 0, 305, 97-102.   | 0.3  | 1         |
| 462 | Preparation and Characterization of a Type of Green Vacuum Insulation Panel Prepared with Straw Core Material. <i>Materials</i> , 2020, 13, 4604.   | 1.3  | 5         |
| 463 | Ultrastrong, Superelastic, and Lamellar Multiarch Structured $ZrO_2 \cdot Al_2O_3$ Nanofibrous Aerogels with High-Temperature Resistance over 1300 °C. <i>ACS Nano</i> , 2020, 14, 15616-15625.   | 7.3  | 131       |
| 464 | An experimental investigation and fractal modeling on the effective thermal conductivity of novel autoclaved aerated concrete (AAC)-based composites with silica aerogels (SA). <i>Applied Thermal Engineering</i> , 2020, 179, 115770. | 3.0  | 23        |
| 465 | A prospective Study on the Evolution of Airtightness in 41 low energy Dwellings. <i>E3S Web of Conferences</i> , 2020, 172, 05005.  | 0.2  | 4         |
| 466 | The integration of selected technology to energy activated ETICS - theoretical approach. <i>E3S Web of Conferences</i> , 2020, 172, 21004.  | 0.2  | 2         |
| 467 | Anti-flammability, mechanical and thermal properties of bio-based rigid polyurethane foams with the addition of flame retardants. <i>RSC Advances</i> , 2020, 10, 32156-32161.  | 1.7  | 21        |
| 468 | Piezoelectric pressure sensors based on GO-modified P(VDF-TrFE) fibers for vacuum applications. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 18627-18639.  | 1.1  | 14        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 469 | Hollow Silica Particles: Recent Progress and Future Perspectives. <i>Nanomaterials</i> , 2020, 10, 1599.   | 1.9  | 46        |
| 470 | Elytra-Mimetic Aligned Composites with Air-Responsive Self-Healing and Self-Growing Capability. <i>ACS Nano</i> , 2020, 14, 12546-12557.   | 7.3  | 15        |
| 471 | Optimising Embodied Energy and Thermal Performance of Thermal Insulation in Building Envelopes via an Automated Building Information Modelling (BIM) Tool. <i>Buildings</i> , 2020, 10, 218.       | 1.4  | 17        |
| 472 | Design and Fabrication of Partially Foamed Grid Structure Using Additive Manufacturing and Solid State Foaming. <i>Processes</i> , 2020, 8, 1594.  | 1.3  | 10        |
| 473 | Multifunctional polyurethane foams with thermal energy storage/release capability. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 297-313.  | 2.0  | 7         |
| 474 | Study on pore structure and thermal conductivity of aerogel enhanced porous geopolymers. <i>Journal of Thermal Analysis and Calorimetry</i> , 2022, 147, 1061-1070.                                | 2.0  | 3         |
| 475 | Modeling of an Aerogel-Based Thermal Break for Super-Insulated Window Frames. <i>Buildings</i> , 2020, 10, 60.   | 1.4  | 7         |
| 476 | Inorganic thermal insulation material prepared from pitchstone. <i>Journal of Building Engineering</i> , 2020, 32, 101745.   | 1.6  | 5         |
| 477 | Integrated multifunctional macrostructures for electromagnetic wave absorption and shielding. <i>Journal of Materials Chemistry A</i> , 2020, 8, 24368-24387.                                      | 5.2  | 145       |
| 478 | Correlation Between Ultrasonic Pulse Velocity and Thermal Conductivity of Cement-Based Composites. <i>Journal of Nondestructive Evaluation</i> , 2020, 39, 1.                                      | 1.1  | 9         |
| 479 | Controlling Surface Chemical States of Halloysite Aerogel for Concrete Composites with Improved Thermal Insulation. <i>Journal of Materials in Civil Engineering</i> , 2020, 32, .                 | 1.3  | 6         |
| 480 | Recent Developments in Thermally Insulating Materials Based on Geopolymers—a Review Article. <i>Mining, Metallurgy and Exploration</i> , 2020, 37, 995-1014.                                       | 0.4  | 10        |
| 481 | Energy performance of existing residential buildings in Europe: A novel approach combining energy with seismic retrofitting. <i>Energy and Buildings</i> , 2020, 223, 110024.                      | 3.1  | 99        |
| 482 | Emerging Bioinspired Artificial Woods. <i>Advanced Materials</i> , 2021, 33, e2001086.   | 11.1 | 54        |
| 483 | 3D graphene and boron nitride structures for nanocomposites with tailored thermal conductivities: recent advances and perspectives. <i>Functional Composites and Structures</i> , 2020, 2, 022001. | 1.6  | 21        |
| 484 | Evaluation of the performance for a dynamic insulation system suitable for switchable building envelope. <i>Energy and Buildings</i> , 2020, 222, 110025.  | 3.1  | 35        |
| 485 | Cost-effectiveness of environmental impact abatement measures in a European pig production system. <i>Agricultural Systems</i> , 2020, 182, 102843.  | 3.2  | 15        |
| 486 | Sustainable polypropylene nanocomposite for lightweight and low thermal conductivity application. <i>Procedia Manufacturing</i> , 2020, 43, 567-575.   | 1.9  | 2         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 487 | A carbon nanotube approach for efficient thermally insulating material with high mechanical stability and fire-retardancy. RSC Advances, 2020, 10, 21772-21780.  | 1.7 | 4         |
| 488 | Solvents, CO <sub>2</sub> and biopolymers: Structure formation in chitosan aerogel. Carbohydrate Polymers, 2020, 247, 116680.  | 5.1 | 17        |
| 489 | A dimensional stable hydrogel-born foam with enhanced mechanical and thermal insulation and fire-retarding properties via fast microwave foaming. Chemical Engineering Journal, 2020, 399, 125781.                   | 6.6 | 27        |
| 490 | Hybrid Structures Made of Polyurethane/Graphene Nanocomposite Foams Embedded within Aluminum Open-Cell Foam. Metals, 2020, 10, 768.  | 1.0 | 22        |
| 491 | Three-Dimensional Graphene Hybrid SiO <sub>2</sub> Hierarchical Dual-Network Aerogel with Low Thermal Conductivity and High Elasticity. Coatings, 2020, 10, 455.   | 1.2 | 9         |
| 492 | Wood-based resins and other bio-based binders for the production of mineral wool. Holzforschung, 2020, 74, 539-550.  | 0.9 | 8         |
| 493 | A Stochastic Approach to LCA of Internal Insulation Solutions for Historic Buildings. Sustainability, 2020, 12, 1535.  | 1.6 | 18        |
| 494 | Flexible and Robust Biomaterial Microstructured Colored Textiles for Personal Thermoregulation. ACS Applied Materials & Interfaces, 2020, 12, 19015-19022.   | 4.0 | 97        |
| 495 | Construction and characterization of versatile flexible composite nanofibrous aerogels based on thermoplastic polymeric nanofibers. Journal of Materials Science, 2020, 55, 8155-8169.                               | 1.7 | 7         |
| 496 | Thermal Diffusion in Fibrous Aerogel Blankets. Energies, 2020, 13, 823.  | 1.6 | 9         |
| 497 | Formation of novel "coral reef-like" structures for polycarbonate microcellular foam via asphalt-based microporous organic polymers and supercritical CO <sub>2</sub> . European Polymer Journal, 2020, 134, 109780. | 2.6 | 8         |
| 498 | Change in Conductive "Radiative Heat Transfer Mechanism Forced by Graphite Microfiller in Expanded Polystyrene Thermal Insulation" Experimental and Simulated Investigations. Materials, 2020, 13, 2626.             | 1.3 | 7         |
| 499 | Application of phase change material foam composites in the built environment: A critical review. Renewable and Sustainable Energy Reviews, 2020, 131, 110008.   | 8.2 | 73        |
| 500 | Anisotropic and hierarchical SiC@SiO <sub>2</sub> nanowire aerogel with exceptional stiffness and stability for thermal superinsulation. Science Advances, 2020, 6, eaay6689.  | 4.7 | 164       |
| 501 | A review of approaches to low-carbon transition of high-rise residential buildings in China. Renewable and Sustainable Energy Reviews, 2020, 131, 109990.  | 8.2 | 38        |
| 502 | Valorization of agro-industry residues in the building and environmental sector: A review. Waste Management and Research, 2020, 38, 487-513.   | 2.2 | 48        |
| 503 | Research and selection of methods for operational control of diffusion coefficient in block products made of capillary-porous materials. Journal of Physics: Conference Series, 2020, 1441, 012052.                  | 0.3 | 0         |
| 504 | Multi-scale simulation study on the hygrothermal behavior of closed-cell thermal insulation. Energy, 2020, 196, 117142.  | 4.5 | 4         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 505 | Characterisation of a multilayer external wall thermal insulation system. Application in a Mediterranean climate. Journal of Building Engineering, 2020, 30, 101265.  | 1.6 | 22        |
| 506 | Qualitative and quantitative optimization of thermal insulation materials: Insights from the market and energy codes. Journal of Building Engineering, 2020, 30, 101275.  | 1.6 | 20        |
| 507 | Biomimetic structural cellulose nanofiber aerogels with exceptional mechanical, flame-retardant and thermal-insulating properties. Chemical Engineering Journal, 2020, 389, 124449.   | 6.6 | 163       |
| 508 | Heat and air transport in differently compacted fibre materials. Journal of Industrial Textiles, 2020, , 152808371990038.   | 1.1 | 1         |
| 509 | Palm oil-based bio-PCM for energy efficient building applications: Multipurpose thermal investigation and life cycle assessment. Journal of Energy Storage, 2020, 28, 101129.   | 3.9 | 56        |
| 510 | Strong silica-nanocellulose anisotropic composite foams combine low thermal conductivity and low moisture uptake. Cellulose, 2020, 27, 10825-10836.   | 2.4 | 20        |
| 511 | Solar energy potential of urban buildings in 10 cities of China. Energy, 2020, 196, 117038.   | 4.5 | 72        |
| 512 | Directional Freezeâ€Casting: A Bioinspired Method to Assemble Multifunctional Aligned Porous Structures for Advanced Applications. Advanced Engineering Materials, 2020, 22, 2000033.   | 1.6 | 100       |
| 513 | TEOS and Na <sub>2</sub> SiO <sub>3</sub> as silica sources: study of synthesis and characterization of hollow silica nanospheres as nano thermal insulation materials. Applied Nanoscience (Switzerland), 2020, 10, 1833-1844. | 1.6 | 8         |
| 514 | Optimization on non-transparent envelopes of the typical office rooms with air-conditioning under intermittent operation. Solar Energy, 2020, 201, 798-809.   | 2.9 | 16        |
| 515 | High Functionality Bio-Polyols from Tall Oil and Rigid Polyurethane Foams Formulated Solely Using Bio-Polyols. Materials, 2020, 13, 1985.   | 1.3 | 35        |
| 516 | Monolithic resorcinolâ€Cformaldehyde alcogels and their corresponding nitrogen-doped activated carbons. Journal of Sol-Gel Science and Technology, 2020, 95, 719-732.   | 1.1 | 11        |
| 517 | Development of flowable ultra-lightweight concrete using expanded glass aggregate, silica aerogel, and prefabricated plastic bubbles. Journal of Building Engineering, 2020, 31, 101399.  | 1.6 | 40        |
| 518 | Construction of ultraâ€Cstable perovskiteâ€Cpolymer fibre membranes by electrospinning technology and its application to lightâ€Cemitting diodes. Polymer International, 2021, 70, 90-95.                                       | 1.6 | 6         |
| 519 | Enhancing building energy performance by effectively using phase change material and dynamic insulation in walls. Applied Energy, 2021, 283, 116306.  | 5.1 | 88        |
| 520 | Development of cost effective ultra-lightweight cellulose-based sound absorbing material over silica sol/natural fiber blended substrate. Carbohydrate Polymers, 2021, 255, 117369.   | 5.1 | 12        |
| 521 | Thermal insulation coatings based on microporous particles from Pickering emulsion polymerization. Progress in Organic Coatings, 2021, 151, 106023.   | 1.9 | 9         |
| 522 | Humidity-Dependent Thermal Boundary Conductance Controls Heat Transport of Super-Insulating Nanofibrillar Foams. Matter, 2021, 4, 276-289.  | 5.0 | 20        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 523 | Experimental evaluation of cooling characteristic, airflow distribution and mass transfer in a cold store. <i>Journal of Food Process Engineering</i> , 2021, 44, e13609.  | 1.5 | 6         |
| 524 | Metal-graphene-synergized melamine aerogel with robust elasticity and flame-retardancy for thermal-insulated-packaging industry. <i>Composites Part A: Applied Science and Manufacturing</i> , 2021, 140, 106195.  | 3.8 | 11        |
| 525 | Synthesis and synergistic flame-retardant effects of rigid polyurethane foams used reactive DOPO-based polyols combination with expandable graphite. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50223. | 1.3 | 14        |
| 526 | Molecular dynamics simulations of energy accommodation between gases and polymers for ultra-low thermal conductivity insulation. <i>International Journal of Heat and Mass Transfer</i> , 2021, 164, 120459.       | 2.5 | 14        |
| 527 | Alkali-extracted tree bark for efficient bio-based thermal insulation. <i>Construction and Building Materials</i> , 2021, 271, 121577.   | 3.2 | 18        |
| 528 | Failure mechanism of geopolymer composite lightweight sandwich panel under flexural and edgewise compressive loads. <i>Construction and Building Materials</i> , 2021, 270, 121496.                                | 3.2 | 8         |
| 529 | Nanowires: Synthesis and Energy/Environmental Applications. <i>Energy and Environmental Materials</i> , 2021, 4, 544-561.  | 7.3 | 21        |
| 530 | Current Practices in Energy Retrofit of Buildings. <i>Springer Tracts in Civil Engineering</i> , 2021, , 1-41.   | 0.3 | 1         |
| 531 | Nacre-Inspired Sustainable Coatings with Remarkable Fire-Retardant and Energy-Saving Cooling Performance. , 2021, 3, 243-248.  |     | 33        |
| 533 | A direct foaming approach for carbon nanotube aerogels with ultra-low thermal conductivity and high mechanical stability. <i>Nanoscale</i> , 2021, 13, 11878-11886.  | 2.8 | 6         |
| 534 | Ethylene-bridged polysilsesquioxane/hollow silica particle hybrid film for thermal insulation material. <i>RSC Advances</i> , 2021, 11, 24968-24975.   | 1.7 | 10        |
| 536 | Fabrication and application of macroscopic nanowire aerogels. <i>Nanoscale</i> , 2021, 13, 7430-7446.  | 2.8 | 8         |
| 537 | Thirteen scarce resources analyzed. , 2021, , 147-380.   |     | 1         |
| 538 | Performance of aerogel as a thermal insulation material towards a sustainable design of residential buildings for tropical climates in Nigeria. <i>Energy and Built Environment</i> , 2022, 3, 291-315.            | 2.9 | 8         |
| 539 | Properties of a New Insulation Material Glass Bubble in Geopolymer Concrete. <i>Materials</i> , 2021, 14, 809.   | 1.3 | 23        |
| 540 | Thermal properties of calcium sulfoaluminate cement-based mortars incorporated with expanded perlite cured at cold temperatures. <i>Construction and Building Materials</i> , 2021, 274, 122082.                   | 3.2 | 20        |
| 541 | Can vacuum insulation panels be cost-effective when applied in building façades?. <i>Building and Environment</i> , 2021, 191, 107602.   | 3.0 | 12        |
| 542 | Crack- and Shrinkage-Free Ethylene-Bridged Polysilsesquioxane Film Prepared by a Hydrosilylation Reaction. <i>ACS Omega</i> , 2021, 6, 8430-8437.  | 1.6 | 10        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 543 | Mechanical and Physical Characterisation of Typha domingensis-Based Thermal Insulation Boards for Developing Areas such as Nigeria. Waste and Biomass Valorization, 2021, 12, 5795-5806.   | 1.8 | 1         |
| 544 | The influence of <scp>nanoâ€silica</scp> on the thermal conductivity of polyurethane foam. Journal of Applied Polymer Science, 2021, 138, 50715.   | 1.3 | 10        |
| 545 | Delignified Wood from Understanding the Hierarchically Aligned Cellulosic Structures to Creating Novel Functional Materials: A Review. Advanced Sustainable Systems, 2021, 5, 2000251.   | 2.7 | 70        |
| 546 | Natural cork agglomerate enabled mechanically robust rigid polyurethane foams with outstanding viscoelastic damping properties. Polymer, 2021, 217, 123437.  | 1.8 | 12        |
| 547 | Recent Developments in Nanocellulose-Based Aerogels in Thermal Applications: A Review. ACS Nano, 2021, 15, 3849-3874.  | 7.3 | 122       |
| 548 | Conversion of End-of-Life Household Materials into Building Insulating Low-Cost Solutions for the Development of Vulnerable Contexts: Review and Outlook towards a Circular and Sustainable Economy. Sustainability, 2021, 13, 4397. | 1.6 | 9         |
| 549 | Mechanical evolutionary behavior of steamâ€cured concrete under the coupling effect of flexural fatigue and minus temperature. Structural Concrete, 0, , .   | 1.5 | 0         |
| 550 | Modulation of Interfacial Thermal Transport between Fumed Silica Nanoparticles by Surface Chemical Functionalization for Advanced Thermal Insulation. ACS Applied Materials & Interfaces, 2021, 13, 17404-17411.                     | 4.0 | 12        |
| 551 | Preparing Multifunctional High-Performance Cross-Linked Polybenzoxazole Aerogels from Polybenzoxazine. ACS Applied Polymer Materials, 2021, 3, 2352-2362.  | 2.0 | 24        |
| 552 | Characterization of Thermal Inertia and Footprint Carbon of Clay-Wool, Clay-Cork, and Clay-Plastic Composites. Key Engineering Materials, 0, 886, 213-227.   | 0.4 | 0         |
| 553 | Flame retardant rigid polyurethane foam composites based on microencapsulated ammonium polyphosphate and microencapsulated expanded graphite. Journal of Macromolecular Science - Pure and Applied Chemistry, 2021, 58, 659-668.     | 1.2 | 11        |
| 554 | Synthesis and characterization of phosphorus-based flame retardant containing rigid polyurethane foam. Journal of Thermal Analysis and Calorimetry, 2022, 147, 4119-4129.  | 2.0 | 19        |
| 555 | An inorganic thermal insulation material with good performance prepared from obsidian. Magazine of Concrete Research, 2022, 74, 354-363.   | 0.9 | 0         |
| 557 | Highly compressible, heat-insulating and self-extinguishing cellulose nanofiber/aramid nanofiber nanocomposite foams. Carbohydrate Polymers, 2021, 261, 117837.  | 5.1 | 48        |
| 558 | Experimental verification of thermal properties of the aerogel blanket. Case Studies in Thermal Engineering, 2021, 25, 100966.   | 2.8 | 31        |
| 559 | Hollow Silica Particles: A Novel Strategy for Cost Reduction. Nanomaterials, 2021, 11, 1627.   | 1.9 | 5         |
| 560 | Present Status and Future Prospects of Jute in Nanotechnology: A Review. Chemical Record, 2021, 21, 1631-1665.   | 2.9 | 97        |
| 561 | Experimental and CFD Investigation on the Application for Aerogel Insulation in Buildings. Energies, 2021, 14, 3310.   | 1.6 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 562 | Scarce mineral resources: Extraction, consumption and limits of sustainability. Resources, Conservation and Recycling, 2021, 169, 105511.   | 5.3 | 51        |
| 563 | Tourist accommodation, climate change and mitigation: An assessment for Austria. Journal of Outdoor Recreation and Tourism, 2021, 34, 100367.   | 1.3 | 22        |
| 564 | Influence of agricultural fibers size on mechanical and insulating properties of innovative chitosan-based insulators. Construction and Building Materials, 2021, 287, 123071.                        | 3.2 | 14        |
| 565 | Finite element modeling based thermodynamic simulation of aerogel embedded nonwoven thermal insulation material. International Journal of Thermal Sciences, 2021, 164, 106898.                        | 2.6 | 15        |
| 566 | Measuring thermophysical properties of building insulation materials using transient plane heat source method. Energy and Buildings, 2021, 240, 110891.   | 3.1 | 17        |
| 567 | Impact of façade design on indoor air temperatures and cooling loads in residential buildings in the tropical climate. Energy and Buildings, 2021, 243, 110972.                                       | 3.1 | 35        |
| 568 | Novel Technologies to Enhance Energy Performance and Indoor Environmental Quality of Buildings. Buildings, 2021, 11, 303.   | 1.4 | 2         |
| 569 | Temperature-Responsive Intumescent Chemistry toward Fire Resistance and Super Thermal Insulation under Extremely Harsh Conditions. Chemistry of Materials, 2021, 33, 6018-6028.                       | 3.2 | 51        |
| 570 | Thermal conductivity of untreated and chemically treated poplar bark and wood. Holzforschung, 2021, 75, 1125-1135.  | 0.9 | 8         |
| 571 | Fire performance of piperazine phytate modified rigid polyurethane foam composites. Polymers for Advanced Technologies, 2021, 32, 4531-4546.  | 1.6 | 16        |
| 572 | Critical Review of Polymeric Building Envelope Materials: Degradation, Durability and Service Life Prediction. Buildings, 2021, 11, 299.  | 1.4 | 15        |
| 573 | Investigation of transient heat transfer in multi-scale PCM composites using a semi-analytical model. International Journal of Heat and Mass Transfer, 2021, 175, 121389.                             | 2.5 | 12        |
| 574 | Strategies for Preparing Continuous Ultraflexible and Ultrastrong Poly(Vinyl Alcohol) Aerogel Fibers with Excellent Thermal Insulation. Macromolecular Materials and Engineering, 2021, 306, 2100399. | 1.7 | 20        |
| 575 | Experimental and Numerical Analyses of Thermal Storage Tile-Bricks for Efficient Thermal Management of Buildings. Buildings, 2021, 11, 357.   | 1.4 | 3         |
| 576 | Strategies for Structural and Energy Improvement in Mid-Rise Unreinforced Masonry Apartment Buildings. A Case Study in Mestre (Northeast Italy). Sustainability, 2021, 13, 8819.                      | 1.6 | 4         |
| 577 | Melt Electrospinning of PET and Composite PET-Aerogel Fibers: An Experimental and Modeling Study. Materials, 2021, 14, 4699.  | 1.3 | 0         |
| 578 | Effect of density, phonon scattering and nanoporosity on the thermal conductivity of anisotropic cellulose nanocrystal foams. Scientific Reports, 2021, 11, 18685.                                    | 1.6 | 7         |
| 579 | Cost Control and Project Cost Analysis of Intelligent Building under Internet of Things. Mobile Information Systems, 2021, 2021, 1-12.  | 0.4 | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 580 | Heating temperature effect on the hygroscopicity of expanded vermiculite. <i>Ceramics International</i> , 2021, 47, 25373-25380.  | 2.3 | 16        |
| 581 | Introductory Chapter: Flame Retardant and Thermally Insulating Polymers. , 0, , .   |     | 3         |
| 582 | Fabrication of Anisotropic Polyphosphazene/Bio-based Poly(urethane-acrylate) composite foams with High Thermal Insulation and Flame Retardancy. <i>Polymer</i> , 2021, 231, 124108.   | 1.8 | 12        |
| 583 | The economics of thermal superinsulation in buildings. <i>Energy and Buildings</i> , 2021, 253, 111506.   | 3.1 | 21        |
| 584 | Experimental study on improving the properties of rock wool and glass wool by silica aerogel. <i>Energy and Buildings</i> , 2021, 247, 111146.  | 3.1 | 11        |
| 585 | Hygrothermal performance of a new aerogel-based insulating render through weathering: Impact on building energy efficiency. <i>Building and Environment</i> , 2021, 202, 108004.  | 3.0 | 13        |
| 586 | Foam 3D printing for construction: A review of applications, materials, and processes. <i>Automation in Construction</i> , 2021, 130, 103861.   | 4.8 | 59        |
| 587 | Innovative fire and water insulation foam using recycled plastic bags and expanded polystyrene (EPS). <i>Construction and Building Materials</i> , 2021, 305, 124785.   | 3.2 | 13        |
| 588 | Slim curtain wall spandrel integrated with vacuum insulation panel: A state-of-the-art review and future opportunities. <i>Journal of Building Engineering</i> , 2021, 42, 102445.  | 1.6 | 7         |
| 589 | Development of transparent composites using wheat straw fibers for light-transmitting building applications. <i>Industrial Crops and Products</i> , 2021, 170, 113685.  | 2.5 | 26        |
| 590 | Numerical study of the feasibility of coupling vacuum isolation panels with phase change material for enhanced energy-efficient buildings. <i>Energy and Buildings</i> , 2021, 251, 111369.   | 3.1 | 2         |
| 591 | Thermal conductivity of biobased insulation building materials measured by hot disk: Possibilities and recommendation. <i>Journal of Building Engineering</i> , 2021, 43, 102858.   | 1.6 | 10        |
| 592 | Date palm wood waste-based composites for green thermal insulation boards. <i>Journal of Building Engineering</i> , 2021, 43, 103224.   | 1.6 | 15        |
| 593 | Identifying practical sustainable retrofit measures for existing high-rise residential buildings in various climate zones through an integrated energy-cost model. <i>Renewable and Sustainable Energy Reviews</i> , 2021, 151, 111578. | 8.2 | 24        |
| 594 | An overview of factors influencing thermal conductivity of building insulation materials. <i>Journal of Building Engineering</i> , 2021, 44, 102604.  | 1.6 | 111       |
| 595 | Conversion of food waste-derived lipid to bio-based polyurethane foam. <i>Case Studies in Chemical and Environmental Engineering</i> , 2021, 4, 100131.   | 2.9 | 9         |
| 596 | Highly flexible and compressible polyimide/silica aerogels with integrated double network for thermal insulation and fire-retardancy. <i>Journal of Materials Science and Technology</i> , 2022, 105, 194-202.                          | 5.6 | 60        |
| 597 | Nanomaterials for Latent Thermal Energy Storage. , 2021, , 2661-2679.   |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 598 | Understanding Thermal Insulation in Porous, Particulate Materials. <i>Advanced Functional Materials</i> , 2017, 27, 1702256.  | 7.8 | 74        |
| 599 | Structural and Thermal Retrofitting of Masonry Walls: The Case of a School in Vittoria (RG). <i>Lecture Notes in Computer Science</i> , 2020, , 309-320.  | 1.0 | 1         |
| 600 | Nanotech Based Vacuum Insulation Panels for Building Applications. , 2016, , 167-214.   |     | 4         |
| 601 | Silica Aerogels: A Review of Molecular Dynamics Modelling and Characterization of the Structural, Thermal, and Mechanical Properties. , 2020, , 1575-1595.  |     | 7         |
| 602 | Moisture Robustness During Retrofitting of Timber Frame Walls with Vacuum Insulation Panels: Experimental and Theoretical Studies. <i>Building Pathology and Rehabilitation</i> , 2013, , 183-210.                                | 0.1 | 3         |
| 603 | A Review on Thermo-mechanical Behaviour of CFRP-Concrete Composites at Elevated Temperature and Available Insulation Systems. <i>Lecture Notes in Civil Engineering</i> , 2021, , 533-541.  | 0.3 | 6         |
| 604 | Laboratory Tests of High-Performance Thermal Insulations. <i>Smart Innovation, Systems and Technologies</i> , 2020, , 73-82.  | 0.5 | 8         |
| 605 | On the interaction of infrared radiation and nanocellular polymers: First experimental determination of the extinction coefficient. <i>Colloids and Surfaces A: Physicochemical and Engineering Aspects</i> , 2020, 600, 124937.  | 2.3 | 15        |
| 606 | Thermal insulation using biodegradable poly(lactic acid)/date pit composites. <i>Construction and Building Materials</i> , 2020, 261, 120533.   | 3.2 | 30        |
| 607 | Evaluating the impact of operating energy reduction measures on embodied energy. <i>Energy and Buildings</i> , 2020, 226, 110340.   | 3.1 | 29        |
| 608 | Optically Transparent Bamboo with High Strength and Low Thermal Conductivity. <i>ACS Applied Materials &amp; Interfaces</i> , 2021, 13, 1662-1669.  | 4.0 | 68        |
| 609 | Sclerotization-Inspired Aminoquinone Cross-Linking of Thermally Insulating and Moisture-Resilient Biobased Foams. <i>ACS Sustainable Chemistry and Engineering</i> , 2020, 8, 17408-17416.  | 3.2 | 11        |
| 610 | Evaluation of Dynamic Insulation Systems for Residential Buildings in Barcelona, Spain. <i>ASME Journal of Engineering for Sustainable Buildings and Cities</i> , 2020, 1, .  | 0.6 | 4         |
| 611 | Thermal Exchange of Glass Micro-Fibers Measured by the 3 $\mu$ m Technique. <i>Journal of Heat Transfer</i> , 2020, 142, .  | 1.2 | 7         |
| 612 | Simultaneous changes of temperature and moisture of thermal conductivity of EPS insulation material and its impact on building energy performance. <i>International Journal of Smart Grid and Clean Energy</i> , 2019, , 217-225. | 0.4 | 2         |
| 613 | Simulaciones ambientales para la selecci3n de materiales en dise±o de alojamientos temporales en climas tropicales.. <i>Revista De Arquitectura</i> , 2014, 16, 96-104.   | 0.1 | 1         |
| 614 | Effect of the air motion on the heat transport behaviour of wall structures. <i>International Review of Applied Sciences and Engineering</i> , 2017, 8, 67-73.  | 0.3 | 8         |
| 615 | Engineering mesoporous silica for superior optical and thermal properties. <i>MRS Energy &amp; Sustainability</i> , 2020, 7, 1.   | 1.3 | 11        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 616 | Advanced Fabrication and Applications of Cellulose Acetate Aerogels from Cigarette Butts. <i>Materials Transactions</i> , 2020, 61, 1550-1554.  | 0.4 | 10        |
| 617 | Effect of silica aerogel on the thermal conductivity of cement paste for the construction of concrete buildings in sustainable cities. <i>WIT Transactions on the Built Environment</i> , 2014, , .   | 0.0 | 21        |
| 618 | Numerical and Experimental Evaluation of the Drying Behaviour of Medium Density Expanded Cork Boards used as an External Coating. <i>International Journal of Sustainable Development and Planning</i> , 2017, 12, 315-325.                                 | 0.3 | 5         |
| 619 | Sustainable and energy-efficient rehabilitation of the former hospital of San Salvatore in L'Aquila. <i>WIT Transactions on the Built Environment</i> , 2015, , .   | 0.0 | 1         |
| 620 | Thermo-physical characteristics of acrylic-based building external isolation panels produced from different geological materials. <i>Production Engineering Archives</i> , 2018, 21, 12-19.   | 0.8 | 1         |
| 621 | A Comparison Study for the Thermal and Physical Properties between Al-Mangabi and the Available Building Materials for the External Walls in Jeddah. <i>International Journal of Engineering Research and Technology</i> , 2020, 13, 1319.                  | 0.3 | 1         |
| 622 | Comparison of Material Compositions of Exterior Wall in term of Environmental and Energy Performance. , 2014, , .   |     | 1         |
| 623 | Life cycle assessment of regional brick manufacture. <i>Materiales De Construccion</i> , 2016, 66, e085.  | 0.2 | 6         |
| 624 | The Evaluation of Energy Saving using Ultrathin Heat Insulation in Railway Electrification Substation. <i>Transactions of the Korean Institute of Electrical Engineers</i> , 2015, 64, 171-175.   | 0.1 | 3         |
| 625 | Recent Research Trends for Green Building Thermal Insulation Materials. <i>Clean Technology</i> , 2012, 18, 14-21.  | 0.1 | 6         |
| 626 | Thermal management materials for energy-efficient and sustainable future buildings. <i>Chemical Communications</i> , 2021, 57, 12236-12253.   | 2.2 | 19        |
| 627 | Comparison of nanoclay/polyvinyl alcohol aerogels scale production: Life Cycle Assessment. <i>Chemical Engineering Research and Design</i> , 2021, 176, 243-253.  | 2.7 | 1         |
| 628 | Life cycle cost assessment and multi-criteria decision analysis of environment-friendly building insulation materials - A review. <i>Energy and Buildings</i> , 2022, 254, 111582.  | 3.1 | 51        |
| 629 | Lightweight and multiscale needle quartz fiber felt reinforced siliconoxycarbide modified phenolic aerogel nanocomposite with enhanced mechanical, insulative and flame-resistant properties. <i>Composites Science and Technology</i> , 2022, 217, 109100. | 3.8 | 38        |
| 630 | Ultra-light poly(lactic acid)/SiO <sub>2</sub> aerogel composite foam: A fully biodegradable and full life-cycle sustainable insulation material. <i>International Journal of Biological Macromolecules</i> , 2021, 192, 1029-1039.                         | 3.6 | 17        |
| 633 | A New Framework and Core Elements. <i>Green Energy and Technology</i> , 2015, , 179-203.  | 0.4 | 0         |
| 634 | Technology Assessment of Insulation Material for Home Construction. <i>Innovation, Technology and Knowledge Management</i> , 2015, , 417-454.   | 0.4 | 0         |
| 635 | Calculation of Humidity of Autoclave Cellular Composites Under Service Conditions. , 2015, , .  |     | 0         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 636 | Layout Synthesis for Symmetrical Facades. IFIP Advances in Information and Communication Technology, 2015, , 293-306.   | 0.5 | 0         |
| 637 | Building Thermal Renovation Overview. Lecture Notes in Computer Science, 2015, , 379-385.   | 1.0 | 0         |
| 638 | Pomiar waciwoci cieplnych materiaw budowlanych przy zastosowaniu r4nej aparatury pomiarowej e analiza wynikw. Journal of Civil Engineering, Environment and Architecture, 2015, XXXII, 603-610. | 0.0 | 1         |
| 639 | Bio-Based Polyurethane Foams for Heat-Insulating Applications. , 2016, , 357-373.   |     | 3         |
| 640 | Reviewing the Learning Process through Creative Puzzle Solving. Creative Education, 2017, 08, 2009-2035.  | 0.2 | 4         |
| 641 | Moisture condition of building materials in different operating conditions. , 2017, , .   |     | 0         |
| 642 | VOC Emissions from Spray Foam Insulation Under Different Application Conditions. , 2017, , 278-290.   |     | 0         |
| 643 | nyat Sektrnde Kullanlan Yaltm Malzemelerinin Is ve Ses Yaltmn Assndan Deerlendirilmesi. Journal of Polytechnic, 0, , .   | 0.4 | 2         |
| 644 | MICROBIAL DIVERSITY AND PHYLOGENETIC STUDIES OF SOME MICROBES OBTAINED FROM UNEXPLORED CAVES OF SAUDI ARABIA. Journal of Experimental Biology and Agricultural Sciences, 2018, 6, 342-651.              | 0.1 | 0         |
| 645 | Framework for an integrated system for enhancing the energy efficiency and structural performance of buildings. , 2018, , .   |     | 0         |
| 647 | Dtan yaltm uygulamalarnda farkl duvar modelleri iin optimum yaltm kalnlklarn belirlenmesi ve ekonomik analizler. DceMF Mhendislik Dergisi, 2019, 10, 275-288.                              | 0.2 | 3         |
| 648 | Novel Techniques for Saving Energy Consumption in Air Conditioning Systems. , 0, , .  |     | 0         |
| 649 | Influence of Carding and Pressing on Hygrothermal Properties and Fire Reaction of Hemp Fiber Nonwoven Mats. Advances in Sciences and Engineering, 2019, 11, 78-89.                                      | 0.1 | 0         |
| 650 | Nanomaterials for Latent Thermal Energy Storage. , 2020, , 1-19.  |     | 2         |
| 651 | MULTISCALE APPROACH OF THE EQUIVALENT THERMAL CONDUCTIVITY OF MODIFIED FOAM-FILLED AND NON-FILLED HOLLOW BRICK AND A BRICK WALL. Journal of Thermal Engineering, 0, , 190-203.                          | 0.8 | 1         |
| 652 | Numerical modeling of effective thermal conductivity of hollow silica nanosphere packings. International Journal of Heat and Mass Transfer, 2022, 182, 122032.  | 2.5 | 5         |
| 653 | Foams and their applications. Supercritical Fluid Science and Technology, 2021, 9, 1-20.  | 0.5 | 3         |
| 654 | Applications of Sol-Gel Processing. , 2020, , 597-685.  |     | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 655 | imagery and abstraction trend of Chinese contemporary oil painting. <i>Linguistics and Culture Review</i> , 2021, 5, 454-471.   | 0.2  | 8         |
| 656 | Acoustical and thermal characterization of sustainable materials derived from vegetable, agricultural, and animal fibers. <i>Applied Acoustics</i> , 2022, 187, 108520.   | 1.7  | 32        |
| 657 | Experimental study of using Aerogel insulation for residential buildings. <i>Advances in Building Energy Research</i> , 2022, 16, 569-588.  | 1.1  | 4         |
| 658 | Highly Stretchable, Crack-Insensitive and Compressible Ceramic Aerogel. <i>ACS Nano</i> , 2021, 15, 18354-18362.  | 7.3  | 55        |
| 659 | Multi-Criteria Decision-Making Method for Sustainable Energy-Saving Retrofit Façade Solutions. <i>Sustainability</i> , 2021, 13, 13168.   | 1.6  | 6         |
| 660 | The impact of temperature and relative humidity dependent thermal conductivity of insulation materials on heat transfer through the building envelope. <i>Journal of Building Engineering</i> , 2022, 46, 103700.                 | 1.6  | 18        |
| 661 | Sustainability of biomass-based insulation materials in buildings: Current status in France, end-of-life projections and energy recovery potentials. <i>Renewable and Sustainable Energy Reviews</i> , 2022, 156, 111962.         | 8.2  | 65        |
| 662 | Improving thermal performance of existing uninsulated R.C. domes through passive cooling measures using polyurethane foam in double skin layer in hot climate.. <i>Case Studies in Construction Materials</i> , 2022, 16, e00866. | 0.8  | 0         |
| 663 | Innovation and development of vacuum insulation panels in China: A state-of-the-art review. <i>Journal of Building Engineering</i> , 2022, 48, 103937.  | 1.6  | 6         |
| 664 | THE ROLE OF PROTECTIVE VARNISHES IN THE TREATMENT OF INITIAL CARIES. <i>Contemporary Materials</i> , 2016, 7, .   | 0.0  | 3         |
| 665 | Acoustic and thermal performance of polypropylene nonwoven fabrics for insulation in buildings. <i>Journal of Building Engineering</i> , 2022, 50, 104125.  | 1.6  | 13        |
| 666 | Low density rigid polyurethane foam incorporated with renewable polyol as sustainable thermal insulation material. <i>Journal of Cellular Plastics</i> , 2022, 58, 485-503.   | 1.2  | 8         |
| 667 | A simple and efficient method for preparing covalent organic framework aerogels with ultra-light and super-elastic. <i>Microporous and Mesoporous Materials</i> , 2022, 331, 111623.  | 2.2  | 11        |
| 668 | Simplification and Improvement of the Efficiency of Testing Thermophysical Properties of Facade Composite Materials. <i>Key Engineering Materials</i> , 0, 906, 77-83.  | 0.4  | 0         |
| 669 | Superinsulating BNNS/PVA Composite Aerogels with High Solar Reflectance for Energy-Efficient Buildings. <i>Nano-Micro Letters</i> , 2022, 14, 54.   | 14.4 | 36        |
| 671 | Sugarcane bagasse waste fibers as novel thermal insulation and sound-absorbing materials for application in sustainable buildings. <i>Building and Environment</i> , 2022, 211, 108753.   | 3.0  | 63        |
| 672 | Morphological differentiation for the environmental adaptation of biomimetic buildings: Skins, surfaces, and structures. , 2022, , 439-466.   |      | 0         |
| 673 | Thermal insulation of buildings through classical materials and nanomaterials. , 2022, , 277-303.   |      | 1         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 674 | Life Cycle Environmental Sustainability and Energy Assessment of Timber Wall Construction: A Comprehensive Overview. <i>Sustainability</i> , 2022, 14, 4161.   | 1.6  | 14        |
| 675 | Thermal and Mechanical Characterisation of Sandwich Core Materials for Climatic Chamber Shells Subjected to High Temperatures. <i>Energies</i> , 2022, 15, 2089.   | 1.6  | 1         |
| 676 | Proton Donor-Regulated Mechanically Robust Aramid Nanofiber Aerogel Membranes for High-Temperature Thermal Insulation. <i>ACS Nano</i> , 2022, 16, 5984-5993.  | 7.3  | 67        |
| 677 | Structure-Property Thermal Property Relationships of Polysilsesquioxanes for Thermal Insulation Materials. <i>ACS Applied Polymer Materials</i> , 2022, 4, 2851-2859.  | 2.0  | 7         |
| 678 | Limited interdisciplinary knowledge transfer as a missing link for sustainable building retrofits in the residential sector. <i>Journal of Cleaner Production</i> , 2022, 343, 131079.                                 | 4.6  | 10        |
| 679 | Research Development in Silica Aerogel Incorporated Cementitious Composites: A Review. <i>Polymers</i> , 2022, 14, 1456.   | 2.0  | 13        |
| 680 | Optimization of the thermal conductivity test for building insulation materials under multifactor impact. <i>Construction and Building Materials</i> , 2022, 332, 127380.  | 3.2  | 19        |
| 681 | Directly foamed geopolymers: A review of recent studies. <i>Cement and Concrete Composites</i> , 2022, 130, 104530.  | 4.6  | 25        |
| 682 | Effect of mixing conditions on the density, morphology, thermal and mechanical properties of mineral foam. <i>Journal of Building Engineering</i> , 2022, 52, 104410.  | 1.6  | 4         |
| 683 | Thermal performance analysis of building construction with insulated walls in summer days and nights. <i>Journal of Central South University</i> , 2021, 28, 3613-3625.  | 1.2  | 3         |
| 684 | Reducing construction costs by optimizing fencing structures on the example of block-modular buildings. <i>Construction and Geotechnics</i> , 2021, 12, 64-78.   | 0.1  | 0         |
| 685 | Passive solar house prototype design with a new bio-based material for a semi-arid climate. <i>Materials for Renewable and Sustainable Energy</i> , 2022, 11, 1-15.  | 1.5  | 2         |
| 686 | Fabrication of cellulose-based aerogel for thermal and acoustic insulation applications. <i>IOP Conference Series: Earth and Environmental Science</i> , 2021, 947, 012030.  | 0.2  | 2         |
| 687 | Coloured low-emissivity films for building envelopes for year-round energy savings. <i>Nature Sustainability</i> , 2022, 5, 339-347.   | 11.5 | 80        |
| 688 | Multiscale Thermal Investigations of Graphite Doped Polystyrene Thermal Insulation. <i>Polymers</i> , 2022, 14, 1606.  | 2.0  | 8         |
| 690 | Interactions between Seismic Safety and Energy Efficiency for Masonry Infill Walls: A Shift of the Paradigm. <i>Energies</i> , 2022, 15, 3269.   | 1.6  | 5         |
| 691 | Organic-Inorganic Hybrid Thermal Insulation Materials Prepared via Hydrosilylation of Polysilsesquioxane Having Hydrosilyl Groups and Triallylisocyanurate. <i>ACS Applied Polymer Materials</i> , 2022, 4, 3726-3733. | 2.0  | 5         |
| 692 | Nanostructurally Controllable Strong Wood Aerogel toward Efficient Thermal Insulation. <i>ACS Applied Materials &amp; Interfaces</i> , 2022, 14, 24697-24707.  | 4.0  | 34        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 693 | A lightweight thermally insulating and moisture-stable composite made of hollow silica particles. RSC Advances, 2022, 12, 15373-15377.   | 1.7 | 5         |
| 694 | Mechanically flexible polyimide foams with different chain structures for high temperature thermal insulation purposes. Materials Today Physics, 2022, 26, 100720.                                     | 2.9 | 9         |
| 696 | A Stiff, Tough, and Thermally Insulating Air- and Ice-Templated Plant-Based Foam. Biomacromolecules, 2022, 23, 2595-2602.  | 2.6 | 6         |
| 697 | Water-Induced Self-Assembly and <i>In Situ</i> Mineralization within Plant Phenolic Glycol-Gel toward Ultrastrong and Multifunctional Thermal Insulating Aerogels. ACS Nano, 2022, 16, 9062-9076.      | 7.3 | 38        |
| 698 | Innovative seismic and energy retrofitting of wall envelopes using prefabricated textile-reinforced concrete panels with an embedded capillary tube system. Engineering Structures, 2022, 265, 114453. | 2.6 | 19        |
| 699 | Dynamic insulation systems of building envelopes: A review. Energy and Buildings, 2022, 270, 112268.   | 3.1 | 33        |
| 700 | Development of a Novel Experimental Facility to Assess Heating Systemsâ€™ Behaviour in Buildings. Energies, 2022, 15, 4615.  | 1.6 | 0         |
| 701 | Synergistic effect of silica aerogels and hollow glass microspheres on microstructure and thermal properties of rigid polyurethane foam. Journal of Non-Crystalline Solids, 2022, 592, 121753.         | 1.5 | 14        |
| 702 | Hybrid thermal management strategy with PCM and insulation materials for pulsed-power source controller in extreme oil-well thermal environment. Applied Thermal Engineering, 2022, 214, 118864.       | 3.0 | 13        |
| 703 | Nanomaterials for construction building products designed to withstand natural disasters. , 2022, , 19-42.   |     | 2         |
| 704 | Fabrication and Characterization of Nanostructured Rock Wool as a Novel Material for Efficient Water-Splitting Application. Nanomaterials, 2022, 12, 2169.   | 1.9 | 4         |
| 705 | Improving the Insulating Capacity of Polyurethane Foams through Polyurethane Aerogel Inclusion: From Insulation to Superinsulation. Nanomaterials, 2022, 12, 2232.                                     | 1.9 | 8         |
| 706 | Thermal and mechanical properties of concrete containing porcelain ceramic tile waste as fine and coarse aggregates. Magazine of Concrete Research, 0, , 1-33.   | 0.9 | 5         |
| 707 | Super-Insulating Transparent Polyisocyanurate-Polyurethane Aerogels: Analysis of Thermal Conductivity and Mechanical Properties. Nanomaterials, 2022, 12, 2409.  | 1.9 | 6         |
| 708 | Evaluation Method on Energy-Efficient Retrofitting of Wooden Walls of Chinese Traditional Dwellingâ€™ A Case Study of Rendetang in Jinhua. Buildings, 2022, 12, 1017.                                  | 1.4 | 3         |
| 709 | Thermally adaptive walls for buildings applications: A state of the art review. Energy and Buildings, 2022, 271, 112314.   | 3.1 | 13        |
| 710 | Residential Building Envelope Energy Retrofit Methods, Simulation Tools, and Example Projects: A Review of the Literature. Buildings, 2022, 12, 954.   | 1.4 | 14        |
| 711 | Experimental assessment for the thermal performance of scrap tire blocks as external wall insulators. Engineering Reports, 0, , .  | 0.9 | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 712 | Thermal Behaviour and Micro Climate Studies of Several Wall Insulation on Houses in a Tropical Climate (Aw) Area. IOP Conference Series: Earth and Environmental Science, 2022, 1058, 012019.                                      | 0.2 | 1         |
| 713 | A non-volatile thermal switch for building energy savings. Cell Reports Physical Science, 2022, 3, 100960.   | 2.8 | 4         |
| 714 | Thermal insulation solutions for opaque envelope of low-energy buildings: A systematic review of methods and applications. Renewable and Sustainable Energy Reviews, 2022, 167, 112738.  | 8.2 | 19        |
| 715 | Multilevel Structural Design and Heterointerface Engineering of a Host-Guest Binary Aerogel toward Multifunctional Broadband Microwave Absorption. , 2022, 4, 1787-1797.   |     | 27        |
| 716 | Assembling nanocelluloses into fibrous materials and their emerging applications. Carbohydrate Polymers, 2023, 299, 120008.  | 5.1 | 10        |
| 717 | A systemic review to improve the intermittent operation efficiency of air-conditioning and heating system. Journal of Building Engineering, 2022, 60, 105136.  | 1.6 | 5         |
| 718 | Energy, economic and environmental benefits of integrating passive design strategies into buildings: A review. Renewable and Sustainable Energy Reviews, 2022, 167, 112828.  | 8.2 | 45        |
| 719 | Ultralight, highly flexible in situ thermally crosslinked polyimide aerogels with superior mechanical and thermal protection properties via nanofiber reinforcement. Journal of Colloid and Interface Science, 2022, 628, 829-839. | 5.0 | 17        |
| 720 | Fire retardant performance, toxicity and combustion characteristics, and numerical evaluation of core materials for sandwich panels. Environmental Pollution, 2022, 312, 120067.   | 3.7 | 7         |
| 721 | Assessment of buildings' dynamic thermal insulation technologies-A review. Applied Energy, 2022, 326, 119985.  | 5.1 | 22        |
| 722 | Integrated seismic and energy retrofitting of existing buildings: A state-of-the-art review. Journal of Building Engineering, 2022, 61, 105274.  | 1.6 | 22        |
| 723 | Biomass-derived cellulose nanofibers and iron oxide-based nanohybrids for thermal insulation application. Nanoscale Advances, 2022, 4, 3381-3390.  | 2.2 | 12        |
| 724 | Towards Improving Rural Living Environment for Chinese Cold Region Based on Investigation of Thermal Environment and Space Usage Status. SSRN Electronic Journal, 0, , .   | 0.4 | 2         |
| 725 | Mof@Lignocellulosic Nanofibril Aerogel Designed by Carboxymethylated Nanocellulose Bridging for Thermal Insulation and Fire Retardancy. SSRN Electronic Journal, 0, , .  | 0.4 | 0         |
| 726 | Ultralow Emittance Thermal Radiation Barrier Achieved by a High-Contrast Grating Coating. Journal of Thermophysics and Heat Transfer, 0, , 1-13.   | 0.9 | 1         |
| 727 | Experimental and computational analysis of polymeric lattice structure for efficient building materials. Applied Thermal Engineering, 2022, , 119366.  | 3.0 | 9         |
| 728 | A comprehensive state-of-the-art review of sustainable thermal insulation system used in external walls for reduction in energy consumption in buildings. International Journal of Green Energy, 2023, 20, 895-913.                | 2.1 | 2         |
| 729 | A simple and efficient method for the preparation of SiO <sub>2</sub> /PI/AF aerogel composite fabrics and their thermal insulation performance. Ceramics International, 2023, 49, 210-215.  | 2.3 | 10        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 730 | Economic strategies for low-temperature transportation of asphalt pavement: a comparative analysis of temperature variations. <i>International Journal of Pavement Engineering</i> , 2023, 24, .                                    | 2.2 | 1         |
| 731 | Improving thermal insulation properties of lightweight epoxy resin matrix composites with millimeter-sized hollow glass microspheres/epoxy hollow spheres. <i>Energy and Buildings</i> , 2022, 277, 112546.                         | 3.1 | 12        |
| 732 | Multifunctional ultralight, recoverable, piezoresistive, and super thermal insulating SiC nanowire sponges. <i>Journal of the American Ceramic Society</i> , 2023, 106, 1299-1308.  | 1.9 | 1         |
| 733 | A comprehensive review on pit thermal energy storage: Technical elements, numerical approaches and recent applications. <i>Journal of Energy Storage</i> , 2022, 55, 105716.  | 3.9 | 14        |
| 734 | Insulating foamed lightweight cementitious composite with co-addition of micro-sized aerogel and hydrogen peroxide. <i>Construction and Building Materials</i> , 2022, 360, 129485.   | 3.2 | 5         |
| 735 | A review of tourism and climate change mitigation: The scales, scopes, stakeholders and strategies of carbon management. <i>Tourism Management</i> , 2023, 95, 104681.  | 5.8 | 37        |
| 736 | Preparation and characterization of flame-retardant and thermal insulating bio-based composite aerogels. <i>Energy and Buildings</i> , 2023, 278, 112656.   | 3.1 | 7         |
| 737 | Analysis of thermal insulation in social housing in Spain (1939â€“1989) and its possible adaptation to the Sustainable Development Goals (SDGs). <i>AIMS Energy</i> , 2022, 10, 1190-1215.  | 1.1 | 0         |
| 738 | Development of ultralight, tough and hydrophobic polymethylmethacrylate/polyvinylidene fluoride shape memory foams for heat insulation applications. <i>Materials and Design</i> , 2023, 225, 111527.                               | 3.3 | 9         |
| 739 | Plant bio-inspired laminar cellulose-based foam with flame retardant, thermal insulation and excellent mechanical properties. <i>Journal of Materials Chemistry A</i> , 2023, 11, 1138-1147.  | 5.2 | 8         |
| 740 | Thermal insulation capability of nanostructured insulations and their combination as hybrid insulation systems. <i>Case Studies in Thermal Engineering</i> , 2023, 41, 102630.  | 2.8 | 5         |
| 741 | Hydrophobic thermal insulation material designed from hazelnut shells, pinecone, paper and sheep wool. <i>Construction and Building Materials</i> , 2023, 365, 130131.  | 3.2 | 9         |
| 742 | Get the light & keep the warmth - A highly insulating, translucent aerogel glass brick for building envelopes. <i>Journal of Building Engineering</i> , 2023, 64, 105600.   | 1.6 | 6         |
| 743 | MEASURES AND MEANS TO IMPROVE THE ENERGY EFFICIENCY OF FOOD PRODUCTION. <i>Animal Science and Food Technology</i> , 2022, 13, .   | 0.2 | 1         |
| 744 | Towards the Production of High Added-Value Products from the Pyrolysis and Steam Pyro-Gasification of Five Biomass-Based Building Insulation Materials at End-of-Life. <i>Waste and Biomass Valorization</i> , 2023, 14, 2061-2083. | 1.8 | 1         |
| 745 | Multiscale cellulose-based fireproof and thermal insulation gel materials with water-regulated forms. <i>Nano Research</i> , 0, , .   | 5.8 | 0         |
| 746 | Emerging trends in flame retardancy of rigid polyurethane foam and its composites: A review. <i>Journal of Cellular Plastics</i> , 2023, 59, 65-122.  | 1.2 | 10        |
| 747 | Lightweight, Thermally Insulating, Fireâ€“Proof Graphiteâ€“Cellulose Foam. <i>Advanced Functional Materials</i> , 2023, 33, .   | 7.8 | 17        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 748 | Towards Improving Rural Living Environment for Chinese Cold Region Based on Investigation of Thermal Environment and Space Usage Status. Buildings, 2022, 12, 2139.   | 1.4  | 0         |
| 749 | Hygrothermal evaluation of sustainable insulating panels. Journal of Physics: Conference Series, 2022, 2385, 012013.  | 0.3  | 0         |
| 750 | Effect of Microencapsulated Long-Chain Chlorinated Paraffin on Flame Retardant of Rigid Polyurethane Foam. ChemNanoMat, 2023, 9, .  | 1.5  | 2         |
| 751 | Soluble and colorless polyimide coated cotton fabric with attractive multifunction: Warmth retention, breathable, antifouling, UV and acid resistance. Chemical Engineering Journal, 2023, 455, 140755.                 | 6.6  | 7         |
| 752 | A novel carbon-based fiber aerogel with interfacial thermal resistance: Temperature insulation, oxidation resistance, and mechanical performance. Ceramics International, 2023, 49, 13698-13707.                        | 2.3  | 4         |
| 753 | A scalable high-porosity wood for sound absorption and thermal insulation. Nature Sustainability, 2023, 6, 306-315.   | 11.5 | 36        |
| 754 | Wall Insulation Materials in Different Climate Zones: A Review on Challenges and Opportunities of Available Alternatives. Thermo, 2023, 3, 38-65.   | 0.6  | 9         |
| 755 | Thermal insulation properties of lightweight, self-healing, and mesoporous carrageenan/PMMA cryogels. RSC Advances, 2023, 13, 1094-1105.  | 1.7  | 3         |
| 756 | Tailorable thermoplastic insulation foam composites enabled by porous-shell hollow glass spheres and expandable thermoplastic microspheres. Polymer, 2023, 267, 125652.   | 1.8  | 2         |
| 757 | Double-Decker Silsesquioxane-Grafted Polysilsesquioxane Hybrid Films as Thermal Insulation Materials. ACS Applied Polymer Materials, 2023, 5, 743-750.  | 2.0  | 4         |
| 758 | Polysilsesquioxane-Containing Thermally Degradable Groups for Potential Application as Thermal Insulation Materials. ACS Applied Polymer Materials, 2023, 5, 1390-1397.   | 2.0  | 3         |
| 759 | Effect of Particle Size and Concentration of Nanocellulose on Thermal Properties of Nanocellulose Aerogel. Journal of Physics: Conference Series, 2023, 2437, 012061.   | 0.3  | 2         |
| 760 | Effective thermal conductivity of vacuum insulation panels prepared with recyclable fibrous cotton core. International Journal of Thermal Sciences, 2023, 187, 108176.  | 2.6  | 5         |
| 761 | Adaptive dynamic building envelope integrated with phase change material to enhance the heat storage and release efficiency: A state-of-the-art review. Energy and Buildings, 2023, 286, 112928.                        | 3.1  | 9         |
| 762 | A review of the state-of-the-art on thermal insulation performance of polymeric foams. Thermal Science and Engineering Progress, 2023, 41, 101808.  | 1.3  | 11        |
| 763 | Study on heat transfer characteristics of cement-based honeycomb structures based on infrared imaging. Journal of Building Engineering, 2023, 68, 106134.   | 1.6  | 2         |
| 764 | Anisotropic thermally superinsulating boron nitride composite aerogel for building thermal management. Composites Part A: Applied Science and Manufacturing, 2023, 169, 107522.   | 3.8  | 5         |
| 765 | Carbon assessment of building shell options for eco self-build community housing through the integration of building energy modelling and life cycle analysis tools. Journal of Building Engineering, 2023, 70, 106356. | 1.6  | 1         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 766 | Correction of the thermal conductivity of polyurethane insulation material under freeze-thaw and water absorption conditions and its application. Cold Regions Science and Technology, 2023, 211, 103859. | 1.6  | 2         |
| 767 | Study on the Influence of the Preparation Method of Konjac Glucomannan-Silica Aerogels on the Microstructure, Thermal Insulation, and Flame-Retardant Properties. Molecules, 2023, 28, 1691.              | 1.7  | 2         |
| 768 | Image-aided physical and compression characterisation of expanded polystyrene geofoam. Geosynthetics International, 0, , 1-13.  | 1.5  | 3         |
| 769 | Hygrothermal properties of insulation materials from rice straw and natural binders for buildings. Construction and Building Materials, 2023, 372, 130770.  | 3.2  | 7         |
| 770 | Simplified Guidelines for Retrofitting Scenarios in the European Countries. Energies, 2023, 16, 2408.   | 1.6  | 3         |
| 771 | Elemental analysis of air-conditioning insulation materials using X-ray fluorescence. IOP Conference Series: Earth and Environmental Science, 2023, 1143, 012020.   | 0.2  | 0         |
| 772 | Identifying the Most Efficient Natural Fibre for Common Commercial Building Insulation Materials with an Integrated PSI, MEREC, LOPCOW and MCRAT Model. Polymers, 2023, 15, 1500.                         | 2.0  | 17        |
| 773 | Dual template strategy to prepare ultralight and high-temperature resistant ceramic nanorod aerogels for efficient thermal insulation. Ceramics International, 2023, 49, 22677-22689.                     | 2.3  | 5         |
| 774 | THERMAL MANAGEMENT STRATEGY WITH PHASE CHANGE MATERIAL (PCM) CAPSULES FOR PULSED-POWER SOURCE CONTROLLER IN EXTREME OIL-WELL THERMAL ENVIRONMENT. Journal of Enhanced Heat Transfer, 2023, , .            | 0.5  | 0         |
| 775 | Sustainable Wood-Waste-Based Thermal Insulation Foam for Building Energy Efficiency. Buildings, 2023, 13, 840.  | 1.4  | 8         |
| 776 | Thermal properties of multiple-wythe masonry overlaid with textile reinforced concrete sandwich panels. Sadhana - Academy Proceedings in Engineering Sciences, 2023, 48, .                                | 0.8  | 1         |
| 777 | Simulation Program for Modeling Temperature Distribution in a Food Dehydrator. , 2023, , .  |      | 0         |
| 778 | A flexible silica aerogel paper with temperature-switch opacifier for thermal insulation. Journal of Materials Research and Technology, 2023, 24, 4037-4046.  | 2.6  | 3         |
| 779 | Low-Grade Waste Heat Enables Over 80% <sup>2</sup> Interfacial Steam Generation Based on 3D Superhydrophilic Foam. Advanced Materials, 2023, 35, .  | 11.1 | 4         |
| 780 | The perspectives and trends of THz technology in material research for future communication - A comprehensive review. Physica Scripta, 0, , .   | 1.2  | 0         |
| 812 | Chapter 2: A Review on International Research in Zero-Energy Buildings. , 2016, , .   |      | 0         |
| 822 | Silica Aerogels. Springer Handbooks, 2023, , 309-334.   | 0.3  | 0         |
| 829 | Practical Correlation for Vacuum Insulation Panel Edge Loss and Panel R-value. Environmental Science and Engineering, 2023, , 669-672.  | 0.1  | 0         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 831 | Use of foam concrete and 3D printing technology in civil engineering: A state of the art review. AIP Conference Proceedings, 2023, , .   | 0.3 | 0         |
| 844 | Vapour diffusion calculations through graphite-enhanced polystyrene. AIP Conference Proceedings, 2023, , .   | 0.3 | 0         |
| 847 | Alternative perimeter cladding compositions for nearly zero-energy buildings. AIP Conference Proceedings, 2023, , .  | 0.3 | 0         |
| 861 | Study of the Composition of the Activating Mixture for the Production of Foamed Geopolymer Materials. Lecture Notes in Civil Engineering, 2024, , 433-442.                           | 0.3 | 0         |
| 862 | A review of insulation materials used to reduce thermal loads in buildings. AIP Conference Proceedings, 2024, , .  | 0.3 | 0         |
| 864 | Thermodynamic Characterization of Building Thermal Insulating Materials Using Cardboard Wastes and Zea Mays Everta. Advances in Science, Technology and Innovation, 2024, , 103-110. | 0.2 | 0         |