

Ultralight Metallic Microlattices

Science

334, 962-965

DOI: [10.1126/science.1211649](https://doi.org/10.1126/science.1211649)

Citation Report

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | This Week in Science. Science, 1990, 249, 603-603. | 6.0 | 1 |
| 3 | Luffa Sponge as a Sustainable Engineering Material. Applied Mechanics and Materials, 0, 238, 3-8. | 0.2 | 2 |
| 4 | Opportunities for mesoscale science. MRS Bulletin, 2012, 37, 1079-1088. | 1.7 | 54 |
| 5 | A teaching model for truss structures. European Journal of Physics, 2012, 33, 1179-1186. | 0.3 | 3 |
| 6 | On Design of Metal-Matrix Composites Lighter than Air. Materials Science Forum, 0, 736, 55-71. | 0.3 | 1 |
| 7 | A Novel Modeling Platform for Characterization and Optimal Design of Micro-Architected Materials. , 2012, , . | | 3 |
| 8 | Effective-medium theory of elastic waves in random networks of rods. Physical Review E, 2012, 85, 061923. | 0.8 | 1 |
| 9 | Fabrication by spacer method and evaluation of porous metals. Keikinzoku/Journal of Japan Institute of Light Metals, 2012, 62, 313-321. | 0.1 | 14 |
| 10 | Building ultralight lattices. Physics Today, 2012, 65, 13-13. | 0.3 | 1 |
| 11 | Ultralight Fractal Structures from Hollow Tubes. Physical Review Letters, 2012, 109, 204301. | 2.9 | 75 |
| 12 | Hierarchical space frames for high mechanical efficiency: Fabrication and mechanical testing. Mechanics Research Communications, 2012, 46, 41-46. | 1.0 | 17 |
| 13 | High-yield boron nitride nanosheets from "chemical blowing"™: towards practical applications in polymer composites. Journal of Physics Condensed Matter, 2012, 24, 314205. | 0.7 | 40 |
| 14 | Ultrahigh-Dynamic-Range Resonant MEMS Load Cells for Micromechanical Test Frames. Journal of Microelectromechanical Systems, 2012, 21, 1519-1529. | 1.7 | 14 |
| 15 | Biomimetic superelastic graphene-based cellular monoliths. Nature Communications, 2012, 3, 1241. | 5.8 | 1,091 |
| 16 | Macroporous nanowire nanoelectronic scaffolds for synthetic tissues. Nature Materials, 2012, 11, 986-994. | 13.3 | 561 |
| 18 | A Versatile, Ultralight, Nitrogen-Doped Graphene Framework. Angewandte Chemie - International Edition, 2012, 51, 11371-11375. | 7.2 | 731 |
| 19 | Mechanical behavior of carbon fiber composite lattice core sandwich panels fabricated by laser cutting. Acta Materialia, 2012, 60, 5322-5334. | 3.8 | 89 |
| 20 | Micro-Nanostructured Mechanical Metamaterials. Advanced Materials, 2012, 24, 4782-4810. | 11.1 | 435 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 21 | Lightweight nanoporous metal hydroxide-rich zeotypes. <i>Nature Communications</i> , 2012, 3, 1114. | 5.8 | 15 |
| 22 | Mechanical properties of luffa sponge. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2012, 15, 141-152. | 1.5 | 121 |
| 23 | Elastic shape recovery of carbon nanotube sponges in liquid oil. <i>Journal of Materials Chemistry</i> , 2012, 22, 18300. | 6.7 | 27 |
| 24 | Elastic shells with high-contrast material properties as acoustic metamaterial components. <i>Physical Review B</i> , 2012, 85, . | 1.1 | 47 |
| 25 | Mechanical deformation of carbon-nanotube-based aerogels. <i>Carbon</i> , 2012, 50, 5340-5342. | 5.4 | 26 |
| 26 | Supertetrahedrane and its boron analogs. <i>Russian Chemical Bulletin</i> , 2012, 61, 1673-1680. | 0.4 | 8 |
| 27 | Exploring Deformation Mechanisms in Nanostructured Materials. <i>Jom</i> , 2012, 64, 1241-1252. | 0.9 | 33 |
| 28 | Cu-Nb Nanocomposite Wires Processed by Severe Plastic Deformation: Effects of the Multi-Scale Microstructure and Internal Stresses on Elastic-Plastic Properties. <i>Advanced Engineering Materials</i> , 2012, 14, 998-1003. | 1.6 | 16 |
| 29 | Aerographite: Ultra Lightweight, Flexible Nanowall, Carbon Microtube Material with Outstanding Mechanical Performance. <i>Advanced Materials</i> , 2012, 24, 3486-3490. | 11.1 | 343 |
| 30 | Tailored 3D Mechanical Metamaterials Made by Direct Laser Writing Optical Lithography. <i>Advanced Materials</i> , 2012, 24, 2710-2714. | 11.1 | 560 |
| 31 | Characterization of nickel-based microlattice materials with structural hierarchy from the nanometer to the millimeter scale. <i>Acta Materialia</i> , 2012, 60, 3511-3523. | 3.8 | 182 |
| 32 | Hierarchical composite honeycombs. <i>Materials & Design</i> , 2012, 40, 124-129. | 5.1 | 60 |
| 33 | Size effect on the compressive strength of hollow micropillars governed by wall thickness. <i>Scripta Materialia</i> , 2012, 67, 225-228. | 2.6 | 13 |
| 34 | Prediction of the mechanical properties of micro-lattice structures subjected to multi-axial loading. <i>International Journal of Mechanical Sciences</i> , 2013, 68, 47-55. | 3.6 | 72 |
| 35 | Versatile Fabrication of Ultralight Magnetic Foams and Application for Oil-Water Separation. <i>ACS Nano</i> , 2013, 7, 6875-6883. | 7.3 | 321 |
| 36 | Rapid one-step synthesis and electrochemical performance of NiO/Ni with tunable macroporous architectures. <i>Nano Energy</i> , 2013, 2, 1383-1390. | 8.2 | 72 |
| 37 | Fabrication and deformation of three-dimensional hollow ceramic nanostructures. <i>Nature Materials</i> , 2013, 12, 893-898. | 13.3 | 423 |
| 38 | Fractals in tissue engineering: toward biomimetic cell-culture matrices, microsystems and microstructured implants. <i>Expert Review of Medical Devices</i> , 2013, 10, 629-648. | 1.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 39 | Drop weight impact behaviour of sandwich panels with metallic micro lattice cores. International Journal of Impact Engineering, 2013, 60, 120-132. | 2.4 | 174 |
| 40 | Behaviour of luffa sponge material under dynamic loading. International Journal of Impact Engineering, 2013, 57, 17-26. | 2.4 | 63 |
| 41 | Ultralow-density copper nanowire aerogel monoliths with tunable mechanical and electrical properties. Journal of Materials Chemistry A, 2013, 1, 6723. | 5.2 | 132 |
| 42 | Metamaterials beyond electromagnetism. Reports on Progress in Physics, 2013, 76, 126501. | 8.1 | 378 |
| 43 | Metamaterials Beyond Optics. Science, 2013, 342, 939-940. | 6.0 | 150 |
| 44 | Reversibly Assembled Cellular Composite Materials. Science, 2013, 341, 1219-1221. | 6.0 | 194 |
| 45 | High-Density Three-Dimension Graphene Macroscopic Objects for High-Capacity Removal of Heavy Metal Ions. Scientific Reports, 2013, 3, 2125. | 1.6 | 129 |
| 46 | Stretchable/bend-hybrid hierarchical composite pyramidal lattice cores. Composite Structures, 2013, 98, 153-159. | 3.1 | 55 |
| 47 | Fluorinated polymerizable phosphonium salts from PH_3 : Surface properties of photopolymerized films. Journal of Polymer Science Part A, 2013, 51, 2782-2792. | 2.5 | 21 |
| 48 | Multifunctional, Ultraflyweight, Synergistically Assembled Carbon Aerogels. Advanced Materials, 2013, 25, 2554-2560. | 11.1 | 1,701 |
| 49 | Self-crosslinking borate anions for the production of tough UV-cured polyelectrolyte surfaces. Journal of Polymer Science Part A, 2013, 51, 499-508. | 2.5 | 9 |
| 50 | Interlocked hierarchical lattice materials reinforced by woven textile sandwich composites. Composites Science and Technology, 2013, 87, 142-148. | 3.8 | 34 |
| 51 | Morphology and crystal-chemical characteristics of cobalt and nickel nanopowders prepared by thermochemical and electrolytic methods. Inorganic Materials, 2013, 49, 153-158. | 0.2 | 3 |
| 52 | Ultralight and Highly Compressible Graphene Aerogels. Advanced Materials, 2013, 25, 2219-2223. | 11.1 | 1,249 |
| 53 | Modifying Native Nanocellulose Aerogels with Carbon Nanotubes for Mechanoresponsive Conductivity and Pressure Sensing. Advanced Materials, 2013, 25, 2428-2432. | 11.1 | 246 |
| 54 | When two is better than one. Nature, 2013, 497, 448-449. | 13.7 | 34 |
| 55 | A Special Material or a New State of Matter: A Review and Reconsideration of the Aerogel. Materials, 2013, 6, 941-968. | 1.3 | 366 |
| 56 | Ultralight Three-Dimensional Boron Nitride Foam with Ultralow Permittivity and Superelasticity. Nano Letters, 2013, 13, 3232-3236. | 4.5 | 190 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 57 | Fatigue design of lattice materials via computational mechanics: Application to lattices with smooth transitions in cell geometry. <i>International Journal of Fatigue</i> , 2013, 47, 126-136. | 2.8 | 39 |
| 58 | Emergence of film-thickness- and grain-size-dependent elastic properties in nanocrystalline thin films. <i>Scripta Materialia</i> , 2013, 68, 261-264. | 2.6 | 14 |
| 59 | Atomic Layer Deposition-Derived Ultra-Low-Density Composite Bulk Materials with Deterministic Density and Composition. <i>ACS Applied Materials & Interfaces</i> , 2013, 5, 13129-13134. | 4.0 | 10 |
| 60 | Local resonance bandgaps in periodic media: Theory and experiment. <i>Journal of the Acoustical Society of America</i> , 2013, 134, 1950-1959. | 0.5 | 82 |
| 61 | Variable stiffness material based on rigid low-melting-point-alloy microstructures embedded in soft poly(dimethylsiloxane) (PDMS). <i>RSC Advances</i> , 2013, 3, 24671. | 1.7 | 185 |
| 62 | Ceramic nanolattices hold up under pressure. <i>Physics Today</i> , 2013, 66, 14-15. | 0.3 | 1 |
| 63 | Pyramidal Lattice Structures for High Strength and Energy Absorption. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2013, 80, . | 1.1 | 66 |
| 64 | Evaluation of Torsional Rigidity for Micro-Lattice Plates. <i>Key Engineering Materials</i> , 0, 577-578, 425-428. | 0.4 | 1 |
| 65 | Compressive strength of hollow microlattices: Experimental characterization, modeling, and optimal design. <i>Journal of Materials Research</i> , 2013, 28, 2461-2473. | 1.2 | 96 |
| 66 | Toward Lighter, Stiffer Materials. <i>Science</i> , 2013, 341, 1181-1182. | 6.0 | 66 |
| 67 | Microlattices as architected thin films: Analysis of mechanical properties and high strain elastic recovery. <i>APL Materials</i> , 2013, 1, . | 2.2 | 68 |
| 68 | Optimal mechanical design of tetrahedral truss cores for sandwich constructions. <i>Journal of Sandwich Structures and Materials</i> , 2013, 15, 464-484. | 2.0 | 42 |
| 69 | Entropic effects in the self-assembly of open lattices from patchy particles. <i>Physical Review E</i> , 2013, 87, 062319. | 0.8 | 26 |
| 70 | Optimization of fractal space frames under gentle compressive load. <i>Physical Review E</i> , 2013, 87, 063204. | 0.8 | 15 |
| 71 | Estimation of Bending Behaviour for Beams Composed of Three-Dimensional Micro-Lattice Cells (Part 1) <i>Journal of Mechanical Engineers, Part A</i> , 2013, 79, 620-632. | 0.2 | 5 |
| 72 | Analysis of Damped Bloch Waves by the Rayleigh Perturbation Method. <i>Journal of Vibration and Acoustics, Transactions of the ASME</i> , 2013, 135, . | 1.0 | 28 |
| 73 | High-Throughput Printing via Microvascular Multinozzle Arrays. <i>Advanced Materials</i> , 2013, 25, 96-102. | 11.1 | 132 |
| 74 | Lightweight micro lattices with nanoscale features fabricated from Projection Microstereolithography. , 2014, , . | | 1 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 75 | Compressive Response of Pyramidal Lattices Embedded in Foams. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2014, 81, . | 1.1 | 13 |
| 76 | Non-dissipative energy capture of confined liquid in nanopores. <i>Applied Physics Letters</i> , 2014, 104, 203107. | 1.5 | 21 |
| 77 | Ultralight nanofibre-assembled cellular aerogels with superelasticity and multifunctionality. <i>Nature Communications</i> , 2014, 5, 5802. | 5.8 | 860 |
| 78 | Design and Fabrication of Hollow Rigid Nanolattices via Two-photon Lithography. <i>Advanced Engineering Materials</i> , 2014, 16, 184-189. | 1.6 | 68 |
| 79 | Pentamode Metamaterials with Independently Tailored Bulk Modulus and Mass Density. <i>Physical Review Applied</i> , 2014, 2, . | 1.5 | 108 |
| 80 | Harnessing Multiple Folding Mechanisms in Soft Periodic Structures for Tunable Control of Elastic Waves. <i>Advanced Functional Materials</i> , 2014, 24, 4935-4942. | 7.8 | 167 |
| 81 | On the evolution of cured voxel in bulk photopolymerization upon focused Gaussian laser exposure. <i>Journal of Applied Physics</i> , 2014, 116, . | 1.1 | 23 |
| 82 | Nickel-nitride-coated nickel foam as a counter electrode for dye-sensitized solar cells. <i>Surface and Coatings Technology</i> , 2014, 259, 560-569. | 2.2 | 40 |
| 83 | Towards ultra-stiff materials: Surface effects on nanoporous materials. <i>Applied Physics Letters</i> , 2014, 105, . | 1.5 | 10 |
| 84 | Periodic co-continuous acoustic metamaterials with overlapping locally resonant and Bragg band gaps. <i>Applied Physics Letters</i> , 2014, 105, . | 1.5 | 88 |
| 85 | Energy dissipation mechanisms in hollow metallic microlattices. <i>Journal of Materials Research</i> , 2014, 29, 1755-1770. | 1.2 | 73 |
| 86 | Preliminary Research of Truss-Wall Corrugated Cellular Solids. <i>Applied Mechanics and Materials</i> , 2014, 510, 139-149. | 0.2 | 0 |
| 87 | Microstructure development during pack aluminization of nickel and nickel-chromium wires. <i>Intermetallics</i> , 2014, 50, 43-53. | 1.8 | 24 |
| 88 | Compressive efficiency of stretch-stretch-hybrid hierarchical composite lattice cores. <i>Materials & Design</i> , 2014, 56, 731-739. | 5.1 | 31 |
| 89 | Blast Mitigation. , 2014, , . | | 5 |
| 90 | Mechanical characterization of hollow ceramic nanolattices. <i>Journal of Materials Science</i> , 2014, 49, 2496-2508. | 1.7 | 99 |
| 91 | Quasi-static crush behavior of hollow microtruss filled with NMF liquid. <i>Composite Structures</i> , 2014, 115, 29-40. | 3.1 | 29 |
| 92 | Mitigating impact/blast energy via a novel nanofluidic energy capture mechanism. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 62, 194-208. | 2.3 | 43 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 93 | Ultra-lightweight paper foams: processing and properties. <i>Cellulose</i> , 2014, 21, 2023-2031. | 2.4 | 56 |
| 94 | Ultralight Mesoporous Magnetic Frameworks by Interfacial Assembly of Prussian Blue Nanocubes. <i>Angewandte Chemie - International Edition</i> , 2014, 53, 2888-2892. | 7.2 | 78 |
| 95 | 25th Anniversary Article: Ordered Polymer Structures for the Engineering of Photons and Phonons. <i>Advanced Materials</i> , 2014, 26, 532-569. | 11.1 | 205 |
| 96 | Three-Dimensional Printing of Elastomeric, Cellular Architectures with Negative Stiffness. <i>Advanced Functional Materials</i> , 2014, 24, 4905-4913. | 7.8 | 245 |
| 97 | Highly Compressible Macroporous Graphene Monoliths via an Improved Hydrothermal Process. <i>Advanced Materials</i> , 2014, 26, 4789-4793. | 11.1 | 354 |
| 98 | Ultra-light, compressible and fire-resistant graphene aerogel as a highly efficient and recyclable absorbent for organic liquids. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2934. | 5.2 | 380 |
| 99 | High-strength cellular ceramic composites with 3D microarchitecture. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 2453-2458. | 3.3 | 470 |
| 100 | Microfluidic Thermally Activated Materials for Rapid Control of Macroscopic Compliance. <i>Advanced Functional Materials</i> , 2014, 24, 4860-4866. | 7.8 | 31 |
| 101 | Integrated random-aligned carbon nanotube layers: deformation mechanism under compression. <i>Nanoscale</i> , 2014, 6, 1748-1755. | 2.8 | 24 |
| 102 | Initiator-Integrated 3D Printing Enables the Formation of Complex Metallic Architectures. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 2583-2587. | 4.0 | 95 |
| 103 | Quasi-static energy absorption of hollow microlattice structures. <i>Composites Part B: Engineering</i> , 2014, 67, 39-49. | 5.9 | 52 |
| 104 | Dynamic energy absorption characteristics of hollow microlattice structures. <i>Mechanics of Materials</i> , 2014, 77, 1-13. | 1.7 | 43 |
| 105 | Ultra-strong and Low-density Nanotubular Bulk Materials with Tunable Feature Sizes. <i>Advanced Materials</i> , 2014, 26, 4808-4813. | 11.1 | 36 |
| 106 | Metallic Cellular Materials Produced by 3D Weaving. , 2014, 4, 15-20. | | 11 |
| 107 | Mesoscale assembly of chemically modified graphene into complex cellular networks. <i>Nature Communications</i> , 2014, 5, 4328. | 5.8 | 250 |
| 108 | Strong, lightweight, and recoverable three-dimensional ceramic nanolattices. <i>Science</i> , 2014, 345, 1322-1326. | 6.0 | 1,080 |
| 109 | Bioinspired Materials: from Low to High Dimensional Structure. <i>Advanced Materials</i> , 2014, 26, 6994-7017. | 11.1 | 198 |
| 110 | Soft Colloidal Scaffolds Capable of Elastic Recovery after Large Compressive Strains. <i>Chemistry of Materials</i> , 2014, 26, 5161-5168. | 3.2 | 45 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 111 | Decoupled catalytic hydrogen evolution from a molecular metal oxide redox mediator in water splitting. <i>Science</i> , 2014, 345, 1326-1330. | 6.0 | 559 |
| 112 | Accurate Stiffness Measurement of Ultralight Hollow Metallic Microlattices by Laser Vibrometry. <i>Experimental Mechanics</i> , 2014, 54, 1491-1495. | 1.1 | 11 |
| 113 | Transient viscoelasticity study of tobacco mosaic virus/Ba ²⁺ superlattice. <i>Nanoscale Research Letters</i> , 2014, 9, 300. | 3.1 | 5 |
| 114 | Compressible Carbon Nanotube-Graphene Hybrid Aerogels with Superhydrophobicity and Superoleophilicity for Oil Sorption. <i>Environmental Science and Technology Letters</i> , 2014, 1, 214-220. | 3.9 | 212 |
| 115 | 3D Auxetic Microlattices with Independently Controllable Acoustic Band Gaps and Quasi-Isotropic Elastic Moduli. <i>Advanced Engineering Materials</i> , 2014, 16, 357-363. | 1.6 | 77 |
| 116 | Scaling the Stiffness, Strength, and Toughness of Ceramic-Coated Nanotube Foams into the Structural Regime. <i>Advanced Functional Materials</i> , 2014, 24, 5728-5735. | 7.8 | 49 |
| 117 | Non linear constitutive models for lattice materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2014, 64, 44-60. | 2.3 | 96 |
| 118 | Hydrophobic sponge for spilled oil absorption. <i>Journal of Applied Polymer Science</i> , 2014, 131, . | 1.3 | 31 |
| 119 | Development of ideal solution and validation of stiffness and strength by finite element method for truss-wall corrugated cellular solids. <i>Journal of Mechanical Science and Technology</i> , 2014, 28, 1765-1778. | 0.7 | 5 |
| 120 | A Facile Methodology for the Production of In Situ Inorganic Nanowire Hydrogels/Aerogels. <i>Nano Letters</i> , 2014, 14, 1810-1817. | 4.5 | 98 |
| 121 | Three-Dimensional Carbon Nanotube Sponge Array Architectures with High Energy Dissipation. <i>Advanced Materials</i> , 2014, 26, 1248-1253. | 11.1 | 88 |
| 122 | Effect of grain size on the optimal architecture of electrodeposited metal/polymer microtrusses. <i>Journal of Sandwich Structures and Materials</i> , 2014, 16, 251-271. | 2.0 | 5 |
| 123 | Porous Metals. , 2014, , 2399-2595. | | 23 |
| 124 | A superhydrophobic 3D porous material for oil spill cleanup. <i>RSC Advances</i> , 2014, 4, 46470-46475. | 1.7 | 22 |
| 125 | Fabrication and Deformation of Metallic Glass Micro-Lattices. <i>Advanced Engineering Materials</i> , 2014, 16, 889-896. | 1.6 | 50 |
| 126 | Mechanisms of Failure in Nanoscale Metallic Glass. <i>Nano Letters</i> , 2014, 14, 5858-5864. | 4.5 | 78 |
| 127 | Fabricating Ni-Mn-Ga microtubes by diffusion of Mn and Ga into Ni tubes. <i>Intermetallics</i> , 2014, 49, 70-80. | 1.8 | 12 |
| 128 | A facile green chemistry route to porous silica foams. <i>Materials Letters</i> , 2014, 119, 60-63. | 1.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 129 | Water-responsive rapid recovery of natural cellular material. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2014, 34, 283-293. | 1.5 | 28 |
| 130 | Polymer/Graphene Hybrid Aerogel with High Compressibility, Conductivity, and "Sticky" Superhydrophobicity. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 3242-3249. | 4.0 | 140 |
| 131 | Emerging Science and Research Opportunities for Metals and Metallic Nanostructures. <i>Jom</i> , 2014, 66, 1321-1341. | 0.9 | 9 |
| 132 | Ultralight, ultrastiff mechanical metamaterials. <i>Science</i> , 2014, 344, 1373-1377. | 6.0 | 1,592 |
| 133 | Designing Metallic Microlattices for Energy Absorber Applications. <i>Advanced Engineering Materials</i> , 2014, 16, 276-283. | 1.6 | 165 |
| 134 | Nanocarbon aerogel complexes inspired by the leaf structure. <i>Carbon</i> , 2014, 77, 637-644. | 5.4 | 21 |
| 135 | Resilient aligned carbon nanotube/graphene sandwiches for robust mechanical energy storage. <i>Nano Energy</i> , 2014, 7, 161-169. | 8.2 | 66 |
| 137 | Printing mesoscale architectures. <i>MRS Bulletin</i> , 2015, 40, 943-950. | 1.7 | 99 |
| 138 | Materials by design: Using architecture in material design to reach new property spaces. <i>MRS Bulletin</i> , 2015, 40, 1122-1129. | 1.7 | 45 |
| 139 | Synchrotron-Based X-ray Computed Tomography During Compression Loading of Cellular Materials. <i>Microscopy Today</i> , 2015, 23, 12-19. | 0.2 | 9 |
| 140 | Longitudinal Multifoci Metalens for Circularly Polarized Light. <i>Advanced Optical Materials</i> , 2015, 3, 1201-1206. | 3.6 | 203 |
| 141 | Vibrant times for mechanical metamaterials. <i>MRS Communications</i> , 2015, 5, 453-462. | 0.8 | 234 |
| 142 | Ultralight metal foams. <i>Scientific Reports</i> , 2015, 5, 13825. | 1.6 | 25 |
| 143 | Hierarchical ferroelectric and ferrotoroidic polarizations coexistent in nano-metamaterials. <i>Scientific Reports</i> , 2015, 5, 14653. | 1.6 | 33 |
| 144 | Understanding Mechanical Response of Elastomeric Graphene Networks. <i>Scientific Reports</i> , 2015, 5, 13712. | 1.6 | 64 |
| 145 | Wave dispersion in highly deformable, fluid-filled structures: Numerical and experimental study of the role of solid deformation and inertia. <i>Proceedings of Meetings on Acoustics</i> , 2015, , . | 0.3 | 1 |
| 146 | Laser jetting of femto-liter metal droplets for high resolution 3D printed structures. <i>Scientific Reports</i> , 2015, 5, 17265. | 1.6 | 92 |
| 147 | Mathematical modeling of deformation of a porous medium, considering its strengthening due to pore collapse. <i>AIP Conference Proceedings</i> , 2015, , . | 0.3 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 148 | A New Type of Low Density Material: Shellular. <i>Advanced Materials</i> , 2015, 27, 5506-5511. | 11.1 | 226 |
| 149 | Laser Transfer of Metals and Metal Alloys for Digital Microfabrication of 3D Objects. <i>Small</i> , 2015, 11, 4082-4089. | 5.2 | 71 |
| 150 | Ordered 3D Thin-Shell Nanolattice Materials with Near-Unity Refractive Indices. <i>Advanced Functional Materials</i> , 2015, 25, 6644-6649. | 7.8 | 40 |
| 151 | Three-Dimensional SnO ₂ Nanowire Networks for Multifunctional Applications: From High-Temperature Stretchable Ceramics to Ultrasensitive Sensors. <i>Advanced Electronic Materials</i> , 2015, 1, 1500081. | 2.6 | 116 |
| 152 | Highly Elastic and Conductive N-Doped Monolithic Graphene Aerogels for Multifunctional Applications. <i>Advanced Functional Materials</i> , 2015, 25, 6976-6984. | 7.8 | 106 |
| 153 | A New Tubular Graphene Form of a Tetrahedrally Connected Cellular Structure. <i>Advanced Materials</i> , 2015, 27, 5943-5949. | 11.1 | 193 |
| 154 | Compression Responses of Bio-Cellular Luffa Sponges. <i>BioResources</i> , 2015, 10, . | 0.5 | 4 |
| 155 | Bio-Inspired Design of Lightweight Metal Structure Based on Microstructure of Fully Ripe Loofah. <i>Recent Patents on Materials Science</i> , 2015, 8, 69-73. | 0.5 | 2 |
| 156 | Three-dimensional micro/nanoscale architectures: fabrication and applications. <i>Nanoscale</i> , 2015, 7, 10883-10895. | 2.8 | 68 |
| 157 | The low velocity impact response of sandwich panels with lattice core reinforcement. <i>International Journal of Impact Engineering</i> , 2015, 84, 64-77. | 2.4 | 34 |
| 158 | Bioinspired adhesive polymer coatings for efficient and versatile corrosion resistance. <i>RSC Advances</i> , 2015, 5, 15977-15984. | 1.7 | 31 |
| 159 | Enhanced stiffness, strength and energy absorption for co-continuous composites with liquid filler. <i>Composite Structures</i> , 2015, 128, 274-283. | 3.1 | 35 |
| 160 | On the Mechanics of Ultralight Hollow Microlattices. <i>Proceedings in Applied Mathematics and Mechanics</i> , 2015, 15, 191-192. | 0.2 | 0 |
| 161 | MEMS Lithography. , 2015, , 427-443. | | 1 |
| 162 | Ultralight shape-recovering plate mechanical metamaterials. <i>Nature Communications</i> , 2015, 6, 10019. | 5.8 | 66 |
| 163 | Fabrication and mechanical characterization of 3D woven Cu lattice materials. <i>Materials and Design</i> , 2015, 85, 743-751. | 3.3 | 26 |
| 164 | Mechanical Response of Hollow Metallic Nanolattices: Combining Structural and Material Size Effects. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2015, 82, . | 1.1 | 70 |
| 165 | Assembly of micro/nanomaterials into complex, three-dimensional architectures by compressive buckling. <i>Science</i> , 2015, 347, 154-159. | 6.0 | 745 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 166 | Electronic dura mater for long-term multimodal neural interfaces. <i>Science</i> , 2015, 347, 159-163. | 6.0 | 845 |
| 167 | Effective stiffness and effective compressive yield strength for unit-cell model of complex truss. <i>International Journal of Mechanics and Materials in Design</i> , 2015, 11, 91-110. | 1.7 | 13 |
| 168 | Failure mechanisms in thin-walled nanocrystalline cylinders under uniaxial compression. <i>Acta Materialia</i> , 2015, 86, 157-168. | 3.8 | 0 |
| 169 | Influence of processing conditions on strut structure and compressive properties of cellular lattice structures fabricated by selective laser melting. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2015, 628, 188-197. | 2.6 | 289 |
| 170 | Ultra-strong architected Cu meso-lattices. <i>Extreme Mechanics Letters</i> , 2015, 2, 7-14. | 2.0 | 144 |
| 171 | Topology optimization of lightweight periodic lattices under simultaneous compressive and shear stiffness constraints. <i>International Journal of Solids and Structures</i> , 2015, 60-61, 1-16. | 1.3 | 33 |
| 172 | Ductility and work hardening in nano-sized metallic glasses. <i>Applied Physics Letters</i> , 2015, 106, . | 1.5 | 22 |
| 173 | Advanced Micro-€Lattice Materials. <i>Advanced Engineering Materials</i> , 2015, 17, 1253-1264. | 1.6 | 137 |
| 174 | Nanoarchitected materials composed of fullerene-like spheroids and disordered graphene layers with tunable mechanical properties. <i>Nature Communications</i> , 2015, 6, 6212. | 5.8 | 57 |
| 175 | Scalable Template Synthesis of Resorcinol-€Formaldehyde/Graphene Oxide Composite Aerogels with Tunable Densities and Mechanical Properties. <i>Angewandte Chemie - International Edition</i> , 2015, 54, 2397-2401. | 7.2 | 168 |
| 176 | Three-dimensionally bonded spongy graphene material with super compressive elasticity and near-zero Poisson-€ ratio. <i>Nature Communications</i> , 2015, 6, 6141. | 5.8 | 458 |
| 177 | Scalable Template Synthesis of Resorcinol-€Formaldehyde/Graphene Oxide Composite Aerogels with Tunable Densities and Mechanical Properties. <i>Angewandte Chemie</i> , 2015, 127, 2427-2431. | 1.6 | 27 |
| 178 | Topology optimization of coated structures and material interface problems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 290, 524-541. | 3.4 | 142 |
| 179 | Ultralight and hydrophobic nanofibrillated cellulose aerogels from coconut shell with ultrastrong adsorption properties. <i>Journal of Applied Polymer Science</i> , 2015, 132, . | 1.3 | 43 |
| 180 | Pack Aluminization Synthesis of Superalloy 3D Woven and 3D Braided Structures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 426-438. | 1.1 | 19 |
| 181 | Continuous liquid interface production of 3D objects. <i>Science</i> , 2015, 347, 1349-1352. | 6.0 | 1,617 |
| 182 | Wave propagation in equivalent continua representing truss lattice materials. <i>International Journal of Solids and Structures</i> , 2015, 73-74, 55-66. | 1.3 | 38 |
| 183 | Surface effects in nanoscale structures investigated by a fully-nonlocal energy-based quasicontinuum method. <i>Mechanics of Materials</i> , 2015, 90, 166-184. | 1.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 184 | Transient liquid-phase bonded 3D woven Ni-based superalloys. <i>Scripta Materialia</i> , 2015, 108, 60-63. | 2.6 | 16 |
| 185 | Identification of the Prints Elastic Parameters Using Vibrational Methods. <i>Solid State Phenomena</i> , 2015, 220-221, 91-96. | 0.3 | 1 |
| 186 | In-Situ Welding Carbon Nanotubes into a Porous Solid with Super-High Compressive Strength and Fatigue Resistance. <i>Scientific Reports</i> , 2015, 5, 11336. | 1.6 | 37 |
| 187 | Thermo-Electro-Mechanical Properties of Interpenetrating Phase Composites with Periodic Architected Reinforcements. <i>Advanced Structured Materials</i> , 2015, , 1-18. | 0.3 | 14 |
| 188 | Micromechanical finite element predictions of a reduced coefficient of thermal expansion for 3D periodic architected interpenetrating phase composites. <i>Composite Structures</i> , 2015, 133, 85-97. | 3.1 | 79 |
| 189 | Superelasticity and reversible energy absorption of polyurethane cellular structures with sand filler. <i>Composite Structures</i> , 2015, 131, 966-974. | 3.1 | 28 |
| 190 | Damping behavior of 3D woven metallic lattice materials. <i>Scripta Materialia</i> , 2015, 106, 1-4. | 2.6 | 19 |
| 191 | Structured Ni ₂ Al ₂ O ₃ /Ni Foam Catalyst with Enhanced Heat Transfer for Substitute Natural Gas Production by Syngas Methanation. <i>ChemCatChem</i> , 2015, 7, 1427-1431. | 1.8 | 50 |
| 192 | Low cost carbon fiber aerogel derived from bamboo for the adsorption of oils and organic solvents with excellent performances. <i>RSC Advances</i> , 2015, 5, 38470-38478. | 1.7 | 91 |
| 193 | Topology-induced, strongly diamagnetic response of hollow structured metals at broadband microwave frequencies. <i>Applied Physics A: Materials Science and Processing</i> , 2015, 121, 1061-1066. | 1.1 | 2 |
| 194 | Optimizing the Compressive Strength of Strain-Hardenable Stretch-Formed Microtruss Architectures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 1985-1994. | 1.1 | 4 |
| 195 | Microstructure Evolution During Al, Ti, and Mo Surface Deposition and Volume Diffusion in Ni-20Cr Wires and Woven Structures. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2015, 46, 2249-2254. | 1.1 | 5 |
| 196 | Conductive resilient graphene aerogel via magnesiothermic reduction of graphene oxide assemblies. <i>Nano Research</i> , 2015, 8, 1710-1717. | 5.8 | 22 |
| 197 | Highly compressible 3D periodic graphene aerogel microlattices. <i>Nature Communications</i> , 2015, 6, 6962. | 5.8 | 928 |
| 198 | Self-Sensing, Ultralight, and Conductive 3D Graphene/Iron Oxide Aerogel Elastomer Deformable in a Magnetic Field. <i>ACS Nano</i> , 2015, 9, 3969-3977. | 7.3 | 266 |
| 199 | Three-Dimensional Au Microlattices as Positive Electrodes for Li ⁺ O ₂ Batteries. <i>ACS Nano</i> , 2015, 9, 5876-5883. | 7.3 | 80 |
| 200 | Effect of directional solidification and porosity upon the superelasticity of Cu-Al-Ni shape-memory alloys. <i>Materials & Design</i> , 2015, 80, 28-35. | 5.1 | 30 |
| 201 | Optimization on microlattice materials for sound absorption by an integrated transfer matrix method. <i>Journal of the Acoustical Society of America</i> , 2015, 137, EL334-EL339. | 0.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 202 | Ultralight, Soft Polymer Sponges by Self-Assembly of Short Electrospun Fibers in Colloidal Dispersions. <i>Advanced Functional Materials</i> , 2015, 25, 2850-2856. | 7.8 | 164 |
| 203 | Cotton-derived bulk and fiber aerogels grafted with nitrogen-doped graphene. <i>Nanoscale</i> , 2015, 7, 7550-7558. | 2.8 | 65 |
| 204 | Mechanical cloak design by direct lattice transformation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 4930-4934. | 3.3 | 120 |
| 205 | Integration of Si in a metal foam current collector for stable electrochemical cycling in Li-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 10114-10118. | 5.2 | 21 |
| 206 | Superelastic Few-Layer Carbon Foam Made from Natural Cotton for All-Solid-State Electrochemical Capacitors. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25306-25312. | 4.0 | 18 |
| 207 | Three-dimensional adaptive soft phononic crystals. <i>Journal of Applied Physics</i> , 2015, 117, . | 1.1 | 49 |
| 208 | Size Effect Suppresses Brittle Failure in Hollow Cu ₆₀ Zr ₄₀ Metallic Glass Nanolattices Deformed at Cryogenic Temperatures. <i>Nano Letters</i> , 2015, 15, 5673-5681. | 4.5 | 77 |
| 209 | Push-to-pull tensile testing of ultra-strong nanoscale ceramic-polymer composites made by additive manufacturing. <i>Extreme Mechanics Letters</i> , 2015, 3, 105-112. | 2.0 | 69 |
| 211 | Ambient pressure dried graphene aerogels with superelasticity and multifunctionality. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19268-19272. | 5.2 | 125 |
| 212 | Self-healing composites: A review. <i>Cogent Engineering</i> , 2015, 2, 1075686. | 1.1 | 116 |
| 213 | Mechanical design of negative stiffness honeycomb materials. <i>Integrating Materials and Manufacturing Innovation</i> , 2015, 4, 165-175. | 1.2 | 72 |
| 214 | Facile Preparation of Superelastic and Ultralow Dielectric Boron Nitride Nanosheet Aerogels via Freeze-Casting Process. <i>Chemistry of Materials</i> , 2015, 27, 5849-5855. | 3.2 | 133 |
| 215 | Research Update: Enabling ultra-thin lightweight structures: Microsandwich structures with microlattice cores. <i>APL Materials</i> , 2015, 3, . | 2.2 | 12 |
| 216 | A mechanically driven form of Kirigami as a route to 3D mesostructures in micro/nanomembranes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11757-11764. | 3.3 | 429 |
| 217 | Resilient 3D hierarchical architected metamaterials. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11502-11507. | 3.3 | 496 |
| 218 | Mechanical equivalent diameter of single struts for the stiffness prediction of lattice structures produced by Electron Beam Melting. <i>Additive Manufacturing</i> , 2015, 8, 124-131. | 1.7 | 111 |
| 219 | Multi-scale robust design and optimization considering load uncertainties. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2015, 283, 994-1009. | 3.4 | 99 |
| 220 | Bioinspired structural materials. <i>Nature Materials</i> , 2015, 14, 23-36. | 13.3 | 3,284 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 221 | Carbon Nanotube Sponges, Aerogels, and Hierarchical Composites: Synthesis, Properties, and Energy Applications. <i>Advanced Energy Materials</i> , 2016, 6, 1600554. | 10.2 | 183 |
| 222 | Three-dimensional porous graphene-based ultra-lightweight aerofoam exhibiting good thermal insulation. <i>Advanced Composite Materials</i> , 2016, 25, 105-113. | 1.0 | 13 |
| 223 | Boron Nitride Nanostructures: Fabrication, Functionalization and Applications. <i>Small</i> , 2016, 12, 2942-2968. | 5.2 | 187 |
| 224 | Ultralight Interconnected Metal Oxide Nanotube Networks. <i>Small</i> , 2016, 12, 2432-2438. | 5.2 | 10 |
| 225 | Porous Cu Nanowire Aerosponges from One-Step Assembly and their Applications in Heat Dissipation. <i>Advanced Materials</i> , 2016, 28, 1413-1419. | 11.1 | 109 |
| 226 | Hyperbolically Patterned 3D Graphene Metamaterial with Negative Poisson's Ratio and Superelasticity. <i>Advanced Materials</i> , 2016, 28, 2229-2237. | 11.1 | 178 |
| 227 | Topology Optimization for Architected Materials Design. <i>Annual Review of Materials Research</i> , 2016, 46, 211-233. | 4.3 | 163 |
| 228 | Three Decades of Auxetics Research—Materials with Negative Poisson's Ratio: A Review. <i>Advanced Engineering Materials</i> , 2016, 18, 1847-1870. | 1.6 | 397 |
| 229 | Mechanical Properties of Diamond-Structured Polymer Microlattices Coated with the Silicon Nitride Film. <i>Advanced Engineering Materials</i> , 2016, 18, 236-240. | 1.6 | 14 |
| 230 | Controlling Material Reactivity Using Architecture. <i>Advanced Materials</i> , 2016, 28, 1934-1939. | 11.1 | 91 |
| 231 | Graphene Oxide-Based Electrode Inks for 3D-Printed Lithium-Ion Batteries. <i>Advanced Materials</i> , 2016, 28, 2587-2594. | 11.1 | 590 |
| 232 | Systematic Generation, Analysis, and Characterization of 3D Micro-architected Metamaterials. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 35534-35544. | 4.0 | 13 |
| 233 | Identical band gaps in structurally re-entrant honeycombs. <i>Journal of the Acoustical Society of America</i> , 2016, 140, 898-907. | 0.5 | 9 |
| 234 | Cross-Split of Dislocations: An Athermal and Rapid Plasticity Mechanism. <i>Scientific Reports</i> , 2016, 6, 25966. | 1.6 | 19 |
| 235 | Heat conduction in multifunctional nanotrusses studied using Boltzmann transport equation. <i>Applied Physics Letters</i> , 2016, 108, . | 1.5 | 12 |
| 236 | Microlattice Metamaterials for Tailoring Ultrasonic Transmission with Elastoacoustic Hybridization. <i>Physical Review Applied</i> , 2016, 6, . | 1.5 | 21 |
| 237 | Acoustic metamaterials. <i>Physics Today</i> , 2016, 69, 42-48. | 0.3 | 98 |
| 238 | Polydopamine decorated 3D nickel foam for extraction of sixteen polycyclic aromatic hydrocarbons. <i>Journal of Chromatography A</i> , 2016, 1478, 2-9. | 1.8 | 24 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 239 | Printing soft matter in three dimensions. <i>Nature</i> , 2016, 540, 371-378. | 13.7 | 1,134 |
| 240 | Analyzing the deformation of a porous medium with account for the collapse of pores. <i>Journal of Applied Mechanics and Technical Physics</i> , 2016, 57, 808-818. | 0.1 | 7 |
| 241 | Macroscopic shock plasticity of brittle material through designed void patterns. <i>Journal of Applied Physics</i> , 2016, 119, . | 1.1 | 12 |
| 242 | Tissue Engineering Scaffolds for 3D Cell Culture. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2016, , 249-268. | 0.7 | 7 |
| 243 | 3D printed bionic nanodevices. <i>Nano Today</i> , 2016, 11, 330-350. | 6.2 | 116 |
| 244 | Fatigue behavior of IN718 microtrusses produced via additive manufacturing. <i>Materials and Design</i> , 2016, 105, 278-289. | 3.3 | 86 |
| 245 | A hybrid elastomeric foam-core/solid-shell spherical structure for enhanced energy absorption performance. <i>International Journal of Solids and Structures</i> , 2016, 92-93, 17-28. | 1.3 | 17 |
| 246 | Optimizing the mechanical properties of polymer resists for strong and light-weight micro-truss structures. <i>Extreme Mechanics Letters</i> , 2016, 8, 283-291. | 2.0 | 14 |
| 247 | On compressive deformation behavior of hollow-strut cellular materials. <i>Materials and Design</i> , 2016, 105, 1-8. | 3.3 | 13 |
| 248 | Ultralight Co/Ag composite foams: Synthesis, morphology and compressive property. <i>Scripta Materialia</i> , 2016, 117, 68-72. | 2.6 | 6 |
| 249 | Two new magnetic nanocomposites of graphene and 12-tungestophosphoric acid: characterization and comparison of the catalytic properties in the green synthesis of 1,8-dioxo-octahydroxanthenes. <i>RSC Advances</i> , 2016, 6, 36433-36440. | 1.7 | 8 |
| 250 | Supermolecular design: From molecules to solid states. <i>International Journal of Quantum Chemistry</i> , 2016, 116, 259-264. | 1.0 | 5 |
| 251 | Microsystems for Enhanced Control of Cell Behavior. <i>Studies in Mechanobiology, Tissue Engineering and Biomaterials</i> , 2016, , . | 0.7 | 5 |
| 252 | Uniform tensile elongation in Au@Si core-shell nanowires. <i>Extreme Mechanics Letters</i> , 2016, 8, 151-159. | 2.0 | 13 |
| 253 | 3D manufacturing of micro and nano-architected materials. , 2016, , . | | 2 |
| 254 | Architected Cellular Materials. <i>Annual Review of Materials Research</i> , 2016, 46, 187-210. | 4.3 | 480 |
| 255 | Polar and toroidal electromechanical properties designed by ferroelectric nano-metamaterials. <i>Acta Materialia</i> , 2016, 113, 81-89. | 3.8 | 27 |
| 256 | Ultrahigh Tensile Strength Nanowires with a Ni/Ni@Au Multilayer Nanocrystalline Structure. <i>Nano Letters</i> , 2016, 16, 3500-3506. | 4.5 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 257 | Naturally Dried Graphene Aerogels with Superelasticity and Tunable Poisson's Ratio. <i>Advanced Materials</i> , 2016, 28, 9223-9230. | 11.1 | 254 |
| 258 | Visualization of the Formation and 3D Porous Structure of Ag Doped MnO ₂ Aerogel Monoliths with High Photocatalytic Activity. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 6277-6287. | 3.2 | 38 |
| 259 | Application of micro-robots for building carbon fiber trusses. , 2016, , . | | 14 |
| 260 | Bending dominated response of layered mechanical metamaterials alternating pentamode lattices and confinement plates. <i>Composite Structures</i> , 2016, 157, 71-77. | 3.1 | 67 |
| 261 | Optimal lattice-structured materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2016, 96, 162-183. | 2.3 | 118 |
| 262 | Synthesis of Nanoporous Gold Tubes. <i>Advanced Engineering Materials</i> , 2016, 18, 65-69. | 1.6 | 5 |
| 263 | Interlayer expanded MoS ₂ enabled by edge effect of graphene nanoribbons for high performance lithium and sodium ion batteries. <i>Carbon</i> , 2016, 109, 461-471. | 5.4 | 114 |
| 264 | Nanomechanical properties and fracture toughness of Bi ₃ Se ₂ Te thin films grown using pulsed laser deposition. <i>Materials Chemistry and Physics</i> , 2016, 182, 72-76. | 2.0 | 5 |
| 265 | Compressible, amphiphilic graphene-based aerogel using a molecular glue to link graphene sheets and coated-polymer layers. <i>Materials and Design</i> , 2016, 110, 839-848. | 3.3 | 17 |
| 266 | Large-Scale Spinning of Silver Nanofibers as Flexible and Reliable Conductors. <i>Nano Letters</i> , 2016, 16, 5846-5851. | 4.5 | 81 |
| 267 | Combinatorial design of textured mechanical metamaterials. <i>Nature</i> , 2016, 535, 529-532. | 13.7 | 289 |
| 268 | Multiscale metallic metamaterials. <i>Nature Materials</i> , 2016, 15, 1100-1106. | 13.3 | 584 |
| 269 | Faraday wave lattice as an elastic metamaterial. <i>Physical Review E</i> , 2016, 93, 050202. | 0.8 | 9 |
| 270 | Light and Strong SiC Networks. <i>Advanced Functional Materials</i> , 2016, 26, 1636-1645. | 7.8 | 109 |
| 271 | The Impact of Size and Loading Direction on the Strength of Architected Lattice Materials. <i>Advanced Engineering Materials</i> , 2016, 18, 1537-1543. | 1.6 | 30 |
| 272 | Durable and mass producible polymer surface structures with different combinations of micro- and nano-hierarchy. <i>Journal of Micromechanics and Microengineering</i> , 2016, 26, 015009. | 1.5 | 9 |
| 273 | A hyperaccumulation pathway to three-dimensional hierarchical porous nanocomposites for highly robust high-power electrodes. <i>Nature Communications</i> , 2016, 7, 13432. | 5.8 | 68 |
| 275 | Diamond-structured hollow-tube lattice Ni materials via 3D printing. <i>Science China Chemistry</i> , 2016, 59, 1632-1637. | 4.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 276 | Highly-stretchable 3D-architected Mechanical Metamaterials. <i>Scientific Reports</i> , 2016, 6, 34147. | 1.6 | 116 |
| 277 | Super-elastic and fatigue resistant carbon material with lamellar multi-arch microstructure. <i>Nature Communications</i> , 2016, 7, 12920. | 5.8 | 344 |
| 278 | Lightweight Mechanical Metamaterials with Tunable Negative Thermal Expansion. <i>Physical Review Letters</i> , 2016, 117, 175901. | 2.9 | 337 |
| 279 | Three-dimensional Sponges with Super Mechanical Stability: Harnessing True Elasticity of Individual Carbon Nanotubes in Macroscopic Architectures. <i>Scientific Reports</i> , 2016, 6, 18930. | 1.6 | 56 |
| 280 | Mechanical assembly of complex, 3D mesostructures from releasable multilayers of advanced materials. <i>Science Advances</i> , 2016, 2, e1601014. | 4.7 | 200 |
| 281 | Indirect Fabrication of Lattice Metals with Thin Sections Using Centrifugal Casting. <i>Journal of Visualized Experiments</i> , 2016, , . | 0.2 | 3 |
| 282 | Fabrication of Micron-Scale Cylindrical Tubes by Two-Photon Polymerization. <i>Fusion Science and Technology</i> , 2016, 70, 310-315. | 0.6 | 9 |
| 283 | Corrosion-Induced Strengthening: Development of High-Strength Nanoporous Metals. <i>Advanced Engineering Materials</i> , 2016, 18, 1050-1058. | 1.6 | 22 |
| 284 | Bestow metal foams with nanostructured surfaces via a convenient electrochemical method for improved device performance. <i>Nano Research</i> , 2016, 9, 2364-2371. | 5.8 | 12 |
| 285 | Geometric and Chemical Composition Effects on Healing Kinetics of Voids in Mg-bearing Al Alloys. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2016, 47, 2410-2420. | 1.1 | 6 |
| 286 | Additively-manufactured metallic micro-lattice materials for high specific energy absorption under static and dynamic loading. <i>Acta Materialia</i> , 2016, 116, 14-28. | 3.8 | 507 |
| 287 | Mechanical performance of hollow tetrahedral truss cores. <i>International Journal of Solids and Structures</i> , 2016, 91, 115-126. | 1.3 | 38 |
| 288 | Silane bonded graphene aerogels with tunable functionality and reversible compressibility. <i>Carbon</i> , 2016, 107, 573-582. | 5.4 | 83 |
| 289 | Solution-Processed Ultraelastic and Strong Air-Bubbled Graphene Foams. <i>Small</i> , 2016, 12, 3229-3234. | 5.2 | 83 |
| 290 | Tailored Buckling Microlattices as Reusable Lightweight Shock Absorbers. <i>Advanced Materials</i> , 2016, 28, 5865-5870. | 11.1 | 289 |
| 291 | High-Sensitivity Measurement of Density by Magnetic Levitation. <i>Analytical Chemistry</i> , 2016, 88, 2666-2674. | 3.2 | 60 |
| 292 | Mesoscale design of multifunctional 3D graphene networks. <i>Materials Today</i> , 2016, 19, 428-436. | 8.3 | 60 |
| 293 | Mechanical analyses of "Shellular", an ultralow-density material. <i>Acta Materialia</i> , 2016, 103, 595-607. | 3.8 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 294 | Scale-dependent failure of stereolithographic polymer microtrusses in three-point bending. <i>Journal of Composite Materials</i> , 2016, 50, 1739-1749. | 1.2 | 1 |
| 295 | Ultrafast Synthesis of Multifunctional N-Doped Graphene Foam in an Ethanol Flame. <i>ACS Nano</i> , 2016, 10, 453-462. | 7.3 | 119 |
| 296 | Tailoring of interiorly resonant band gaps in structurally square re-entrant honeycombs. <i>Journal of Sound and Vibration</i> , 2016, 372, 181-191. | 2.1 | 5 |
| 297 | Size Effects in the Mechanical Properties of Bulk Bicontinuous Ta/Cu Nanocomposites Made by Liquid Metal Dealloying. <i>Advanced Engineering Materials</i> , 2016, 18, 46-50. | 1.6 | 75 |
| 298 | Ultrafast Dynamic Piezoresistive Response of Graphene-Based Cellular Elastomers. <i>Advanced Materials</i> , 2016, 28, 194-200. | 11.1 | 171 |
| 299 | Smaller and stronger. <i>Nature Materials</i> , 2016, 15, 373-374. | 13.3 | 106 |
| 300 | Echoes from diffusion. <i>Nature Materials</i> , 2016, 15, 374-376. | 13.3 | 1 |
| 301 | Finite element prediction of effective elastic properties of interpenetrating phase composites with architected 3D sheet reinforcements. <i>International Journal of Solids and Structures</i> , 2016, 83, 169-182. | 1.3 | 94 |
| 302 | Approaching theoretical strength in glassy carbon nanolattices. <i>Nature Materials</i> , 2016, 15, 438-443. | 13.3 | 488 |
| 303 | Metallic microlattice materials: A current state of the art on manufacturing, mechanical properties and applications. <i>Materials and Design</i> , 2016, 95, 518-533. | 3.3 | 282 |
| 304 | Design of lattice structures with controlled anisotropy. <i>Materials and Design</i> , 2016, 93, 443-447. | 3.3 | 212 |
| 305 | Optimal design of "Shellular", a micro-architected material with ultralow density. <i>Materials and Design</i> , 2016, 95, 490-500. | 3.3 | 33 |
| 306 | Three-dimensional flexible ceramics based on interconnected network of highly porous pure and metal alloyed ZnO tetrapods. <i>Ceramics International</i> , 2016, 42, 8664-8676. | 2.3 | 66 |
| 307 | Experimental response of additively manufactured metallic pentamode materials confined between stiffening plates. <i>Composite Structures</i> , 2016, 142, 254-262. | 3.1 | 96 |
| 308 | Additive manufacturing of polymer-derived ceramics. <i>Science</i> , 2016, 351, 58-62. | 6.0 | 811 |
| 309 | Super-elastic graphene/carbon nanotube aerogel: A novel thermal interface material with highly thermal transport properties. <i>Carbon</i> , 2016, 99, 222-228. | 5.4 | 163 |
| 310 | 3D metallic glass cellular structures. <i>Acta Materialia</i> , 2016, 105, 35-43. | 3.8 | 69 |
| 311 | Multifunctional nitrogen-doped graphene nanoribbon aerogels for superior lithium storage and cell culture. <i>Nanoscale</i> , 2016, 8, 2159-2167. | 2.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 312 | Super-elastic graphene/carbon nanotube aerogels and their application as a strain-gauge sensor. RSC Advances, 2016, 6, 11256-11261. | 1.7 | 44 |
| 313 | Self-assembly of 2D MnO ₂ nanosheets into high-purity aerogels with ultralow density. Chemical Science, 2016, 7, 1926-1932. | 3.7 | 40 |
| 314 | Structural engineering of three-dimensional phononic crystals. Journal of Sound and Vibration, 2016, 363, 156-165. | 2.1 | 63 |
| 315 | Ultralight, Strong, Three-Dimensional SiC Structures. ACS Nano, 2016, 10, 1871-1876. | 7.3 | 93 |
| 317 | Strong cellular lattices with nitro-carburized stainless steel hollow trusses. International Journal of Materials Research, 2016, 107, 57-77. | 0.1 | 6 |
| 318 | Topochemical molten salt synthesis for functional perovskite compounds. Chemical Science, 2016, 7, 855-865. | 3.7 | 65 |
| 319 | Fabrication of 3D Micro-Architected/Nano-Architected Materials. , 2016, , 345-373. | | 8 |
| 320 | Macroporous mesh of nanoporous gold in electrochemical monitoring of superoxide release from skeletal muscle cells. Biosensors and Bioelectronics, 2017, 88, 41-47. | 5.3 | 27 |
| 321 | Compensation strategy to reduce geometry and mechanics mismatches in porous biomaterials built with Selective Laser Melting. Journal of the Mechanical Behavior of Biomedical Materials, 2017, 70, 17-27. | 1.5 | 126 |
| 322 | Performance evaluation of multi-layered porous-medium micro heat exchangers with effects of slip condition and thermal non-equilibrium. Applied Thermal Engineering, 2017, 116, 516-527. | 3.0 | 30 |
| 323 | Topology optimization of energy absorbing structures with maximum damage constraint. International Journal for Numerical Methods in Engineering, 2017, 112, 737-775. | 1.5 | 55 |
| 324 | Moldable clay-like unit for synthesis of highly elastic polydimethylsiloxane sponge with nanofiller modification. RSC Advances, 2017, 7, 10479-10486. | 1.7 | 16 |
| 325 | Programmable Bidirectional Folding of Metallic Thin Films for 3D Chiral Optical Antennas. Advanced Materials, 2017, 29, 1606482. | 11.1 | 40 |
| 326 | Long-fiber reinforced thermoplastic composite lattice structures: Fabrication and compressive properties. Composites Part A: Applied Science and Manufacturing, 2017, 97, 41-50. | 3.8 | 32 |
| 327 | Nanocomposites for Extrinsic Self-healing Polymer Materials. Springer Series on Polymer and Composite Materials, 2017, , 243-279. | 0.5 | 2 |
| 328 | Mechanical properties of 3D printed polymeric cellular materials with triply periodic minimal surface architectures. Materials and Design, 2017, 122, 255-267. | 3.3 | 268 |
| 329 | Characteristics of mechanical metamaterials based on buckling elements. Journal of the Mechanics and Physics of Solids, 2017, 102, 151-164. | 2.3 | 114 |
| 330 | Thin-walled high temperature alloy structures fabricated from additively manufactured polymer templates. Materials and Design, 2017, 120, 291-297. | 3.3 | 15 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 331 | Highly Flexible Hybrid Polymer Aerogels and Xerogels Based on Resorcinol-Formaldehyde with Enhanced Elastic Stiffness and Recoverability: Insights into the Origin of Their Mechanical Properties. <i>Chemistry of Materials</i> , 2017, 29, 2122-2134. | 3.2 | 76 |
| 332 | 3D printing strong and conductive geo-polymer nanocomposite structures modified by graphene oxide. <i>Carbon</i> , 2017, 117, 421-426. | 5.4 | 154 |
| 333 | Biocompatible, Ultralight, Strong Hydroxyapatite Networks Based on Hydroxyapatite Microtubes with Excellent Permeability and Ultralow Thermal Conductivity. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7918-7928. | 4.0 | 41 |
| 334 | Stereo metamaterial with three dimensional meta-atoms fabricated by programmable stress induced deformation for optical modulation. , 2017, , . | | 3 |
| 335 | Impact response of additively manufactured metallic hybrid lattice materials. <i>International Journal of Impact Engineering</i> , 2017, 104, 177-191. | 2.4 | 134 |
| 336 | Three-dimensionally-architected GaN light emitting crystals. <i>CrystEngComm</i> , 2017, 19, 2007-2012. | 1.3 | 9 |
| 337 | Mechanics of Crystalline Nanowires: An Experimental Perspective. <i>Applied Mechanics Reviews</i> , 2017, 69, . | 4.5 | 43 |
| 338 | Mechanical properties of copper octet-truss nanolattices. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 101, 133-149. | 2.3 | 52 |
| 339 | Architected cellular ceramics with tailored stiffness via direct foam writing. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 1832-1837. | 3.3 | 187 |
| 340 | On the role of micro-inertia in enriched continuum mechanics. <i>Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences</i> , 2017, 473, 20160722. | 1.0 | 22 |
| 341 | Open-Cell Metallic Porous Materials Obtained Through Space Holdersâ€™Part I: Production Methods. A Review. <i>Journal of Manufacturing Science and Engineering, Transactions of the ASME</i> , 2017, 139, . | 1.3 | 22 |
| 342 | Smart Polymer Nanocomposites. <i>Springer Series on Polymer and Composite Materials</i> , 2017, , . | 0.5 | 17 |
| 343 | Lightweight Open-Cell Scaffolds from Sea Urchin Spines with Superior Material Properties for Bone Defect Repair. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 9862-9870. | 4.0 | 15 |
| 344 | Static non-reciprocity in mechanical metamaterials. <i>Nature</i> , 2017, 542, 461-464. | 13.7 | 237 |
| 345 | Thermal wave: from nonlocal continuum to molecular dynamics. <i>RSC Advances</i> , 2017, 7, 13623-13636. | 1.7 | 29 |
| 346 | Rapid Fabrication of Low-Density Porous Tin Monolith via Hydrogen Bulb Dynamics Templates. <i>International Journal of Nanoscience</i> , 2017, 16, 1750016. | 0.4 | 0 |
| 347 | Ultra-highâ€Waterâ€Content, Superelastic, and Shapeâ€Memory Nanofiberâ€Assembled Hydrogels Exhibiting Pressureâ€Responsive Conductivity. <i>Advanced Materials</i> , 2017, 29, 1700339. | 11.1 | 206 |
| 348 | Intrinsic Notch Effect Leads to Breakdown of Griffith Criterion in Graphene. <i>Small</i> , 2017, 13, 1700028. | 5.2 | 7 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 349 | Re-entrant inclusions in cellular solids: From defects to reinforcements. <i>Composite Structures</i> , 2017, 176, 195-204. | 3.1 | 20 |
| 350 | Sound transmission loss characteristics of sandwich panels with a truss lattice core. <i>Journal of the Acoustical Society of America</i> , 2017, 141, 2921-2932. | 0.5 | 26 |
| 351 | Ultralight-micropore amorphous foams: Synthesis, morphology and compressive property. <i>Materials Letters</i> , 2017, 201, 125-128. | 1.3 | 1 |
| 352 | Mechanicallyâ€Guided Deterministic Assembly of 3D Mesostructures Assisted by Residual Stresses. <i>Small</i> , 2017, 13, 1700151. | 5.2 | 32 |
| 353 | Prominent adsorption performance of amino-functionalized ultra-light graphene aerogel for methyl orange and amaranth. <i>Chemical Engineering Journal</i> , 2017, 324, 1-9. | 6.6 | 88 |
| 354 | Toward Modular Active-Cell Robots (MACROs): SMA Cell Design and Modeling of Compliant, Articulated Meshes. <i>IEEE Transactions on Robotics</i> , 2017, 33, 796-806. | 7.3 | 8 |
| 355 | Improved Li ⁺ Storage through Homogeneous Nâ€Doping within Highly Branched Tubular Graphitic Foam. <i>Advanced Materials</i> , 2017, 29, 1603692. | 11.1 | 113 |
| 356 | Offenzellige SchwÃmme mit niedrigen Dichten als Funktionsmaterialien. <i>Angewandte Chemie</i> , 2017, 129, 15726-15745. | 1.6 | 7 |
| 357 | Biomimetic Architected Graphene Aerogel with Exceptional Strength and Resilience. <i>ACS Nano</i> , 2017, 11, 6817-6824. | 7.3 | 297 |
| 358 | Shape Control of Compliant, Articulated Meshes: Towards Modular Active-Cell Robots (MACROs). <i>IEEE Robotics and Automation Letters</i> , 2017, 2, 1878-1884. | 3.3 | 10 |
| 359 | Ultralight, scalable, and high-temperatureâ€resilient ceramic nanofiber sponges. <i>Science Advances</i> , 2017, 3, e1603170. | 4.7 | 207 |
| 360 | Topology optimization of 3D shell structures with porous infill. <i>Acta Mechanica Sinica/Lixue Xuebao</i> , 2017, 33, 778-791. | 1.5 | 57 |
| 361 | Deposition-based synthesis of nickel-based superalloy microlattices. <i>Scripta Materialia</i> , 2017, 138, 28-31. | 2.6 | 12 |
| 362 | An ultralight and highly compressible anode for Li-ion batteries constructed from nitrogen-doped carbon enwrapped Fe ₃ O ₄ nanoparticles confined in a porous 3D nitrogen-doped graphene network. <i>Chemical Engineering Journal</i> , 2017, 326, 151-161. | 6.6 | 35 |
| 363 | Strong and resilient alumina nanotube and CNT/alumina hybrid foams with tuneable elastic properties. <i>RSC Advances</i> , 2017, 7, 27923-27931. | 1.7 | 10 |
| 364 | Flyweight, Superelastic, Electrically Conductive, and Flameâ€Retardant 3D Multiâ€Nanolayer Graphene/Ceramic Metamaterial. <i>Advanced Materials</i> , 2017, 29, 1605506. | 11.1 | 89 |
| 365 | Stress relaxation in polymeric microlattice materials. <i>Materials and Design</i> , 2017, 130, 433-441. | 3.3 | 19 |
| 366 | Lowâ€Density Open Cellular Sponges as Functional Materials. <i>Angewandte Chemie - International Edition</i> , 2017, 56, 15520-15538. | 7.2 | 168 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 367 | Kirigami pattern design of mechanically driven formation of complex 3D structures through topology optimization. <i>Extreme Mechanics Letters</i> , 2017, 15, 139-144. | 2.0 | 39 |
| 368 | Large deformation response of additively-manufactured FCC metamaterials: From octet truss lattices towards continuous shell mesostructures. <i>International Journal of Plasticity</i> , 2017, 92, 122-147. | 4.1 | 166 |
| 369 | Controlling shockwave dynamics using architecture in periodic porous materials. <i>Journal of Applied Physics</i> , 2017, 121, . | 1.1 | 36 |
| 370 | Printing, folding and assembly methods for forming 3D mesostructures in advanced materials. <i>Nature Reviews Materials</i> , 2017, 2, . | 23.3 | 463 |
| 371 | Direct metal writing: Controlling the rheology through microstructure. <i>Applied Physics Letters</i> , 2017, 110, . | 1.5 | 40 |
| 372 | Graphene/cellulose nanocrystals hybrid aerogel with tunable mechanical strength and hydrophilicity fabricated by ambient pressure drying technique. <i>RSC Advances</i> , 2017, 7, 16467-16473. | 1.7 | 35 |
| 373 | Facile synthesis of ultra-light graphene aerogels with super absorption capability for organic solvents and strain-sensitive electrical conductivity. <i>Chemical Engineering Journal</i> , 2017, 320, 539-548. | 6.6 | 58 |
| 374 | Harnessing Instabilities to Design Tunable Architected Cellular Materials. <i>Annual Review of Materials Research</i> , 2017, 47, 51-61. | 4.3 | 110 |
| 375 | Effects of pore design on mechanical properties of nanoporous silicon. <i>Acta Materialia</i> , 2017, 124, 127-136. | 3.8 | 29 |
| 376 | Three-dimensionally printed cellular architecture materials: perspectives on fabrication, material advances, and applications. <i>MRS Communications</i> , 2017, 7, 8-19. | 0.8 | 16 |
| 377 | Honeytubes: Hollow lattice truss reinforced honeycombs for crushing protection. <i>Composite Structures</i> , 2017, 160, 1147-1154. | 3.1 | 58 |
| 378 | Micropolar dissipative models for the analysis of 2D dispersive waves in periodic lattices. <i>Journal of Sound and Vibration</i> , 2017, 392, 325-345. | 2.1 | 27 |
| 379 | Free-Standing Networks of Core-Shell Metal and Metal Oxide Nanotubes for Glucose Sensing. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 771-781. | 4.0 | 41 |
| 380 | Designing graphene based nanofoams with nonlinear auxetic and anisotropic mechanical properties under tension or compression. <i>Carbon</i> , 2017, 111, 796-806. | 5.4 | 39 |
| 381 | MnO ₂ Framework for Instantaneous Mineralization of Carcinogenic Airborne Formaldehyde at Room Temperature. <i>ACS Catalysis</i> , 2017, 7, 1057-1067. | 5.5 | 197 |
| 382 | Micromechanics of Amorphous Metal/Polymer Hybrid Structures with 3D Cellular Architectures: Size Effects, Buckling Behavior, and Energy Absorption Capability. <i>Small</i> , 2017, 13, 1602514. | 5.2 | 76 |
| 383 | Multifunctional Superelastic Foam-Like Boron Nitride Nanotubular Cellular-Network Architectures. <i>ACS Nano</i> , 2017, 11, 558-568. | 7.3 | 110 |
| 384 | Constructing Three-Dimensional Mesoporous Bouquet-Posy-like TiO ₂ Superstructures with Radially Oriented Mesochannels and Single-Crystal Walls. <i>Journal of the American Chemical Society</i> , 2017, 139, 517-526. | 6.6 | 76 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 385 | Progress in 3D Printing of Carbon Materials for Energy-Related Applications. <i>Advanced Materials</i> , 2017, 29, 1603486. | 11.1 | 364 |
| 386 | Harnessing mechanical instabilities at the nanoscale to achieve ultra-low stiffness metals. <i>Nature Communications</i> , 2017, 8, 1137. | 5.8 | 11 |
| 387 | Simple and efficient analyses of micro-architected cellular elastic-plastic materials with tubular members. <i>International Journal of Plasticity</i> , 2017, 99, 186-220. | 4.1 | 6 |
| 388 | Broadband and multiband vibration mitigation in lattice metamaterials with sinusoidally-shaped ligaments. <i>Extreme Mechanics Letters</i> , 2017, 17, 24-32. | 2.0 | 77 |
| 389 | Pyrophoric Nanomaterials. <i>Challenges and Advances in Computational Chemistry and Physics</i> , 2017, , 135-170. | 0.6 | 0 |
| 390 | Stretchable 3D lattice conductors. <i>Soft Matter</i> , 2017, 13, 7731-7739. | 1.2 | 13 |
| 391 | Direct Laser Writing of Low-Density Interdigitated Foams for Plasma Drive Shaping. <i>Advanced Functional Materials</i> , 2017, 27, 1702425. | 7.8 | 44 |
| 392 | Elastic architected materials with extreme damping capacity. <i>Extreme Mechanics Letters</i> , 2017, 17, 56-61. | 2.0 | 57 |
| 393 | Drastically Enhancing Moduli of Graphene-Coated Carbon Nanotube Aerogels via Densification while Retaining Temperature-Invariant Superelasticity and Ultrahigh Efficiency. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37954-37961. | 4.0 | 4 |
| 394 | A fast, efficient direct slicing method for slender member structures. <i>Additive Manufacturing</i> , 2017, 18, 213-220. | 1.7 | 6 |
| 395 | A Microscopic Shell Structure with Schwarz's D-Surface. <i>Scientific Reports</i> , 2017, 7, 13405. | 1.6 | 32 |
| 396 | 3D printing technologies for electrochemical energy storage. <i>Nano Energy</i> , 2017, 40, 418-431. | 8.2 | 351 |
| 397 | Ultralight, Thermally Insulating, Compressible Polyimide Fiber Assembled Sponges. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32308-32315. | 4.0 | 184 |
| 398 | Reexamining the mechanical property space of three-dimensional lattice architectures. <i>Acta Materialia</i> , 2017, 140, 424-432. | 3.8 | 179 |
| 399 | Template-Free Electroless Plating of Gold Nanowires: Direct Surface Functionalization with Shape-Selective Nanostructures for Electrochemical Applications. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 31142-31152. | 4.0 | 29 |
| 400 | Nanocrystalline Aluminum Truss Cores for Lightweight Sandwich Structures. <i>Jom</i> , 2017, 69, 2626-2634. | 0.9 | 5 |
| 401 | Ultra-light hierarchical meta-materials on a body-centred cubic lattice. <i>Europhysics Letters</i> , 2017, 119, 14001. | 0.7 | 6 |
| 402 | Slower icosahedral cluster rejuvenation drives the brittle-to-ductile transition in nanoscale metallic glasses. <i>Computational Materials Science</i> , 2017, 140, 235-243. | 1.4 | 19 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 403 | Harnessing out-of-plane deformation to design 3D architected lattice metamaterials with tunable Poisson's ratio. Scientific Reports, 2017, 7, 8949. | 1.6 | 50 |
| 404 | 3D printed stretching-dominated micro-trusses. Materials and Design, 2017, 134, 272-280. | 3.3 | 94 |
| 405 | Continuous lattice fabrication of ultra-lightweight composite structures. Additive Manufacturing, 2017, 18, 48-57. | 1.7 | 52 |
| 406 | Large-Area Nanolattice Film with Enhanced Modulus, Hardness, and Energy Dissipation. Scientific Reports, 2017, 7, 9145. | 1.6 | 14 |
| 407 | Nanolattices: An Emerging Class of Mechanical Metamaterials. Advanced Materials, 2017, 29, 1701850. | 11.1 | 356 |
| 408 | Ultralight Conductive Silver Nanowire Aerogels. Nano Letters, 2017, 17, 7171-7176. | 4.5 | 163 |
| 409 | Development of ultralight, super-elastic, hierarchical metallic meta-structures with i3DP technology. Nanotechnology, 2017, 28, 455708. | 1.3 | 7 |
| 410 | Extremely Low Density and Super-Compressible Graphene Cellular Materials. Advanced Materials, 2017, 29, 1701553. | 11.1 | 126 |
| 411 | Cellular carbon microstructures developed by using stereolithography. Carbon, 2017, 123, 34-44. | 5.4 | 31 |
| 412 | Topology optimization of multiphase architected materials for energy dissipation. Computer Methods in Applied Mechanics and Engineering, 2017, 325, 314-329. | 3.4 | 37 |
| 413 | Microstructure Design of Lightweight, Flexible, and High Electromagnetic Shielding Porous Multiwalled Carbon Nanotube/Polymer Composites. Small, 2017, 13, 1701388. | 5.2 | 163 |
| 414 | Electrodeposited high strength, thermally stable spectrally selective rhenium nickel inverse opals. Nanoscale, 2017, 9, 11187-11194. | 2.8 | 14 |
| 415 | A Survey of Modeling of Lattice Structures Fabricated by Additive Manufacturing. Journal of Mechanical Design, Transactions of the ASME, 2017, 139, . | 1.7 | 195 |
| 416 | Nanoporous Metals with Structural Hierarchy: A Review. Advanced Engineering Materials, 2017, 19, 1700389. | 1.6 | 103 |
| 417 | Ultra-lightweight and highly porous carbon aerogels from bamboo pulp fibers as an effective sorbent for water treatment. Results in Physics, 2017, 7, 2919-2924. | 2.0 | 46 |
| 418 | Design of the P-surfaced shellular, an ultra-low density material with micro-architecture. Computational Materials Science, 2017, 139, 162-178. | 1.4 | 34 |
| 419 | 3D Printing Hierarchical Silver Nanowire Aerogel with Highly Compressive Resilience and Tensile Elongation through Tunable Poisson's Ratio. Small, 2017, 13, 1701756. | 5.2 | 68 |
| 420 | Mussel-Inspired Self-Healing of Ultralight Magnetic Frameworks. ACS Sustainable Chemistry and Engineering, 2017, 5, 7905-7911. | 3.2 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 424 | In Situ Mechanical Characterization of Structural Bamboo Materials under Flexural Bending. <i>Experimental Techniques</i> , 2017, 41, 565-575. | 0.9 | 24 |
| 425 | Three-dimensional mechanical metamaterials with a twist. <i>Science</i> , 2017, 358, 1072-1074. | 6.0 | 658 |
| 426 | Fabrication of regular polystyrene foam structures with selective laser sintering. <i>Materials Today Communications</i> , 2017, 13, 346-353. | 0.9 | 9 |
| 427 | Enabling Simultaneous Extreme Ultra Low- κ in Stiff, Resilient, and Thermally Stable Nano-Architected Materials. <i>Nano Letters</i> , 2017, 17, 7737-7743. | 4.5 | 30 |
| 428 | Electroless Deposition of Palladium on Macroscopic 3D-Printed Polymers with Dense Microlattice Architectures for Development of Multifunctional Composite Materials. <i>Journal of the Electrochemical Society</i> , 2017, 164, D867-D874. | 1.3 | 15 |
| 429 | Selective electroless plating of 3D-printed plastic structures for three-dimensional microwave metamaterials. <i>Applied Physics Letters</i> , 2017, 111, . | 1.5 | 17 |
| 430 | Microtruss structures with enhanced elasticity fabricated through visible light photocuring. <i>Results in Physics</i> , 2017, 7, 2194-2196. | 2.0 | 5 |
| 431 | Elastic and failure response of imperfect three-dimensional metallic lattices: the role of geometric defects induced by Selective Laser Melting. <i>Journal of the Mechanics and Physics of Solids</i> , 2017, 107, 160-184. | 2.3 | 352 |
| 432 | Super-carbon spring: a biomimetic design. <i>Science China Materials</i> , 2017, 60, 186-187. | 3.5 | 2 |
| 433 | Ultralight and Flexible MWNTs/Polyimide Hybrid Aerogels for Elastic Conductors. <i>Macromolecular Materials and Engineering</i> , 2017, 302, 1700082. | 1.7 | 14 |
| 434 | Role of dislocation pile-ups in nucleation-controlled size-dependent strength of Fe nanowires. <i>Acta Materialia</i> , 2017, 136, 190-201. | 3.8 | 22 |
| 435 | Wall-thickness-dependent strength of nanotubular ZnO. <i>Scientific Reports</i> , 2017, 7, 4327. | 1.6 | 6 |
| 436 | Multifunctional Bionanocomposite Foams with a Chitosan Matrix Reinforced by Nanofibrillated Cellulose. <i>ChemNanoMat</i> , 2017, 3, 98-108. | 1.5 | 37 |
| 437 | The indentation response of Nickel nano double gyroid lattices. <i>Extreme Mechanics Letters</i> , 2017, 10, 15-23. | 2.0 | 28 |
| 438 | Fire protection design for composite lattice sandwich structure. <i>Science and Engineering of Composite Materials</i> , 2017, 24, 919-927. | 0.6 | 7 |
| 439 | Local and nonlocal continuum modeling of inelastic periodic networks applied to stretching-dominated trusses. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 313, 85-105. | 3.4 | 14 |
| 441 | Tailoring Graphene Oxide-Based Aerogels for Efficient Solar Steam Generation under One Sun. <i>Advanced Materials</i> , 2017, 29, 1604031. | 11.1 | 711 |
| 442 | Iron and Nickel Cellular Structures by Sintering of 3D-Printed Oxide or Metallic Particle Inks. <i>Advanced Engineering Materials</i> , 2017, 19, 1600365. | 1.6 | 68 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 443 | Towards three-dimensional optical metamaterials. <i>Nano Convergence</i> , 2017, 4, 34. | 6.3 | 25 |
| 444 | Silica film deposited on diamond-structured polymer microlattices by dip coating. <i>RSC Advances</i> , 2017, 7, 54668-54673. | 1.7 | 3 |
| 445 | Nearly exact and highly efficient elastic-plastic homogenization and/or direct numerical simulation of low-mass metallic systems with architected cellular microstructures. <i>Journal of Mechanics of Materials and Structures</i> , 2017, 12, 633-665. | 0.4 | 6 |
| 446 | Evaluation of regular planar meshes for Modular Active Cell Robots (MACROs). , 2017, , . | | 1 |
| 447 | The Emerging Frontiers and Applications of High-Resolution 3D Printing. <i>Micromachines</i> , 2017, 8, 113. | 1.4 | 151 |
| 448 | Hierarchical Materials. , 2017, , 545-574. | | 6 |
| 449 | Impact behavior of negative stiffness honeycomb materials. <i>Journal of Materials Research</i> , 2018, 33, 290-299. | 1.2 | 58 |
| 450 | Irradiation Enhances Strength and Deformability of Nano-architected Metallic Glass. <i>Advanced Engineering Materials</i> , 2018, 20, 1701055. | 1.6 | 13 |
| 451 | Ultralight, Recoverable, and High-Temperature-Resistant SiC Nanowire Aerogel. <i>ACS Nano</i> , 2018, 12, 3103-3111. | 7.3 | 298 |
| 453 | Fabrication of macroporous reduced graphene oxide composite aerogels reinforced with chitosan for high bilirubin adsorption. <i>RSC Advances</i> , 2018, 8, 8338-8348. | 1.7 | 44 |
| 454 | Composite bending-dominated hollow nanolattices: A stiff, cyclable mechanical metamaterial. <i>Materials Today</i> , 2018, 21, 467-474. | 8.3 | 26 |
| 455 | A Bubble-Derived Strategy to Prepare Multiple Graphene-Based Porous Materials. <i>Advanced Functional Materials</i> , 2018, 28, 1705879. | 7.8 | 85 |
| 456 | Minimal surface designs for porous materials: from microstructures to mechanical properties. <i>Journal of Materials Science</i> , 2018, 53, 10194-10208. | 1.7 | 79 |
| 457 | Mechanical Enhancement of Core-Shell Microlattices through High-Entropy Alloy Coating. <i>Scientific Reports</i> , 2018, 8, 5442. | 1.6 | 30 |
| 458 | Tunable rotating-mode density measurement using magnetic levitation. <i>Applied Physics Letters</i> , 2018, 112, . | 1.5 | 18 |
| 459 | A flyweight and superelastic graphene aerogel as a high-capacity adsorbent and highly sensitive pressure sensor. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9074-9080. | 5.2 | 114 |
| 460 | Metallized compliant 3D microstructures for dry contact thermal conductance enhancement. <i>Journal of Micromechanics and Microengineering</i> , 2018, 28, 055005. | 1.5 | 2 |
| 461 | Determination of Strain Rate Sensitivity of Micro-struts Manufactured Using the Selective Laser Melting Method. <i>Journal of Materials Engineering and Performance</i> , 2018, 27, 1016-1032. | 1.2 | 28 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 462 | Strain hardening reduces energy absorption efficiency of austenitic stainless steel foams while porosity does not. <i>Materials and Design</i> , 2018, 143, 297-308. | 3.3 | 35 |
| 463 | Enhancing the tensile properties of EBM as-built thin parts: Effect of HIP and chemical etching. <i>Materials Characterization</i> , 2018, 143, 82-93. | 1.9 | 55 |
| 464 | Lattice materials composed by curved struts exhibit adjustable macroscopic stress-strain curves. <i>Materials Today Communications</i> , 2018, 14, 273-281. | 0.9 | 23 |
| 465 | Design and mechanical properties of elastically isotropic trusses. <i>Journal of Materials Research</i> , 2018, 33, 249-263. | 1.2 | 46 |
| 466 | The effect of architecture on the mechanical properties of cellular structures based on the IWP minimal surface. <i>Journal of Materials Research</i> , 2018, 33, 343-359. | 1.2 | 94 |
| 467 | Deformation behavior and energy absorption capability of polymer and ceramic-polymer composite microlattices under cyclic loading. <i>Journal of Materials Research</i> , 2018, 33, 274-289. | 1.2 | 32 |
| 468 | Improved neuron culture using scaffolds made of three-dimensional PDMS micro-lattices. <i>Biomedical Materials (Bristol)</i> , 2018, 13, 034105. | 1.7 | 14 |
| 469 | Mechanical Behavior of Three-Dimensional Braided Nickel-Based Superalloys Synthesized via Pack Cementation. <i>Metallurgical and Materials Transactions A: Physical Metallurgy and Materials Science</i> , 2018, 49, 817-821. | 1.1 | 0 |
| 470 | Acoustic Tamm states of three-dimensional solid-fluid phononic crystals. <i>Journal of the Acoustical Society of America</i> , 2018, 143, 756-764. | 0.5 | 12 |
| 471 | Additive manufacturing of 3D nano-architected metals. <i>Nature Communications</i> , 2018, 9, 593. | 5.8 | 372 |
| 472 | Highly compressible ultra-light anisotropic cellulose/graphene aerogel fabricated by bidirectional freeze drying for selective oil absorption. <i>Carbon</i> , 2018, 132, 199-209. | 5.4 | 278 |
| 473 | Architected Lattices with High Stiffness and Toughness via Multicore-Shell 3D Printing. <i>Advanced Materials</i> , 2018, 30, e1705001. | 11.1 | 127 |
| 474 | Flaw-Containing Alumina Hollow Nanostructures Have Ultrahigh Fracture Strength To Be Incorporated into High-Efficiency GaN Light-Emitting Diodes. <i>Nano Letters</i> , 2018, 18, 1323-1330. | 4.5 | 9 |
| 475 | Structural and thermal analysis of integrated thermal protection systems with C/SiC composite cellular core sandwich panels. <i>Applied Thermal Engineering</i> , 2018, 131, 209-220. | 3.0 | 47 |
| 476 | Experimental investigation of composite pyramidal truss core sandwich panels with lightweight inserts. <i>Composite Structures</i> , 2018, 187, 336-343. | 3.1 | 41 |
| 477 | Elastically-isotropic truss lattice materials of reduced plastic anisotropy. <i>International Journal of Solids and Structures</i> , 2018, 138, 24-39. | 1.3 | 128 |
| 478 | Nanoscale 3D ordered polymer networks. <i>Science China Chemistry</i> , 2018, 61, 25-32. | 4.2 | 16 |
| 479 | Superelastic and Arbitrary-Shaped Graphene Aerogels with Sacrificial Skeleton of Melamine Foam for Varied Applications. <i>Advanced Functional Materials</i> , 2018, 28, 1704674. | 7.8 | 155 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 480 | Mechanical metamaterials associated with stiffness, rigidity and compressibility: A brief review. <i>Progress in Materials Science</i> , 2018, 94, 114-173. | 16.0 | 629 |
| 481 | Confined Chemical Fluid Deposition of Ferromagnetic Metalattices. <i>Nano Letters</i> , 2018, 18, 546-552. | 4.5 | 21 |
| 482 | Effects of titanium dioxide and tartrazine lake on Z-axis resolution and physical properties of resins printed by visible-light 3D printers. <i>Rapid Prototyping Journal</i> , 2018, 24, 160-165. | 1.6 | 6 |
| 483 | Auxetic metamaterials and structures: a review. <i>Smart Materials and Structures</i> , 2018, 27, 023001. | 1.8 | 657 |
| 484 | Dealloyed nanoporous materials with interface-controlled behavior. <i>MRS Bulletin</i> , 2018, 43, 14-19. | 1.7 | 92 |
| 485 | Pathway towards Programmable Wave Anisotropy in Cellular Metamaterials. <i>Physical Review Applied</i> , 2018, 9, . | 1.5 | 10 |
| 486 | Carbon nanotube aerogelâ€“CoS ₂ hybrid catalytic counter electrodes for enhanced photovoltaic performance dye-sensitized solar cells. <i>Nanoscale</i> , 2018, 10, 4194-4201. | 2.8 | 69 |
| 487 | Three-Dimensional Macroporous Nanoelectronics Scaffold Innervated Synthetic Tissue. <i>Springer Theses</i> , 2018, , 39-63. | 0.0 | 1 |
| 488 | Size of graphene sheets determines the structural and mechanical properties of 3D graphene foams. <i>Nanotechnology</i> , 2018, 29, 104001. | 1.3 | 29 |
| 489 | The effect of manufacturing defects on compressive strength of ultralight hollow microlattices: A data-driven study. <i>Additive Manufacturing</i> , 2018, 19, 51-61. | 1.7 | 17 |
| 490 | Design, analysis and manufacturing of lattice structures: an overview. <i>International Journal of Computer Integrated Manufacturing</i> , 2018, 31, 243-261. | 2.9 | 198 |
| 491 | Solid State Porous Metal Production: A Review of the Capabilities, Characteristics, and Challenges. <i>Advanced Engineering Materials</i> , 2018, 20, 1700766. | 1.6 | 68 |
| 492 | A mechanism for energy absorption: Sequential micro-kinking in ceramic reinforced aluminum alloy lattices during out-of-plane compression. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2018, 716, 11-22. | 2.6 | 7 |
| 493 | Ultralight cellular composite materials with architected geometrical structure. <i>Composite Structures</i> , 2018, 196, 181-198. | 3.1 | 8 |
| 494 | Multi-stable mechanical metamaterials with shape-reconfiguration and zero Poisson's ratio. <i>Materials and Design</i> , 2018, 152, 181-190. | 3.3 | 93 |
| 495 | Ultralight and fire-resistant ceramic nanofibrous aerogels with temperature-invariant superelasticity. <i>Science Advances</i> , 2018, 4, eaas8925. | 4.7 | 414 |
| 496 | Robust Nanofibrillated Cellulose Hydro/Aerogels from Benign Solution/Solvent Exchange Treatment. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 6624-6634. | 3.2 | 41 |
| 497 | Highâ€“Speed 3D Printing of Millimeterâ€“Size Customized Aspheric Imaging Lenses with Sub 7 nm Surface Roughness. <i>Advanced Materials</i> , 2018, 30, e1705683. | 11.1 | 98 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 498 | Ultrahigh Damping Capacities in Lightweight Structural Materials. Nano Letters, 2018, 18, 2519-2524. | 4.5 | 27 |
| 499 | An effective length model for octet lattice. International Journal of Mechanical Sciences, 2018, 140, 279-287. | 3.6 | 39 |
| 500 | Superior microwave absorption properties of ultralight reduced graphene oxide/black phosphorus aerogel. Nanotechnology, 2018, 29, 235604. | 1.3 | 41 |
| 501 | Mechanical properties and deformation behavior of additively manufactured lattice structures of stainless steel. Materials and Design, 2018, 145, 205-217. | 3.3 | 150 |
| 502 | Carbon origami: A method to fabricate lightweight carbon cellular materials. Carbon, 2018, 133, 140-149. | 5.4 | 25 |
| 503 | Arch-inspired super-elastic carbon materials. National Science Review, 2018, 5, 3-4. | 4.6 | 0 |
| 504 | Response of a nanofluid system based on a porous medium to an impact loading. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2018, 537, 540-548. | 2.3 | 9 |
| 505 | A double perturbation method of postbuckling analysis in 2D curved beams for assembly of 3D ribbon-shaped structures. Journal of the Mechanics and Physics of Solids, 2018, 111, 215-238. | 2.3 | 48 |
| 506 | Ultralight and resilient Al ₂ O ₃ nanotube aerogels with low thermal conductivity. Journal of the American Ceramic Society, 2018, 101, 1677-1683. | 1.9 | 61 |
| 507 | Mechanical properties and failure mechanisms of sandwich panels with ultra-lightweight three-dimensional hierarchical lattice cores. International Journal of Solids and Structures, 2018, 132-133, 171-187. | 1.3 | 59 |
| 508 | Preparation and structural evolution of SiOC preceramic aerogel during high-temperature treatment. Ceramics International, 2018, 44, 563-570. | 2.3 | 48 |
| 509 | Ni-Mn-Ga micro-trusses via sintering of 3D-printed inks containing elemental powders. Acta Materialia, 2018, 143, 20-29. | 3.8 | 66 |
| 510 | 3D printed hierarchical honeycombs with shape integrity under large compressive deformations. Materials and Design, 2018, 137, 226-234. | 3.3 | 189 |
| 511 | On hierarchical honeycombs under out-of-plane crushing. International Journal of Solids and Structures, 2018, 135, 1-13. | 1.3 | 168 |
| 512 | High-Entropy Alloy (HEA)-Coated Nanolattice Structures and Their Mechanical Properties. Advanced Engineering Materials, 2018, 20, 1700625. | 1.6 | 56 |
| 513 | Analytical models of the geometric properties of solid and hollow architected lattice cellular materials. Journal of Materials Research, 2018, 33, 264-273. | 1.2 | 5 |
| 514 | Hybrid Hollow Microlattices With Unique Combination of Stiffness and Damping. Journal of Engineering Materials and Technology, Transactions of the ASME, 2018, 140, . | 0.8 | 20 |
| 515 | A monolithic sandwich panel with microlattice core. Acta Materialia, 2018, 144, 822-834. | 3.8 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 516 | Fabrication of diamond-structured composite materials with Ni-P-diamond particles by electroless plating. <i>Materials Letters</i> , 2018, 215, 242-245. | 1.3 | 34 |
| 517 | Vibration of mechanically-assembled 3D microstructures formed by compressive buckling. <i>Journal of the Mechanics and Physics of Solids</i> , 2018, 112, 187-208. | 2.3 | 44 |
| 518 | Evaluating sputter deposited metal coatings on 3D printed polymer micro-truss structures. <i>Materials and Design</i> , 2018, 140, 442-450. | 3.3 | 34 |
| 519 | Hybrid electrolytes with 3D bicontinuous ordered ceramic and polymer microchannels for all-solid-state batteries. <i>Energy and Environmental Science</i> , 2018, 11, 185-201. | 15.6 | 252 |
| 520 | Biomimetics Through Nanoelectronics. Springer Theses, 2018, , . | 0.0 | 3 |
| 521 | Sintering of micro-trusses created by extrusion-3D-printing of lunar regolith inks. <i>Acta Astronautica</i> , 2018, 143, 1-8. | 1.7 | 64 |
| 522 | Additively-manufactured lightweight Metamaterials for energy absorption. <i>Materials and Design</i> , 2018, 139, 521-530. | 3.3 | 209 |
| 523 | Three-Dimensional Nanoprinting via Direct Delivery. <i>Journal of Physical Chemistry B</i> , 2018, 122, 956-962. | 1.2 | 36 |
| 524 | A level set method for shape and topology optimization of coated structures. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 329, 553-574. | 3.4 | 64 |
| 525 | Effect of phosphorus content on mechanical properties of polymeric nickel composite materials with a diamond-structure microlattice. <i>RSC Advances</i> , 2018, 8, 33025-33029. | 1.7 | 6 |
| 526 | Multifunctional structural polymer electrolytes via interpenetrating truss structures. <i>Multifunctional Materials</i> , 2018, 1, 015005. | 2.4 | 8 |
| 527 | Mechanical properties of sandwich composites with 3d-printed auxetic and non-auxetic lattice cores under low velocity impact. <i>Materials and Design</i> , 2018, 160, 1305-1321. | 3.3 | 145 |
| 528 | Impact of the Lattice Angle on the Effective Properties of the Octet-Truss Lattice Structure. <i>Journal of Engineering Materials and Technology, Transactions of the ASME</i> , 2018, 140, , . | 0.8 | 16 |
| 529 | Field responsive mechanical metamaterials. <i>Science Advances</i> , 2018, 4, eaau6419. | 4.7 | 154 |
| 530 | Mechanical behavior of Microlattice with or without in-plane elements added on the outer faces. <i>International Journal of Mechanical Sciences</i> , 2018, 149, 311-325. | 3.6 | 3 |
| 531 | Towards in-situ high precision local material velocity measurements in lattice materials under dynamic compression. <i>AIP Conference Proceedings</i> , 2018, , . | 0.3 | 4 |
| 532 | Lightweight Microlattice With Tunable Mechanical Properties Using 3D Printed Shape Memory Polymer. , 2018, , . | | 0 |
| 533 | Emergence of New Densityâ€“Strength Scaling Law in 3D Hollow Ceramic Nanoarchitectures. <i>Small</i> , 2018, 14, e1802239. | 5.2 | 21 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 534 | A nanolattice-plate hybrid structure to achieve a nearly linear relation between stiffness/strength and density. <i>Materials and Design</i> , 2018, 160, 496-502. | 3.3 | 7 |
| 535 | Fully Controllable Design and Fabrication of Three-Dimensional Lattice Supercapacitors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 39839-39850. | 4.0 | 50 |
| 536 | Bioinspired Hierarchical Designs for Stiff, Strong Interfaces between Materials of Differing Stiffness. <i>Physical Review Applied</i> , 2018, 10, . | 1.5 | 6 |
| 537 | Scalable Fabrication of Thermally Insulating Mechanically Resilient Hierarchically Porous Polymer Foams. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 38410-38417. | 4.0 | 74 |
| 538 | Super-compressible, fatigue resistant and anisotropic carbon aerogels for piezoresistive sensors. <i>Cellulose</i> , 2018, 25, 7329-7340. | 2.4 | 46 |
| 539 | Stiffness-independent Toughening of Beams through Coaxial Interfaces. <i>Advanced Science</i> , 2018, 5, 1800728. | 5.6 | 13 |
| 540 | Robotic Building. <i>Springer Series in Adaptive Environments</i> , 2018, , . | 0.3 | 9 |
| 541 | Additive Manufacturing through Galvanofarming of 3D Nickel Microarchitectures: Simulation-assisted Synthesis. <i>Advanced Materials Technologies</i> , 2018, 3, 1800274. | 3.0 | 13 |
| 542 | Rapid room-temperature self-healing conductive nanocomposites based on naturally dried graphene aerogels. <i>Journal of Materials Chemistry C</i> , 2018, 6, 10184-10191. | 2.7 | 11 |
| 543 | Ultra-low-density silver aerogels via freeze-substitution. <i>APL Materials</i> , 2018, 6, . | 2.2 | 16 |
| 544 | Metallic Glass Structures for Mechanical-Energy-Dissipation Purpose: A Review. <i>Metals</i> , 2018, 8, 689. | 1.0 | 26 |
| 545 | Hierarchical metal/polymer metamaterials of tunable negative Poisson's ratio fabricated by initiator-integrated 3D printing (i3DP). <i>Nanotechnology</i> , 2018, 29, 505704. | 1.3 | 15 |
| 546 | A Plesiohedral Cellular Network of Graphene Bubbles for Ultralight, Strong, and Superelastic Materials. <i>Advanced Materials</i> , 2018, 30, e1802997. | 11.1 | 27 |
| 547 | Multifunctional Polymer Nanocomposites Reinforced by 3D Continuous Ceramic Nanofillers. <i>ACS Nano</i> , 2018, 12, 9126-9133. | 7.3 | 44 |
| 548 | A simple, highly efficient route to electroless gold plating on complex 3D printed polyacrylate plastics. <i>Chemical Communications</i> , 2018, 54, 10463-10466. | 2.2 | 18 |
| 549 | Graphene aerogels that withstand extreme compressive stress and strain. <i>Nanoscale</i> , 2018, 10, 18291-18299. | 2.8 | 43 |
| 550 | Projection based light-directed electrophoretic deposition for additive manufacturing. <i>Additive Manufacturing</i> , 2018, 22, 330-333. | 1.7 | 8 |
| 551 | Stepwise synthesis of CoS ₂ @C@CoS ₂ yolk-shell nanocages with much enhanced electrocatalytic performances both in solar cells and hydrogen evolution reactions. <i>Journal of Materials Chemistry A</i> , 2018, 6, 12056-12065. | 5.2 | 49 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 552 | Monolithic nanofoam based on conjugated microporous polymer nanotubes with ultrahigh mechanical strength and flexibility for energy storage. <i>Journal of Materials Chemistry A</i> , 2018, 6, 11676-11681. | 5.2 | 46 |
| 553 | In-situ mechanics of 3D graphene foam based ultra-stiff and flexible metallic metamaterial. <i>Carbon</i> , 2018, 137, 502-510. | 5.4 | 25 |
| 554 | Ultra-light and Scalable Composite Lattice Materials. <i>Advanced Engineering Materials</i> , 2018, 20, 1800213. | 1.6 | 34 |
| 555 | Controlled mechanical assembly of complex 3D mesostructures and strain sensors by tensile buckling. <i>Npj Flexible Electronics</i> , 2018, 2, . | 5.1 | 31 |
| 556 | Vibration Tests of 3D Printed Satellite Structure Made of Lattice Sandwich Panels. <i>AIAA Journal</i> , 2018, 56, 4213-4217. | 1.5 | 45 |
| 557 | Tunable ultra low and broad acoustic absorption by controllable pyrolysis of fiber materials. <i>Materials Today Communications</i> , 2018, 16, 226-231. | 0.9 | 3 |
| 558 | Impact of node geometry on the effective stiffness of non-slender three-dimensional truss lattice architectures. <i>Extreme Mechanics Letters</i> , 2018, 22, 138-148. | 2.0 | 69 |
| 559 | Thermal Conductivity of Graphite Microlattices. , 2018, , . | | 0 |
| 560 | Novel Ion-Imprinted Carbon Material Induced by Hyperaccumulation Pathway for the Selective Capture of Uranium. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 28877-28886. | 4.0 | 45 |
| 561 | “Zylon”-Aerogels. <i>Macromolecular Materials and Engineering</i> , 2018, 303, 1800229. | 1.7 | 11 |
| 562 | 3D printed hierarchically-porous microlattice electrode materials for exceptionally high specific capacity and areal capacity lithium ion batteries. <i>Additive Manufacturing</i> , 2018, 23, 70-78. | 1.7 | 98 |
| 563 | Crushing behavior of multi-layer metal lattice panel fabricated by selective laser melting. <i>International Journal of Mechanical Sciences</i> , 2018, 145, 389-399. | 3.6 | 129 |
| 564 | Unconventional Janus Properties of Enokitake-like Gold Nanowire Films. <i>ACS Nano</i> , 2018, 12, 8717-8722. | 7.3 | 65 |
| 565 | A predictive micropolar continuum model for a novel three-dimensional chiral lattice with size effect and tension-twist coupling behavior. <i>Journal of the Mechanics and Physics of Solids</i> , 2018, 121, 23-46. | 2.3 | 95 |
| 566 | Structure-Dependent Analysis of Nanoporous Metals: Clues from Mechanical, Conduction, and Flow Properties. <i>Journal of Physical Chemistry C</i> , 2018, 122, 16803-16809. | 1.5 | 11 |
| 567 | Novel Negative Poisson’s Ratio Lattice Structures with Enhanced Stiffness and Energy Absorption Capacity. <i>Materials</i> , 2018, 11, 1095. | 1.3 | 54 |
| 568 | Theoretical search for heterogeneously architected 2D structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E7245-E7254. | 3.3 | 34 |
| 569 | Quasi-static and dynamic behavior of additively manufactured metallic lattice cylinders. <i>AIP Conference Proceedings</i> , 2018, , . | 0.3 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 570 | Effect of pre-load on wave propagation characteristics of hexagonal lattices. <i>Composite Structures</i> , 2018, 203, 361-372. | 3.1 | 17 |
| 571 | Compressive properties of hollow lattice truss reinforced honeycombs (Honeytubes) by additive manufacturing: Patterning and tube alignment effects. <i>Materials and Design</i> , 2018, 156, 446-457. | 3.3 | 75 |
| 572 | Ultralow Thermal Conductivity and Mechanical Resilience of Architected Nanolattices. <i>Nano Letters</i> , 2018, 18, 4755-4761. | 4.5 | 55 |
| 573 | Superelastic active graphene aerogels dried in natural environment for sensitive supercapacitor-type stress sensor. <i>Electrochimica Acta</i> , 2018, 283, 1390-1400. | 2.6 | 24 |
| 574 | Metal-coated hybrid meso-lattice composites and their mechanical characterizations. <i>Composite Structures</i> , 2018, 203, 750-763. | 3.1 | 40 |
| 575 | A general synthesis strategy for the multifunctional 3D polypyrrole foam of thin 2D nanosheets. <i>Frontiers of Materials Science</i> , 2018, 12, 105-117. | 1.1 | 4 |
| 576 | Buckling strength topology optimization of 2D periodic materials based on linearized bifurcation analysis. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2018, 339, 115-136. | 3.4 | 88 |
| 577 | Robust and Stable Cu Nanowire@Graphene Core-Shell Aerogels for Ultraeffective Electromagnetic Interference Shielding. <i>Small</i> , 2018, 14, e1800634. | 5.2 | 125 |
| 578 | Buckling, build orientation, and scaling effects in 3D printed lattices. <i>Materials Today Communications</i> , 2018, 17, 69-75. | 0.9 | 34 |
| 579 | Enhancement of the Mechanical Performance of Stainless Steel Micro Lattice Structures Using Electroless Plated Nickel Coatings. <i>Proceedings (mdpi)</i> , 2018, 2, 494. | 0.2 | 1 |
| 580 | From Architected Materials to Large-Scale Additive Manufacturing. <i>Springer Series in Adaptive Environments</i> , 2018, , 79-96. | 0.3 | 2 |
| 581 | Stiff auxetics: Hierarchy as a route to stiff, strong lattice based auxetic meta-materials. <i>Scientific Reports</i> , 2018, 8, 12437. | 1.6 | 47 |
| 582 | Reprogrammable 3D Mesostructures Through Compressive Buckling of Thin Films with Prestrained Shape Memory Polymer. <i>Acta Mechanica Solida Sinica</i> , 2018, 31, 589-598. | 1.0 | 17 |
| 583 | Approaching perfect energy absorption through structural hierarchy. <i>International Journal of Engineering Science</i> , 2018, 130, 12-32. | 2.7 | 92 |
| 584 | Three-Dimensional High-Entropy Alloy-Polymer Composite Nanolattices That Overcome the Strength-Recoverability Trade-off. <i>Nano Letters</i> , 2018, 18, 4247-4256. | 4.5 | 108 |
| 585 | Multi-material Additive Manufacturing of Metamaterials with Giant, Tailorable Negative Poisson's Ratios. <i>Scientific Reports</i> , 2018, 8, 9139. | 1.6 | 100 |
| 586 | Laser-driven shock compression of gold foam in the terapascal pressure range. <i>Physics of Plasmas</i> , 2018, 25, . | 0.7 | 5 |
| 587 | Isotropic Ti-6Al-4V lattice via topology optimization and electron-beam melting. <i>Additive Manufacturing</i> , 2018, 22, 634-642. | 1.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 588 | Holographic Fabrication of 3D Nanostructures. <i>Advanced Materials Interfaces</i> , 2018, 5, 1800330. | 1.9 | 17 |
| 589 | Microarchitected Stretching-Dominated Mechanical Metamaterials with Minimal Surface Topologies. <i>Advanced Engineering Materials</i> , 2018, 20, 1800029. | 1.6 | 138 |
| 590 | Laser-etch patterning of metal oxide coated carbon nanotube 3D architectures. <i>Nanotechnology</i> , 2018, 29, 335302. | 1.3 | 3 |
| 591 | Experimental and modeling study of compressive creep in 3D-woven Ni-based superalloys. <i>Acta Materialia</i> , 2018, 155, 236-244. | 3.8 | 3 |
| 592 | Nonfreeze-Drying Approach for Anisotropic Compression-Resilient Inorganic Aerogels by Guided Self-Assembly and Controlled Mineralization of Bacterial Cellulose. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 14591-14600. | 3.2 | 10 |
| 593 | Thermal Conductivity Measurement of Mesoscale Lattices Using Steady-State Infrared Thermography. , 2019, , . | | 0 |
| 594 | High-performance functional nanocomposites using 3D ordered and continuous nanostructures generated from proximity-field nanopatterning. <i>Functional Composites and Structures</i> , 2019, 1, 032002. | 1.6 | 27 |
| 595 | Advanced Compressible and Elastic 3D Monoliths beyond Hydrogels. <i>Advanced Functional Materials</i> , 2019, 29, 1904472. | 7.8 | 69 |
| 596 | Metal-Organic Frameworks in Modern Physics: Highlights and Perspectives. <i>Advanced Science</i> , 2019, 6, 1900506. | 5.6 | 71 |
| 597 | Compressive Response of Non-slender Octet Carbon Microlattices. <i>Frontiers in Materials</i> , 2019, 6, . | 1.2 | 14 |
| 598 | Multifunctional Mechanical Metamaterials Based on Triply Periodic Minimal Surface Lattices. <i>Advanced Engineering Materials</i> , 2019, 21, 1900524. | 1.6 | 353 |
| 599 | Cnoidal wave propagation in an elastic metamaterial. <i>Physical Review E</i> , 2019, 100, 013001. | 0.8 | 23 |
| 600 | A state-of-the-art review on types, design, optimization, and additive manufacturing of cellular structures. <i>International Journal of Advanced Manufacturing Technology</i> , 2019, 104, 3489-3510. | 1.5 | 292 |
| 601 | Self-Assembly of Ultrathin Nanocrystals to Multidimensional Superstructures. <i>Langmuir</i> , 2019, 35, 10246-10266. | 1.6 | 17 |
| 602 | Harnessing the interface mechanics of hard films and soft substrates for 3D assembly by controlled buckling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 15368-15377. | 3.3 | 54 |
| 603 | Improving mechanical performance of fused deposition modeling lattice structures by a snap-fitting method. <i>Materials and Design</i> , 2019, 181, 108065. | 3.3 | 37 |
| 604 | 3D Printing of Ultralight Biomimetic Hierarchical Graphene Materials with Exceptional Stiffness and Resilience. <i>Advanced Materials</i> , 2019, 31, e1902930. | 11.1 | 130 |
| 605 | Perspective of additive manufacturing for metamaterials development. <i>Smart Materials and Structures</i> , 2019, 28, 093001. | 1.8 | 65 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 606 | The extreme mechanics of micro- and nanoarchitected materials. MRS Bulletin, 2019, 44, 758-765. | 1.7 | 48 |
| 607 | Architected Polymer Foams via Direct Bubble Writing. Advanced Materials, 2019, 31, e1904668. | 11.1 | 82 |
| 608 | Additive Manufacturing of Ductile, Ultrastrong Polymer-Derived Nanoceramics. Matter, 2019, 1, 1547-1556. | 5.0 | 58 |
| 609 | Thermal transport in hollow metallic microlattices. APL Materials, 2019, 7, . | 2.2 | 16 |
| 610 | Multiscale modeling and optimization of the mechanics of hierarchical metamaterials. MRS Bulletin, 2019, 44, 773-781. | 1.7 | 40 |
| 611 | Fabrication and anti-crushing performance of hollow honeytubes. Composites Part B: Engineering, 2019, 179, 107522. | 5.9 | 16 |
| 612 | Three-dimensional architected materials and structures: Design, fabrication, and mechanical behavior. MRS Bulletin, 2019, 44, 750-757. | 1.7 | 65 |
| 613 | Role of the Crystal Lattice Structure in Predicting Fracture Toughness. Physical Review Letters, 2019, 123, 205503. | 2.9 | 5 |
| 614 | Bayesian Machine Learning in Metamaterial Design: Fragile Becomes Supercompressible. Advanced Materials, 2019, 31, e1904845. | 11.1 | 154 |
| 615 | Ultrahigh Energy Absorption Multifunctional Spinodal Nanoarchitectures. Small, 2019, 15, e1903834. | 5.2 | 38 |
| 616 | Fusing the Sethill strain tensors to fit compressible elastic material responses in the nonlinear regime. International Journal of Mechanical Sciences, 2019, 163, 105072. | 3.6 | 8 |
| 617 | Additive manufacturing and processing of architected materials. MRS Bulletin, 2019, 44, 782-788. | 1.7 | 17 |
| 618 | Review on design and structural optimisation in additive manufacturing: Towards next-generation lightweight structures. Materials and Design, 2019, 183, 108164. | 3.3 | 397 |
| 619 | Highly elastic conductive sponges by joule heat-driven selective polymer reinforcement at reduced graphene oxide junctions. Carbon, 2019, 155, 138-146. | 5.4 | 7 |
| 620 | Post-buckling and dynamic response of angled struts in elastic lattices. Journal of the Mechanics and Physics of Solids, 2019, 133, 103693. | 2.3 | 9 |
| 621 | Bio-inspired multistable metamaterials with reusable large deformation and ultra-high mechanical performance. Extreme Mechanics Letters, 2019, 32, 100548. | 2.0 | 50 |
| 622 | Topology optimization design of multi-scale structures with alterable microstructural length-width ratios. Composite Structures, 2019, 230, 111454. | 3.1 | 26 |
| 623 | Novel multi-stable mechanical metamaterials for trapping energy through shear deformation. International Journal of Mechanical Sciences, 2019, 164, 105168. | 3.6 | 52 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 624 | Stiff isotropic lattices beyond the Maxwell criterion. <i>Science Advances</i> , 2019, 5, eaaw1937. | 4.7 | 49 |
| 625 | New insights into nickel-free superelastic titanium alloys for biomedical applications. <i>Current Opinion in Solid State and Materials Science</i> , 2019, 23, 100783. | 5.6 | 36 |
| 626 | A nonlinear mechanics model of soft network metamaterials with unusual swelling behavior and tunable phononic band gaps. <i>Composites Science and Technology</i> , 2019, 183, 107822. | 3.8 | 28 |
| 627 | Deep 3D X-ray Lithography Based on High-Contrast Resist Layers. <i>Technical Physics Letters</i> , 2019, 45, 906-908. | 0.2 | 0 |
| 628 | Tunable Energy Absorption Characteristics of Architected Honeycombs Enabled via Additive Manufacturing. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42549-42560. | 4.0 | 60 |
| 629 | Realisation of a locally resonant metamaterial on the automobile panel structure to reduce noise radiation. <i>Mechanical Systems and Signal Processing</i> , 2019, 122, 206-231. | 4.4 | 80 |
| 630 | High strength metallic wood from nanostructured nickel inverse opal materials. <i>Scientific Reports</i> , 2019, 9, 719. | 1.6 | 36 |
| 631 | 3D metamaterials. <i>Nature Reviews Physics</i> , 2019, 1, 198-210. | 11.9 | 598 |
| 632 | Metallization of 3D Printed Polymers and Their Application as a Fully Functional Water-Splitting System. <i>Advanced Science</i> , 2019, 6, 1801670. | 5.6 | 55 |
| 633 | Additive manufacturing of self-healing elastomers. <i>NPG Asia Materials</i> , 2019, 11, . | 3.8 | 111 |
| 634 | A new coating filter of coated structure for topology optimization. <i>Structural and Multidisciplinary Optimization</i> , 2019, 60, 1527-1544. | 1.7 | 22 |
| 635 | Another stretching-dominated micro-architected material, shellular. <i>Materials Today</i> , 2019, 31, 31-38. | 8.3 | 23 |
| 636 | Random 3D-printed isotropic composites with high volume fraction of pore-like polydisperse inclusions and near-optimal elastic stiffness. <i>Acta Materialia</i> , 2019, 175, 331-340. | 3.8 | 36 |
| 637 | Mechanics of Chiral Honeycomb Architectures With Phase Transformations. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2019, 86, . | 1.1 | 10 |
| 638 | Fabrication of ultralight 3D porous composite for Ag nanowire/cellulose nanofiber with tunable mechanical and electrical properties via directional freeze casting. <i>Extreme Mechanics Letters</i> , 2019, 30, 100512. | 2.0 | 9 |
| 639 | Cubic negative stiffness lattice structure for energy absorption: Numerical and experimental studies. <i>International Journal of Solids and Structures</i> , 2019, 178-179, 127-135. | 1.3 | 61 |
| 640 | Effect of structural parameters on mechanical properties of Pyramidal Kagome lattice material under impact loading. <i>International Journal of Impact Engineering</i> , 2019, 132, 103313. | 2.4 | 28 |
| 641 | On the high-temperature crushing of metal foams. <i>International Journal of Solids and Structures</i> , 2019, 174-175, 18-27. | 1.3 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 642 | Postbuckling analyses of frame mesostructures consisting of straight ribbons for mechanically guided three-dimensional assembly. Proceedings of the Royal Society A: Mathematical, Physical and Engineering Sciences, 2019, 475, 20190012. | 1.0 | 5 |
| 643 | Highly Porous, Hydrophobic, and Compressible Cellulose Nanocrystals/Poly(vinyl alcohol) Aerogels as Recyclable Absorbents for Oil-Water Separation. ACS Sustainable Chemistry and Engineering, 2019, 7, 11118-11128. | 3.2 | 136 |
| 644 | Design concepts for generating optimised lattice structures aligned with strain trajectories. Computer Methods in Applied Mechanics and Engineering, 2019, 354, 689-705. | 3.4 | 29 |
| 645 | Hierarchical cellular scaffolds fabricated via direct foam writing using gelled colloidal particles-stabilized foams as the ink. Journal of the American Ceramic Society, 2019, 102, 6498-6506. | 1.9 | 16 |
| 646 | Design oriented constitutive modeling of amorphous shape memory polymers and Its application to multiple length scale lattice structures. Smart Materials and Structures, 2019, 28, 095030. | 1.8 | 12 |
| 647 | A phenomenological constitutive modelling of polyethylene foam under multiple impact conditions. Packaging Technology and Science, 2019, 32, 367-379. | 1.3 | 11 |
| 648 | Thermal conductivity of architected cellular metamaterials. Acta Materialia, 2019, 174, 61-80. | 3.8 | 66 |
| 649 | Lightweight architected hollow sphere foams for simultaneous noise and vibration control. Journal Physics D: Applied Physics, 2019, 52, 325303. | 1.3 | 13 |
| 650 | Recent progress in near-field nanolithography using light interactions with colloidal particles: from nanospheres to three-dimensional nanostructures. Nanotechnology, 2019, 30, 352002. | 1.3 | 50 |
| 651 | Programmable Granular Metamaterials for Reusable Energy Absorption. Advanced Functional Materials, 2019, 29, 1901258. | 7.8 | 44 |
| 652 | Quasi-static and dynamic compressive properties and deformation mechanisms of 3D printed polymeric cellular structures with Kelvin cells. International Journal of Impact Engineering, 2019, 132, 103303. | 2.4 | 72 |
| 653 | Development and implementation of an effective constitutive model for architected cellular iron-based shape memory alloys: Pressure dependency and transformation-plasticity interaction. Journal of Intelligent Material Systems and Structures, 2019, 30, 1789-1822. | 1.4 | 4 |
| 654 | Exact Representations and Geometric Queries for Lattice Structures with Quadrod Beams. CAD Computer Aided Design, 2019, 115, 64-77. | 1.4 | 7 |
| 655 | Programmed-Lattice Editor and accelerated processing of parametric program-representations of steady lattices. CAD Computer Aided Design, 2019, 113, 35-47. | 1.4 | 16 |
| 656 | Programmable, active lattice structures: Unifying stretch-dominated and bending-dominated topologies. Extreme Mechanics Letters, 2019, 29, 100461. | 2.0 | 50 |
| 657 | Large-area superelastic graphene aerogels based on a room-temperature reduction self-assembly strategy for sensing and particulate matter (PM _{2.5} and PM ₁₀) capture. Nanoscale, 2019, 11, 10372-10380. | 2.8 | 22 |
| 658 | Continuum models for stretching- and bending-dominated periodic trusses undergoing finite deformations. International Journal of Solids and Structures, 2019, 171, 117-134. | 1.3 | 27 |
| 659 | Multi-metal electrohydrodynamic redox 3D printing at the submicron scale. Nature Communications, 2019, 10, 1853. | 5.8 | 125 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 660 | Nanomechanics of low-dimensional materials for functional applications. <i>Nanoscale Horizons</i> , 2019, 4, 781-788. | 4.1 | 29 |
| 661 | Design 3D metamaterials with compression-induced-twisting characteristics using shear-compression coupling effects. <i>Extreme Mechanics Letters</i> , 2019, 29, 100471. | 2.0 | 39 |
| 662 | Metallic Microlattice Structures. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2019, , . | 0.2 | 9 |
| 663 | Lightweight, flaw-tolerant, and ultrastrong nanoarchitected carbon. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 6665-6672. | 3.3 | 158 |
| 664 | Effective property evaluation and analysis of three-dimensional periodic lattices and composites through Bloch-wave homogenization. <i>Journal of the Acoustical Society of America</i> , 2019, 145, 1259-1269. | 0.5 | 20 |
| 665 | Topology optimization for concurrent design of layer-wise graded lattice materials and structures. <i>International Journal of Engineering Science</i> , 2019, 138, 26-49. | 2.7 | 55 |
| 666 | Preparation and stereolithography 3D printing of ultralight and ultrastrong ZrOC porous ceramics. <i>Journal of Alloys and Compounds</i> , 2019, 789, 867-873. | 2.8 | 63 |
| 667 | Evaluation of compressive properties of SLM-fabricated multi-layer lattice structures by experimental test and 1/4-CT-based finite element analysis. <i>Materials and Design</i> , 2019, 169, 107685. | 3.3 | 203 |
| 668 | Light but tough bio-inherited materials: Luffa sponge based nickel-plated composites. <i>Journal of the Mechanical Behavior of Biomedical Materials</i> , 2019, 94, 10-18. | 1.5 | 23 |
| 669 | Photopolymer Wave Guides, Mechanical Metamaterials and Woven Wire Realisation Methods for Metallic Microlattice Structures. <i>SpringerBriefs in Applied Sciences and Technology</i> , 2019, , 67-74. | 0.2 | 1 |
| 670 | Tunable wave propagation in octa-chiral lattices with local resonators. <i>Composite Structures</i> , 2019, 220, 114-126. | 3.1 | 30 |
| 671 | Scalable and robust bilayer polymer foams for highly efficient and stable solar desalination. <i>Nano Energy</i> , 2019, 60, 841-849. | 8.2 | 262 |
| 672 | Bimodal hybrid lightweight sound-absorbing material with high stiffness. <i>Applied Physics Express</i> , 2019, 12, 035002. | 1.1 | 6 |
| 673 | Computational Homogenization of Architected Materials. <i>Springer Series in Materials Science</i> , 2019, , 89-139. | 0.4 | 5 |
| 674 | Study of Strategies for Forming Stainless Steel Objects with Cellular Structures by Selective Laser Melting. <i>Metallurgist</i> , 2019, 62, 1158-1166. | 0.2 | 2 |
| 675 | New frontiers for the materials genome initiative. <i>Npj Computational Materials</i> , 2019, 5, . | 3.5 | 312 |
| 676 | Super-elasticity of three-dimensionally cross-linked graphene materials all the way to deep cryogenic temperatures. <i>Science Advances</i> , 2019, 5, eaav2589. | 4.7 | 84 |
| 677 | Superelastic Hard Carbon Nanofiber Aerogels. <i>Advanced Materials</i> , 2019, 31, e1900651. | 11.1 | 147 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 678 | Enhancing the electrical and thermal conductivities of polymer composites via curvilinear fibers: An analytical study. <i>Mathematics and Mechanics of Solids</i> , 2019, 24, 3231-3253. | 1.5 | 3 |
| 679 | Resilient Si ₃ N ₄ Nanobelt Aerogel as Fire-Resistant and Electromagnetic Wave-Transparent Thermal Insulator. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 15795-15803. | 4.0 | 138 |
| 680 | Analysis of wave band gaps in mechanical metamaterial based on Nelder-Mead method. <i>Engineering Analysis With Boundary Elements</i> , 2019, 103, 109-115. | 2.0 | 20 |
| 681 | Mechanical Metamaterials and Their Engineering Applications. <i>Advanced Engineering Materials</i> , 2019, 21, 1800864. | 1.6 | 493 |
| 682 | Piezoresistive and Mechanical Characteristics of Graphene Foam Nanocomposites. <i>ACS Applied Nano Materials</i> , 2019, 2, 1402-1411. | 2.4 | 30 |
| 683 | Failure and energy absorption characteristics of four lattice structures under dynamic loading. <i>Materials and Design</i> , 2019, 169, 107655. | 3.3 | 117 |
| 684 | Extraordinary tensile strength and ductility of scalable nanoporous graphene. <i>Science Advances</i> , 2019, 5, eaat6951. | 4.7 | 78 |
| 685 | Failure of P-surfaced Shellular subjected to internal pressure. <i>AIP Advances</i> , 2019, 9, . | 0.6 | 2 |
| 686 | Self-stresses control stiffness and stability in overconstrained disordered networks. <i>Physical Review E</i> , 2019, 99, 023001. | 0.8 | 2 |
| 687 | Topology Optimization of Three-Dimensional Woven Materials Using a Ground Structure Design Variable Representation. <i>Journal of Mechanical Design, Transactions of the ASME</i> , 2019, 141, . | 1.7 | 15 |
| 688 | Double-negative-index ceramic aerogels for thermal superinsulation. <i>Science</i> , 2019, 363, 723-727. | 6.0 | 429 |
| 689 | Preparation of Three-Dimensional Graphene and Myoglobin Modified Electrode for Electrocatalysis of Trichloroacetic Acid. <i>International Journal of Electrochemical Science</i> , 2019, 14, 7663-7672. | 0.5 | 5 |
| 690 | Bone-inspired microarchitectures achieve enhanced fatigue life. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 24457-24462. | 3.3 | 51 |
| 691 | Metamaterials with engineered failure load and stiffness. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 23960-23965. | 3.3 | 18 |
| 692 | Terahertz resonant transmission through metallic mesh truss structures. <i>AIP Advances</i> , 2019, 9, 125320. | 0.6 | 0 |
| 693 | Artificial spider silk from ion-doped and twisted core-sheath hydrogel fibres. <i>Nature Communications</i> , 2019, 10, 5293. | 5.8 | 123 |
| 694 | Metasurface-generated complex 3-dimensional optical fields for interference lithography. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21379-21384. | 3.3 | 22 |
| 695 | Scalable synthesis of gyroid-inspired freestanding three-dimensional graphene architectures. <i>Nanoscale Advances</i> , 2019, 1, 3870-3882. | 2.2 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 696 | Directed nanoscale metal deposition by the local perturbation of charge screening at the solid-liquid interface. <i>Nanoscale</i> , 2019, 11, 18619-18627. | 2.8 | 2 |
| 697 | Effect of build orientation on the fatigue properties of as-built Electron Beam Melted Ti-6Al-4V alloy. <i>International Journal of Fatigue</i> , 2019, 118, 65-76. | 2.8 | 94 |
| 698 | Synthesis of carboxymethyl cellulose-reduced graphene oxide aerogel for efficient removal of organic liquids and dyes. <i>Journal of Materials Science</i> , 2019, 54, 1872-1883. | 1.7 | 45 |
| 699 | Ordered deformation localization in cellular mechanical metamaterials. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 123, 28-40. | 2.3 | 25 |
| 700 | Concurrent two-scale topological design of multiple unit cells and structure using combined velocity field level set and density model. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2019, 347, 340-364. | 3.4 | 48 |
| 701 | Biomimetic architected materials with improved dynamic performance. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 125, 178-197. | 2.3 | 108 |
| 702 | Block Copolymer Self-Assembly Directed Hierarchically Structured Materials from Nonequilibrium Transient Laser Heating. <i>Macromolecules</i> , 2019, 52, 395-409. | 2.2 | 45 |
| 703 | Blowing Route towards Advanced Inorganic Foams. <i>Bulletin of the Chemical Society of Japan</i> , 2019, 92, 245-263. | 2.0 | 38 |
| 704 | High porous cellular materials by spray solution combustion synthesis and spark plasma sintering. <i>Journal of Alloys and Compounds</i> , 2019, 779, 557-565. | 2.8 | 17 |
| 705 | Parallel Process 3D Metal Microprinting. <i>Advanced Materials Technologies</i> , 2019, 4, 1800393. | 3.0 | 41 |
| 706 | Additive Manufacturing: Applications and Directions in Photonics and Optoelectronics. <i>Advanced Optical Materials</i> , 2019, 7, 1800419. | 3.6 | 132 |
| 707 | Correlation between topology and elastic properties of imperfect truss-lattice materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 124, 577-598. | 2.3 | 65 |
| 708 | Structurally Controlled Cellular Architectures for High-Performance Ultra-Lightweight Materials. <i>Advanced Materials</i> , 2019, 31, e1803670. | 11.1 | 79 |
| 709 | The mechanical response of cellular materials with spinodal topologies. <i>Journal of the Mechanics and Physics of Solids</i> , 2019, 125, 401-419. | 2.3 | 86 |
| 710 | Reprogrammable recovery and actuation behaviour of shape-memory polymers. <i>Nature Reviews Materials</i> , 2019, 4, 116-133. | 23.3 | 450 |
| 711 | 3D Hydrogels Containing Interconnected Microchannels of Subcellular Size for Capturing Human Pathogenic <i>Acanthamoeba Castellanii</i> . <i>ACS Biomaterials Science and Engineering</i> , 2019, 5, 1784-1792. | 2.6 | 19 |
| 712 | Damage-tolerant architected materials inspired by crystal microstructure. <i>Nature</i> , 2019, 565, 305-311. | 13.7 | 397 |
| 713 | Storage of Mechanical Energy Based on Carbon Nanotubes with High Energy Density and Power Density. <i>Advanced Materials</i> , 2019, 31, e1800680. | 11.1 | 46 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 714 | Multi-stable mechanical metamaterials by elastic buckling instability. <i>Journal of Materials Science</i> , 2019, 54, 3509-3526. | 1.7 | 85 |
| 715 | Freestanding 3D Mesostructures, Functional Devices, and Shape-Programmable Systems Based on Mechanically Induced Assembly with Shape Memory Polymers. <i>Advanced Materials</i> , 2019, 31, e1805615. | 11.1 | 105 |
| 716 | Mechanical behaviour of additively-manufactured polymeric octet-truss lattice structures under quasi-static and dynamic compressive loading. <i>Materials and Design</i> , 2019, 162, 106-118. | 3.3 | 174 |
| 717 | Elasticity-Enhanced and Aligned Structure Nanocellulose Foam-like Aerogel Assembled with Cooperation of Chemical Art and Gradient Freezing. <i>ACS Sustainable Chemistry and Engineering</i> , 2019, 7, 1381-1388. | 3.2 | 50 |
| 718 | Discrete-Continuum Duality of Architected Materials: Failure, Flaws, and Fracture. <i>Advanced Functional Materials</i> , 2019, 29, 1806772. | 7.8 | 26 |
| 719 | Photoinduced Regulation of the Heat Resistance in Polymer Networks with Diarylethene-Conjugated Reversible Covalent Cross-Links. <i>ACS Macro Letters</i> , 2019, 8, 1-6. | 2.3 | 8 |
| 720 | Photopolymerization of Ionic Liquids – A Mutually Beneficial Approach for Materials Fabrication. <i>Israel Journal of Chemistry</i> , 2019, 59, 803-812. | 1.0 | 1 |
| 721 | Vacancies for controlling the behavior of microstructured three-dimensional mechanical metamaterials. <i>Mathematics and Mechanics of Solids</i> , 2019, 24, 511-524. | 1.5 | 35 |
| 722 | Modeling the non-linear elastic response of periodic lattice materials. <i>Mechanics of Materials</i> , 2019, 129, 159-168. | 1.7 | 13 |
| 723 | Multiaxial crushing of open-cell foams. <i>International Journal of Solids and Structures</i> , 2019, 159, 239-256. | 1.3 | 19 |
| 724 | Homogenized modeling and micromechanics analysis of thin-walled lattice plate structures for brake discs. <i>Journal of Sandwich Structures and Materials</i> , 2020, 22, 423-460. | 2.0 | 24 |
| 725 | Controlled Microstructural Architectures Based on Smart Fabrication Strategies. <i>Advanced Functional Materials</i> , 2020, 30, 1901760. | 7.8 | 36 |
| 726 | Manufacturing, Applications and Mechanical Properties of Lightweight Wood-Based Sandwich Panels. , 2020, , 411-416. | | 2 |
| 727 | Spatial pseudo-rigid body model for the analysis of a tubular mechanical metamaterial. <i>Mathematics and Mechanics of Solids</i> , 2020, 25, 305-316. | 1.5 | 7 |
| 728 | Combination of water-soluble chemical grafting and gradient freezing to fabricate elasticity-enhanced and anisotropic nanocellulose aerogels. <i>Applied Nanoscience (Switzerland)</i> , 2020, 10, 411-419. | 1.6 | 6 |
| 729 | Stretchable and fatigue-resistant materials. <i>Materials Today</i> , 2020, 34, 7-16. | 8.3 | 146 |
| 730 | Light-weight shell-lattice metamaterials for mechanical shock absorption. <i>International Journal of Mechanical Sciences</i> , 2020, 169, 105288. | 3.6 | 109 |
| 731 | Tailoring Aerogels and Related 3D Macroporous Monoliths for Interfacial Solar Vapor Generation. <i>Advanced Functional Materials</i> , 2020, 30, 1907234. | 7.8 | 109 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 732 | Silk Lattice Structures from Unidirectional Silk Fiberâ€“Reinforced Composites for Breaking Energy Absorption. <i>Advanced Engineering Materials</i> , 2020, 22, 1900921. | 1.6 | 6 |
| 733 | Anisotropic elastic-plastic behavior of architected pyramidal lattice materials. <i>Acta Materialia</i> , 2020, 183, 118-136. | 3.8 | 21 |
| 734 | Tuning the mechanics of 3D-printed scaffolds by crystal lattice-like structural design for breast tissue engineering. <i>Biofabrication</i> , 2020, 12, 015023. | 3.7 | 22 |
| 735 | Design, Fabrication, and Mechanics of 3D Microâ€“Nanolattices. <i>Small</i> , 2020, 16, e1902842. | 5.2 | 62 |
| 736 | Multiscale Topology Optimization of Thermoelastic Structures Using the Level Set Method. , 2020, , . | | 3 |
| 737 | Review of defects in lattice structures manufactured by powder bed fusion. <i>International Journal of Advanced Manufacturing Technology</i> , 2020, 106, 2649-2668. | 1.5 | 117 |
| 738 | Hierarchical micro/nanoporous ion-exchangeable sponge. <i>Lab on A Chip</i> , 2020, 20, 505-513. | 3.1 | 9 |
| 739 | Laser additive manufacturing of bio-inspired lattice structure: Forming quality, microstructure and energy absorption behavior. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2020, 773, 138857. | 2.6 | 58 |
| 740 | 1D to 3D multi-stable architected materials with zero Poisson's ratio and controllable thermal expansion. <i>Materials and Design</i> , 2020, 188, 108430. | 3.3 | 77 |
| 741 | Fabrication of 3D micro-/nanoarchitected materials. , 2020, , 541-576. | | 2 |
| 742 | Controllable synthesize core-shelled Zn _{0.76} Co _{0.24} S nanospheres as the counter-electrode in dye-sensitized solar cells and its enhanced electrocatalytic performance. <i>Journal of Materials Science: Materials in Electronics</i> , 2020, 31, 1797-1807. | 1.1 | 2 |
| 743 | Mechanical performances of four lattice materials guided by topology optimisation. <i>Scripta Materialia</i> , 2020, 178, 339-345. | 2.6 | 16 |
| 744 | Compressible Metalized Soft Magnetic Sponges with Tailorable Electrical and Magnetic Properties. <i>ChemNanoMat</i> , 2020, 6, 316-325. | 1.5 | 7 |
| 745 | Multiscale topology optimization for coated structures with multifarious-microstructural infill. <i>Structural and Multidisciplinary Optimization</i> , 2020, 61, 1473-1494. | 1.7 | 23 |
| 746 | Mechanical and failure behaviors of lattice-plate hybrid structures. <i>MRS Communications</i> , 2020, 10, 42-54. | 0.8 | 2 |
| 747 | Crush performance of additively manufactured maraging steel microlattice reinforced plates. <i>Engineering Failure Analysis</i> , 2020, 108, 104231. | 1.8 | 18 |
| 748 | Multiscale eigenfrequency optimization of multimaterial lattice structures based on the asymptotic homogenization method. <i>Structural and Multidisciplinary Optimization</i> , 2020, 61, 983-998. | 1.7 | 21 |
| 749 | Density-Based Measurement and Manipulation via Magnetic Levitation Enhanced by the Dual-Halbach Array. <i>IEEE Sensors Journal</i> , 2020, 20, 1730-1737. | 2.4 | 9 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 750 | A Selective Reduction Approach to Construct Robust Cu _{1.8} S Truss Structures for High-Performance Sodium Storage. <i>Matter</i> , 2020, 2, 428-439. | 5.0 | 35 |
| 751 | Designing with Light: Advanced 2D, 3D, and 4D Materials. <i>Advanced Materials</i> , 2020, 32, e1903850. | 11.1 | 125 |
| 752 | Future perspectives on materials for two-photon polymerization. , 2020, , 671-681. | | 2 |
| 753 | A monolithic sandwich panel for insect-mimicking micro drones. <i>Materials and Design</i> , 2020, 187, 108376. | 3.3 | 5 |
| 754 | Temperature- ϵ -Invariant Superelastic and Fatigue Resistant Carbon Nanofiber Aerogels. <i>Advanced Materials</i> , 2020, 32, e1904331. | 11.1 | 92 |
| 755 | Analysis of Multi-scale Mechanical Properties of Ceramic Trusses Prepared from Pre-ceramic Polymers. <i>Additive Manufacturing</i> , 2020, 31, 100957. | 1.7 | 11 |
| 756 | An ultralight, supercompressible, superhydrophobic and multifunctional carbon aerogel with a specially designed structure. <i>Carbon</i> , 2020, 158, 137-145. | 5.4 | 67 |
| 757 | Dynamic response of additively manufactured graded foams. <i>Composites Part B: Engineering</i> , 2020, 183, 107630. | 5.9 | 45 |
| 758 | A Multi-Cell Hybrid Approach to Elevate the Energy Absorption of Micro-Lattice Materials. <i>Materials</i> , 2020, 13, 4083. | 1.3 | 27 |
| 759 | Self-reinforcement of Light, Temperature-Resistant Silica Nanofibrous Aerogels with Tunable Mechanical Properties. <i>Advanced Fiber Materials</i> , 2020, 2, 338-347. | 7.9 | 58 |
| 760 | Biomimetic gelatin/HA biocomposites with effective elastic properties and 3D-structural flexibility using a 3D-printing process. <i>Additive Manufacturing</i> , 2020, 36, 101616. | 1.7 | 22 |
| 761 | Towards high-performance Li-ion batteries via optimized three-dimensional micro-lattice electrode architectures. <i>Journal of Power Sources</i> , 2020, 476, 228593. | 4.0 | 15 |
| 762 | Mechanical behavior of polymeric selective laser sintered ligament and sheet based lattices of triply periodic minimal surface architectures. <i>Materials and Design</i> , 2020, 196, 109100. | 3.3 | 61 |
| 763 | A multifunctional honeycomb metastructure for vibration suppression. <i>International Journal of Mechanical Sciences</i> , 2020, 188, 105964. | 3.6 | 38 |
| 764 | Non-cuttable material created through local resonance and strain rate effects. <i>Scientific Reports</i> , 2020, 10, 11539. | 1.6 | 4 |
| 765 | Two-dimensional mechanical metamaterials with bending-induced expansion behavior. <i>Applied Physics Letters</i> , 2020, 117, 011904. | 1.5 | 4 |
| 766 | An emerging class of hyperbolic lattice exhibiting tunable elastic properties and impact absorption through chiral twisting. <i>Extreme Mechanics Letters</i> , 2020, 40, 100869. | 2.0 | 56 |
| 767 | Dimensionless process development for lattice structure design in laser powder bed fusion. <i>Materials and Design</i> , 2020, 194, 108952. | 3.3 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 768 | Robust, amphiphobic and super-buoyant CNT foams promising for self-floating functional platforms. Carbon, 2020, 168, 439-447. | 5.4 | 12 |
| 769 | Ultra-light, heat-resistant, flexible and thermal insulation graphene-fluororubber foam prepared by using N ₂ as a blowing agent. Colloids and Surfaces A: Physicochemical and Engineering Aspects, 2020, 604, 125310. | 2.3 | 8 |
| 770 | Discretely assembled mechanical metamaterials. Science Advances, 2020, 6, . | 4.7 | 88 |
| 771 | A simple density filter for the topology optimization of coated structures. Engineering Optimization, 2021, 53, 2088-2107. | 1.5 | 7 |
| 772 | Introduction - Porous Metals: From Nano to Macro. Journal of Materials Research, 2020, 35, 2529-2534. | 1.2 | 4 |
| 773 | Mechanical performance of additive manufactured shoe midsole designed using variable-dimension helical springs. International Journal of Advanced Manufacturing Technology, 2020, 111, 3273-3292. | 1.5 | 14 |
| 774 | In-situ synchrotron X-ray tomography investigation of micro lattice manufactured with the projection micro-stereolithography (PµSL) 3D printing technique: Defects characterization and in-situ shear test. Composite Structures, 2020, 252, 112710. | 3.1 | 19 |
| 775 | Shockwave dissipation by interface-dominated porous structures. AIP Advances, 2020, 10, . | 0.6 | 14 |
| 776 | 3D Printing metamaterials towards tissue engineering. Applied Materials Today, 2020, 20, 100752. | 2.3 | 62 |
| 777 | Folding at the Microscale: Enabling Multifunctional 3D Origami-â€Architected Metamaterials. Small, 2020, 16, e2002229. | 5.2 | 30 |
| 778 | Highly compressible and anisotropic lamellar ceramic sponges with superior thermal insulation and acoustic absorption performances. Nature Communications, 2020, 11, 3732. | 5.8 | 172 |
| 779 | Elastic response of hollow truss lattice micro-architectures. International Journal of Solids and Structures, 2020, 206, 472-564. | 1.3 | 15 |
| 780 | Liquid Metal-â€Polymer Microlattice Metamaterials with High Fracture Toughness and Damage Recoverability. Small, 2020, 16, e2004190. | 5.2 | 32 |
| 781 | A review on metallic micro lattice. Materials Today: Proceedings, 2020, 33, 1695-1700. | 0.9 | 3 |
| 782 | Ultrastrong, Superelastic, and Lamellar Multiarch Structured ZrO ₂ -â€Al ₂ O ₃ Nanofibrous Aerogels with High-Temperature Resistance over 1300 Â°C. ACS Nano, 2020, 14, 15616-15625. | 7.3 | 131 |
| 783 | Nanographitic coating enables hydrophobicity in lightweight and strong microarchitected carbon. Communications Materials, 2020, 1, . | 2.9 | 10 |
| 784 | Optimal isotropic, reusable truss lattice material with near-zero Poissonâ€™s ratio. Extreme Mechanics Letters, 2020, 41, 101048. | 2.0 | 30 |
| 785 | <i>In situ</i> synthesis of silver nanowire gel and its super-elastic composite foams. Nanoscale, 2020, 12, 19861-19869. | 2.8 | 18 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 786 | Additive manufacturing of metamaterials: A review. <i>Additive Manufacturing</i> , 2020, 36, 101562. | 1.7 | 125 |
| 787 | 3D face-centered-cubic cement-based hybrid composites reinforced by tension-resistant polymeric truss network. <i>Automation in Construction</i> , 2020, 120, 103380. | 4.8 | 8 |
| 788 | 3D Graphene Materials: From Understanding to Design and Synthesis Control. <i>Chemical Reviews</i> , 2020, 120, 10336-10453. | 23.0 | 319 |
| 789 | Interweaved Cellular Structured Ceramic Nanofibrous Aerogels with Superior Bendability and Compressibility. <i>Advanced Functional Materials</i> , 2020, 30, 2005928. | 7.8 | 76 |
| 790 | Leachable-Free Fabrication of Hydrogel Foams Enabling Homogeneous Viability of Encapsulated Cells in Large-Volume Constructs. <i>Advanced Healthcare Materials</i> , 2020, 9, e2000543. | 3.9 | 7 |
| 791 | Novel architectures of boron. <i>Structural Chemistry</i> , 2020, 31, 2105-2128. | 1.0 | 15 |
| 792 | General Fabrication of 3D Hierarchically Structured Bamboo-like Nitrogen-Doped Carbon Nanotube Arrays on 1D Nitrogen-Doped Carbon Skeletons for Highly Efficient Electromagnetic Wave Energy Attenuation. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 40692-40701. | 4.0 | 69 |
| 793 | Surface functionalization – a new functional dimension added to 3D printing. <i>Journal of Materials Chemistry C</i> , 2020, 8, 12380-12411. | 2.7 | 36 |
| 794 | A Novel Precipitate-Type Architected Metamaterial Strengthened via Orowan Bypass-Like Mechanism. <i>Applied Sciences (Switzerland)</i> , 2020, 10, 7525. | 1.3 | 10 |
| 795 | Mechanics of 2D Materials-Based Cellular Kirigami Structures: A Computational Study. <i>Jom</i> , 2020, 72, 4706-4717. | 0.9 | 2 |
| 796 | 3D printed Mg-NiTi interpenetrating-phase composites with high strength, damping capacity, and energy absorption efficiency. <i>Science Advances</i> , 2020, 6, eaba5581. | 4.7 | 87 |
| 797 | Surface Defects Sensitivity during the Unfolding of Corrugated Struts Made by Powder-Bed Additive Manufacturing. <i>Advanced Engineering Materials</i> , 2020, 22, 2000315. | 1.6 | 4 |
| 798 | Conjugated microporous polymers bearing isocyanurate moiety as efficient antibacterial membrane and aerogels. <i>Separation and Purification Technology</i> , 2020, 248, 117020. | 3.9 | 25 |
| 799 | Mechanical behavior of steel and aluminum foams at elevated temperatures. Local buckling based approach toward understanding of the material system behavior. <i>International Journal of Mechanical Sciences</i> , 2020, 181, 105754. | 3.6 | 9 |
| 800 | Highly compressible and anisotropic polyimide aerogels containing aramid nanofibers. <i>Reactive and Functional Polymers</i> , 2020, 154, 104672. | 2.0 | 20 |
| 801 | Effect of grain size on the mechanical properties of Mg foams. <i>Journal of Materials Science and Technology</i> , 2020, 58, 46-54. | 5.6 | 7 |
| 802 | Direct co-deposition of mono-sized nanoparticles during sputtering. <i>Scripta Materialia</i> , 2020, 186, 387-391. | 2.6 | 8 |
| 803 | Multi-morphology lattices lead to improved plastic energy absorption. <i>Materials and Design</i> , 2020, 194, 108883. | 3.3 | 70 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 804 | Coulomb friction in twisting of biomimetic scale-covered substrate. <i>Bioinspiration and Biomimetics</i> , 2020, 15, 056013. | 1.5 | 8 |
| 805 | Hardening in Au-Ag nanoboxes from stacking fault-dislocation interactions. <i>Nature Communications</i> , 2020, 11, 2923. | 5.8 | 23 |
| 806 | Facile template-free synthesis of multifunctional 3D cellular carbon from edible rice paper. <i>RSC Advances</i> , 2020, 10, 16616-16628. | 1.7 | 12 |
| 807 | Effect of hierarchical features on the critical buckling strength of periodic cellular solids. , 2020, , . | | 1 |
| 808 | Improving the buckling strength of honeycomb cores using periodic imperfections. , 2020, , . | | 1 |
| 809 | Multiscale topology optimization for non-uniform microstructures with hybrid cellular automata. <i>Structural and Multidisciplinary Optimization</i> , 2020, 62, 757-770. | 1.7 | 28 |
| 810 | Effective Anisotropic Elastic and Plastic Yield Properties of Periodic Foams Derived from Triply Periodic Schoenâ€™s I-WP Minimal Surface. <i>Journal of Engineering Mechanics - ASCE</i> , 2020, 146, . | 1.6 | 31 |
| 811 | Understanding mechanical behavior of metallic foam with hollow struts using the hollow pentagonal dodecahedron model. <i>Scripta Materialia</i> , 2020, 182, 114-119. | 2.6 | 10 |
| 812 | Shape-Adaptive Metastructures with Variable Bandgap Regions by 4D Printing. <i>Polymers</i> , 2020, 12, 519. | 2.0 | 92 |
| 813 | Temperature-invariant superelastic, fatigue resistant, and binary-network structured silica nanofibrous aerogels for thermal superinsulation. <i>Journal of Materials Chemistry A</i> , 2020, 8, 7775-7783. | 5.2 | 53 |
| 814 | Healable, memorizable, and transformable lattice structures made of stiff polymers. <i>NPG Asia Materials</i> , 2020, 12, . | 3.8 | 18 |
| 815 | Plate-nanolattices at the theoretical limit of stiffness and strength. <i>Nature Communications</i> , 2020, 11, 1579. | 5.8 | 85 |
| 816 | Laserâ€™Induced Graphene for Electrothermally Controlled, Mechanically Guided, 3D Assembly and Humanâ€™Soft Actuators Interaction. <i>Advanced Materials</i> , 2020, 32, e1908475. | 11.1 | 118 |
| 817 | Extreme mechanical resilience of self-assembled nanolabyrinthine materials. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5686-5693. | 3.3 | 87 |
| 818 | Nanocelluloseâ€™MXene Biomimetic Aerogels with Orientationâ€™Tunable Electromagnetic Interference Shielding Performance. <i>Advanced Science</i> , 2020, 7, 2000979. | 5.6 | 303 |
| 819 | 1D Ceric Hydrogen Phosphate Aerogels: Noncarbonaceous Ultraflyweight Monolithic Aerogels. <i>ACS Omega</i> , 2020, 5, 17592-17600. | 1.6 | 8 |
| 820 | Mechanics of sandwich panels with a buckling-dominated lattice core: The effects of the initial rod curvatures. <i>Composite Structures</i> , 2020, 251, 112669. | 3.1 | 7 |
| 821 | Anisotropic and hierarchical SiC@SiO ₂ nanowire aerogel with exceptional stiffness and stability for thermal superinsulation. <i>Science Advances</i> , 2020, 6, eaay6689. | 4.7 | 164 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 822 | Surface effects on the elastic modulus of regular polygonal prism nanoporous materials. <i>Acta Mechanica</i> , 2020, 231, 3451-3460. | 1.1 | 3 |
| 823 | In situ Synthesis of Biomimetic Silica Nanofibrous Aerogels with Temperature-Invariant Superelasticity over One Million Compressions. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 8285-8292. | 7.2 | 106 |
| 824 | Lightweight Liquid Metal Entity. <i>Advanced Functional Materials</i> , 2020, 30, 1910709. | 7.8 | 51 |
| 825 | Finite element simulation of the compressive response of additively manufactured lattice structures with large diameters. <i>Computational Materials Science</i> , 2020, 175, 109610. | 1.4 | 50 |
| 826 | Design of Architected Materials for Thermoelastic Macrostructures Using Level Set Method. <i>Jom</i> , 2020, 72, 1734-1744. | 0.9 | 8 |
| 827 | Angle-Dependent Transitions Between Structural Bistability and Multistability. <i>Advanced Engineering Materials</i> , 2020, 22, 1900871. | 1.6 | 13 |
| 828 | 3D printing geopolymers nanocomposites: Graphene oxide size effects on a reactive matrix. <i>Carbon</i> , 2020, 164, 215-223. | 5.4 | 35 |
| 829 | In situ Synthesis of Biomimetic Silica Nanofibrous Aerogels with Temperature-Invariant Superelasticity over One Million Compressions. <i>Angewandte Chemie</i> , 2020, 132, 8362-8369. | 1.6 | 21 |
| 830 | Nanoelectrode design from microminiaturized honeycomb monolith with ultrathin and stiff nanoscaffold for high-energy micro-supercapacitors. <i>Nature Communications</i> , 2020, 11, 299. | 5.8 | 55 |
| 831 | Archimedean lattices emerge in template-directed eutectic solidification. <i>Nature</i> , 2020, 577, 355-358. | 13.7 | 21 |
| 832 | A biomimetic-structured wood-derived carbon sponge with highly compressible and biocompatible properties for human-motion detection. <i>Information Materials</i> , 2020, 2, 1225-1235. | 8.5 | 34 |
| 833 | A Monte Carlo simulation-based approach to realistic modelling of additively manufactured lattice structures. <i>Additive Manufacturing</i> , 2020, 32, 101092. | 1.7 | 32 |
| 834 | Experimental and computational analysis of the in situ tensile deformation of 2D honeycomb lattice structures in Ni single crystals. <i>Composites Part B: Engineering</i> , 2020, 186, 107823. | 5.9 | 10 |
| 835 | Self-Limiting Electro spray Deposition for the Surface Modification of Additively Manufactured Parts. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 20901-20911. | 4.0 | 29 |
| 836 | 3D Freestanding DNA Nanostructure Hybrid as a Low-Density High-Strength Material. <i>ACS Nano</i> , 2020, 14, 6582-6588. | 7.3 | 12 |
| 837 | Strong, Ultralight Nanofoams with Extreme Recovery and Dissipation by Manipulation of Internal Adhesive Contacts. <i>ACS Nano</i> , 2020, 14, 8383-8391. | 7.3 | 16 |
| 838 | Architecture design of periodic truss-lattice cells for additive manufacturing. <i>Additive Manufacturing</i> , 2020, 34, 101172. | 1.7 | 48 |
| 839 | Architected porous metals in electrochemical energy storage. <i>Current Opinion in Electrochemistry</i> , 2020, 21, 201-208. | 2.5 | 37 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 840 | Compression and buckling of microarchitected Neovius-lattice. <i>Extreme Mechanics Letters</i> , 2020, 37, 100688. | 2.0 | 27 |
| 841 | The superior mechanical and physical properties of nanocarbon reinforced bulk composites achieved by architecture design – A review. <i>Progress in Materials Science</i> , 2020, 113, 100672. | 16.0 | 163 |
| 842 | Designing complex architected materials with generative adversarial networks. <i>Science Advances</i> , 2020, 6, eaaz4169. | 4.7 | 144 |
| 843 | Engineering lattice metamaterials for extreme property, programmability, and multifunctionality. <i>Journal of Applied Physics</i> , 2020, 127, . | 1.1 | 77 |
| 844 | Influence of manufacturing orientations on the morphology of alloy 718 single struts manufactured by selective laser melting. <i>Material Design and Processing Communications</i> , 2021, 3, e140. | 0.5 | 2 |
| 845 | A fully parameterized methodology for lattice materials with octahedron-based structures. <i>Mechanics of Advanced Materials and Structures</i> , 2021, 28, 1035-1048. | 1.5 | 13 |
| 846 | Microalloyed medium-entropy alloy (MEA) composite nanolattices with ultrahigh toughness and cyclability. <i>Materials Today</i> , 2021, 42, 10-16. | 8.3 | 32 |
| 847 | 3D printing of lightweight, super-strong yet flexible all-cellulose structure. <i>Chemical Engineering Journal</i> , 2021, 405, 126668. | 6.6 | 68 |
| 848 | Ground States Phase Diagrams and Magnetizations Properties of Ferrimagnetic Model on Decorated Hexagonal Nanolattice: Monte Carlo Study. <i>Journal of Cluster Science</i> , 2021, 32, 857-863. | 1.7 | 3 |
| 849 | Mixed variational one-dimensional dynamic thermo-viscoplasticity for wave propagation. <i>European Journal of Mechanics, A/Solids</i> , 2021, 85, 104086. | 2.1 | 1 |
| 850 | Effects of heat treatment on microstructure and mechanical properties of selective laser melted Ti-6Al-4V lattice materials. <i>International Journal of Mechanical Sciences</i> , 2021, 190, 106042. | 3.6 | 71 |
| 851 | Numerical evaluation of additively manufactured lattice architectures for heat sink applications. <i>International Journal of Thermal Sciences</i> , 2021, 159, 106607. | 2.6 | 30 |
| 852 | Additive manufacturing of advanced ceramic materials. <i>Progress in Materials Science</i> , 2021, 116, 100736. | 16.0 | 323 |
| 853 | CuNi alloy/ carbon foam nanohybrids as high-performance electromagnetic wave absorbers. <i>Carbon</i> , 2021, 172, 488-496. | 5.4 | 113 |
| 854 | Understanding the Electrical Behavior of Pyrolyzed Three-dimensional Printed Microdevices. <i>Advanced Engineering Materials</i> , 2021, 23, 2001027. | 1.6 | 4 |
| 855 | A synergistic strategy for fabricating an ultralight and thermal insulating aramid nanofiber/polyimide aerogel. <i>Materials Chemistry Frontiers</i> , 2021, 5, 804-816. | 3.2 | 36 |
| 856 | Stiff or Extensible in Seconds: Light-induced Corrugations in Thin Polymer Sheets. <i>Advanced Materials Technologies</i> , 2021, 6, . | 3.0 | 4 |
| 857 | Interpenetrating lattices with enhanced mechanical functionality. <i>Additive Manufacturing</i> , 2021, 38, 101741. | 1.7 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 858 | Nanocellulose-based lightweight porous materials: A review. Carbohydrate Polymers, 2021, 255, 117489. | 5.1 | 118 |
| 859 | On the competition for ultimately stiff and strong architected materials. Materials and Design, 2021, 198, 109356. | 3.3 | 32 |
| 860 | <scp>Topology</scp> optimization for three-dimensional elastoplastic architected materials using a path-dependent adjoint method. International Journal for Numerical Methods in Engineering, 2021, 122, 1889-1910. | 1.5 | 10 |
| 861 | BÃ©zier-based metamaterials: Synthesis, mechanics and additive manufacturing. Materials and Design, 2021, 199, 109412. | 3.3 | 22 |
| 862 | 3D Nanomagnetism in Low Density Interconnected Nanowire Networks. Nano Letters, 2021, 21, 716-722. | 4.5 | 39 |
| 863 | Deformation behavior of heterogeneous multi-morphology lattice core hybrid structures. Additive Manufacturing, 2021, 37, 101674. | 1.7 | 17 |
| 864 | Rotational snap-through behavior of multi-stable beam-type metastructures. International Journal of Mechanical Sciences, 2021, 193, 106172. | 3.6 | 24 |
| 865 | Design of mechanical metamaterial with controllable stiffness using curved beam unit cells. Composite Structures, 2021, 258, 113195. | 3.1 | 10 |
| 866 | Mechanically robust lattices inspired by deep-sea glass sponges. Nature Materials, 2021, 20, 237-241. | 13.3 | 144 |
| 867 | Artificial intelligence-enabled smart mechanical metamaterials: advent and future trends. International Materials Reviews, 2021, 66, 365-393. | 9.4 | 63 |
| 868 | Influence of specimen size on the mechanical properties of microlattices obtained by selective laser melting. Proceedings of the Institution of Mechanical Engineers, Part C: Journal of Mechanical Engineering Science, 2021, 235, 1774-1787. | 1.1 | 8 |
| 869 | Numerical and experimental investigations on the mechanical properties of cellular structures with open Kelvin cells. Mechanics of Advanced Materials and Structures, 2021, 28, 1367-1376. | 1.5 | 7 |
| 870 | Metal and metal oxides aerogels in purification systems. , 2021, , 145-169. | | 0 |
| 871 | Research Progress of Selective Laser Melting to Fabricate Outer Space Lightweight Drilling Tools. Mechanical Engineering and Technology, 2021, 10, 33-43. | 0.1 | 0 |
| 872 | Shape transformers for band gaps customization of Bloch-periodic triangular lattice structures. , 2021, , . | | 1 |
| 873 | A Review of Thermo-Hydraulic Performance of Metal Foam and Its Application as Heat Sinks for Electronics Cooling. Journal of Electronic Packaging, Transactions of the ASME, 2021, 143, . | 1.2 | 24 |
| 874 | 3D metal lattice structure manufacturing with continuous rods. Scientific Reports, 2021, 11, 434. | 1.6 | 18 |
| 875 | Recent advances in the synthesis of smart hydrogels. Materials Advances, 2021, 2, 4532-4573. | 2.6 | 85 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 876 | Interfacial Design and Assembly for Flexible Energy Electrodes with Highly Efficient Energy Harvesting, Conversion, and Storage. <i>Advanced Energy Materials</i> , 2021, 11, 2002969. | 10.2 | 16 |
| 877 | Superelastic, Hygroscopic, and Ionic Conducting Cellulose Nanofibril Monoliths by 3D Printing. <i>ACS Nano</i> , 2021, 15, 1869-1879. | 7.3 | 71 |
| 878 | New Sensing Technologies: Microtas/NEMS/MEMS. , 2023, , 526-540. | | 2 |
| 879 | Biomass-derived tubular carbon materials: progress in synthesis and applications. <i>Journal of Materials Chemistry A</i> , 2021, 9, 13822-13850. | 5.2 | 31 |
| 880 | Printed aerogels: chemistry, processing, and applications. <i>Chemical Society Reviews</i> , 2021, 50, 3842-3888. | 18.7 | 128 |
| 881 | A review on application of mechanical metamaterials for vibration control. <i>Mechanics of Advanced Materials and Structures</i> , 2022, 29, 3237-3262. | 1.5 | 62 |
| 882 | Scalable Fabrication of High-Performance Thin-Shell Oxide Nanoarchitected Materials <i>via</i> Proximity-Field Nanopatterning. <i>ACS Nano</i> , 2021, 15, 3960-3970. | 7.3 | 11 |
| 883 | Design and Characterization of Microscale Auxetic and Anisotropic Structures Fabricated by Multiphoton Lithography. <i>Nanomaterials</i> , 2021, 11, 446. | 1.9 | 8 |
| 884 | Exploring the property space of periodic cellular structures based on crystal networks. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 25 |
| 885 | Effect of elevated temperature on the out-of-plane compressive properties of nickel based pyramidal lattice truss structures with hollow trusses. <i>Thin-Walled Structures</i> , 2021, 159, 107247. | 2.7 | 9 |
| 887 | Mechanical behavior of ultralight nickel metamaterial. <i>Applied Physics Letters</i> , 2021, 118, . | 1.5 | 2 |
| 888 | Hierarchically Porous Ceramics via Direct Writing of Binary Colloidal Gel Foams. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 8976-8984. | 4.0 | 34 |
| 889 | Understanding and suppressing shear band formation in strut-based lattice structures manufactured by laser powder bed fusion. <i>Materials and Design</i> , 2021, 199, 109416. | 3.3 | 48 |
| 890 | Tensegrity Metamaterials: Toward Failure-Resistant Engineering Systems through Delocalized Deformation. <i>Advanced Materials</i> , 2021, 33, e2005647. | 11.1 | 37 |
| 891 | Manufacturing and Characterization of 3D Miniature Polymer Lattice Structures Using Fused Filament Fabrication. <i>Polymers</i> , 2021, 13, 635. | 2.0 | 17 |
| 892 | An experimental investigation of analytical vs. numerical lattice structure design tools. <i>Mechanics of Advanced Materials and Structures</i> , 2022, 29, 3614-3622. | 1.5 | 3 |
| 893 | Mechanical properties of additively manufactured variable lattice structures of Ti6Al4V. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2021, 809, 140925. | 2.6 | 29 |
| 894 | From 1D electrospun nanofibers to advanced multifunctional fibrous 3D aerogels. <i>Applied Materials Today</i> , 2021, 22, 100964. | 2.3 | 33 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 895 | Functionally Graded Materials Beams Subjected to Bilateral Constraints: Structural Instability and Material Topology. <i>International Journal of Mechanical Sciences</i> , 2021, 194, 106218. | 3.6 | 11 |
| 896 | Design of self-supporting lattices for additive manufacturing. <i>Journal of the Mechanics and Physics of Solids</i> , 2021, 148, 104298. | 2.3 | 39 |
| 897 | 3D ordered nanoelectrodes for energy conversion applications: thermoelectric, piezoelectric, and electrocatalytic applications. <i>Journal of the Korean Ceramic Society</i> , 2021, 58, 379-398. | 1.1 | 12 |
| 898 | Fluid interfacial energy drives the emergence of three-dimensional periodic structures in micropillar scaffolds. <i>Nature Physics</i> , 2021, 17, 794-800. | 6.5 | 17 |
| 899 | Scaling behavior of stiffness and strength of hierarchical network nanomaterials. <i>Science</i> , 2021, 371, 1026-1033. | 6.0 | 88 |
| 900 | Scalable fiber composite lattice structures via continuous spatial weaving. <i>Composite Structures</i> , 2021, 262, 113651. | 3.1 | 5 |
| 901 | A Novel Rapid Manufacturing Process for Metal Lattice Structure. <i>3D Printing and Additive Manufacturing</i> , 2021, 8, 111-125. | 1.4 | 10 |
| 902 | Mechanical properties and failure behaviour of architected alumina microlattices fabricated by stereolithography 3D printing. <i>International Journal of Mechanical Sciences</i> , 2021, 196, 106285. | 3.6 | 27 |
| 903 | Thermal insulation performance and heat transfer mechanism of C/SiC corrugated lattice core sandwich panel. <i>Aerospace Science and Technology</i> , 2021, 111, 106539. | 2.5 | 19 |
| 904 | Geometry Design Using Function Representation on a Sparse Hierarchical Data Structure. <i>CAD Computer Aided Design</i> , 2021, 133, 102989. | 1.4 | 7 |
| 905 | Hollow medium-entropy alloy nanolattices with ultrahigh energy absorption and resilience. <i>NPG Asia Materials</i> , 2021, 13, . | 3.8 | 34 |
| 906 | Deformation and ductile fracture of nanocrystalline gold ultrathin nanoribbon: Width effect. <i>Fatigue and Fracture of Engineering Materials and Structures</i> , 2021, 44, 1850-1861. | 1.7 | 5 |
| 907 | Broad Tunability in mechanical properties of closed cellular foams using micro-bubble assembly of Graphene/silica Nanocomposites. <i>Materials and Design</i> , 2021, 202, 109558. | 3.3 | 6 |
| 908 | Nanonetwork Thermosets from Templated Polymerization for Enhanced Energy Dissipation. <i>Nano Letters</i> , 2021, 21, 3355-3363. | 4.5 | 17 |
| 909 | A review of coated nano- and micro-lattice materials. <i>Journal of Materials Research</i> , 2021, 36, 3607-3627. | 1.2 | 10 |
| 910 | Additive-free, robust and superelastic dual-network graphene/melamine composite sponge for motion sensing. <i>Journal of Applied Polymer Science</i> , 2021, 138, 50788. | 1.3 | 1 |
| 911 | Mechanical Characteristics of Superimposed 316L Lattice Structures under Static and Dynamic Loading. <i>Advanced Engineering Materials</i> , 2021, 23, 2001536. | 1.6 | 11 |
| 912 | The mechanical and catalytic behavior of nanoporous copper film on octet-truss lattice via magnetron sputtering. <i>Thin Solid Films</i> , 2021, 724, 138628. | 0.8 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 913 | Simultaneous Reciprocal and Real Space X-Ray Imaging of Time-Evolving Systems. <i>Physical Review Applied</i> , 2021, 15, . | 1.5 | 8 |
| 914 | Topology optimization design of quasi-periodic cellular structures based on erode"dilate operators. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2021, 377, 113720. | 3.4 | 26 |
| 915 | Selectively Metalizable Stereolithography Resin for Three-Dimensional DC and High-Frequency Electronics via Hybrid Additive Manufacturing. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 22891-22901. | 4.0 | 25 |
| 916 | Microlattice Metamaterials with Simultaneous Superior Acoustic and Mechanical Energy Absorption. <i>Small</i> , 2021, 17, e2100336. | 5.2 | 72 |
| 917 | Three-Dimensional Reticulated, Spongelike, Resilient Aerogels Assembled by SiC/Si ₃ N ₄ Nanowires. <i>Nano Letters</i> , 2021, 21, 4167-4175. | 4.5 | 34 |
| 918 | The Twisting of Dome"Like Metamaterial from Brittle to Ductile. <i>Advanced Science</i> , 2021, 8, 2002701. | 5.6 | 17 |
| 919 | Influence of microstructure topology on the mechanical properties of powder compacted materials. <i>International Journal of Mechanical Sciences</i> , 2021, 198, 106353. | 3.6 | 3 |
| 920 | Lightweight and low thermal conducted face-centered-cubic cementitious lattice materials (FCLMs). <i>Composite Structures</i> , 2021, 263, 113536. | 3.1 | 6 |
| 921 | A Sierpi"ski triangle geometric algorithm for generating stronger structures. <i>Journal of Physics: Conference Series</i> , 2021, 1901, 012066. | 0.3 | 7 |
| 922 | Developable Metamaterials: Mass-fabricable Metamaterials by Laser-Cutting Elastic Structures. , 2021, , . | | 11 |
| 923 | Intelligent Shape-Morphing Micromachines. <i>Research</i> , 2021, 2021, 9806463. | 2.8 | 6 |
| 924 | Multiscale optimization of specific elastic properties and microscopic frequency band-gaps of architected microtruss lattice materials. <i>International Journal of Mechanical Sciences</i> , 2021, 197, 106320. | 3.6 | 23 |
| 925 | Design for additive manufacturing from a force-flow perspective. <i>Materials and Design</i> , 2021, 204, 109664. | 3.3 | 29 |
| 926 | Hollow-grained "Voronoi foam"-ceramics with high strength and thermal superinsulation up to 1400"C. <i>Materials Today</i> , 2021, 46, 35-43. | 8.3 | 14 |
| 927 | Cellular fluidics. <i>Nature</i> , 2021, 595, 58-65. | 13.7 | 106 |
| 928 | Cu ₂ Se-based thermoelectric cellular architectures for efficient and durable power generation. <i>Nature Communications</i> , 2021, 12, 3550. | 5.8 | 41 |
| 929 | Compressive properties of 3-D printed Mg"NiTi interpenetrating-phase composite: Effects of strain rate and temperature. <i>Composites Part B: Engineering</i> , 2021, 215, 108783. | 5.9 | 16 |
| 930 | Discontinuous yielding of pristine micro-crystals. <i>Comptes Rendus Physique</i> , 2021, 22, 201-248. | 0.3 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 931 | Microstructural design of tunable elastoplastic two-phase random heterogeneous materials. <i>Materials Today Communications</i> , 2021, 27, 102300. | 0.9 | 0 |
| 932 | Highly anisotropic graphene aerogels fabricated by calcium ion-assisted unidirectional freezing for highly sensitive sensors and efficient cleanup of crude oil spills. <i>Carbon</i> , 2021, 178, 301-309. | 5.4 | 36 |
| 933 | Optimization Design of Lattice Structures in Internal Cooling Channel of Turbine Blade. <i>Applied Sciences (Switzerland)</i> , 2021, 11, 5838. | 1.3 | 5 |
| 934 | Light-induced levitation of ultralight carbon aerogels via temperature control. <i>Scientific Reports</i> , 2021, 11, 12413. | 1.6 | 7 |
| 935 | Multiscale Modelling and Mechanical Anisotropy of Periodic Cellular Solids with Rigid-Jointed Truss-Like Microscopic Architecture. <i>Applied Mechanics</i> , 2021, 2, 331-355. | 0.7 | 3 |
| 936 | Flow and heat transfer characteristics of a staggered array of Kagome lattice structures in rectangular channels. <i>Heat and Mass Transfer</i> , 2022, 58, 41-64. | 1.2 | 10 |
| 937 | 3D architected temperature-tolerant organohydrogels with ultra-tunable energy absorption. <i>IScience</i> , 2021, 24, 102789. | 1.9 | 3 |
| 938 | Design, fabrication and applications of soft network materials. <i>Materials Today</i> , 2021, 49, 324-350. | 8.3 | 36 |
| 939 | A novel type of tubular structure with auxeticity both in radial direction and wall thickness. <i>Thin-Walled Structures</i> , 2021, 163, 107758. | 2.7 | 54 |
| 940 | Fabrication of Non-Uniform Nanolattices with Spatially Varying Geometry and Material Composition. <i>Advanced Materials Interfaces</i> , 2021, 8, 2100690. | 1.9 | 7 |
| 941 | Stiffness characteristics for a series of lightweight mechanical metamaterials with programmable thermal expansion. <i>International Journal of Mechanical Sciences</i> , 2021, 202-203, 106527. | 3.6 | 22 |
| 942 | Robust 3D Graphene/Cellulose Nanocrystals Hybrid Lamella Network for Stable and Highly Efficient Solar Desalination. <i>Solar Rrl</i> , 2021, 5, 2100317. | 3.1 | 29 |
| 943 | Fast Spontaneous Transport of a Non-wetting Fluid in a Disordered Nanoporous Medium. <i>Transport in Porous Media</i> , 2021, 139, 21-44. | 1.2 | 4 |
| 944 | Mechanical design and energy absorption of 3D novel hybrid lattice metamaterials. <i>Science China Technological Sciences</i> , 2021, 64, 2220-2228. | 2.0 | 18 |
| 945 | Influence of pore shape on impact dynamics characteristics of functionally graded brittle materials. <i>Journal of Strain Analysis for Engineering Design</i> , 0, , 030932472110297. | 1.0 | 2 |
| 946 | Damage-tolerant 3D-printed ceramics via conformal coating. <i>Science Advances</i> , 2021, 7, . | 4.7 | 32 |
| 947 | 3D printed recoverable honeycomb composites reinforced by continuous carbon fibers. <i>Composite Structures</i> , 2021, 268, 113974. | 3.1 | 30 |
| 948 | Non-invasive morphological characterization of cellular loofa sponges using digital microscopy and micro-CT. <i>International Journal of Chemical Reactor Engineering</i> , 2021, . | 0.6 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 949 | Elastic Recovery Properties of Ultralight Carbon Nanotube/Carboxymethyl Cellulose Composites. <i>Materials</i> , 2021, 14, 4059. | 1.3 | 3 |
| 950 | 3D-Printed Architected Materials Inspired by Cubic Bravais Lattices. <i>ACS Biomaterials Science and Engineering</i> , 2023, 9, 3935-3944. | 2.6 | 18 |
| 951 | Fiber-tip polymer clamped-beam probe for high-sensitivity nanoforce measurements. <i>Light: Science and Applications</i> , 2021, 10, 171. | 7.7 | 61 |
| 952 | Recent Advancements of Micro-Lattice Structures: Application, Manufacturing Methods, Mechanical Properties, Topologies and Challenges. <i>Arabian Journal for Science and Engineering</i> , 2021, 46, 11587-11600. | 1.7 | 15 |
| 953 | Shape transformers for phononic band gaps tuning in two-dimensional Bloch-periodic lattice structures. <i>European Journal of Mechanics, A/Solids</i> , 2021, 89, 104278. | 2.1 | 15 |
| 954 | 3D printing of carbon-based materials for supercapacitors. <i>Journal of Materials Research</i> , 2021, 36, 4508-4526. | 1.2 | 7 |
| 955 | A Fabrication Strategy for Reconfigurable Millimeterâ€Scale Metamaterials. <i>Advanced Functional Materials</i> , 2021, 31, 2103428. | 7.8 | 12 |
| 956 | Three-Dimensional Trampolinelike Behavior in an Ultralight Elastic Metamaterial. <i>Physical Review Applied</i> , 2021, 16, . | 1.5 | 12 |
| 957 | Effect of strain rate on the deformation of hollow CoS nanoboxes and doubly porous self-assembled films. <i>Extreme Mechanics Letters</i> , 2021, 47, 101354. | 2.0 | 1 |
| 958 | Synthesis of Free-Standing Silver Foam via Oriented and Additive Nanojoining. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 38637-38646. | 4.0 | 3 |
| 959 | Stiff and strong, lightweight bi-material sandwich plate-lattices with enhanced energy absorption. <i>Journal of Materials Research</i> , 2021, 36, 3628-3641. | 1.2 | 10 |
| 960 | 3D-Printing Damage-Tolerant Architected Metallic Materials with Shape Recoverability via Special Deformation Design of Constituent Material. <i>ACS Applied Materials & Interfaces</i> , 2021, 13, 39915-39924. | 4.0 | 17 |
| 961 | Study on flow and heat transfer performance of X-type truss array cooling channel. <i>Case Studies in Thermal Engineering</i> , 2021, 26, 101034. | 2.8 | 10 |
| 962 | Neuronâ€Inspired Steiner Tree Networks for 3D Lowâ€Density Metastructures. <i>Advanced Science</i> , 2021, 8, e2100141. | 5.6 | 10 |
| 963 | Unconventional Additive Manufacturing for Multiscale Ceramic Structures. <i>Journal of the Korean Society for Precision Engineering</i> , 2021, 38, 639-650. | 0.1 | 1 |
| 964 | Scalable 3D printing of aperiodic cellular structures by rotational stacking of integral image formation. <i>Science Advances</i> , 2021, 7, eabh1200. | 4.7 | 17 |
| 965 | Controlling Liquid Crystal Orientations for Programmable Anisotropic Transformations in Cellular Microstructures. <i>Advanced Materials</i> , 2021, 33, e2105024. | 11.1 | 22 |
| 966 | 3D direct printing of mechanical and biocompatible hydrogel meta-structures. <i>Bioactive Materials</i> , 2022, 10, 48-55. | 8.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 967 | Architected Multimaterial Lattices with Thermally Programmable Mechanical Response. <i>Advanced Functional Materials</i> , 2022, 32, 2105128. | 7.8 | 44 |
| 968 | Functional mechanical metamaterial with independently tunable stiffness in the three spatial directions. <i>Materials Today Advances</i> , 2021, 11, 100155. | 2.5 | 12 |
| 969 | Multi-step metamaterials with two phases of elastic and plastic deformation. <i>Composite Structures</i> , 2021, 271, 114152. | 3.1 | 20 |
| 970 | Energy absorption diagram characteristic of metallic self-supporting 3D lattices fabricated by additive manufacturing and design method of energy absorption structure. <i>International Journal of Solids and Structures</i> , 2021, 226-227, 111082. | 1.3 | 23 |
| 971 | Biomimetic assembly to superplastic metal-organic framework aerogels for hydrogen evolution from seawater electrolysis. <i>Exploration</i> , 2021, 1, 217. | 5.4 | 59 |
| 972 | Dual plateau stress of C15-type topologically close-packed lattice structures additive-manufactured by laser powder bed fusion. <i>Scripta Materialia</i> , 2021, 202, 114003. | 2.6 | 14 |
| 973 | Tailoring Nanonets-Engineered Superflexible Nanofibrous Aerogels with Hierarchical Cage-Like Architecture Enables Renewable Antimicrobial Air Filtration. <i>Advanced Functional Materials</i> , 2021, 31, 2107223. | 7.8 | 50 |
| 974 | Experimental and Analytical Analysis of Mechanical Properties for Large-Size Lattice Truss Panel Structure Including Role of Connected Structure. <i>Materials</i> , 2021, 14, 5099. | 1.3 | 1 |
| 975 | Strain Rate and Structure Dependent Behavior of Lattice Structures of a Titanium Alloy Fabricated by Selective Laser Melting. <i>Journal of Dynamic Behavior of Materials</i> , 2022, 8, 57-72. | 1.1 | 4 |
| 976 | Additively Manufactured Deformation-Recoverable and Broadband Sound-Absorbing Microlattice Inspired by the Concept of Traditional Perforated Panels. <i>Advanced Materials</i> , 2021, 33, e2104552. | 11.1 | 67 |
| 977 | Mechanical behavior of 3D-printed polymeric metamaterials for lightweight applications. <i>Journal of Applied Polymer Science</i> , 2022, 139, 51618. | 1.3 | 15 |
| 978 | Hollow-walled lattice materials by additive manufacturing: Design, manufacture, properties, applications and challenges. <i>Current Opinion in Solid State and Materials Science</i> , 2021, 25, 100940. | 5.6 | 31 |
| 979 | Self-assembling of versatile Si ₃ N ₄ @SiO ₂ nanofibre sponges by direct nitridation of photovoltaic silicon waste. <i>Journal of Hazardous Materials</i> , 2021, 419, 126385. | 6.5 | 5 |
| 980 | Double-wall ceramic nanolattices: Increased stiffness and recoverability by design. <i>Materials and Design</i> , 2021, 208, 109928. | 3.3 | 6 |
| 981 | Compression behavior of strut-reinforced hierarchical lattice-Experiment and simulation. <i>International Journal of Mechanical Sciences</i> , 2021, 210, 106749. | 3.6 | 32 |
| 982 | 3D printed polymeric formwork for lattice cementitious composites. <i>Journal of Building Engineering</i> , 2021, 43, 103074. | 1.6 | 6 |
| 983 | A design strategy of bio-inspired defensive structures with stiffness programmability for reusable impact-resistance protection. <i>International Journal of Impact Engineering</i> , 2021, 157, 103982. | 2.4 | 8 |
| 984 | Mechanical design and energy absorption performances of rational gradient lattice metamaterials. <i>Composite Structures</i> , 2021, 277, 114606. | 3.1 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 985 | Impact resistance of additively manufactured 3D double-U auxetic structures. <i>Thin-Walled Structures</i> , 2021, 169, 108373. | 2.7 | 21 |
| 986 | Metal-Based 3D-Printed Micro Parts & Structures. , 2022, , 448-461. | | 10 |
| 987 | Rigid and flexible polyimide aerogels with less fatigue for use in harsh conditions. <i>Chemical Engineering Journal</i> , 2022, 428, 131193. | 6.6 | 19 |
| 988 | 3D nonlinear photolithography of Tin oxide ceramics via femtosecond laser. <i>Science China Materials</i> , 2021, 64, 1477-1484. | 3.5 | 9 |
| 989 | Hierarchical Interface Engineering for Advanced Nanocellulosic Hybrid Aerogels with High Compressibility and Multifunctionality. <i>Advanced Functional Materials</i> , 2021, 31, 2009349. | 7.8 | 80 |
| 990 | Introduction to mechanical metamaterials and their effective properties. <i>Comptes Rendus Physique</i> , 2020, 21, 751-765. | 0.3 | 2 |
| 991 | Optimizing film thickness to delay strut fracture in high-entropy alloy composite microlattices. <i>International Journal of Extreme Manufacturing</i> , 2021, 3, 025101. | 6.3 | 12 |
| 993 | Photosynthesis-assisted remodeling of three-dimensional printed structures. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 3.3 | 20 |
| 994 | Soap film inspired mechanical metamaterials approaching theoretical bound of stiffness across full density range. <i>Materials Horizons</i> , 2021, 8, 987-996. | 6.4 | 18 |
| 995 | Metals by Micro-scale Additive Manufacturing: Comparison of Microstructure and Mechanical Properties. <i>Advanced Functional Materials</i> , 2020, 30, 1910491. | 7.8 | 52 |
| 996 | Numerical Analysis of the Response of Biomimetic Cellular Materials Under Static and Dynamic Loadings. , 2014, , 55-89. | | 3 |
| 997 | Novel Protection Mechanism of Blast and Impact Waves by Using Nanoporous Materials. <i>Conference Proceedings of the Society for Experimental Mechanics</i> , 2016, , 177-183. | 0.3 | 4 |
| 998 | Automated Casting Systems for Spatial Concrete Lattices. , 2015, , 213-223. | | 6 |
| 999 | Topology Optimization Design of Typical Hinge for Civil Aircraft. <i>Lecture Notes in Electrical Engineering</i> , 2019, , 2872-2881. | 0.3 | 2 |
| 1000 | Graphene-based 3D lightweight cellular structures: Synthesis and applications. <i>Korean Journal of Chemical Engineering</i> , 2020, 37, 189-208. | 1.2 | 10 |
| 1001 | Maximizing mechanical properties and minimizing support material of PolyJet fabricated 3D lattice structures. <i>Additive Manufacturing</i> , 2020, 35, 101257. | 1.7 | 20 |
| 1002 | Dual-templated electrodeposition and characterization of regular metallic foam based microarchitectures. <i>Applied Materials Today</i> , 2020, 20, 100667. | 2.3 | 5 |
| 1003 | Design and characterization of 3D AuxHex lattice structures. <i>International Journal of Mechanical Sciences</i> , 2020, 181, 105700. | 3.6 | 57 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1004 | Introducing Bioinspired Initiator into Resins for In Situ Repairing of 3D-Printed Metallic Structures. ACS Applied Materials & Interfaces, 2020, 12, 49073-49079. | 4.0 | 5 |
| 1005 | 3D Printing of Liquid Crystal Elastomer Foams for Enhanced Energy Dissipation Under Mechanical Insult. ACS Applied Materials & Interfaces, 2021, 13, 12698-12708. | 4.0 | 52 |
| 1006 | Origami lattices and folding-induced lattice transformations. Physical Review Research, 2019, 1, . | 1.3 | 11 |
| 1007 | Stiffness and Strength of Hexachiral Honeycomb-Like Metamaterials. Journal of Applied Mechanics, Transactions ASME, 2019, 86, . | 1.1 | 32 |
| 1008 | Mechanical design of negative stiffness honeycomb materials. Integrating Materials and Manufacturing Innovation, 2015, 4, 165. | 1.2 | 1 |
| 1009 | Blowing Route to Fabricate Foams of 2D Materials. Wuli Cailiao Xuebao/Journal of Inorganic Materials, 2020, 35, 1315. | 0.6 | 7 |
| 1010 | Topology Optimization of Solid Rocket Fuel. AIAA Journal, 2019, 57, 1684-1690. | 1.5 | 4 |
| 1011 | Epitaxial Growth of Three-Dimensional ZnO and GaN Light Emitting Crystals. Journal of the Korean Ceramic Society, 2018, 55, 108-115. | 1.1 | 1 |
| 1012 | Shock plasticity design of brittle material. Wuli Xuebao/Acta Physica Sinica, 2015, 64, 188301. | 0.2 | 2 |
| 1013 | Support vector machines for predicting the compressive response of defected 3D printed polymeric sandwich structures. Journal of Engineering, Design and Technology, 2021, ahead-of-print, . | 1.1 | 0 |
| 1014 | A reusable metastructure for tri-directional energy dissipation. International Journal of Mechanical Sciences, 2022, 214, 106870. | 3.6 | 15 |
| 1015 | Manufacturability of Ti-6Al-4V Hollow-Walled Lattice Struts by Laser Powder Bed Fusion. Jom, 2021, 73, 4199-4208. | 0.9 | 10 |
| 1016 | Poroelastic microlattices for underwater wave focusing. Extreme Mechanics Letters, 2021, 49, 101499. | 2.0 | 5 |
| 1017 | On the accuracy of a homogenized continuum model of lattice structures in modal analyses. Mechanics of Advanced Materials and Structures, 2022, 29, 6768-6785. | 1.5 | 9 |
| 1018 | The effect of topology on the quasi-static and dynamic behaviour of SLM AlSi10Mg lattice structures. International Journal of Advanced Manufacturing Technology, 2022, 118, 4085-4104. | 1.5 | 34 |
| 1019 | Two elastically equivalent compound truss lattice materials with controllable anisotropic mechanical properties. International Journal of Mechanical Sciences, 2022, 213, 106879. | 3.6 | 13 |
| 1020 | Ultra-low-density digitally architected carbon with a strutted tube-in-tube structure. Nature Materials, 2021, 20, 1498-1505. | 13.3 | 28 |
| 1021 | Mechanical properties of 3D hybrid double arrow-head structure with tunable Poisson's ratio. Aerospace Science and Technology, 2021, 119, 107177. | 2.5 | 19 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1022 | Fractal Structures Do More with Less. Physics Magazine, 0, 5, . | 0.1 | 0 |
| 1024 | Materials ultralleugers: la importÀncia de lâ€™estructura tridimensional. CiÀncies Revista Del Professorat De CiÀncies De PrimÀria I SecundÀria, 2016, , 55. | 0.3 | 0 |
| 1025 | Biopolymers and Phospho-Bioassemblies. , 2016, , 863-954. | | 0 |
| 1026 | TWO-LAYER PLATE MECHANICAL METAMATERIALS. , 2016, , . | | 1 |
| 1027 | Preliminary Development of Pinwheel Model Created by Convergent Truss Structure with Biological DNA Structure. Journal of the Korea Convergence Society, 2016, 7, 181-190. | 0.1 | 0 |
| 1028 | Development of Effective Stiffness and Effective Strength for a Truss-Wall Rectangular model combined with Micro-Lattice Truss. Journal of the Korean Society of Industry Convergence, 2016, 19, 133-143. | 0.0 | 0 |
| 1029 | Study of Effective Stiffness and Effective Strength for a Pinwheel Model combined with Diamond Truss-Wall Corrugation (P-TDC). Journal of the Korean Society of Industry Convergence, 2016, 19, 109-124. | 0.0 | 0 |
| 1030 | Ferrocic Nanometamaterials and Composites. Nanostructure Science and Technology, 2017, , 193-214. | 0.1 | 0 |
| 1031 | High-throughput 3D printing of customized imaging lens. , 2018, , . | | 2 |
| 1032 | In-situ compression and electrochemical studies of graphene foam. Veruscript Functional Nanomaterials, 2018, 2, 1-10. | 0.2 | 0 |
| 1033 | Fabrication Techniques for Three-Dimensional Optical Metamaterials. Springer Series in Materials Science, 2019, , 7-42. | 0.4 | 1 |
| 1035 | Out-of-Plane Impact Resistance Enhancement in Plane Lattice With Curved Links. Journal of Applied Mechanics, Transactions ASME, 2019, 86, . | 1.1 | 1 |
| 1036 | Engineer Energy Dissipation in 3D Graphene Nanolattice Via Reversible Snap-Through Instability. Journal of Applied Mechanics, Transactions ASME, 2020, 87, . | 1.1 | 4 |
| 1037 | Energy-based approach for failure assessment of 3D architected materials. Procedia Structural Integrity, 2020, 28, 2181-2186. | 0.3 | 0 |
| 1038 | AkÄ±msÄ±z nikel kaplanmÄ±Å mikro kafes yapÄ±larÄ±n mekanik Å¶zelliklerinin incelenmesi. Journal of the Faculty of Engineering and Architecture of Gazi University, 0, , . | 0.3 | 0 |
| 1039 | Additive manufacturing of metallic lattice structures: Unconstrained design, accurate fabrication, fascinated performances, and challenges. Materials Science and Engineering Reports, 2021, 146, 100648. | 14.8 | 209 |
| 1040 | Ultralight Metallic/Composite Materials with Architected Cellular Structures. Mechanisms and Machine Science, 2021, , 20-28. | 0.3 | 1 |
| 1041 | Enhance the energy dissipation ability of sleeve-type negative stiffness structures via a phase-difference mechanism. International Journal of Mechanical Sciences, 2022, 213, 106803. | 3.6 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1042 | Isotropic design and mechanical characterization of TPMS-based hollow cellular structures. <i>Composite Structures</i> , 2022, 279, 114818. | 3.1 | 28 |
| 1043 | MEMS lithography. , 2020, , 399-416. | | 1 |
| 1044 | Architected hierarchical porous metals enabled by additive manufacturing. <i>Australian Journal of Mechanical Engineering</i> , 2021, 19, 669-679. | 1.5 | 3 |
| 1045 | Hierarchically Structured Components: Design, Additive Manufacture, and Their Energy Applications. <i>Advanced Materials Technologies</i> , 0, , 2100672. | 3.0 | 4 |
| 1046 | Postbuckling behavior and imperfection sensitivity of elastic-plastic periodic plate-lattice materials. <i>Extreme Mechanics Letters</i> , 2022, 50, 101510. | 2.0 | 6 |
| 1047 | Mechanical performances and coupling design for the mechanical metamaterials with tailorable thermal expansion. <i>Mechanics of Materials</i> , 2022, 165, 104176. | 1.7 | 22 |
| 1048 | Density, Microstructure, and Strain-Rate Effects on the Compressive Response of Polyurethane Foams. <i>Experimental Mechanics</i> , 2022, 62, 505-519. | 1.1 | 10 |
| 1049 | Multiscale modeling of materials: Computing, data science, uncertainty and goal-oriented optimization. <i>Mechanics of Materials</i> , 2022, 165, 104156. | 1.7 | 20 |
| 1050 | Experimental and Optimization Study of Compression Behavior of Sandwich Panels with New Symmetric Lattice Cores. <i>Proceedings of the Institution of Mechanical Engineers, Part L: Journal of Materials: Design and Applications</i> , 0, , 146442072110497. | 0.7 | 0 |
| 1051 | Hierarchical porous materials made by stereolithographic printing of photo-curable emulsions. <i>Scientific Reports</i> , 2021, 11, 22316. | 1.6 | 18 |
| 1052 | Elastic and highly fatigue resistant ZrO ₂ -SiO ₂ nanofibrous aerogel with low energy dissipation for thermal insulation. <i>Chemical Engineering Journal</i> , 2022, 433, 133628. | 6.6 | 31 |
| 1053 | Mechanical Properties and Energy Absorption Characteristics of Additively Manufactured Lightweight Novel Re-Entrant Plate-Based Lattice Structures. <i>Polymers</i> , 2021, 13, 3882. | 2.0 | 13 |
| 1054 | Ultralight, anisotropic, and self-supported graphene/MWCNT aerogel with high-performance microwave absorption. <i>Carbon</i> , 2022, 188, 442-452. | 5.4 | 44 |
| 1055 | Compressive properties of imperfect Ti-6Al-4V lattice structure fabricated by electron beam powder bed fusion under static and dynamic loadings. <i>Additive Manufacturing</i> , 2022, 49, 102497. | 1.7 | 4 |
| 1056 | Bump deformation of gold film induced by ultrafast laser. , 2021, , . | | 0 |
| 1057 | h-BN and graphene-based ultralight hybrid aerogels: Highly efficient sorbent for recovery of hydrocarbon oils and organic solvents. <i>Journal of Environmental Chemical Engineering</i> , 2021, 9, 106788. | 3.3 | 14 |
| 1059 | Smart/stimuli-responsive hydrogels: Cutting-edge platforms for tissue engineering and other biomedical applications. <i>Materials Today Bio</i> , 2022, 13, 100186. | 2.6 | 129 |
| 1060 | Cooling performance analysis and structural parameter optimization of X-type truss array channel based on neural networks and genetic algorithm. <i>International Journal of Heat and Mass Transfer</i> , 2022, 186, 122452. | 2.5 | 13 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1061 | Properties and applications of additively manufactured metallic cellular materials: A review. <i>Progress in Materials Science</i> , 2022, 125, 100918. | 16.0 | 164 |
| 1063 | Geometrical parameters and mechanical properties of Ti6Al4V hollow-walled lattices. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2022, 840, 142667. | 2.6 | 16 |
| 1064 | Recent advances in the stereolithographic three-dimensional printing of ceramic cores: Challenges and prospects. <i>Journal of Materials Science and Technology</i> , 2022, 117, 79-98. | 5.6 | 29 |
| 1065 | Effective electromagnetic interference shielding properties of micro-truss structured CNT/Epoxy composites fabricated based on visible light processing. <i>Composites Science and Technology</i> , 2022, 221, 109296. | 3.8 | 20 |
| 1066 | Structural material with designed thermal twist for a simple actuation. <i>Nanotechnology Reviews</i> , 2022, 11, 414-422. | 2.6 | 3 |
| 1067 | Effect of surface residual stress and surface layer stiffness on mechanical properties of nanowires. <i>Acta Mechanica</i> , 2022, 233, 233-257. | 1.1 | 6 |
| 1068 | 3D Printed Templateâ€Directed Assembly of Multiscale Graphene Structures. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 18 |
| 1069 | Strutâ€Based Cellular to Shellular Funicular Materials. <i>Advanced Functional Materials</i> , 2022, 32, . | 7.8 | 10 |
| 1070 | On Stiffness, Strength, Anisotropy, and Buckling of 3D Strutâ€Based Lattices with Cubic Crystal Structures. <i>Advanced Engineering Materials</i> , 2022, 24, . | 1.6 | 21 |
| 1071 | Fully-printed metamaterial-type flexible wings with controllable flight characteristics. <i>Bioinspiration and Biomimetics</i> , 2022, 17, 025002. | 1.5 | 7 |
| 1072 | Shape Memory Alloys via Halideâ€Activated Pack Equilibration (SHAPE). <i>Advanced Engineering Materials</i> , 0, , . | 1.6 | 0 |
| 1073 | Micro-engineered architected metamaterials for cell and tissue engineering. <i>Materials Today Advances</i> , 2022, 13, 100206. | 2.5 | 15 |
| 1074 | High strain-rate compression behavior of polymeric rod and plate Kelvin lattice structures. <i>Mechanics of Materials</i> , 2022, 166, 104216. | 1.7 | 17 |
| 1075 | A novel parameter to tailor the properties of prismatic lattice materials. <i>International Journal of Mechanical Sciences</i> , 2022, 219, 107079. | 3.6 | 4 |
| 1076 | Repeated energy absorption and multiple compressive responses of thermoplastic composite hierarchical cylindrical structures. <i>Composites Science and Technology</i> , 2022, 221, 109306. | 3.8 | 8 |
| 1078 | Nanograinâ€glass dual-phasic, elasto-flexible, fatigue-tolerant, and heat-insulating ceramic sponges at large scales. <i>Materials Today</i> , 2022, 54, 72-82. | 8.3 | 62 |
| 1079 | A Programmable Liquid Crystal Elastomer Metamaterials With Soft Elasticity. <i>Frontiers in Robotics and AI</i> , 2022, 9, 849516. | 2.0 | 3 |
| 1080 | Elastic response of polymer-nanoparticle composite sponges: Microscopic model for large deformations. <i>Physical Review Materials</i> , 2022, 6, . | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1081 | Ag Nanoparticle-Enabled Electroless Deposition of Ni on Mine-Formaldehyde Sponges for Oil/Water Separation, Piezoresistive Sensing, and Electromagnetic Shielding. ACS Applied Nano Materials, 2022, 5, 4204-4213. | 2.4 | 7 |
| 1082 | Additive manufacturing of cellular ceramic structures: From structure to structure-function integration. Materials and Design, 2022, 215, 110470. | 3.3 | 57 |
| 1083 | Grafted-to Polymeric Layers Enabling Highly Adhesive Copper Films Deposited by Electroless Plating on Ultra-Smooth Three-Dimensional-Printed Surfaces. ACS Applied Electronic Materials, 2022, 4, 1864-1874. | 2.0 | 7 |
| 1084 | Vibration of a Satellite Structure with Composite Lattice Truss Core Sandwich Panels. AIAA Journal, 2022, 60, 3389-3401. | 1.5 | 1 |
| 1085 | Harnessing Friction in Intertwined Structures for High-Capacity Reusable Energy-Absorbing Architected Materials. Advanced Science, 2022, 9, e2105769. | 5.6 | 13 |
| 1086 | Overview of Geometric Ways to Increase the Construction's Specific Strength: Topological Optimization and Fractal Structures. Geometry & Graphics, 2022, , 46-62. | 1.2 | 3 |
| 1087 | A metafluid with multistable density and internal energy states. Nature Communications, 2022, 13, 1810. | 5.8 | 5 |
| 1088 | Topology Optimization of Graded Truss Lattices Based on On-the-Fly Homogenization. Journal of Applied Mechanics, Transactions ASME, 2022, 89, . | 1.1 | 12 |
| 1089 | Stochastic analysis of geometrically imperfect thin cylindrical shells using topology-aware uncertainty models. Computer Methods in Applied Mechanics and Engineering, 2022, 393, 114780. | 3.4 | 8 |
| 1090 | Machine learning assisted investigation of defect influence on the mechanical properties of additively manufactured architected materials. International Journal of Mechanical Sciences, 2022, 221, 107190. | 3.6 | 26 |
| 1091 | Design and fabrication of architected multi-material lattices with tunable stiffness, strength, and energy absorption. Materials and Design, 2022, 217, 110613. | 3.3 | 34 |
| 1092 | Ceramic/polymer microlattices: Increasing specific energy absorption through sandwich construction. Extreme Mechanics Letters, 2022, 53, 101708. | 2.0 | 6 |
| 1093 | 3D lightweight double arrow-head plate-lattice auxetic structures with enhanced stiffness and energy absorption performance. Composite Structures, 2022, 290, 115484. | 3.1 | 43 |
| 1094 | Self-adaptive 3D lattice for curved sandwich structures. Additive Manufacturing, 2022, 54, 102761. | 1.7 | 1 |
| 1095 | High performance, microarchitected, compact heat exchanger enabled by 3D printing. Applied Thermal Engineering, 2022, 210, 118339. | 3.0 | 59 |
| 1097 | Three-scale concurrent topology optimization for the design of the hierarchical cellular structure. Structural and Multidisciplinary Optimization, 2022, 65, . | 1.7 | 2 |
| 1098 | Twin mechanical metamaterials inspired by nano-twin metals: Experimental investigations. Composite Structures, 2022, 291, 115580. | 3.1 | 5 |
| 1099 | Additive manufacturing of high aspect-ratio structures with self-focusing photopolymerization. Light Advanced Manufacturing, 2022, 3, 542. | 2.2 | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1100 | Study on thermal-mechanical coupling performance and failure mechanism of titanium alloy lattice structures in high temperature environment. Xibei Gongye Daxue Xuebao/Journal of Northwestern Polytechnical University, 2022, 40, 25-32. | 0.3 | 1 |
| 1101 | Deformation behaviour of hexagonal- and circular-patterned Ni single-crystal 2D micro-lattices via in situ micro-tensile testing and computational analysis. Journal of Materials Science, 2022, 57, 8276-8297. | 1.7 | 1 |
| 1102 | Design and Analysis of a Hollow Metallic Microlattice Active Cooling System for Microsatellites. Nanomaterials, 2022, 12, 1485. | 1.9 | 0 |
| 1103 | Mechanics of Three-Dimensional Soft Network Materials With a Class of Bio-Inspired Designs. Journal of Applied Mechanics, Transactions ASME, 2022, 89, . | 1.1 | 7 |
| 1104 | Design Method of the Conformal Lattice Structures. Advanced Engineering Materials, 2022, 24, . | 1.6 | 3 |
| 1105 | Structural Design and Fabrication of Multifunctional Nanocarbon Materials for Extreme Environmental Applications. Advanced Materials, 2022, 34, e2201046. | 11.1 | 26 |
| 1106 | Multifunctionality of Nanoengineered Self-Sensing Lattices Enabled by Additive Manufacturing. Advanced Engineering Materials, 2022, 24, . | 1.6 | 8 |
| 1107 | Enhancing specific energy absorption of additively manufactured titanium lattice structures through simultaneous manipulation of architecture and constituent material. Additive Manufacturing, 2022, 55, 102887. | 1.7 | 4 |
| 1108 | Thermo-mechanical performance of 3D-printed TC4 hierarchical lattice-truss-core sandwich structures in high temperature conditions. Mechanics of Advanced Materials and Structures, 2023, 30, 3280-3292. | 1.5 | 2 |
| 1109 | Block Copolymer Modified Nanonetwork Epoxy Resin for Superior Energy Dissipation. Polymers, 2022, 14, 1891. | 2.0 | 2 |
| 1110 | Broadband mechanical metamaterial absorber enabled by fused filament fabrication 3D printing. Additive Manufacturing, 2022, 55, 102856. | 1.7 | 3 |
| 1111 | Preliminary study on the effect of microstructure shape on impact compression dynamic fracture of two-dimensional brittle materials protective structures. European Journal of Mechanics, A/Solids, 2022, 95, 104625. | 2.1 | 3 |
| 1112 | Halloysite-based aerogels by bidirectional freezing with mechanical properties, thermal insulation and flame retardancy. Applied Clay Science, 2022, 225, 106547. | 2.6 | 6 |
| 1113 | FLUID3EAMS: Fluid-Fluid Interfacial Energy Driven 3D Structure Emergence in A Micropillar Scaffold and Development in Bioengineering. Seibutsu Butsuri, 2022, 62, 110-113. | 0.0 | 1 |
| 1114 | A Modified Three-Dimensional Negative-Poisson-Ratio Metal Metamaterial Lattice Structure. Materials, 2022, 15, 3752. | 1.3 | 7 |
| 1115 | Effective continuum models for the buckling of non-periodic architected sheets that display quasi-mechanism behaviors. Journal of the Mechanics and Physics of Solids, 2022, 166, 104934. | 2.3 | 6 |
| 1116 | Resonance frequency prediction approach of lattice structure fabricated by selective laser melting. Advances in Astronautics Science and Technology, 0, , . | 0.5 | 1 |
| 1117 | Architectural Design and Additive Manufacturing of Mechanical Metamaterials: A Review. Engineering, 2022, 17, 44-63. | 3.2 | 44 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1118 | An Nylon lattice structure with improved mechanical property and energy absorption capability. Composites Part C: Open Access, 2022, 8, 100285. | 1.5 | 3 |
| 1119 | Light-Base Printing of Leachable Salt Molds for Facile Shaping of Complex Structures. Advanced Materials, 2022, 34, . | 11.1 | 10 |
| 1120 | Free-standing and binder-free porous monolithic electrodes prepared via sol-gel processes. Journal of Sol-Gel Science and Technology, 2022, 103, 637-679. | 1.1 | 5 |
| 1121 | On the damage tolerance of 3-D printed Mg-Ti interpenetrating-phase composites with bioinspired architectures. Nature Communications, 2022, 13, . | 5.8 | 58 |
| 1122 | Asymmetric chiral and antichiral mechanical metamaterials with tunable Poisson's ratio. APL Materials, 2022, 10, . | 2.2 | 9 |
| 1123 | Modeling lattice metamaterials with deformable joints as an elastic micropolar continuum. AIP Advances, 2022, 12, 065116. | 0.6 | 0 |
| 1124 | Selectively Metalizable Low-Temperature Cofired Ceramic for Three-Dimensional Electronics via Hybrid Additive Manufacturing. ACS Applied Materials & Interfaces, 2022, 14, 28060-28073. | 4.0 | 16 |
| 1125 | Energy dissipation and shock isolation using novel metamaterials. International Journal of Mechanical Sciences, 2022, 228, 107464. | 3.6 | 17 |
| 1126 | Responsive materials architected in space and time. Nature Reviews Materials, 2022, 7, 683-701. | 23.3 | 80 |
| 1127 | Dynamic cryo-mechanical properties of additively manufactured nanocrystalline nickel 3D microarchitectures. Materials and Design, 2022, 220, 110836. | 3.3 | 4 |
| 1128 | Forming three-dimensional micro-objects using two-dimensional gradient printing. Applied Materials Today, 2022, 28, 101538. | 2.3 | 1 |
| 1129 | Fabrication and experimental characterisation of a bistable tensegrity-like unit for lattice metamaterials. Additive Manufacturing, 2022, 57, 102946. | 1.7 | 5 |
| 1130 | Mechanical Properties of Three-Dimensional Printed Combination-Design Truss Lattice Materials: Static and Dynamic Loading. Journal of Aerospace Engineering, 2022, 35, . | 0.8 | 2 |
| 1131 | Beam formulation and FE framework for architected structures under finite deformations. European Journal of Mechanics, A/Solids, 2022, 96, 104706. | 2.1 | 2 |
| 1132 | A novel hybrid design method of lattice structure based on failure mode. Science China: Physics, Mechanics and Astronomy, 2022, 65, . | 2.0 | 4 |
| 1133 | Multifunctional protective aerogel with superelasticity over ~ 196 to 500 $^{\circ}\text{C}$. Nano Research, 2022, 15, 7797-7805. | 5.8 | 39 |
| 1134 | Design of lightweight and ultrastrong nanoarchitected carbon by a coarse-grained model. Composites Part A: Applied Science and Manufacturing, 2022, 161, 107066. | 3.8 | 1 |
| 1135 | A class of periodic lattices for tuning elastic instabilities. Extreme Mechanics Letters, 2022, 55, 101839. | 2.0 | 3 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1136 | Mechanical characterization of additively-manufactured metallic lattice structures with hollow struts under static and dynamic loadings. International Journal of Impact Engineering, 2022, 169, 104333. | 2.4 | 27 |
| 1137 | On compacting pattern control of finite-size 2D soft periodic structures through combined loading. Engineering Structures, 2022, 266, 114574. | 2.6 | 2 |
| 1138 | Multiscale modeling of 3D nano-architected materials under large deformations. International Journal of Solids and Structures, 2022, 252, 111839. | 1.3 | 1 |
| 1139 | Shock compression behavior of stainless steel 316L octet-truss lattice structures. International Journal of Impact Engineering, 2022, 169, 104324. | 2.4 | 8 |
| 1140 | Bloch wave propagation in finitely stretched soft lattice. Mechanical Systems and Signal Processing, 2022, 181, 109487. | 4.4 | 4 |
| 1141 | Effect of architecture disorder on the elastic response of two-dimensional lattice materials. Physical Review E, 2022, 106, . | 0.8 | 1 |
| 1142 | Research on Pressurized Structure Based on Lattice Truss Sandwich. Advances in Astronautics Science and Technology, 0, , . | 0.5 | 0 |
| 1143 | Compositional optimization of high-solid-loading ceramic cores via 3D printing. Additive Manufacturing, 2022, 58, 103054. | 1.7 | 1 |
| 1144 | Constructive adaptation of 3D-printable polymers in response to typically destructive aquatic environments. , 2022, 1, . | | 3 |
| 1145 | Hierarchically porous ceramics via direct writing of preceramic polymer-triblock copolymer inks. Materials Today, 2022, 58, 71-79. | 8.3 | 30 |
| 1146 | Growing designability in structural materials. Nature Materials, 2022, 21, 968-970. | 13.3 | 8 |
| 1147 | Achieving the theoretical limit of strength in shell-based carbon nanolattices. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, . | 3.3 | 23 |
| 1148 | A novel strategy for designable alloy coatings in electroless plating. Transactions of the Institute of Metal Finishing, 2023, 101, 101-112. | 0.6 | 2 |
| 1149 | Thermal transport in 3D printed shape memory polymer metamaterials. APL Materials, 2022, 10, . | 2.2 | 7 |
| 1150 | Mechanical properties and failure behavior of 3D printed thermoplastic composites using continuous basalt fiber under high-volume fraction. Defence Technology, 2023, 27, 237-250. | 2.1 | 6 |
| 1151 | Nanoarchitected metal/ceramic interpenetrating phase composites. Science Advances, 2022, 8, . | 4.7 | 25 |
| 1152 | Understanding the effect of defects on compressive behaviors of closed-cell foams: Experiment and statistical model. Composites Part B: Engineering, 2022, 244, 110179. | 5.9 | 9 |
| 1153 | Design, preparation and characterization of a 3D hierarchical auxetic lattice structure produced by selective laser melting. Structures, 2022, 44, 1219-1231. | 1.7 | 7 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1154 | A 3D metamaterial with negative stiffness for six-directional energy absorption and cushioning. <i>Thin-Walled Structures</i> , 2022, 180, 109963. | 2.7 | 12 |
| 1155 | Stretching-dominated truss lattice materials: Elastic anisotropy evaluation, control, and design. <i>Composite Structures</i> , 2022, 298, 116004. | 3.1 | 9 |
| 1156 | Hydrogen embrittlement in micro-architected materials. <i>Engineering Fracture Mechanics</i> , 2022, 274, 108762. | 2.0 | 4 |
| 1157 | Functional aerogel coatings on tetrakaidecahedron lattice. <i>European Polymer Journal</i> , 2022, 180, 111575. | 2.6 | 3 |
| 1158 | Aerogel Nanomaterials for Dye Degradation. <i>Environmental Science and Engineering</i> , 2022, , 151-172. | 0.1 | 0 |
| 1159 | Moisture-sensitive mechanical metamaterials with unusual and re-programmable hygroscopic deformation modes. <i>Materials Horizons</i> , 2022, 9, 2835-2845. | 6.4 | 4 |
| 1160 | A graph-based path planning method for additive manufacturing of continuous fiber-reinforced planar thin-walled cellular structures. <i>Rapid Prototyping Journal</i> , 2023, 29, 344-353. | 1.6 | 7 |
| 1161 | Compression performances and damage mechanisms of Al ₂ O ₃ ceramic lattices fabricated by additive manufacturing: Imitating metal crystal structures. <i>Ceramics International</i> , 2023, 49, 1419-1435. | 2.3 | 5 |
| 1162 | 3D nanoprinting of semiconductor quantum dots by photoexcitation-induced chemical bonding. <i>Science</i> , 2022, 377, 1112-1116. | 6.0 | 65 |
| 1163 | Three Dimensional Printing of Bioinspired Crossed-Lamellar Metamaterials with Superior Toughness for Syntactic Foam Substitution. <i>ACS Applied Materials & Interfaces</i> , 2022, 14, 42504-42512. | 4.0 | 10 |
| 1164 | Anelasticity in thin-shell nanolattices. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, . | 3.3 | 3 |
| 1165 | Study of manufacturing defects on compressive deformation of 3D-printed polymeric lattices. <i>International Journal of Advanced Manufacturing Technology</i> , 2022, 122, 2561-2576. | 1.5 | 5 |
| 1166 | Lightweight, ultra-tough, 3D-architected hybrid carbon microlattices. <i>Matter</i> , 2022, 5, 4029-4046. | 5.0 | 13 |
| 1168 | Nanoporous black silver film with high porosity for efficient solar steam generation. <i>Nano Research</i> , 2023, 16, 5610-5618. | 5.8 | 20 |
| 1169 | Highly compressible and environmentally adaptive conductors with high-tortuosity interconnected cellular architecture. , 2022, 1, 975-986. | | 16 |
| 1170 | Superior mechanical properties by exploiting size-effects and multiscale interactions in hierarchically architected foams. <i>Extreme Mechanics Letters</i> , 2022, 57, 101899. | 2.0 | 5 |
| 1171 | Multifunctional sound-absorbing and mechanical metamaterials <i>via</i> a decoupled mechanism design approach. <i>Materials Horizons</i> , 2023, 10, 75-87. | 6.4 | 44 |
| 1172 | Recent advances in smart–responsive hydrogels for tissue repairing. , 2022, 1, . | | 4 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1173 | The Novel Hybrid Lattice Structure Approach Fabricated by Laser Powder Bed Fusion and Mechanical Properties Comparison. 3D Printing and Additive Manufacturing, 0, , . | 1.4 | 1 |
| 1174 | Bioinspired Nanonetwork Hydroxyapatite from Block Copolymer Templated Synthesis for Mechanical Metamaterials. ACS Nano, 2022, 16, 18298-18306. | 7.3 | 5 |
| 1175 | Decoupling toughness and strength through architected plasticity. Extreme Mechanics Letters, 2022, 57, 101912. | 2.0 | 3 |
| 1176 | A review on the research progress of mechanical meta-structures and their applications in rail transit. , 2022, 1, . | | 1 |
| 1177 | Robust Carbonaceous Nanofiber Aerogels from All Biomass Precursors. Advanced Functional Materials, 2023, 33, . | 7.8 | 16 |
| 1178 | Energy-based fracture mechanics of brittle lattice materials. Journal of the Mechanics and Physics of Solids, 2022, 169, 105093. | 2.3 | 6 |
| 1179 | Reprogrammable flexible mechanical metamaterials. Applied Materials Today, 2022, 29, 101662. | 2.3 | 9 |
| 1180 | Mechanical behavior analyses of 4D printed metamaterials structures with excellent energy absorption ability. Composite Structures, 2023, 304, 116360. | 3.1 | 17 |
| 1181 | Novel slow-sound lattice absorbers based on the sonic black hole. Composite Structures, 2023, 304, 116434. | 3.1 | 14 |
| 1182 | Compressive mechanical behaviors of PPR and NPR chiral compressionâ€twist coupling lattice structures under quasi-static and dynamic loads. Thin-Walled Structures, 2023, 182, 110234. | 2.7 | 9 |
| 1183 | Hydrogels and Aerogels of Carbon Nanotubes. , 2022, , 1827-1844. | | 0 |
| 1184 | Particle-reinforced ultralight hollow Ni-P-B4C microlattice composite materials. Materials Letters, 2023, 331, 133438. | 1.3 | 2 |
| 1185 | Mechanically Robust and Flexible GO/PI Hybrid Aerogels as Highly Efficient Oil Absorbents. Polymers, 2022, 14, 4903. | 2.0 | 3 |
| 1186 | Modeling and Design of Zeroâ€Stiffness Elastomer Springs Using Machine Learning. Advanced Intelligent Systems, 2022, 4, . | 3.3 | 3 |
| 1187 | Parametric shell lattice with tailored mechanical properties. Additive Manufacturing, 2022, 60, 103258. | 1.7 | 2 |
| 1188 | Experimental investigation and numerical modeling of laser powder bed fusion process-induced angle-dependent defects in strut-based lattice structure. Materials and Design, 2022, 224, 111354. | 3.3 | 4 |
| 1189 | Liquid metal lattice materials with simultaneously high strength and reusable energy absorption. Applied Materials Today, 2022, 29, 101671. | 2.3 | 2 |
| 1190 | Tailoring Structureâ€Borne Sound through Bandgap Engineering in Phononic Crystals and Metamaterials: A Comprehensive Review. Advanced Functional Materials, 2023, 33, . | 7.8 | 37 |

| # | ARTICLE | IF | CITATIONS |
|------|--|------|-----------|
| 1191 | Embedded 3D Printing of Multimaterial Polymer Lattices via Graph-Based Print Path Planning. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 20 |
| 1192 | Microstructure and mechanical properties of open-cell Ni-foams with hollow struts and NiO oxide layers. <i>Materials Science & Engineering A: Structural Materials: Properties, Microstructure and Processing</i> , 2023, 863, 144519. | 2.6 | 0 |
| 1193 | Microstructure and Properties of Hollow Octet Nickel Lattice Materials. <i>Materials</i> , 2022, 15, 8417. | 1.3 | 3 |
| 1194 | Inverse design of truss lattice materials with superior buckling resistance. <i>Npj Computational Materials</i> , 2022, 8, . | 3.5 | 23 |
| 1195 | Hierarchically Structured Nanocomposites via a "Systems Materials Science" Approach. <i>Accounts of Materials Research</i> , 2022, 3, 1248-1259. | 5.9 | 5 |
| 1196 | Deep-learning-based inverse design of three-dimensional architected cellular materials with the target porosity and stiffness using voxelized Voronoi lattices. <i>Science and Technology of Advanced Materials</i> , 2023, 24, . | 2.8 | 8 |
| 1197 | Effect of Cell Geometry on the Mechanical Properties of 3D Voronoi Tessellation. <i>Journal of Functional Biomaterials</i> , 2022, 13, 302. | 1.8 | 0 |
| 1198 | Reusable and efficient energy-absorbing architected materials via synergy of snap-through instability and inter-locking mechanism. <i>Extreme Mechanics Letters</i> , 2022, , 101948. | 2.0 | 1 |
| 1199 | Effect of Topology on Transient Dynamic and Shock Response of Polymeric Lattice Structures. <i>Journal of Dynamic Behavior of Materials</i> , 2023, 9, 44-64. | 1.1 | 1 |
| 1200 | On Quasi-Static and Dynamic Compressive Behaviors of Interlocked Composite Kagome Lattice Structures. <i>Journal of Applied Mechanics, Transactions ASME</i> , 2023, 90, . | 1.1 | 2 |
| 1201 | Macroscale Fabrication of Lightweight and Strong Porous Carbon Foams through Template-Coating Pair Design. <i>Advanced Materials</i> , 2023, 35, . | 11.1 | 3 |
| 1202 | Additively manufactured materials and structures: A state-of-the-art review on their mechanical characteristics and energy absorption. <i>International Journal of Mechanical Sciences</i> , 2023, 246, 108102. | 3.6 | 67 |
| 1203 | Characterization of Filigree Additively Manufactured NiTi Structures Using Micro Tomography and Micromechanical Testing for Metamaterial Material Models. <i>Materials</i> , 2023, 16, 676. | 1.3 | 1 |
| 1204 | Non-Hierarchical Architected Materials with Extreme Stiffness and Strength. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 4 |
| 1205 | Electromagnetic Reconfiguration Using Stretchable Mechanical Metamaterials. <i>Advanced Science</i> , 2023, 10, . | 5.6 | 4 |
| 1206 | Strut and sheet metal lattices produced via AM-assisted casting and powder bed fusion: A comparative study. <i>Additive Manufacturing Letters</i> , 2023, 4, 100118. | 0.9 | 3 |
| 1207 | Auxetic mechanical metamaterials and their futuristic developments: A state-of-art review. <i>Materials Today Communications</i> , 2023, 34, 105285. | 0.9 | 17 |
| 1208 | Cooling performance of a teardrop cross-section Kagome truss-filled array jet impingement composite cooling structure. <i>International Journal of Thermal Sciences</i> , 2023, 186, 108140. | 2.6 | 2 |

| # | ARTICLE | IF | CITATIONS |
|------|---|-----|-----------|
| 1209 | Fabricating polymer/HEA-hybrid topological lattice structure for enhanced mechanical properties. <i>Progress in Natural Science: Materials International</i> , 2022, 32, 800-805. | 1.8 | 2 |
| 1210 | Laser additive manufacturing and mechanical deformation behavior of novel multirod structure inspired by front wing of beetle. , 2023, , 589-608. | | 0 |
| 1211 | Bird-inspired robotics principles as a framework for developing smart aerospace materials. <i>Journal of Composite Materials</i> , 2023, 57, 679-710. | 1.2 | 3 |
| 1212 | Synthesis and Properties of Octet NiCr Alloy Lattices Obtained by the Pack Cementation Process. <i>Applied Sciences (Switzerland)</i> , 2023, 13, 1684. | 1.3 | 0 |
| 1213 | 3D Laser Nanoprinting of Functional Materials. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 8 |
| 1214 | Corrugation Reinforced Architected Materials by Direct Laser Hardening: A Study of Geometrically Induced Work Hardening in Steel. <i>Steel Research International</i> , 2023, 94, . | 1.0 | 0 |
| 1215 | Architected lightweight, sound-absorbing, and mechanically efficient microlattice metamaterials by digital light processing 3D printing. <i>Virtual and Physical Prototyping</i> , 2023, 18, . | 5.3 | 19 |
| 1216 | Non-Fourier thermal wave in 2D cellular metamaterials: From transient heat propagation to harmonic band gaps. <i>International Journal of Heat and Mass Transfer</i> , 2023, 205, 123917. | 2.5 | 9 |
| 1217 | Influence mechanism of cell-arrangement strategy on energy absorption of dual-phase hybrid lattice structure. <i>International Journal of Impact Engineering</i> , 2023, 175, 104528. | 2.4 | 7 |
| 1218 | Compressive strength and energy absorption characteristics of the negative stiffness honeycomb cell structure. <i>Materials Today Communications</i> , 2023, 35, 105498. | 0.9 | 1 |
| 1219 | Mechanical metamaterials made of freestanding quasi-BCC nanolattices of gold and copper with ultra-high energy absorption capacity. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 12 |
| 1220 | 3D Printing of Ceramic Elements with Q-Surface Geometry for the Fabrication of Protective Barrier. <i>Ceramics</i> , 2023, 6, 912-921. | 1.0 | 0 |
| 1221 | Geometric imperfections in CFS structural members: Part I: A review of the basics and some modeling strategies. <i>Thin-Walled Structures</i> , 2023, 186, 110619. | 2.7 | 6 |
| 1222 | Tunable properties and responses of architected lattice-reinforced cementitious composite components induced by versatile cell topology and distributions. <i>Composite Structures</i> , 2023, 312, 116850. | 3.1 | 3 |
| 1223 | Chiral-based mechanical metamaterial with tunable normal-strain shear coupling effect. <i>Engineering Structures</i> , 2023, 284, 115952. | 2.6 | 8 |
| 1224 | Discovery of quasi-disordered truss metamaterials inspired by natural cellular materials. <i>Journal of the Mechanics and Physics of Solids</i> , 2023, 175, 105294. | 2.3 | 4 |
| 1225 | Effect of micro-hole shape and arrangement on the impact properties of three-dimensional isotropic brittle structures. <i>Theoretical and Applied Fracture Mechanics</i> , 2023, 125, 103875. | 2.1 | 1 |
| 1226 | Mechanical performances of novel cosine function cell-based metallic lattice structures under quasi-static compressive loading. <i>Composite Structures</i> , 2023, 314, 116962. | 3.1 | 5 |

| # | ARTICLE | IF | CITATIONS |
|------|--|-----|-----------|
| 1227 | Thermal control performance of phase change material combined with ultra-light hollow metallic microlattice for microsattellites. <i>Applied Thermal Engineering</i> , 2023, 227, 120374. | 3.0 | 0 |
| 1228 | Micro-holes™ effect on energy absorption ability in three-dimensional brittle materials under impact loading: A preliminary research. <i>Structures</i> , 2023, 52, 220-229. | 1.7 | 0 |
| 1229 | The interplay between constituent material and architectural disorder in bioinspired honeycomb structures. <i>International Journal of Engineering Science</i> , 2023, 188, 103863. | 2.7 | 2 |
| 1230 | Designing Hierarchical Soft Network Materials with Developable Lattice Nodes for High Stretchability. <i>Advanced Science</i> , 2023, 10, . | 5.6 | 4 |
| 1231 | Optimization of a High Internal Phase Emulsion-Based Resin for Use in Commercial Vat Photopolymerization Additive Manufacturing. <i>3D Printing and Additive Manufacturing</i> , 0, , . | 1.4 | 4 |
| 1232 | 3D Printed Graphene-Based Metamaterials: Guesting Multi-Functionality in One Gain. <i>Small</i> , 2023, 19, . | 5.2 | 15 |
| 1233 | Research on the coating formation of Al-induced electroless plating on metallic surfaces. <i>Journal of Materials Science</i> , 2023, 58, 3768-3789. | 1.7 | 4 |
| 1234 | æ£/èÿæ³šæ³/4æ”çš,,æŽ’æ–¥æ•ã”è±ã¼çš,,ããæ°ã±èfãœ”ã½Žã”ã~ã,çš,,ã^šæ€šã”ã”. <i>Science China Materials</i> , 2023, 66, 1941-1948. | | |
| 1235 | Bioinspired Cellular Single-Walled Carbon Nanotube Aerogels with Temperature-Invariant Elasticity and Fatigue Resistance for Potential Energy Dissipation. <i>ACS Applied Nano Materials</i> , 2023, 6, 3012-3019. | 2.4 | 2 |
| 1236 | Mechanical Properties of Internally Hierarchical Multiphase Lattices Inspired by Precipitation Strengthening Mechanisms. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 15928-15937. | 4.0 | 6 |
| 1237 | The effect of geometric imperfections on the mechanical response of isotropic closed-cell plate lattices. <i>Mechanics Research Communications</i> , 2023, 128, 104073. | 1.0 | 1 |
| 1238 | Digitization of Free-Shapeable Graphene Foam with Damage Tolerance. <i>Advanced Functional Materials</i> , 2023, 33, . | 7.8 | 4 |
| 1239 | Design, material, function, and fabrication of metamaterials. <i>APL Materials</i> , 2023, 11, . | 2.2 | 9 |
| 1240 | Bandgap tuning and in-plane wave propagation of chiral and anti-chiral hybrid metamaterials with assembled six oscillators. <i>Physica A: Statistical Mechanics and Its Applications</i> , 2023, 615, 128600. | 1.2 | 4 |
| 1241 | Knots are not for naught: Design, properties, and topology of hierarchical intertwined microarchitected materials. <i>Science Advances</i> , 2023, 9, . | 4.7 | 4 |
| 1242 | Heat transfer characteristics of a channel filled with the array of drop-shaped Kagome truss cores. <i>Numerical Heat Transfer; Part A: Applications</i> , 0, , 1-20. | 1.2 | 0 |
| 1243 | Ultrafast 3D nanofabrication via digital holography. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 26 |
| 1244 | A new hybrid lattice structure with improved modulus, strength and energy absorption properties. <i>Science China Technological Sciences</i> , 0, , . | 2.0 | 0 |

| # | ARTICLE | IF | CITATIONS |
|------|---|------|-----------|
| 1245 | Three-dimensional ori-kirigami metamaterials with multistability. <i>Physical Review E</i> , 2023, 107, . | 0.8 | 5 |
| 1246 | 3D-Printed Micro/Nano-Scaled Mechanical Metamaterials: Fundamentals, Technologies, Progress, Applications, and Challenges. <i>Small</i> , 2023, 19, . | 5.2 | 20 |
| 1247 | Wood as a hydrothermally stimulated shape-memory material: mechanisms of shape-memory effect and molecular assembly structure networks. <i>Holzforschung</i> , 2023, . | 0.9 | 0 |
| 1248 | Design and advanced manufacturing of electromagnetic interference shielding materials. <i>Materials Today</i> , 2023, 66, 245-272. | 8.3 | 40 |
| 1249 | Three dimensional architected thermoelectric devices with high toughness and power conversion efficiency. <i>Nature Communications</i> , 2023, 14, . | 5.8 | 14 |
| 1250 | A Semiempirical Model for Post-Yield Stress Instability in the Stress-Strain Response of 3D Lattice Structures under Compressive Loads. <i>Advanced Engineering Materials</i> , 2023, 25, . | 1.6 | 0 |
| 1251 | Shape memory mechanical metamaterials. <i>Materials Today</i> , 2023, 66, 36-49. | 8.3 | 19 |
| 1252 | Interpenetrating Hollow Microlattice Metamaterial Enables Efficient Sound-Absorptive and Deformation-Recoverable Capabilities. <i>ACS Applied Materials & Interfaces</i> , 2023, 15, 24868-24879. | 4.0 | 6 |
| 1303 | Nanostructured Metal Foams via Combustion Synthesis. <i>Springer Handbooks</i> , 2023, , 1129-1154. | 0.3 | 0 |
| 1353 | Oxidation-induced superelasticity in metallic glass nanotubes. <i>Nature Materials</i> , 0, , . | 13.3 | 0 |
| 1369 | Application of additively manufactured functionally graded porous structures. , 2024, , 411-430. | | 0 |
| 1370 | Dynamic behavior of additively manufactured materials. , 2024, , 411-448. | | 0 |
| 1371 | Design and fabrication of additively manufactured functionally graded porous structures. , 2024, , 347-379. | | 0 |
| 1372 | Mechanical behavior of additively manufactured functionally graded porous structures. , 2024, , 381-410. | | 0 |
| 1388 | Architected Lattice-Reinforced Composites for Cementitious Material and Asphalt Concrete Toward Lightweight and Energy Absorption. <i>Lecture Notes in Civil Engineering</i> , 2024, , 769-778. | 0.3 | 0 |