## Manifold elastic net: a unified framework for sparse din

Data Mining and Knowledge Discovery 22, 340-371 DOI: 10.1007/s10618-010-0182-x

Citation Report

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Complex Object Correspondence Construction in Two-Dimensional Animation. IEEE Transactions on Image Processing, 2011, 20, 3257-3269.                            | 6.0 | 103       |
| 2  | Non-Negative Patch Alignment Framework. IEEE Transactions on Neural Networks, 2011, 22, 1218-1230.  | 4.8 | 165       |
| 3  | Face Subspace Learning. , 2011, , 51-77.  |     | 1         |
| 4  | DAML: Domain Adaptation Metric Learning. IEEE Transactions on Image Processing, 2011, 20, 2980-2989.  | 6.0 | 225       |
| 5  | Supervised Gaussian Process Latent Variable Model for Dimensionality Reduction. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 425-434.          | 5.5 | 57        |
| 6  | A Relay Level Set Method for Automatic Image Segmentation. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 518-525.                               | 5.5 | 95        |
| 7  | Distribution Calibration in Riemannian Symmetric Space. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 921-930.                                  | 5.5 | 5         |
| 8  | m-SNE: Multiview Stochastic Neighbor Embedding. IEEE Transactions on Systems, Man, and Cybernetics, 2011, 41, 1088-1096.  | 5.5 | 94        |
| 9  | Combining local face image features for identity verification. Neurocomputing, 2011, 74, 2452-2463.   | 3.5 | 8         |
| 10 | Multi-scale gist feature manifold for building recognition. Neurocomputing, 2011, 74, 2929-2940.  | 3.5 | 30        |
| 11 | Regularized locality preserving discriminant analysis for face recognition. Neurocomputing, 2011, 74, 3036-3042.  | 3.5 | 8         |
| 12 | Column subset selection for active learning in image classification. Neurocomputing, 2011, 74, 3785-3792.   | 3.5 | 7         |
| 13 | Partially Supervised Neighbor Embedding for Example-Based Image Super-Resolution. IEEE Journal on<br>Selected Topics in Signal Processing, 2011, 5, 230-239.    | 7.3 | 103       |
| 14 | Manifold Regularized Discriminative Nonnegative Matrix Factorization With Fast Gradient Descent.<br>IEEE Transactions on Image Processing, 2011, 20, 2030-2048. | 6.0 | 289       |
| 15 | Subspaces Indexing Model on Grassmann Manifold for Image Search. IEEE Transactions on Image<br>Processing, 2011, 20, 2627-2635.                                 | 6.0 | 95        |
| 16 | Orthogonal Complete Discriminant Locality Preserving Projections for Face Recognition. Neural Processing Letters, 2011, 33, 235-250.                            | 2.0 | 2         |
| 17 | Face Recognition Using Kernel UDP. Neural Processing Letters, 2011, 34, 177-192.  | 2.0 | 8         |
| 18 | Semi-automatic cartoon generation by motion planning. Multimedia Systems, 2011, 17, 409-419.  | 3.0 | 4         |

ARTICLE IF CITATIONS # Single-image super-resolution via local learning. International Journal of Machine Learning and 19 2.3 95 Cybernetics, 2011, 2, 15-23. Feature level analysis for 3D facial expression recognition. Neurocomputing, 2011, 74, 2135-2141. 3.5 Mammographic mass segmentation: Embedding multiple features in vector-valued level set in 21 5.1 36 ambiguous regions. Pattern Recognition, 2011, 44, 1903-1915. Variational inference with graph regularization for image annotation. ACM Transactions on Intelligent Systems and Technology, 2011, 2, 1-21. Action recognition using graph embedding and the co-occurrence matrices descriptor. International 23 1.0 5 Journal of Computer Mathematics, 2011, 88, 3896-3914. Sparse transfer learning for interactive video search reranking. ACM Transactions on Multimedia Computing, Communications and Applications, 2012, 8, 1-19. Clustering-based discriminative locality alignment for face gender recognition., 2012,,. 25 2 Towards the Optimal Discriminant Subspace., 2012,,. 26 Obtaining Full Regularization Paths for Robust Sparse Coding with Applications to Face Recognition., 27 2 2012,,. Face Sketchâ€"Photo Synthesis and Retrieval Using Sparse Representation. IEEE Transactions on Circuits 5.6 and Systems for Video Technology, 2012, 22, 1213-1226. Peripapillary Atrophy Detection by Sparse Biologically Inspired Feature Manifold. IEEE Transactions on 29 5.424 Medical Imáging, 2012, 31, 2355-2365. Query difficulty estimation for image retrieval. Neurocomputing, 2012, 95, 48-53. 30 Single Image Super-Resolution With Non-Local Means and Steering Kernel Regression. IEEE  $\mathbf{31}$ 6.0 475 Transactions on Image Processing, 2012, 21, 4544-4556. Sparse Approximation to the Eigensubspace for Discrimination. IEEE Transactions on Neural Networks and Learning Systems, 2012, 23, 1948-1960. 7.2 59 Compressed labeling on distilled labelsets for multi-label learning. Machine Learning, 2012, 88, 69-126. 34 3.4 46 Image-based facial sketch-to-photo synthesis via online coupled dictionary learning. Information 28 Sciences, 2012, 193, 233-246. Visual query processing for efficient image retrieval using a SOM-based filter-refinement scheme. 36 4.0 15 Information Sciences, 2012, 203, 83-101. Interactive cartoon reusing by transfer learning. Signal Processing, 2012, 92, 2147-2158. 2.1

| #  | Article   |     | CITATIONS |
|----|---|-----|-----------|
| 38 | A method using long digital straight segments for fingerprint recognition. Neurocomputing, 2012, 77, 28-35.   | 3.5 | 11        |
| 39 | Supervised sparse representation method with a heuristic strategy and face recognition experiments.<br>Neurocomputing, 2012, 79, 125-131.                       | 3.5 | 86        |
| 40 | Scale invariant image matching using triplewise constraint and weighted voting. Neurocomputing, 2012, 83, 64-71.  | 3.5 | 21        |
| 41 | Video-based non-uniform object motion blur estimation and deblurring. Neurocomputing, 2012, 86, 170-178.  | 3.5 | 21        |
| 42 | CIPCA: Complete-Information-based Principal Component Analysis for interval-valued data.<br>Neurocomputing, 2012, 86, 158-169.                                  | 3.5 | 54        |
| 43 | Quantum evolutionary clustering algorithm based on watershed applied to SAR image segmentation.<br>Neurocomputing, 2012, 87, 90-98.                             | 3.5 | 35        |
| 44 | Structured sparse linear graph embedding. Neural Networks, 2012, 27, 38-44.   | 3.3 | 13        |
| 45 | Dimensionality reduction by Mixed Kernel Canonical Correlation Analysis. Pattern Recognition, 2012, 45, 3003-3016.  | 5.1 | 121       |
| 46 | A probabilistic model for image representation via multiple patterns. Pattern Recognition, 2012, 45, 4044-4053.   | 5.1 | 4         |
| 47 | Efficient image matching using weighted voting. Pattern Recognition Letters, 2012, 33, 471-475.   | 2.6 | 17        |
| 48 | Multiview Face Recognition: From TensorFace to V-TensorFace and K-TensorFace. IEEE Transactions on Systems, Man, and Cybernetics, 2012, 42, 320-333.            | 5.5 | 24        |
| 49 | On Combining Multiple Features for Hyperspectral Remote Sensing Image Classification. IEEE<br>Transactions on Geoscience and Remote Sensing, 2012, 50, 879-893. | 2.7 | 367       |
| 50 | Joint Learning for Single-Image Super-Resolution via a Coupled Constraint. IEEE Transactions on Image<br>Processing, 2012, 21, 469-480.                         | 6.0 | 153       |
| 51 | Kernel clustering using a hybrid memetic algorithm. Natural Computing, 2013, 12, 605-615.   | 1.8 | 6         |
| 52 | Robust spectral regression for face recognition. Neurocomputing, 2013, 118, 33-40.  | 3.5 | 8         |
| 53 | Understanding and Enhancement of Internal Clustering Validation Measures. IEEE Transactions on Cybernetics, 2013, 43, 982-994.                                  | 6.2 | 203       |
| 54 | Face recognition under varying illumination. Neural Computing and Applications, 2013, 23, 133-139.  | 3.2 | 8         |
| 55 | Image-based supervision of a periodically working machine. Pattern Analysis and Applications, 2013, 16, 407-416.  | 3.1 | 1         |

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 56 | Single Image Super-Resolution With Multiscale Similarity Learning. IEEE Transactions on Neural Networks and Learning Systems, 2013, 24, 1648-1659. | 7.2 | 120       |
| 57 | Fast multi-view segment graph kernel for object classification. Signal Processing, 2013, 93, 1597-1607.  | 2.1 | 65        |
| 58 | 2DPCA with L1-norm for simultaneously robust and sparse modelling. Neural Networks, 2013, 46, 190-198.   | 3.3 | 56        |
| 59 | Extracting elite pairwise constraints for clustering. Neurocomputing, 2013, 99, 124-133.   | 3.5 | 15        |
| 60 | Correspondence construction for cartoon animation via sparse coding. , 2013, , .   |     | 0         |
| 61 | Exponential Family Factors for Bayesian Factor Analysis. IEEE Transactions on Neural Networks and<br>Learning Systems, 2013, 24, 964-976.          | 7.2 | 12        |
| 62 | Rank Preserving Sparse Learning for Kinect Based Scene Classification. IEEE Transactions on Cybernetics, 2013, 43, 1406-1417.                      | 6.2 | 196       |
| 63 | SAIL: Summation-bAsed Incremental Learning for Information-Theoretic Text Clustering. IEEE<br>Transactions on Cybernetics, 2013, 43, 570-584.      | 6.2 | 53        |
| 65 | Asymmetric propagation based batch mode active learning for image retrieval. Signal Processing, 2013, 93, 1639-1650.                               | 2.1 | 10        |
| 66 | Joint geometry and variability for image recognition. Neurocomputing, 2013, 99, 241-249.   | 3.5 | 4         |
| 67 | Face identification using reference-based features with message passing model. Neurocomputing, 2013, 99, 339-346.                                  | 3.5 | 9         |
| 68 | Face recognition using Weber local descriptors. Neurocomputing, 2013, 122, 272-283.  | 3.5 | 50        |
| 69 | LF-EME: Local features with elastic manifold embedding for human action recognition.<br>Neurocomputing, 2013, 99, 144-153.                         | 3.5 | 17        |
| 70 | Biview face recognition in the shape–texture domain. Pattern Recognition, 2013, 46, 1906-1919.   | 5.1 | 9         |
| 71 | Unsupervised transfer learning for target detection from hyperspectral images. Neurocomputing, 2013, 120, 72-82.                                   | 3.5 | 68        |
| 72 | Sparse representation and learning in visual recognition: Theory and applications. Signal Processing, 2013, 93, 1408-1425.                         | 2.1 | 169       |
| 73 | Efficient face recognition using wavelet-based generalized neural network. Signal Processing, 2013, 93, 1557-1565.                                 | 2.1 | 22        |
| 74 | A two-layer framework for appearance based recognition using spatial and discriminant influences.<br>Neurocomputing, 2013, 119, 425-433.           | 3.5 | 0         |

|    | Citation   | CITATION REPORT |           |
|----|--|-----------------|-----------|
| #  | Article  | IF              | Citations |
| 75 | Double Shrinking Sparse Dimension Reduction. IEEE Transactions on Image Processing, 2013, 22, 244-257.   | 6.0             | 70        |
| 76 | Towards enhancing centroid classifier for text classification—A border-instance approach.<br>Neurocomputing, 2013, 101, 299-308.                                     | 3.5             | 18        |
| 77 | Self-taught dimensionality reduction on the high-dimensional small-sized data. Pattern Recognition, 2013, 46, 215-229.   | 5.1             | 126       |
| 78 | Robust image representation and decomposition by Laplacian regularized latent low-rank representation. , 2013, , .   |                 | 5         |
| 79 | Multiple linear regression modeling for compositional data. Neurocomputing, 2013, 122, 490-500.  | 3.5             | 115       |
| 80 | Facial expression recognition based on Hessian regularized support vector machine. , 2013, , .   |                 | 5         |
| 81 | Differentiation of cancer cells in two-dimensional and three-dimensional breast cancer models by Raman spectroscopy. Journal of Biomedical Optics, 2013, 18, 117008. | 1.4             | 11        |
| 82 | Bayesian Matrix Factorization for Face Recognition. , 2013, , .  |                 | 0         |
| 83 | Discriminant Multi-component Face Analysis. , 2013, , .  |                 | 0         |
| 84 | Hierarchical Interactions Model for Predicting Mild Cognitive Impairment (MCI) to Alzheimer's Disease<br>(AD) Conversion. PLoS ONE, 2014, 9, e82450.                 | 1.1             | 38        |
| 85 | Sparse eigenfaces analysis for recognition. , 2014, , .  |                 | 0         |
| 86 | Hybrid Manifold Embedding. IEEE Transactions on Neural Networks and Learning Systems, 2014, 25, 2295-2302.   | 7.2             | 21        |
| 87 | An Efficient Approach for Preprocessing Data from a Large-Scale Chemical Sensor Array. Sensors, 2014, 14, 17786-17806.   | 2.1             | 4         |
| 88 | Robust Tensor Preserving Projection for Multispectral Face Recognition. Mathematical Problems in Engineering, 2014, 2014, 1-10.                                      | 0.6             | 6         |
| 89 | Spectral clustering of high-dimensional data exploiting sparse representation vectors.<br>Neurocomputing, 2014, 135, 229-239.  | 3.5             | 43        |
| 90 | Non-Naive Bayesian Classifiers for Classification Problems With Continuous Attributes. IEEE<br>Transactions on Cybernetics, 2014, 44, 21-39.                         | 6.2             | 87        |
| 91 | Sparse Transfer Manifold Embedding for Hyperspectral Target Detection. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 1030-1043.                      | 2.7             | 173       |
| 92 | Adaptive Subpixel Mapping Based on a Multiagent System for Remote-Sensing Imagery. IEEE Transactions on Geoscience and Remote Sensing, 2014, 52, 787-804.            | 2.7             | 73        |

|     |   | CITATION REPORT  |     |           |
|-----|---|------------------|-----|-----------|
| #   | Article   |                  | IF  | CITATIONS |
| 93  | Sparse regularization discriminant analysis for face recognition. Neurocomputing, 201   | 4, 128, 341-362. | 3.5 | 13        |
| 94  | Enhancing sparsity via full rank decomposition for robust face recognition. Neural Con<br>Applications, 2014, 25, 1043-1052.                              | nputing and      | 3.2 | 5         |
| 95  | Double linear regressions for single labeled image per person face recognition. Pattern 2014, 47, 1547-1558.  | Recognition,     | 5.1 | 11        |
| 96  | Sparse tensor embedding based multispectral face recognition. Neurocomputing, 201   | 4, 133, 427-436. | 3.5 | 18        |
| 97  | Dimensionality reduction: An interpretation from manifold regularization perspective.<br>Sciences, 2014, 277, 694-714.                                    | Information      | 4.0 | 12        |
| 98  | Primal explicit max margin feature selection for nonlinear support vector machines. Pa<br>Recognition, 2014, 47, 2153-2164.                               | ttern            | 5.1 | 15        |
| 99  | Similarity preserving low-rank representation for enhanced data representation and eff<br>subspace learning. Neural Networks, 2014, 53, 81-94.            | ective           | 3.3 | 56        |
| 100 | Generalized multiple maximum scatter difference feature extraction using QR decomp of Visual Communication and Image Representation, 2014, 25, 1460-1471. | osition. Journal | 1.7 | 6         |
| 101 | A robust elastic net approach for feature learning. Journal of Visual Communication an Representation, 2014, 25, 313-321.                                 | d Image          | 1.7 | 16        |
| 102 | Similar handwritten Chinese character recognition by kernel discriminative locality alig<br>Pattern Recognition Letters, 2014, 35, 186-194.               | nment.           | 2.6 | 18        |
| 103 | Robust Sparse Representation, Modeling and Learning. Advances in Computer Vision a Recognition, 2015, , 91-115.   | ınd Pattern      | 0.9 | 0         |
| 104 | Face recognition based on subset selection via metric learning on manifold. Frontiers of Technology and Electronic Engineering, 2015, 16, 1046-1058.      | of Information   | 1.5 | 18        |
| 105 | Single image super-resolution method via refined local learning. Journal of Shanghai Jia<br>University (Science), 2015, 20, 26-31.                        | otong            | 0.5 | 3         |
| 106 | Scene Recognition by Manifold Regularized Deep Learning Architecture. IEEE Transacti<br>Networks and Learning Systems, 2015, 26, 2222-2233.               | ons on Neural    | 7.2 | 178       |
| 107 | Information retrieval approach to meta-visualization. Machine Learning, 2015, 99, 189   | -229.            | 3.4 | 11        |
| 108 | Finding the best not the most: regularized loss minimization subgraph selection for grace classification. Pattern Recognition, 2015, 48, 3783-3796.       | aph              | 5.1 | 32        |
| 109 | DLANet: A manifold-learning-based discriminative feature learning network for scene c<br>Neurocomputing, 2015, 157, 11-21.                                | lassification.   | 3.5 | 28        |
| 110 | Hyperspectral Band Selection by Multitask Sparsity Pursuit. IEEE Transactions on Geos<br>Remote Sensing, 2015, 53, 631-644.                               | cience and       | 2.7 | 147       |

| #   | Article   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 111 | A sparse and discriminative tensor to vector projection for human gait feature representation. Signal Processing, 2015, 106, 245-252.   | 2.1 | 21        |
| 112 | Learning Local Appearances With Sparse Representation for Robust and Fast Visual Tracking. IEEE Transactions on Cybernetics, 2015, 45, 663-675.   | 6.2 | 34        |
| 113 | Scalable and Accurate Online Feature Selection for Big Data. ACM Transactions on Knowledge<br>Discovery From Data, 2017, 11, 1-39.  | 2.5 | 85        |
| 114 | Spare L1-norm-based maximum margin criterion. Journal of Visual Communication and Image Representation, 2016, 38, 11-17.  | 1.7 | 7         |
| 115 | Collaborative representation discriminant embedding for image classification. Journal of Visual Communication and Image Representation, 2016, 41, 212-224.                                    | 1.7 | 8         |
| 116 | Sparse tensor discriminative locality alignment for gait recognition. , 2016, , .   |     | 4         |
| 117 | Dimensionality reduction of data sequences for human activity recognition. Neurocomputing, 2016, 210, 294-302.  | 3.5 | 11        |
| 118 | A Low-Rank and Sparse Matrix Decomposition-Based Mahalanobis Distance Method for Hyperspectral<br>Anomaly Detection. IEEE Transactions on Geoscience and Remote Sensing, 2016, 54, 1376-1389. | 2.7 | 317       |
| 119 | An unsupervised discriminative extreme learning machine and its applications to data clustering.<br>Neurocomputing, 2016, 174, 250-264.   | 3.5 | 33        |
| 120 | Regression and classification using extreme learning machine based on L1-norm and L2-norm.<br>Neurocomputing, 2016, 174, 179-186.   | 3.5 | 93        |
| 121 | Unified framework for face sketch synthesis. Signal Processing, 2017, 130, 1-11.  | 2.1 | 19        |
| 122 | Hyperspectral Anomaly Detection via a Sparsity Score Estimation Framework. IEEE Transactions on Geoscience and Remote Sensing, 2017, 55, 3208-3222.   | 2.7 | 76        |
| 123 | Elastic Net Hypergraph Learning for Image Clustering and Semi-Supervised Classification. IEEE<br>Transactions on Image Processing, 2017, 26, 452-463.   | 6.0 | 61        |
| 124 | A review on the application of structured sparse representation at image annotation. Artificial<br>Intelligence Review, 2017, 48, 331-348.  | 9.7 | 8         |
| 125 | A Sparse Representation Method for <italic>a Priori</italic> Target Signature Optimization<br>in Hyperspectral Target Detection. IEEE Access, 2018, 6, 3408-3424.                             | 2.6 | 23        |
| 126 | Principal Component Analysis Based Filtering for Scalable, High Precision k-NN Search. IEEE<br>Transactions on Computers, 2018, 67, 252-267.  | 2.4 | 10        |
| 127 | Sparse L1-norm-based linear discriminant analysis. Multimedia Tools and Applications, 2018, 77, 16155-16175.  | 2.6 | 5         |
| 128 | Robust Spectral Clustering via Sparse Representation. , 0, , .  |     | 5         |

|     |   | CITATION REPORT |     |           |
|-----|---|-----------------|-----|-----------|
| #   | Article   |                 | IF  | CITATIONS |
| 129 | Moving Target Detection Using Dynamic Mode Decomposition. Sensors, 2018, 18, 3461.  |                 | 2.1 | 10        |
| 130 | A Space-Time Reverberation Model for Moving Target Detection. Journal of Marine Science Application, 2019, 18, 522-529.   | and             | 0.7 | 1         |
| 131 | Change detection in SAR images based on matrix factorisation and a Bayes classifier. Inter<br>Journal of Remote Sensing, 2019, 40, 1066-1091.                       | national        | 1.3 | 19        |
| 132 | Constraint learning based gradient boosting trees. Expert Systems With Applications, 201 287-300.   | 9, 128,         | 4.4 | 11        |
| 133 | Structured orthogonal matching pursuit for feature selection. Neurocomputing, 2019, 349   | ), 164-172.     | 3.5 | 8         |
| 134 | Target Localization With Jammer Removal Using Frequency Diverse Array. IEEE Transaction Vehicular Technology, 2020, 69, 11685-11696.                                | s on            | 3.9 | 38        |
| 135 | A Subspace Selection-Based Discriminative Forest Method for Hyperspectral Anomaly Dete<br>Transactions on Geoscience and Remote Sensing, 2020, 58, 4033-4046.       | ction. IEEE     | 2.7 | 28        |
| 136 | Single-Spectrum-Driven Binary-Class Sparse Representation Target Detector for Hyperspec<br>IEEE Transactions on Geoscience and Remote Sensing, 2021, 59, 1487-1500. | tral Imagery.   | 2.7 | 13        |
| 137 | Linear and nonlinear machine learning correlation of transition metal cluster characteristic<br>Journal of Nanoparticle Research, 2021, 23, 1.                      | S.              | 0.8 | 2         |
| 139 | Sparse Nuclear Norm Two Dimensional Principal Component Analysis. Lecture Notes in Co<br>Science, 2016, , 547-555.  | mputer          | 1.0 | 1         |
| 140 | m-SNE: Multiview Stochastic Neighbor Embedding. Lecture Notes in Computer Science, 20   | )10, , 338-346. | 1.0 | 8         |
| 141 | Empirical Discriminative Tensor Analysis for Crime Forecasting. Lecture Notes in Computer 2011, , 293-304.  | Science,        | 1.0 | 12        |
| 142 | Robust Sparse PCA via Weighted Elastic Net. Communications in Computer and Informatic 2012, , 88-95.  | on Science,     | 0.4 | 2         |
| 143 | Generalized Embedding Regression: A Framework for Supervised Feature Extraction. IEEE T<br>on Neural Networks and Learning Systems, 2022, 33, 185-199.              | ransactions     | 7.2 | 16        |
| 144 | Sparse Representation Based Projections. , 2011, , .  |                 |     | 39        |
| 145 | A Lagrange–Newton algorithm for sparse nonlinear programming. Mathematical Prograr<br>195, 903-928.   | nming, 2022,    | 1.6 | 6         |
| 146 | Random Projection Tree and Multiview Embedding for Large-Scale Image Retrieval. Lecture<br>Computer Science, 2010, , 641-649.                                       | Notes in        | 1.0 | 1         |
| 147 | Patch Alignment for Graph Embedding. , 2013, , 73-118.  |                 |     | 0         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 148 | Example Based Super Resolution Using Fuzzy Clustering and Neighbor Embedding. Lecture Notes in Electrical Engineering, 2013, , 59-68.  | 0.3 | 0         |
| 149 | Facial Expression Recognition Based on Sparse Locality Preserving Projection. IEICE Transactions on Fundamentals of Electronics, Communications and Computer Sciences, 2014, E97.A, 1650-1653. | 0.2 | 5         |
| 150 | Beyond Sparsity. Advances in Computer Vision and Pattern Recognition, 2015, , 215-235.   | 0.9 | 0         |
| 151 | Discriminant Neighborhood Structure Embedding Using Trace Ratio Criterion for Image Recognition.<br>Journal of Computer and Communications, 2015, 03, 64-70.                                   | 0.6 | 1         |
| 152 | Acquisition and Computation for Data in Biometric System. , 2019, , 3-30.  |     | 0         |
| 153 | Evaluation of visual-induced motion sickness from head-mounted display using heartbeat evoked potential: a cognitive load-focused approach. Virtual Reality, 2022, 26, 979-1000.               | 4.1 | 10        |
| 154 | Tiled Sparse Coding in Eigenspaces for Image Classification. International Journal of Neural Systems, 2022, 32, 2250007.   | 3.2 | 9         |
| 155 | Shakeout: A New Regularized Deep Neural Network Training Scheme. Proceedings of the AAAI<br>Conference on Artificial Intelligence, 2016, 30, .   | 3.6 | 19        |
| 156 | Signed Laplacian Embedding for Supervised Dimension Reduction. Proceedings of the AAAI Conference on Artificial Intelligence, 2014, 28, .  | 3.6 | 8         |
| 157 | Automated Creativity Prediction Using Natural Language Processing And Resting-State Functional<br>Connectivity: An Fnirs Study. Creativity Research Journal, 0, , 1-18.                        | 1.7 | 4         |
| 158 | Hyperspectral anomaly detection using ensemble and robust collaborative representation.<br>Information Sciences, 2023, 624, 748-760.   | 4.0 | 43        |
| 160 | A Novel Silhouettes Cluster Internal Evaluation Index Based on Granular-Ball. , 2023, , .  |     | 0         |
| 162 | Quaternion Elastic Net for Signal Recovery. , 2023, , .  |     | 0         |
| 163 | Subspace Interpolation and Indexing on Stiefel and Grassmann Manifolds as a Lightweight Inference Engine. , 2023, , .  |     | 0         |