

CITATION REPORT

List of articles citing

Conducting-polymer-based supercapacitor devices and electrodes

DOI: 10.1016/j.jpowsour.2010.06.084
Journal of Power Sources, 2011, 196, 1-12.

Source: <https://exaly.com/paper-pdf/51362114/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2324	A comparative study of the electrodeposition of polyaniline from a protic ionic liquid, an aprotic ionic liquid and neutral aqueous solution using anilinium nitrate. 2011 , 21, 7622		36
2323	Electropolymerization of naphthaleneamidinemonoimide-modified poly(thiophene). 2011 , 13, 16513-5		11
2322	High-Performance Li-ion Batteries and Supercapacitors Based on Prospective 1-D Nanomaterials. 2011 , 3, 62-71		45
2321	Symmetric Supercapacitors Based on Multilayers of Conducting Polymers. 2011 , 115, 8430-8438		125
2320	Vanadium nitride/carbon nanotube nanocomposites as electrodes for supercapacitors. 2011 , 21, 13268		139
2319	Solar Energy Storage Methods. 2011 , 50, 8954-8964		94
2318	Compositional effects of PEDOT-PSS/single walled carbon nanotube films on supercapacitor device performance. 2011 , 21, 15987		174
2317	Mechanisms of Energy Storage in Carbon-Based Supercapacitors Modified with a Quinoid Redox-Active Electrolyte. 2011 , 115, 17606-17611		241
2316	Benzoyl Peroxide Oxidation Route to Nano Form Polyaniline Salt Containing Dual Dopants for Pseudocapacitor. 2011 , 159, A6-A13		53
2315	Preparation of porous nanorod polyaniline film and its high electrochemical capacitance performance. 2011 , 161, 1255-1258		19
2314	Well-defined core-shell carbon black/polypyrrole nanocomposites for electrochemical energy storage. 2011 , 3, 1109-14		70
2313	Polypyrrole Composites: Electrochemical Synthesis, Characterizations and Applications. 2011 ,		3
2312	Binderless Composite Electrode Monolith from Carbon Nanotube and Biomass Carbon Activated by KOH and CO ₂ Gas for Supercapacitor. 2011 ,		10
2311	Binderless Composite Electrode Monolith from Carbon Nanotube and Biomass Carbon Activated by H ₂ SO ₄ and CO ₂ Gas for Supercapacitor. 2011 ,		11
2310	Aqueous dispersed conducting polyaniline nanofibers: Promising high specific capacity electrode materials for supercapacitor. <i>Journal of Power Sources</i> , 2011 , 196, 10484-10489	8.9	76
2309	Effect of electrolytes on electrochemical properties of graphene sheet covered with polypyrrole thin layer. 2011 , 21, 460-466		49
2308	Cycling stability and self-protective properties of a paper-based polypyrrole energy storage device. 2011 , 13, 869-871		64

2307	Micro-supercapacitors based on three dimensional interdigital polypyrrole/C-MEMS electrodes. 2011 , 56, 9508-9514		149
2306	Praseodymium oxide/polypyrrole nanocomposites for electrochemical energy storage. 2011 , 58, 193-202		28
2305	Electrochemical investigation of MnO ₂ electrode material for supercapacitors. 2011 , 36, 11760-11766		126
2304	Ultralayered Co ₃ O ₄ for High-Performance Supercapacitor Applications. 2011 , 115, 15646-15654		753
2303	Composite films prepared by immersion deposition of manganese oxide in carbon nanotubes grown on graphite for supercapacitors. 2011 , 46, 7328-7334		6
2302	Enhanced capacitance in partially exfoliated multi-walled carbon nanotubes. <i>Journal of Power Sources</i> , 2011 , 196, 5209-5214	8.9	94
2301	Binder-free activated carbon/carbon nanotube paper electrodes for use in supercapacitors. 2011 , 4, 870-881		154
2300	Toward flexible polymer and paper-based energy storage devices. 2011 , 23, 3751-69		790
2299	The potential of perylene bisimide derivatives for the solubilization of carbon nanotubes and graphene. 2011 , 23, 2588-601		90
2298	Vanadium Oxide Nanowire/Carbon Nanotube Binder-Free Flexible Electrodes for Supercapacitors. 2011 , 1, 936-945		276
2297	Structural and electrochemical properties of polythiophene. 2011 , 257, 9063-9067		127
2296	Effect of NaI/I ₂ mediators on properties of PEO/LiAlO ₂ based all-solid-state supercapacitors. <i>Journal of Power Sources</i> , 2011 , 196, 5997-6002	8.9	36
2295	Effect of poly(3,4-ethylenedioxythiophene) (PEDOT) in carbon-based composite electrodes for electrochemical supercapacitors. <i>Journal of Power Sources</i> , 2011 , 196, 7823-7827	8.9	112
2294	Asymmetric electrochemical capacitors—stretching the limits of aqueous electrolytes. 2011 , 36, 513-522		327
2293	Experimental Studies of Mediator-Enhanced Polymer Electrolyte Supercapacitors. 2011 , 14, A25		33
2292	Electrochemical and computational studies of electrically conducting polymer coatings. 2011 , 89, 244-248		3
2291	Original Conductive Nano-Co ₃ O ₄ Investigated as Electrode Material for Hybrid Supercapacitors. 2011 , 14, A139		27
2290	One Actuator and Several Sensors in One Device with only Two Connecting Wires: Mimicking Muscle/Brain Feedback. 2012 , 79, 16-25		3

2289	Functional Characterisations of Hybrid Nanocomposite Films Based on Polyaniline and Carbon Nanotubes. 2012 , 79, 81-86	1
2288	Solid-State Supercapacitors Based on Pulse Polymerized Poly(3,4-ethylenedioxythiophene) Electrodes and Ionic Liquid Gel Polymer Electrolyte. 2012 , 159, A1664-A1671	48
2287	Calculation of the diffusion coefficient of thiophene oligomers using molecular dynamics. 2012 , 38, 882-885	3
2286	Pulse Polymerized Poly(3,4-ethylenedioxythiophene) Electrodes For Solid-State Supercapacitors with Ionic Liquid Gel Polymer Electrolyte. 2012 , 1448, 7	1
2285	Ecological assessment of nano-enabled supercapacitors for automotive applications. 2012 , 40, 012013	7
2284	Fabrication of graphene/polypyrrole nanotube/MnO ₂ nanotube composite and its supercapacitor application. 2012 , 58, 30403	14
2283	Synthesis of high-charge capacity triarylamine/thiophene redox electrodes using electrochemical copolymerization. 2012 , 22, 25447	18
2282	Biomimetic electrochemistry from conducting polymers. A review. 2012 , 84, 112-128	239
2281	Exploiting high quality PEDOT:PSS/WNT composite formulations for wet-spinning multifunctional fibers. 2012 , 22, 25174	51
2280	Synthesis and characterization of SnO ₂ /polyaniline nanocomposites by sol-gel technique and microemulsion polymerization. 2012 , 162, 2183-2187	29
2279	Supercapacitive properties of electrodeposited polypyrrole on acrylonitrile/Butadiene rubber as a flexible current collector. 2012 , 69, 873-880	12
2278	High temperature all solid state supercapacitor based on multi-walled carbon nanotubes and poly[2,5 benzimidazole]. 2012 , 16, 3215-3226	40
2277	Polypyrrole-coated samarium oxide nanobelts: fabrication, characterization, and application in supercapacitors. 2012 , 14, 1	16
2276	Supercapacitors: An Alternate Technology for Energy Storage. 2012 , 82, 79-90	24
2275	Effect of narrow diameter polyaniline nanotubes and nanofibers in polyvinyl butyral coating on corrosion protective performance of mild steel. 2012 , 75, 301-308	29
2274	Structure-directed growth of high conductivity PEDOT from liquid-like oxidant layers during vacuum vapor phase polymerization. 2012 , 22, 14889	75
2273	Significant electrochemical stability of manganese dioxide/polyaniline coaxial nanowires by self-terminated double surfactant polymerization for pseudocapacitor electrode. 2012 , 22, 23921	75
2272	Enhanced performance of triarylamine redox electrodes through directed electrochemical polymerization. 2012 , 22, 2392-2394	12

2271	Supercapacitors Based on Polymeric Dioxypyrroles and Single Walled Carbon Nanotubes. 2012 , 24, 433-443	47
2270	Biomimetic dual sensing-actuators: theoretical description. Sensing electrolyte concentration and driving current. 2012 , 116, 9223-30	55
2269	Electrochemical impedance characterization and potential dependence of poly[3,4-(2,2-dibutylpropylenedioxy)thiophene] nanostructures on single carbon fiber microelectrode. 2012 , 162, 511-515	11
2268	Biocompatibility of polyaniline. 2012 , 162, 722-727	198
2267	Electropolymerization of polypyrrole films on stainless steel substrates for electrodes of electrochemical supercapacitors. 2012 , 162, 868-872	33
2266	Preparation and electrochemical properties of RuO ₂ /polyaniline electrodes for supercapacitors. 2012 , 162, 953-957	41
2265	Wet-chemical polyaniline nanorice mass-production for electrochemical supercapacitors. 2012 , 162, 1303-1307	14
2264	Synthesis of polythiophene thin films by simple successive ionic layer adsorption and reaction (SILAR) method for supercapacitor application. 2012 , 162, 1400-1405	57
2263	A novel asymmetric pseudocapacitor based on poly(5,12-dihydrothieno [3,4:2,3][1,4]dioxocino[6,7-b]quinoxaline) coated graphite anode and poly(ethylenedioxythiophene) coated graphite cathode. 2012 , 162, 1434-1442	18
2262	Polypyrrole decorated cellulose for energy storage applications. 2012 , 162, 1478-1481	21
2261	Hydrophobic conducting polymer films from post deposition thiol exposure. 2012 , 162, 1464-1470	15
2260	Poly(p-phenylenediamine)/graphene nanocomposites for supercapacitor applications. 2012 , 22, 18775-18783	110
2259	Nanostructured all-solid-state supercapacitor based on Li ₂ S-P ₂ S ₅ glass-ceramic electrolyte. 2012 , 100, 103902	49
2258	A review of electrode materials for electrochemical supercapacitors. 2012 , 41, 797-828	6816
2257	Emulsion template synthesis of all conducting polymer aerogels with superb adsorption capacity and enhanced electrochemical capacitance. 2012 , 22, 8579	41
2256	Three-dimensional porous graphene-based composite materials: electrochemical synthesis and application. 2012 , 22, 20968	187
2255	Polyaniline-grafted reduced graphene oxide for efficient electrochemical supercapacitors. 2012 , 6, 1715-23	724
2254	High energy ultracapacitor based on carbon xerogel electrodes and sodium sulfate electrolyte. <i>Journal of Power Sources</i> , 2012 , 214, 137-141	8.9 19

2253	Alkaline deoxygenated graphene oxide for supercapacitor applications: An effective green alternative for chemically reduced graphene. <i>Journal of Power Sources</i> , 2012 , 215, 1-10	8.9	110
2252	Hydrothermal-synthesized Co(OH) ₂ nanocone arrays for supercapacitor application. <i>Journal of Power Sources</i> , 2012 , 216, 395-399	8.9	86
2251	Electrochemical polymerization of aniline on carbon/aluminum electrodes for energy storage. <i>Journal of Power Sources</i> , 2012 , 219, 285-291	8.9	6
2250	Synthesis and electrochemical performance of sandwich-like polyaniline/graphene composite nanosheets. 2012 , 48, 1406-1412		70
2249	Asymmetric deposition of manganese oxide in single walled carbon nanotube films as electrodes for flexible high frequency response electrochemical capacitors. 2012 , 78, 122-132		43
2248	High performance hybrid supercapacitor based on two nanostructured conducting polymers: Self-doped polyaniline and polypyrrole nanofibers. 2012 , 78, 212-222		146
2247	n-Type redox behaviors of polybithiophene and its implications for anodic Li and Na storage materials. 2012 , 78, 27-31		34
2246	NH ₃ -activated polyaniline for use as a high performance electrode material in supercapacitors. 2012 , 78, 340-346		20
2245	Chemical vapor-deposited carbon nanofibers on carbon fabric for supercapacitor electrode applications. 2012 , 7, 651		43
2244	Catechol-modified activated carbon prepared by the diazonium chemistry for application as active electrode material in electrochemical capacitor. 2012 , 4, 3788-96		95
2243	Flexible single-walled carbon nanotube/polycellulose papers for lithium-ion batteries. 2012 , 23, 495401		32
2242	Preparation of Graphene Oxide/Polyaniline Nanocomposite with Assistance of Supercritical Carbon Dioxide for Supercapacitor Electrodes. 2012 , 51, 14390-14398		114
2241	Facile decoration of polypyrrole nanoparticles onto graphene nanosheets for supercapacitors. 2012 , 162, 2349-2354		24
2240	Conducting Polymers Directly Coated on Reduced Graphene Oxide Sheets as High-Performance Supercapacitor Electrodes. 2012 , 116, 5420-5426		581
2239	Improving the cycling stability of silicon nanowire anodes with conducting polymer coatings. 2012 , 5, 7927		239
2238	Supercapacitor modified with methylene blue as redox active electrolyte. 2012 , 83, 241-246		130
2237	Covalently bonded polyaniline/fullerene hybrids with coral-like morphology for high-performance supercapacitor. 2012 , 85, 235-242		68
2236	Preparation and electromagnetic properties of La-doped barium-ferrite/polythiophene composites. 2012 , 162, 1643-1647		32

2235	Liquid crystalline phase synthesis of nanoporous MnO ₂ thin film arrays as an electrode material for electrochemical capacitors. 2012 , 47, 3120-3123	8
2234	Graphene-based multilayers: Critical evaluation of materials assembly techniques. 2012 , 7, 430-447	112
2233	Preparation of nano-networks of MnO ₂ shell/Ni current collector core for high-performance supercapacitor electrodes. 2012 , 22, 483-487	83
2232	High-performance flexible lithium-ion electrodes based on robust network architecture. 2012 , 5, 6845	137
2231	Hybrid polythiophene/clay exfoliated nanocomposites for ultracapacitor devices. 2012 , 22, 13110	49
2230	Polyaniline/Vanadium Pentoxide Layer-by-Layer Electrodes for Energy Storage. 2012 , 24, 181-189	94
2229	Nickel/cobalt double hydroxides microspheres with hollow interior and hedgehog-like exterior structures for supercapacitors. 2012 , 22, 23587	98
2228	Template-free approach to synthesize hierarchical porous nickel cobalt oxides for supercapacitors. 2012 , 4, 6786-91	90
2227	Poly[Bis-EDOT-Isoindigo]: An Electroactive Polymer Applied to Electrochemical Supercapacitors. 2012 , 45, 8211-8220	95
2226	High pseudocapacitance material prepared via in situ growth of Ni(OH) ₂ nanoflakes on reduced graphene oxide. 2012 , 22, 11146	60
2225	Electrodeposition of pyrrole and 3-(4-tert-butylphenyl)thiophene copolymer for supercapacitor applications. 2012 , 162, 2216-2221	31
2224	Redox-active alkaline electrolyte for carbon-based supercapacitor with pseudocapacitive performance and excellent cyclability. 2012 , 2, 6736	125
2223	Gel Polymer Electrolyte Based Electrical Double Layer Capacitors: Comparative Study with Multiwalled Carbon Nanotubes and Activated Carbon Electrodes. 2012 , 116, 26118-26127	105
2222	Integrated synthesis of poly(o-phenylenediamine)-derived carbon materials for high performance supercapacitors. 2012 , 24, 6524-9	160
2221	Role of H ⁺ in Polypyrrole and Poly(3,4-ethylenedioxythiophene) Formation Using FeCl ₃ ·6H ₂ O in the Room Temperature Ionic Liquid, C4mpyrTFSI. 2012 , 65, 1513	13
2220	Biomimetic Sensing Actuators Based on Conducting Polymers. 2012 ,	6
2219	Graphene-based composites. 2012 , 41, 666-86	3116
2218	Nickel oxide/expanded graphite nanocomposite electrodes for supercapacitor application. 2012 , 16, 2667-2674	26

2217	Preparation of supercapacitor electrodes through selection of graphene surface functionalities. 2012 , 6, 5941-51	279
2216	Tailored redox functionality of small organics for pseudocapacitive electrodes. 2012 , 5, 7176	52
2215	An overview of the applications of graphene-based materials in supercapacitors. 2012 , 8, 1805-34	1082
2214	Mesoporous carbon incorporated metal oxide nanomaterials as supercapacitor electrodes. 2012 , 24, 4197-202	501
2213	Templated nanocarbons for energy storage. 2012 , 24, 4473-98	588
2212	Electrochemically Synthesized Polypyrrole/Graphene Composite Film for Lithium Batteries. 2012 , 2, 266-272	137
2211	Organic Electrode Materials for Rechargeable Lithium Batteries. 2012 , 2, 742-769	973
2210	Polymer/copper-modified MWNTs by radiation-induced graft polymerization and their efficient adsorption of odorous gases. 2012 , 126, E64-E69	4
2209	Color in Poly(3,4-ethylenedioxythiophene) with Profound Implications for Electronic, Electrochemical, and Optical Functions. 2012 , 77, 778-788	6
2208	Electrodes of Poly(N-methyl pyrrole)/Au and Poly(m-aminobenzene sulfonic acid)-Functionalized Multiwalled Carbon Nanotubes for Supercapacitor Applications. 2012 , 77, 789-798	8
2207	Conducting polymer/carbon nanocoil composite electrodes for efficient supercapacitors. 2012 , 22, 5177	81
2206	Electrochemical characterization of single-layer MnO ₂ nanosheets as a high-capacitance pseudocapacitor electrode. 2012 , 22, 14691	46
2205	Influence of the cellulose substrate on the electrochemical properties of paper-based polypyrrole electrode materials. 2012 , 47, 5317-5325	45
2204	Electropolymerization of Ni(salen) on carbon nanotube carrier as a capacitive material by pulse potentiostatic method. 2012 , 55, 1338-1344	11
2203	Electropolymerized composite film of polypyrrole and functionalized multi-walled carbon nanotubes: effect of functionalization time on capacitive performance. 2012 , 16, 1781-1789	26
2202	Surfactant-assisted electrodeposition and improved electrochemical capacitance of silver-doped manganese oxide pseudocapacitor electrodes. 2012 , 16, 2623-2629	36
2201	Electrochemical capacitance performance of polypyrrole/titania nanotube hybrid. 2012 , 16, 2683-2689	49
2200	High temperature and low current density synthesis of Mn ₃ O ₄ porous nano spheres: Characterization and electrochemical properties. 2012 , 12, 544-549	47

2199	Characterization of activated carbon fiber/polyaniline materials by position-resolved microbeam small-angle X-ray scattering. 2012 , 50, 1051-1056	23
2198	All solid supercapacitor based on activated carbon and poly [2,5-benzimidazole] for high temperature application. 2012 , 59, 296-303	91
2197	Capacitive and faradic charge components in high-speed carbon nanotube actuator. 2012 , 60, 177-183	39
2196	Electrochemical synthesis and characterization of single-walled carbon nanotubes/polypyrrole films on transparent substrates. 2012 , 64, 1-9	17
2195	One-step electrochemical composite polymerization of polypyrrole integrated with functionalized graphene/carbon nanotubes nanostructured composite film for electrochemical capacitors. 2012 , 62, 132-139	33
2194	Self-doped polyaniline on functionalized carbon cloth as electroactive materials for supercapacitor. 2012 , 64, 17-22	101
2193	Nanoarchitected current collector for high rate capability of polyaniline based supercapacitor electrode. 2012 , 65, 190-195	94
2192	Defective super-long carbon nanotubes and polypyrrole composite for high-performance supercapacitor electrodes. 2012 , 66, 279-286	46
2191	Polypyrrole coated nylon lycra fabric as stretchable electrode for supercapacitor applications. 2012 , 68, 18-24	179
2190	Structural and electrochemical properties of manganese substituted nickel cobaltite for supercapacitor application. 2012 , 67, 67-72	43
2189	Effect of regioregularity on specific capacitance of poly(3-hexylthiophene). 2012 , 69, 134-138	32
2188	Rapid potential step charging of paper-based polypyrrole energy storage devices. 2012 , 70, 91-97	57
2187	Influence of metal oxide nanoparticles on pseudocapacitive behavior of wet-spun polyaniline-multiwall carbon nanotube fibers. 2012 , 70, 182-192	60
2186	Hybridization of rechargeable batteries and electrochemical capacitors: Principles and limits. 2012 , 72, 1-17	278
2185	Improved electrochemical performance of hierarchical porous carbon/polyaniline composites. 2012 , 74, 98-104	29
2184	Supercapacitor based on electropolymerized polythiophene and multi-walled carbon nanotubes composites. 2012 , 132, 596-600	92
2183	Effects of pore diameters on the pseudocapacitive property of three-dimensionally ordered macroporous manganese oxide electrodes. 2012 , 68, 230-233	28
2182	Capacitive behaviour of polypyrrole films prepared on stainless steel substrates by electropolymerization. 2012 , 76, 15-17	24

2181	Polypyrrole/carbon nanotube nanocomposite enhanced the electrochemical capacitance of flexible graphene film for supercapacitors. <i>Journal of Power Sources</i> , 2012 , 197, 319-324	8.9	169
2180	Exfoliated graphite nanoplatelets/205 nanotube composite electrodes for supercapacitors. <i>Journal of Power Sources</i> , 2012 , 203, 227-232	8.9	99
2179	In situ synthesis of polyaniline/sodium carboxymethyl cellulose nanorods for high-performance redox supercapacitors. <i>Journal of Power Sources</i> , 2012 , 211, 40-45	8.9	83
2178	Polypyrrole coating of inorganic and organic materials by chemical oxidative polymerisation. 2012 , 66,		76
2177	Effect of surfactants on PANI morphologies and supercapacitive properties. 2012 , 60, 1767-1771		7
2176	Carbon nanocages as supercapacitor electrode materials. 2012 , 24, 347-52		441
2175	Influence of the nanocellulose raw material characteristics on the electrochemical and mechanical properties of conductive paper electrodes. 2012 , 47, 4463-4472		37
2174	Polyaniline-carbon nanofiber composite by a chemical grafting approach and its supercapacitor application. 2013 , 5, 8374-86		102
2173	Electrochemical Characterisation of Poly(aniline-co-N-methylaniline) and Poly(aniline-co-N-ethylaniline) Films on Pencil Graphite Electrode for Supercapacitor Applications. 2013 , 66, 825		2
2172	Preparation and characterization of polypyrrole/graphene nanocomposite films and their electrochemical performance. 2013 , 20, 1		54
2171	Synthesis of graphene/NiFe ₂ O ₄ nanocomposites and their electrochemical capacitive behavior. 2013 , 1, 6393		141
2170	Morphology-Dependent Enhancement of the Pseudocapacitance of Template-Guided Tunable Polyaniline Nanostructures. 2013 , 117, 15009-15019		81
2169	Towards sustainable and versatile energy storage devices: an overview of organic electrode materials. 2013 , 6, 2280		982
2168	Redox additive/active electrolytes: a novel approach to enhance the performance of supercapacitors. 2013 , 1, 12386		241
2167	Investigations of poly(pyrrole)-coated cotton fabrics prepared in blends of anionic and cationic surfactants as flexible electrode. 2013 , 103, 9-14		68
2166	Recent advances in polyaniline research: Polymerization mechanisms, structural aspects, properties and applications. 2013 , 177, 1-47		535
2165	Deposition of three-dimensional graphene aerogel on nickel foam as a binder-free supercapacitor electrode. 2013 , 5, 7122-9		238
2164	Electrochemical performance of conducting polymer and its nanocomposites prepared by chemical vapor phase polymerization method. 2013 , 24, 2245-2253		21

2163	Electrochemical co-deposition and characterization of MnO ₂ /SWNT composite for supercapacitor application. 2013 , 24, 1913-1920	25
2162	Synthesis and characterization of covalently-grafted graphene/polyaniline nanocomposites and its use in a supercapacitor. 2013 , 231, 397-405	80
2161	An overview of carbon materials for flexible electrochemical capacitors. 2013 , 5, 8799-820	235
2160	Graphene/poly(ortho-phenylenediamine) nanocomposite material for electrochemical supercapacitor. 2013 , 17, 2203-2212	37
2159	Synthesis and pseudocapacitive investigation of LiCr _x Mn _{2-x} O ₄ cathode material for aqueous hybrid supercapacitor. 2013 , 19, 1527-1533	13
2158	Viologens as charge carriers in a polymer-based battery anode. 2013 , 5, 7825-30	61
2157	Increasing Energy Storage in Electrochemical Capacitors with Ionic Liquid Electrolytes and Nanostructured Carbon Electrodes. 2013 , 4, 2829-2837	100
2156	New poly(p-substituted-N-phenylpyrrole)s. Electrosynthesis, electrochemical properties and characterization. 2013 , 179, 74-85	6
2155	A free template strategy for the fabrication of nickel/cobalt double hydroxide microspheres with tunable nanostructure and morphology for high performance supercapacitors. 2013 , 3, 19416	24
2154	Low band gap Schiff base polymers obtained by complexation with Lewis acids. 2013 , 70, 971-984	2
2153	Hierarchically structured graphene-based supercapacitor electrodes. 2013 , 3, 21183	51
2152	Supercapacitive property of metal-organic-frameworks with different pore dimensions and morphology. 2013 , 171, 53-57	165
2151	Easy synthesis of hierarchical carbon spheres with superior capacitive performance in supercapacitors. 2013 , 29, 12266-74	64
2150	Nanosized MnO ₂ spines on Au stems for high-performance flexible supercapacitor electrodes. 2013 , 1, 13301	32
2149	Preparation of graphene nanosheets/SnO ₂ composites by pre-reduction followed by in-situ reduction and their electrochemical performances. 2013 , 141, 1-8	33
2148	The mechanochemical synthesis of poly(3,4-ethylenedioxy-2,2':5',2'-terthiophene)/graphene nanoplatelet composites and the electrochemical performance. 2013 , 113, 382-389	6
2147	Influence of dopant structure and charge on supercapacitive behavior of polypyrrole electrodes with high mass loading. 2013 , 185-186, 126-132	21
2146	The study of polythiophene, poly(3-methylthiophene) and poly(3,4-ethylenedioxythiophene) on pencil graphite electrode as an electrode active material for supercapacitor applications. 2013 , 184, 16-22	40

2145	Optical Characterization of Thiophene Blending with Non-Conjugated Polymer at Different Composition. 2013 , 660, 15-18	2
2144	Synthesis of poly(N-alkyl-3,4-dihydrothieno[3,4-b][1,4]oxazine) derivatives and investigation of their supercapacitive performances for charge storage applications. 2013 , 90, 623-633	40
2143	Hydrothermal synthesis and electrochemical performance of Co ₃ O ₄ /reduced graphene oxide nanosheet composites for supercapacitors. 2013 , 112, 120-126	91
2142	Electrical characteristics of double stacked Ppy-PVA supercapacitor for powering biomedical MEMS devices. 2013 , 111, 374-378	11
2141	Charge storage in polymer acid-doped polyaniline-based layer-by-layer electrodes. 2013 , 5, 10127-36	56
2140	Electrochemical and Spectroelectrochemical Evidence of Redox Transitions Involving Protons in Thin MnO ₂ Electrodes in Protic Ionic Liquids. 2013 , 117, 20397-20405	18
2139	Synthesis of Reduced Graphene Oxide Functionalized with Poly (o-anisidine) through in-situ Oxidative Polymerization. 2013 , 580, 69-75	2
2138	Fabrication of polypyrrole-coated carbon nanotubes using oxidant-surfactant nanocrystals for supercapacitor electrodes with high mass loading and enhanced performance. 2013 , 5, 13161-70	53
2137	Optimization of PEDOT films in ionic liquid supercapacitors: demonstration as a power source for polymer electrochromic devices. 2013 , 5, 13432-40	95
2136	Poly(thieno[3,4-b][1,4]dioxine) and poly([1,4]dioxino[2,3-c]pyrrole) derivatives: p- and n-dopable redox-active electrode materials for solid state supercapacitor applications. 2013 , 14, 3249-3259	20
2135	Double-Gyroid-Structured Functional Materials. 2013 ,	31
2134	Structural Nanocomposites. 2013 ,	8
2133	Porous mesocarbon microbeads with graphitic shells: constructing a high-rate, high-capacity cathode for hybrid supercapacitor. 2013 , 3, 2477	64
2132	Synergy of the redox pair in the capacitive properties of nanometric poly(3,4-ethylenedioxythiophene). 2013 , 14, 131-142	6
2131	Structural and electrochemical stability of CoAl layered double hydroxide in alkali solutions. 2013 , 105, 261-274	29
2130	Microwave synthesis of nickel/cobalt double hydroxide ultrathin flowerclusters with three-dimensional structures for high-performance supercapacitors. 2013 , 111, 71-79	57
2129	Stimuli-Responsive Conjugated Polymers: From Electronic Noses to Artificial Muscles. 2013 , 423-470	1
2128	Enhanced electrochemical performance of highly porous supercapacitor electrodes based on solution processed polyaniline thin films. 2013 , 5, 9186-93	125

2127	Nano-aggregates of cobalt nickel oxysulfide as a high-performance electrode material for supercapacitors. 2013 , 5, 11615-9		55
2126	Electrochemically Active Polymers for Electrochemical Energy Storage: Opportunities and Challenges. 2013 , 2, 839-844		74
2125	Facile fabrication of self-assembled polyaniline nanotubes doped with d-tartaric acid for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2013 , 242, 797-802	8.9	59
2124	Flexible and high surface area composites of carbon fiber, polypyrrole, and poly(DMCT) for supercapacitor electrodes. 2013 , 93, 93-100		52
2123	Hydrothermal synthesis of reduced graphene sheets/Fe ₂ O ₃ nanorods composites and their enhanced electrochemical performance for supercapacitors. 2013 , 20, 46-53		59
2122	Polypyrrole electrodes doped with sulfanilic acid azochromotrop for electrochemical supercapacitors. <i>Journal of Power Sources</i> , 2013 , 243, 865-871	8.9	40
2121	Well-defined flake-like polypyrrole grafted graphene nanosheets composites as electrode materials for supercapacitors with enhanced cycling stability. 2013 , 287, 242-251		37
2120	One-step solution-phase synthesis of a novel RGO/Cu ₂ O/MnO ₂ ternary nanocomposite with excellent cycling stability for supercapacitors. 2013 , 581, 303-307		24
2119	Conducting Polymer Nanomaterials for Biomedical Applications: Cellular Interfacing and Biosensing. 2013 , 53, 407-442		94
2118	1-Dimensional confinement of porous polyethylenedioxythiophene using carbon nanofibers as a solid template: an efficient charge storage material with improved capacitance retention and cycle stability. 2013 , 3, 11877		24
2117	Wet-spinning of PEDOT:PSS/functionalized-SWNTs composite: a facile route toward production of strong and highly conducting multifunctional fibers. 2013 , 3, 3438		52
2116	High-strength carbon nanotube buckypaper composites as applied to free-standing electrodes for supercapacitors. 2013 , 1, 4057		69
2115	Charge storage properties of SiNWs grown by hot-wire chemical vapor process technique as electrodes in electrochemical capacitors. 2013 ,		
2114	Catalytic templating approaches for three-dimensional hollow carbon/graphene oxide nano-architectures. 2013 , 5, 6291-6		30
2113	Polypyrrole doped with redox-active poly(2-methoxyaniline-5-sulfonic acid) for lithium secondary batteries. 2013 , 3, 5447		20
2112	Carbon nanotube reinforced polypyrrole nanowire network as a high-performance supercapacitor electrode. 2013 , 1, 14943		101
2111	Polypyrrole nanofiber/carbon nanotube electrodes for supercapacitors with high mass loading obtained using an organic dye as a co-dispersant. 2013 , 1, 11614		84
2110	Synthesis and electrochemical performance of polyaniline/MnO ₂ nanowire composites for supercapacitors. 2013 , 74, 360-365		67

2109	Ultrahigh capacitance of nanoporous metal enhanced conductive polymer pseudocapacitors. <i>Journal of Power Sources</i> , 2013 , 225, 304-310	8.9	43
2108	In situ polymerization and characterization of grafted poly (3,4-ethylenedioxythiophene)/multiwalled carbon nanotubes composite with high electrochemical performances. 2013 , 87, 394-400		49
2107	Li-Carboxylate Anode Structure-Property Relationships from Molecular Modeling. 2013 , 25, 132-141		67
2106	Sandwich nanocomposites of polyaniline embedded between graphene layers and multi-walled carbon nanotubes for cycle-stable electrode materials of organic supercapacitors. 2013 , 3, 1797-1807		19
2105	Fabrication of high-performance supercapacitors based on transversely oriented carbon nanotubes. 2013 , 111, 227-236		13
2104	In situ intercalative polymerization of pyrrole in graphene analogue of MoS ₂ as advanced electrode material in supercapacitor. <i>Journal of Power Sources</i> , 2013 , 229, 72-78	8.9	368
2103	Structural composite supercapacitors. 2013 , 46, 96-107		129
2102	Preparation of fluorescent polyaniline nanoparticles in aqueous solutions. 2013 , 15, 1		15
2101	Conductive polypyrrole/Bacterial cellulose nanocomposite membranes as flexible supercapacitor electrode. 2013 , 14, 3331-3338		121
2100	Development of a conducting polymer cell impedance sensor. 2013 , 176, 667-674		28
2099	Novel synthesis and electrochemical performance of nano-structured composite with Cu ₂ O embedment in porous carbon as anode material for lithium ion batteries. <i>Journal of Power Sources</i> , 2013 , 238, 173-179	8.9	33
2098	Multimodal porous carbon as a highly efficient electrode material in an electric double layer capacitor. 2013 , 182, 1-7		66
2097	Synthesis and characterization of pulsed polymerized poly(3,4-ethylenedioxythiophene) electrodes for high-performance electrochemical capacitors. 2013 , 87, 158-168		43
2096	Activation of structural carbon fibres for potential applications in multifunctional structural supercapacitors. 2013 , 395, 241-8		60
2095	Carbon Nanomaterials for Flexible Energy Storage. 2013 , 1, 175-192		34
2094	Biomedical Perspectives of Polyaniline Based Biosensors. 2013 , 810, 173-216		2
2093	Comparison of the electrochemical performance of NiMoO ₄ nanorods and hierarchical nanospheres for supercapacitor applications. 2013 , 5, 12905-10		227
2092	One-step hydrothermal synthesis of hierarchical MnO ₂ -coated CuO flower-like nanostructures with enhanced electrochemical properties for supercapacitor. 2013 , 112, 203-206		58

2091	Direct growth of mesoporous MnO ₂ nanosheet arrays on nickel foam current collectors for high-performance pseudocapacitors. <i>Journal of Power Sources</i> , 2013 , 243, 676-681	8.9	119
2090	High-performance poly(3,4-ethylene-dioxythiophene):polystyrenesulfonate conducting-polymer supercapacitor containing hetero-dimensional carbon additives. <i>Journal of Power Sources</i> , 2013 , 238, 69-73	8.9	45
2089	Porous Co ₁₆ S ₁₆ O ₉₆ nanosheets as a new electrode material for use in supercapacitors. <i>Journal of Power Sources</i> , 2013 , 239, 24-29	8.9	6
2088	Polypyrrole/carbon supercapacitor electrode with remarkably enhanced high-temperature cycling stability by TiC nanoparticle inclusion. 2013 , 27, 172-175		28
2087	Optical properties and photo-oxidative degradation of regioregular poly(3-butylthiophene) films by spectroscopic ellipsometry. 2013 , 542, 338-342		3
2086	Water Dispersed Conducting Polyaniline Nanofibers for High-Capacity Rechargeable Lithium-Oxygen Battery.. 2013 , 2, 92-95		42
2085	Electrochemically reduced graphene oxide sheets for use in high performance supercapacitors. 2013 , 51, 36-44		231
2084	Nano fibre polyaniline containing long chain and small molecule dopants and carbon composites for supercapacitor. 2013 , 95, 251-259		44
2083	Facile synthesis of polyaniline nanotubes using reactive oxide templates for high energy density pseudocapacitors. 2013 , 1, 3315		158
2082	Polythiophene infiltrated TiO ₂ nanotubes as high-performance supercapacitor electrodes. 2013 , 49, 2308-10		105
2081	Graphene oxide-dispersed pristine CNTs support for MnO ₂ nanorods as high performance supercapacitor electrodes. 2013 , 6, 474-80		76
2080	Comparison of the electrochemical properties of thin films of MWCNTs/C60-Pd, SWCNTs/C60-Pd and ox-CNOs/C60-Pd. 2013 , 96, 274-284		30
2079	Polyaniline/polypyrrole nanograined composite via electrostatic adsorption for high performance electrochemical supercapacitors. 2013 , 552, 240-247		55
2078	Nanomaterials for energy conversion and storage. 2013 , 42, 3127-71		1188
2077	Asymmetric hybrid capacitors based on activated carbon and activated carbon fibre/BANI electrodes. 2013 , 89, 326-333		82
2076	Asymmetric supercapacitor containing poly(3-methyl thiophene)-multiwalled carbon nanotubes nanocomposites and activated carbon. 2013 , 94, 182-191		48
2075	High performance supercapacitor prepared from hollow mesoporous carbon capsules with hierarchical nanoarchitecture. <i>Journal of Power Sources</i> , 2013 , 244, 799-805	8.9	114
2074	Tunable electrode morphology used for high performance supercapacitor: Polypyrrole nanomaterials as model materials. 2013 , 90, 535-541		44

2073	Functionalisation of fabrics with conducting polymer for tuning capacitance and fabrication of supercapacitor. 2013 , 94, 487-95		65
2072	Recent advances in polyaniline composites with metals, metalloids and nonmetals. 2013 , 170, 31-56		164
2071	Direct laser-patterned micro-supercapacitors from paintable MoS ₂ films. 2013 , 9, 2905-10		401
2070	Revisiting the capacitance of polyaniline by using graphene hydrogel films as a substrate: the importance of nano-architecturing. 2013 , 6, 477-481		178
2069	In situ synthesis and nonvolatile rewritable-memory effect of polyaniline-functionalized graphene oxide. 2013 , 19, 6265-73		49
2068	A high performance hybrid capacitor with Li ₂ CoPO ₄ F cathode and activated carbon anode. 2013 , 5, 5958-64		48
2067	Characterization of Ni plaque based polypyrrole electrodes prepared by pulse electropolymerization. 2013 , 96, 135-138		6
2066	Novel glycerol assisted synthesis of polypyrrole nanospheres and its electrochemical properties. 2013 , 168, 9-15		23
2065	Graphene-wrapped polyaniline nanofibers as electrode materials for organic supercapacitors. 2013 , 52, 440-450		142
2064	Three-dimensional activated reduced graphene oxide nanocup/nickel aluminum layered double hydroxides composite with super high electrochemical and capacitance performances. 2013 , 95, 146-154		55
2063	High-performance supercapacitors materials prepared via in situ growth of NiAl-layered double hydroxide nanoflakes on well-activated graphene nanosheets. 2013 , 94, 360-366		64
2062	Enhanced electrochemical capacitance of polyaniline/graphene hybrid nanosheets with graphene as templates. 2013 , 53, 376-381		41
2061	Influence of current collector on capacitive behavior and cycling stability of Tiron doped polypyrrole electrodes. <i>Journal of Power Sources</i> , 2013 , 240, 42-49	8.9	62
2060	Titanium carbide@polypyrrole core-shell nanoparticles prepared by controlled heterogeneous nucleation for rechargeable batteries. 2013 , 49, 10784-6		11
2059	Solid-state supercapacitors with ionic liquid based gel polymer electrolyte: Effect of lithium salt addition. <i>Journal of Power Sources</i> , 2013 , 243, 211-218	8.9	53
2058	Vapor phase polymerization deposition of conducting polymer/graphene nanocomposites as high performance electrode materials. 2013 , 5, 4350-5		34
2057	Recent advances in conjugated polymer energy storage. 2013 , 51, 468-480		139
2056	Biomimetic intracellular matrix (ICM) materials, properties and functions. Full integration of actuators and sensors. 2013 , 1, 26-38		69

2055	High total-electrode and mass-specific capacitance cellulose nanocrystal-polypyrrole nanocomposites for supercapacitors. 2013 , 3, 9158		44
2054	Manganese oxide micro-supercapacitors with ultra-high areal capacitance. 2013 , 5, 4119-22		95
2053	Conducting polymers-based electrochemical supercapacitorsProgress and prospects. 2013 , 101, 109-129		311
2052	Electrode materials for aqueous asymmetric supercapacitors. 2013 , 3, 13059		407
2051	Construction of high-capacitance 3D CoO@polypyrrole nanowire array electrode for aqueous asymmetric supercapacitor. 2013 , 13, 2078-85		1122
2050	Direct measurement of ammonia in simulated human breath using an inkjet-printed polyaniline nanoparticle sensor. 2013 , 779, 56-63		44
2049	Using hydroxylamine as a reducer to prepare N-doped graphene hydrogels used in high-performance energy storage. <i>Journal of Power Sources</i> , 2013 , 238, 492-500	8.9	93
2048	Room-temperature synthesis of 3-dimensional Ag-graphene hybrid hydrogel with promising electrochemical properties. 2013 , 178, 769-774		20
2047	Polypyrrole/lanthanum strontium manganite oxide nanocomposites: Elaboration and characterization. 2013 , 167, 18-24		12
2046	Oxidatively stable polyaniline:polyacid electrodes for electrochemical energy storage. 2013 , 15, 9654-62		72
2045	Multifunctional structural supercapacitor composites based on carbon aerogel modified high performance carbon fiber fabric. 2013 , 5, 6113-22		156
2044	High rate performance of flexible pseudocapacitors fabricated using ionic-liquid-based proton conducting polymer electrolyte with poly(3, 4-ethylenedioxythiophene):poly(styrene sulfonate) and its hydrous ruthenium oxide composite electrodes. 2013 , 5, 3875-83		67
2043	Manganosite microwave exfoliated graphene oxide composites for asymmetric supercapacitor device applications. 2013 , 101, 99-108		75
2042	Highly stable polypyrrole film prepared by unipolar pulse electro-polymerization method as electrode for electrochemical supercapacitor. 2013 , 175, 138-145		45
2041	Reduced graphene oxide aerogel with high-rate supercapacitive performance in aqueous electrolytes. 2013 , 8, 247		60
2040	Development of a Novel Active Polypyrrole Trilayer Membrane. 2013 , 1, 226-231		5
2039	Vapor Phase Polymerization Deposition Conducting Polymer Nanocomposites on Porous Dielectric Surface as High Performance Electrode Materials. 2013 , 5, 40-46		18
2038	Eco-friendly water-borne conducting polyaniline. 2013 , 31, 853-869		9

2037	Synergistic effect of hierarchical nanostructured MoO ₂ /Co(OH) ₂ with largely enhanced pseudocapacitor cyclability. 2013 , 13, 5685-91	171
2036	Design of a high performance thin all-solid-state supercapacitor mimicking the active interface of its liquid-state counterpart. 2013 , 5, 13397-404	45
2035	Temperature Effect on Nucleation and Growth Mechanism of Poly(o-anisidine) and Poly(aniline) Electro-Synthesis. 2013 , 160, G125-G134	12
2034	Coaxial electrospun nanostructures and their applications. 2013 , 1, 11513	163
2033	Electrochemical co-deposition of conductive polymer-silica hybrid thin films. 2013 , 15, 10876-84	27
2032	Composites of Conducting Polymers and Various Carbon Nanostructures for Electrochemical Supercapacitors. 2013 , 2, M3120-M3134	36
2031	Electrodeposition of polypyrrole/carbon nanotube composites for electrochemical supercapacitors. <i>Journal of Power Sources</i> , 2013 , 221, 49-56	8.9 91
2030	PANI and graphene/PANI nanocomposite films--comparative toluene gas sensing behavior. 2013 , 13, 16611-24	55
2029	Synthesis, Structural and Photoelectrical Properties of Self-Assembled Gold-Poly(3,4-Ethylenedioxythiophene) Nanowires and Nanocables. 2013 , 650, 200-205	
2028	Nanostructured composite electrode based on manganese dioxide and carbon vulcan/carbon nanotubes for an electrochemical supercapacitor. 2013 , 4, 035004	13
2027	Ion Irradiation Effects in some Electro-Active and Engineering Polymers Studies by Conventional and Novel Techniques. 2013 , 341, 1-49	9
2026	Morphology and Capacitance Properties of Nanostructured Composites of Carbon Nanostructures and C60-Pd Nanoparticles. 2013 , 2, M3151-M3155	4
2025	High specific capacitance of CuS nanotubes in redox active polysulfide electrolyte. 2013 , 3, 1703-1708	102
2024	Application of Polythiophene Nanocomposite Coated on Polystyrene and Poly(Vinyl Chloride) for Removal of Pb(II) from Aqueous Solution. 2013 , 52, 1621-1625	12
2023	Fabrication of 3D polypyrrole microstructures and their utilization as electrodes in supercapacitors. 2013 , 23, 125029	2
2022	Chapter 10:Nanoelectrochemistry in India. 336-378	4
2021	IONIC LIQUID CATALYZED ELECTROLYTE FOR ELECTROCHEMICAL POLYANILINE SUPERCAPACITORS. 2013 ,	
2020	Carbon Nanotubes for Energy Applications. 2013 ,	11

2019	Electrochemical properties of PANI as single electrode of electrochemical capacitors in acid electrolytes. 2013 , 2013, 940153	32
2018	Safer and Flexible Lithium Ion Batteries: Dream or Reality?. 2013 , 3, 36-44	3
2017	. 2013 ,	112
2016	Supercapacitor Based On a Commercially Prepared Hydroxyl Multiwalled Carbon Nanotubes With Hybrid Polymer Electrolyte. 2014 , 6,	
2015	Electrochemical Properties of Poly(Anthraquinonyl Sulfide)/Graphene Sheets Composites as Electrode Materials for Electrochemical Capacitors. 2014 , 4, 599-611	23
2014	Design, Fabrication and Characterization of a Commercially Prepared Carboxyl Multiwalled Carbon Nanotubes With a Hybrid Polymer Electrolytes. 2014 , 6,	1
2013	A Flexible Solid State EDLC From a Commercially Prepared Multiwalled Carbon Nanotubes and Hybrid Polymer Electrolytes. 2014 , 3,	1
2012	Electrochemical Behavior and Specific Capacitance of Polyaniline/Silver Nanoparticle/Multi-walled Carbon Nanotube Composites. 2014 , 27, 718-724	9
2011	Fabrication and characterization of reduced graphene oxide modified nickel hydroxide electrode for energy storage applications. 2014 , 53, 08NC02	4
2010	Structural investigation of anionic functional poly(vinyl alcohol) doped polypyrrole nanospheres. 2014 , 15, 2019-2025	2
2009	Hierarchical activated mesoporous phenolic-resin-based carbons for supercapacitors. 2014 , 9, 2789-97	20
2008	Preparation and characterization of RuO ₂ /polypyrrole electrodes for supercapacitors. 2014 , 197, 57-60	15
2007	A high-capacitance solid-state supercapacitor based on polyaniline and ground carbon fibers. 2014 ,	1
2006	Cellulose in Printed Electronics. 2014 , 237-252	1
2005	Method of carbon-based electrode analysis by conductive-atomic force microscopy. 2014 , 9, 69-72	0
2004	Interplay between Nitrogen Concentration, Structure, Morphology, and Electrochemical Performance of PdCoNi Core/Shell Carbon Nitride Electrocatalysts for the Oxygen Reduction Reaction. 2014 , 1, 1359-1369	79
2003	Template assisted fabrication of free-standing MnO ₂ nanotube and nanowire arrays and their application in supercapacitors. 2014 , 104, 053904	68
2002	A high-performance supercapacitor based on a polythiophene/multiwalled carbon nanotube composite by electropolymerization in an ionic liquid microemulsion. 2014 , 2, 17024-17030	76

2001	Facile Synthesis of Poly(p-phenylenediamine)-Derived Three-Dimensional Porous Nitrogen-Doped Carbon Networks for High Performance Supercapacitors. 2014 , 118, 29507-29516	62
2000	Self-assembled polypyrrole film by interfacial polymerization for supercapacitor applications. 2014 , 132, n/a-n/a	5
1999	Encyclopedia of Polymeric Nanomaterials. 2014 , 1-9	
1998	Synthesis of Hybrid Electroactive Materials by Low-Potential Electropolymerization of Gold Nanoparticles Capped with Tailored EDOT-Thiophene Precursor Units. 2014 , 1, 1312-1318	12
1997	Excellent capacitive performance of a three-dimensional hierarchical porous graphene/carbon composite with a superhigh surface area. 2014 , 20, 13314-20	52
1996	Study of PEDOT/PSS in carbon nanotube/conducting polymer composites as supercapacitor electrodes in aqueous solution. 2014 , 728, 140-147	35
1995	Electrochemical supercapacitor properties of polyaniline thin films in organic salt added electrolytes. 2014 , 131, n/a-n/a	9
1994	CoNi(2)S(4) nanosheet arrays supported on nickel foams with ultrahigh capacitance for aqueous asymmetric supercapacitor applications. 2014 , 6, 19318-26	389
1993	Polyaniline@MnO ₂ /Graphene Oxide Ternary Composites for Electrochemical Supercapacitors. 2014 , 1070-1072, 465-470	
1992	Interfacial polymerization of poly(2,5-dimethoxyaniline) and its enhanced capacitive performances. 2014 , 131, n/a-n/a	0
1991	Charge storage properties of biopolymer electrodes with (sub)tropical lignins. 2014 , 16, 24681-4	24
1990	Emerging electrochemical energy conversion and storage technologies. 2014 , 2, 79	196
1989	Supercapacitors specialities - Materials review. 2014 ,	17
1988	Liquid Crystalline Graphene Oxide/PEDOT:PSS Self-Assembled 3D Architecture for Binder-Free Supercapacitor Electrodes. 2014 , 2,	36
1987	Fabrication, characterization and antimicrobial activity of polyaniline Th(IV) tungstomolybdophosphate nanocomposite material: Efficient removal of toxic metal ions from water. 2014 , 251, 413-421	178
1986	Poly(ortho-aminophenol)/graphene nanocomposite as an efficient supercapacitor electrode. 2014 , 713, 103-111	23
1985	Capacitive behaviour of polypyrrole, prepared by electrochemical and chemical methods. 2014 , 125, 92-95	12
1984	Improving the electrochemical performance of polyaniline electrode for supercapacitor by chemical oxidative copolymerization with p-phenylenediamine. 2014 , 20, 1324-1331	32

1983	Intrinsically conducting polymers in electrochemical energy technology: Trends and progress. 2014 , 122, 93-107		110
1982	Conducting polymer nanowire arrays for high performance supercapacitors. 2014 , 10, 14-31		593
1981	Solid-state flexible polyaniline/silver cellulose nanofibrils aerogel supercapacitors. <i>Journal of Power Sources</i> , 2014 , 246, 283-289	8.9	103
1980	Galvanodynamic synthesis of polyaniline: A flexible method for the deposition of electroactive materials. 2014 , 717-718, 110-118		7
1979	MnO ₂ Nanoflower Arrays with High Rate Capability for Flexible Supercapacitors. 2014 , 1, 1003-1008		43
1978	Controllable synthesis of CuS with hierarchical structures via a surfactant-free method for high-performance supercapacitors. 2014 , 122, 25-28		90
1977	Hydrothermal synthesis of a flower-like nano-nickel hydroxide for high performance supercapacitors. 2014 , 123, 158-166		83
1976	Poly(3-methylthiophene)/Vertically Aligned Multi-walled Carbon Nanotubes: Electrochemical Synthesis, Characterizations and Electrochemical Storage Properties in Ionic Liquids. 2014 , 130, 754-765		26
1975	Thin and flexible all-solid supercapacitor prepared from novel single wall carbon nanotubes/polyaniline thin films obtained in liquid-liquid interfaces. <i>Journal of Power Sources</i> , 2014 , 260, 34-42	8.9	82
1974	Electrodeposited polyethylenedioxythiophene with infiltrated gel electrolyte interface: a close contest of an all-solid-state supercapacitor with its liquid-state counterpart. 2014 , 6, 5944-52		68
1973	Charge Storage in Decyl- and 3,6,9-Trioxadecyl-Substituted Poly(dithieno[3,2-b:2,3-d]pyrrole) Electrodes. 2014 , 47, 79-88		23
1972	Supercapacitor carbon electrodes with high capacitance. 2014 , 18, 1351-1363		28
1971	Chitosan-ZnO/polyaniline ternary nanocomposite for high-performance supercapacitor. 2014 , 20, 551-561		63
1970	An electrochemical, in vitro bioactivity, and quantum chemical approach to nanostructured copolymer coatings for orthopedic applications. 2014 , 49, 4067-4080		23
1969	Conducting polymer and reduced graphene oxide Langmuir-Blodgett films: a hybrid nanostructure for high performance electrode applications. 2014 , 25, 1063-1071		20
1968	Potentiostatically deposited polypyrrole/graphene decorated nano-manganese oxide ternary film for supercapacitors. 2014 , 40, 3855-3864		82
1967	NH ₄ CoPO ₄ ·H ₂ O microbundles consisting of one-dimensional layered microrods for high performance supercapacitors. 2014 , 4, 340-347		40
1966	25th anniversary article: organic photovoltaic modules and biopolymer supercapacitors for supply of renewable electricity: a perspective from Africa. 2014 , 26, 830-48		39

1965	Preparation and supercapacitance performance of manganese oxide nanosheets/graphene/carbon nanotubes ternary composite film. 2014 , 125, 488-496	24
1964	Supercapacitive properties of electrodeposited polyaniline electrode in acrylic gel polymer electrolytes. 2014 , 189, 152-156	18
1963	Understanding the effects of electrochemical parameters on the areal capacitance of electroactive polymers. 2014 , 2, 7509-7516	15
1962	Assembly of viral hydrogels for three-dimensional conducting nanocomposites. 2014 , 26, 5101-7	44
1961	Preparation of High-performance Covalently Bonded Polyaniline Nanorods/Graphene Supercapacitor Electrode Materials using Interfacial Copolymerization Approach. 2014 , 127, 139-145	48
1960	A high performance hybrid asymmetric supercapacitor via nano-scale morphology control of graphene, conducting polymer, and carbon nanotube electrodes. 2014 , 2, 9964-9969	48
1959	Supercapacitors Based on Flexible Substrates: An Overview. 2014 , 2, 325-341	140
1958	Covalently-grafted polyaniline on graphene oxide sheets for high performance electrochemical supercapacitors. 2014 , 71, 257-267	152
1957	Tailoring porosities and electrochemical properties of composites composed of microfibrillated cellulose and polypyrrole. 2014 , 4, 8489-8497	15
1956	Polyaniline based electrodes for electrochemical supercapacitor: Synergistic effect of silver, activated carbon and polyaniline. 2014 , 724, 21-28	39
1955	Soft template interfacial growth of novel ultralong polypyrrole nanowires for electrochemical energy storage. 2014 , 132, 112-117	38
1954	Mechanism investigation and suppression of self-discharge in active electrolyte enhanced supercapacitors. 2014 , 7, 1750-1759	199
1953	Electrospun carbon nanofibers surface-grown with carbon nanotubes and polyaniline for use as high-performance electrode materials of supercapacitors. 2014 , 4, 23622-23629	68
1952	Electrochemical storage properties of polyaniline-, poly(N-methylaniline)-, and poly(N-ethylaniline)-coated pencil graphite electrodes. 2014 , 68,	15
1951	Sonochemically synthesized MnO ₂ nanoparticles as electrode material for supercapacitors. 2014 , 21, 1933-8	70
1950	Polyfullerene Electrodes for High Power Supercapacitors. 2014 , 4, 1301509	39
1949	Synthesis and characterization of a highly stable poly (3,4-ethylenedioxythiophene)-gold nanoparticles composite film and its application to electrochemical dopamine sensors. 2014 , 4, 8415-8420	13
1948	Strategies for enhancing the performance of carbon/carbon supercapacitors in aqueous electrolytes. 2014 , 128, 210-217	39

1947	The preparation and electrochemical properties of MnO ₂ /poly(3,4-ethylenedioxythiophene)/multiwalled carbon nanotubes hybrid nanocomposite and its application in a novel flexible micro-supercapacitor. 2014 , 121, 49-56	39
1946	An easy one-step electrosynthesis of graphene/polyaniline composites and electrochemical capacitor. 2014 , 67, 662-672	68
1945	Electrochemical properties of CVD grown pristine graphene: monolayer- vs. quasi-graphene. 2014 , 6, 1607-21	157
1944	Controlled synthesis, core-shell structures and electrochemical properties of polyaniline/polypyrrole composite nanofibers. 2014 , 2, 2129-2135	45
1943	Conjugated Polymer Assemblies on Carbon Nanotubes. 2014 , 47, 705-712	53
1942	Novel hybrid nanocomposite based on poly(3,4-ethylenedioxythiophene)/multiwalled carbon nanotubes/graphene as electrode material for supercapacitor. 2014 , 189, 69-76	49
1941	Paper-based batteries: a review. 2014 , 54, 640-9	171
1940	Electrochemically assembling of polythiophene film in ionic liquids (ILs) microemulsions and its application in an electrochemical capacitor. 2014 , 120, 122-127	36
1939	Enhanced electrochemical energy storage performance of reduced graphene oxide by incorporating oxygen-rich in-plane pores. 2014 , 2, 1802-1808	15
1938	Preparation and Characterization of Microwave Reduced Graphite Oxide for High-Performance Supercapacitors. 2014 , 150, 269-278	82
1937	Formation of carbon nanosheets via simultaneous activation and catalytic carbonization of macroporous anion-exchange resin for supercapacitors application. 2014 , 6, 20795-803	76
1936	Production of Nanostructured Conjugated Polymers by Electropolymerization of Tailored Tetrahedral Precursors. 2014 , 1, 1219-1225	12
1935	Effect of Carbon Nanotube Functionalization on the Structure and Electrochemical Characteristics of Their Hybrid Nanocomposites with Polyaniline and Polypyrrole. 2014 , 50, 204-211	
1934	Reduced chemically modified graphene oxide for supercapacitor electrode. 2014 , 9, 535	100
1933	Vertically aligned ZnO nanorod core-polypyrrole conducting polymer sheath and nanotube arrays for electrochemical supercapacitor energy storage. 2014 , 9, 453	33
1932	Free-standing polyaniline porous carbon nanofiber electrodes for symmetric and asymmetric supercapacitors. 2014 , 4, 59427-59435	46
1931	Importance of dispersion forces for prediction of thermodynamic and transport properties of some common ionic liquids. 2014 , 16, 7209-21	85
1930	One-step synthesis of layered CuS/multi-walled carbon nanotube nanocomposites for supercapacitor electrode material with ultrahigh specific capacitance. 2014 , 149, 28-33	87

1929	In situ synthesis of Ni _x Co _y Oz@C composites with rod-like Ni@C as support for potential application in supercapacitors. 2014 , 4, 32047	4
1928	Cotton fabrics coated with lignosulfonate-doped polypyrrole for flexible supercapacitor electrodes. 2014 , 4, 6261	64
1927	MnO ₂ nanolayers on highly conductive TiO(0.54)N(0.46) nanotubes for supercapacitor electrodes with high power density and cyclic stability. 2014 , 16, 8521-8	17
1926	Yolk-shell nanorattles encapsulating a movable Au nanocore in electroactive polyaniline shells for flexible memory device. 2014 , 2, 5189	23
1925	Conductive cellulose nanocrystals with high cycling stability for supercapacitor applications. 2014 , 2, 19268-19274	73
1924	Stretchable and semitransparent conductive hybrid hydrogels for flexible supercapacitors. 2014 , 8, 7138-46	154
1923	Transparent and flexible supercapacitors with single walled carbon nanotube thin film electrodes. 2014 , 6, 15434-9	105
1922	Manganese dioxide core-shell nanowires in situ grown on carbon spheres for supercapacitor application. 2014 , 16, 4016	28
1921	Electrochemical supercapacitor with polymeric active electrolyte. 2014 , 2, 10526-10531	41
1920	Flexible solid-state supercapacitors based on a conducting polymer hydrogel with enhanced electrochemical performance. 2014 , 2, 19726-19732	108
1919	Metal-organic complexes as redox candidates for carbon based pseudo-capacitors. 2014 , 2, 18132-18138	15
1918	Heterostructured poly(3,6-dithien-2-yl-9H-carbazol-9-yl acetic acid)/TiO ₂ nanoparticles composite redox-active materials as both anode and cathode for high-performance symmetric supercapacitor applications. 2014 , 2, 6512-6524	21
1917	Anionic dopant-dispersants for synthesis of polypyrrole coated carbon nanotubes and fabrication of supercapacitor electrodes with high active mass loading. 2014 , 2, 14666	39
1916	Phospholipid vesicles as soft templates for electropolymerization of nanostructured polypyrrole membranes with long range order. 2014 , 2, 11784	14
1915	Growth of polythiophene nano-walls and their unique electrochemical and optical properties. 2014 , 1, 452	5
1914	Mechanically tough double-network hydrogels with high electronic conductivity. 2014 , 2, 736-743	38
1913	Synthesis of a DWNTs/PAni composite and its supercapacitive behavior compared to the SWNTs/PAni and MWNTs/PAni composites. 2014 , 4, 9756	6
1912	Water dispersible Ag@polyaniline-pectin as supercapacitor electrode for physiological environment. 2014 , 2, 5012-5019	36

1911	Polyaniline nanofiber/vanadium pentoxide sprayed layer-by-layer electrodes for energy storage. 2014 , 2, 14421-14428	28
1910	Polypyrrole-para-phenolsulfonic acid/tape artificial muscle as a tool to clarify biomimetic driven reactions and ionic exchanges. 2014 , 2, 1954-1965	27
1909	Facile synthesis of hierarchical conducting polypyrrole nanostructures via a reactive template of MnO ₂ and their application in supercapacitors. 2014 , 4, 199-202	97
1908	Green synthesis of open porous NiO films with an excellent capacitance performance. 2014 , 50, 3443-6	49
1907	An easily functionalizable oligo(oxyethylene)- and ester-substituted poly(3,4-propylenedioxythiophene) derivative exhibiting alkali metal ion response. 2014 , 4, 52467-52475	8
1906	High-performance supercapacitor based on multi-structural CuS@polypyrrole composites prepared by in situ oxidative polymerization. 2014 , 2, 3303	114
1905	The influence of electrode and separator thickness on the cell resistance of symmetric cellulose/polypyrrole-based electric energy storage devices. <i>Journal of Power Sources</i> , 2014 , 272, 468-475 ^{8,9}	25
1904	High areal and volumetric capacity sustainable all-polymer paper-based supercapacitors. 2014 , 2, 16761-16769 ^{7,8}	78
1903	In situ preparation of SnO ₂ @polyaniline nanocomposites and their synergetic structure for high-performance supercapacitors. 2014 , 2, 8334	67
1902	In Situ and Real-Time Atomic Force Microscopy Studies of the Stability of Oligothiophene Langmuir-Blodgett Monolayers in Liquid. 2014 , 118, 5789-5795	2
1901	Synthesis of three-dimensional self-standing graphene/Ni(OH) ₂ composites for high-performance supercapacitors. 2014 , 4, 18080-18085	27
1900	Understanding the effect of polypyrrole and poly(3,4-ethylenedioxythiophene) on enhancing the supercapacitor performance of NiCo ₂ O ₄ electrodes. 2014 , 2, 16731-16739	58
1899	Electrochemically reduced graphene oxide and its capacitance performance. 2014 , 148, 903-908	9
1898	Mechanically strong high performance layered polypyrrole nano fibre/graphene film for flexible solid state supercapacitor. 2014 , 79, 554-562	92
1897	Systematic investigation on charge storage behaviour of multidimensional poly(3,4-ethylenedioxythiophene) nanostructures. 2014 , 4, 37529	28
1896	Controllable synthesis of multi-walled carbon nanotubes/poly(3,4-ethylenedioxythiophene) core-shell nanofibers with enhanced electrocatalytic activity. 2014 , 137, 518-525	20
1895	Design and synthesis of heteroatoms doped carbon/polyaniline hybrid material for high performance electrode in supercapacitor application. 2014 , 146, 242-248	82
1894	Study on capacitance evolving mechanism of polypyrrole during prolonged cycling. 2014 , 118, 1353-62	20

1893	Insights on the fundamental capacitive behavior: a case study of MnO ₂ . 2014 , 10, 3568-78	41
1892	Effect of the Oxidant/Monomer Ratio and the Washing Post-Treatment on Electrochemical Properties of Conductive Polymers. 2014 , 53, 13680-13689	31
1891	Polypyrrole coated carbon nanotubes for supercapacitor devices with enhanced electrochemical performance. <i>Journal of Power Sources</i> , 2014 , 268, 233-239	8.9 64
1890	Facile electrochemical synthesis of polydopamine-incorporated graphene oxide/PEDOT hybrid thin films for pseudocapacitive behaviors. 2014 , 195, 162-166	24
1889	Advanced asymmetric supercapacitor based on conducting polymer and aligned carbon nanotubes with controlled nanomorphology. 2014 , 9, 176-185	82
1888	Polypyrrole coated carbon nanotubes for supercapacitors, prepared using indigo carmine as a dispersant and dopant. 2014 , 135, 47-50	26
1887	Synthesis and in situ doping of highly conductive polypyrrole nanocomplexes with binary acids. 2014 , 52, 2329-2336	14
1886	In Situ Synthesis of Hybrid Aerogels from Single-Walled Carbon Nanotubes and Polyaniline Nanoribbons as Free-Standing, Flexible Energy Storage Electrodes. 2014 , 26, 1678-1685	48
1885	Flower-like MnO ₂ decorated activated multihole carbon as high-performance asymmetric supercapacitor electrodes. 2014 , 135, 11-14	43
1884	Selectively dealloyed Ti/TiO ₂ network nanostructures for supercapacitor application. 2014 , 133, 175-178	25
1883	Aniline Tetramer-Graphene Oxide Composites for High Performance Supercapacitors. 2014 , 4, 1400781	38
1882	LiMnBO ₃ nanobeads as an innovative anode material for high power lithium ion capacitor applications. 2014 , 6, 11357-67	39
1881	Cobalt-based compounds and composites as electrode materials for high-performance electrochemical capacitors. 2014 , 2, 17212-17248	139
1880	One-step electrodeposited nickel cobalt sulfide nanosheet arrays for high-performance asymmetric supercapacitors. 2014 , 8, 9531-41	599
1879	Hollow structured and flower-like C@MnCo ₂ O ₄ composite for high electrochemical performance in a supercapacitor. 2014 , 16, 9873-9881	79
1878	Supercapacitance of polypyrrole/titania/polyaniline coaxial nanotube hybrid. 2014 , 198, 59-66	23
1877	Modification of conductive polyaniline with carbon nanomaterials. 2014 , 4, 1	6
1876	One-step preparation of ultrathin nitrogen-doped carbon nanosheets with ultrahigh pore volume for high-performance supercapacitors. 2014 , 2, 17297-17301	51

1875	Ultrathin single-crystalline vanadium pentoxide nanoribbon constructed 3D networks for superior energy storage. 2014 , 2, 13136-13142		73
1874	Surface functionalization effects on structural, conformational, and optical properties of polyaniline nanofibers. 2014 , 197, 225-232		42
1873	Modified physicochemical properties and supercapacitive performance via DMSO inducement to PEDOT:PSS active layer. 2014 , 15, 3423-3430		32
1872	Facile controlled synthesis of MnO ₂ nanowires for supercapacitors. 2014 , 18, 2521-2527		12
1871	Chemical Investigation on Various Aromatic Compounds Polymerization in Low Pressure Helium Plasma. 2014 , 34, 1219-1232		6
1870	Polyaniline and polypyrrole pseudocapacitor electrodes with excellent cycling stability. 2014 , 14, 2522-7		589
1869	Rational design of manganese dioxide decorated skeleton of colloidal mesoporous carbon nanocomposites for supercapacitors. 2014 , 40, 13381-13388		10
1868	All-solid-state supercapacitors with poly(3,4-ethylenedioxythiophene)-coated carbon fiber paper electrodes and ionic liquid gel polymer electrolyte. <i>Journal of Power Sources</i> , 2014 , 245, 857-865	8.9	135
1867	Capacitance performance of nanostructured Ni(OH) ₂ with different morphologies grown on nickel foam. 2014 , 720-721, 115-120		12
1866	A Review of Graphene-Based Electrochemical Microsupercapacitors. 2014 , 26, 30-51		277
1865	Humic acids as pseudocapacitive electrolyte additive for electrochemical double layer capacitors. <i>Journal of Power Sources</i> , 2014 , 255, 230-234	8.9	33
1864	Preparation and characterization of coaxial multiwalled carbon nanotubes/polyaniline tubular nanocomposites for electrochemical energy storage in the presence of sodium alginate. 2014 , 193, 48-57		39
1863	Redox Solute Doped Polypyrrole for High-Charge Capacity Polymer Electrodes. 2014 , 26, 1601-1607		53
1862	Additive-Driven Self-Assembly of Well-Ordered Mesoporous Carbon/Iron Oxide Nanoparticle Composites for Supercapacitors. 2014 , 26, 2128-2137		118
1861	Supercapacitors of nanocrystalline metal-organic frameworks. 2014 , 8, 7451-7		540
1860	Optical properties of electrochemically synthesized polypyrrole thin films: the electrolyte effect. 2014 , 35, 063001		4
1859	Electrochemical behaviour of graphene/poly (3,4-ethylenedioxythiophene) (PEDOT) composite electrodes for supercapacitor applications. 2014 , 37, 61-69		20
1858	Novel hybrid micro-supercapacitor based on conducting polymer coated silicon nanowires for electrochemical energy storage. 2014 , 4, 26462-26467		56

1857	Electrode properties of defect-introduced graphene sheets for electrochemical capacitors using aqueous electrolyte. 2014 , 142, 240-246	12
1856	Morphological characterization and impedance spectroscopy study of porous 3D carbons based on graphene foam-PVA/phenol-formaldehyde resin composite as an electrode material for supercapacitors. 2014 , 4, 39066	38
1855	Low-cost and high energy density asymmetric supercapacitors based on polyaniline nanotubes and MoO ₃ nanobelts. 2014 , 2, 10384-10388	94
1854	Hierarchical porous NiCo ₂ O ₄ nanograin arrays grown on Ni foam as electrode material for high-performance supercapacitors. 2014 , 4, 20234-20238	25
1853	Recent advances in porous graphene materials for supercapacitor applications. 2014 , 4, 45862-45884	179
1852	Mosaic-Structured SnO ₂ @C Porous Microspheres for High-Performance Supercapacitor Electrode Materials. 2014 , 142, 157-166	51
1851	Improving the energy density of quasi-solid-state electric double-layer capacitors by introducing redox additives into gel polymer electrolytes. 2014 , 2, 9011	99
1850	Redox-exchange induced heterogeneous RuO ₂ -conductive polymer nanowires. 2014 , 16, 12332-40	17
1849	1-D structured flexible supercapacitor electrodes with prominent electronic/ionic transport capabilities. 2014 , 6, 268-74	29
1848	Fabrication of nanocomposite polyaniline zirconium(IV) silicophosphate for photocatalytic and antimicrobial activity. 2014 , 588, 668-675	55
1847	Facile synthesis and advanced performance of Ni(OH) ₂ /CNTs nanoflake composites on supercapacitor applications. 2014 , 601, 168-173	44
1846	Chemically grafted graphene-polyaniline composite for application in supercapacitor. 2014 , 133, 325-334	145
1845	New electrode active materials for supercapacitors: Pencil graphite electrode coated with cobalt ion doped poly(3-methylthiophene) and poly(3,4-ethylenedioxythiophene). 2014 , 193, 81-88	12
1844	MnO ₂ @colloid carbon spheres nanocomposites with tunable interior architecture for supercapacitors. 2014 , 49, 448-453	36
1843	Facile synthesis of ATO/MnO ₂ core-shell architectures for electrochemical capacitive energy storage. 2014 , 40, 10309-10315	9
1842	MnO ₂ /polypyrrole nanotubular composites: reactive template synthesis, characterization and application as superior electrode materials for high-performance supercapacitors. 2014 , 130, 642-649	83
1841	Synthesis of nitrogen- and sulfur-codoped 3D cubic-ordered mesoporous carbon with superior performance in supercapacitors. 2014 , 6, 2657-65	152
1840	Use of surfactant in aniline polymerization with TiO ₂ to PANI-TiO ₂ for supercapacitor performance. 2014 , 18, 1995-2003	36

1839	A renewable biopolymer cathode with multivalent metal ions for enhanced charge storage. 2014 , 2, 1974-1979	35
1838	A stable polyaniline-benzoquinone-hydroquinone supercapacitor. 2014 , 26, 5095-100	176
1837	Phase Transformation Induced Capacitance Activation for 3D Graphene-CoO Nanorod Pseudocapacitor. 2014 , 4, 1301788	75
1836	Flexible supercapacitors based on carbon nanomaterials. 2014 , 2, 10756	337
1835	Full characterization of polypyrrole thin films electrosynthesized in room temperature ionic liquids, water or acetonitrile. 2014 , 137, 298-310	40
1834	NiCo ₂ O ₄ -based materials for electrochemical supercapacitors. 2014 , 2, 14759-14772	352
1833	Three-dimensional cross-linked carbon network wrapped with ordered polyaniline nanowires for high-performance pseudo-supercapacitors. <i>Journal of Power Sources</i> , 2014 , 268, 451-458	8.9 55
1832	Three-dimensional hollow balls of graphene/polyaniline hybrids for supercapacitor applications. 2014 , 255, 89-96	142
1831	A general approach toward enhancement of pseudocapacitive performance of conducting polymers by redox-active electrolytes. <i>Journal of Power Sources</i> , 2014 , 267, 521-526	8.9 40
1830	One-step triple-phase interfacial synthesis of polyaniline-coated polypyrrole composite and its application as electrode materials for supercapacitors. <i>Journal of Power Sources</i> , 2014 , 266, 347-352	8.9 59
1829	Asymmetric supercapacitor based on graphene oxide/polypyrrole composite and activated carbon electrodes. 2014 , 137, 26-33	164
1828	In situ fabrication of nickel aluminum-layered double hydroxide nanosheets/hollow carbon nanofibers composite as a novel electrode material for supercapacitors. <i>Journal of Power Sources</i> , 2014 , 267, 188-196	8.9 79
1827	Hydrothermal synthesis of microalgae-derived microporous carbons for electrochemical capacitors. <i>Journal of Power Sources</i> , 2014 , 267, 26-32	8.9 131
1826	Effect of Triton X-100 on the double layer capacitance and conductivity of poly(3,4-ethylenedioxythiophene):poly(styrenesulfonate) (PEDOT:PSS) films. 2014 , 191, 59-65	24
1825	Raman and Infrared Spectroscopic Characterization of Graphene. 2014 , 165-194	
1824	Large Pseudocapacitance in Quinone-Functionalized Zeolite-Templated Carbon. 2014 , 87, 250-257	58
1823	Synthesis of Graphene. 2014 , 34-77	1
1822	Synthesis, characterization, and dielectric studies of ortho-chloropolyaniline/graphite oxide composites. 2015 , 30, 2310-2318	8

1821	A polydopamine coated polyaniline single wall carbon nanotube composite material as a stable supercapacitor cathode in an organic electrolyte. 2015 , 30, 3575-3583	11
1820	Advanced Materials for Supercapacitors. 2015 , 423-449	
1819	Dynamic high potential treatment with dilute acids for lifting the capacitive performance of carbon nanotube/conducting polymer electrodes. 2015 , 758, 125-134	4
1818	Fabrication of poly(p-styrenesulfonate) grafted reduced graphene oxide/polyaniline/MnO ₂ hybrids with high capacitance performance. 2015 , 167, 330-337	9
1817	Solution-processed flexible solid-state micro-supercapacitors for on-chip energy storage devices. 2015 ,	5
1816	Conjugated Polymer-Based Blends, Copolymers, and Composites: Synthesis, Properties, and Applications. 2015 , 1-118	5
1815	Progress in Polyaniline Composites with Transition Metal Oxides. 2015 , 119-162	1
1814	Cationic Oligothiophenes. 2015 , 383-410	
1813	Carbon-Based Hybrid Composites as Advanced Electrodes for Supercapacitors. 2015 , 399-431	1
1812	Alternating current line-filter based on electrochemical capacitor utilizing template-patterned graphene. 2015 , 5, 10983	46
1811	Label-free electrochemical detection of the human adenovirus 40/41 fiber gene. 2015 , 31, 159-63	5
1810	High-Performance Flexible All-Solid-State Supercapacitor from Large Free-Standing Graphene-PEDOT/PSS Films. 2015 , 5, 17045	195
1809	Green synthesis of in situ electrodeposited rGO/MnO ₂ nanocomposite for high energy density supercapacitors. 2015 , 5, 16195	50
1808	Hybridization of Polyaniline on Sulfonated Graphene for an Electrochemical Supercapacitor. 2015 , 44, 217-219	1
1807	Various Actuating Motions of Conducting Polymers Actuators on Inorganic Conductive Substrate Formed from Polypyrrole and Gold. 2015 , 44, 1700-1702	1
1806	Graphene/Conjugated Polymer Nanocomposites for Optoelectronic and Biological Applications. 2015 , 229-279	1
1805	Synthesis and Characterization of Conjugated-Polymer/Graphene/Nanodiamond Nanocomposite for Electrochemical Energy Storage. 2015 ,	
1804	Polypyrrole/Inorganic Nanocomposites for Supercapacitors. 2015 , 419-447	

1803	Role of co-vapors in vapor deposition polymerization. 2015 , 5, 8420	15
1802	Porous Graphene-Like Materials Prepared from Hollow Carbonaceous Microspheres for Supercapacitors. 2015 , 1, 422-429	6
1801	Preparation and characterization of epoxy/carbon fiber composite capacitors. 2015 , 36, 1447-1453	12
1800	Dielectric studies of composite paper reinforced with polypyrrole coated pulp fibers from wasted egg holders. 2015 , 132, n/a-n/a	1
1799	Improved electrochemical performances of polyaniline by graphitized mesoporus carbon: Hybrid electrode for supercapacitor. 2015 , 132, n/a-n/a	6
1798	High-Performance Fabric-based Electrochemical Capacitors Utilizing the Enhanced Electrochemistry of PEDOT:PSS Hybridized with SnO ₂ Nanoparticles. 2015 , 36, 2101-2106	5
1797	Textile supercapacitors-based on MnO ₂ /SWNT/conducting polymer ternary composites. 2015 , 39, 2042-2052	39
1796	Polyanthraquinone as a Reliable Organic Electrode for Stable and Fast Lithium Storage. 2015 , 54, 13947-51	243
1795	Role of dual dopants in highly ordered crystalline polyaniline nanospheres: Electrode materials in supercapacitors. 2015 , 132, n/a-n/a	12
1794	Can Human Proprioception Be Described by Physical-Chemical Equations? Proprioceptive Artificial Muscles. 2015 , 644, 145-152	
1793	One-pot synthesis of composite NiO/graphitic carbon flakes with contact glow discharge electrolysis for electrochemical supercapacitors. 2015 , 39, 1689-1697	22
1792	Fabrication of Tiron-doped polypyrrole/MWCNT composite electrodes with high mass loading and enhanced performance for supercapacitors. 2015 , 132, n/a-n/a	7
1791	General Strategy to Fabricate Ternary Metal Nitride/Carbon Nanofibers for Supercapacitors. 2015 , 2, 2020-2026	16
1790	Challenges and rewards of the electrosynthesis of macroscopic aligned carbon nanotube array/conducting polymer hybrid assemblies. 2015 , 53, 1507-1518	18
1789	Electrochemically Nanostructured Polyvinylferrocene/Polypyrrole Hybrids with Synergy for Energy Storage. 2015 , 25, 4803-4813	54
1788	Chemically Crosslinked Hydrogel Film Leads to Integrated Flexible Supercapacitors with Superior Performance. 2015 , 27, 7451-7	277
1787	Polyanthraquinone as a Reliable Organic Electrode for Stable and Fast Lithium Storage. 2015 , 127, 14153-14158	7
1786	Conductive and electroactive composite paper reinforced by coating of polyaniline on lignocelluloses fibers. 2015 , 132, n/a-n/a	8

1785	. 2015,	26
1784	A Review of Electrospun Conductive Polyaniline Based Nanofiber Composites and Blends: Processing Features, Applications, and Future Directions. 2015, 2015, 1-19	46
1783	High Operating Voltage Supercapacitor Using PPy/AC Composite Electrode Based on Simple Dipping Method. 2015, 2015, 1-7	6
1782	. 2015,	3
1781	. 2015,	12
1780	Correlation between Theoretical and Experimental Specific Surface Area Estimation for PANI and PANI (Zr) Composite. 2015, 9, 133	3
1779	One-step strategy to a three-dimensional NiS-reduced graphene oxide hybrid nanostructure for high performance supercapacitors. 2015, 5, 23073-23079	71
1778	Engineering of MnO ₂ -based nanocomposites for high-performance supercapacitors. 2015, 74, 51-124	361
1777	Capacitance performances of supramolecular hydrogels based on conducting polymers. 2015, 33, 1018-1027	18
1776	High charge-capacity polymer electrodes comprising alkali lignin from the Kraft process. 2015, 3, 11330-11339	39
1775	Preparation and characterization emulsion of PANI-TiO ₂ nanocomposite and its application as anticorrosive coating. 2015, 35, 597-603	3
1774	Ni ₃ S ₂ @CoS core-shell nano-triangular pyramid arrays on Ni foam for high-performance supercapacitors. 2015, 17, 16434-42	133
1773	A study on the pseudocapacitive behavior of poly(luminol)/graphene nanocomposite. 2015, 751, 15-22	5
1772	Three-dimensional graphene oxide/polypyrrole composite electrodes fabricated by one-step electrodeposition for high performance supercapacitors. 2015, 3, 14445-14457	168
1771	Microstructural design of hybrid CoO@NiO and graphene nano-architectures for flexible high performance supercapacitors. 2015, 3, 14833-14844	159
1770	Freestanding one-dimensional manganese dioxide nanoflakes-titanium cabide/carbon core/double shell arrays as ultra-high performance supercapacitor electrode. <i>Journal of Power Sources</i> , 2015, 293, 519-526	8.9 9
1769	Supercapacitor behaviors of polyaniline/CuO, polypyrrole/CuO and PEDOT/CuO nanocomposites. 2015, 72, 2573-2589	64
1768	Sr-doped Lanthanum Nickelate Nanofibers for High Energy Density Supercapacitors. 2015, 174, 41-50	91

1767	Materials and fabrication of electrode scaffolds for deposition of MnO ₂ and their true performance in supercapacitors. <i>Journal of Power Sources</i> , 2015 , 293, 657-674	8.9	75
1766	Highly Flexible and Planar Supercapacitors Using Graphite Flakes/Polypyrrole in Polymer Lapping Film. 2015 , 7, 13405-14		101
1765	Hierarchical Conducting Polymer@Clay Core-Shell Arrays for Flexible All-Solid-State Supercapacitor Devices. 2015 , 11, 3530-8		99
1764	Nitrogen-enriched activated carbons from waste particleboard used as electrode materials for supercapacitors: effects of activating agent on surface characteristics. 2015 , 5, 50843-50850		8
1763	Synthesis of Mn ₃ O ₄ nanoparticles via chemical precipitation approach for supercapacitor application. 2015 , 636, 234-240		98
1762	Molecular dynamics simulation of some cyclic compounds solubilization into the nanometric core of Cetyltrimethylammonium Bromide micelle. 2015 , 1079, 494-501		7
1761	Polypyrrole/reduced graphene oxide coated fabric electrodes for supercapacitor application. 2015 , 24, 153-159		110
1760	Polyaniline-coated freestanding porous carbon nanofibers as efficient hybrid electrodes for supercapacitors. <i>Journal of Power Sources</i> , 2015 , 293, 373-379	8.9	75
1759	Synthesis and Electrochemical Properties of Polypyrrole Conducting Polymer in Sheath like Nanotube Arrays Structured over TiO ₂ for Supercapacitor Energy Storage Devices. 2015 , 1749, 7		1
1758	Surfactant-treated graphene covered polyaniline nanowires for supercapacitor electrode. 2015 , 10, 183		34
1757	Organic solvent soluble methyltriphenylphosphonium peroxodisulfate: a novel oxidant for the synthesis of polyaniline and the thus prepared polyaniline in high performance supercapacitors. 2015 , 39, 5382-5388		24
1756	Dendritic CuO structures synthesized by bipolar electrochemical process for electrochemical energy storage. 2015 , 750, 107-113		25
1755	Polymer nanocomposites for energy storage, energy saving, and anticorrosion. 2015 , 3, 14929-14941		165
1754	Flexible conducting polymer/reduced graphene oxide films: synthesis, characterization, and electrochemical performance. 2015 , 10, 222		50
1753	Self-templating Scheme for the Synthesis of Nanostructured Transition-Metal Chalcogenide Electrodes for Capacitive Energy Storage. 2015 , 27, 4661-4668		103
1752	Metallic CoS ₂ nanowire electrodes for high cycling performance supercapacitors. 2015 , 26, 494001		45
1751	Understanding Ionic Transport in Polypyrrole/Nanocellulose Composite Energy Storage Devices. 2015 , 182, 1145-1152		9
1750	Impact of different nanostructures of a PEDOT decorated 3D multilayered graphene foam by chemical methods on supercapacitive performance. 2015 , 5, 107864-107871		15

1749	An electrochemical quartz crystal microbalance study on adsorption of single walled carbon nanotubes onto poly[3,4-ethylenedioxythiophene] layers. 2015 , 19, 2581-2589		5
1748	Nitrogen-doped mesoporous carbon of extraordinary capacitance for electrochemical energy storage. 2015 , 350, 1508-13		1530
1747	Hierarchical hollow MoS ₂ nanospheres with enhanced electrochemical properties used as an Electrode in Supercapacitor. 2015 , 186, 391-396		90
1746	Electrodeposited nickel cobalt sulfide nanosheet arrays on 3D-graphene/Ni foam for high-performance supercapacitors. 2015 , 5, 100106-100113		32
1745	Mechanoelectrochemistry of PPy(DBS) from correlated characterization of electrochemical response and extensional strain. 2015 , 17, 32268-75		15
1744	Reproducible preparation of a stable polypyrrole-coated-silver nanoparticles decorated polypyrrole-coated-polycaprolactone-nanofiber-based cloth electrode for electrochemical sensor application. 2015 , 26, 445704		7
1743	Poly(3,4-ethylenedioxythiophene)/nickel disulfide microspheres hybrid in energy storage and conversion cells. 2015 , 5, 99164-99178		9
1742	Flexible multiwalled carbon nanotubes/conductive polymer composite electrode for supercapacitor applications. 2015 , 24, 115008		19
1741	The Initial Study of Polyaniline with Manganese Oxides for Electrochemical Capacitors. 2015 , 16, 540-547		3
1740	Surface modification and electrochemical properties of activated carbons for supercapacitor electrodes. 2015 , 29, 1550254		2
1739	High-performance supercapacitor of electrodeposited porous 3D polyaniline nanorods on functionalized carbon fiber paper: Effects of hydrophobic and hydrophilic surfaces of conductive carbon paper substrates. 2015 , 4, 176-185		18
1738	Synthesis and characterization of porous cobalt oxide/copper oxide nanoplate as novel electrode material for supercapacitors. 2015 , 25, 4054-4062		14
1737	Titanium nitride films for micro-supercapacitors: Effect of surface chemistry and film morphology on the capacitance. <i>Journal of Power Sources</i> , 2015 , 300, 525-532	8.9	108
1736	Flexible Cellulose-Based Films of Polyaniline/Graphene/Silver Nanowire for High-Performance Supercapacitors. 2015 , 6,		11
1735	Sulfur quantum dots wrapped by conductive polymer shell with internal void spaces for high-performance lithium-sulfur batteries. 2015 , 3, 4049-4057		39
1734	Hydrothermal deposition of manganese dioxide nanosheets on electrodeposited graphene covered nickel foam as a high-performance electrode for supercapacitors. <i>Journal of Power Sources</i> , 2015 , 279, 138-145	8.9	54
1733	High performance supercapacitor based on graphene-silver nanoparticles-polypyrrole nanocomposite coated on glassy carbon electrode. <i>Journal of Power Sources</i> , 2015 , 276, 262-270	8.9	148
1732	Investigations into the origin of pseudocapacitive behavior of Mn ₃ O ₄ electrodes using in operando Raman spectroscopy. 2015 , 3, 7338-7344		80

1731	Carbon/polypyrrole composites for electrochemical capacitors. 2015 , 203, 44-48	29
1730	In Situ Preparation of Polypyrrole Nanorod Composite in the Presence of Phosphorylated Polyvinyl Alcohol. 2015 , 34, n/a-n/a	1
1729	Supercapacitor performances of polyethylene glycol-intercalated Co(OH) ₂ nanoflakes by potentiodynamic deposition. 2015 , 19, 813-820	11
1728	Rational design of high-surface-area carbon nanotube/microporous carbon core-shell nanocomposites for supercapacitor electrodes. 2015 , 7, 4817-25	48
1727	Electrodeposition of hierarchical manganese oxide on metal nanoparticles decorated nanoporous gold with enhanced supercapacitor performance. 2015 , 632, 376-385	37
1726	Effects of Annealing Temperature on the Structure and Capacitive Performance of Nanoscale Ti/IrO ₂ /rO ₂ Electrodes. 2015 , 98, 1485-1492	26
1725	Facile synthesis of 3D reduced graphene oxide and its polyaniline composite for super capacitor application. 2015 , 202, 140-146	74
1724	Pseudocapacitor Electrodes and Supercapacitors. 2015 , 315-337	2
1723	Low-temperature and template-free fabrication of cobalt oxide acicular nanotube arrays and their applications in supercapacitors. 2015 , 3, 4042-4048	14
1722	Novel scalable synthesis of highly conducting and robust PEDOT paper for a high performance flexible solid supercapacitor. 2015 , 8, 1339-1347	277
1721	Enhanced Performance of Graphene/Epoxy Flexible Capacitors by Means of Ceramic Fillers. 2015 , 216, 707-713	8
1720	Template-free hydrothermal synthesis of nickel cobalt hydroxide nanoflowers with high performance for asymmetric supercapacitor. 2015 , 161, 279-289	118
1719	Storing energy in plastics: a review on conducting polymers & their role in electrochemical energy storage. 2015 , 5, 11611-11626	144
1718	A novel fabrication of nitrogen-containing carbon nanospheres with high rate capability as electrode materials for supercapacitors. 2015 , 5, 12034-12042	47
1717	Graphene/polypyrrole-coated carbon nanofiber core-shell architecture electrode for electrochemical capacitors. 2015 , 5, 12692-12699	34
1716	Polypyrrole-coated cotton fabrics for flexible supercapacitor electrodes prepared using CuO nanoparticles as template. 2015 , 22, 1355-1363	87
1715	Improved functionality of graphene and carbon nanotube hybrid foam architecture by UV-ozone treatment. 2015 , 7, 7045-50	24
1714	Direct and environmentally benign synthesis of manganese oxide/graphene composites from graphite for electrochemical capacitors. <i>Journal of Power Sources</i> , 2015 , 281, 44-48	8.9 27

1713	One-step electroplating porous graphene oxide electrodes of supercapacitors for ultrahigh capacitance and energy density. 2015 , 26, 055401	7
1712	Ternary Hybrids of Amorphous Nickel Hydroxide/Carbon Nanotube-Conducting Polymer for Supercapacitors with High Energy Density, Excellent Rate Capability, and Long Cycle Life. 2015 , 25, 1063-1073	264
1711	Asymmetric electrochemical supercapacitor, based on polypyrrole coated carbon nanotube electrodes. 2015 , 153, 48-55	67
1710	Facile synthesis of Sm ₂ S ₃ diffused nanoflakes and their pseudocapactive behavior. 2015 , 41, 5758-5764	23
1709	Influence of Dopants on Performance of Polypyrrole Coated Carbon Nanotube Electrodes and Devices. 2015 , 162, A5013-A5019	10
1708	Multilayer UV-cured organic capacitors. 2015 , 56, 131-134	5
1707	Natural source derived carbon paper supported conducting polymer nanowire arrays for high performance supercapacitors. 2015 , 5, 14441-14447	29
1706	Ultrasound assisted synthesis of Mn ₃ O ₄ nanoparticles anchored graphene nanosheets for supercapacitor applications. 2015 , 156, 127-137	68
1705	Surface design and engineering of hierarchical hybrid nanostructures for asymmetric supercapacitors with improved electrochemical performance. 2015 , 447, 282-301	36
1704	Highly Stable Supercapacitors with Conducting Polymer Core-Shell Electrodes for Energy Storage Applications. 2015 , 5, 1401805	113
1703	Nanocellulose coupled flexible polypyrrole@graphene oxide composite paper electrodes with high volumetric capacitance. 2015 , 7, 3418-23	97
1702	Hierarchical NiMn ₂ O ₄ @CNT nanocomposites for high-performance asymmetric supercapacitors. 2015 , 5, 24607-24614	60
1701	Nanostructured pseudocapacitive materials decorated 3D graphene foam electrodes for next generation supercapacitors. 2015 , 7, 6999-7021	106
1700	Capacitance comparison of poly(indole-5-carboxylic acid) in different electrolytes and its symmetrical supercapacitor in HClO ₄ aqueous electrolyte. 2015 , 203, 98-106	29
1699	Application and Uses of Graphene. 2015 , 1-38	13
1698	Synthesis and characterization of copper-infiltrated carbonized wood monoliths for supercapacitor electrodes. 2015 , 161, 343-350	27
1697	Non-covalently functionalizing a graphene framework by anthraquinone for high-rate electrochemical energy storage. 2015 , 5, 23942-23951	57
1696	Supercapacitor Electrodes Based on Hierarchical Mesoporous MnO _x /Nitrified TiO ₂ Nanorod Arrays on Carbon Fiber Paper. 2015 , 2, 1400446	21

1695	Polyoxometalate-conductive polymer composites for energy conversion, energy storage and nanostructured sensors. 2015 , 44, 7092-104		171
1694	Water bamboo-derived porous carbons as electrode materials for supercapacitors. 2015 , 39, 3859-3864		34
1693	Asymmetric and symmetric supercapacitors based on polypyrrole and activated carbon electrodes. 2015 , 203, 192-199		30
1692	Nanoporous graphene materials by low-temperature vacuum-assisted thermal process for electrochemical energy storage. <i>Journal of Power Sources</i> , 2015 , 284, 146-153	8.9	37
1691	Recent advances on multi-component hybrid nanostructures for electrochemical capacitors. <i>Journal of Power Sources</i> , 2015 , 294, 31-50	8.9	94
1690	Controlled synthesis of V ₂ O ₅ /MWCNT core/shell hybrid aerogels through a mixed growth and self-assembly methodology for supercapacitors with high capacitance and ultralong cycle life. 2015 , 3, 15692-15699		61
1689	Cotton-based porous activated carbon with a large specific surface area as an electrode material for high-performance supercapacitors. 2015 , 5, 64704-64710		61
1688	Simple noncovalent hybridization of polyaniline with graphene and its application for pseudocapacitor. 2015 , 209, 60-67		15
1687	Facile hydrothermal synthesis of tubular kapok fiber/MnO ₂ composites and application in supercapacitors. 2015 , 5, 64065-64075		24
1686	Supercapacitive evaluation of carbon black/exfoliated graphite/MnO ₂ ternary nanocomposite electrode by continuous cyclic voltammetry. 2015 , 163, 38-44		22
1685	Influence of Temperature on Supercapacitor Components. 2015 , 27-69		
1684	Hybrid NiS/CoO mesoporous nanosheet arrays on Ni foam for high-rate supercapacitors. 2015 , 26, 325401		33
1683	Potential active materials for photo-supercapacitor: A review. <i>Journal of Power Sources</i> , 2015 , 296, 169-185		77
1682	Continuous self-assembly of carbon nanotube thin films and their composites for supercapacitors. 2015 , 481, 626-632		23
1681	N-Type Hyperbranched Polymers for Supercapacitor Cathodes with Variable Porosity and Excellent Electrochemical Stability. 2015 , 48, 5196-5203		36
1680	Urea-assisted hydrothermal synthesis of manganese dioxides with various morphologies for hybrid supercapacitors. 2015 , 648, 190-194		20
1679	Electrochemical capacitance of iron oxide nanotube (Fe-NT): effect of annealing atmospheres. 2015 , 26, 265401		17
1678	Facile one-step hydrothermal preparation of molybdenum disulfide/carbon composite for use in supercapacitor. 2015 , 40, 10150-10157		149

- 1677 Synthesis of Few-Layer MoS₂ Nanosheets-Wrapped Polyaniline Hierarchical Nanostructures for Enhanced Electrochemical Capacitance Performance. **2015**, 176, 149-155 62
- 1676 Surface Modified Nanocellulose Fibers Yield Conducting Polymer-Based Flexible Supercapacitors with Enhanced Capacitances. **2015**, 9, 7563-71 197
- 1675 Fabrication of porous graphene/polyimide composites using leachable poly-acrylic resin for enhanced electrochemical and energy storage capabilities. **2015**, 3, 17230-17240 14
- 1674 Poly(3,4-dinitrothiophene)/SWCNT composite as a low overpotential hydrogen evolution metal-free catalyst. **2015**, 3, 78-82 21
- 1673 Self-assembled fullerene additives for boosting the capacity of activated carbon electrodes in supercapacitors. **2015**, 5, 63834-63838 9
- 1672 Polypyrrole doped with dodecyl benzene sulfonate electrodeposited on carbon fibers for flexible capacitors with high-performance. **2015**, 176, 594-603 23
- 1671 Reduced graphene oxide anchored Cu(OH)₂ as a high performance electrochemical supercapacitor. **2015**, 44, 14604-12 64
- 1670 Highly processible and electrochemically active graphene-doped polyacrylic acid/polyaniline allowing the preparation of defect-free thin films for solid-state supercapacitors. **2015**, 5, 62670-62677 7
- 1669 High-throughput approach for the identification of anilinium-based ionic liquids that are suitable for electropolymerisation. **2015**, 17, 17967-72 13
- 1668 Non-Faradaic Energy Storage by Room Temperature Ionic Liquids in Nanoporous Electrodes. **2015**, 9, 5999-6017 80
- 1667 Synthesis and bioactivity of gelatin/multiwalled carbon nanotubes/hydroxyapatite nanofibrous scaffolds towards bone tissue engineering. **2015**, 5, 53550-53558 24
- 1666 Electrochemical behaviour of activated carbons obtained via hydrothermal carbonization. **2015**, 3, 15558-15563 33
- 1665 Encyclopedia of Polymeric Nanomaterials. **2015**, 1634-1639
- 1664 Polyaniline nanofibers with a high specific surface area and an improved pore structure for supercapacitors. *Journal of Power Sources*, **2015**, 294, 16-21 8.9 83
- 1663 Encyclopedia of Polymeric Nanomaterials. **2015**, 1884-1892
- 1662 Novel application of water-dispersible polyaniline-poly(2-acrylamido-2-methyl-1-propanesulfonic acid) for all-solution-based electrochemical capacitors. **2015**, 44, 49-56
- 1661 Synthesis, structure and electrochemical properties of lanthanum manganese nanofibers doped with Sr and Cu. **2015**, 638, 204-213 48
- 1660 Fabrication of polyaniline/urchin-like mesoporous TiO₂ spheres nanocomposite and its application in supercapacitors. **2015**, 163, 232-237 23

1659	PEDOT/g-C ₃ N ₄ binary electrode material for supercapacitors. 2015 , 743, 99-104		54
1658	Oxygen group-containing activated carbon aerogel as an electrode material for supercapacitor. 2015 , 70, 209-214		38
1657	Enhanced electrochemical performance of polyaniline/carbon/titanium nitride nanowire array for flexible supercapacitor. <i>Journal of Power Sources</i> , 2015 , 286, 561-570	8.9	99
1656	Electrically conductive polymers and composites for biomedical applications. 2015 , 5, 37553-37567		476
1655	Polypyrrole-MnO ₂ Coated Textile-Based Flexible-Stretchable Supercapacitor with High Electrochemical and Mechanical Reliability. 2015 , 7, 9228-34		132
1654	One-Pot Synthesis of Tunable Crystalline Ni ₃ S ₄ @Amorphous MoS ₂ Core/Shell Nanospheres for High-Performance Supercapacitors. 2015 , 11, 3694-702		218
1653	Porous conducting polymer and reduced graphene oxide: preparation, characterization and electrochemical performance. 2015 , 26, 1668-1677		12
1652	Floss-like Ni ₂ O binary hydroxides assembled by whisker-like nanowires for high-performance supercapacitor. 2015 , 21, 1655-1663		12
1651	High energy density asymmetric supercapacitors based on polyaniline nanotubes and tungsten trioxide rods. 2015 , 21, 2309-2317		16
1650	Estimation of Equilibrium Capacitance of Polyaniline Films Using Step Voltammetry. 2015 , 162, A1175-A1181		9
1649	Graphene-based materials for flexible supercapacitors. 2015 , 44, 3639-65		851
1648	Spongy nitrogen-doped activated carbonaceous hybrid derived from biomass material/graphene oxide for supercapacitor electrodes. 2015 , 5, 40505-40513		51
1647	In-situ synthesis of vanadium pentoxide nanofibre/exfoliated graphene nano hybrid and its supercapacitor applications. <i>Journal of Power Sources</i> , 2015 , 287, 283-290	8.9	36
1646	Versatile method for the synthesis of porous nanostructured thin films of conducting polymers and their composites. 2015 , 5, 34616-34621		6
1645	Flexible Electrodes and Electrolytes for Energy Storage. 2015 , 175, 87-95		52
1644	Recent advancement of nanostructured carbon for energy applications. 2015 , 115, 5159-223		598
1643	Synthesis of highly crystalline polyaniline with the use of (Cyclohexylamino)-1-propanesulfonic acid for supercapacitor. 2015 , 45, 51-56		24
1642	Synthesis of wood derived nitrogen-doped porous carbon/polyaniline composites for supercapacitor electrode materials. 2015 , 5, 30943-30949		58

1641	Scalable, template-free synthesis of conducting polymer microtubes. 2015 , 5, 25504-25512	11
1640	Advanced electrochemical performance of hybrid nanocomposites based on LiFePO ₄ and lithium salt doped polyaniline. 2015 , 19, 2733-2740	9
1639	Manganese dioxide nanoparticle enrichment in porous conducting polymer as high performance supercapacitor electrode materials. 2015 , 165, 323-329	42
1638	Promoting interspecies electron transfer with biochar. 2014 , 4, 5019	330
1637	Electrochemically induced free solvent transfer in thin poly(3,4-ethylenedioxythiophene) films. 2015 , 164, 21-30	13
1636	Electrochemical Properties of Composite Electrodes, Prepared by Spontaneous Deposition of Manganese Oxide into Poly-3,4-ethylendioxythiophene. 2015 , 173, 40-49	12
1635	. 2015 ,	0
1634	Use of 1,10-Phenanthroline as an Additive for High-Performance Supercapacitors. 2015 , 119, 12165-12173	33
1633	The correlation of the binding mechanism of the polypyrrole-carbon capacitive interphase with electrochemical stability of the composite electrode. 2015 , 17, 13323-32	22
1632	Crystal-surface-induced simultaneous synthesis and hierarchical morphogenesis of conductive polymers. 2015 , 51, 9698-701	16
1631	Laser irradiated self-supporting and flexible 3-dimensional graphene-based film electrode with promising electrochemical properties. 2015 , 5, 47074-47079	9
1630	High supercapacitive performance of Ni(OH) ₂ /XC-72 composite prepared by microwave-assisted method. 2015 , 5, 43164-43171	20
1629	Preparation of NiCo ₂ S ₄ flaky arrays on Ni foam as binder-free supercapacitor electrode. 2015 , 347, 690-695	83
1628	Electropolymerized Conjugated Microporous Poly(zinc-porphyrin) Films as Potential Electrode Materials in Supercapacitors. 2015 , 5, 1402175	96
1627	One-pot synthesis of lightweight nitrogen-doped graphene hydrogels with supercapacitive properties. 2015 , 68, 245-253	10
1626	Rapid microwave-assisted fabrication of 3D cauliflower-like NiCo ₂ S ₄ architectures for asymmetric supercapacitors. 2015 , 5, 21604-21613	82
1625	Improved energy density of quasi-solid-state supercapacitors using sandwich-type redox-active gel polymer electrolytes. 2015 , 166, 150-156	89
1624	Porous graphene-carbon nanotube hybrid paper as a flexible nano-scaffold for polyaniline immobilization and application in all-solid-state supercapacitors. 2015 , 5, 31064-31073	35

1623	Preparation of self-supporting graphene on flexible graphite sheet and electrodeposition of polyaniline for supercapacitor. 2015 , 167, 254-261	60
1622	Heavily n-Dopable π -Conjugated Redox Polymers with Ultrafast Energy Storage Capability. 2015 , 137, 4956-9	188
1621	Conducting polymers and their inorganic composites for advanced Li-ion batteries: a review. 2015 , 5, 42109-42130	121
1620	Significantly enhanced robustness and electrochemical performance of flexible carbon nanotube-based supercapacitors by electrodepositing polypyrrole. <i>Journal of Power Sources</i> , 2015 , 287, 68-74	8.9 122
1619	On the electrochemical synthesis and charge storage properties of WO ₃ /polyaniline hybrid nanostructures. 2015 , 19, 2741-2751	24
1618	Aqueous, interfacial, and electrochemical polymerization pathways of aniline with thiophene: Nano size materials for supercapacitor. 2015 , 132, n/a-n/a	6
1617	Non-covalent interactions and supercapacitance of pseudo-capacitive composite electrode materials (MWCNTCOOH/MnO ₂ /PANI). 2015 , 208, 2-12	15
1616	Recent Advances in Electrocatalytic Reduction of Carbon Dioxide Using Metal-Free Catalysts. 2015 , 54, 4033-4042	78
1615	Self-Assembly of Graphene for Electrochemical Capacitors. 2015 , 253-278	10
1614	Supercapatteries with Hybrids of Redox Active Polymers and Nanostructured Carbons. 2015 , 179-210	5
1613	Synthesis and electrochemical properties of three-dimensional graphene/polyaniline composites for supercapacitor electrode materials. 2015 , 24, 047204	5
1612	Fabrication and functionalization of carbon nanotube films for high-performance flexible supercapacitors. 2015 , 92, 271-296	76
1611	Hybrid layer-by-layer composites based on a conducting polyelectrolyte and Fe ₃ O ₄ nanostructures grafted onto graphene for supercapacitor application. 2015 , 3, 22877-22885	35
1610	Physioelectrochemical investigation of the supercapacitive performance of a ternary nanocomposite by common electrochemical methods and fast Fourier transform voltammetry. 2015 , 39, 9454-9460	46
1609	Encyclopedia of Polymeric Nanomaterials. 2015 , 1835-1841	
1608	Free-Standing T-Nb ₂ O ₇ /Graphene Composite Papers with Ultrahigh Gravimetric/Volumetric Capacitance for Li-Ion Intercalation Pseudocapacitor. 2015 , 9, 11200-8	309
1607	Surface modification of cellulose scaffold with polypyrrole for the fabrication of flexible supercapacitor electrode with enhanced capacitance. 2015 , 5, 87266-87276	33
1606	Fabrication of manganese dioxide nanoplates anchoring on biomass-derived cross-linked carbon nanosheets for high-performance asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2015 , 300, 309-317	8.9 106

1605	Encyclopedia of Polymeric Nanomaterials. 2015 , 1938-1944		
1604	Preparation of Supercapacitors on Flexible Substrates with Electrodeposited PEDOT/Graphene Composites. 2015 , 7, 22137-47		117
1603	Hierarchical nanosheet-based CoMoO ₄ /NiMoO ₄ nanotubes for applications in asymmetric supercapacitors and the oxygen evolution reaction. 2015 , 3, 22750-22758		109
1602	Ab initio studies of the differences in the chemical reactivity and electronic properties of polyaniline and its derivatives. 2015 ,		
1601	Synthesis and characterization of Nitrogen-doped & CaCO ₃ -decorated reduced graphene oxide nanocomposite for electrochemical supercapacitors. 2015 , 184, 193-202		26
1600	Effects of acid dopants on the capacitance of polyaniline by using graphene hydrogels as substrates. 2015 , 5, 98241-98247		9
1599	Incorporation of conductive polymer into soft carbon electrodes for lithium ion capacitors. <i>Journal of Power Sources</i> , 2015 , 299, 49-56	8.9	22
1598	Encyclopedia of Polymeric Nanomaterials. 2015 , 1658-1664		1
1597	Incorporation of polyaniline nanofibres on graphene oxide by interfacial polymerization pathway for supercapacitor. 2015 , 5, 231-240		28
1596	Hierarchical core/shell structure of MnO ₂ @polyaniline composites grown on carbon fiber paper for application in pseudocapacitors. 2015 , 17, 29874-9		24
1595	One-pot synthesis and electrochemical properties of graphene/SnO ₂ /poly (p-phenylenediamine) ternary nanocomposites. 2015 , 652, 9-17		8
1594	Nanostructured Hybrid Graphene-Conducting Polymers for Electrochemical Supercapacitor Electrodes. 2015 , 1-19		2
1593	Superelastic Few-Layer Carbon Foam Made from Natural Cotton for All-Solid-State Electrochemical Capacitors. 2015 , 7, 25306-12		17
1592	Preparation of chestnut-like porous NiO nanospheres as electrodes for supercapacitors. 2015 , 5, 96165-96169		33
1591	Pure Nanoscale Morphology Effect Enhancing the Energy Storage Characteristics of Processable Hierarchical Polypyrrole. 2015 , 31, 11904-13		24
1590	Vapor-phase polymerization of poly(3,4-ethylenedioxythiophene) (PEDOT) on commercial carbon coated aluminum foil as enhanced electrodes for supercapacitors. <i>Journal of Power Sources</i> , 2015 , 297, 195-201	8.9	38
1589	Fabric electrodes coated with polypyrrole nanorods for flexible supercapacitor application prepared via a reactive self-degraded template. 2015 , 26, 292-299		85
1588	Grass-like CuCo ₂ O ₄ nanowire arrays supported on nickel foam with high capacitances and desirable cycling performance. 2015 , 5, 70494-70497		23

1587	Hybrid composite of nitrogen functionalized graphene/polyaniline electrode for high performance supercapacitor. 2015 , 5, 70675-70681	19
1586	Novel red blood cell shaped Fe_2O_3 microstructures and $\text{FeO}(\text{OH})$ nanorods as high capacity supercapacitors. 2015 , 5, 91127-91133	21
1585	Aligned carbon nanostructures based 3D electrodes for energy storage. 2015 , 24, 559-586	16
1584	3D braided yarns to create electrochemical cells. 2015 , 61, 27-31	14
1583	Flexible highly specific capacitance aerogel electrodes based on cellulose nanofibers, carbon nanotubes and polyaniline. 2015 , 182, 264-271	80
1582	Pseudocapacitance of zeolite-templated carbon in organic electrolytes. 2015 , 1, 35-41	31
1581	Study of polypyrrole aging by XPS, FTIR and conductivity measurements. 2015 , 120, 392-401	172
1580	Anion-exchange reaction synthesized CoNi_2S_4 nanowires for superior electrochemical performances. 2015 , 5, 84974-84979	23
1579	Layered double hydroxides toward electrochemical energy storage and conversion: design, synthesis and applications. 2015 , 51, 15880-93	277
1578	Functionalization of Graphene Oxide and its Composite with Poly(3,4-ethylenedioxythiophene) as Electrode Material for Supercapacitors. 2015 , 10, 370	36
1577	Spray-On Polyaniline/Poly(acrylic acid) Electrodes with Enhanced Electrochemical Stability. 2015 , 7, 24150-8	22
1576	$\text{RuO}_2/\text{MnO}_2$ composite materials for high-performance supercapacitor electrodes. 2015 , 36, 083006	11
1575	Nanocomposite of hexagonal $\text{Ni}(\text{OH})_2$ /multiwalled carbon nanotubes as high performance electrode for hybrid supercapacitors. 2015 , 164, 98-107	21
1574	Encyclopedia of Polymeric Nanomaterials. 2015 , 1745-1750	6
1573	Binary metal sulfides and polypyrrole on vertically aligned carbon nanotube arrays/carbon fiber paper as high-performance electrodes. 2015 , 3, 22043-22052	33
1572	Electron Transfer and Charge Storage in Thin Films of Nanoparticles. 2015 , 1-62	2
1571	Fabrication of Uniform Nanocomposite by Anchoring Polyaniline Nanofibers on the Surface of Graphene Oxide for Supercapacitors. 2015 , 161, 76-84	3
1570	Porous nitrogen-doped graphene/carbon nanotubes composite with an enhanced supercapacitor performance. 2015 , 178, 517-524	60

1569	Continuous fast Fourier transform admittance voltammetry as a new approach for studying the change in morphology of polyaniline for supercapacitors application. 2015 , 5, 84076-84083	13
1568	Titanium doped niobium oxide for stable pseudocapacitive lithium ion storage and its application in 3 V non-aqueous supercapacitors. 2015 , 3, 21706-21712	33
1567	Fabrication and electrochemical properties of porous VN hollow nanofibers. 2015 , 651, 785-792	28
1566	The effect of various electrolyte cations on electrochemical performance of polypyrrole/RGO based supercapacitors. 2015 , 17, 28666-73	105
1565	Layer-by-layer grown scalable redox-active ruthenium-based molecular multilayer thin films for electrochemical applications and beyond. 2015 , 7, 17685-92	27
1564	Supercapacitors with ultrahigh energy density based on mesoporous carbon nanofibers: Enhanced double-layer electrochemical properties. 2015 , 653, 212-218	46
1563	Electrochemical performances of silver nanoparticles decorated polyaniline/graphene nanocomposite in different electrolytes. 2015 , 653, 486-497	59
1562	Three-Dimensional NiCo ₂ O ₄ @Polypyrrole Coaxial Nanowire Arrays on Carbon Textiles for High-Performance Flexible Asymmetric Solid-State Supercapacitor. 2015 , 7, 21334-46	250
1561	Encyclopedia of Polymeric Nanomaterials. 2015 , 1864-1871	1
1560	Novel Schiff base self-condensed oligomers in complexation with metallic triflates of low-band gap properties. 2015 , 24, 911-918	3
1559	Poly(thieno[3,4-b]thiathiane): Effect of solvent on the chemical synthesis and capacitance comparison in different electrolytes. 2015 , 184, 338-346	3
1558	Synthesis of ternary graphene/molybdenum oxide/poly(p-phenylenediamine) nanocomposites for symmetric supercapacitors. 2015 , 5, 98278-98287	13
1557	Polyaniline nano-wrinkles array on three-dimensional graphene film for high performance supercapacitors. 2015 , 210, 367-375	8
1556	Zinc oxide nanoring embedded lacey graphene nanoribbons in symmetric/asymmetric electrochemical capacitive energy storage. 2015 , 7, 20642-51	66
1555	Remarkable capacitive behavior of a Co ₃ O ₄ /polyindole composite as electrode material for supercapacitor applications. 2015 , 3, 24338-24348	81
1554	Growth of polypyrrole ultrathin films on MoS ₂ monolayers as high-performance supercapacitor electrodes. 2015 , 27, 1117-23	602
1553	Facile preparation of N- and O-doped hollow carbon spheres derived from poly(o-phenylenediamine) for supercapacitors. 2015 , 3, 3409-3415	196
1552	Hierarchical structure of hollow thorn-like polypyrrole microtubes with enhanced electrochemical performance. 2015 , 5, 1191-1197	16

1551	Three-dimensional, sulfur-incorporated graphene aerogels for the enhanced performances of pseudocapacitive electrodes. <i>Journal of Power Sources</i> , 2015 , 278, 484-489	8.9	81
1550	Conducting polymer-based flexible supercapacitor. 2015 , 3, 2-26		377
1549	Polyaniline/partially exfoliated multi-walled carbon nanotubes based nanocomposites for supercapacitors. 2015 , 155, 402-410		66
1548	Supercapacitor electrode materials: nanostructures from 0 to 3 dimensions. 2015 , 8, 702-730		1739
1547	Photoactive supercapacitors for solar energy harvesting and storage. <i>Journal of Power Sources</i> , 2015 , 275, 621-626	8.9	30
1546	Polymeric cathode materials of electroactive conducting poly(triphenylamine) with optimized structures for potential organic pseudo-capacitors with higher cut-off voltage and energy density. 2015 , 5, 9221-9227		24
1545	3D graphene nanomaterials for binder-free supercapacitors: scientific design for enhanced performance. 2015 , 7, 6957-90		148
1544	Hierarchical NiCo ₂ O ₄ nanosheets grown on Ni nanofoam as high-performance electrodes for supercapacitors. 2015 , 11, 804-8		211
1543	Facile synthesis of three-dimensional graphene/nickel oxide nanoparticles composites for high performance supercapacitor electrodes. 2015 , 264, 603-609		66
1542	Three-dimensional carbon nanotube/ethylvinylacetate/polyaniline as a high performance electrode for supercapacitors. 2015 , 3, 1884-1889		26
1541	One-step template-free electrodeposition of novel poly(indole-7-carboxylic acid) nanowires and their high capacitance properties. 2015 , 5, 3215-3223		20
1540	Self-discharge in positively charged polypyrrole/cellulose composite electrodes. 2015 , 50, 43-46		15
1539	Investigation of Charge Transfer Kinetics of Polyaniline Supercapacitor Electrodes by Scanning Electrochemical Microscopy. 2015 , 2, 1400154		34
1538	Amorphous 3D nanoflake array-assembled porous 2D cobalt oxalate coordination polymer thin sheets with excellent pseudocapacitive performance. 2015 , 3, 1847-1852		63
1537	Zinc ions doped poly(aniline-co-m-aminophenol) for high-performance supercapacitor. 2015 , 199, 169-173		11
1536	Organo-redox shuttle promoted protic ionic liquid electrolyte for supercapacitor. <i>Journal of Power Sources</i> , 2015 , 274, 1135-1139	8.9	70
1535	Nickel cobaltite as an emerging material for supercapacitors: An overview. 2015 , 11, 377-399		354
1534	Supercapacitor devices for energy storage and capacitive dye removal from aqueous solutions. 2015 , 5, 320-327		21

1533	Polyaniline-graphene composites with a three-dimensional array-based nanostructure for high-performance supercapacitors. 2015 , 83, 79-89		98
1532	Improvement of carbon materials performance by nitrogen functional groups in electrochemical capacitors in organic electrolyte at severe conditions. 2015 , 82, 205-213		54
1531	High-performance asymmetric pseudocapacitor cell based on cobalt hydroxide/graphene and polypyrrole/graphene electrodes. <i>Journal of Power Sources</i> , 2015 , 275, 298-304	8.9	76
1530	Electropolymerized Polypyrrole Nanocoatings on Carbon Paper for Electrochemical Energy Storage. 2015 , 2, 119-126		38
1529	Electrodeposition of nickel sulfide on graphene-covered make-up cotton as a flexible electrode material for high-performance supercapacitors. <i>Journal of Power Sources</i> , 2015 , 274, 943-950	8.9	121
1528	Microwave absorbing properties of multi-walled carbon nanotubes/polyaniline nanocomposites. 2015 , 26, 564-570		20
1527	Vertically-aligned BCN nanotube arrays with superior performance in electrochemical capacitors. 2014 , 4, 6083		23
1526	An approach to classification and capacitance expressions in electrochemical capacitors technology. 2015 , 17, 1084-92		143
1525	Polyaniline/graphene/carbon fiber ternary composites as supercapacitor electrodes. 2015 , 140, 43-47		39
1524	The development supercapacitor from activated carbon by electroless plating—a review. 2015 , 42, 823-834		246
1523	Titanium carbide nanocube core induced interfacial growth of crystalline polypyrrole/polyvinyl alcohol lamellar shell for wide-temperature range supercapacitors. <i>Journal of Power Sources</i> , 2015 , 274, 1118-1125	8.9	39
1522	The role of (photo)electrochemistry in the rational design of hybrid conducting polymer/semiconductor assemblies: From fundamental concepts to practical applications. 2015 , 43, 96-135		89
1521	Fabrication of flexible polypyrrole/graphene oxide/manganese oxide supercapacitor. 2015 , 39, 344-355		91
1520	A high-capacitance solid-state supercapacitor based on free-standing film of polyaniline and carbon particles. 2015 , 153, 87-93		67
1519	Hydrogen production with polyaniline/multi-walled carbon nanotube cathode catalysts in microbial electrolysis cells. 2015 , 90, 1263-1269		12
1518	Electrochemical properties of free-standing polypyrrole/graphene oxide/zinc oxide flexible supercapacitor. 2015 , 39, 111-119		49
1517	Intense pulsed light-assisted facile and agile fabrication of cobalt oxide/nickel cobaltite nanoflakes on nickel-foam for high performance supercapacitor applications. 2015 , 618, 227-232		16
1516	Processing of graphene nanoribbon based hybrid composite for electromagnetic shielding. 2015 , 69, 472-477		109

1515	Synthesis of Graphene Oxide by Modified Hummers Method and Hydrothermal Synthesis of Graphene-NiO Nano Composite for Supercapacitor Application. 2016 , 05,	5
1514	Carbon Nanotubes Supported Conducting Polymer Electrode for Supercapacitor. 2016 ,	1
1513	Interdigitated MEMS Supercapacitor for Powering Heart Pacemaker. 2016 ,	
1512	Effect of TiO ₂ Rutile Additive on Electrical Properties of PPy/TiO ₂ Nanocomposite. 2016 , 2016, 1-6	2
1511	Synthesis of Graphene-Based Nanocomposite and Investigations of Its Thermal and Electrical Properties. 2016 , 2016, 1-9	7
1510	Influence of Concentration and Electrodeposition Time on the Electrochemical Supercapacitor Performance of Poly(3,4-Ethylenedioxythiophene)/Graphene Oxide Hybrid Material. 2016 , 2016, 1-10	7
1509	An Introduction to Hydrogels and Some Recent Applications. 2016 ,	66
1508	An Aqueous Metal-Ion Capacitor with Oxidized Carbon Nanotubes and Metallic Zinc Electrodes. 2016 , 4,	45
1507	Characterization of Aniline Tetramer by MALDI TOF Mass Spectrometry upon Oxidative and Reductive Cycling. 2016 , 8,	15
1506	Preparation and excellent microwave absorption properties of silver/strontium ferrite/graphite nanosheet composites via sol-gel method. 2016 , 27, 10045-10051	12
1505	Strong and electrically conductive nanopaper from cellulose nanofibers and polypyrrole. 2016 , 152, 361-369	44
1504	Fabrication of ferric chloride doped polyaniline/multilayer super-short carbon nanotube nanocomposites for supercapacitor applications. 2016 , 20, 2805-2816	15
1503	Nanoscale Engineering of Heterostructured Anode Materials for Boosting Lithium-Ion Storage. 2016 , 28, 7580-602	177
1502	Graphene-Based Nanocomposites for Energy Storage. 2016 , 6, 1502159	233
1501	The Comparative Study on Vapor-Polymerization and Pressure-dependent Conductance Behavior in Polypyrrole-hybridized Membranes. 2016 , 37, 179-183	1
1500	Mechanisms for Imparting Conductivity to Nonconductive Polymeric Biomaterials. 2016 , 16, 1103-21	9
1499	Facile fabrication of coaxial-cable like Mn ₂ O ₃ nanofiber by electrospinning: Application as electrode material for supercapacitor. 2016 , 65, 584-590	39
1498	Stretchable, Conductive, and Stable PEDOT-Modified Textiles through a Novel In Situ Polymerization Process for Stretchable Supercapacitors. 2016 , 1, 1600009	41

1497	Integration: An Effective Strategy to Develop Multifunctional Energy Storage Devices. 2016 , 6, 1501867	115
1496	High-Rate and High-Volumetric Capacitance of Compact Graphene/Polyaniline Hydrogel Electrodes. 2016 , 6, 1600185	79
1495	Towards enhanced electrochemical capacitance with self-assembled synthesis of poly(pyrrole-co-o-toluidine) nanoparticles. 2016 , 133, n/a-n/a	5
1494	Fabrication of Polyaniline/Graphene/Polyester Textile Electrode Materials for Flexible Supercapacitors with High Capacitance and Cycling Stability. 2016 , 11, 1906-12	36
1493	Electrospun carbon/CuFe ₂ O ₄ composite nanofibers with improved electrochemical energy storage performance. 2016 , 688, 1131-1140	33
1492	Electronic structures and quantum capacitance of monolayer and multilayer graphenes influenced by Al, B, N and P doping, and monovacancy: Theoretical study. 2016 , 108, 7-20	55
1491	Stable Deep Doping of Vapor-Phase Polymerized Poly(3,4-ethylenedioxythiophene)/Ionic Liquid Supercapacitors. 2016 , 9, 2112-21	28
1490	Plasma-Induced Polyaniline Grafted on Carbon Nanotube-embedded Carbon Nanofibers for High-Performance Supercapacitors. 2016 , 212, 130-140	33
1489	Facial Synthesis of Silver-incorporated Conductive Polypyrrole Submicron Spheres for Supercapacitors. 2016 , 213, 115-123	44
1488	Dramatic visible light photocatalytic degradation due to the synergetic effects of TiO ₂ and PDA nanospheres. 2016 , 6, 64446-64449	23
1487	Smart Electronic Textiles. 2016 , 55, 6140-69	371
1486	A Redox-Active Binder for Electrochemical Capacitor Electrodes. 2016 , 128, 5404-5407	7
1485	All weather solar cell- a new trend of design of solar cell. 2016 ,	3
1484	Conducting Polymer-based Hybrid Nanocomposites as Promising Electrode Materials for Lithium Batteries. 2016 , 355-396	
1483	A Highly Conductive and Hierarchical PANI Micro/nanostructure and Its Supercapacitor Application. 2016 , 222, 701-708	35
1482	Optimization of electrochemical capacitor stability of poly(o-methoxyaniline)-poly(3-thiophene acetic acid) self-assembled films. 2016 , 196, 741-748	8
1481	Three dimensional manganese oxide on carbon nanotube hydrogels for asymmetric supercapacitors. 2016 , 6, 36954-36960	19
1480	Hybrid SnO ₂ /Co ₃ O ₄ nanocubes prepared via a CoSn(OH) ₆ intermediate through a sonochemical route for energy storage applications. 2016 , 6, 33361-33368	27

1479	Flexible-wire shaped all-solid-state supercapacitors based on facile electropolymerization of polythiophene with ultra-high energy density. 2016 , 4, 7406-7415	65
1478	Synthesis of polyaniline/ZrO ₂ nanocomposites and their performance in AC conductivity and electrochemical supercapacitance. 2016 , 39, 667-675	32
1477	Degradation Characteristics of Electric Double-Layer Capacitors Consisting of High Surface Area Carbon Electrodes with Organic Electrolyte Solutions. 2016 , 209, 210-218	23
1476	NiO nanosheet assembles for supercapacitor electrode materials. 2016 , 26, 271-275	92
1475	Flexible supercapacitors based on a polyaniline nanowire-infilled 10 nm-diameter carbon nanotube porous membrane by in situ electrochemical polymerization. 2016 , 4, 12602-12608	37
1474	Development of Candle Soot Based Carbon Nanoparticles (CNPs)/Polyaniline Electrode and Its Comparative Study with CNPs/MnO ₂ in Supercapacitors. 2016 , 210, 190-198	17
1473	Enhanced electrochemical performance of hydrogen-bonded graphene/polyaniline for electrochromo-supercapacitor. 2016 , 51, 7731-7741	22
1472	Facile Synthesis of Hierarchical CuO Nanoflower for Supercapacitor Electrodes. 2016 , 45, 4237-4245	25
1471	Radiation-grafted materials for energy conversion and energy storage applications. 2016 , 63, 1-41	47
1470	Coaxial Co ₃ O ₄ @polypyrrole core-shell nanowire arrays for high performance lithium ion batteries. 2016 , 209, 192-200	44
1469	Solution Processed PEDOT Analogues in Electrochemical Supercapacitors. 2016 , 8, 13492-8	53
1468	The electrostatic co-assembly in non-stoichiometric aqueous mixtures of copolymers composed of one neutral water-soluble and one polyelectrolyte (either positively or negatively charged) block: a dissipative particle dynamics study. 2016 , 18, 16137-51	15
1467	Ground nut seed like hydrophilic polypyrrole based thin film as a supercapacitor electrode. 2016 , 27, 3499-3505	12
1466	Performance of palladium nanoparticle-graphene composite as an efficient electrode material for electrochemical double layer capacitors. 2016 , 196, 547-557	23
1465	Synthesis of N-Doped Hollow-Structured Mesoporous Carbon Nanospheres for High-Performance Supercapacitors. 2016 , 8, 7194-204	156
1464	Preparation of porous cadmium sulphide on nickel foam: a novel electrode material with excellent supercapacitor performance. 2016 , 4, 4920-4928	55
1463	Thermoelectric Enhancement of Polyaniline Grafting from Graphene Oxide. 2016 , 847, 153-160	5
1462	Graphene and its nanocomposites used as an active materials for supercapacitors. 2016 , 20, 1509-1526	14

1461	Flower-like polyaniline@NiO structures: a high specific capacity supercapacitor electrode material with remarkable cycling stability. 2016 , 6, 43959-43963	33
1460	Synthesis of curly graphene nanoribbon/polyaniline/MnO ₂ composite and its application in supercapacitor. 2016 , 6, 41142-41150	27
1459	Single-crystal NiS nanorod arrays with a hollow-structured Ni ₃ S ₂ framework for supercapacitor applications. 2016 , 4, 7700-7709	156
1458	Electrochemically modified carbon fiber bundles as selective sorbent for online solid-phase microextraction of sulfonamides. 2016 , 183, 813-820	25
1457	Facile hydrothermal synthesis of one-dimensional nanostructured MnO ₂ for supercapacitors. 2016 , 83, 41-46	13
1456	NiCo ₂ O ₄ @TiN Core-shell Electrodes through Conformal Atomic Layer Deposition for All-solid-state Supercapacitors. 2016 , 196, 611-621	31
1455	A comparative study on the preparation of redox active bioorganic thin films based on lignosulfonate and conducting polymers. 2016 , 204, 108-117	18
1454	Room temperature PEDOT:PSS encapsulated MWCNTs thin film for electrochemical supercapacitor. 2016 , 771, 80-86	41
1453	Micro-Pseudocapacitors with Electroactive Polymer Electrodes: Toward AC-Line Filtering Applications. 2016 , 8, 12748-55	42
1452	Molybdenum diselenide/reduced graphene oxide based hybrid nanosheets for supercapacitor applications. 2016 , 45, 9646-53	74
1451	Pseudocapacitance and excellent cyclability of 2,5-dimethoxy-1,4-benzoquinone on graphene. 2016 , 9, 2586-2594	101
1450	Effect of reaction temperature and time on the electrochemical properties of nickel hydroxide nanosheets. 2016 , 383, 268-275	8
1449	Polypyrrole-modified graphene sheet nanocomposites as new efficient materials for supercapacitors. 2016 , 105, 510-520	40
1448	Design of a Hierarchical Ternary Hybrid for a Fiber-Shaped Asymmetric Supercapacitor with High Volumetric Energy Density. 2016 , 120, 9685-9691	109
1447	Electropolymerized Star-Shaped Benzotrithiophenes Yield Conjugated Hierarchical Networks with High Areal Capacitance. 2016 , 8, 12091-100	17
1446	Facile shape-controlled growth of hierarchical mesoporous MnO ₂ for the development of asymmetric supercapacitors. 2016 , 4, 8384-8394	49
1445	Supercapacitive composite metal oxide electrodes formed with carbon, metal oxides and conducting polymers. 2016 , 682, 381-403	106
1444	A comprehensive overview of hybrid construction machinery. 2016 , 8, 168781401663680	40

1443	All-solid-state flexible asymmetric micro supercapacitors based on cobalt hydroxide and reduced graphene oxide electrodes. 2016 , 6, 43844-43854		29
1442	Active carbon/graphene hydrogel nanocomposites as a symmetric device for supercapacitors. 2016 , 24, 427-434		13
1441	Highly flexible NiCo ₂ O ₄ /CNTs doped carbon nanofibers for CO ₂ adsorption and supercapacitor electrodes. 2016 , 476, 87-93		63
1440	A new benzimidazole based covalent organic polymer having high energy storage capacity. 2016 , 52, 7592-5		69
1439	Wood-derived biochar supported polypyrrole nanoparticles as a free-standing supercapacitor electrode. 2016 , 6, 86006-86011		20
1438	An accurate method to determine the through-plane electrical conductivity and to study transport properties in film samples. 2016 , 38, 264-270		8
1437	A comparative study of room temperature ionic liquids and their organic solvent mixtures near charged electrodes. 2016 , 28, 464002		24
1436	High performance, flexible, poly(3,4-ethylenedioxythiophene) supercapacitors achieved by doping redox mediators in organogel electrolytes. <i>Journal of Power Sources</i> , 2016 , 332, 413-419	8.9	30
1435	A novel Ni(OH) ₂ /graphene nanosheets electrode with high capacitance and excellent cycling stability for pseudocapacitors. <i>Journal of Power Sources</i> , 2016 , 333, 156-163	8.9	40
1434	Boosting Energy Efficiency of Nickel Cobaltite via Interfacial Engineering in Hierarchical Supercapacitor Electrode. 2016 , 120, 23377-23388		13
1433	Incorporation of Redox-active Guest in Conductive and Redox-active Host: Hierarchically Structured Composite of a Conductive Polymer and Quinone Derivative. 2016 , 45, 324-326		9
1432	Synthesis of SnO ₂ by Sol-Gel Method. 2016 , 254, 200-206		2
1431	Silver incorporated PEDOT: PSS for enhanced electrochemical performance. 2016 , 42, 113-120		17
1430	Cellulose-coupled graphene/polypyrrole composite electrodes containing conducting networks built by carbon fibers as wearable supercapacitors with excellent foldability and tailorability. <i>Journal of Power Sources</i> , 2016 , 327, 438-446	8.9	57
1429	Polymer-Based Organic Batteries. 2016 , 116, 9438-84		677
1428	3D graphene-based hybrid materials: synthesis and applications in energy storage and conversion. 2016 , 8, 15414-47		105
1427	Efficient Lightweight Supercapacitor with Compression Stability. 2016 , 26, 6437-6445		101
1426	Preparation of all-solid-state supercapacitor integrated with energy level indicating functionality. 2016 , 220, 494-501		9

1425	A flexible and high-performance all-solid-state supercapacitor device based on Ni ₃ S ₂ nanosheets coated ITO nanowire arrays on carbon fabrics. 2016 , 6, 75186-75193	27
1424	Synthesis and Computational Bandgap Engineering of New 3,4-Alkylenedioxyppyrrrole (ADOP) Derivatives and Investigation of Their Electrochromic Properties. 2016 , 163, H896-H905	11
1423	Environmentally Friendly Supercapacitors. 2016 , 351-492	6
1422	Multifunctional Applications of Nanocellulose-Based Nanocomposites. 2016 , 177-204	4
1421	Facile Preparation and Enhanced Capacitance of the Ag-PEDOT:PSS/Polyaniline Nanofiber Network for Supercapacitors. 2016 , 213, 680-690	30
1420	Bridging the performance gap between electric double-layer capacitors and batteries with high-energy/high-power carbon nanotube-based electrodes. 2016 , 4, 14586-14594	33
1419	Supercapacitor Electrodes Based on High-Purity Electrospun Polyaniline and Polyaniline-Carbon Nanotube Nanofibers. 2016 , 8, 21261-9	182
1418	Electroactive polymer/graphene oxide nanostructured composites; evidence for direct chemical interactions between PEDOT and GOx. 2016 , 220, 334-346	21
1417	A Facile Method to Prepare Three-Dimensional Fe ₂ O ₃ /Graphene Composites as the Electrode Materials for Supercapacitors. 2016 , 34, 67-72	26
1416	Conducting Polymers for Pseudocapacitive Energy Storage. 2016 , 28, 5989-5998	277
1415	Phenoxazine-Based Conjugated Ladder Polymers as Novel Electrode Materials for Supercapacitors. 2016 , 3, 1837-1846	3
1414	Tracking Pseudocapacitive Contribution to Superior Energy Storage of MnS Nanoparticles Grown on Carbon Textile. 2016 , 8, 24621-8	62
1413	Analysis of Catalyst Layer Microstructures: From Imaging to Performance. 2016 , 16, 734-753	59
1412	Constructing a Pizza-Like MoS ₂ /Polypyrrole/Polyaniline Ternary Architecture with High Energy Density and Superior Cycling Stability for Supercapacitors. 2016 , 3, 1600665	36
1411	A hierarchically porous CuCo ₂ S ₄ /graphene composite as an electrode material for supercapacitors. 2016 , 31, 336-342	50
1410	Polyaniline (PANI) based electrode materials for energy storage and conversion. 2016 , 1, 225-255	242
1409	A new route of magnetic biochar based polyaniline composites for supercapacitor electrode materials. 2016 , 121, 240-257	47
1408	Vapor-phase polymerization of poly(3, 4-ethylenedioxythiophene) nanofibers on carbon cloth as electrodes for flexible supercapacitors. 2016 , 27, 385705	20

1407	Electrochemical deposition and characterization of polypyrrole in electrolyte based on pyrrolidinium hydrogensulfate protic ionic liquid. 2016 , 46, 1133-1145		13
1406	High electrochemical energy storage performance of controllable synthesis of nanorod Cu _{1.92} S accompanying nanoribbon CuS directly grown on copper foam. 2016 , 214, 276-285		19
1405	Electrochemical Tailoring of Fibrous Polyaniline and Electroless Decoration with Gold and Platinum Nanoparticles. 2016 , 32, 8834-42		9
1404	Cobalt Oxide Nanoflakes on Single Walled Carbon Nanotube Thin Films for Supercapacitor Electrodes. 2016 , 222, 1475-1482		21
1403	One-step fabrication of electrochemically reduced graphene oxide/nickel oxide composite for binder-free supercapacitors. 2016 , 41, 17496-17505		44
1402	Graphene and its derivatives for laser protection. 2016 , 84, 118-157		85
1401	Nanostructured core-shell electrode materials for electrochemical capacitors. <i>Journal of Power Sources</i> , 2016 , 331, 408-425	8.9	82
1400	Electrochemical Polymerization on Porous Electrodes in Neat and Highly Concentrated Monomer Solutions. 2016 , 45, 1271-1273		1
1399	Synthesis and microwave absorption enhancement of polyaniline/SrFe ₁₂ O ₁₉ /hollow glass microsphere composite with core-shell structure. 2016 , 27, 13099-13104		5
1398	Flexible supercapacitor with a record high areal specific capacitance based on a tuned porous fabric. 2016 , 4, 12981-12986		27
1397	Organotrисульфид: A High Capacity Cathode Material for Rechargeable Lithium Batteries. 2016 , 55, 10027-31		113
1396	A Free-standing Graphene-Polypyrrole Hybrid Paper via Electropolymerization with an Enhanced Areal Capacitance. 2016 , 212, 561-571		57
1395	Hierarchical polypyrrole/Ni ₃ S ₂ @MoS ₂ core-shell nanostructures on a nickel foam for high-performance supercapacitors. 2016 , 6, 68460-68467		27
1394	Synthesis of Graphene by Pyrolysis of Organic Matter. 2016 , 363-378		
1393	Nanomaterials in Advanced Batteries and Supercapacitors. 2016 ,		21
1392	Oxidation-Resistant and Elastic Mesoporous Carbon with Single-Layer Graphene Walls. 2016 , 26, 6418-6427		70
1391	Nanostructured Oxides as Cathode Materials for Supercapacitors. 2016 , 205-269		2
1390	Organotrисульфид: A High Capacity Cathode Material for Rechargeable Lithium Batteries. 2016 , 128, 10181-10185		

1389	Transition Metal Oxides as Supercapacitor Materials. 2016 , 317-344	9
1388	High-performance supercapacitor materials based on polypyrrole composites embedded with core-sheath polypyrrole@MnMoO ₄ nanorods. 2016 , 212, 775-783	61
1387	Enhancing energy density of carbon-based supercapacitors using Prussian Blue modified positive electrodes. 2016 , 212, 848-855	23
1386	Vapor phase sensing response of doped polyaniline-poly (vinyl alcohol) composite membrane to different aliphatic alcohols. 2016 , 220, 410-420	8
1385	One-step synthesis of hydrophobic-reduced graphene oxide and its oil/water separation performance. 2016 , 51, 8791-8798	21
1384	Solid-State Dual Function Electrochemical Devices: Energy Storage and Light-Emitting Applications. 2016 , 6, 1600651	24
1383	PEDOT:PSS-assisted polyindole hollow nanospheres modified carbon cloth as high performance electrochemical capacitor electrodes. 2016 , 212, 662-670	19
1382	Preparation of MnO ₂ /carbon nanowires composites for supercapacitors. 2016 , 212, 710-721	44
1381	MnO ₂ /PVP/MWCNT hybrid nano composites as electrode materials for high performance supercapacitor. 2016 , 3, 105503	7
1380	Fabrication of sponge-like Ni(OH) ₂ on styreneacrylonitrile copolymer (SAN)-derived carbon spheres as electrode materials for supercapacitor application. 2016 , 6, 100623-100631	1
1379	Dynamic mechano-electrochemistry of polypyrrole membranes via shear-force tracking. 2016 , 18, 17366-72	1
1378	Feasible study of polypyrrole film in single and double cationic ionic liquids as novel electrolytes for energy storage applications. 2016 , 222, 274-284	5
1377	Preparation of Gelatin-assisted Polypyrrole/Poly(3,4-ethylenedioxythiophene) Composites. 2016 , 37, 1789-1796	3
1376	Effect of thickness on the capacitive behavior and stability of ultrathin polyaniline for high speed super capacitors. 2016 , 52, 933-937	12
1375	Advanced Materials for Supercapacitors. 2016 , 99-128	
1374	Enhanced electrochemical performance of polypyrrole coated MoS ₂ nanocomposites as electrode material for supercapacitor application. 2016 , 782, 278-287	53
1373	Enhancing Cycling Stability of Aqueous Polyaniline Electrochemical Capacitors. 2016 , 8, 29452-29460	24
1372	Nanoarchitected Nb ₂ O ₅ hollow, Nb ₂ O ₅ @carbon and NbO ₂ @carbon Core-Shell Microspheres for Ultrahigh-Rate Intercalation Pseudocapacitors. 2016 , 6, 21177	97

1371	Supercapacitive studies on electropolymerized natural organic phosphate doped polypyrrole thin films. 2016 , 220, 373-383	46
1370	High-Performance Flexible Solid-State Carbon Cloth Supercapacitors Based on Highly Processible N-Graphene Doped Polyacrylic Acid/Polyaniline Composites. 2016 , 6, 12883	65
1369	Manganese Dioxide Supported on Porous Biomorphic Carbons as Hybrid Materials for Energy Storage Devices. 2016 , 8, 30890-30898	10
1368	Surfactant assisted polyaniline nanofibresReduced graphene oxide (SPG) composite as electrode material for supercapacitors with high rate performance. 2016 , 222, 570-579	27
1367	Cotton-textile-enabled flexible self-sustaining power packs via roll-to-roll fabrication. 2016 , 7, 11586	243
1366	Capacitive performance of electrodeposited PEDOS and a comparative study with PEDOT. 2016 , 220, 340-346	15
1365	A three-dimensional vertically aligned carbon nanotube/polyaniline composite as a supercapacitor electrode. 2016 , 6, 110592-110599	8
1364	Advanced Materials and Designs for Hydraulic, Earth, and Aerospace Structures. 2016 ,	
1363	Solar Energy and Energy Storage Materials and Devices Research in Singapore. 2016 , 113-156	
1362	Localized electrons and phonons in branched polyacetylene molecules. 2016 , 11, 820-829	2
1361	High-Performance Mesostructured Organic Hybrid Pseudocapacitor Electrodes. 2016 , 26, 903-910	52
1360	Electrochemical Synthesis and Characterization of Interpenetrating Networks of Conducting Polymers for Enhanced Charge Storage. 2016 , 3, 1500533	14
1359	A Redox-Active Binder for Electrochemical Capacitor Electrodes. 2016 , 55, 5318-21	17
1358	Directly-Grown Hierarchical Carbon Nanotube@Polypyrrole Core-Shell Hybrid for High-Performance Flexible Supercapacitors. 2016 , 9, 370-8	40
1357	In-Situ hydrothermal synthesis of a MoS ₂ nanosheet electrode for electrochemical energy storage applications. 2016 , 68, 1341-1346	5
1356	High electrochemical performance of nanostructured CoOOH grown on nickel foam by hydrothermal deposition for application in supercapacitor. 2016 , 79, 83-88	9
1355	Biomass-derived carbon: synthesis and applications in energy storage and conversion. 2016 , 18, 4824-4854	560
1354	Porous Fe-Mn-O nanocomposites: Synthesis and supercapacitor electrode application. 2016 , 26, 264-270	16

1353	Electrochemical and microgravimetric studies of poly[3,4-ethylenedioxythiophene]-tyrosinase biocomposite material electrodeposited onto gold electrodes by a sinusoidal voltages method. 2016 , 20, 3043-3051	7
1352	Non-aqueous synthesis of ultras-small NiO nanoparticle-intercalated graphene composite as active electrode material for supercapacitors. 2016 , 83, 275-283	30
1351	Supercapacitor Electrode Based on Nano-Vanadium Nitride Incorporated on Porous Carbon Nanospheres Derived from Ionic Amphiphilic Block Copolymers & Vanadium-Contained Ion Assembly Systems. 2016 , 211, 469-477	62
1350	Nano nickel oxide coated graphene/polyaniline composite film with high electrochemical performance for flexible supercapacitor. 2016 , 211, 1066-1075	67
1349	Polypyrrole/nickel sulfide/bacterial cellulose nanofibrous composite membranes for flexible supercapacitor electrodes. 2016 , 23, 2639-2651	46
1348	Polyfurfuryl alcohol spheres template synthesis of 3D porous graphene for high-performance supercapacitor application. 2016 , 220, 227-235	19
1347	Improving the electrochemical performance by sulfonation of polyaniline-graphene-silica composite for high performance supercapacitor. 2016 , 65, 835-840	17
1346	Effect of polymerization solvent, potential, and temperature on morphology and capacitance properties of poly(thieno[3,2-b]thiophene) films. 2016 , 220, 155-161	7
1345	Two-Dimensional Titanium Carbide/RGO Composite for High-Performance Supercapacitors. 2016 , 8, 15661-7	193
1344	Simultaneous reduction and covalent grafting of polythiophene on graphene oxide sheets for excellent capacitance retention. 2016 , 6, 52945-52949	42
1343	Multifunctional CuO nanowire embodied structural supercapacitor based on woven carbon fiber/ionic liquid/polyester resin. 2016 , 87, 256-262	62
1342	Poly(3-hexylthiophene)-multi-walled carbon nanotube (1:1) hybrids: Structure and electrochemical properties. 2016 , 209, 111-120	11
1341	Graphene- and Graphene-Oxide-Based Gas Sensors. 2016 , 317-328	
1340	Unconventional supercapacitors from nanocarbon-based electrode materials to device configurations. 2016 , 45, 4340-63	396
1339	Preparation and electrochemical properties of Fe ₂ O ₃ /reduced graphene oxide aerogel (Fe ₂ O ₃ /rGOA) composites for supercapacitors. 2016 , 685, 355-363	44
1338	Facile synthesis of polypyrrole nanowires for high-performance supercapacitor electrode materials. 2016 , 26, 237-242	73
1337	Preparation and microwave absorbing properties of nickel-coated carbon fiber with polyaniline via in situ polymerization. 2016 , 27, 5607-5612	28
1336	Self-assembly synthesis and ammonia gas-sensing properties of ZnO/Polythiophene nanofibers. 2016 , 27, 8807-8815	13

1335	Geometric optimization of self-healing power capacitor with consideration of multiple factors. <i>Journal of Power Sources</i> , 2016 , 323, 147-157	8.9	5
1334	Preparation and Supercapacitor Performance of Freestanding Polypyrrole/Polyaniline Coaxial Nanoarrays. 2016 , 4, 714-721		34
1333	Porous and high electronic conductivity nitrogen-doped nano-sheet carbon derived from polypyrrole for high-power supercapacitors. 2016 , 107, 638-645		79
1332	Long Cyclic Life in Manganese Oxide-Based Electrodes. 2016 , 8, 18078-88		30
1331	Core-shell composite of wood-derived biochar supported MnO ₂ nanosheets for supercapacitor applications. 2016 , 6, 64811-64817		46
1330	Smarte elektronische Textilien. 2016 , 128, 6248-6277		10
1329	Enhancement in electrical conductive property of polypyrrole-coated cotton fabrics using cationic surfactant. 2016 , 133,		18
1328	Influence of Additives on Performance of Polypyrrole-Carbon Nanotube Supercapacitors. 2016 , 31, 1246-1252		11
1327	Microfabrication and characterization of UV micropatternable, electrically conducting polyaniline photoresist blends for MEMS applications. 2016 , 22, 371-378		3
1326	Organic energy devices from ionic liquids and conducting polymers. 2016 , 4, 1550-1556		14
1325	Chemical synthesis of 3D copper sulfide with different morphologies for high performance supercapacitors application. 2016 , 6, 14844-14851		61
1324	Synthesis of Ag/PANI@MnO ₂ core-shell nanowires and their capacitance behavior. 2016 , 6, 17415-17422		16
1323	Coherent polyaniline/graphene oxides/multi-walled carbon nanotubes ternary composites for asymmetric supercapacitors. 2016 , 191, 165-172		29
1322	KOH-activated nitrogen doped porous carbon nanowires with superior performance in supercapacitors. 2016 , 190, 229-239		69
1321	Honeycomb-like mesoporous cobalt nickel phosphate nanospheres as novel materials for high performance supercapacitor. 2016 , 190, 118-125		93
1320	In situ growth of urchin-like NiCo ₂ S ₄ hexagonal pyramid microstructures on 3D graphene nickel foam for enhanced performance of supercapacitors. 2016 , 6, 9446-9452		12
1319	Growth of polypyrrole nanostructures through reactive templates for energy storage applications. 2016 , 191, 346-354		37
1318	Electrosynthesis and electrochemical capacitive behavior of a new nitrogen PEDOT analogue-based polymer electrode. 2016 , 40, 2304-2314		16

1317	Supercapacitance performance of polypyrrole/titanium nitride/polyaniline coaxial nanotube hybrid. 2016 , 665, 323-332		49
1316	Thermal sensor based on a polymer nanofilm. 2016 , 239, 161-165		13
1315	Hybrid materials from organic electronic conductors and synthetic-lignin models for charge storage applications. 2016 , 4, 1931-1940		26
1314	Preparation of Y-doped ZrO ₂ coatings on MnO ₂ electrodes and their effect on electrochemical performance for MnO ₂ electrochemical supercapacitors. 2016 , 6, 1750-1759		14
1313	Synthesis and electrochemical performance of polyaniline @MnO ₂ /graphene ternary composites for electrochemical supercapacitors. <i>Journal of Power Sources</i> , 2016 , 303, 175-181	8.9	122
1312	Self-assembled graphene oxide on a photo-catalytic active transparent conducting oxide. 2016 , 90, 284-290		20
1311	Effect of electropolymerization potential on the preparation of PEDOT/graphene oxide hybrid material for supercapacitor application. 2016 , 188, 785-792		67
1310	Preparation and characterization of a pseudocapacitor electrode by spraying a conducting polymer onto a flexible substratePeer review under responsibility of Taibah UniversityView all notes. 2016 , 10, 281-285		9
1309	Self-assembled construction of a sheet-type coordination polymer bearing cationic M ₂ L ₄ cages: creation of channel-like space for removal of ClO ₄ ⁻ and NO ₃ ⁻ from aqueous solutions. 2016 , 45, 894-8		10
1308	Sculpturing the Core towards Mesoporous Manganese Dioxides Nanosheets-Built Nanotubes for Pseudocapacitance. 2016 , 187, 488-495		22
1307	Bicontinuous nanotubular graphene/polypyrrole hybrid for high performance flexible supercapacitors. 2016 , 19, 391-400		114
1306	Capacitor Applications of Nanocomposite Films for Poly(3,4-ethylenedioxythiophene-co-pyrrole)/Multi-Walled Carbon Nanotubes and Poly(3,4-ethylenedioxythiophene-co-pyrrole)/Copper Oxide. 2016 , 55, 1489-1502		2
1305	Low-dimensional carbon and MXene-based electrochemical capacitor electrodes. 2016 , 27, 172001		35
1304	Battery type hybrid supercapacitor based on polypyrrole and lead-lead sulfate. <i>Journal of Power Sources</i> , 2016 , 313, 240-246	8.9	18
1303	Synthesis and performance of nickel hydroxide nanodiscs for redox supercapacitors. 2016 , 22, 1485-1491		12
1302	Recent approaches and future prospects of bacterial cellulose-based electroconductive materials. 2016 , 51, 5573-5588		40
1301	Symmetric pseudocapacitors based on molybdenum disulfide (MoS ₂)-modified carbon nanospheres: correlating physicochemistry and synergistic interaction on energy storage. 2016 , 4, 6411-6425		97
1300	Bendable and flexible supercapacitor based on polypyrrole-coated bacterial cellulose core-shell composite network. 2016 , 128, 33-40		71

1299	Layer-by-layer assembly of versatile nanoarchitectures with diverse dimensionality: a new perspective for rational construction of multilayer assemblies. 2016 , 45, 3088-121	244
1298	A Hybrid Electrode of CoO@PPy Core/Shell Nanosheet Arrays for High-Performance Supercapacitors. 2016 , 8, 143-150	40
1297	Synthesis and characterization of layer-by-layer assembled magnesium zinc molybdate nanocontainer for anticorrosive application. 2016 , 295, 414-426	28
1296	Synthesis and performance of cross-linked PEDOT:MOI-P(SS-HEA) transparent conductive films by UV irradiation. 2016 , 6, 29592-29597	2
1295	A facile and scalable approach to fabricating free-standing polymer/Carbon nanotube composite electrodes. 2016 , 215, 35-40	16
1294	Synthesis of samarium telluride thin films by successive ionic layer adsorption and reaction (SILAR) method for supercapacitor application. 2016 , 46, 29-34	17
1293	Unique Core-Shell Nanorod Arrays with Polyaniline Deposited into Mesoporous NiCo ₂ O ₄ Support for High-Performance Supercapacitor Electrodes. 2016 , 8, 6093-100	160
1292	Designing Hierarchically Nanostructured Conductive Polymer Gels for Electrochemical Energy Storage and Conversion. 2016 , 28, 2466-2477	185
1291	Facile synthesis of poly(Safranine T)/Reduced graphene oxide nanocomposite for supercapacitors with wide potential window in aqueous neutral electrolyte. 2016 , 24, 243-248	4
1290	Two-Component Polymeric Materials of Fullerenes and the Transition Metal Complexes: A Bridge between Metal-Organic Frameworks and Conducting Polymers. 2016 , 116, 3812-82	88
1289	Metallic Fabrics as the Current Collector for High-Performance Graphene-Based Flexible Solid-State Supercapacitor. 2016 , 8, 4724-9	102
1288	All solid supercapacitors based on an anion conducting polymer electrolyte. 2016 , 6, 19826-19832	16
1287	Smart, stretchable and wearable supercapacitors: prospects and challenges. 2016 , 18, 4218-4235	64
1286	Polythiophene-coated nano-silicon composite anodes with enhanced performance for lithium-ion batteries. 2016 , 20, 1331-1336	10
1285	Zinc Oxide Encapsulated Carbon Nanotube Thin Films for Energy Storage Applications. 2016 , 192, 377-384	43
1284	Controlling the morphology and property of carbon fiber/polyaniline composites for supercapacitor electrode materials by surface functionalization. 2016 , 6, 14712-14719	26
1283	Enhancing the cycling stability of the polyaniline hybrids benefited from the hollow manganese dioxide/acetylene black skeleton. 2016 , 290, 361-370	11
1282	Electro-chemo-biomimetics from conducting polymers: fundamentals, materials, properties and devices. 2016 , 4, 2069-2085	40

1281	Conducting polymer based electrochemical biosensors. 2016 , 18, 8264-77		133
1280	NiCo ₂ S ₄ @Co(OH) ₂ core-shell nanotube arrays in situ grown on Ni foam for high performances asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2016 , 312, 156-164	8.9	293
1279	Enhanced high temperature thermoelectric response of sulphuric acid treated conducting polymer thin films. 2016 , 4, 215-221		47
1278	Non-aqueous nanoporous gold based supercapacitors with high specific energy. 2016 , 116, 76-81		17
1277	. 2016 ,		
1276	Understanding the mechanism of hydrogenated NiCo ₂ O ₄ nanograin supported on Ni foam for enhanced-performance supercapacitors. 2016 , 4, 5198-5204		56
1275	Corrosion-free electrochemical synthesis of polyaniline using Cu counter electrode in acidic medium. 2016 , 65, 543-549		4
1274	Electrochemical Preparation of Porous Poly(3,4-ethylenedioxythiophene) Electrodes from Room Temperature Ionic Liquids for Supercapacitors. 2016 , 163, G61-G68		17
1273	Supercapacitive properties of layered electrodes composed of electrodeposited RuO ₂ and polyaniline. 2016 , 196, 309-315		14
1272	Lithium Titanate Confined in Carbon Nanopores for Asymmetric Supercapacitors. 2016 , 10, 3977-84		85
1271	Grand Canonical Monte Carlo Investigation of the Electric Double Layer with a Graphene Electrode and Size Asymmetric Ions at Different Electrolyte Concentrations. 2016 , 197, 92-98		2
1270	Facile synthesis and capacitive properties of nickel-cobalt binary metal oxide nanoaggregates via oxalate route. 2016 , 674, 376-383		24
1269	Aqueous ultracapacitors using amorphous MnO ₂ and reduced graphene oxide. <i>Journal of Power Sources</i> , 2016 , 305, 37-45	8.9	24
1268	Route to High Surface Area, Mesoporosity of Polyaniline-Titanium Dioxide Nanocomposites via One Pot Synthesis for Energy Storage Applications. 2016 , 55, 116-124		57
1267	Synthesis and electrochemical polymerization of a novel 2-(thiophen-2-yl)-4-(thiophen-2-ylmethylene)oxazol-5(4H)-one monomer for supercapacitor applications. 2016 , 99, 35-41		6
1266	Anhydrous Proton Transport in Polymerized Ionic Liquid Block Copolymers: Roles of Block Length, Ionic Content, and Confinement. 2016 , 49, 395-404		72
1265	Recent developments in the layer-by-layer assembly of polyaniline and carbon nanomaterials for energy storage and sensing applications. From synthetic aspects to structural and functional characterization. 2016 , 8, 9890-918		61
1264	Growth of Ni-Co binary hydroxide on a reduced graphene oxide surface by a successive ionic layer adsorption and reaction (SILAR) method for high performance asymmetric supercapacitor electrodes. 2016 , 4, 2188-2197		80

1263	Electrochemical improvement due to alignment of carbon nanofibers fabricated by electrospinning as an electrode for supercapacitor. 2016 , 99, 607-618		70
1262	Two-step approach of fabrication of three-dimensional MnO ₂ -graphene-carbon nanotube hybrid as a binder-free supercapacitor electrode. <i>Journal of Power Sources</i> , 2016 , 306, 602-610	8.9	125
1261	Flexible electronics under strain: a review of mechanical characterization and durability enhancement strategies. 2016 , 51, 2771-2805		219
1260	Fabrication of sandwich nanostructure graphene/polyaniline hollow spheres composite and its applications as electrode materials for supercapacitor. 2016 , 76, 344-352		30
1259	Assembly of NiO/Ni(OH) ₂ /PEDOT Nanocomposites on Contra Wires for Fiber-Shaped Flexible Asymmetric Supercapacitors. 2016 , 8, 1774-9		123
1258	Graphene oxide-polythiophene derivative hybrid nanosheet for enhancing performance of supercapacitor. <i>Journal of Power Sources</i> , 2016 , 306, 241-247	8.9	73
1257	Ultrathin nanoflakes of cobalt-manganese layered double hydroxide with high reversibility for asymmetric supercapacitor. <i>Journal of Power Sources</i> , 2016 , 306, 526-534	8.9	193
1256	Graphene-based fibers for supercapacitor applications. 2016 , 27, 032001		53
1255	Solution-processed poly(3,4-ethylenedioxythiophene) nanocomposite paper electrodes for high-capacitance flexible supercapacitors. 2016 , 4, 1714-1722		92
1254	Strategies to Optimize the Capacitive Behavior of Polypyrrole Electrodes. 2016 , 31, 2017-2022		7
1253	Extremely Stable Polypyrrole Achieved via Molecular Ordering for Highly Flexible Supercapacitors. 2016 , 8, 2435-40		82
1252	Honeycomb-like NiCo ₂ O ₄ films assembled from interconnected porous nanoflakes for supercapacitor. 2016 , 171, 208-215		13
1251	Electrochemical synthesis of polypyrrole/polyhedral oligomeric silsesquioxane nanocomposite on copper for corrosion protection. 2016 , 90, 331-338		12
1250	N,P-co-doped carbon nanowires prepared from bacterial cellulose for supercapacitor. 2016 , 51, 2627-2633		62
1249	Synthesis of polyaniline/HF partially etched-hierarchical porous TiO ₂ microspheres composite with high electrochemical performance for supercapacitors. 2016 , 20, 525-532		5
1248	Nanopetals assembled copper oxide electrode for supercapacitor using novel 1-(1?-methyl-2?-oxo-propyl)-2,3-dimethylimidazolium chloride ionic liquid as an electrolyte. 2016 , 42, 2699-2705		11
1247	Improvement of the adhesion between polyaniline and commercial carbon paper by acid treatment and its application in supercapacitor electrodes. 2016 , 23, 133-143		7
1246	Capacitance properties and structure of electroconducting hydrogels based on copoly(aniline \square p-phenylenediamine) and polyacrylamide. <i>Journal of Power Sources</i> , 2016 , 304, 102-110	8.9	25

1245	In situ synthesis of crosslinked-polyaniline nano-pillar arrays/reduced graphene oxide nanocomposites for supercapacitors. 2016 , 20, 665-671	5
1244	Recent advances in electrospun carbon nanofibers and their application in electrochemical energy storage. 2016 , 76, 319-380	460
1243	Fe ₃ O ₄ -based core/shell nanocomposites for high-performance electrochemical supercapacitors. 2016 , 51, 1572-1580	81
1242	Effect of solvents on the morphology of NiCo ₂ O ₄ /graphene nanostructures for electrochemical pseudocapacitor application. 2016 , 20, 1837-1844	34
1241	Efficiency of supercapacitor using EC/DMC-based liquid electrolytes with methyl methacrylate (MMA) monomer. 2016 , 22, 107-114	10
1240	Graphene-containing ordered mesoporous carbons synthesized by one-pot aqueous route and its electrochemical performance. 2017 , 38, 1438-1446	3
1239	Degradable and electrically conductive poly(3,4-ethylenedioxythiophene)/sigma cell cellulose polymer composites. 2017 , 38, 1864-1872	3
1238	Porous One-Dimensional Nanomaterials: Design, Fabrication and Applications in Electrochemical Energy Storage. 2017 , 29, 1602300	435
1237	Capacitive Performance of Graphene-based Asymmetric Supercapacitor. 2017 , 229, 173-182	23
1236	Design and fabrication of macroporous polyaniline nanorods@graphene-like MoS ₂ nanocomposite with high electrochemical performance for supercapacitors. 2017 , 699, 176-182	28
1235	NiO@CuO@Cu bilayered electrode: two-step electrochemical synthesis supercapacitor properties. 2017 , 21, 2609-2614	9
1234	Synergistic effect between redox additive electrolyte and PANI-rGO nanocomposite electrode for high energy and high power supercapacitor. 2017 , 228, 290-298	63
1233	Low-temperature direct synthesis of mesoporous vanadium nitrides for electrochemical capacitors. 2017 , 400, 194-199	24
1232	Mechanical and electrical behavior of carbon fiber structural capacitors: Effects of delamination and interlaminar damage. 2017 , 166, 38-48	7
1231	Facile synthesis of rod-like manganese molybdate crystallines with two-dimensional nanoflakes for supercapacitor application. 2017 , 225, 605-613	32
1230	Morphology-controlled PANI nanowire electrode by using deposition scan rate in H ₂ SO ₄ /PVA polymer electrolyte for electrochemical capacitor. 2017 , 23, 1219-1227	4
1229	Biosorption-Directed Integration of Hierarchical CoO/C Composite with Nickel Foam for High-performance Supercapacitor. 2017 , 226, 132-139	33
1228	TOPO mediated rapid hydrothermal synthesis and study of electrochemical performance of nano-structured copper oxide thin films. 2017 , 1, 377-386	6

1227	Synergistic capacitive behavior between polyaniline and carbon black. 2017 , 230, 236-244	31
1226	Recent progress in interfacial polymerization. 2017 , 1, 1028-1040	71
1225	Fabrication of PEDOT coated PVA-GO nanofiber for supercapacitor. 2017 , 192, 161-169	58
1224	Preparation and microwave absorbing performance of TiO ₂ / NiFe ₂ O ₄ /hollow glass microsphere composite with core-shell structure. 2017 , 28, 7575-7581	5
1223	A new insight into the rechargeable mechanism of manganese dioxide based symmetric supercapacitors. 2017 , 7, 8561-8566	13
1222	Modeling and optimization of electrode modified with poly(3,4-ethylenedioxythiophene)/graphene oxide composite by response surface methodology/Box-Behnken design approach. 2017 , 787, 1-10	26
1221	Supercapacitive performances of MnO ₂ nanostructures grown on hierarchical Cu nano leaves via electrodeposition. 2017 , 227, 401-409	44
1220	Hybrid Material of PANI with TiO ₂ -SnO ₂ : Pseudocapacitor Electrode for Higher Performance Supercapacitors. 2017 , 2, 65-73	18
1219	A Continuous Carbon Nitride Polyhedron Assembly for High-Performance Flexible Supercapacitors. 2017 , 27, 1606219	115
1218	Asymmetric supercapacitor devices based on dendritic conducting polymer and activated carbon. 2017 , 230, 29-38	34
1217	Polypyrrole blending modification for PVDF conductive membrane preparing and fouling mitigation. 2017 , 494, 124-129	42
1216	Arrays of hierarchical nickel sulfides/MoS ₂ nanosheets supported on carbon nanotubes backbone as advanced anode materials for asymmetric supercapacitor. <i>Journal of Power Sources</i> , 2017 , 343, 373-382 ^{8,9}	127
1215	Electrochemical self-assembly of nano-polyaniline film by forced convection and its capacitive performance. 2017 , 7, 3879-3887	8
1214	Converting Ni-loaded biochars into supercapacitors: Implication on the reuse of exhausted carbonaceous sorbents. 2017 , 7, 41523	37
1213	Hybrid-Capacitors with Polyaniline/Carbon Electrodes Fabricated via Simultaneous Electrospinning/Electrospraying. 2017 , 229, 65-72	14
1212	Highly Stretchable Micro-Supercapacitor Arrays with Hybrid MWCNT/PANI Electrodes. 2017 , 2, 1600282	105
1211	Flexible paper-based borohydride-vanadium fuel cell for powering micro-nanosystems. 2017 , 23, 1811-1817	12
1210	High-performance supercapacitor electrode based on a nanocomposite of polyaniline and chemically exfoliated MoS ₂ nanosheets. 2017 , 21, 2071-2077	15

1209	Electrochemical synthesis of polyaniline in the micropores of activated carbon for high-performance electrochemical capacitors. 2017 , 53, 3201-3204	36
1208	Adenine-functionalized Spongy Graphene for Green and High-Performance Supercapacitors. 2017 , 7, 43104	53
1207	Poly(ionic liquid)-derived, N, S-codoped ultramicroporous carbon nanoparticles for supercapacitors. 2017 , 317, 651-659	103
1206	Two steps synthesis approach of MnO ₂ /graphene nanoplates/graphite composite electrode for supercapacitor application. 2017 , 3, 24-31	19
1205	Investigation of the electrochromic properties of tri-block polyaniline-polythiophene-polyaniline under visible light. 2017 , 226, 80-88	25
1204	Exploring on Photovoltaic Performance of Dye-Sensitized Solar Cells Using Polyaniline as a Counter Electrode: Role of Aluminum-Solvent Interactions. 2017 , 7, 792-801	21
1203	Monolithic Flexible Supercapacitors Integrated into Single Sheets of Paper and Membrane via Vapor Printing. 2017 , 29, 1606091	43
1202	Electrochemical and viscoelastic evolution of dodecyl sulfate-doped polypyrrole films during electrochemical cycling. 2017 , 233, 262-273	15
1201	Energy efficient capacitors based on graphene/conducting polymer hybrids. 2017 , 51, 1-11	28
1200	Polyaniline/Lead sulfate based cell with supercapattery behavior. 2017 , 21, 575-582	9
1199	Flexible micro-supercapacitors prepared using direct-write nanofibers. 2017 , 7, 11724-11731	21
1198	Rescaling metal molybdate nanostructures with biopolymer for energy storage having high capacitance with robust cycle stability. 2017 , 46, 3588-3600	26
1197	In vivo polymerization and manufacturing of wires and supercapacitors in plants. 2017 , 114, 2807-2812	60
1196	Integrated solar capacitors for energy conversion and storage. 2017 , 10, 1545-1559	45
1195	Hydrothermal synthesis of pure LiMn ₂ O ₄ from nanostructured MnO ₂ precursors for aqueous hybrid supercapacitors. 2017 , 23, 1083-1090	8
1194	Electrochemical Studies on Corn cob Derived Activated Porous Carbon for Supercapacitors Application in Aqueous and Non-aqueous Electrolytes. 2017 , 228, 586-596	126
1193	Distinct Copper Electrodeposited Carbon Nanotubes (CNT) Tissues as Anode Current Collectors in Li-ion Battery. 2017 , 229, 404-414	9
1192	Recent Advances in Dual-Functional Devices Integrating Solar Cells and Supercapacitors. 2017 , 1, 1700002	64

1191	Optimization of Design Parameters and Operating Conditions of Electrochemical Capacitors for High Energy and Power Performance. 2017 , 46, 1692-1713	3
1190	Bacterial cellulose-based sheet-like carbon aerogels for the in situ growth of nickel sulfide as high performance electrode materials for asymmetric supercapacitors. 2017 , 9, 4445-4455	62
1189	Synthesis of $\text{Li}_2\text{Ni}_2(\text{MoO}_4)_3$ as a high-performance positive electrode for asymmetric supercapacitors. 2017 , 7, 13304-13311	25
1188	Recent progresses in high-energy-density all pseudocapacitive-electrode-materials-based asymmetric supercapacitors. 2017 , 5, 9443-9464	218
1187	Nano gold decorated reduced graphene oxide wrapped polymethylmethacrylate for supercapacitor applications. 2017 , 7, 2137-2150	37
1186	Continuous fabrication of the graphene-confined polypyrrole film for cycling stable supercapacitors. 2017 , 5, 8255-8260	21
1185	Nanostructured mixed transition metal oxides for high performance asymmetric supercapacitors: Facile synthetic strategy. 2017 , 42, 12384-12395	77
1184	Distinctive Supercapacitive Properties of Copper and Copper Oxide Nanocrystals Sharing a Similar Colloidal Synthetic Route. 2017 , 7, 1700105	35
1183	Research progress on conducting polymer based supercapacitor electrode materials. 2017 , 36, 268-285	715
1182	Two-dimensional CoNi nanoparticles@S,N-doped carbon composites derived from S,N-containing Co/Ni MOFs for high performance supercapacitors. 2017 , 5, 9873-9881	52
1181	Synergetic effect of synthesized sulfonated polyaniline/quaternized graphene and its application as a high-performance supercapacitor electrode. 2017 , 52, 9683-9695	28
1180	Preparation and electrochemical performances of graphene/polypyrrole nanocomposite with anthraquinone-graphene oxide as active oxidant. 2017 , 119, 111-118	48
1179	Hybrid Reduced Graphene Oxide/Manganese Diselenide Cubes: A New Electrode Material for Supercapacitors. 2017 , 5, 1953-1962	40
1178	Conducting polymers revisited: applications in energy, electrochromism and molecular recognition. 2017 , 21, 2489-2515	52
1177	Carbon-based composite materials for supercapacitor electrodes: a review. 2017 , 5, 12653-12672	842
1176	Biomass-derived flexible porous carbon materials and their applications in supercapacitor and gas adsorption. 2017 , 129, 164-172	83
1175	Understanding the Capacitance of PEDOT:PSS. 2017 , 27, 1700329	178
1174	Polymer Nanocomposites for Energy and Fuel Cell Applications. 2017 , 107-137	1

1173	Molybdenum-Tungsten Mixed Oxide Deposited into Titanium Dioxide Nanotube Arrays for Ultrahigh Rate Supercapacitors. 2017 , 9, 18699-18709	25
1172	BMnO ₂ /h-MoO ₃ Hybrid Material for High Performance Supercapacitor Electrode and Photocatalyst. 2017 , 5, 4757-4770	77
1171	Influence of oCVD Polyaniline Film Chemistry in Carbon-Based Supercapacitors. 2017 , 56, 6221-6228	17
1170	Cellulose-based Supercapacitors: Material and Performance Considerations. 2017 , 7, 1700130	118
1169	Electropolymerized polyazulene as active material in flexible supercapacitors. <i>Journal of Power Sources</i> , 2017 , 356, 181-190	8.9 24
1168	Growth of hierarchical birnessite-type Cu _{0.45} Mn _{0.55} O ₂ nanosheets on flexible carbon textile for high-performance supercapacitors electrode. 2017 , 725, 1223-1229	3
1167	NiSe@MoSe Nanosheet Arrays as the Electrode for High-Performance Supercapacitors. 2017 , 9, 17067-17075	160
1166	Preparation of rGO/G/PANI ternary nanocomposites as high performance electrode materials for supercapacitors with spent battery powder as raw material. 2017 , 129, 135-142	21
1165	Fabrication of novel solid-state supercapacitor using a Nafion polymer membrane with graphene oxide/multiwalled carbon nanotube/polyaniline. 2017 , 21, 2833-2848	16
1164	New Avenue for Appendage of Graphene Quantum Dots on Halloysite Nanotubes as Anode Materials for High Performance Supercapacitors. 2017 , 5, 4930-4940	72
1163	Hierarchical bicontinuous structure of redox-active organic composites and their enhanced electrochemical properties. 2017 , 53, 7329-7332	8
1162	Micro- and Nano-Structured Vanadium Pentoxide (V ₂ O ₅) for Electrodes of Lithium-Ion Batteries. 2017 , 7, 1602545	202
1161	Recent advances in MoS ₂ nanostructured materials for energy and environmental applications [A review]. 2017 , 252, 43-71	171
1160	A study of fused-ring thieno[3,4-e]pyrazine polymers as n-type materials for organic supercapacitors. 2017 , 8, 5194-5202	9
1159	Hierarchical NiCo ₂ S ₄ @PANI core/shell nanowires grown on carbon fiber with enhanced electrochemical performance for hybrid supercapacitors. 2017 , 323, 330-339	123
1158	Donor-Acceptor Polymer with Excellent n-Doped State for High-Performance Ambipolar Flexible Supercapacitors. 2017 , 50, 3565-3572	23
1157	Polyolefin/graphene nanocomposites: a review. 2017 , 7, 23615-23632	94
1156	The effect of anions on the electrochemical properties of polyaniline for supercapacitors. 2017 , 19, 14030-14043	31

1155	Single-step growth of pyramidally textured NiO nanostructures with improved supercapacitive properties. 2017 , 42, 6080-6087	25
1154	Ultrathin and Highly Crystalline Co ₃ O ₄ Nanosheets In Situ Grown on Graphene toward Enhanced Supercapacitor Performance. 2017 , 4, 1600884	27
1153	Spray-coated carbon nanotube carpets for creeping reduction of conducting polymer based artificial muscles. 2017 , 28, 025502	9
1152	Comparison of the performance of copper oxide and yttrium oxide nanoparticle based hydroxyethyl cellulose electrolytes for supercapacitors. 2017 , 134,	21
1151	Nano-Au@PANI core-shell nanoparticles via in-situ polymerization as electrode for supercapacitor. 2017 , 722, 1-7	48
1150	Substrate coating by conductive polymers through spontaneous oxidation and polymerization. 2017 , 9, 7895-7900	9
1149	MnOx-decorated carbonized porous silicon nanowire electrodes for high performance supercapacitors. 2017 , 10, 1505-1516	84
1148	A new route to synthesize polyaniline-grafted carboxyl-functionalized graphene composite materials with excellent electrochemical performance. 2017 , 26, 423-430	9
1147	In situ growth of single-stranded like poly (o-phenylenediamine) onto graphene for high performance supercapacitors. 2017 , 245, 41-50	41
1146	Solution concentration and decomposition temperature dependent electrochemical behavior of aqueous route spray pyrolysed Mn ₃ O ₄ : supercapacitive approach. 2017 , 28, 12246-12252	2
1145	Synthesis and investigation on electrochemical property of MnO ₂ nanoparticle. 2017 ,	3
1144	Facile Fabrication of Three-Dimensional Graphene and Metal-Organic Framework Composites and Their Derivatives for Flexible All-Solid-State Supercapacitors. 2017 , 29, 6058-6065	180
1143	Effect of high temperature treatment on electrochemical properties of carbon nanofiber membrane. 2017 , 18, 882-890	
1142	Facile electrodeposition of RuO ₂ -graphene nanosheets-CNT composites as a binder-free electrode for electrochemical supercapacitors. 2017 , 246, 433-442	54
1141	Direct aqueous solution synthesis of an ultra-fine amorphous nickel-boron alloy with superior pseudocapacitive performance for advanced asymmetric supercapacitors. 2017 , 41, 7302-7311	21
1140	Investigation of the Thermal Behavior of Polypyrrole/Carbon Nanotube Composites and Utilization as Capacitive Material or Support for Catalysts. 2017 , 204, 916-925	8
1139	Polyaniline-Graphene Oxide based ordered nanocomposite electrodes for high-performance supercapacitor applications. 2017 , 28, 14323-14330	19
1138	Neural interfaces engineered via micro- and nanostructured coatings. 2017 , 14, 59-83	46

1137	Polaron Disproportionation Charge Transport in a Conducting Redox Polymer. 2017 , 121, 13078-13083	9
1136	Construct hierarchical electrode with Ni x Co 3-x S 4 nanosheet coated on NiCo 2 O 4 nanowire arrays grown on carbon fiber paper for high-performance asymmetric supercapacitors. <i>Journal of Power Sources</i> , 2017 , 359, 262-269	8.9 95
1135	Enhancing the Properties of Conductive Polymer Hydrogels by Freeze-Thaw Cycles for High-Performance Flexible Supercapacitors. 2017 , 9, 20142-20149	82
1134	Novel Technique for Producing Porous Carbon Nanofiber Mate for Supercapacitors Application. 2017 , 735, 199-204	2
1133	Pen lithography for flexible microsupercapacitors with layer-by-layer assembled graphene flake/PEDOT nanocomposite electrodes. 2017 , 5, 13581-13590	27
1132	In situ doping of PANI nanocomposites by gold nanoparticles for high-performance electrochemical energy storage. 2017 , 134, 45309	30
1131	A Surprising Failure Mechanism in Symmetric Supercapacitors at High Voltages. 2017 , 4, 2660-2668	22
1130	Pseudocapacitive organic catechol derivative-functionalized three-dimensional graphene aerogel hybrid electrodes for high-performance supercapacitors. 2017 , 422, 316-320	13
1129	Synthesis and electrochemical evaluation of the PANI/EMnO2 electrode for high performing asymmetric supercapacitors. 2017 , 41, 6574-6584	40
1128	A review of thermal management and safety for lithium ion batteries. 2017 ,	4
1127	Electrochemical capacity fading of polyaniline electrode in supercapacitor: An XPS analysis. 2017 , 27, 257-260	38
1126	Polypyrrole/carbon nanotube supercapacitors: Technological advances and challenges. <i>Journal of Power Sources</i> , 2017 , 352, 174-186	8.9 176
1125	The use of p(4-VP) cryogel as template for in situ preparation of p(An), p(Py), and p(Th) conductive polymer and their potential sensor applications. 2017 , 227, 11-20	14
1124	Engineering radical polymer electrodes for electrochemical energy storage. <i>Journal of Power Sources</i> , 2017 , 352, 226-244	8.9 58
1123	3 D Network-Structured Crumpled Graphene/Carbon Nanotube/Polyaniline Composites for Supercapacitors. 2017 , 10, 2210-2217	40
1122	Engineering Ultrathin Polyaniline in Micro/Mesoporous Carbon Supercapacitor Electrodes Using Oxidative Chemical Vapor Deposition. 2017 , 4, 1601201	57
1121	Vertically-Aligned Carbon Nanotube Arrays as Binder-Free Supports for Nickel Cobaltite based Faradaic Supercapacitor Electrodes. 2017 , 236, 408-416	10
1120	Polymer materials for electrochemical applications: Processing in supercritical fluids. 2017 , 127, 229-246	17

1119	Polyaniline nanoflowers grown on vibration-isolator-mimetic polyurethane nanofibers for flexible supercapacitors with prolonged cycle life. 2017 , 5, 7933-7943	32
1118	Biodegradable polymer-modified graphene/polyaniline electrodes for supercapacitors. 2017 , 227, 61-70	41
1117	Ultra-high stability of high-power nanofibrillar PEDOT supercapacitors. 2017 , 1, 482-491	13
1116	Synthesis and characterization of poly-3-((2,5-hydroquinone)vinyl)-1H-pyrrole: investigation on backbone/pendant interactions in a conducting redox polymer. 2017 , 19, 10427-10435	6
1115	Impact of rare-earth metal oxide (Eu ₂ O ₃) on the electrochemical properties of a polypyrrole/CuO polymeric composite for supercapacitor applications. 2017 , 7, 20037-20048	78
1114	Ultra high stable supercapacitance performance of conducting polymer coated MnO ₂ nanorods/rGO nanocomposites. 2017 , 7, 20027-20036	23
1113	Scalable Synthesis and Multi-Electron Transfer of Aniline/Fluorene Copolymer for Solution-Processable Battery Cathodes. 2017 , 38, 1700067	7
1112	Electrospun polyindole nanofibers as a nano-adsorbent for heavy metal ions adsorption for wastewater treatment. 2017 , 18, 502-513	27
1111	Synthesis and electrochemical capacitive performance of thieno[3,4-b]pyrazine-based Donor-Acceptor type copolymers used as supercapacitor electrode material. 2017 , 238, 36-48	25
1110	Enhanced Thermal Stability of Polyaniline with Polymerizable Dopants. 2017 , 50, 3164-3170	16
1109	Electrodeposition of Polypyrrole and Reduced Graphene Oxide onto Carbon Bundle Fibre as Electrode for Supercapacitor. 2017 , 12, 246	67
1108	Structurally stable hollow mesoporous graphitized carbon nanofibers embedded with NiMoO ₄ nanoparticles for high performance asymmetric supercapacitors. 2017 , 238, 337-348	60
1107	Polysaccharides in Supercapacitors. 2017 , 15-53	1
1106	Development of flexible supercapacitors using an inexpensive graphene/PEDOT/MnO ₂ sponge composite. 2017 , 125, 1-10	47
1105	Preparation of three-dimensional graphene foam for high performance supercapacitors. 2017 , 27, 177-181	40
1104	High capacitance and rate capability of a Ni ₃ S ₂ @CdS core-shell nanostructure supercapacitor. 2017 , 5, 7165-7172	103
1103	Recent Advances in Ultrathin Two-Dimensional Nanomaterials. 2017 , 117, 6225-6331	2919
1102	A novel hierarchical graphene/polyaniline hollow microsphere as electrode material for supercapacitor applications. 2017 , 52, 7969-7983	33

1101	Various micromorphologies and electrochemical properties of polyaniline/carbon cloth composite nanomaterial were induced for supercapacitors. 2017 , 792, 88-94	10
1100	Low-temperature vapour phase polymerized polypyrrole nanobrushes for supercapacitors. 2017 , 5, 11772-11780	39
1099	Solvothermal synthesis of cobalt/nickel layered double hydroxides for energy storage devices. 2017 , 695, 3522-3529	44
1098	Polymeric nickel complexes with salen-type ligands for modification of supercapacitor electrodes: impedance studies of charge transfer and storage properties. 2017 , 225, 378-391	44
1097	Polypyrrole composites with carbon materials for supercapacitors. 2017 , 71, 293-316	30
1096	Core-shell reduced graphene oxide/MnO @carbon hollow nanospheres for high performance supercapacitor electrodes. 2017 , 313, 518-526	125
1095	Carbon quantum dots reinforced polypyrrole nanowire via electrostatic self-assembly strategy for high-performance supercapacitors. 2017 , 114, 533-543	82
1094	Rational synthesis of NiCo ₂ O ₄ meso-structures for high-rate supercapacitors. 2017 , 52, 3678-3686	8
1093	Fabrication of 3D Spongia-shaped polyaniline/MoS ₂ nanospheres composite assisted by polyvinylpyrrolidone (PVP) for high-performance supercapacitors. 2017 , 224, 36-45	41
1092	Nitrogen-doped porous carbons with nanofiber-like structure derived from poly (aniline-co-p-phenylenediamine) for supercapacitors. 2017 , 224, 17-24	71
1091	Electrochemical Capacitors. 2017 , 563-589	4
1090	Two-dimensional transition metal diseleniums for energy storage application: a review of recent developments. 2017 , 19, 404-418	108
1089	Metal-Organic Coaxial Nanowire Array Electrodes Combining Large Energy Capacity and High Rate Capability. 2017 , 10, 701-710	8
1088	Facile synthesis of CuO nanosheets as electrode for supercapacitor with long cyclic stability in novel methyl imidazole-based ionic liquid electrolyte. 2017 , 21, 2585-2591	30
1087	Properties improvement of poly(o-methoxyaniline) based supercapacitors: experimental and theoretical behaviour study of self-doping effect. 2017 , 228, 57-65	5
1086	Porous cellulose/graphene oxide nanocomposite as flexible and renewable electrode material for supercapacitor. 2017 , 223, 94-100	48
1085	Advanced Organic Electrode Materials for Rechargeable Sodium-Ion Batteries. 2017 , 7, 1601792	327
1084	Scalable synthesis and characterization of free-standing supercapacitor electrode using natural wood as a green substrate to support rod-shaped polyaniline. 2017 , 28, 2634-2641	14

1083	Facile synthesis of hierarchical nanocage MnCo ₂ O ₄ for high performance supercapacitor. 2017 , 225, 39-46	81
1082	Solvent-free Preparation of Electrochemical Capacitor Electrodes Using Metal-free Redox Organic Compounds. 2017 , 5, 556-562	26
1081	Superior performance of an active electrolyte enhanced supercapacitor based on a toughened porous network gel polymer. 2017 , 41, 1986-1992	16
1080	Photochemical and oxidative cyclisation of tetraphenylpyrroles. 2017 , 15, 9293-9296	4
1079	Photosystem II Based Multilayers. 2017 , 109-133	
1078	Flexible fabric-based wearable solid-state supercapacitor. 2017 ,	4
1077	Carbon cloth@T-Nb ₂ O ₅ @MnO ₂ : A rational exploration of manganese oxide for high performance supercapacitor. 2017 , 253, 311-318	32
1076	Fe ₃ O ₄ /biocarbon composites with superior performance in supercapacitors. 2017 , 804, 232-239	24
1075	Nanoclay CoDoped CNT/Polyaniline Nanocomposite: A High-Performance Electrode Material for Supercapacitor Applications. 2017 , 2, 8807-8817	7
1074	A high performance PEDOT/PEDOT symmetric supercapacitor by facile in-situ hydrothermal polymerization of PEDOT nanostructures on flexible carbon fibre cloth electrodes. 2017 , 6, 96-104	86
1073	Nickel-Salen Type Polymers as Cathode Materials for Rechargeable Lithium Batteries. 2017 , 218, 1700361	16
1072	A Prostate Specific Antigen Immunosensor Based on Biotinylated-Antibody/Cyclodextrin Inclusion Complex: Fabrication and Electrochemical Studies. 2017 , 29, 2818-2831	14
1071	Wet-spinning of ternary synergistic coaxial fibers for high performance yarn supercapacitors. 2017 , 5, 22489-22494	42
1070	Self-assembly synthesis of nitrogen-doped mesoporous carbons used as high-performance electrode materials in lithium-ion batteries and supercapacitors. 2017 , 41, 12901-12909	16
1069	Dissected carbon nanotubes functionalized by 1-hydroxyanthraquinone for high-performance asymmetric supercapacitors. 2017 , 7, 48341-48353	11
1068	Poly(ortho-phenylenediamine-co-aniline) based copolymer with improved capacitance. <i>Journal of Power Sources</i> , 2017 , 366, 233-240	8,9 23
1067	A pinecone-inspired hierarchical vertically aligned nanosheet array electrode for high-performance asymmetric supercapacitors. 2017 , 5, 23349-23360	30
1066	Bimetalorganic framework assisted polymerization of pyrrole involving air oxidant to prepare composite electrodes for portable energy storage. 2017 , 5, 23744-23752	85

1065	Spray synthesized hydrophobic γ -Fe ₂ O ₃ thin film electrodes for supercapacitor application. 2017 , 28, 17839-17848		12
1064	Spectroelectrochemistry and electrosynthesis of polypyrrole supercapacitor electrodes based on gamma aluminum oxide and gamma iron (III) oxide nanocomposites. 2017 , 251, 212-222		22
1063	Direct reform of graphite oxide electrodes by using ambient plasma for supercapacitor applications. 2017 , 686, 49-54		8
1062	Charge storage at the nanoscale: understanding the trends from the molecular scale perspective. 2017 , 5, 21049-21076		39
1061	Facile Preparation of Varisized ZIF-8 and ZIF-8/Polypyrrole Composites for Flexible Solid-State Supercapacitor. 2017 , 2, 7530-7534		1
1060	In-situ fabrication of nanosheet arrays on copper foil as a new substrate for binder-free high-performance electrochemical supercapacitors. 2017 , 802, 48-56		11
1059	Electrical Energy Storage: Supercapacitors. 2017 , 25-59		
1058	Preparation of high strain porous polyvinyl alcohol/polyaniline composite and its applications in all-solid-state supercapacitor. <i>Journal of Power Sources</i> , 2017 , 364, 200-207	8.9	36
1057	Annealing-Free Synthesis of K-doped Mixed-Phase TiO ₂ Nanofibers on Ti Foil for Electrochemical Supercapacitor. 2017 , 253, 563-571		21
1056	Mechanochemical assembly of 3D mesoporous conducting-polymer aerogels for high performance hybrid electrochemical energy storage. 2017 , 41, 193-200		14
1055	Electrochromic Asymmetric Supercapacitor Windows Enable Direct Determination of Energy Status by the Naked Eye. 2017 , 9, 34085-34092		94
1054	Effect of polyaniline on MWCNTs supercapacitor properties prepared by electrophoretic deposition. 2017 ,		1
1053	Polypyrrole Films with Micro/Nanosphere Shapes for Electrodes of High-Performance Supercapacitors. 2017 , 9, 33203-33211		18
1052	Supercapacitor performance of perovskite LaSrMnO. 2017 , 46, 13720-13730		141
1051	Multidimensional performance optimization of conducting polymer-based supercapacitor electrodes. 2017 , 1, 1857-1874		97
1050	Enhancement of electrochemical performance of nickel cobalt layered double hydroxide@nickel foam with potassium ferricyanide auxiliary electrolyte. 2017 , 140, 901-911		41
1049	High performance all-solid-state symmetric supercapacitor based on porous carbon made from a metal-organic framework compound. <i>Journal of Power Sources</i> , 2017 , 364, 9-15	8.9	58
1048	Design and Fabrication of an All-Solid-State Polymer Supercapacitor with Highly Mechanical Flexibility Based on Polypyrrole Hydrogel. 2017 , 9, 33941-33947		89

1047	Facile Fabrication of Urchin-like Polyaniline Microspheres for Electrochemical Energy Storage. 2017 , 254, 25-35	27
1046	Nanocomposite of ZIF-67 metal-organic framework with reduced graphene oxide nanosheets for high-performance supercapacitor applications. 2017 , 28, 18040-18048	47
1045	A comparative study of the structural, magnetic and electrochemical properties of Al ³⁺ and Cu ²⁺ substituted NiZn ferrite/reduced graphene oxide nanocomposites. 2017 , 43, 15959-15964	12
1044	Black Phosphorus Nanoflakes/Polyaniline Hybrid Material for High-Performance Pseudocapacitors. 2017 , 121, 20532-20538	66
1043	Chelation Competition Induced Polymerization (CCIP): A Binding Energy Based Strategy for Nonspherical Polymer Nanocontainers Fabrication. 2017 , 29, 6536-6543	17
1042	Nitrogen and phosphorus dual-doped hierarchical porous carbon with excellent supercapacitance performance. 2017 , 247, 1140-1146	48
1041	Advances in Electrocatalysis for Energy Conversion and Synthesis of Organic Molecules. 2017 , 18, 2573-2605	30
1040	Synthesis of mesoporous hollow polypyrrole spheres and the utilization as supports of high loading of Pt nanoparticles. 2017 , 207, 225-229	13
1039	Supercapacitor electrode of nano-Co ₃ O ₄ decorated with gold nanoparticles via in-situ reduction method. <i>Journal of Power Sources</i> , 2017 , 363, 1-8	8.9 85
1038	Scalable Asymmetric Supercapacitors Based on Hybrid Organic/Biopolymer Electrodes. 2017 , 1, 1700054	25
1037	Superporous cryogel/conductive composite systems for potential sensor applications. 2017 , 24, 1	7
1036	Bibliography. 2017 , 81-103	
1035	Polyaniline salt containing dual dopants, pyrelenediimide tetracarboxylic acid, and sulfuric acid: Fluorescence and supercapacitor. 2017 , 134, 45456	4
1034	Conductive polymer-based bioelectrochemical assembly for in vitro cytotoxicity evaluation: Renoprotective assessment of <i>Salvia officinalis</i> against carbon tetrachloride induced nephrotoxicity. 2017 , 1861, 2304-2314	4
1033	Three-dimensional graphene-based macrostructures for sustainable energy applications and climate change mitigation. 2017 , 90, 224-275	54
1032	Stable p/n-Dopable Conducting Redox Polymers for High-Voltage Pseudocapacitor Electrode Materials: Structure-Performance Relationship and Detailed Investigation into Charge-Trapping Effect. 2017 , 7, 1701063	32
1031	Use of gel polymer electrolytes to integrate photoelectric conversion and energy storage. 2017 , 13, 96-102	8
1030	Graphene as a flexible electrode: review of fabrication approaches. 2017 , 5, 17777-17803	80

1029	Electrosynthesis, characterization and photoconducting performance of copolymer poly(terthiophene + sexithiophene + TiO ₂)/ITO composite material. 2017 , 90, 633-640		1
1028	In-situ encapsulation of nickel nanoparticles in polypyrrole nanofibres with enhanced performance for supercapacitor. 2017 , 249, 9-15		25
1027	Carbon materials derived from chitosan/cellulose cryogel-supported zeolite imidazole frameworks for potential supercapacitor application. 2017 , 175, 223-230		31
1026	Hierarchical CoMn-layered double hydroxide nanowires on nickel foam as electrode material for high-capacitance supercapacitor. 2017 , 729, 866-873		38
1025	Ultra-high cycling stability of poly(vinylphenothiazine) as a battery cathode material resulting from π-π interactions. 2017 , 10, 2334-2341		130
1024	N- and O-doped hollow carbonaceous spheres with hierarchical porous structure for potential application in high-performance capacitance. <i>Journal of Power Sources</i> , 2017 , 363, 356-364	8.9	37
1023	Enhanced performance of a flexible supercapacitor due to a combination of the pseudocapacitances of both a PANI/MWCNT composite electrode and a gel polymer redox electrolyte. 2017 , 7, 34192-34196		13
1022	High Energy/Power Supercapacitor Performances of Intrinsically Ordered Ruthenium Oxide Prepared through Fast Hydrothermal Synthesis. 2017 , 4, 2535-2541		4
1021	A fast and mild in-situ oxidization method to fabricate the nickel-cobalt layered double hydroxides on Ni foam as the high-performance electrode materials. 2017 , 10, 1750041		2
1020	Effect of iron oxide impregnated in hollow carbon sphere as symmetric supercapacitors. 2017 , 726, 466-473		20
1019	Synthesis, Structural Characterization, and Electrochemical Properties of Isotruxene-Polyaniline Hybrid Systems. 2017 , 64, 1007-1022		5
1018	Charge carrier related superior capacitance of the precisely size-controlled polypyrrole nanoparticles. 2017 , 249, 290-300		9
1017	Direct growth of nickel terephthalate on Ni foam with large mass-loading for high-performance supercapacitors. 2017 , 5, 19323-19332		48
1016	Tailorable polypyrrole nanofilms with exceptional electrochemical performance for all-solid-state flexible supercapacitors. 2017 , 249, 360-368		21
1015	Structurally Stable Mesoporous Hierarchical NiMoO ₄ Hollow Nanofibers for Asymmetric Supercapacitors with Enhanced Capacity and Improved Cycling Stability. 2017 , 4, 3331-3339		23
1014	Design and electrosynthesis of monolayered MoS ₂ and BF ₄ ⁻ -doped poly(3,4-ethylenedioxythiophene) nanocomposites for enhanced supercapacitive performance. 2017 , 801, 345-353		24
1013	The cooperative actuation of multistep electrochemical molecular machines in polypyrrole films senses the imposed energetic conditions: Influence of the potential scan rate. 2017 , 258, 1293-1303		8
1012	An overview of electrospun nanofibers and their application in energy storage, sensors and wearable/flexible electronics. 2017 , 5, 12657-12673		103

1011	Tailoring pseudocapacitive materials from a mechanistic perspective. 2017 , 6, 211-229	86
1010	ITO nanoparticles break optical transparency/high-areal capacitance trade-off for advanced aqueous supercapacitors. 2017 , 5, 25177-25186	20
1009	Condensing Vapor Phase Polymerization (CVPP) of Electrochemically Capacitive and Stable Polypyrrole Microtubes. 2017 , 9, 41496-41504	13
1008	High-performance energy storage of poly (o-methoxyaniline) film using an ionic liquid as electrolyte. 2017 , 141, 1829-1835	10
1007	Polyaniline-Containing composites based on highly porous carbon cloth for flexible supercapacitor electrodes. 2017 , 11, 940-947	4
1006	An investigation on electrochromic properties of new copolymers based on dithienylpyrrole and propylenedioxythiophene. 2017 , 806, 107-115	8
1005	Elastic soft hydrogel supercapacitor for energy storage. 2017 , 5, 24942-24950	58
1004	Flexible, aqueous-electrolyte supercapacitors based on water-processable dioxothiophene polymer/carbon nanotube textile electrodes. 2017 , 5, 23887-23897	33
1003	Stabilities of flexible electrochemical capacitors based on polypyrrole/carbon fibers in different gel electrolytes. 2017 , 35, 961-973	6
1002	Carbon dot stabilized copper sulphide nanoparticles decorated graphene oxide hydrogel for high performance asymmetric supercapacitor. 2017 , 122, 247-257	100
1001	Disassembly-Reassembly Approach to RuO ₂ /Graphene Composites for Ultrahigh Volumetric Capacitance Supercapacitor. 2017 , 13, 1701026	85
1000	Highly Conductive Polypropylene-Graphene Nonwoven Composite via Interface Engineering. 2017 , 33, 7452-7458	16
999	Nitrogen-enriched hierarchically porous carbon nanofiber network as a binder-free electrode for high-performance supercapacitors. 2017 , 246, 606-614	29
998	Multifunctional performance of nanocrystalline tin oxide. 2017 , 723, 201-207	12
997	Redox Active Binary Logic Gate Circuit for Homeland Security. 2017 , 89, 7893-7899	1
996	Diffusion-induced bending of viscoelastic beams. 2017 , 131-132, 137-145	8
995	Unveiling Polyindole: Freestanding As-electrospun Polyindole Nanofibers and Polyindole/Carbon Nanotubes Composites as Enhanced Electrodes for Flexible All-solid-state Supercapacitors. 2017 , 247, 400-409	59
994	Mechanisms and Designs of Asymmetrical Electrochemical Capacitors. 2017 , 247, 344-357	45

993	Enhanced structural and optical properties of the polyaniline-calcium tungstate (PANI-CaWO ₄) nanocomposite for electronics applications. 2017 , 132, 1	9
992	Capacitive Energy Storage. 2017 , 167-214	3
991	Graphene and Polymer Composites for Supercapacitor Applications: a Review. 2017 , 12, 387	156
990	Transparent Conducting Electrodes from Conducting Polymer Nanofibers and Their Application as Thin-Film Heaters. 2017 , 302, 1700188	9
989	Tuning the electrical properties of polyaniline by copolymerization with o-bromoaniline. 2017 , 10, 1750039	2
988	Polypyrrole nanocomposite with water-dispersible graphene. 2017 , 25, 335-343	2
987	A cellulose fibers-supported hierarchical forest-like cuprous oxide/copper array architecture as a flexible and free-standing electrode for symmetric supercapacitors. 2017 , 5, 17267-17278	48
986	Self-supported hierarchical MnCo ₂ O ₄ @Ni ₃ S ₂ core-shell heterostructures on Ni foam as a binder-free electrode for high-performance supercapacitors. 2017 , 43, 12948-12956	15
985	Decoration of nickel hydroxide nanoparticles onto polypyrrole nanotubes with enhanced electrochemical performance for supercapacitors. 2017 , 721, 731-740	51
984	Electrospun Nanomaterials for Supercapacitor Electrodes: Designed Architectures and Electrochemical Performance. 2017 , 7, 1601301	246
983	Metallic Layered Polyester Fabric Enabled Nickel Selenide Nanostructures as Highly Conductive and Binderless Electrode with Superior Energy Storage Performance. 2017 , 7, 1601362	188
982	Effect of polyaniline concentration on the photoconversion efficiency of nano-TiO ₂ based dye sensitized solar cells. 2017 , 28, 3210-3216	2
981	Cotton fabric derived hierarchically porous carbon and nitrogen doping for sustainable capacitor electrode. 2017 , 111, 839-848	113
980	Conducting Polymer Hybrids. 2017 ,	12
979	Synthesis of graphene-like ultrathin polyaniline and its post-polymerization coating on nanosilica leading towards superhydrophobicity of composites. 2017 , 313, 1302-1310	11
978	Flexible, highly conductive, and free-standing reduced graphene oxide/polypyrrole/cellulose hybrid papers for supercapacitor electrodes. 2017 , 5, 3819-3831	200
977	Controlled growth of polythiophene nanofibers in TiO ₂ nanotube arrays for supercapacitor applications. 2017 , 5, 172-180	58
976	Fe ₂ O ₃ thin films by liquid phase deposition: low-cost option for supercapacitor. 2017 , 21, 2555-2566	26

975	Conductive Polymer Nanosheets Generated from the Crystal Surface of an Organic Oxidant. 2017 , 82, 177-180	10
974	Enhanced electrochemical performance of carbon quantum dots-polyaniline hybrid. <i>Journal of Power Sources</i> , 2017 , 337, 54-64	8,9 81
973	Fabrication of 3D vertically aligned silver nanoplates on nickel foam-graphene substrate by a novel electrodeposition with sonication for efficient supercapacitors. 2017 , 311, 359-366	30
972	Polyaniline-poly(2-acrylamido-2-methyl-1-propanesulfonic acid) electrodes coated on plasma-treated thiolene-based polymer substrates for high-efficiency electrochemical capacitors. 2017 , 74, 2657-2669	2
971	Pseudocapacitive materials for electrochemical capacitors: from rational synthesis to capacitance optimization. 2017 , 4, 71-90	138
970	Nanostructured manganese oxide and manganese oxide/polyethylenedioxythiophene rods electrodeposited onto nickel foam for supercapacitor applications. 2017 , 47, 39-49	13
969	Structure and Property of Electronic Polymers. 2017 , 63-106	
968	Electrochemical synthesis of a ternary transition metal sulfide nanosheets on nickel foam and energy storage application. 2017 , 695, 154-161	55
967	3D hierarchical dandelion-like NiCo ₂ O ₄ /N-doped carbon/Ni foam for an effective binder-free supercapacitor electrode. 2017 , 186, 280-285	11
966	Conductive Polymer Composites Based on Carbon Nanomaterials. 2017 , 117-142	5
965	A Review of Supercapacitor Energy Storage Using Nanohybrid Conducting Polymers and Carbon Electrode Materials. 2017 , 165-192	19
964	Biomimetic and bioinspired approaches for wiring enzymes to electrode interfaces. 2017 , 10, 14-42	58
963	In situ one-pot preparation of reduced graphene oxide/polyaniline composite for high-performance electrochemical capacitors. 2017 , 392, 71-79	67
962	A growth mechanism investigation on the anodic deposition of nanoporous gold supported manganese oxide nanostructures for high performance flexible supercapacitors. 2017 , 690, 791-798	8
961	Interfacial Assembly of Photosystem II with Conducting Polymer Films toward Enhanced Photo-Bioelectrochemical Cells. 2017 , 4, 1600619	20
960	Liquid phase synthesis of aromatic poly(azomethine)s, their physicochemical properties, and measurement of electrical conductivity of pelletized powdered samples. 2017 , 20, 74-88	2
959	Flexible polypyrrole/copper sulfide/bacterial cellulose nanofibrous composite membranes as supercapacitor electrodes. 2017 , 157, 344-352	85
958	Effect of the pore length and orientation upon the electrochemical capacitive performance of ordered mesoporous carbons. 2017 , 26, 121-128	12

957	Layered MoS ₂ /PPy nanotube composites with enhanced performance for supercapacitors. 2017 , 28, 1777-1784	26
956	Flexible Asymmetric Supercapacitors via Spray Coating of a New Electrochromic Donor-Acceptor Polymer. 2017 , 7, 1601623	96
955	Low temperature solution processed Mn ₃ O ₄ nanoparticles: Enhanced performance of electrochemical supercapacitors. 2017 , 694, 560-567	40
954	Synthesis and performance study of amino functionalized graphene aerogel grafted with polyaniline nanofibers as an efficient supercapacitor material. 2017 , 28, 4295-4305	13
953	Redox-electrodes for selective electrochemical separations. 2017 , 244, 6-20	93
952	Tailoring the interfaces in conducting polymer composites by controlled polymerization. 2017 , 101-134	1
951	Electrodeposition of Hierarchical Nanosheet Arrays of NiCo ₂ S ₄ onto a Polymer Substrate: A New High Power Flexible Battery Electrode. 2017 , 164, A3793-A3803	8
950	Nano vanadium nitride incorporated onto interconnected porous carbon via the method of surface-initiated electrochemical mediated ATRP and heat-treatment approach for supercapacitors. 2017 , 258, 405-413	21
949	Synthesis and electrochemical properties of nanocomposites containing poly(3,6-bis(phenylamino)-2,5-dichlorobenzoquinone and multiwalled carbon nanotubes. 2017 , 59, 459-471	5
948	Superconcentrated aqueous electrolyte to enhance energy density for advanced supercapacitors. 2017 , 10, 1750081	40
947	. 2017 ,	27
946	Synthesis of conducting polymer/carbon material composites and their application in electrical energy storage. 2017 , 173-209	18
945	NiCo ₂ S ₄ Based Supercapacitor Nanomaterials. 2017 , 7,	91
944	Poly(3,4-ethylenedioxythiophene) Doped with Carbon Materials for High-Performance Supercapacitor: A Comparison Study. 2017 , 2017, 1-13	21
943	Oxidative chemical vapor deposition of polyaniline thin films. 2017 , 8, 1266-1276	28
942	Metal Oxide/Conducting Polymer Hybrids for Application in Supercapacitors. 2017 , 219-245	8
941	Graphene-Based Nanolayers Toward Energy Storage Device. 2017 , 353-389	4
940	Ni(OH) ₂ Aerogels Incorporated with Polypyrrole as Electrodes for Supercapacitors. 2017 , 46, 5232-5239	9

939	Electro-deposition of Co-Ni sulfide nanosheet arrays on nickel foam and investigation of the pseudocapacitive performance. 2017,	1
938	Chapter 7: Fundamentals of solar energy. 2017, 127-152	1
937	Trends and Hybridization Factor for Heavy-Duty Working Vehicles. 2017,	15
936	High energy density supercapacitive material based on a ternary hybrid nanocomposite of cobalt hexacyanoferrate/carbon nanofibers/polypyrrole. 2018, 268, 411-423	30
935	Fabrication of mesoporous iron (Fe) doped copper sulfide (CuS) nanocomposite in the presence of a cationic surfactant via mild hydrothermal method for supercapacitors. 2018, 5, 024007	9
934	Synthesis and characterization of nanostructure molecularly imprinted polyaniline/graphene oxide composite as highly selective electrochemical sensor for detection of p -nitrophenol. 2018, 86, 213-221	46
933	Graphene/polypyrrole nanofiber prepared by simple one step green method for electrochemical supercapacitors. 2018, 238, 22-27	12
932	Flexible Supercapacitors Based on Two-Dimensional Materials. 2018, 161-197	2
931	Boosting the electrochemical capacitive properties of polypyrrole using carboxylated graphene oxide as a new dopant. 2018, 29, 7893-7903	7
930	Synthesis of Aminopyrene-tetraone-Modified Reduced Graphene Oxide as an Electrode Material for High-Performance Supercapacitors. 2018, 6, 4729-4738	30
929	Rare earth metal oxide (RE ₂ O ₃ ; RE = Nd, Gd, and Yb) incorporated polyindole composites: gravimetric and volumetric capacitive performance for supercapacitor applications. 2018, 42, 5295-5308	39
928	Electrochemical analysis of graphene/Mo ₉ Se ₁₁ nanocomposites towards energy storage application. 2018, 29, 7885-7892	2
927	Fabrication of Flexible, Fully Organic, Degradable Energy Storage Devices Using Silk Proteins. 2018, 10, 9620-9628	43
926	One-step synthesis of hollow C-NiCoS nanostructures for high-performance supercapacitor electrodes. 2018, 10, 6620-6628	213
925	C@MoS ₂ @PPy sandwich-like nanotube arrays as an ultrastable and high-rate flexible anode for Li/Na-ion batteries. 2018, 14, 118-128	43
924	Cooking carbon with protic salt: Nitrogen and sulfur self-doped porous carbon nanosheets for supercapacitors. 2018, 347, 233-242	134
923	A facile strategy for fabricating hierarchical nanocomposites of V ₂ O ₅ nanowire arrays on a three-dimensional N-doped graphene aerogel with a synergistic effect for supercapacitors. 2018, 6, 9938-9947 ⁶²	
922	A comparative investigation of electrochemical charge storage properties on □□ and □MnO ₂ nanoparticles. 2018,	2

921 Organic-Based Transistors and Sensors. **2018**, 53-81

920 Biofuel Production from Bioelectrochemical Systems. **2018**, 435-461

1

919 Mulberry Paper-Based Supercapacitor Exhibiting High Mechanical and Chemical Toughness for Large-Scale Energy Storage Applications. **2018**, 8, 1800064

35

918 Supercapacitor device performances of polycarbazole/graphene and polycarbazole/nanoclay/graphene nanocomposites. **2018**, 47, 192-201

8

917 Polypyrrole-anchored cattail biomass-derived carbon aerogels for high performance binder-free supercapacitors. **2018**, 199, 555-562

47

916 The electropolymerization of N,N'-(propane-1,3-diyl)bis(2-aminobenzamide), characterization, and capacitor study. **2018**, 30, 82-93

2

915 Conducting Polymers in the Fields of Energy, Environmental Remediation, and Chemical-Chiral Sensors. **2018**, 118, 4731-4816

240

914 Cobalt/Nickel Oxides with Three-Dimensional Hexagon Films for High Performance Supercapacitors. **2018**, 13, 1850032

1

913 Hierarchical TiN nanoparticles-assembled nanopillars for flexible supercapacitors with high volumetric capacitance. **2018**, 10, 8728-8734

52

912 Nanoengineering of 2D tin sulfide nanoflake arrays incorporated on polyaniline nanofibers with boosted capacitive behavior. **2018**, 5, 031005

15

911 Interpenetrated and Polythreaded Co-Organic Frameworks as a Supercapacitor Electrode Material with Ultrahigh Capacity and Excellent Energy Delivery Efficiency. **2018**, 10, 9104-9115

35

910 Enhanced electrochemical performance of in situ reduced graphene oxide/polyaniline nanotubes hybrid nanocomposites using redox-additive aqueous electrolyte. **2018**, 51, 085501

5

909 Materials for supercapacitors: When Li-ion battery power is not enough. **2018**, 21, 419-436

234

908 Recent progress on nanostructured conducting polymers and composites: synthesis, application and future aspects. **2018**, 61, 303-352

140

907 Electrochemical cycling stability of nickel (II) coordinated polyaniline. **2018**, 237, 29-39

37

906 Emergent Pseudocapacitance of 2D Nanomaterials. **2018**, 8, 1702930

172

905 Freestanding flexible polymer films based on bridging of two EDOT units with functionalized chains for use in long-term-stable supercapacitors. **2018**, 42, 4824-4834

2

904 One-Step Electrodeposition Method to Prepare Robust Flexible PEDOT-Based Films for Ultra-Stable Supercapacitors. **2018**, 5, 1130-1136

9

903	Three-Dimensional Graphene/MnO ₂ Nanowalls Hybrid for High-Efficiency Electrochemical Supercapacitors. 2018 , 13, 1850013	35
902	Polypyrrole nanocomposites doped with functional ionic liquids for high performance supercapacitors. 2018 , 42, 3909-3916	11
901	Pyridinic-nitrogen highly doped nanotubular carbon arrays grown on a carbon cloth for high-performance and flexible supercapacitors. 2018 , 10, 3981-3989	22
900	Flexible fiber-shaped energy storage devices: principles, progress, applications and challenges. 2018 , 3, 013001	24
899	Novel PANI/MnFe ₂ O ₄ nanocomposite for low-cost supercapacitors with high rate capability. 2018 , 29, 6077-6085	21
898	Facile synthesis of petroleum-based activated carbons/tubular polypyrrole composites with enhanced electrochemical performance as supercapacitor electrode materials. 2018 , 263, 447-453	32
897	Enhanced cycling stability of hierarchical NiCo ₂ S ₄ @Ni(OH) ₂ @PPy core-shell nanotube arrays for aqueous asymmetric supercapacitors. 2018 , 6, 2482-2493	251
896	Facile hydrothermal synthesis of BiFeO ₃ nanoplates for enhanced supercapacitor properties. 2018 , 11, 1850013	12
895	Graphene-based ternary composites for supercapacitors. 2018 , 42, 2104-2116	58
894	In situ growth of hexagonal-shaped Fe ₂ O ₃ nanostructures over few layered graphene by hydrothermal method and their electrochemical performance. 2018 , 29, 6898-6908	7
893	Sodium dodecyl sulfate-assisted synthesis of flower-like NiCo ₂ O ₄ microspheres with large specific surface area for supercapacitors. 2018 , 744, 187-195	20
892	Three-dimensional design and fabrication of reduced graphene oxide/polyaniline composite hydrogel electrodes for high performance electrochemical supercapacitors. 2018 , 29, 175402	41
891	An Interface-Controlled Redox Switch for Wastewater Remediation. 2018 , 5, 362-366	2
890	Naphthalene Diimide Copolymers by Direct Arylation Polycondensation as Highly Stable Supercapacitor Electrode Materials. 2018 , 51, 954-965	31
889	A core/shell structured tubular graphene nanoflake-coated polypyrrole hybrid for all-solid-state flexible supercapacitors. 2018 , 6, 3913-3918	69
888	Enhancing the formation and capacitance properties of interfacial polymerized polyaniline nanofibers by introducing small alcohol molecules. 2018 , 22, 1227-1236	12
887	Chemical Oxidation of Polymer Electrodes for Redox Active Devices: Stabilization through Interfacial Interactions. 2018 , 10, 970-978	16
886	High-Power Energy Storage. 2018 , 39-75	1

885	Facile synthesis of highly processable and water dispersible polypyrrole and poly(3,4-ethylenedioxythiophene) microspheres for enhanced supercapacitive performance. 2018 , 99, 332-339	11
884	High-performance asymmetric supercapacitors based on reduced graphene oxide/polyaniline composite electrodes with sandwich-like structure. 2018 , 34, 1103-1109	25
883	Long-life electrochemical supercapacitor based on a novel hierarchically carbon foam templated carbon nanotube electrode. 2018 , 141, 250-257	29
882	Bridging electrode gaps with conducting polymers around the electrical percolation threshold. 2018 , 87, 40-43	13
881	Nickel-cobalt layered double hydroxide ultrathin nanosheets coated on reduced graphene oxide nonosheets/nickel foam for high performance asymmetric supercapacitors. 2018 , 43, 2256-2267	34
880	Architecture of Co-layered double hydroxide nanocages/graphene composite electrode with high electrochemical performance for supercapacitor. 2018 , 27, 507-512	31
879	Robust and conductive two-dimensional metal-organic frameworks with exceptionally high volumetric and areal capacitance. 2018 , 3, 30-36	528
878	Electrochemical impedance spectroscopic studies on aging-dependent electrochemical degradation of p-toluene sulfonic acid-doped polypyrrole thin film. 2018 , 24, 2335-2342	8
877	4-Butylbenzenesulfonate modified polypyrrole paper for supercapacitor with exceptional cycling stability. 2018 , 12, 191-196	37
876	Hydrothermal synthesis of PEDOT/rGO composite for supercapacitor applications. 2018 , 5, 015507	29
875	The Effects of Self-Discharge on the Performance of Asymmetric/Hybrid Electrochemical Capacitors with Redox-Active Electrolytes: Insights from Modeling and Simulation. 2018 , 47, 470-492	9
874	Fabrication of current collector using a composite of polylactic acid and carbon nano-material for metal-free supercapacitors with graphene oxide separators and microwave exfoliated graphite oxide electrodes. 2018 , 260, 557-563	25
873	Structural and Conformational Chemistry from Electrochemical Molecular Machines. Replicating Biological Functions. A Review. 2018 , 18, 788-806	7
872	Fabrication of flexible free-standing reduced graphene oxide/polyaniline nanocomposite film for all-solid-state flexible supercapacitor. 2018 , 261, 151-159	46
871	Electrochemical analysis of nanoporous carbons derived from activation of polypyrrole for stable supercapacitors. 2018 , 53, 5229-5241	23
870	Promoted supercapacitive performances of electrochemically synthesized poly(3,4-ethylenedioxythiophene) incorporated with manganese dioxide. 2018 , 29, 3935-3942	6
869	In Situ Growth of MnO Nanosheets on N-Doped Carbon Nanotubes Derived from Polypyrrole Tubes for Supercapacitors. 2018 , 13, 545-551	17
868	Biomass carbon/polyaniline composite and WO ₃ nanowire-based asymmetric supercapacitor with superior performance. 2018 , 24, 3123-3131	24

867	Pomelo peels-derived porous activated carbon microsheets dual-doped with nitrogen and phosphorus for high performance electrochemical capacitors. <i>Journal of Power Sources</i> , 2018 , 378, 499-510	117
866	Graphene aerogels for efficient energy storage and conversion. 2018 , 11, 772-799	272
865	In situ transformation of iron-group ternary metal oxides nanocubes from Co/Ni-PBA for high-performance supercapacitors. 2018 , 741, 633-641	24
864	Composites Based on Conducting Polymers and Carbon Nanomaterials for Heavy Metal Ion Sensing (Review). 2018 , 48, 293-304	87
863	Symmetric supercapacitor with supercapattery behavior based on carbonized iron cations adsorbed onto polyaniline. 2018 , 262, 82-96	38
862	Core-Shell Composite Fibers for High-Performance Flexible Supercapacitor Electrodes. 2018 , 10, 4041-4049	58
861	3,4-Phenylenedioxythiophenes (PheDOTs) functionalized with electron-withdrawing groups and their analogs for organic electronics. 2018 , 6, 3743-3756	8
860	Enhanced electrochemical performance of polypyrrole depending on morphology and structure optimization by reduced graphene oxide as support frameworks. 2018 , 265, 47-55	18
859	Flexible Supercapacitor Based on Inkjet-Printed Graphene@Polyaniline Nanocomposites with Ultrahigh Capacitance. 2018 , 303, 1800092	21
858	Nitrogen and oxygen dual-doped porous carbons prepared from pea protein as electrode materials for high performance supercapacitors. 2018 , 43, 18549-18558	51
857	Influence of interfacial polymerization on the crystallinity, molecular weight, conductivity and redox behavior of poly(2,3-dimethyl aniline). 2018 , 241, 69-76	2
856	Negative electrode materials of molybdenum nitride/N-doped carbon nano-fiber via electrospinning method for high-performance supercapacitors. 2018 , 277, 41-49	42
855	Biopolymer stabilized water dispersible polyaniline for supercapacitor electrodes. 2018 ,	2
854	Research Progress in MnO ₂ -Carbon Based Supercapacitor Electrode Materials. 2018 , 14, e1702883	144
853	Carbon Nanocomposites in Electrochemical Capacitor Applications. 2018 , 33-65	
852	Facile synthesis of ZnO-Au nanocomposites for high-performance supercapacitors. 2018 , 758, 131-139	28
851	Prototyping flexible supercapacitors produced with biohydrogel. 2018 , 16, 60-70	6
850	Surfactant-assisted potentiodynamically polymerized PEDOT fibers for significantly improved electrochemical capacitive properties. 2018 , 221, 309-312	6

849	Ionic liquid (IL) capped MnO ₂ nanoparticles as an electrode material and IL as electrolyte for supercapacitor application. 2018 , 126, 437-444	10
848	Rational selection of small aromatic molecules to functionalize graphene for enhancing capacitive energy storage. 2018 , 6, 7566-7572	27
847	Determinative Surface-Wrinkling Microstructures on Polypyrrole Films by Laser Writing. 2018 , 34, 4793-4802	9
846	2D Nanoflakes of metal-polyphenolic coordination assembly for high-performance supercapacitor. 2018 , 90, 51-56	5
845	Nanocups and hollow microspheres formed by a one-step and templateless electropolymerization of thieno[3,4-b]thiophene derivatives as a function of the substituent. 2018 , 269, 462-478	14
844	Three-dimensional poly(aniline-co-pyrrole)/thermally reduced graphene oxide composite as a binder-free electrode for high-performance supercapacitors. 2018 , 145, 232-239	25
843	EQCM study of redox properties of PEDOT/MnO ₂ composite films in aqueous electrolytes. 2018 , 22, 2357-2366	5
842	Vertically Aligned Heteroatom Doped Carbon Nanosheets from Unzipped Self-Doped Carbon Tubes for High Performance Supercapacitor. 2018 , 6, 6042-6051	15
841	Mechanochemical synthesis of melamine doped TiO ₂ nanoparticles for dye sensitized solar cells application. 2018 , 29, 9108-9116	11
840	Cage-like porous sulfonated polystyrene@polyaniline composite microspheres for high-performance supercapacitor. 2018 , 53, 9160-9169	1
839	Electro-polymerisation of 3,4-ethylenedioxythiophene on reticulated vitreous carbon in imidazolium-based chloroaluminate ionic liquid as energy storage material. 2018 , 89, 52-56	6
838	Flexible, large-area, all-solid-state supercapacitors using spray deposited PEDOT:PSS/reduced-graphene oxide. 2018 , 270, 37-47	46
837	Three-dimensional conductive porous organic polymers based on tetrahedral polythiophene for high-performance supercapacitors. 2018 , 42, 6247-6255	27
836	Carbon-based core-shell nanostructured materials for electrochemical energy storage. 2018 , 6, 7310-7337	73
835	In situ polymerization and reduction to fabricate gold nanoparticle-incorporated polyaniline as supercapacitor electrode materials. 2018 , 29, 1697-1705	36
834	Electrochemical energy storage performance of asymmetric PEDOT and graphene electrode-based supercapacitors using ionic liquid gel electrolyte. 2018 , 48, 747-764	7
833	Porous indium oxide hollow spheres (PIOHS) for asymmetric electrochemical supercapacitor with excellent cycling stability. 2018 , 270, 87-95	16
832	Aptitude of Graphene Oxide/Silver in Advance Polymer Nanocomposite: A Review. 2018 , 57, 283-301	10

831	Capacitance behaviors of EDOT and pyrrole copolymer, and equivalent circuit model. 2018 , 22, 22-36	2
830	Synergistic effect of chitin nanofibers and polyacrylamide on electrochemical performance of their ternary composite with polypyrrole. 2018 , 27, 843-853	9
829	A review of supercapacitor modeling, estimation, and applications: A control/management perspective. 2018 , 81, 1868-1878	380
828	Poly(3,4-ethylenedioxythiophene) electrode grown in the presence of ionic liquid and its symmetrical electrochemical supercapacitor application. 2018 , 75, 1547-1562	9
827	Conducting Polymeric Hydrogel Electrolyte Based on Carboxymethylcellulose and Polyacrylamide/Polyaniline for Supercapacitor Applications. 2018 , 17, 1760003	9
826	Nanotechnology and Nanomaterials for Improving Neural Interfaces. 2018 , 28, 1700905	45
825	Strategies for improving the lithium-storage performance of 2D nanomaterials. 2018 , 5, 389-416	85
824	Homogeneous and Heterogeneous Gold Catalysis for Materials Science. 2021 , 121, 9113-9163	48
823	Preparation and Characterisation of Polypyrrole-Iron Oxyhydroxide Nanocomposite as Sensing Material. 2020 , 2020, 1-11	1
822	Enhanced photoelectrochemical biosensing performance for Au nanoparticle-polyaniline-TiO heterojunction composites.. 2020 , 10, 43985-43993	5
821	Facile Fabrication of Double-Layered Electrodes for a Self-Powered Energy Conversion and Storage System. 2020 , 10,	2
820	Highly Stable Indacenodithieno[3,2-]thiophene-Based Donor-Acceptor Copolymers for Hybrid Electrochromic and Energy Storage Applications. 2020 , 53, 11106-11119	15
819	A Low-Cost and High-Purity Porous Carbon Spheres Based on Starch Gel Toward High-Performance Supercapacitors. 2020 , 15, 2050147	1
818	Probing the Electrolyte Transfer in Ultrathin Polypyrrole Films by In Situ X-ray Reflectivity and Electrochemistry. 2020 , 36, 13448-13456	0
817	Electrochemical Biosensors Based on Conducting Polymers: A Review. 2020 , 10, 6614	43
816	Scan Rates and the Disparities in the Electrochemical Double Layer Capacitor (EDLC) Performance. 2020 , 307, 125-130	
815	Polymer-Derived Electrospun Co ₃ O ₄ @C Porous Nanofiber Network for Flexible, High-Performance, and Stable Supercapacitors. 2020 , 3, 11002-11014	7
814	Understanding the Mechanism of High Capacitance in Nickel Hexaaminobenzene-Based Conductive Metal-Organic Frameworks in Aqueous Electrolytes. 2020 , 14, 15919-15925	16

813	Surface characterization, electrochromic and capacitive properties of poly(N-(4-(4-thieno[3,2-b]thiophen-3-yl-phenyl)phenyl)-N-phenylbenzenamine) film. 2020 , 209, 122954	4
812	Controllable and fast growth of ultrathin Ni(OH)_2 nanosheets on polydopamine based N-doped carbon spheres for supercapacitors application. 2020 , 270, 116580	4
811	Full-Organic Batteries. 2020 , 1-74	1
810	A chlorophyll derivative-based bio-solar energy conversion and storage device. 2020 , 347, 136283	12
809	Structure and Electrochemical Properties of PANI/ZrOX and PANI/SiOX Composites. 2020 , 49, 4707-4713	0
808	Modified Activated Carbon Fiber Felt for the Electrosorption of Norfloxacin in Aqueous Solution. 2020 , 12, 3986	3
807	3D-interconnected framework binary composite based on polypyrrole/textile polyacrylonitrile-derived activated carbon fiber felt as supercapacitor electrode. 2020 , 31, 10225-10233	3
806	Two-Dimensional Transition Metal Oxide and Hydroxide-Based Hierarchical Architectures for Advanced Supercapacitor Materials. 2020 , 8, 390	25
805	Fabrication and Characterization of Poly(aniline-co-4-bromoaniline)/ TiO_2 Nanocomposite. 2020 , 62, 163-168	7
804	Effect of PANI and PPy on Electrochemical Performance of rGO/ZnMn 2O_4 Aerogels as Electrodes for Supercapacitors. 2020 , 49, 4697-4706	7
803	Textile sensors for wearable applications: a comprehensive review. 2020 , 27, 6103-6131	57
802	Bilayered microelectrodes based on electrochemically deposited MnO/polypyrrole towards fast charge transport kinetics for micro-supercapacitors.. 2020 , 10, 18245-18251	5
801	3D MXene Architectures for Efficient Energy Storage and Conversion. 2020 , 30, 2000842	132
800	Large-sized and ultrathin biomass-derived hierarchically porous carbon nanosheets prepared by a facile way for high-performance supercapacitors. 2020 , 526, 146770	7
799	Electrochemical Evolution of Pore-Confined Metallic Molybdenum in a Metal-Organic Framework (MOF) for All-MOF-Based Pseudocapacitors. 2020 , 3, 6258-6267	16
798	Turning thiophene contaminant into polymers from wastewater by persulfate and CuO. 2020 , 397, 125351	11
797	A Review on Nano-/Microstructured Materials Constructed by Electrochemical Technologies for Supercapacitors. 2020 , 12, 118	67
796	Biotemplate Synthesis of Fe_3O_4 /Polyaniline for Supercapacitor. 2020 , 30, 101554	9

795	High-performance asymmetric supercapacitor based hierarchical NiCoO@ carbon nanofibers//Activated multichannel carbon nanofibers. 2020 , 31, 365404	14
794	Surface Science in Batteries. 2020 , 381-427	0
793	CoP nanoprism arrays: Pseudocapacitive behavior on the electrode-electrolyte interface and electrochemical application as an anode material for supercapacitors. 2020 , 527, 146682	20
792	Electropolymerized poly(3-methylthiophene) onto high density vertically aligned carbon nanotubes directly grown on aluminum substrate: Application to electrochemical capacitors. 2020 , 350, 136377	9
791	In-situ grown of polyaniline on defective mesoporous carbon as a high performance supercapacitor electrode material. 2020 , 30, 101429	5
790	Polypyrrole decorated metal-organic frameworks for supercapacitor devices.. 2020 , 10, 20162-20172	18
789	Scanning Electrochemical Cell Microscopy (SECCM) in Aprotic Solvents: Practical Considerations and Applications. 2020 , 92, 11673-11680	12
788	A conductive 1D high-nucleus silver polymer as a brilliant non-hybrid supercapacitor electrode. 2020 , 8, 12975-12983	26
787	High mass loading tin oxide-ruthenium oxide-based nanocomposite electrode for supercapacitor application. 2020 , 31, 101587	13
786	Fundamental Triangular Interaction of Electron Trajectory Deviation and P-N Junction to Promote Redox Reactions for the High-Energy-Density Electrode. 2020 , 12, 29404-29413	1
785	Conductive and porous ZIF-67/PEDOT hybrid composite as superior electrode for all-solid-state symmetrical supercapacitors. 2020 , 843, 155992	40
784	Selective Recovery of Critical and Toxic Elements from Their Low-Concentrated Solutions Using Surface-Based Electrochemical Separation Methods. 2020 , 115-165	
783	One-step electrochemical preparation of ternary phthalocyanine/acid-activated multiwalled carbon nanotube/polypyrrole-based electrodes and their supercapacitor applications. 2020 , 44, 9093-9111	30
782	Unusual Redox Behavior of Ruthenocene Confined in the Micropores of Activated Carbon. 2020 , 124, 15205-15215	8
781	Nanostructured Polyaniline/Graphene/Fe ₂ O ₃ Composites Hydrogel as a High-Performance Flexible Supercapacitor Electrode Material. 2020 , 3, 6434-6446	52
780	Double perovskite La ₂ CoMnO ₆ hollow spheres prepared by template impregnation for high-performance supercapacitors. 2020 , 400, 125966	32
779	Low temperature microwave fabrication of three-dimensional graphene/polyimide foams with flexibility strain responsivity. 2020 , 137, 105995	15
778	Solution-processable, hypercrosslinked polymer via post-crosslinking for electrochromic supercapacitor with outstanding electrochemical stability. 2020 , 215, 110661	10

777	Preparation of polythiophene@Fe ₃ O ₄ nanocomposites and their electrochemical properties. 2020 , 1-10	1
776	A review on the superb contribution of carbon and graphene quantum dots to electrochemical capacitors performance: Synthesis and application. 2020 , 22, 100171	26
775	Facile synthesis of graphene paper/polypyrrole nanocomposite as electrode for flexible solid-state supercapacitor. 2020 , 30, 101533	19
774	All Pseudocapacitive Nitrogen-Doped Reduced Graphene Oxide and Polyaniline Nanowire Network for High-Performance Flexible On-Chip Energy Storage. 2020 , 3, 6845-6852	7
773	Graphene/PANI Electrode Material Characterization for Supercapacitor Application. 2020 , 24, 1734-1741	5
772	Interface guide: In-situ integrating MoS ₂ nanosheets into highly ordered polypyrrole film for high performance flexible supercapacitor electrodes. 2020 , 197, 108263	6
771	Facile Synthesis of Polymeric Schiff Base Metal Complex as Electrode for High-performance Supercapacitors. 2020 , 167, 090544	2
770	Capacitance Enhancement by Incorporation of Functionalised Carbon Nanotubes into Poly(3,4-Ethylenedioxythiophene)/Graphene Oxide Composites. 2020 , 13,	4
769	Modification in porous MnO ₂ /PANI composite using high-energy electron irradiation for electrochemical supercapacitor. 2020 , 31, 11741-11747	7
768	Conducting polymer-based electrically conductive adhesive materials: design, fabrication, properties, and applications. 2020 , 31, 10947-10961	17
767	High-efficiency electrodeposition of polyindole nanocomposite using MoS ₂ nanosheets as electrolytes and their capacitive performance. 2020 , 13, 6061-6071	5
766	Low-dimensional carbon-based nanomaterials for energy conversion and storage applications. 2020 , 15-68	1
765	MOF derived graphitic carbon nitride/oxygen vacancies-rich zinc oxide nanocomposites with enhanced supercapacitive performance. 2020 , 26, 5155-5165	4
764	Highly conductive PEDOT:PSS electrode obtained via post-treatment with alcoholic solvent for ITO-free organic solar cells. 2020 , 86, 205-210	8
763	Reducing dielectric loss and enhancing electrical insulation for multilayer polymer films by nanoconfined ion transport under high poling electric fields. 2020 , 8, 6102-6117	9
762	Novel aniline and haloaniline binary copolymer films for electro-emissive devices. 2020 , 248, 122866	4
761	Phenothiazine/MXene Aqueous Asymmetric Pseudocapacitors. 2020 , 3, 3144-3149	18
760	Polypyrrole/Carbon Nanotube Freestanding Electrode with Excellent Electrochemical Properties for High-Performance All-Solid-State Supercapacitors. 2020 , 5, 6441-6451	19

759	Direct in situ assembly of bimetallic Co/Ni hydroxide/polyaniline-modified reduced graphene oxide nanocomposite for asymmetric flexible supercapacitor electrode. 2020 , 31, 6467-6478	1
758	DUT-67 and tubular polypyrrole formed a cross-linked network for electrochemical detection of nitrofurazone and ornidazole. 2020 , 1109, 1-8	20
757	Improving Electrochemical Properties of Polypyrrole Coatings by Graphene Oxide and Carbon Nanotubes. 2020 , 10,	4
756	Hydrothermal Synthesis of Cobalt Ruthenium Sulfides as Promising Pseudocapacitor Electrode Materials. 2020 , 10, 200	9
755	One-step electrodeposition fabrication of iron cobalt sulfide nanosheet arrays on Ni foam for high-performance asymmetric supercapacitors. 2020 , 26, 2095-2106	1
754	Pseudocapacitance: From Fundamental Understanding to High Power Energy Storage Materials. 2020 , 120, 6738-6782	402
753	Grafting conductive polymers on graphene oxide through cross-linker: a stepwise approach. 2020 , 8, 13718-13724	9
752	Biotemplate synthesis of polypyrrole@bacterial cellulose/MXene nanocomposites with synergistically enhanced electrochemical performance. 2020 , 27, 7475-7488	17
751	Hybrid core-shell nanostructure made of chitosan incorporated polypyrrole nanotubes decorated with NiO for all-solid-state symmetric supercapacitor application. 2020 , 354, 136651	16
750	Chemical synthesis of nano-grained ytterbium sulfide thin films for supercapacitor application. 2020 , 10, 5085-5097	5
749	Boosting PEDOT energy storage with redox dopant and electrolyte additive. 2020 , 401, 126123	12
748	Edible and Nutritive Electronics: Materials, Fabrications, Components, and Applications. 2020 , 5, 2000100	17
747	Bimetallic Cu/Pt Oxygen Reduction Reaction Catalyst for Fuel Cells Cathode Materials. 2020 , 10, 667	6
746	Nanoparticles of Iron Nitride Encapsulated in Nitrogen-Doped Carbon Bulk Derived from Polyaniline/Fe ₂ O ₃ Blends and Its Electrochemical Performance. 2020 , 37, 2000132	
745	Entire synergistic contribution of Chinese rice ball-like hollow nitride sphere limited assemble of polyaniline for high-performance supercapacitors. 2020 , 24, 2325-2332	2
744	Mineralized Soft and Elastic Polymer Dot Hydrogel for a Flexible Self-Powered Electronic Skin Sensor. 2020 , 12, 34105-34114	24
743	Electrochemical properties of CoFe ₂ O ₄ nanoparticles and its rGO composite for supercapacitor. 2020 , 108, 107978	23
742	Na-cholate micelle mediated synthesis of polypyrrole nanoribbons for ethanol sensing. 2020 , 8, 104249	7

741	The preparation of N, S, P self-doped and oxygen functionalized porous carbon via aerophilic interface reaction for high-performance supercapacitors. 2020 , 31, 12961-12972	3
740	rGO / MnO ₂ / Polyterthiophene ternary composite: pore size control, electrochemical supercapacitor behavior and equivalent circuit model analysis. 2020 , 27, 1	3
739	Conducting polymer composites for unconventional solid-state supercapacitors. 2020 , 8, 4677-4699	58
738	Preparation and Improved Capacitive Behavior of NiO/TiO ₂ Nanocomposites as Electrode Material for Supercapacitor. 2020 , 16, 79-85	7
737	Reduced graphene oxide-modified NiCo-phosphates on Ni foam enabling high areal capacitances for asymmetric supercapacitors. 2020 ,	6
736	Facile synthesis of Bi ₂ O ₃ @MnO ₂ nanocomposite material: A promising electrode for high performance supercapacitors. 2020 , 102, 106158	10
735	A review on MXene for energy storage application: effect of interlayer distance. 2020 , 7, 022001	50
734	A Universal Electrolyte Formulation for the Electrodeposition of Pristine Carbon and Polypyrrole Composites for Supercapacitors. 2020 , 12, 13386-13399	21
733	A flexible and capsular polypyrrole nanotubular film-based pseudo-capacitive electrode with enhanced capacitive properties enabled by Au nanoparticle doping. 2020 , 8, 3807-3813	5
732	An alternative electrolyte of deep eutectic solvent by choline chloride and ethylene glycol for wide temperature range supercapacitors. <i>Journal of Power Sources</i> , 2020 , 452, 227847	8.9 34
731	Conducting Polymer-Based Composite Materials for Therapeutic Implantations: From Advanced Drug Delivery System to Minimally Invasive Electronics. 2020 , 2020, 1-16	8
730	Nanobundles structural Co-HKUST on the foamed nickel with a high supercapacitor performance. 2020 , 2, 1	5
729	Fabrication of cellulose nanofiber/polypyrrole/polyvinylpyrrolidone aerogels with box-Behnken design for optimal electrical conductivity. 2020 , 235, 116028	12
728	Room-temperature synthesis of tin oxide nanoparticles using gallic acid monohydrate for symmetrical supercapacitor application. 2020 , 28, 101197	13
727	Biocompatible supercapacitor electrodes using green synthesised ZnO/Polymer nanocomposites for efficient energy storage applications. 2020 , 28, 101275	21
726	Effect of structural factors on the physicochemical properties of functionalized polyanilines.. 2020 , 10, 7468-7491	28
725	Nitrogen Doped Intercalation TiO/TiN/TiCT Nanocomposite Electrodes with Enhanced Pseudocapacitance. 2020 , 10,	13
724	Polyaniline/MnO ₂ /porous carbon nanofiber electrodes for supercapacitors. 2020 , 861, 113995	42

723	Inverted hybrid-capacitive deionization with polyaniline nanotubes doped activated carbon as an anode. 2020 , 339, 135920	14
722	S or N-monodoping and S,N-codoping effect on electronic structure and electrochemical performance of tin dioxide: Simulation calculation and experiment validation. 2020 , 340, 135950	24
721	Robust electrochemical performance of polypyrrole (PPy) and polyindole (PIIn) based hybrid electrode materials for supercapacitor application: A review. 2020 , 29, 101302	69
720	Low-Crystalline FeOOH Nanoflower Assembled Mesoporous Film Anchored on MWCNTs for High-Performance Supercapacitor Electrodes. 2020 , 5, 4532-4541	15
719	One-step deposition of a Ni(OH) ₂ -graphene hybrid prepared by vacuum kinetic spray for high energy density hybrid supercapacitor. 2020 , 244, 122701	20
718	Fabrication of Ternary Hierarchical Nanosheets RGO/PANI/Fe ₂ O ₃ as Electrode Material with High Capacitance Performance. 2020 , 167, 040501	6
717	Investigation on the role of different conductive polymers in supercapacitors based on a zinc sulfide/reduced graphene oxide/conductive polymer ternary composite electrode.. 2020 , 10, 3122-3129	21
716	MnO ₂ /Carbon Composites for Supercapacitor: Synthesis and Electrochemical Performance. 2020 , 7,	37
715	Novel conductive multi-walled polymeric nanotubes of poly(diazoaminobenzene) for single-layer polymer solar cell. 2020 , 149, 104529	3
714	Redox active and electrically conducting cobalt telluride Nanorods/Poly(1-aminoanthraquinone) composite and photoactive Rose Bengal dye based photo-supercapacitor. 2020 , 19, 100592	3
713	Ionic liquid incorporated, redox-active blend polymer electrolyte for high energy density quasi-solid-state carbon supercapacitor. <i>Journal of Power Sources</i> , 2020 , 451, 227771	8.9 54
712	Construction of polypyrrole-wrapped hierarchical CoMoO ₄ nanotubes as a high-performance electrode for supercapacitors. 2020 , 46, 10893-10902	12
711	A review on high-throughput synthesis, deposition of thin films and properties of polyaniline. 2020 , 125, 109485	42
710	Synthesis of ultrafine CoNi ₂ S ₄ nanowire on carbon cloth as an efficient positive electrode material for high-performance hybrid supercapacitors. 2020 , 823, 153885	15
709	Diaminopyrene modified reduced graphene oxide as a novel electrode material for excellent performance supercapacitors.. 2020 , 10, 1507-1513	4
708	Research Progress on Applications of Polyaniline (PANI) for Electrochemical Energy Storage and Conversion. 2020 , 13,	30
707	Boosting the Energy Density of Flexible Asymmetric Supercapacitor with Three Dimensional Fe ₂ O ₃ Composite Brush Anode. 2020 , 36, 97-104	6
706	High-performance, flexible planar microsupercapacitors based on crosslinked polyaniline using laser printing lithography. 2020 , 161, 117-122	15

705	MOF-modified polyester fabric coated with reduced graphene oxide/polypyrrole as electrode for flexible supercapacitors. 2020 , 336, 135743	28
704	Dielectric properties of solution-processed BaTiO ₃ /styrene butadiene styrene nanocomposite films. 2020 , 22, 1261-1272	4
703	Systematic Design of Polypyrrole/Carbon Fiber Electrodes for Efficient Flexible Fiber-Type Solid-State Supercapacitors. 2020 , 10,	13
702	Suppressing charge trapping effect in ambipolar conducting polymer with vertically standing graphene as the composite electrode for high performance supercapacitor. 2020 , 29, 281-286	11
701	Core-shell Structured Cellulose Nanofibers/Graphene@Polypyrrole Microfibers for All-Solid-State Wearable Supercapacitors with Enhanced Electrochemical Performance. 2020 , 305, 1900854	11
700	Electrochemical studies on Ni, Co & Ni/Co-MOFs for high-performance hybrid supercapacitors. 2020 , 7, 054003	7
699	Effects of silver nanoparticle on electrochemical performances of poly(o-phenylenediamine)/Ag hybrid composite as anode of lithium-ion batteries. 2020 , 24, 1007-1015	1
698	Bioactive polymeric materials and electrical stimulation strategies for musculoskeletal tissue repair and regeneration. 2020 , 5, 468-485	44
697	Ti ₃ C ₂ T _x MXene and Vanadium nitride/Porous carbon as electrodes for asymmetric supercapacitors. 2020 , 341, 136035	27
696	Construction of mesoporous carbon microsphere/polyaniline composites as high performance pseudocapacitive electrodes. 2020 , 573, 45-54	5
695	Enhanced Lithium Storage of an Organic Cathode via the Bipolar Mechanism. 2020 , 3, 3728-3735	12
694	Flexible Energy Storage Device Based on Poly(N-phenylglycine), an Incentive-Energy Pseudocapacitive Conducting Polymer, and Electrochemically Exfoliated Graphite Sheets. 2020 , 8, 6433-6441	9
693	Superior supercapacitive performance of grass-like CuO thin films deposited by liquid phase deposition. 2020 , 44, 6778-6790	9
692	Thermoelectric thiophene dendrimers with large Seebeck coefficients. 2020 , 5, 809-814	4
691	Sol-gel derived mixed phase (Mn, Ti)-oxides/graphene nanoplatelets for hybrid supercapacitors. 2020 , 44, 12474-12484	2
690	Facile synthesis of ternary nanocomposite of polypyrrole incorporated with cobalt oxide and silver nanoparticles for high performance supercapattery. 2020 , 348, 136313	23
689	Sulphur-reduced graphene oxide composite with improved electrochemical performance for supercapacitor applications. 2020 , 45, 13189-13201	13
688	The Development of Pseudocapacitor Electrodes and Devices with High Active Mass Loading. 2020 , 10, 1903848	69

687	Theoretical Prediction of Capacitance of Bilayer Graphene Flakes. 2020 , 5, 2954-2960	
686	The Morphological and Capacitance Characteristics of A Novel Brush-like Polymer Containing Polyaniline Segment. 2020 , 5, 3939-3945	0
685	Three isostructural Zn/Ni nitro-containing metal-organic frameworks for supercapacitor. 2020 , 288, 121375	10
684	Nanopaper-Based Organic Inkjet-Printed Diodes. 2020 , 5, 1900773	5
683	Synthesis, characterization, and solution studies of polyoxometalate-doped conducting polymers. 2021 , 29, 373-382	
682	Different Phase and Morphology Effect of Manganese Oxide on Electrochemical Performance for Supercapacitor Application. 2021 , 32, 703-710	3
681	Fabrication of polyaniline/barrot derived carbon dots/polypyrrole/graphene nanocomposite for wide potential window supercapacitor. 2021 , 31, 269-276	4
680	Low-cost and advanced symmetry supercapacitors based on three-dimensional tea waste of porous carbon nanosheets. 2021 , 36, 1-10	6
679	Capacitive properties of promising energy storage material based on thiophene containing perylene diimide polymer. 2021 , 138, app50234	2
678	Fabrication of PEDOT:PSS/rGO fibers with high flexibility and electrochemical performance for supercapacitors. 2021 , 365, 137363	25
677	Electrospun carbon nanofibers as electrode materials for supercapacitor applications. 2021 , 641-688	2
676	Electrodeposited more-hydrophilic nano-nest polyaniline electrodes for supercapacitor application. 2021 , 149, 109774	7
675	Review of polymeric materials for energy harvesting and storage applications. 2021 , 60, 626-649	1
674	A novel in-situ preparation of N-rich spherical porous carbon as greatly enhanced material for high-performance supercapacitors. 2021 , 171, 62-71	31
673	Continuous and controllable synthesis of MnO ₂ /PPy composites with core-shell structures for supercapacitors. 2021 , 405, 127059	14
672	Improving the volumetric specific capacitance of flexible polyaniline electrode: solution casting method and effect of reduced graphene oxide sheets. 2021 , 64, 571-580	1
671	Existence of nearest-neighbor and variable range hopping in Pr ₂ ZnMnO ₆ oxygen-intercalated pseudocapacitor electrode. 2021 , 258, 123907	7
670	Freestanding polypyrrole/carbon nanotube electrodes with high mass loading for robust flexible supercapacitors. 2021 , 5, 1324-1329	11

669	Poly-anthraquinone sulfide isomers as electrode materials for extended operating temperature organic batteries. 2021 , 2, 376-383	1
668	Recent progress in energy storage and conversion of flexible symmetric transducers. 2021 , 9, 753-781	5
667	Synergies of vertical graphene and manganese dioxide in enhancing the energy density of carbon fibre-based structural supercapacitors. 2021 , 201, 108568	23
666	Review on Current Progress of MnO ₂ -Based Ternary Nanocomposites for Supercapacitor Applications. 2021 , 8, 291-336	20
665	Template-free synthesis of novel Co ₃ O ₄ micro-bundles assembled with flakes for high-performance hybrid supercapacitors. 2021 , 47, 716-724	23
664	Ingeniously designing anode material of Ni ₃ S ₂ /MnS ₂ @Carbon nanocomposite with a wide potential window of 1.3V. 2021 , 365, 137386	3
663	Electrochemical fabrication and supercapacitor performances of metallo phthalocyanine/functionalized-multiwalled carbon nanotube/polyaniline modified hybrid electrode materials. 2021 , 33, 102049	24
662	Electrochemical capacitors: Materials, technologies and performance. 2021 , 36, 31-55	29
661	Electrochemical prospects and potential of hausmannite Mn ₃ O ₄ nanoparticles synthesized through microplasma discharge for supercapacitor applications. 2021 , 45, 7038-7056	3
660	Polypyrrole as the interlayer for thin-film poly(piperazine-amide) composite membranes: Separation behavior of salts and pesticides. 2021 , 138, 50356	2
659	A coral-like polyaniline/barium titanate nanocomposite electrode with double electric polarization for electrochromic energy storage applications. 2021 , 9, 1669-1677	13
658	Direct current gas/liquid phase pulsed plasma polymerization of polypyrrole under atmospheric pressure. 2021 , 18, 2000186	4
657	Influence of nanostructured VO-acetylacetonate coordination system with 2-(pyridin-4-ylmethylene) hydrazine-1-carbothioamide in pseudocapacitance performance of p-type conductive polymer composite film. 2021 , 50, 172-179	7
656	Electronic and ionic transport in organic materials and devices. 2021 , 71-105	
655	Simple synthesis of honeysuckle-like CuCo ₂ O ₄ /CuO composites as a battery type electrode material for high-performance hybrid supercapacitors. 2021 , 46, 66-79	17
654	Synthesis and enhanced supercapacitor performance of carbon self-doping graphitic carbon nitride/NiS electrode material. 2021 , 104, 1554-1567	9
653	Optimized pseudocapacitance of CoMn ₂ O ₄ @MoO ₃ nanospheres for advanced lithium storage properties. 2021 , 56, 649-663	3
652	Integrated energy storage system based on triboelectric nanogenerator in electronic devices. 2021 , 15, 238-250	54

651	Modification of polystyrene maleic anhydride for efficient energy storage applications. 2021 , 25, 327-337	2
650	Advanced materials and technologies for supercapacitors used in energy conversion and storage: a review. 2021 , 19, 375-439	100
649	Supercapacitor Devices. 2021 , 39-79	5
648	Conducting polymer-based nanocomposites: Structuration, compatibilizing effect, conductivity, and physical properties. 2021 , 27-56	0
647	Segmented conjugated macromolecules. 2021 , 149-161	
646	Polymer Graphene-Based Nanofibers and Their Application for Batteries. 2021 , 119-148	
645	Nanomaterials for Energy Storage Applications. 2021 , 135-156	
644	Electrode materials and device architecture strategies for flexible supercapacitors in wearable energy storage. 2021 , 9, 8099-8128	24
643	Limitations and Recent Advances in High Mass Loading Asymmetric Supercapacitors Based on Pseudocapacitive Materials. 2021 , 60, 1096-1111	11
642	Design and Synthesis of Conductive Metal-Organic Frameworks and Their Composites for Supercapacitors. 2021 , 8, 1021-1034	11
641	Laser scribed graphene for supercapacitors. 2021 , 4, 200079-200079	11
640	Nanoconfinement of Ionic Liquid into Porous Carbon Electrodes. 2021 , 125, 1292-1303	5
639	Efficient non-metal based conducting polymers for photocatalytic hydrogen production: comparative study between polyaniline, polypyrrole and PEDOT.. 2021 , 11, 13229-13244	10
638	Nanoarchitected conducting polymers: Rational design and relative activity for next-generation supercapacitors. 2021 , 27-58	
637	CuS cluster microspheres anchored on reduced graphene oxide as electrode material for asymmetric supercapacitors with outstanding performance. 2021 , 32, 4805-4814	3
636	Versatile materials for energy devices and systems. 2021 , 265-291	
635	Recent Trends in Template Assisted 3D Porous Materials for Electrochemical Supercapacitors.	5
634	High-performance supercapacitor electrode based on naphthoquinone-appended dopamine neurotransmitter as an efficient energy storage material. 2021 , 45, 5154-5164	5

- 633 Effect of doped H, Br, Cu, Kr, Ge, As and Fe on structural features and bandgap of poly C13H8OS-X: a DFT calculation. **2021**, 24, 53-62 4
- 632 DFT study on some polythiophenes containing benzo[*b*]thiazole and benzo[*b*]oxazole: structure and band gap. **2021**, 24, 274-284 1
- 631 Meso/Microporous Carbons from Conjugated Hyper-Crosslinked Polymers Based on Tetraphenylethene for High-Performance CO Capture and Supercapacitor. **2021**, 26, 36
- 630 Poly(ortho-phenylenediamine) overlaid fibrous carbon networks exhibiting a synergistic effect for enhanced performance in hybrid micro energy storage devices. **2021**, 9, 10487-10496 2
- 629 Preparation and Electrochemical Properties of Porous Carbon Derived from Polymer Materials. **2021**, 11, 143-150
- 628 Solid waste-derived carbon nanomaterials for supercapacitor applications: a recent overview. **2021**, 2, 1454-1484 12
- 627 Designing neurotransmitter dopamine-functionalized naphthalene diimide molecular architectures for high-performance organic supercapacitor electrode materials. **2021**, 45, 9346-9357 3
- 626 CHAPTER 11: Polymer Functionalized Graphene in Energy Storage Devices. **2021**, 322-356
- 625 MgCo2O4-based electrode materials for electrochemical energy storage and conversion: a comprehensive review. **2021**, 5, 4807-4829 6
- 624 Recent advances in conjugated polymers for lithium-ion and supercapacitor applications. **2021**, 265-289
- 623 Fibre electronics: towards scaled-up manufacturing of integrated e-textile systems. **2021**, 13, 12818-12847 9
- 622 UV-Assisted One-Step Synthesis of Ternary Graphene/Polypyrrole/Silver Nanocomposites for Supercapacitors. **2021**, 9, 2000966 4
- 621 The in situ construction of three-dimensional core-shell-structured TiO2@PPy/rGO nanocomposites for improved supercapacitor electrode performance. **2021**, 45, 1092-1099 10
- 620 Post-synthetic modification of a highly flexible 3D soft porous metal-organic framework by incorporating conducting polypyrrole: enhanced MOF stability and capacitance as an electrode material. **2021**, 57, 2523-2526 6
- 619 Modelling of heterogeneous ion transport in conducting polymer supercapacitors. **2021**, 9, 2184-2194 12
- 618 Manganese Oxides-Graphene Nanocomposites as Advanced Supercapacitors. **2021**,
- 617 A novel and simple nitrogen-doped carbon/polyaniline electrode material for supercapacitors. **2021**, 15, 147-157 2
- 616 Carbonaceous nanocomposites for supercapattery. **2021**, 93-110

615	Electrochemical fabrication of rGO/PANI-Au-MnO ₂ nanocomposites as supercapacitor electrode materials. 2021 , 32, 3038-3053	5
614	Polyaniline/bismuth oxide nanohybrids with photocatalytic activity under visible light irradiation. 2021 , 45, 8619-8628	2
613	Conjugated polymer-based smart composites for optoelectronics and energy applications. 2021 , 31-49	1
612	A gill-mimicking thermoelectric generator (TEG) for waste heat recovery and self-powering wearable devices. 2021 , 9, 8514-8526	8
611	Role of Polymers in Enhancing the Performance of Electrochemical Supercapacitors: A Review. 2021 , 4, 571-584	16
610	The synthesis and electrochemical properties of low-crystallinity iron silicate derived from reed leaves as a supercapacitor electrode material. 2021 , 50, 8917-8926	7
609	Ti ₃ C ₂ T _x MXene for electrode materials of supercapacitors. 2021 , 9, 11501-11529	41
608	A high-voltage non-aqueous hybrid supercapacitor based on the N2200 polymer supported over multiwalled carbon nanotubes. 2021 , 13, 12314-12326	6
607	Chemical supercapacitors: a review focusing on metallic compounds and conducting polymers. 2021 , 9, 1970-2017	67
606	Conducting polymeric nanocomposite for supercapattery. 2021 , 63-91	1
605	Introduction of smart polymer nanocomposites. 2021 , 1-25	1
604	Development of electrode materials for high-performance supercapacitors. 2021 , 545-557	0
603	History and Perspectives on Ultrafast Supercapacitors for AC Line Filtering. 2021 , 11, 2003306	9
602	Perovskite materials as superior and powerful platforms for energy conversion and storage applications. 2021 , 80, 105552	24
601	Optimization of redox-active anthraquinone as electrode and electrolyte materials in supercapacitors. 2021 , 370, 137809	5
600	Envisaging Future Energy Storage Materials for Supercapacitors: An Ensemble of Preliminary Attempts. 2021 , 6, 1127-1161	3
599	Investigating the Influence of Reflux Condensation Reaction Temperature on the Growth of FeCo ₂ O ₄ Thin Film for Flexible Supercapacitor. 2021 , 6, 1838-1844	4
598	Highly electrochemical active composites based on capacitive graphene/aniline oligomer hybrid for high-performance sustainable energy storage devices. 2021 , 368, 137587	4

597	High-energy storage performance in BaTiO ₃ -based lead-free multilayer ceramic capacitors. 2021 , 36, 1285-1294	4
596	Electrode response of NaFeTiO ₄ in aqueous supercapacitor cells. 2021 , 27, 1709-1721	0
595	Potential Applications of Conducting Polymers to Reduce Secondary Bacterial Infections among COVID-19 Patients: a Review. 2021 , 4, 1-14	8
594	Reflux temperature-dependent zinc cobaltite nanostructures for asymmetric supercapacitors. 2021 , 32, 5859-5869	4
593	Mixed Matrix Membranes for Sustainable Electrical Energy-Saving Applications. 2021 , 8, 27-43	9
592	Recent Developments and Future Prospects for Zinc-Ion Hybrid Capacitors: a Review. 2021 , 11, 2003994	76
591	Polyoxotungstates-supported NiII/CoII-containing 3D inorganic-organic hybrids as supercapacitor electrodes toward boosting capacitor performance. 2021 , 882, 115017	2
590	N, P, S co-doped biomass-derived hierarchical porous carbon through simple phosphoric acid-assisted activation for high-performance electrochemical energy storage. 2021 , 46, 8197-8209	10
589	Past, present and future of electrochemical capacitors: Technologies, performance and applications. 2021 , 35, 102310	5
588	Controllable Synthesis, Core-Shell Nanostructures, and Supercapacitor Performance of Highly Uniform Polypyrrole/Polyaniline Nanospheres. 2021 , 4, 3701-3711	7
587	Reduction of Graphene Oxide Using an Environmentally Friendly Method and Its Application to Energy-Related Materials. 2021 , 11, 297	2
586	Electrochemical performance study of polyaniline and polypyrrole based flexible electrodes. 2021 , 26, 354-363	8
585	Electric Double Layer Capacitors Based on Porous Three-Dimensional Graphene Materials for Energy Storage. 2021 , 50, 3043-3063	3
584	Polymer Nanocomposites in Sensor Applications: A Review on Present Trends and Future Scope. 2021 , 39, 665	10
583	A novel multi-dimension inorganic/organic hybrid aerogel and its electrochemical behavior. 2021 , 56, 11044-11058	
582	A comparative study between vapor phase polymerized PPy and PEDOT - Thermoplastic polyurethane composites for ammonia sensing. 2021 , 217, 123463	6
581	Exploring Guest-Dependent Photoconductivity in a Donor-Containing Metal-Organic Framework. 2021 , 125, 10198-10206	2
580	Highly porous niobium oxide/carbon matrix materials with distinct pseudocapacitive performances in aqueous electrolytes. 2021 , 371, 137792	2

579	Conducting Polymers Nanowires with Carbon Nanotubes or Graphene-Based Nanocomposites for Supercapacitors Applications. 2021 , 445-497	0
578	Hydrothermal synthesis of mesoporous NiMnO ₃ nanostructures for supercapacitor application: Effect of electrolyte. 2021 , 35, 102277	8
577	Self-Assemble Strategy to Fabricate High Polyaniline Loading Nanocarbon Hydrogels for Flexible All-Solid-State Supercapacitors. 2021 , 4, 3766-3776	2
576	Electrochemical preparation and characterization of polyaniline enhanced electrodes: An application for the removal of cadmium metals in industrial wastewater. 2021 , 261, 124221	5
575	Lignin-derived carbon as a high efficient active material for enhancing pseudocapacitance performance of p-type conductive polymer. 2021 , 35, 102291	17
574	Enhanced supercapacitive behaviors of poly(3,4-ethylenedioxythiophene)/ graphene oxide hybrids prepared under optimized electropolymerization conditions. 2021 , 372, 137861	8
573	Materials and Fabrication. 15-65	
572	Reinforced polyaniline-dodecyl benzene sulfonate hydrogel with well-aligned fibrous morphology as durable electrode materials for Zn-ion battery. 2021 , 274, 116721	3
571	High-Performance Ytterbium-Doped V ₂ O ₅ ? H ₂ O Binder-Free Thin-Film Electrodes for Supercapacitors. 2021 , 8, 1993-2004	0
570	A Composite Mesh of N-doped Carbon/Polyaniline Nanowire Arrays for a Flexible Self-Supporting Interdigital Solid Supercapacitor. 2021 , 50, 4222-4229	2
569	A new As ₃ Mo ₈ V ₄ /PANi/rGO composite for high performance supercapacitor electrode. 2021 , 47, 21367-213675	
568	Miniaturized Cells. 2021 , 205-262	
567	Well-defined polyindoleAu NPs nanobrush as a platform for electrochemical oxidation of ethanol. 2021 , 93, 497-507	0
566	Co S @CN Composites Obtained from Thiocalix[4]arene-Based Coordination Polymers for Supercapacitor Applications. 2021 , 16, 1486-1492	1
565	Electroceramics for High-Energy Density Capacitors: Current Status and Future Perspectives. 2021 , 121, 6124-6172	129
564	Microfluidics for flexible electronics. 2021 , 44, 105-135	26
563	Electrochemical Supercapacitors (a Review). 2021 , 57, 311-347	13
562	Effect of Hydrogen Bonding on a Value of an Open Circuit Potential of Poly-(3,4-ethylenedioxythiophene) as a Beneficial Mode for Energy Storage Devices. 2021 , 31, 2103001	5

561	Ultrahigh rate capability of 1D/2D polyaniline/titanium carbide (MXene) nanohybrid for advanced asymmetric supercapacitors. 1		10
560	Sulfur-Doped Graphdiyne as a High-Capacity Anode Material for Lithium-Ion Batteries. 2021 , 11,		3
559	Recent progress on MXene-Derived material and its application in energy and environment. <i>Journal of Power Sources</i> , 2021 , 490, 229250	8.9	11
558	Flexible fiber-shaped supercapacitors based on graphene/polyaniline hybrid fibers with high energy density and capacitance. 2021 , 32,		6
557	Elongation the duration of steel anode with polypyrrole modification during the electrocoagulation treatment process of electroplating wastewater. 2021 , 9, 104969		2
556	CuCo-Layered Double Hydroxide Nanosheet-Based Polyhedrons for Flexible Supercapacitor Cells. 2021 , 4, 5250-5262		5
555	Self-healable PVA/graphite/borax as electrode and electrolyte properties for smart and flexible supercapacitor applications. 2021 , 32, 16335-16345		3
554	Ball-milling fabrication of PPy/Ni ₂ P/GO composites for high-performance supercapacitor electrodes. 2021 , 25, 1975-1985		4
553	Biomass-Derived Electrodes for Flexible Supercapacitors. 2021 , 211-231		1
552	Polyoxometalate-Based Metal-Organic Framework/Polypyrrole Composites toward Enhanced Supercapacitor Performance. 2021 , 2021, 2063-2069		5
551	Asymmetric Flexible Supercapacitors: An Overview of Principle, Materials and Mechanism. 2021 , 315-348		0
550	All-Printed Green Micro-Supercapacitors Based on a Natural-derived Ionic Liquid for Flexible Transient Electronics. 2021 , 31, 2102180		9
549	Top-Down Coarse-Grained Framework for Characterizing Mixed Conducting Polymers. 2021 , 54, 4889-4901		8
548	Phenoxazine-Containing Polyaniline Derivatives with Improved Electrochemical Stability and Processability. 2021 , 3, 2988-2997		5
547	Perovskite oxide and polyazulene-based heterostructure for high performance supercapacitors. 2021 , 138, 51198		4
546	Pulse Electrodeposition of Polyaniline/Mn-Fe Binary Metal Hydroxide Composite Cathode Material for a Zn-Ion Hybrid Supercapacitor. 2021 , 50, 4407-4414		4
545	Electrodes for Flexible Integrated Supercapacitors. 2021 , 1-26		1
544	Binary nanocomposites of reduced graphene oxide and cobalt (II, III) oxide for supercapacitor devices. 1-15		2

543	Electrochemical investigations on low cost KOH activated carbon derived from orange-peel and polyaniline for hybrid supercapacitors. 2021 , 127, 108523	3
542	Review on innovative sustainable nanomaterials to enhance the performance of supercapacitors. 2021 , 37, 102474	13
541	Fabrication Approaches of Energy Storage Materials for Flexible Supercapacitors. 2021 , 533-547	
540	Ternary hybrid nanocomposites of polypyrrole nanotubes with 2D self-assembled heterostructures of protonated g-C3N4-rGO as supercapacitor electrodes. 2021 , 27, 3153-3168	1
539	Sonochemical synthesis of Ag ₂ WO ₄ /RGO-based nanocomposite as a potential material for supercapacitors electrodes. 2021 , 47, 14075-14086	13
538	Wearable technologies enable high-performance textile supercapacitors with flexible, breathable and wearable characteristics for future energy storage. 2021 , 37, 94-122	25
537	A new high-performance supercapacitor electrode of strategically integrated cerium vanadium oxide and polypyrrole nanocomposite. 2021 , 46, 19323-19337	12
536	Preparations, Properties, and Applications of Polyaniline and Polyaniline Thin Films-A Review. 2021 , 13,	37
535	Decorating Flower-Like Ni(OH) ₂ Microspheres on Biomass-Derived Porous Carbons for Solid-State Asymmetric Supercapacitors. 2021 , 6, 5218-5224	1
534	Electrospun flexible 1D-MnO ₂ nanofibres: a versatile material for energy storage application. 2021 , 32, 18028-18042	1
533	Electrochemical performance of spindle-like Fe ₂ Co-MOF and derived magnetic yolk-shell CoFe ₂ O ₄ microspheres for supercapacitor applications. 2021 , 25, 2189-2200	3
532	In-situ synthesis of flexible nanocellulose/carbon nanotube/polypyrrole hydrogels for high-performance solid-state supercapacitors. 2021 , 28, 7097-7108	10
531	Superior rate capability and cyclic stability of poly orthoaminophenol nanocomposite film in the presence of benzidine functionalized graphene oxide. 2021 , 68, 1789	
530	The counter electrode in electrochemical lithium recovery. 2021 , 30, 100778	1
529	Metal-free Photocatalysts. 2021 , 245-268	
528	Enhanced Storage Performance of PANI and PANI/Graphene Composites Synthesized in Protic Ionic Liquids. 2021 , 14,	1
527	Free-Standing Working Electrodes for Supercapacitors Based on Composite Polymer Nanofibers and Functionalized with Graphene Oxide. 2021 , 50, 5599-5611	1
526	Improved electrochemical performance of symmetric polyaniline/activated carbon hybrid for high supercapacitance: Comparison with indirect capacitance. 2021 , 32, 4490	1

525	Oxalic acid-induced assembly of Co _x Ni _{1-x} -bimetallic polyaniline nanocomposite: a bifunctional material for supercapacitor and chromium removal applications. 1	0
524	Role of the Anilinium Ion on the Selective Polymerization of Anilinium 2-Acrylamide-2-methyl-1-propanesulfonate. 2021 , 13,	0
523	Black Phosphorus/Polymers: Status and Challenges. 2021 , 33, e2100113	10
522	Superior performance of electrodeposited CoMnS as novel electrode material for supercapattery devices. 2021 , 39, 102608	2
521	A liquid-like poly(6-chloroindole) with monodisperse core-shell structure and efficient luminescence. 2021 , 27, 4097-4104	
520	Recent Studies on Dispersion of Graphene-Polymer Composites. 2021 , 13,	7
519	Recent advances on redox active composites of metal-organic framework and conducting polymers as pseudocapacitor electrode material. 2021 , 145, 110854	13
518	Tuning parallel manganese dioxide to hollow parallel hydroxyl oxidize iron replicas for high-performance asymmetric supercapacitors. 2021 , 594, 812-823	53
517	Recent progress and future perspectives for the development of micro-supercapacitors for portable/wearable electronics applications. 2021 , 3, 032017	5
516	Redox Active Organic-Carbon Composites for Capacitive Electrodes: A Review. 2021 , 2, 407-440	12
515	Recent Advances in Graphene and Conductive Polymer Composites for Supercapacitor Electrodes: A Review. 2021 , 11, 947	3
514	Nanocomposite of p-type conductive polymer/iron (III) trimesic (Fe-BTC) metal-organic frameworks: synthesis, characterisation and pseudocapacitance performance. 1-9	0
513	Supercapacitive Performance of SILAR Grown Mn ₃ O ₄ Nanoclusters: Effect of Cationic Precursor Concentration. 2021 , 72, 145-158	
512	Facile pyrrole oxidative polymerization with ionic liquid to modify ceramic membrane for sustainable fouling control. 2021 , 9, 105630	1
511	Hollow polyhedron structure of amorphous Ni-Co-S/Co(OH) ₂ for high performance supercapacitors. 2021 , 32, 2453-2458	13
510	Flax-Derived Carbon: A Highly Durable Electrode Material for Electrochemical Double-Layer Supercapacitors. 2021 , 11,	1
509	A phosphorus integrated strategy for supercapacitor: 2D black phosphorus-doped and phosphorus-doped materials. 2021 , 21, 100480	6
508	Grotthuss Proton-Conductive Covalent Organic Frameworks for Efficient Proton Pseudocapacitors. 2021 , 133, 22009-22016	7

507	Probing electrochemical charge storage of 3D porous hierarchical cobalt oxide decorated rGO in ultra-high-performance supercapacitor. 2021 , 419, 127287	3
506	Enhanced Capacitance Performance by Coupling 2D Conductive Metal-Organic Frameworks and Conducting Polymers for Hybrid Supercapacitors. 2021 , 4, 9534-9541	6
505	Effect of annealing temperature on morphologies of metal organic framework derived NiFe ₂ O ₄ for supercapacitor application. 2021 , 40, 102821	7
504	Synthesis of rod-like ternary Cu(Cd)-In-S and quaternary Cu-Cd-In-S by controlled ion exchange of MIL-68(In) derived indium sulfide for high energy-storage capacitor. 2021 , 278, 116815	0
503	Hybrid photovoltaic-supercapacitors: effect of the counter electrode on the device performance. 2021 ,	
502	Grotthuss Proton-Conductive Covalent Organic Frameworks for Efficient Proton Pseudocapacitors. 2021 , 60, 21838-21845	23
501	Reinforced polypyrrole with 2D graphene flakes decorated with interconnected nickel-tungsten metal oxide complex toward superiorly stable supercapacitor. 2021 , 418, 129396	15
500	The role of lithium, perchlorate and water during electrochemical processes in poly(3,4-ethylenedioxythiophene) films in LiClO ₄ aqueous solutions. 2021 , 897, 115580	
499	Capacitive charge storage of tetraphenylporphyrin sulfonate-CNT composite electrodes. 2021 , 389, 138593	12
498	Fabrication of Vertical-Standing Co-MOF Nanoarrays with 2D Parallelogram-like Morphology for Aqueous Asymmetric Electrochemical Capacitors. 2021 , 26,	1
497	Soft conducting polymer polypyrrole actuation based on poly(N-isopropylacrylamide) hydrogels. 2021 , 343, 130167	10
496	Redox-active polymers as organic electrode materials for sustainable supercapacitors. 2021 , 147, 111247	11
495	Supercapacitor performances of titanium-polymeric nanocomposites: a review study. 1	1
494	Electrospun deposited Mn ₂ O ₃ /GO nanofiber composite electrode for hybrid coin cell supercapacitor devices. 1	
493	Performance enhancement of graphene/GO/rGO based supercapacitors: A comparative review. 2021 , 28, 102685	4
492	Microsphere structure application for supercapacitor in situ temperature monitoring. 2021 , 30, 10LT01	
491	Switching of the ion exchange behaviour of PEDOT thin films during a potential cycling: An electrochemical atomic force microscopy study. 2021 , 389, 138651	0
490	Design and synthesis of novel electroactive 2,2':5',2''-terthiophene monomers including oxyethylene chains for solid-state flexible energy storage applications. 2021 , 389, 138662	1

489	Influence of Temperature on ZnO/CoO Nanocomposites for High Energy Storage Supercapacitors. 2021 , 6, 23750-23763	2
488	Electro-emissive device based on novel PANI/Au composite films with neoteric mosaic structure for infrared stealth and thermal radiation control. 2021 , 390, 138891	2
487	Utilizing tannic acid and polypyrrole to induce reconstruction to optimize the activity of MOF-derived electrocatalyst for water oxidation in seawater. 2021 , 430, 132632	4
486	Tadpole-like Copolymer for Fabrication of Silica-encapsulated Polysulfide Microspheres. 2021 , 6, 9399-9406	
485	Performance of Copper Sulfide Hollow Rods in a Supercapacitor Based on Flexible Substrates. 1	0
484	High-performance flexible transparent micro-supercapacitors from nanocomposite electrodes encapsulated with solution processed MoS nanosheets. 2021 , 22, 875-884	4
483	Supercapacitor electrodes based on electropolymerized protoporphyrins. 2021 , 21, 100830	1
482	Bottom-Up Design of Configurable Oligomer-Derived Conducting Metallopolymers for High-Power Electrochemical Energy Storage. 2021 , 15, 15422-15428	1
481	Controllable synthesis of NiCo-LDH/Co(OH) ₂ @PPY composite via electrodeposition at high deposition voltages for high-performance supercapacitors. 2021 , 875, 160042	4
480	Progress of superconducting nanofibers via electrospinning. 2021 , 34,	1
479	Synergistic effect of magnetron sputtered silver nano-islands and Co ₃ (PO ₄) ₂ for high performance supercapattery devices. 2021 , 898, 115612	0
478	Ultrahigh-surface-area activated biocarbon based on biomass residue as a supercapacitor electrode material: Tuning pore structure using alkalis with different atom sizes. 2021 , 326, 111383	6
477	MoS ₂ based nanocomposites: An excellent material for energy and environmental applications. 2021 , 9, 105836	14
476	Electrochemical performance of activated carbon-supported vanadomolybdates electrodes for energy conversion. 2021 , 47, 27132-27141	3
475	Magnetodielectric behaviour of composites of NiO-SiO ₂ nanoglass and mesoporous silica SBA-15. 2021 , 569, 120997	2
474	Flexible and highly sensitive methadone sensor based on gold nanoparticles/polythiophene modified carbon cloth platform. 2021 , 344, 130284	7
473	Preparation and electrochemical sensor application of tetra aniline/graphene oxide/gold nanoparticle composites'. 2021 , 627, 127110	2
472	Modified nano-CaCO ₃ hard template method for hierarchical porous carbon powder with enhanced electrochemical performance in lithium-sulfur battery. 2021 , 32, 3574-3584	2

471	Regulating monomer assembly to enhance PEDOT capacitance performance via different oxidants. 2021 , 601, 265-271	4
470	A comprehensive review of template-synthesized multi-component nanowires: From interfacial design to sensing and actuation applications. 2021 , 3, 100029	5
469	Three-dimensional hierarchical porous carbon derived from resorcinol formaldehyde-zinc tatrare/poly(styrene-maleic anhydride) for high performance supercapacitor electrode. 2021 , 886, 161176	11
468	Polypyrrole decorated cobalt carbonate hydroxide on carbon cloth for high performance flexible supercapacitor electrodes. 2021 , 886, 161171	4
467	Supercapacitive biofuel cells. 2021 , 73, 179-187	1
466	Hydrogels obtained from aniline and piperazine: Synthesis, characterization and their application in hybrid supercapacitors. 2022 , 1248, 131445	4
465	Sonochemically exfoliated polymer-carbon nanotube interface for high performance supercapacitors. 2022 , 606, 1792-1799	6
464	A new potassium dual-ion hybrid supercapacitor based on battery-type Ni(OH) nanotube arrays and pseudocapacitor-type VO-anchored carbon nanotubes electrodes. 2022 , 607, 462-469	8
463	Microsheets like nickel cobalt phosphate thin films as cathode for hybrid asymmetric solid-state supercapacitor: Influence of nickel and cobalt ratio variation. 2022 , 429, 132184	12
462	Ionic liquid impregnated Allium cepa peel for supercapacitor application. 2021 , 49, 3066-3066	1
461	Enhanced Cellular Activity on Conducting Polymer. 2021 , 734-773	
460	Prominence of conjugated polymers. 2021 , 1-25	
459	A self-supported electrode for supercapacitors based on nanocellulose/multi-walled carbon nanotubes/polypyrrole composite.. 2020 , 11, 1109-1114	2
458	Facile one-pot solvothermal preparation of two-dimensional Ni-based metal-organic framework microsheets as a high-performance supercapacitor material.. 2021 , 11, 8362-8366	0
457	Regulating the species and the counter-ion size of proton acids to prepare novel poly(4-aminodiphenylamine) nanomaterials for supercapacitors. 2021 , 5, 6145-6151	
456	Graphene: The magic material. 2021 , 517-549	1
455	The rational design of inorganic and organic material based nanocomposite hybrids as Na-ion battery electrodes. 2021 , 2, 5006-5046	1
454	MXene binder stabilizes pseudocapacitance of conducting polymers. 2021 , 9, 20356-20361	1

453	Supercapacitors: History, Theory, Emerging Technologies, and Applications. 2021 , 417-449	1
452	Anode Materials, SEI, Carbon, Graphite, Conductivity, Graphene, Reversible, Formation. 2019 , 1-71	5
451	Conducting Polymer Membranes and Their Applications. 2020 , 147-176	4
450	Conductive Polymer Based Flexible Supercapacitor. 2020 , 211-233	1
449	Conducting Polymers as Electrode Materials for Supercapacitors. 2020 , 333-352	20
448	Transition Metal Oxide/Electronically Conducting Polymer Composites as Electrode Materials for Supercapacitors. 2020 , 353-385	12
447	Transition Metal Oxide-/Carbon-/Electronically Conducting Polymer-Based Ternary Composites as Electrode Materials for Supercapacitors. 2020 , 387-434	18
446	Materials for Supercapacitors. 2020 , 29-70	13
445	Characteristics of Supercapacitors. 2020 , 71-87	9
444	Electropolymerization of Conjugated Polymers. 2013 , 135-156	3
443	Ecological Assessment of Nano Materials for the Production of Electrostatic/Electrochemical Energy Storage Systems. 2013 , 259-269	1
442	Components of Supercapacitor. 2018 , 11-39	6
441	Rare Earth Oxides Based Composites for High Voltage Supercapacitors Applications: A Short Review. 2020 , 1-10	3
440	Facile preparation and properties of cubic TiN@CN nanocapsules as electrode materials for supercapacitors and as microwave absorbers. 2020 , 31, 10574-10584	3
439	Graphitic carbon nitride nanosheets made by different methods as electrode material for supercapacitors. 2020 , 26, 3599-3607	11
438	Scalable mechanochemical coupling of homogeneous Co ₃ O ₄ nanocrystals onto in-situ exfoliated graphene sheets for asymmetric supercapacitors. 2020 , 397, 125503	29
437	The good, the bad and the porous: A review of carbonaceous materials for flexible supercapacitor applications. 2020 , 6, 148-156	35
436	Electrochemical reduced graphene oxide-polyaniline as effective nanocomposite film for high-performance supercapacitor applications. 2017 , 245, 575-586	67

435	Electrochemical polymerization of chloride doped PEDOT hierarchical porous nanostructure on graphite as a potential electrode for high performance supercapacitor. 2020 , 354, 136669	21
434	Superior performance of Ni(OH) ₂ -ErGO@ NF electrode materials as pseudocapacitance using electrochemical deposition via two simple successive steps. 2020 , 30, 101485	17
433	Conductive imprinted electrochemical sensor for epinephrine sensitive detection and double recognition. 2019 , 836, 182-189	25
432	Charge-Transfer Intermediates in the Electrochemical Doping Mechanism of Conjugated Polymers. 2021 , 143, 294-308	12
431	Self-stacked multilayer FeOCl supported on a cellulose-derived carbon aerogel: a new and high-performance anode material for supercapacitors. 2019 , 7, 9556-9564	32
430	Understanding the sodium storage mechanisms of organic electrodes in sodium ion batteries: issues and solutions. 2020 , 13, 1568-1592	71
429	Design and fabrication of conductive polymer hydrogels and their applications in flexible supercapacitors. 2020 , 8, 23059-23095	54
428	PANI/TiO nanocomposite-based chemiresistive gas sensor for the detection of bacteria. 2020 , 14, 761-765	2
427	Ferrous Nitrate-Nickel Oxide (Fe(NO ₃) ₂ /NiO) Nanospheres Incorporated With Carbon Black and Polyvinylidene fluoride for Supercapacitor Applications. 2019 , 16,	9
426	High-Performance Polypyrrole Coated Filter Paper Electrode for Flexible All-Solid-State Supercapacitor. 2020 , 167, 140533	3
425	An Overview on the Development of Electrochemical Capacitors and Batteries - Part I. 2020 , 92, e20200796	4
424	Current Collectors for Flexible Lithium Ion Batteries: A Review of Materials. 2015 , 6, 1-6	13
423	Investigation of a Pseudo Capacitor with Polyacrylonitrile based Gel Polymer Electrolyte. 2017 , 8, 107-114	5
422	Electrodeposition of Mn-Ni Oxide/PEDOT and Mn-Ni-Ru Oxide/PEDOT Films on Carbon Paper for Electro-osmotic Pump Electrode. 2019 , 9, 93-98	1
421	Investigation of Supporting Electrolyte Effect on Supercapacitor Properties of Poly(Carbazole) Films. 2020 , 11, 41-49	8
420	High-Performance Li-ion Batteries and Supercapacitors Based on Prospective 1-D Nanomaterials. 2011 , 3, 62	4
419	Polyaniline as Proficient Electrode Material for Supercapacitor Applications. 2019 , 190-219	5
418	Facile Low-temperature Chemical Synthesis and Characterization of a Manganese Oxide/multi-walled Carbon Nanotube Composite for Supercapacitor Applications. 2014 , 35, 2974-2978	8

417	High-Performance Li-ion Batteries and Supercapacitors Based on Prospective 1-D Nanomaterials. 2011 , 3, 62	2
416	Current Collectors for Flexible Lithium Ion Batteries: A Review of Materials. 2015 , 6, 1-6	25
415	Effect of Coated Polypyrrole Content on the Properties of Polypyrrole Coated Fabrics. 2016 , 28, 92-100	1
414	Extrusion 3D printing of conjugated polymers.	1
413	Fabrication of polyaniline functionalized titanium carbide nanocomposite supercapacitor for high specific capacitance and high energy density applications. 2021 , 28, 1	0
412	Advances and Perspectives for the Application of Perovskite Oxides in Supercapacitors.	4
411	An eco-friendly method for synthesis of Cu ₂ O/rGO/PANI composite using Citrus maxima juice for supercapacitor application. 2021 , 32, 27937	1
410	Dielectric Barrier Discharge Plasma Jet (DBDjet) Processed Reduced Graphene Oxide/Polypyrrole/Chitosan Nanocomposite Supercapacitors. 2021 , 13,	2
409	Sequential Codoping Making Nonconjugated Organic Radicals Conduct Ionically Electronically. 2100081	
408	Role of Electrolytes in Electrochemical Properties of La ₂ SrV ₂ O ₉ /rGO Composite as Electrode Material. 2021 , 10, 101011	
407	Novel poly(1H-benzo[g]indole)/TiO ₂ nanocomposites for high-performance electrochromic supercapacitor application. 2021 , 59, 3100	0
406	A Review of Tin Disulfide (SnS ₂) Composite Electrode Materials for Supercapacitors.	0
405	Perovskites for Supercapacitors. 2021 , 131-185	0
404	Polypyrrole with Phosphor Tungsten Acid and Carbide-Derived Carbon: Change of Solvent in Electropolymerization and Linear Actuation. 2021 , 14,	1
403	Morphology Controlled Synthesis of Heteroatom-Doped Spherical Porous Carbon Particles Retaining High Specific Capacitance at High Current Density. 2021 , 4, 10810-10825	1
402	Electrosynthesis of a ternary composite film polyaniline-MnO ₂ -graphene in a one-step. 1	1
401	Printed Flexible Electrochemical Energy Storage Devices. 2022 , 433-521	
400	Synthesis and dielectric analyses of NiS reinforced Polyaniline nanocomposites. 2021 , 32, 27409	1

399	MXene-Coupled Sandwich-Like Polyaniline as Dual Conductive Electrode for Flexible All-Solid-State and Ionic-liquid-Based Supercapacitors with Superior Energy Density. 2021 , 8, 2101263		1
398	Synthesis and electrochemical performance of porous FeCo ₂ S ₄ nanorods as an electrode material for supercapacitor. 2021 , 44, 103330		3
397	Evolution and recent developments of high performance electrode material for supercapacitors: A review. 2021 , 44, 103366		10
396	Unlocking the energy storage potential of polypyrrole via electrochemical graphene oxide for high performance zinc-ion hybrid supercapacitors. <i>Journal of Power Sources</i> , 2021 , 516, 230663	8.9	3
395	In-situ grafting of Au and Cu nanoparticles over graphitic carbon nitride sheets and unveiling its superior supercapacitive performance as a hybrid composite electrode material. 2021 , 44, 103308		3
394	ELECTROCHEMICAL SYNTHESIS OF CONDUCTING COPOLYMER OF PYRROLE AND CAPPROLACTAM. 2011 , 011, 441-445		1
393	Preparation and Electrochemical Properties of PANI/TiO ₂ Composites for Supercapacitor Electrodes. 2012 , 50, 50-54		0
392	Fabrication of Organic Materials for Electronic Textiles. 2014 , 1-29		
391	KONDUKTIVITAS ELEKTRODA DARI CAMPURAN RESIN DAMAR DAN ZEOLIT DARI BOTTOM ASH. 2015 , 6, 31-35		
390	Fabrication of Organic Materials for Electronic Textiles. 2015 , 739-773		1
389	Electron Transfer and Charge Storage in Thin Films of Nanoparticles. 2016 , 869-939		
388	Nanostructured Hybrid Graphene-Conducting Polymers for Electrochemical Supercapacitor Electrodes. 2016 , 479-501		3
387	Conducting Polymers/Inorganic Nanohybrids for Energy Applications. 2017 , 365-417		1
386	Polymer/Graphene Composites for Energy Storage. 2017 , 337-364		
385	Introduction. 2017 , 1-13		
384	Field Effect and Applications. 2018 , 51-81		
383	Introduction. 2018 , 1-29		
382	Fabrication and Electrochemical Characteristic Analysis of Iodine-doped Kraft Lignin/Polypyrrole Conductive Fiber Mats. 2018 , 50, 39-47		0

- 381 Enhanced Cellular Activity on Conducting Polymer. **2019**, 150-189
- 380 Conducting nanocomposite coatings. **2019**, 73-117
- 379 Hybrid Supercapacitor-Battery Energy Storage. **2019**, 1-39
- 378 Improving the electrical conductivity of multi-phase polymer composites via plasticizer assisted nanoparticle dispersion. **2019**,
- 377 Structural analysis and dielectric relaxation mechanism of conducting polymer/volcanic basalt rock composites. **2019**, 37, 353-363 2
- 376 Advanced Energy Storage Devices: Principles and Potential Applications in Sustainable Energetics. **2020**, 241-272
- 375 Physiochemical Properties of PANI Thin Films. **2020**, 93-137
- 374 Nickel Phosphide Electroless Coating on Cellulose Paper for Lithium Battery Anode. **2020**, 11, 155-164 2
- 373 Synergistic effect of biomass-derived carbon and conducting polymer coatings on the supercapacitive energy storage performance of TiO₂. **2020**, 62, 814-819
- 372 Nanostructure Engineering of Graphitic Carbon Nitride for Electrochemical Applications. **2021**, 4
- 371 Effects of ammonium chloride on structural stability of cobalt carbonate hydroxide and their improved electrochemical performance for supercapacitor. **2021**, 44, 103472 0
- 370 The influence of surface modification on the optical and capacitive properties of NiO nanoparticles synthesized via surfactant-assisted coprecipitation. **2021**, 44, 103321 2
- 369 Lignin-based carbon nanofibers: Morphologies, properties, and features as substrates for pseudocapacitor electrodes. **2021**, 193, 519-527 1
- 368 Oxygen-Rich Non-Graphitic Carbon Derived from [Citrus sinensis] for High-Energy Density Pseudocapacitive Charge Storage. **2020**, 5, 14993-15003
- 367 Graphene Functionalized Starch Biopolymer Nanocomposites: Fabrication, Characterization, and Applications. **2021**, 173-189 2
- 366 Ternary 3D reduced graphene oxide/NiZnFeO/polyindole nanocomposite for supercapacitor electrode application.. **2021**, 11, 35828-35841 3
- 365 Wheat straw as carbon source to prepare FeCoP₂ / N, P Dual-Doped carbon matrix as bifunctional catalyst for application in rechargeable Zinc-air and Aluminum-air batteries. **2022**, 573, 151486 1
- 364 The role and the necessary features of electrolytes for microsupercapacitors. **2022**, 47-116 0

363	Modified transition metal chalcogenides for high performance supercapacitors: Current trends and emerging opportunities. 2022 , 451, 214265	8
362	Organic-inorganic hybrid electrode engineering for high-performance asymmetric supercapacitor based on WO ₃ -CeO ₂ nanowires with oxygen vacancies. 2022 , 573, 151624	4
361	Preparation and characterization of zinc-aluminum layered doubled hydroxide/ graphene nanosheets composite for supercapacitor electrode. 2022 , 136, 115005	0
360	Perovskites and Their Composites-Based Supercapacitors. 2020 ,	0
359	Hybrid Supercapacitor-Battery Energy Storage. 2020 , 1259-1296	0
358	Recent advances in flexible fiber-shaped supercapacitors. 2020 , 69, 178201	1
357	In-situ design of porous vanadium nitride@carbon nanobelts: a promising material for high-performance asymmetric supercapacitors. 2021 , 151734	8
356	Redox-active polymers: The magic key towards energy storage & polymer design guideline progress in polymer science. 2021 , 125, 101474	6
355	Efficient hyperparameter-tuned machine learning approach for estimation of supercapacitor performance attributes.	1
354	Poly(1,5-diaminonaphthalene)-Grafted Monolithic 3D Hierarchical Carbon as Highly Capacitive and Stable Supercapacitor Electrodes. 2021 , 13, 53736-53745	
353	Polyoxomolybdate@Polypyrrole@Graphene Oxide Nanohybrid Electrode for High-Power Symmetric Supercapacitors.	2
352	Conjugated Polymer/Graphene Oxide Nanocomposites: State-of-the-Art. 2021 , 5, 292	1
351	Carbon Materials as Electrodes of Electrochemical Double-Layer Capacitors: Textural and Electrochemical Characterization. 2021 , 149-185	
350	High-energy storage performance in BaTiO ₃ -based lead-free multilayer ceramic capacitors. 1-10	
349	High-Quality Carbon Nanotubes and Graphene Produced from MOFs for Supercapacitor Application. 2020 , 87-117	
348	Polymer/graphene nanocomposites as versatile platforms for energy and electronic devices. 2022 , 173-196	
347	Structure modulation and properties of NiCo ₂ O ₄ nanothorn electrode materials prepared by a self-sacrificial template method. 2022 , 895, 162596	2
346	Sr- and Fe-substituted LaMnO ₃ Perovskite: Fundamental insight and possible use in asymmetric hybrid supercapacitor. 2022 , 45, 119-129	3

345	Tuning the Conductivity, Morphology, and Capacitance with Enhanced Antibacterial Properties of Polypyrrole by Acriflavine Hydrochloride.	2
344	Additively manufactured electrodes for supercapacitors: A review. 2021 , 26, 101220	2
343	"Porous and Yet Dense" Electrodes for High-Volumetric-Performance Electrochemical Capacitors: Principles, Advances, and Challenges. 2021 , e2103953	1
342	N-doped MXene derived from chitosan for the highly effective electrochemical properties as supercapacitor. 2022 , 5, 356	21
341	Understanding the Role of Conjugated Polymers as Binders in Enabling Designs for High-Energy/High-Rate Lithium Metal Batteries. 2021 , 168, 110541	1
340	The Strategy of Achieving Flexibility in Materials and Configuration of Flexible Lithium-Ion Batteries. 2021 , 9, 2100539	2
339	Synthesis, Characterization and Evaluation of Supercapacitive Response of Dodecylbenzenesulphonic Acid (DBSA) Doped Polypyrrole/Zirconium Dioxide Composites. 2021 , 13,	
338	Rational ratio of quinoid imine to benzenoid amine via in situ doping with gold nanoparticles for electrochemically activation of polyaniline. 1	
337	Relative study of Ni sulfides synthesized from single and multisource precursors for photocatalytic and battery applications. 2021 , 7, 7615-7627	0
336	Study of RuO ₂ incorporated PPy hybrid flexible electrodes prepared by soaking and drying technique: a novel approach. 2021 , 127, 1	3
335	Coaxial cable-like dual conductive channel strategy in polypyrrole coated perovskite lanthanum manganite for high-performance asymmetric supercapacitors. 2021 , 610, 601-601	3
334	Review Pseudocapacitive Energy Storage Materials from High-Phase Compounds to High-Entropy Ceramics.	1
333	Polymerization of Aniline Derivatives to Yield Poly[-(phenylamino)disulfides] as Polymeric Auxochromes. 2021 , 54, 10405-10414	0
332	Preparation of Electrode Materials Based on Carbon Cloth via Hydrothermal Method and Their Application in Supercapacitors. 2021 , 14,	3
331	Conducting polymer hydrogel based electrode materials for supercapacitor applications. 2021 , 103510	8
330	Advanced Plastic Materials. 2022 , 469-506	
329	Semitransparent Perovskite Solar Cells with Enhanced Light Utilization Efficiencies by Transferable Ag Nanogrid Electrodes. 2021 ,	0
328	Self-assembled polypyrrole nanotubes/MoS ₂ quantum dots for high performance solid state flexible symmetric supercapacitors. 2021 , 5, 6338-6351	1

327	Rational Design of Cobalt-Iron Bimetal Layered Hydroxide on Conductive Fabric as a Flexible Battery-Type Electrode for Enhancing the Performance of Hybrid Supercapacitor.	
326	Sustainable Polymer-Based Materials for Energy and Environmental Applications. 2022 , 9-30	0
325	Enhancing Energy Storage Capacity of Graphene Supercapacitors via Solar Heating.	4
324	Fe ₃ O ₄ /graphene-oxide/chitosan hybrid aerogel based high performance supercapacitor: effect of aqueous electrolytes on storage capacity & cell stability. 2022 , 46, 103789	3
323	One-dimensional polythiophene/multi-walled carbon nanotube composite cathodes for rechargeable magnesium battery: Evidence of improved stability and electrochemically induced rearrangement in electrode morphology. 2022 , 404, 139707	0
322	A tailor-made deep eutectic solvent for 2.2V wide temperature-tolerant supercapacitors via optimization of N,N-dimethylformamide/water co-solvents. <i>Journal of Power Sources</i> , 2022 , 521, 230954 ^{8,9}	1
321	Enhancing the stability of electrochemical asymmetric supercapacitor by incorporating thiophene-pyrrole copolymer with nickel sulfide/nickel hydroxide composite. 2022 , 46, 103833	2
320	The interfacial electronic engineering in polyhedral MOF derived Co-doped NiSe ₂ composite for upgrading rate and longevity performance of aqueous energy storage. 2022 , 897, 163187	5
319	Synergic effect of laser-assisted graphene with silver nanowire reinforced polyindole/polypyrrole toward superior energy density. 2022 , 188, 276-288	2
318	Laser engraving and punching of graphene films as flexible all-solid-state planar micro-supercapacitor electrodes. 2022 , 17, 100096	4
317	Electropolymerized 1,10-phenanthroline as the electrode material for aqueous supercapacitors. 2022 , 433, 134483	2
316	Pyrazine-based organic electrode material for high-performance supercapacitor applications. 2022 , 48, 103953	2
315	Rational design of Ti ₃ C ₂ /carbon nanotubes/MnCo ₂ S ₄ electrodes for symmetric supercapacitors with high energy storage. 2022 , 581, 152432	9
314	Fabrication of Ni ₀ /Ni Aerogel Electrodes for High Performance Supercapacitor Device.	
313	Study of Electrical Conductivity of Pyrrole-Reduced Graphene Oxide Pellet. 2021 ,	
312	Synthesis and Characterization of Polyaniline/MgTiO ₃ Composite with Excellent Thermal and Electrochemical Performance. 2021 , 36, 730-736	
311	Conducting Polymer-Based Hybrid Electrochemical Capacitor Utilizing Potassium Iodide Redox Electrolyte with Controlled Self-Discharge. 2022 , 9,	0
310	Effects of Organic Solvent Doping on the Structural and Conductivity Properties of PEDOT: PSS Fabric. 2022 , 2169, 012008	0

309	Nanoarchitectonics of nitrogen-doped porous carbon derived from leather wastes for solid-state supercapacitor. 2022 , 33, 4887	1
308	Electrochemistry of new generation conformal polyaniline/carbon scaffolds with monodispersed nanopores and high capacitance. 2022 , 10, 2271-2280	1
307	Investigations of redox-active polyoxomolybdate embedded polyaniline-based electrode material for energy application. 2022 , 28, 1295	0
306	Conjugated Molecules and Polymers in Secondary Batteries: A Perspective.. 2022 , 27,	1
305	PPy coated nanoflower like CuCo ₂ O ₄ based on in situ growth of nanoporous copper for high-performance supercapacitor electrodes.. 2021 ,	1
304	Nano-sized mesoporous biochar derived from biomass pyrolysis as electrochemical energy storage supercapacitor. 2022 , 5, 99-109	1
303	Electrical and Mathematical Modeling of Supercapacitors: Comparison. 2022 , 15, 693	1
302	Metal-organic framework/conductive polymer hybrid materials for supercapacitors. 2022 , 26, 101387	6
301	Polypyrrole on pineapple (<i>Ananas comosus</i>) and water hyacinth (<i>Eichhornia crassipes</i>) polyester blended textiles as promising electrode materials for supercapacitor applications. 2022 , 279, 125774	3
300	Pyrrrole-tailed imidazolium surface-active monomers: aggregation properties in aqueous solution and polymerization behavior. 2022 , 350, 118588	0
299	Phosphorene, antimonene, silicene and siloxene based novel 2D electrode materials for supercapacitors-A brief review. 2022 , 48, 104027	5
298	Highly flexible, freestanding supercapacitor electrodes based on hollow hierarchical porous carbon nanofibers bridged by carbon nanotubes. 2022 , 434, 134662	4
297	The insight of self-doped phosphorus on the biocarbon substrate: Co ₃ O ₄ nanocrystals anchored on porous carbon derived from Manila grass for supercapacitor electrode with long life. 2022 , 904, 163557	0
296	Facile one-step growth of nickel sulfide nano-architecture as binder less electrodes for efficient supercapacitor applications. 2022 , 142, 106524	2
295	Structural, electro-chemical and conduction mechanism in spinel NiFe ₂ O ₄ /NFO supercapacitor electrode material. 2022 , 143, 106543	1
294	Preparation of N/O-codoped quinoline pitch-based porous carbons for high-quality supercapacitor electrode.	0
293	High Performance of Electrochemically Deposited NiCo ₂ S ₄ /CNT Composites on Nickel Foam in Flexible Asymmetric Supercapacitors.	0
292	Graphene nanoparticle-embedded PANI-PPy hybrid nanocomposite for high-performance symmetric supercapacitor application. 2022 ,	

291	Effect of MWCNTs additive on preservation stability of rGO powder. 2022 , 33, 6766	
290	Halogen-based functionalized chemistry engineering for high-performance supercapacitors. 2022 ,	1
289	Recent developments and viable approaches for high-performance supercapacitors using transition metal-based electrode materials. 2022 , 49, 104120	2
288	Metal oxide-conducting polymer-based composite electrodes for energy storage applications. 2022 , 195-251	
287	Construction of EMno2 on Carbon Fibers Modified with Carbon Nanotubes for Ultrafast Flexible Supercapacitors in Ionic Liquid Electrolytes with Wide Voltage Windows.	
286	Superior Cycling Performance Of NiCo2o4/Rgo/Nf Composites for Asymmetric Supercapacitors.	
285	Influence of the molecular weight and size distribution of PSS on mixed ionic-electronic transport in PEDOT:PSS.	1
284	Physically Soft Magnetic Films and Devices: Fabrication, Properties, Printability, and Applications.	0
283	Framework materials for supercapacitors. 2022 , 11, 1005-1046	6
282	Rational design and microwave-assisted synthesis of a novel terthiophene derivative for facile preparation of binder-free polymer/metal oxide-based binary composite electrodes with high electrochemical performance. 2022 , 46, 6134-6149	0
281	Electronic State Modulation and Reaction Pathway Regulation on Necklace-Like MnO _x -CeO ₂ @Polypyrrole Hierarchical Cathode for Advanced and Flexible LiCO ₂ Batteries. 2103667	3
280	Synthesis and Electrochemical Properties of Donor-Acceptor-Conjugated Polymers Based on Carbazole-EDOT Derivatives with Different Electron-Withdrawing Groups. 2022 , 4, 2132-2139	0
279	Vertically Aligned Micropillar Arrays Coated with a Conductive Polymer for Advanced Pseudocapacitance Energy Storage.. 2022 ,	4
278	Supercapacitors Fabrication and Performance Evaluation Techniques.	
277	Facile synthesis of bimetallic CuFe2O4 based ternary hybrid composites for supercapacitor electrodes and optimization of weight ratio of the individuals on the basis of their electrochemical performances. 1-15	0
276	In-Situ Lattice Tunnel Intercalation of Vanadium Pentoxide for Improving Long-Term Performance of Rechargeable Magnesium Batteries. 2022 , 8,	1
275	A Conjugated Polyimide-Based High-Performance Aqueous Potassium-Ion Asymmetric Supercapacitor.. 2022 , e2200040	3
274	Seamless all-solid-state supercapacitor fabricated using a proton-conducting methanesulfonic acid-intercalated graphene oxide film as an electrolyte.. 2022 , e2100912	0

273	Electrochemically Stable Carbazole-Derived Polyaniline for Pseudocapacitors.	4
272	Metanolün Elektrokimyasal Yükseltgenmesi İh Pt katalizör Destek Malzemesi Olarak Tiyofen Kullanımın	
271	Quinone materials for supercapacitor: Current status, approaches, and future directions. 2022 , 47, 103700	5
270	Nitrogen-doped hierarchically porous carbon obtained via single step method for high performance supercapacitors. 2022 , 47, 12829-12840	0
269	Synthesis and Electrochemical Properties of Electrospun Cerium Oxide (CeO ₂) Nanoparticles/Carbon Nanofibers. 1	0
268	Ultrafast Electrochemical Capacitors with Carbon Related Materials as Electrodes for AC Line Filtering.. 2022 ,	1
267	Chimie douce derived Nickel Cobalt Oxynitride as Electrode Material for High Energy Density Supercapacitors. 2022 , 140341	0
266	Electrochemically reduced graphene oxide/nano-WO ₃ composite-based supercapacitor electrodes for better energy storage. 1	2
265	Double metal ions synergistic effect in the Ni-doped Co(OH)(BA) nanobelts for enhanced supercapacitor performance. 2022 , 164, 110641	1
264	An antifreezing and thermally stable hydrogel electrolyte for high-performance all-in-one flexible supercapacitor. 2022 , 50, 104231	0
263	Recent trends in electrolytes for supercapacitors. 2022 , 50, 104222	4
262	Two-step fabrication of lanthanum nickelate and nickel oxide core-shell dandelion-like materials for high-performance supercapacitors.. 2022 , 617, 430-441	1
261	Styrene-based ternary composite elastomers functionalized with graphene oxide-polypyrrole under iron(III)-alkyl benzenesulfonate oxidants for supercapacitor integrated strain sensor system. 2022 , 51, 104543	0
260	Perspectives of conducting polymer nanostructures for high-performance electrochemical capacitors. 2022 , 51, 104418	1
259	Rational design of Cu based composite electrode materials for high-performance supercapacitors □ A review. 2022 , 51, 104330	1
258	Electrically conductive porous MXene-polymer composites with ultralow percolation threshold via Pickering high internal phase emulsion templating strategy.. 2022 , 618, 290-299	1
257	1.6V high-voltage aqueous symmetric micro-pseudocapacitors based on two-dimensional polypyrrole/graphene nanosheets. 2022 , 194, 240-247	0
256	Variation in Capacitive Performance of Poly(3-methylthiophene) Nanosheet Electrodes with Liquid/Semi-Solid/Solid Electrolytes. 2021 , 63, 736-748	0

255	Structuring and functionalization of non-metallic materials using direct laser interference patterning: a review. 2022 , 11, 203-240	5
254	Formation of Polymer-Carbon Nanotube Composites by Two-Step Supercritical Fluid Treatment. 2021 , 14,	
253	Layer-by-Layer Electrode Fabrication for Improved Performance of Porous Polyimide-Based Supercapacitors.. 2021 , 15,	0
252	Facile Synthesis and Characterization of the Mn-MOF Electrode Material for Flexible Supercapacitors. 2022 , 19,	0
251	How side-chain hydrophilicity modulates morphology and charge transport in mixed conducting polymers. 2022 , 60, 610-620	4
250	Recent advancements in synthesis, properties, and applications of conductive polymers for electrochemical energy storage devices: A review. 2022 , 62, 269-303	3
249	High Crystalline Quality Conductive Polypyrrole Film Prepared by Interface Chemical Oxidation Polymerization Method. 2022 , 12, 58	1
248	Highly ordered nanoscale phosphomolybdate-grafted polyaniline/metal hybrid layered structures prepared via secondary sputtering phenomenon as high-performance pseudocapacitor electrodes. 2021 , 96, 125882	0
247	Polypyrrole-Modified Ni ₃ S ₂ Nanosheet Electrodes for Supercapacitors. 2022 , 5, 654-661	2
246	High-Performance Flexible Electrochromic Supercapacitor with a Capability of Quantitative Visualization of Its Energy Storage Status through Electrochromic Contrast. 2021 , 4, 14155-14168	4
245	Pseudocapacitance of Microporous Carbon/Polyaniline Composites. 2022 , 58, 87-93	
244	Influencing In situ Tuned Nanostructures of Pulsed Laser Ablated Co ₃ O ₄ & WO ₃ Thin Film Electrodes for Binder Free Flexible Operando Hybrid Supercapacitor devices. 2022 , 140371	0
243	Fabrication of luminescent patterns using aggregation-induced emission molecules by an electrolytic micelle disruption approach.	0
242	Effects of Valence States of Working Cations on the Electrochemical Performance of Sodium Vanadate.. 2022 ,	
241	Recent Progress in Carbonaceous and Redox-active Nanoarchitectures for Hybrid Supercapacitors: Performance Evaluation, Challenges, and Future Prospects.. 2022 , e202200018	1
240	Hydrogen-bonded quasi-layered polypyrrole-tungstate complex with exceptional electrochemical capacitance over 25000 cycles. 2022 , 238, 109910	
239	Electrochemical deposition of uniform and porous Co/Ni layered double hydroxide nanosheets on nickel foam for supercapacitor electrode with improved electrochemical efficiency. 2022 , 50, 104638	2
238	Recent trend of CeO ₂ -based nanocomposites electrode in supercapacitor: A review on energy storage applications. 2022 , 50, 104643	7

237	Table_1.docx. 2019 ,		
236	Data_Sheet_1.docx. 2019 ,		
235	Interface and electronic structure engineering induced Prussian blue analogues with ultra-stable capability for aqueous NH ₄ ⁺ storage.		4
234	Construction of EMnO ₂ on Carbon Fibers Modified with Carbon Nanotubes for Ultrafast Flexible Supercapacitors in Ionic Liquid Electrolytes with Wide Voltage Windows.		
233	Nanoarchitectonics for conductive polymers using solid and vapor phases.		0
232	Rational Design of Freestanding and High-Performance Thick Electrode from Carbon Foam Modified with Polypyrrole/Polydopamine for Supercapacitors.		
231	Statistical Study of the Influence of Electrosynthesis Conditions on the Capacitance of Polypyrrole.. 2022 , 7, 15580-15595		0
230	Recent Advancements of Polyaniline/Metal Organic Framework (PANI/MOF) Composite Electrodes for Supercapacitor Applications: A Critical Review.. 2022 , 12,		6
229	Fabrication of Metal Sulfides/Graphene Nanocomposites for the Applications in Supercapacitors. II: NiMnCuS/Graphene. 2022 , 15,		
228	Functionalization of Water-Soluble Conjugated Polymers for Bioapplications.. 2022 ,		2
227	Electrodeposition of Cobalt-Copper Oxides decorated with conductive polymer for supercapacitor electrodes with high stability.		0
226	Polyaniline/Small-Sized MXene/Carbon Cloth Electrodes with 3D Hierarchical Porous Structure for All-Solid-State Flexible Supercapacitors. 2200145		1
225	Polypyrrole Nanotunnels with Luminal and Abluminal Layered Double Hydroxide Nanosheets Grown on a Carbon Cloth for Energy Storage Applications.. 2022 ,		2
224	Biopolymer-based gel electrolytes with an ionic liquid for high-voltage electrochemical capacitors. 2022 , 138, 107282		1
223	Branch-cell shape liked nickel-cobalt layer double hydroxides composite polypyrrole for high performance supercapacitor.		
222	PtNPs/PEDOT:PSS-Modified Microelectrode Arrays Reveal Electrophysiological Activities of Different Neurons in Medial Amygdala of Mice Under Innate Fear. 2022 , 16,		0
221	Polypyrrole-intercalation tuning lamellar structure of V ₂ O ₅ ·nH ₂ O boosts fast zinc-ion kinetics for aqueous zinc-ion battery. <i>Journal of Power Sources</i> , 2022 , 536, 231489	8.9	3
220	Electropolymerization of thiazole derivatives bearing thiophene and selenophene and the potential application in capacitors. 2022 , 916, 116386		

- 219 Anticorrosive performance of green deep eutectic solvent for electrochemical capacitor. **2022**, 444, 136594 0
- 218 Polyoxometalate-based metal organic frameworks (POMOFs) for lithium-ion batteries. **2022**, 245-268
- 217 Probing Comonomer Selection Effects on Dioxythiophene-Based Aqueous-Compatible Polymers for Redox Applications. 2
- 216 Development of polypyrrole nanotube coated with chitosan and nickel oxide as a biocompatible anode to enhance the power generation in microbial fuel cell. *Journal of Power Sources*, **2022**, 539, 231595 1
- 215 Rice husk-derived nano-SiO₂ assembled on reduced graphene oxide distributed on conductive flexible polyaniline frameworks towards high-performance lithium-ion batteries. **2022**, 12, 14621-14630 2
- 214 Flexible and Stretchable Electrically Conductive Polymer Materials for Physical Sensing Applications. 1-60 1
- 213 Fundamentals, Mechanism, and Materials for Hybrid Supercapacitors. **2022**, 71-100 1
- 212 Conducting Polymers Based Nanocomposites for Supercapacitors. **2022**, 485-511
- 211 Flexible Supercapacitors. **2022**, 579-617
- 210 Porous carbon derived from Surfactant/Polybenzoxazine Blends. **2022**, 287, 126258 0
- 209 Performance of Graphene Oxide Doped Polyaniline Composite Electrodes for Energy Storage: Effects of In-Situ Synthesis. **2022**, 253-269
- 208 Polymer nanocomposites for microelectronic devices and biosensors. **2022**, 205-233
- 207 Swift heavy ions modification with polymer composites: A Review. **2022**, 2267, 012111
- 206 Active Matrix Flexible Sensory Systems: Materials, Design, Fabrication, and Integration. 2100253 2
- 205 Graphene decorated LiMn₂O₄ Electrode Material for hybrid type Energy storage devices.
- 204 Hydroxymethyl PEDOT microstructure-based electrodes for high-performance supercapacitors. **2022**, 10, 061101 1
- 203 Facile, Efficient, and Cheap Electrode based on SnO₂/Activated Carbon Waste for Supercapacitor and Capacitive Deionization Applications. 0
- 202 Overview of MXene/conducting polymer composites for supercapacitors. **2022**, 52, 105008 4

- 201 Study on photocatalytic properties of zinc oxide polypyrrole nanocomposites. **2022**, 8, 405-411 1
- 200 Application of Conductive Polymers in Electrochemistry. 185-217
- 199 Polyaniline inside the pores of high surface area mesoporous silicon as composite electrode material for supercapacitors. **2022**, 12, 17228-17236 1
- 198 Advances in pseudocapacitive and battery-like electrode materials for high performance supercapacitors. 11
- 197 Graphene-based polymer composites in corrosion protection applications. **2022**, 559-581
- 196 Nanomembranes for Energy Storage. **2022**, 221-252
- 195 Conducting Polymers. 1-49
- 194 A Review of MnO₂ Composites Incorporated with Conductive Materials for Energy Storage. 0
- 193 Review on Recent Advancements in Chemically Synthesized Manganese Cobalt Oxide (MnCo₂O₄) and Its Composites for Energy Storage Application. **2022**, 137425 1
- 192 Conducting Polymer Nanomaterials for Electrochemical Energy Storage and Electrocatalysis. **2022**, 337-398
- 191 Upgrading a Supercapacitor by Particalizing Each Ultrathin Nanosheet into a Grain-Bearing Jigsaw-Like Layer.
- 190 Construction of MnO₂ on Carbon Fibers Modified with Carbon Nanotubes for Ultrafast Flexible Supercapacitors in Ionic Liquid Electrolytes with Wide Voltage Windows. **2022**, 12, 2020 0
- 189 Molybdenum-functionalized metal-organic framework crystals interconnected by carbon nanotubes as negative electrodes for supercapacitors.
- 188 Carbon nanomaterials and their composites for supercapacitors. 8
- 187 Improving electron and ion transport by constructing 3D graphene nanosheets sandwiched between porous carbon nanolayers produced from resorcinol-formaldehyde resin for high-performance supercapacitor electrodes. **2022**, 37, 564-574
- 186 Hydrogen bond enforced polyaniline grown on activated carbon fibers substrate for wearable bracelet supercapacitor. **2022**, 52, 105042 1
- 185 Laser cutting assisted fabrication of assembled solid-state supercapacitors based on polypyrrole coated paper. **2022**, 919, 116522 0
- 184 Enhanced electrochemical properties of zinc and manganese co-doped NiO nanostructures for its high-performance supercapacitor applications. **2022**, 142, 109661 0

- 183 Pseudocapacitive deionization with polypyrrole grafted CMC carbon aerogel electrodes. **2022**, 296, 121441 ○
- 182 Rational design of freestanding and high-performance thick electrode from carbon foam modified with polypyrrole/polydopamine for supercapacitors. **2022**, 447, 137562 3
- 181 Tetrakis(4-sulphophenyl) porphyrin cross-linked polypyrrole network with enhanced bulk conductivity and polysulfide regulation for improved Li-S battery performances. **2022**, 447, 137428 ○
- 180 Current trends in flexible and wearable supercapacitors based on conjugated polymers. **2022**, 219-242
- 179 Polymeric Nanomaterials for High-Performance Supercapacitor. **2022**, 1-24
- 178 Hybrid Carbon Nanofiller/Polymer Composites as Self-Healable Current Collector Electrodes for Use in High-Performance Flexible Metal-Free Supercapacitors.
- 177 EConjugated polymeric materials for cutting-edge electrochemical energy storage devices. **2022**, 145-173
- 176 Supercapacitors: a review on electrode materials and models based on conjugated polymers. **2022**, 335-365
- 175 Binder-free ternary transition metal sulfides for energy storage applications.
- 174 Hydrothermal Synthesis of Binder-Free Metallic NiCo₂O₄ Nano-Needles Supported on Carbon Cloth as an Advanced Electrode for Supercapacitor Applications. **2022**, 15, 4499 ○
- 173 Intrinsically conducting polymers in flexible and stretchable resistive strain sensors: a review. ○
- 172 Electroactive Polymer-Based Composites for Artificial Muscle-like Actuators: A Review. **2022**, 12, 2272 1
- 171 Progress in Spinel-Structured Cobaltite-Based Positive Electrode Materials for Supercapacitors. **2022**, 7, ○
- 170 Synergistic effect of NiS/g-C₃N₄ nanocomposite for high-performance asymmetric supercapacitors. **2022**, 142, 109719
- 169 Ion transport to temperature and gate in organic electrochemical transistors with anti-freezing hydrogel. **2022**, 108, 106605 ○
- 168 Electropolymerized chlorophyll derivative biopolymers for supercapacitors. **2022**, 450, 138000 ○
- 167 Tailor-made dual doping for morphology control of polyaniline chains in cellulose nanofiber-based flexible electrodes: electrical and electrochemical performance. ○
- 166 Nonionic waterborne polyurethane/polypyrrole/silver nanowires coating film with high-efficient electromagnetic interference shielding. **2022**, 804, 139882 ○

- 165 Poly(N-isopropylacrylamide)-Based Hydrogels for Biomedical Applications: A Review of the State-of-the-Art. **2022**, 8, 454 4
- 164 Additive manufacturing (3D printing) of electrically conductive polymers and polymer nanocomposites and their applications. **2022**, 5
- 163 Influence of surfaces and interfaces on MXene and MXene hybrid polymeric nanoarchitectures, properties, and applications. **2022**, 57, 14579-14619 1
- 162 Conducting Polymer Nanocomposite for Energy Storage and Energy Harvesting Systems. **2022**, 2022, 1-23
- 161 Advances in Zinc and Magnesium Battery Polymer Cathode Materials.
- 160 Conducting Polymers Meet Lithium-Sulfur Batteries: Progress, Challenges and Perspectives. 1
- 159 Tailoring the electrochemical performance of PEDOT : PSS via incorporation of spray dryer processed graphene oxide.
- 158 An account on the deep eutectic solvents-based electrolytes for rechargeable batteries and supercapacitors. **2022**, 33, e00477 0
- 157 Facile synthesis of 3D porous polyaniline composite with MnO₂-decorated fiber morphology and enhanced electrochemical performance. **2022**, 256, 125235 0
- 156 A review on polyaniline and graphene nanocomposites for supercapacitors. **2022**, 61, 1871-1907 4
- 155 Facile synthesis of novel poly(1H-benzoindole)/WO₃ nanocomposites with enhanced energy storage capability and its application in high-performance supercapacitor. **2022**, 923, 116812 0
- 154 One-step preparation of flexible nanocellulose-based composite hydrogel supercapacitors with high specific capacitance. **2022**, 230, 109725 0
- 153 Copper sulfide nanoparticles on titanium dioxide (TiO₂) nanoflakes: A new hybrid asymmetrical Faradaic supercapacitors with high energy density and superior lifespan. **2022**, 55, 105651 2
- 152 Controllable synthesis of hierarchically porous polyaniline/MnO₂ composite with wide potential window towards symmetric supercapacitor. **2022**, 654, 130199 0
- 151 3D network structure of Co(OH)₂ nanoflakes/Ag dendrites via a one-step electrodeposition for high-performance supercapacitors. **2023**, 157, 112013 0
- 150 Fabrication of Nio/Ni Aerogel Electrodes for High Performance Supercapacitor Device. 0
- 149 Activity engineering to cobalt-based oxides materials for high performance supercapacitors: From morphology regulation to structural optimization. 0
- 148 Recent advances in novel graphene: new horizons in renewable energy storage technologies. **2022**, 10, 11472-11531 1

147	Chitin as a Universal and Sustainable Electrode Binder for Electrochemical Capacitors.	0
146	Recent progress in electrochromic energy storage materials and devices: A minireview.	1
145	Metal oxide-based nanocomposites for supercapacitive applications. 2022 , 187-211	0
144	Interconnected and high cycling stability polypyrrole supercapacitors using cellulose nanocrystals and commonly used inorganic salts as dopants. 2023 , 76, 165-174	0
143	The Role of Functionalized Conducting Polymer Binders in Improving Power Density and Cycle Life of Lithium-Sulfur Batteries.	0
142	Advances in Anode Materials for Microbial Fuel Cells. 2200824	0
141	A Parchment-Like Supercapacitor Made with Sustainable Graphene Electrodes and its Enhanced Capacitance by Incorporation of the LaSrCoO ₃ Perovskite. 2022 , 7,	0
140	Mini Review of Reliable Fabrication of Electrode under Stretching for Supercapacitor Application. 2022 , 13, 1470	2
139	Symmetric supercapacitor device applications of rGO / Co ₃ O ₄ / polypyrrole nanocomposites.	0
138	Synthesis and Properties of Electron-Deficient and Electron-Rich Redox-Active Ionic Systems.	0
137	Directed Self-Assembly of Conducting Polymer Nanofilms on Single-Crystalline Ice Facets.	1
136	Smart Electronic Textile-Based Wearable Supercapacitors. 2203856	3
135	Effects of pyridinic N of carboxylic acid on the polymerization of polyaniline and its supercapacitor performances. 2022 , 55, 105740	0
134	Synthesis of self-grown nanostructured NiO via pulse ionization for binderless pseudocapacitor electrode. 2022 , 55, 105779	0
133	In-situ coating of leather with conducting polyaniline in colloidal dispersion mode. 2022 , 291, 117191	2
132	Energy Technology Based on Conductive Polymers. 2022 , 205-273	0
131	Energy Storage Applications. 2022 , 233-267	0
130	A Review on Polyaniline: Synthesis, Properties, Nanocomposites, and Electrochemical Applications. 2022 , 2022, 1-19	0

129	Surface engineering towards high-energy carbon cathode for advanced aqueous zinc-ion hybrid capacitors. 2022 , 107919	0
128	Applications. 2022 , 787-886	0
127	Solution Processed WO ₃ and PEDOT:PSS Composite for Hole Transport Layer in ITO-Free Organic Solar Cells.	0
126	Facile synthesis of rGO/PANI/ZnO ternary nanocomposites for energy storage devices.	0
125	Graphene patterned polyaniline- based NH ₃ gas sensor.	0
124	Layer-by-Layer Heterostructure of MnO ₂ @Reduced Graphene Oxide Composites as High-Performance Electrodes for Supercapacitors. 2022 , 12, 1044	0
123	Emerging Synthetic Methods and Applications of MOF-Based Gels in Supercapacitors, Water Treatment, Catalysis, Adsorption, and Energy Storage. 2200469	2
122	Reduced graphene oxide doped tellurium nanotubes for high performance supercapacitor. 10,	0
121	Bifunctional Self-Penetrating Co(II)-Based 3D MOF for High-Performance Environmental and Energy Storage Applications.	2
120	Organic Supercapacitors as the Next Generation Energy Storage Device: Emergence, Opportunity, and Challenges.	0
119	Polypyrrole based cathode material for battery application. 2022 , 12, 100416	2
118	Facile fabrication of CuO/Ag ₂ Se nanosized composite via hydrothermal approach for the electrochemical energy conversion system. 2022 , 56, 105929	1
117	Sequential electrodeposition fabrication of graphene/polyaniline/MnO ₂ ternary supercapacitor electrodes with high rate capability and cyclic stability. 2022 , 435, 141378	0
116	Fabrication of novel coral reef-like nanostructured ZnFeNiCo ₂ S ₄ on Ni foam as an electrode material for battery-type supercapacitors. 2022 , 434, 141320	1
115	Facile synthesis of CoCo ₂ O ₄ /rGO spinel nanoarray as a robust electrode for energy storage devices. 2022 , 146, 110136	1
114	High-porosity carbon nanofibers prepared from polyacrylonitrile blended with amylose starch for application in supercapacitors. 2023 , 293, 126896	3
113	PEDOT/PVC-modified amperometric carbon electrodes for acetylcholine detection.	0
112	Electrochemical Impedance Spectroscopy Analysis of BiMetallic AuCu/g-C ₃ N ₄ Nanocomposite as a Supercapacitor Electrode Material. 2022 , 455-463	0

111	Controlling mechanical properties of ultrahigh molecular weight ion gels by chemical structure of ionic liquids and monomers.	1
110	Graphene Reinforced Polymer Matrix Nanocomposites: Fabrication Method, Properties and Applications.	0
109	Recent Advances in Capacitive Deionization: Research Progress and Application Prospects. 2022 , 14, 14429	1
108	Hierarchical polypyrrole@cobalt sulfide-based flexible on-chip microsupercapacitors with ultrahigh energy density for self-charging system.	2
107	Ag/MnO ₂ /GO/PPy Nanocomposites with Tunable Micro-mesoporous Structures for High-Performance Supercapacitor Electrodes.	0
106	Enhancement in the Electrochemical Performance of Strontium (Sr)-Doped LaMnO ₃ as Supercapacitor Materials. 2022 , 12, 1739	0
105	MXene fibers for electronic textiles: Progress and perspectives. 2022 , 107996	0
104	Hierarchical MXene/Polypyrrole-Decorated Carbon Nanofibers for Asymmetrical Capacitive Deionization.	0
103	Status on electrodeposited manganese dioxide and biowaste carbon for hybrid capacitors: The case of high-quality oxide composites, mechanisms, and prospects. 2022 , 56, 106099	2
102	A comprehensive review of supercapacitors: Properties, electrodes, electrolytes and thermal management systems based on phase change materials. 2022 , 56, 106023	1
101	Conductive polymers and composite-based systems: A quantum leap in the drug delivery arena and therapeutics. 2023 , 485-522	0
100	Activation-induced layered structure in NiCoAl by atomic modulation for energy storage application. 2023 , 27, 101265	1
99	Recent Advances of Polyaniline-based Micro-Supercapacitors.	0
98	Recent trends in noble-metals based composite materials for supercapacitors: A comprehensive and development review. 2023 , 100, 100817	0
97	3D printable composites of modified cellulose fibers and conductive polymers and their use in wearable electronics. 2023 , 30, 101703	0
96	Bio-inspired adenine-benzoquinone-adenine pillar grafted graphene oxide materials with excellent cycle stability for high energy and power density supercapacitor applications. 2023 , 58, 106399	1
95	Nanoflower copper sulphide intercalated reduced graphene oxide integrated polypyrrole nano matrix as robust symmetric supercapacitor electrode material. 2023 , 59, 106446	1
94	Conducting Polymers and Their Composites for Supercapacitors. 2022 , 1-28	0

93	Recent developments in polypyrrole/manganese oxide-based nanocomposites for thin film electrodes in supercapacitors: a minireview. 2022 , 4, 5245-5252	○
92	WS2-Based Nanomaterials for Visible-Light Photocatalytic Degradation of Organic Pollutants. 185-205	○
91	Interactive Nanomaterials for Energy Storage and Conversion. 27-81	○
90	Efficient Design Paradigm for Harvesting Solar Energy: Dynamic Tunability of Heating/Cooling Mode Using Advanced Nanotechnology. 233-261	○
89	Polypyrrole Nanomaterials: Structure, Preparation and Application. 2022 , 14, 5139	3
88	Effect of Alcohol Tail Length on Aggregate Behavior of Alcohol and AOT at the Water-scCO ₂ Interface: MD Simulation Study. 263-288	○
87	Editors Biographies. 289-290	○
86	Preface. ix-x	○
85	Green Electrocatalytic Synthesis of Ammonia Using Solid Oxide Electrolysis Cells. 155-184	○
84	Atomic Layer Deposition Synthesis of Iron, Cobalt, and Nickel Chalcogenides for Electrocatalysis Applications. 117-135	○
83	Effect of Protonation Doping of Polyaniline Electrodes using Hydrochloric Acid on Its Pseudocapacitor Capacitance. 2022 , 2376, 012006	○
82	Calix[n]arene-Based Coordination Cage and Its Application to Electrocatalysis. 137-154	○
81	Nanostructured Materials for Sustainable Energy: Design, Evaluation, and Applications.	○
80	Title, Copyright, Foreword. i-v	○
79	Two-Dimensional Metal Phosphorus Trichalcogenide Nanostructure for Sustainable Energy Conversion. 1-25	○
78	Subject Index. 295-298	○
77	Solar-Driven Photothermocatalytic Dry Reforming of Methane for Syngas Production. 207-232	○
76	Organic-Carbon Composites for Next Generation Capacitive Electrodes. 83-115	○

75	Lignocellulose Biopolymers and Electronically Conducting Polymers: Toward Sustainable Energy Storage Applications. 2022 , 36, 14625-14656	1
74	Enhanced electrical conductivity and stretchability of ionic-liquid PEDOT:PSS air-cathodes for aluminium-air batteries with long lifetime and high specific energy. 2022 , 12,	1
73	Recent Advances in Sensing Materials Targeting Clinical Volatile Organic Compound (VOC) Biomarkers: A Review. 2023 , 13, 114	1
72	Polyaniline-conjugated graphite/montmorillonite composite electrode prepared by in situ electropolymerization for supercapacitor applications.	0
71	Designing High-Performing Symmetric Supercapacitor by Engineering Polyaniline on Steel Mesh Surface via Electrodeposition.	0
70	Effects of Calcium Substitution for La on the Electrochemical Performance of LaMnO ₃ Nanoparticles. 2023 , 8,	0
69	High utilization efficiencies of alkylbenzokynones hybridized inside the pores of activated carbon for electrochemical capacitor electrodes. 2023 , 13, 2587-2599	0
68	Polyaniline-modified graphitic carbon nitride as electrode materials for high-performance supercapacitors.	0
67	Enhanced specific capacity and cycling stability of flexible nanocellulose-based pseudocapacitive electrodes by controlled nanostructuring of polyaniline. 2023 , 441, 141830	0
66	Structure, morphology and energy storage properties of imide conjugated microporous polymers with different cores and the corresponding composites with CNT. 2023 , 441, 141820	0
65	Novel isostructural iron-series-MOF/calcined derivatives as positive and negative electrodes: A new strategy to obtain matched electrodes in a supercapacitor device.	2
64	Electrodeposited Pd nanoparticles on polypyrrole/nickel foam for efficient methanol oxidation. 2022 ,	0
63	Conjugated Polymers in the Context of Energy-Storage Applications. 2023 , 133-201	0
62	Polymers: Containing Redox-Active N -Heterocyclic Moieties. 2023 , 419-478	0
61	Li ₂ Mn _{0.8} Ni _{0.2} SiO ₄ /MnO ₂ nanocomposite for high-performance supercapacitor applications.	0
60	Solid-state batteries based on organic cathode materials.	0
59	Polymer-Containing Batteries *. 2023 , 17-68	0
58	Healable supercapacitors. 2023 , 613-628	0

57	Electrode materials for EDLC and pseudocapacitors. 2023 , 179-198	0
56	Intrinsically Conducting Polymer Composites as Active Masses in Supercapacitors. 2023 , 15, 730	2
55	Simulation of polymeric mixed ionic and electronic conductors with a combined classical and quantum mechanical model.	1
54	Investigation of Different Aqueous Electrolytes for Biomass-Derived Activated Carbon-Based Supercapacitors. 2023 , 13, 286	0
53	Fullerene nano-additives in conjugated polymers: Topographies and technical implications. 2023 , 65-85	0
52	Redox Polymers: Architectures, Synthesis, and Characterization *. 2023 , 69-132	0
51	Electrical and mechanical properties of self-supported hydroxypropyl methylcellulose/polyaniline conducting films. 2023 , 13, 7913-7920	0
50	0D, 1D, 2D, and 3D Structured Chalcogenides for Supercapacitor Applications. 2023 , 1-52	0
49	Synthesis and characterisation MoS ₂ nanoparticles reinforced polyaniline matrix composites. 2023 ,	0
48	Three-dimensional electro-Fenton system supplied with a nanocomposite of microbial cellulose/Fe ₃ O ₄ for effective degradation of tetracycline. 2023 , 317, 137890	0
47	Preparation and characterization of binder-free electrodes based on PEDOT and perovskites type La(1-x)SrxMnO ₃ for use in supercapacitors.	0
46	Design and Synthesis of Bisulfone-Linked Two-Dimensional Conjugated Microporous Polymers for CO ₂ Adsorption and Energy Storage. 2023 , 28, 3234	0
45	Synthesis of hierarchical structure MXene/PANI composite hybrid electrodes for supercapacitors. 2023 , 290, 116354	0
44	Carbon nanomaterials-PEDOT: PSS based electrochemical ionic soft actuators: Recent development in design and applications. 2023 , 354, 114277	0
43	Critical review on recent developments in conducting polymer nanocomposites for supercapacitors. 2023 , 295, 117326	0
42	Organic microelectrode arrays for bioelectronic applications. 2023 , 153, 100726	0
41	Tuning the structural, magnetic, and electrochemical properties of Mo-doped NiO nanostructures prepared by coprecipitation method. 2023 , 151, 110641	0
40	Gel electrolyte modification on D-A-D type conjugated polymer based supercapacitor. 2023 , 62, 106962	0

- 39 Nanoneedles anchored ultrathin petals of CuCo layered double hydroxide with high areal capacitance and long cycle life for high-performance hybrid supercapacitors. **2023**, 62, 106941 ○
- 38 Binderless nano marigold flower like structure of nickel sulfide electrode for sustainable supercapacitor energy storage applications. **2023**, 62, 106963 ○
- 37 Construction of hierarchical graphene/polyaniline@polyaniline electrodes by chemical and electrochemical polymerization for high-energy supercapacitors. **2023**, 454, 142414 ○
- 36 Asymmetric supercapacitors based on SnNiCoS ternary metal sulfide electrodes. **2023**, 34, 225401 ○
- 35 Synthesis of activated carbon nanofibers by bio-enzymatic method as electrode material for supercapacitors. **2023**, 18, 100024 ○
- 34 Soft Fiber Electronics Based on Semiconducting Polymer. 1
- 33 Catalyst controlled synthesis of porous organic polymers and their SWCNT composites for high performance supercapacitor applications. **2023**, 185, 105534 ○
- 32 Recent Advances and New Challenges: Two-Dimensional Metal-Organic Framework and Their Composites/Derivatives for Electrochemical Energy Conversion and Storage. **2023**, 2023, 1-47 ○
- 31 Laser Direct Writing of MnO₂/Carbonized Carboxymethylcellulose-Based Composite as High-Performance Electrodes for Supercapacitors. **2023**, 8, 7690-7698 ○
- 30 Road Map for In Situ Grown Binder-Free MOFs and Their Derivatives as Freestanding Electrodes for Supercapacitors. 2207713 ○
- 29 Conductive polymers and composites-based systems: An incipient stride in drug delivery and therapeutics realm. **2023**, 355, 709-729 1
- 28 Evaluation of nanostructured electrode materials for high-performance supercapacitors using multiple-criteria decision-making approach. **2023**, 31, 2286-2314 ○
- 27 Evaluative study on supercapacitance behavior of polyaniline/polypyrrole-metal oxide based composites electrodes: a review. **2023**, 29, 101424 ○
- 26 Fabrication of Porous Carbon Nanofibers from Polymer Blends Using Template Method for Electrode-Active Materials in Supercapacitor. **2023**, 28, 2228 1
- 25 Self-supporting flexible poly(1-naphaneneboronic acid) film as green light-emitting material. **2023**, 140, ○
- 24 Electrochemical performance optimization of the polyaniline electrodeposited on ITO substrate. ○
- 23 Construction of Phthalocyanine-Titanium Dioxide/Graphene/Polyaniline Composite Electrodes by Electrochemical Method for Supercapacitor Applications. **2023**, 12, 031008 ○
- 22 Unlocking the full energy densities of carbon-based supercapacitors. **2023**, 11, 517-546 ○

- 21 Physical properties of Ni: Co₃O₄ thin films and their electrochemical performance. **2023**, 98, 045816 ○
- 20 Green-Synthesized Graphene for Supercapacitors Modern Perspectives. **2023**, 7, 108 ○
- 19 Review of advances in improving thermal, mechanical and electrochemical properties of polyaniline composite for supercapacitor application. ○
- 18 Effect of polypyrrole on the capacitance enhancement of the spherical ZnS-ZnO/G-C₃N₄ nanocomposite for supercapacitor applications. ○
- 17 Structural, AC conductivity, dielectric and impedance studies of polypyrrole/praseodymium calcium manganite nanocomposites. **2023**, 18, 343-365 ○
- 16 Flexible mode of oxidizing action and its impact on the electrochemical performance of the polymeric electrode materials. **2023**, ○
- 15 Facile Synthesis of Battery-Type CuMn₂O₄ Nanosheet Arrays on Ni Foam as an Efficient Binder-Free Electrode Material for High-Rate Supercapacitors. **2023**, 13, 1125 ○
- 14 Shape Memory Supercapacitors. **2023**, 331-355 ○
- 13 Electrospun Materials Based on Polymer and Biopolymer Blends A Review. **2023**, 15, 1654 ○
- 12 Quinone-based imide conjugated microporous polymer-reductive graphene oxide composite as an efficient electrode for hybrid supercapacitors. ○
- 11 Effect of partially reduced fullerene-graphene hybrid nanofiller on photophysical and super capacitance properties of fluorescence conducting polymer nanocomposites. ○
- 10 Facile fabrication of PANI/g-C₃N₄/MXene composites as electrode materials for supercapacitors. ○
- 9 Ceramic-polyaniline composites for asymmetric supercapacitors. **2023**, 371-396 ○
- 8 Construction of conjugated scaffolds driven by mechanochemistry towards energy storage applications. **2023**, ○
- 7 A Review of Cobalt-Based Metal Hydroxide Electrode for Applications in Supercapacitors. **2023**, 2023, 1-15 ○
- 6 Layered double hydroxides (LDHs)-conducting polymers (CPs)-based electroactive materials for supercapacitor application. ○
- 5 MoS₂-based core-shell nanostructures: Highly efficient materials for energy storage and conversion applications. **2023**, 66, 107393 ○
- 4 Facile synthesis of CuCo₂O₄ spinel with rGO nanocomposite via hydrothermal approach for solid state supercapacitor application. **2023**, 66, 107394 ○

- 3 Ultrasonic exfoliated few-layer Ti₂CTx nanosheets for high specific capacitive electrode. **2023**, 34, ○
- 2 Transition metal oxide assisted quaternary nanoarchitectonics based composite towards enhanced electrochemical energy storage performance. **2023**, 129, ○
- 1 Anthraquinone-Functionalized Polydiacetylene Supercapacitors. ○