

CITATION REPORT

List of articles citing

Validation of the National Health Insurance Research Database with ischemic stroke cases in Taiwan

DOI: 10.1002/pds.2087

Pharmacoepidemiology and Drug Safety, 2011, 20, 236-42.

Source: <https://exaly.com/paper-pdf/51451652/citation-report.pdf>

Version: 2024-04-25

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1057	Prescription patterns of Chinese herbal products for menopausal syndrome: analysis of a nationwide prescription database. 2011 , 137, 1261-6		49
1056	Response to eczema and cancer risk: a critical appraisal and review of the literature. 2011 , 165, 462-3		1
1055	Pharmacovigilance systems and databases in Korea, Japan, and Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2011 , 20, 1237-45	2.6	27
1054	An investigation of the use of traditional chinese medicine in stroke patients in taiwan. <i>Evidence-based Complementary and Alternative Medicine</i> , 2012 , 2012, 387164	2.3	37
1053	Statins and the risk of hepatocellular carcinoma in patients with hepatitis B virus infection. 2012 , 30, 623-30		214
1052	Characteristics of pediatric traditional Chinese medicine users in Taiwan: a nationwide cohort study. 2012 , 129, e1485-92		30
1051	Atrial fibrillation and the risk of ischemic stroke: does it still matter in patients with a CHA2DS2-VASc score of 0 or 1?. 2012 , 43, 2551-5		62
1050	Socioeconomic deprivation and associated risk factors of traumatic brain injury in children. 2012 , 73, 1327-31		13
1049	Risks and benefits of menopausal hormone therapy in postmenopausal Chinese women. 2012 , 19, 931-41		15
1048	A nation-wide analysis of venous thromboembolism in 497,180 cancer patients with the development and validation of a risk-stratification scoring system. 2012 , 108, 225-35		80
1047	Chronic periodontitis and the subsequent risk of trigeminal neuralgia: a 5-year follow-up study. <i>Journal of Clinical Periodontology</i> , 2012 , 39, 1017-23	7.7	2
1046	Arthritis as an important determinant for psoriatic patients to develop severe vascular events in Taiwan: a nation-wide study. 2013 , 27, 1262-8		27
1045	Effectiveness and safety of antiplatelet therapy in stroke recurrence prevention in patients with liver cirrhosis: a 2-year follow-up study. <i>Pharmacoepidemiology and Drug Safety</i> , 2012 , 21, 1334-43	2.6	14
1044	Epidemiology of uveitis among the Chinese population in Taiwan: a population-based study. 2012 , 119, 2371-6		59
1043	Conservatively treated ossification of the posterior longitudinal ligament increases the risk of spinal cord injury: a nationwide cohort study. 2012 , 29, 462-8		37
1042	Increased risk of multiple sclerosis after traumatic brain injury: a nationwide population-based study. 2012 , 29, 90-5		36
1041	Obstructive sleep apnea and the risk of autoimmune diseases: a longitudinal population-based study. <i>Sleep Medicine</i> , 2012 , 13, 583-8	4.6	38

1040	Risk of stroke associated with inhaled ipratropium bromide in chronic obstructive pulmonary disease: a population-based nested case-control study. 2012 , 158, 279-84	19
1039	Comorbidities of bladder pain syndrome/interstitial cystitis: a population-based study. 2012 , 110, E903-9	28
1038	Statins, risk of diabetes, and implications on outcomes in the general population. 2012 , 60, 1231-8	99
1037	Pneumonia and pregnancy outcomes: a nationwide population-based study. 2012 , 207, 288.e1-7	69
1036	The risk of stroke after spinal fusion surgery: a national cohort study. 2012 , 12, 492-9	8
1035	Readmission to the intensive care unit: a population-based approach. 2012 , 111, 504-9	13
1034	Cost-effectiveness analysis of stroke management under a universal health insurance system. 2012 , 323, 205-15	14
1033	A population-based case-control study on the association between rheumatoid arthritis and deep vein thrombosis. 2012 , 56, 1642-8	19
1032	Postoperative adverse outcomes in surgical patients with dementia: a retrospective cohort study. 2012 , 36, 2051-8	70
1031	Lumbar spine fusion surgery and stroke: a national cohort study. 2012 , 21, 2680-7	8
1030	The risk of stroke after percutaneous vertebroplasty for osteoporosis: a population-based cohort study. 2012 , 7, e31405	2
1029	Does hepatitis C virus infection increase risk for stroke? A population-based cohort study. 2012 , 7, e31527	89
1028	Increased risk of vascular events in emergency room patients discharged home with diagnosis of dizziness or vertigo: a 3-year follow-up study. 2012 , 7, e35923	34
1027	Chronic kidney disease itself is a causal risk factor for stroke beyond traditional cardiovascular risk factors: a nationwide cohort study in Taiwan. 2012 , 7, e36332	39
1026	Risk and prognostic factors of inpatient mortality associated with unintentional insecticide and herbicide poisonings: a retrospective cohort study. 2012 , 7, e45627	3
1025	Risk of dementia in patients with insomnia and long-term use of hypnotics: a population-based retrospective cohort study. 2012 , 7, e49113	92
1024	Diabetic patients with severe sepsis admitted to intensive care unit do not fare worse than non-diabetic patients: a nationwide population-based cohort study. 2012 , 7, e50729	31
1023	Association between systemic antipsoriatic drugs and cardiovascular risk in patients with psoriasis with or without psoriatic arthritis: a nationwide cohort study. 2012 , 64, 1879-87	37

1022	Postoperative adverse outcomes in surgical patients with epilepsy: a population-based study. 2012 , 53, 987-94		21
1021	A nationwide population-based study on the association between chronic periodontitis and erectile dysfunction. <i>Journal of Clinical Periodontology</i> , 2012 , 39, 507-12	7.7	45
1020	Cancer risk in patients with pyogenic liver abscess: a nationwide cohort study. 2012 , 36, 467-76		38
1019	Reflux esophagitis increased the risk of bladder pain syndrome/interstitial cystitis: a 3-year follow-up study. 2013 , 32, 271-5		6
1018	Increased risk of bladder cancer following diagnosis with bladder pain syndrome/interstitial cystitis. 2013 , 32, 58-62		16
1017	Increased stroke risk in Bell's palsy patients without steroid treatment. 2013 , 20, 616-22		11
1016	Risk of heart failure associated with dopamine agonists: a nested case-control study. 2013 , 30, 739-45		17
1015	Surgeon elective abdominal aortic aneurysm repair volume and outcomes of ruptured abdominal aortic aneurysm repair: a 12-year nationwide study. 2013 , 37, 2360-71		14
1014	Obstructive sleep apnea and increased risk of glaucoma: a population-based matched-cohort study. 2013 , 120, 1559-64		80
1013	A case-control study on the association between rheumatoid arthritis and bladder pain syndrome/interstitial cystitis. 2013 , 32, 980-5		15
1012	Increased risk of acute myocardial infarction in systemic sclerosis: a nationwide population-based study. 2013 , 126, 982-8		53
1011	Dosage of statin, cardiovascular comorbidities, and risk of atrial fibrillation: a nationwide population-based cohort study. 2013 , 168, 1131-6		14
1010	A MiniReview of the use of hospital-based databases in observational inpatient studies of drugs. 2013 , 112, 13-8		17
1009	Obstructive sleep apnea is associated with an increased risk of venous thromboembolism. 2013 , 1, 139-45		10
1008	Pneumococcal pneumonia and the risk of acute coronary syndrome: a population-based cohort study. 2013 , 168, 4480-1		9
1007	Cataract surgery utilization after acute stroke: A nationwide cohort study. 2013 , 4, 7-11		2
1006	Nonapnea sleep disorders are associated with subsequent ischemic stroke risk: a nationwide, population-based, retrospective cohort study. <i>Sleep Medicine</i> , 2013 , 14, 1341-7	4.6	24
1005	High risk of gastrointestinal hemorrhage in patients with epilepsy: a nationwide cohort study. 2013 , 88, 1091-8		34

1004	The effect of tropical cyclones (typhoons) on emergency department visits. 2013 , 45, 372-9		9
1003	Topiramate use and the risk of glaucoma development: a population-based follow-up study. 2013 , 155, 336-341.e1		15
1002	Population-based cohort study on the increase in the risk for type 2 diabetes mellitus development from nonapnea sleep disorders. <i>Sleep Medicine</i> , 2013 , 14, 913-8	4.6	37
1001	Association between traditional systemic antipsoriatic drugs and tuberculosis risk in patients with psoriasis with or without psoriatic arthritis: results of a nationwide cohort study from Taiwan. 2013 , 69, 25-33		30
1000	Rheumatoid arthritis and risk of acute myocardial infarction--a nationwide retrospective cohort study. 2013 , 168, 4750-4		55
999	Risk of hepato-biliary cancer after cholecystectomy: a nationwide cohort study. 2013 , 17, 345-51		13
998	Increased risk of psoriasis following chronic rhinosinusitis without nasal polyps: a population-based matched-cohort study. 2013 , 168, 289-94		8
997	Association of stroke with the receptor-binding profiles of antipsychotics-a case-crossover study. 2013 , 73, 414-21		46
996	Comparative stroke risk of antiepileptic drugs in patients with epilepsy. 2013 , 54, 172-80		20
995	Association between obstructive sleep apnoea and chronic periodontitis: a population-based study. <i>Journal of Clinical Periodontology</i> , 2013 , 40, 111-7	7.7	25
994	Psoriasis is associated with an increased risk of parkinsonism: a population-based 5-year follow-up study. 2013 , 68, 992-9		21
993	Increased risk of depressive disorder following diagnosis with bladder pain syndrome/interstitial cystitis. 2013 , 32, 467-71		10
992	Association between osteoporosis and psoriasis: results from the Longitudinal Health Insurance Database in Taiwan. 2013 , 24, 1835-41		32
991	Assessment of statin-associated muscle toxicity in Japan: a cohort study conducted using claims database and laboratory information. 2013 , 3,		36
990	Cluster headache is associated with an increased risk of depression: a nationwide population-based cohort study. 2013 , 33, 182-9		35
989	Tourette syndrome and risk of depression: a population-based cohort study in Taiwan. 2013 , 34, 181-5		46
988	Epidemiology of cervical spondylotic myelopathy and its risk of causing spinal cord injury: a national cohort study. 2013 , 35, E10		106
987	Sudden sensorineural hearing loss associated with chronic periodontitis: a population-based study. 2013 , 34, 1380-4		10

986	Adverse outcomes after noncardiac surgery in patients with diabetes: a nationwide population-based retrospective cohort study. 2013 , 36, 3216-21	53
985	Acetaminophen and/or antibiotic use in early life and the development of childhood allergic diseases. 2013 , 42, 1087-99	49
984	Epidemiology and disease burden of ischemic stroke in Taiwan. 2013 , 123, 724-31	21
983	Chronic rhinosinusitis increased the risk of chronic periodontitis: a population-based matched-cohort study. 2013 , 123, 1323-7	8
982	Risk of infections subsequent to pyogenic liver abscess: a nationwide population-based study. 2013 , 19, 717-22	38
981	Chronic rhinosinusitis increased the risk of stroke: a 5-year follow-up study. 2013 , 123, 835-40	25
980	Interferon-based therapy reduces risk of stroke in chronic hepatitis C patients: a population-based cohort study in Taiwan. 2013 , 38, 415-23	91
979	Central nervous system infections and stroke -- a population-based analysis. 2013 , 128, 241-8	4
978	Adverse postoperative outcomes in surgical patients with immune thrombocytopenia. 2013 , 100, 684-92; discussion 693	12
977	Hospitalized osteoporotic vertebral fracture increases the risk of stroke: a population-based cohort study. 2013 , 28, 516-23	17
976	Association between multiple sclerosis and chronic periodontitis: a population-based pilot study. 2013 , 20, 1053-9	33
975	A nationwide population-based study on bladder pain syndrome/interstitial cystitis and ED. 2013 , 25, 224-8	2
974	Association between hypertensive disorders during pregnancy and end-stage renal disease: a population-based study. 2013 , 185, 207-13	102
973	Long-term outcome of patients with aortic aneurysms taking low-dose aspirin: a population-based cohort study. 2013 , 61, 1004-12	5
972	Migraine and risk of dementia: a nationwide retrospective cohort study. 2013 , 41, 139-45	38
971	Customer value assessment of pharmaceutical marketing in Taiwan. 2013 , 113, 1315-1333	11
970	Chronic rhinosinusitis confers an increased risk of acute myocardial infarction. 2013 , 27, e178-82	20
969	A population-based study on the association between urinary calculi and kidney cancer. 2013 , 7, E716-21	13

968	Increased risk of prostate cancer following sexually transmitted infection in an Asian population. 2013 , 141, 2663-70	10
967	Obstructive sleep apnea and the subsequent risk of depressive disorder: a population-based follow-up study. 2013 , 9, 417-23	77
966	Increased risk of hemorrhagic stroke in patients with migraine: a population-based cohort study. 2013 , 8, e55253	40
965	Are non-cardiac surgeries safe for dialysis patients? - A population-based retrospective cohort study. 2013 , 8, e58942	14
964	Claims-based definition of death in Japanese claims database: validity and implications. 2013 , 8, e66116	36
963	Routine endoscopy for esophageal cancer is suggestive for patients with oral, oropharyngeal and hypopharyngeal cancer. 2013 , 8, e72097	23
962	Significantly increased risk of cardiovascular disease among patients with gallstone disease: a population-based cohort study. 2013 , 8, e76448	26
961	The impact of nationwide education program on clinical practice in sepsis care and mortality of severe sepsis: a population-based study in Taiwan. 2013 , 8, e77414	26
960	Increased risk of stroke after septicaemia: a population-based longitudinal study in Taiwan. 2014 , 9, e89386	20
959	Detecting potential adverse reactions of sulpiride in schizophrenic patients by prescription sequence symmetry analysis. 2014 , 9, e89795	16
958	Cardiovascular events in patients with atherothrombotic disease: a population-based longitudinal study in Taiwan. 2014 , 9, e92577	19
957	Increased risk of ischemic stroke in young patients with ankylosing spondylitis: a population-based longitudinal follow-up study. 2014 , 9, e94027	18
956	Does non-central nervous system tuberculosis increase the risk of ischemic stroke? A population-based propensity score-matched follow-up study. 2014 , 9, e98158	5
955	A short-term effect of low-dose aspirin on major hemorrhagic risks in primary prevention: a case-crossover design. 2014 , 9, e98326	6
954	Increased healthcare service utilizations for patients with dementia: a population-based study. 2014 , 9, e105789	28
953	Increased risk of acute angle closure in retinitis pigmentosa: a population-based case-control study. 2014 , 9, e107660	10
952	Outcomes and characteristics of patients undergoing percutaneous angioplasty followed by below-knee or above-knee amputation for peripheral artery disease. 2014 , 9, e111130	17
951	Herpes zoster is associated with prior statin use: a population-based case-control study. 2014 , 9, e111268	14

950	Concordance between patient self-reports and claims data on clinical diagnoses, medication use, and health system utilization in Taiwan. 2014 , 9, e112257		167
949	Poor clinical outcomes among pneumonia patients with depressive disorder. 2014 , 9, e116436		14
948	Association between chronic osteomyelitis and deep-vein thrombosis. Analysis of a nationwide population-based registry. 2014 , 112, 573-9		7
947	Is clopidogrel better than aspirin following breakthrough strokes while on aspirin? A retrospective cohort study. 2014 , 4, e006672		21
946	Rheumatoid arthritis increases the risk of deep vein thrombosis and pulmonary thromboembolism: a nationwide cohort study. 2014 , 73, 1774-80		121
945	Keloid incidence in Asian people and its comorbidity with other fibrosis-related diseases: a nationwide population-based study. 2014 , 306, 803-8		35
944	Neuroprotective effect of a formula, moschus combined with borneolum synthcticum, from traditional chinese medicine on ischemia stroke in rats. <i>Evidence-based Complementary and Alternative Medicine</i> , 2014 , 2014, 157938	2.3	8
943	Conducting record review studies in clinical practice. 2014 , 8, JG01-4		30
942	Association of cataract with chronic rhinosinusitis: a population-based case-control study. 2014 , 21, 391-6		1
941	Idiopathic venous thromboembolism: a potential surrogate for occult cancer. 2014 , 107, 529-36		18
940	Chronic fatigue syndrome is associated with the risk of fracture: a nationwide cohort study. 2014 , 107, 635-41		3
939	Cardiologist service volume, percutaneous coronary intervention and hospital level in relation to medical costs and mortality in patients with acute myocardial infarction: a nationwide study. 2014 , 107, 557-64		6
938	Increased breast cancer risk for patients with multiple sclerosis: a nationwide population-based cohort study. 2014 , 21, 238-44		40
937	Increased subsequent risk of acute coronary syndrome for patients with depressive disorder: a nationwide population-based retrospective cohort study. 2014 , 68, 263-9		5
936	Long-term risk of coronary events after AKI. 2014 , 25, 595-605		211
935	Increased incidence of juvenile-onset systemic lupus erythematosus among children with asthma. 2014 , 25, 374-9		12
934	Bladder pain syndrome/interstitial cystitis increase the risk of coronary heart disease. 2014 , 33, 511-5		13
933	Statin use and clinical outcomes among pneumonia patients. 2014 , 20, 879-85		7

932	Comorbidity profile of chronic rhinosinusitis: a population-based study. 2014 , 124, 1536-41	40
931	Increased risk of pemphigoid following scabies: a population-based matched-cohort study. 2014 , 28, 558-64	13
930	Herpes zoster infection associated with acute coronary syndrome: a population-based retrospective cohort study. 2014 , 170, 1122-9	16
929	Bladder pain syndrome/interstitial cystitis is associated with anxiety disorder. 2014 , 33, 101-5	21
928	Association of postdischarge rehabilitation with mortality in intensive care unit survivors of sepsis. 2014 , 190, 1003-11	78
927	The bidirectional relationship between myocardial infarction and depressive disorders: a follow-up study. 2014 , 177, 854-9	5
926	Atrial fibrillation increases medical cost and complicates hospital outcome of traffic accident-related physical trauma--a nationwide population-based study. 2014 , 177, 964-9	6
925	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case-control study. 2014 , 93, 921-5	10
924	Health care service utilization among patients with chronic rhinosinusitis: a population-based study. 2014 , 124, 1285-9	27
923	Effectiveness and safety of antiplatelet in stroke patients with end-stage renal disease undergoing dialysis. 2014 , 9, 580-90	19
922	Paediatric head CT scan and subsequent risk of malignancy and benign brain tumour: a nation-wide population-based cohort study. 2014 , 110, 2354-60	132
921	Risk of oral antifungal agent-induced liver injury in Taiwanese. 2014 , 77, 180-9	42
920	Increased risk of Parkinson's disease in patients with end-stage renal disease: a retrospective cohort study. 2014 , 42, 204-10	25
919	Adverse outcomes after major surgery in patients with systemic lupus erythematosus: a nationwide population-based study. 2014 , 73, 1646-51	54
918	Incidence and renal survival of ESRD in the young Taiwanese population. 2014 , 9, 302-9	16
917	Visit-to-visit variability of fasting plasma glucose as predictor of ischemic stroke: competing risk analysis in a national cohort of Taiwan Diabetes Study. 2014 , 12, 165	55
916	The impact of dialysis therapy on older patients with advanced chronic kidney disease: a nationwide population-based study. 2014 , 12, 169	28
915	Association between antipsychotic use and risk of acute myocardial infarction: a nationwide case-crossover study. 2014 , 130, 235-43	39

914	Effect of different antipsychotic drugs on short-term mortality in stroke patients. 2014 , 93, e170	7
913	Risk factors influencing complications of cardiac implantable electronic device implantation: infection, pneumothorax and heart perforation: a nationwide population-based cohort study. 2014 , 93, e213	35
912	Sleep apnea and risk of pneumonia: a nationwide population-based study. 2014 , 186, 415-21	95
911	Risk of subsequent dementia in patients with hypertensive encephalopathy: a nationwide population-based study in Taiwan. 2014 , 37, 357-65	2
910	The impact of acute kidney injury on the long-term risk of stroke. 2014 , 3,	92
909	Risk and mortality of traumatic brain injury in stroke patients: two nationwide cohort studies. 2014 , 29, 514-21	9
908	Ischemic bowel disease and risk of stroke: a one-year follow-up study. 2014 , 9, 1083-9	1
907	Increased risk of deep vein thrombosis and pulmonary thromboembolism in patients with spinal cord injury: a nationwide cohort prospective study. 2014 , 133, 579-84	42
906	Association between colonic diverticular disease and colorectal cancer: a nationwide population-based study. 2014 , 12, 1288-94	21
905	The relationship between secondary hyperparathyroidism and thyroid cancer in end stage renal disease: a population based cohort study. 2014 , 25, 276-80	20
904	Effect of statin therapy on mortality in patients with infective endocarditis. 2014 , 114, 94-9	7
903	Cancer risk in patients with cholelithiasis and after cholecystectomy: a nationwide cohort study. 2014 , 49, 923-31	53
902	Complication rate of neurogenic lower urinary tract dysfunction after spinal cord injury in Taiwan. 2014 , 46, 1063-71	6
901	An association between benzodiazepine use and occurrence of benign brain tumors. 2014 , 336, 8-12	13
900	Women with alopecia exhibit a higher risk for thyroid cancer: a nationwide cohort study. 2014 , 74, 18-22	4
899	Migraine is associated with a higher risk of transient global amnesia: a nationwide cohort study. 2014 , 21, 718-24	51
898	Investigation on Chinese herbal medicine for primary dysmenorrhea: implication from a nationwide prescription database in Taiwan. 2014 , 22, 116-25	60
897	Impact of early statin therapy in patients with ischemic stroke or transient ischemic attack. 2014 , 129, 41-8	15

896	Increased risk of open-angle glaucoma following chronic rhinosinusitis: a population-based matched-cohort study. 2014 , 28, 225-30		4
895	Dementia is associated with iron-deficiency anemia in females: a population-based study. 2014 , 346, 90-3		13
894	Increased risk of first-ever stroke in younger patients with atrial fibrillation not recommended for antithrombotic therapy by current guidelines: a population-based study in an East Asian cohort of 22 million people. 2014 , 89, 1487-97		12
893	The impact of acute kidney injury with temporary dialysis on the risk of fracture. 2014 , 29, 676-84		66
892	Scrub typhus increases the risk of developing acute coronary syndrome: a nationwide cohort study. 2014 , 100, 1844-50		16
891	Pneumococcal pneumonia infection is associated with end-stage renal disease in adult hospitalized patients. 2014 , 86, 1023-30		18
890	Mammography and the risk of thyroid and hematological cancers: a nationwide population-based study. 2014 , 20, 496-501		2
889	A high risk of hyperlipidemia in epilepsy patients: a nationwide population-based cohort study. 2014 , 24, 910-4		5
888	Risk of tuberculosis among healthcare workers in an intermediate-burden country: a nationwide population study. 2014 , 69, 525-32		21
887	Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1029-34	2.6	3
886	Subdural hematoma in patients with end-stage renal disease receiving hemodialysis. 2014 , 21, 894-900		9
885	Outcomes after surgery in patients with previous stroke. 2014 , 101, 1616-22		21
884	Risk of subsequent attention deficit-hyperactivity disorder in children with febrile seizures. 2014 , 99, 322-6		7
883	Acute myocardial infarction in patients with atrial fibrillation with a CHA2DS2-VASc score of 0 or 1: a nationwide cohort study. 2014 , 11, 1941-7		48
882	Sitagliptin and the risk of hospitalization for heart failure: a population-based study. 2014 , 177, 86-90		49
881	Do physicians with diabetes have differences in dialysis use and survival than other patients with diabetes. 2014 , 105, 382-90		2
880	Administrative data on diagnosis and mineralocorticoid receptor antagonist prescription identified patients with primary aldosteronism in Taiwan. 2014 , 67, 1139-49		38
879	Do nurses have worse pregnancy outcomes than non-nurses?. 2014 , 41, 262-7		14

878	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: a population-based matched-cohort study. 2014 , 33, 278-82	7
877	Percutaneous nephrolithotomy increases the risk of diabetes: a 5-year follow-up study. 2014 , 21, 664-8	1
876	Association between allergic rhinitis and nasopharyngeal carcinoma: a population-based study. 2014 , 124, 1744-9	15
875	Zolpidem and the risk of Parkinson's disease: a nationwide population-based study. 2014 , 58, 84-8	25
874	Using the CHA2DS2-VASc score for refining stroke risk stratification in 'low-risk' Asian patients with atrial fibrillation. 2014 , 64, 1658-65	136
873	Proton pump inhibitor use represents an independent risk factor for myocardial infarction. 2014 , 177, 292-7	63
872	Treatment adherence among new triptan users: a 2-year cohort study in Taiwan. 2014 , 15, 48	6
871	Increased lung cancer risk among patients with pneumococcal pneumonia: a nationwide population-based cohort study. 2014 , 192, 159-65	24
870	Nationwide population-based cohort study on the association of acute coronary syndrome in patients with malignancies. 2014 , 22, 2707-13	6
869	Risk of ischemic stroke in patients with ovarian cancer: a nationwide population-based study. 2014 , 12, 53	30
868	Increased risk of Parkinson disease following a diagnosis of neovascular age-related macular degeneration: a retrospective cohort study. 2014 , 157, 464-469.e1	20
867	Incidence and prediction of ischemic stroke among atrial fibrillation patients with end-stage renal disease requiring dialysis. 2014 , 11, 1752-9	60
866	Association of rhinosinusitis with nasopharyngeal carcinoma: a population-based study. 2014 , 124, 1515-20	20
865	Association between irritable bowel syndrome and colorectal cancer: a nationwide population-based study. 2014 , 25, 82-6	22
864	Association of nucleos(t)ide analogue therapy with reduced risk of hepatocellular carcinoma in patients with chronic hepatitis B: a nationwide cohort study. 2014 , 147, 143-151.e5	223
863	Increased risk for stroke in burn patients: a population-based one-year follow-up study. 2014 , 40, 54-60	6
862	Increased risk of ischemic heart disease in young patients with migraine: a population-based, propensity score-matched, longitudinal follow-up study. 2014 , 172, 213-6	21
861	Emergency department utilization can indicate early diagnosis of digestive tract cancers: A population-based study in Taiwan. 2014 , 115, 103-9	6

860	Osteoporosis and fractures after solid organ transplantation: a nationwide population-based cohort study. 2014 , 89, 888-95	41
859	Assessment of medical resource utilization for Taiwanese children hospitalized for intracranial injuries. 2014 , 45, 690-5	4
858	Scabies increased the risk of chronic kidney disease: a 5-year follow-up study. 2014 , 28, 286-92	29
857	Association between periodontitis needing surgical treatment and subsequent diabetes risk: a population-based cohort study. 2014 , 85, 779-86	14
856	The association between chronic osteomyelitis and increased risk of diabetes mellitus: a population-based cohort study. 2014 , 33, 1647-52	12
855	Febrile convulsions increase risk of Tourette syndrome. 2014 , 23, 651-6	12
854	Long-term risk of acute coronary syndrome in patients with cholangitis: a 13-year nationwide cohort study. 2014 , 25, 444-8	5
853	Stroke risk and outcomes in patients with traumatic brain injury: 2 nationwide studies. 2014 , 89, 163-72	38
852	Validation of acute myocardial infarction cases in the national health insurance research database in taiwan. 2014 , 24, 500-7	350
851	Angiotension receptor blockers reduce the risk of dementia. 2014 , 32, 938-47	30
850	Urinary calculi and risk of cancer: a nationwide population-based study. 2014 , 93, e342	23
849	Allergic rhinitis is associated with open-angle glaucoma: a population-based case-control study. 2014 , 28, e148-51	8
848	Smoking, drinking, and pancreatitis: a population-based cohort study in Taiwan. 2014 , 43, 1117-22	16
847	Effect of antiretroviral therapy on the incidence of cervical neoplasia among HIV-infected women: a population-based cohort study in Taiwan. 2014 , 28, 709-15	8
846	One-Year Mortality after Traumatic Brain Injury in Liver Cirrhosis Patients--A Ten-Year Population-Based Study. 2015 , 94, e1468	11
845	Association of Migraine and Sleep-Related Breathing Disorder: A Population-Based Cohort Study. 2015 , 94, e1506	21
844	Atrial fibrillation, CHA2DS2-VASc score, antithrombotics and risk of non-traffic-, non-cancer-related bone fractures: A population-based cohort study. 2015 , 26, 798-806	8
843	An Independent Risk of Gout on the Development of Deep Vein Thrombosis and Pulmonary Embolism: A Nationwide, Population-Based Cohort Study. 2015 , 94, e2140	14

842	Type II diabetes mellitus is associated with a reduced risk of cholangiocarcinoma in patients with biliary tract diseases. 2015 , 136, 2409-17	7
841	Risk of stroke in patients with rheumatism: a nationwide longitudinal population-based study. 2014 , 4, 5110	35
840	Comparative Study of Outcomes among Patients with Polycystic Kidney Disease on Hemodialysis and Peritoneal Dialysis. 2015 , 5, 12816	14
839	Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. 2015 , 5, 18044	2
838	High Risk of Herpes Zoster among Patients with Advance Acute Kidney Injury--A Population-Based Study. 2015 , 5, 13747	8
837	A competing risk analysis of sequential complication development in Asian type 2 diabetes mellitus patients. 2015 , 5, 15687	16
836	Pentoxifylline Decreases Dialysis Risk in Patients With Advanced Chronic Kidney Disease. 2015 , 98, 442-9	16
835	Association between venous thromboembolism and iron-deficiency anemia: a population-based study. 2015 , 26, 368-72	39
834	Depression and risk of venous thromboembolism: a population-based retrospective cohort study. 2015 , 77, 591-8	14
833	Incidence and Risk Factors for Tuberculosis After Liver Transplantation in an Endemic Area: A Nationwide Population-Based Matched Cohort Study. 2015 , 15, 2180-7	21
832	Migraine is associated with an increased risk for benign paroxysmal positional vertigo: a nationwide population-based study. 2015 , 16, 62	31
831	Risk of new-onset type II diabetes after appendectomy. 2015 , 102, 1267-71	4
830	Increased Risk of Acute Coronary Syndrome in Patients With Diverticular Disease: A Nationwide Population-Based Study. 2015 , 94, e2020	9
829	Re: The association between chronic obstructive pulmonary disease and dementia: a population-based retrospective cohort study. 2015 , 22, e70	
828	Increased risk of hepatocellular carcinoma in chronic hepatitis C patients with new onset diabetes: a nation-wide cohort study. 2015 , 42, 902-11	26
827	Risk of hip/femur fractures during the initiation period of β -adrenoceptor blocker therapy among elderly males: a self-controlled case series study. 2015 , 80, 1208-18	11
826	Association between Helicobacter pylori infection and the subsequent risk of end-stage renal disease: a nationwide population-based cohort study. 2015 , 69, 604-10	13
825	Association Between Benzodiazepine Use and Epilepsy Occurrence: A Nationwide Population-Based Case-Control Study. 2015 , 94, e1571	10

824	Cardiovascular Risk Factors Increase the Risks of Diabetic Peripheral Neuropathy in Patients With Type 2 Diabetes Mellitus: The Taiwan Diabetes Study. 2015 , 94, e1783	29
823	Increased Risk of Dementia in Patients With Acute Organophosphate and Carbamate Poisoning: A Nationwide Population-Based Cohort Study. 2015 , 94, e1187	19
822	Better adherence to antithyroid drug is associated with decreased risk of stroke in hyperthyroidism patients. 2015 , 69, 1473-85	3
821	Cataract surgery is associated with a reduced risk of dementia: a nationwide population-based cohort study. 2015 , 22, 1370-7, e79-80	18
820	Incremental Healthcare Service Utilization for Open-angle Glaucoma: A Population-Based Study. 2015 , 24, e116-20	4
819	Increasing Receipt of High-Tech/High-Cost Imaging and Its Determinants in the Last Month of Taiwanese Patients With Metastatic Cancer, 2001-2010: A Retrospective Cohort Study. 2015 , 94, e1354	3
818	Hepatitis C Virus Infection Associated With an Increased Risk of Deep Vein Thrombosis: A Population-Based Cohort Study. 2015 , 94, e1585	18
817	The Risk of Depressive Disorder Among Contacts of Tuberculosis Patients in a TB-endemic Area: A Population-based Cohort Study. 2015 , 94, e1870	8
816	Short-term use of glucocorticoids and risk of peptic ulcer bleeding: a nationwide population-based case-crossover study. 2015 , 42, 599-606	21
815	Use of 5-alpha-reductase inhibitors did not increase the risk of cardiovascular diseases in patients with benign prostate hyperplasia: a five-year follow-up study. 2015 , 10, e0119694	10
814	Short- and long-term major cardiovascular adverse events in carotid artery interventions: a nationwide population-based cohort study in Taiwan. 2015 , 10, e0121016	13
813	The impact of diabetes mellitus and corresponding HbA1c levels on the future risks of cardiovascular disease and mortality: a representative cohort study in Taiwan. 2015 , 10, e0123116	22
812	The secular trends in the incidence rate and outcomes of out-of-hospital cardiac arrest in Taiwan--a nationwide population-based study. 2015 , 10, e0122675	27
811	The association between individual income and aggressive end-of-life treatment in older cancer decedents in Taiwan. 2015 , 10, e0116913	6
810	Cardiovascular Outcomes of Sitagliptin in Type 2 Diabetic Patients with Acute Myocardial Infarction, a Population-Based Cohort Study in Taiwan. 2015 , 10, e0131122	16
809	Temporal Trends of In-Hospital Mortality in Patients Treated with Intra-Aortic Balloon Pumping: A Nationwide Population Study in Taiwan, 1998-2008. 2015 , 10, e0131575	3
808	Risk of Developing Depressive Disorders following Hepatocellular Carcinoma: A Nationwide Population-Based Study. 2015 , 10, e0135417	14
807	Increased Risk of Chronic Kidney Disease in Rheumatoid Arthritis Associated with Cardiovascular Complications - A National Population-Based Cohort Study. 2015 , 10, e0136508	47

806	Increased Risk of Coronary Heart Disease in Patients with Primary Fibromyalgia and Those with Concomitant Comorbidity-A Taiwanese Population-Based Cohort Study. 2015 , 10, e0137137		22
805	Prognosis and Risk Factors for Congenital Airway Anomalies in Children with Congenital Heart Disease: A Nationwide Population-Based Study in Taiwan. 2015 , 10, e0137437		9
804	Angiotensin Receptor Blockers Decrease the Risk of Major Adverse Cardiovascular Events in Patients with End-Stage Renal Disease on Maintenance Dialysis: A Nationwide Matched-Cohort Study. 2015 , 10, e0140633		12
803	Associations between Medical Conditions and Breast Cancer Risk in Asians: A Nationwide Population-Based Study in Taiwan. 2015 , 10, e0143410		23
802	Diabetes increases the risk of deep-vein thrombosis and pulmonary embolism. A population-based cohort study. 2015 , 114, 812-8		45
801	Identifying chinese herbal medicine network for eczema: implications from a nationwide prescription database. <i>Evidence-based Complementary and Alternative Medicine</i> , 2015 , 2015, 347164	2.3	8
800	The rising trend of sexually transmitted infections among HIV-infected persons: a population-based cohort study in Taiwan, 2000 through 2010. 2015 , 68, 432-8		9
799	Carbon monoxide poisoning and risk of deep vein thrombosis and pulmonary embolism: a nationwide retrospective cohort study. 2015 , 69, 557-62		24
798	Long-term risk of mesenteric ischemia in patients with inflammatory bowel disease: a 13-year nationwide cohort study in an Asian population. 2015 , 210, 80-6		12
797	Tension-type headache associated with obstructive sleep apnea: a nationwide population-based study. 2015 , 16, 34		16
796	Atrial fibrillation associated with increased risk of venous thromboembolism. A population-based cohort study. 2015 , 113, 185-92		33
795	In-Hospital and 4-Year Clinical Outcomes Following Transcatheter Versus Surgical Closure for Secundum Atrial Septal Defect in Adults: A National Cohort Propensity Score Analysis. 2015 , 94, e1524		10
794	Outcome Comparisons Between Patients on Peritoneal Dialysis With and Without Polycystic Kidney Disease: A Nationwide Matched Cohort Study. 2015 , 94, e2166		12
793	Risk of Ischemic Stroke in Patients With Gastric Cancer: A Nationwide Population-Based Cohort Study. 2015 , 94, e1336		14
792	Risk of Restless Legs Syndrome Following Tension-Type Headache: A Nationwide Population-Based Cohort Study. 2015 , 94, e2109		8
791	Increased Risk of Chronic Fatigue Syndrome Following Atopy: A Population-Based Study. 2015 , 94, e1211		8
790	Chronic NSAIDs Use Increases the Risk of a Second Hip Fracture in Patients After Hip Fracture Surgery: Evidence From a STROBE-Compliant Population-Based Study. 2015 , 94, e1566		11
789	High risk of developing subsequent epilepsy in young adults with migraine: a nationwide population-based cohort study in Taiwan. 2015 , 108, 449-55		12

788	Mycoplasma pneumonia increases the risk of acute coronary syndrome: a nationwide population-based cohort study. 2015 , 108, 697-703	4
787	Complications and mortality in patients with schizophrenia and diabetes: population-based cohort study. 2015 , 207, 450-7	15
786	Increased Risk of Chronic Sinusitis in Adults With Gastroesophageal Reflux Disease: A Nationwide Population-Based Cohort Study. 2015 , 94, e1642	23
785	Increased Risk of Hemorrhagic and Ischemic Strokes in Patients With Splenic Injury and Splenectomy: A Nationwide Cohort Study. 2015 , 94, e1458	13
784	Sitagliptin After Ischemic Stroke in Type 2 Diabetic Patients: A Nationwide Cohort Study. 2015 , 94, e1128	18
783	Is schizophrenia associated with an increased risk of chronic kidney disease? A nationwide matched-cohort study. 2015 , 5, e006777	25
782	Increased risk of osteoporosis in patients with depression: a population-based retrospective cohort study. 2015 , 90, 63-70	19
781	Statin use increases the risk of depressive disorder in stroke patients: a population-based study. 2015 , 348, 89-93	21
780	Incidence and survival of cancers among 1,054 hemophilia patients: A nationwide and 14-year cohort study. 2015 , 90, E55-9	10
779	Early statin therapy in patients with acute intracerebral hemorrhage without prior statin use. 2015 , 22, 773-80	29
778	Hyperglycemia and chronic liver diseases on risk of hepatocellular carcinoma in Chinese patients with type 2 diabetes--National cohort of Taiwan Diabetes Study. 2015 , 136, 2668-79	18
777	Long-term Mortality Risk After Hyperglycemic Crisis Episodes in Geriatric Patients With Diabetes: A National Population-Based Cohort Study. 2015 , 38, 746-51	22
776	Should atrial fibrillation patients with 1 additional risk factor of the CHA2DS2-VASc score (beyond sex) receive oral anticoagulation?. 2015 , 65, 635-42	187
775	Developing a stroke severity index based on administrative data was feasible using data mining techniques. 2015 , 68, 1292-300	79
774	Association of primary immune thrombocytopenia and common allergic diseases among children. 2015 , 77, 597-601	8
773	Bidirectional association between the risk of comorbidities and the diagnosis of retinal vein occlusion in an elderly population: a nationwide population-based study. 2015 , 178, 256-61	15
772	Beneficial impact of multidisciplinary team management on the survival in different stages of oral cavity cancer patients: results of a nationwide cohort study in Taiwan. 2015 , 51, 105-11	30
771	Increased risk of ischemic stroke among women with bladder pain syndrome/interstitial cystitis: a cohort study from Taiwan. 2015 , 34, 44-9	4

770	Pericardiocentesis adverse event risk factors: a nationwide population-based cohort study. 2015 , 130, 37-45	12
769	A short-term risk-benefit analysis of occasional and regular use of low-dose aspirin in primary prevention of vascular diseases: a nationwide population-based study. 2015 , 5, e006694	2
768	Risk and adverse outcomes of fractures in patients with Parkinson's disease: two nationwide studies. 2015 , 26, 1723-32	23
767	Increased risk of stroke among hip fracture patients: a nationwide cohort study. 2015 , 26, 645-52	12
766	Gout and a Subsequent Increased Risk of Erectile Dysfunction in Men Aged 64 and Under: A Nationwide Cohort Study in Taiwan. 2015 , 42, 1898-905	21
765	Association between orthostatic hypotension, mortality, and cardiovascular disease in Asians. 2015 , 195, 40-4	27
764	Risk and prediction of dementia in patients with atrial fibrillation--a nationwide population-based cohort study. 2015 , 199, 25-30	63
763	Epidemiologic features and long-term outcome of dialysis patients with infective endocarditis in Taiwan. 2015 , 179, 465-9	12
762	Dementia is associated with open-angle glaucoma: a population-based study. 2015 , 29, 1340-6	17
761	Nucleos(t)ide analogues associated with a reduced risk of hepatocellular carcinoma in hepatitis B patients: a population-based cohort study. 2015 , 121, 1446-55	31
760	Increased risk of urinary calculi in patients with migraine: a nationwide cohort study. 2015 , 35, 652-61	4
759	Association between sepsis and dementia. 2015 , 22, 1430-3	18
758	Atrial fibrillation, CHA2DS2-VASc score, antithrombotics and risk of traffic accidents: A population-based cohort study. 2015 , 197, 133-9	4
757	Use of traditional Chinese medicine reduces exposure to corticosteroid among atopic dermatitis children: a 1-year follow-up cohort study. 2015 , 159, 189-96	17
756	Progress of Diabetic Severity and Risk of Dementia. 2015 , 100, 2899-908	15
755	Neonatal urinary tract infection may increase the risk of childhood asthma. 2015 , 34, 1773-8	4
754	Proton pump inhibitor-related headaches: a nationwide population-based case-crossover study in Taiwan. 2015 , 35, 203-10	9
753	Analyzing Taiwan's National Health Insurance Research Database to explicate the allocation of health-care resources. 2015 , 2, 41-43	15

752	Spinal cord injury is related to an increased risk of multiple sclerosis: a population-based, propensity score-matched, longitudinal follow-up study. 2015 , 32, 655-9	9
751	Higher risk of developing a subsequent migraine in adults with nonapnea sleep disorders: A nationwide population-based cohort study. 2015 , 26, 232-6	9
750	Decreased prevalence of dementia associated with statins: a national population-based study. 2015 , 22, 912-8	18
749	Effectiveness and safety of extracranial carotid stent placement: a nationwide self-controlled case-series study. 2015 , 114, 274-81	5
748	Outcomes of coronary artery bypass grafting in patients with inflammatory rheumatic diseases: an 11-year nationwide cohort study. 2015 , 149, 859-66.e1-2	14
747	Adjuvant treatments of breast cancer increase the risk of depressive disorders: A population-based study. 2015 , 182, 44-9	17
746	Prevalence and risk factors of atherothrombotic events among 1054 hemophilia patients: a population-based analysis. 2015 , 135, 502-7	24
745	Risk of incident chronic kidney disease and end-stage renal disease in patients with psoriasis: A nationwide population-based cohort study. 2015 , 78, 232-8	74
744	Use of traditional Chinese medicine in patients with hyperlipidemia: A population-based study in Taiwan. 2015 , 168, 129-35	36
743	Increased subsequent risk of acute coronary syndrome for patients with dermatomyositis/polymyositis: a nationwide population-based retrospective cohort study. 2015 , 44, 42-7	8
742	Nonapnea sleep disorders and incident chronic kidney disease: a population-based retrospective cohort study. 2015 , 94, e429	17
741	Risk for irritable bowel syndrome in fibromyalgia patients: a national database study. 2015 , 94, e616	20
740	Risk factors for developing glaucoma among patients with uveitis: a nationwide study in Taiwan. 2015 , 24, 219-24	15
739	Using antidepressants and the risk of stroke recurrence: report from a national representative cohort study. 2015 , 15, 86	27
738	Validity of in-hospital mortality data among patients with acute myocardial infarction or stroke in National Health Insurance Research Database in Taiwan. 2015 , 201, 96-101	202
737	Age Threshold for Increased Stroke Risk Among Patients With Atrial Fibrillation: A Nationwide Cohort Study From Taiwan. 2015 , 66, 1339-47	92
736	Increasing risks of ischemic stroke in oral cancer patients treated with radiotherapy or chemotherapy: a nationwide cohort study. 2015 , 125, 808-16	7
735	Increased risk of hepatocellular carcinoma in chronic hepatitis B patients with new onset diabetes: a nationwide cohort study. 2015 , 41, 1200-9	36

734	Pulmonary embolism is associated with current morphine treatment in patients with deep vein thrombosis. 2015 , 9, 233-7	9
733	Subdural hematoma in diabetic patients. 2015 , 22, 99-105	5
732	Increased Risk of Depression in Patients with Parkinson Disease: A Nationwide Cohort Study. 2015 , 23, 934-40	24
731	Risk of leukaemia in children infected with enterovirus: a nationwide, retrospective, population-based, Taiwanese-registry, cohort study. 2015 , 16, 1335-43	33
730	Rate-control treatment and mortality in atrial fibrillation. 2015 , 132, 1604-12	90
729	Statin reduces mortality and morbidity in systemic lupus erythematosus patients with hyperlipidemia: A nationwide population-based cohort study. 2015 , 243, 11-8	64
728	Sitagliptin and cardiovascular outcomes in diabetic patients with chronic kidney disease and acute myocardial infarction: A nationwide cohort study. 2015 , 181, 200-6	42
727	Association between antiviral treatment and extrahepatic outcomes in patients with hepatitis C virus infection. 2015 , 64, 495-503	163
726	Bronchiectasis and the risk of cancer: a nationwide retrospective cohort study. 2015 , 69, 682-8	16
725	Rheumatoid arthritis patients with hip fracture: a nationwide study. 2015 , 26, 811-7	32
724	Validating the diagnosis of acute ischemic stroke in a National Health Insurance claims database. 2015 , 114, 254-9	252
723	Advanced complicated diabetes mellitus is associated with a reduced risk of thoracic and abdominal aortic aneurysm rupture: a population-based cohort study. 2015 , 31, 190-7	32
722	Association between sudden sensorineural hearing loss and anxiety disorder: a population-based study. 2015 , 272, 2673-8	17
721	Adult asthma increases dementia risk: a nationwide cohort study. 2015 , 69, 123-8	25
720	The epidemiology and burden of Alzheimer's disease in Taiwan utilizing data from the National Health Insurance Research Database. 2016 , 8, 387-95	12
719	Validation of Stroke and Thrombolytic Therapy in Korean National Health Insurance Claim Data. 2016 , 12, 42-8	48
718	Evaluating the Primary Prevention of Ischemic Stroke of Oral Antithrombotic Therapy in Head and Neck Cancer Patients with Radiation Therapy. 2016 , 2016, 6205158	3
717	Association between Atmospheric Fine Particulate Matter and Hospital Admissions for Chronic Obstructive Pulmonary Disease in Southwestern Taiwan: A Population-Based Study. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13, 366	4.6 24

716	Risk of venous thromboembolism in patients with splenic injury and splenectomy. A nationwide cohort study. 2016 , 115, 176-83		8
715	Outcomes After Non-neurological Surgery in Patients With Parkinson's Disease: A Nationwide Matched Cohort Study. 2016 , 95, e3196		14
714	Receipt of Life-Sustaining Treatments for Taiwanese Pediatric Patients Who Died of Cancer in 2001 to 2010: A Retrospective Cohort Study. 2016 , 95, e3461		5
713	Characteristics and Correlates of Increasing Use of Surgery in Taiwanese Cancer Patients' Last Month of Life, 2001-2010. 2016 , 264, 283-90		4
712	Angiotensin-converting enzyme inhibitors, angiotensin II receptor blockers and the risk of major adverse cardiac events in patients with diabetes and prior stroke: a nationwide study. 2016 , 34, 567-74; discussion 575		3
711	Increased Risk of Parkinson's Disease in Patients With Obstructive Sleep Apnea: A Population-Based, Propensity Score-Matched, Longitudinal Follow-Up Study. 2016 , 95, e2293		41
710	Pyogenic liver abscess in patients with inflammatory bowel disease: a nationwide cohort study. 2016 , 36, 136-44		21
709	Analysis of Recurrence Management in Patients Who Underwent Nonsurgical Treatment for Acute Appendicitis. 2016 , 95, e3159		4
708	A comparison of stroke severity proxy measures for claims data research: a population-based cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 438-43	2.6	14
707	Pregnancy Incidence in Female Nasopharyngeal Carcinoma Survivors of Reproductive Age: A Population-Based Study. 2016 , 95, e3729		3
706	Comparative risk of oral ulcerations among antipsychotics users - population-based retrospective cohort study. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 123-32	2.6	6
705	Association Between Inflammatory Bowel Disease and Erectile Dysfunction: A Nationwide Population-Based Study. 2016 , 22, 1065-70		16
704	Obstructive Sleep Apnea and the Subsequent Risk of Chronic Rhinosinusitis: A Population-Based Study. 2016 , 6, 20786		12
703	Validity of a stroke severity index for administrative claims data research: a retrospective cohort study. 2016 , 16, 509		49
702	Acute Coronary Syndrome and Suicide: A Case-Referent Study. 2016 , 5,		9
701	Association between previous history of gout attack and risk of deep vein thrombosis - a nationwide population-based cohort study. 2016 , 6, 26541		11
700	Dysthymia increases the risk of temporomandibular disorder: A population-based cohort study (A STROBE-Compliant Article). 2016 , 95, e4271		4
699	Sitagliptin and risk of heart failure hospitalization in patients with type 2 diabetes on dialysis: A population-based cohort study. 2016 , 6, 30499		8

698	Leukemia Risk After Cardiac Fluoroscopic Interventions Stratified by Procedure Number, Exposure Latent Time, and Sex: A Nationwide Population-Based Case-Control Study. 2016 , 95, e2953	5
697	Association Between Use of Dipeptidyl Peptidase-4 Inhibitors and the Risk of Acute Kidney Injury: A Nested Case-Control Study. 2016 , 91, 867-72	10
696	Effects of DPP-4 inhibitors on cardiovascular outcomes in patients with type 2 diabetes and end-stage renal disease. 2016 , 218, 170-175	13
695	Adverse cardiovascular effects of nitrogen-containing bisphosphonates in patients with osteoporosis: A nationwide population-based retrospective study. 2016 , 215, 232-7	16
694	Allergic Rhinitis Is Associated With Periodontitis: A Population-Based Study. 2016 , 87, 749-55	12
693	Risk of ischemic stroke during the initiation period of β -blocker therapy among older men. 2016 , 188, 255-260	8
692	Clinical outcomes of drug-eluting stents versus bare-metal stents in patients with cardiogenic shock complicating acute myocardial infarction. 2016 , 215, 98-104	11
691	Impact on Outcomes of Changing Treatment Guideline Recommendations for Stroke Prevention in Atrial Fibrillation: A Nationwide Cohort Study. 2016 , 91, 567-74	23
690	Validation of algorithms to identify stroke risk factors in patients with acute ischemic stroke, transient ischemic attack, or intracerebral hemorrhage in an administrative claims database. 2016 , 215, 277-82	95
689	Effect of valproic acid on dementia onset in patients with bipolar disorder. 2016 , 201, 131-6	8
688	Comparison of the risk of de novo cardiovascular disease between hemodialysis and peritoneal dialysis in patients with end-stage renal disease. 2016 , 218, 219-224	19
687	Risk of fractures in vitiligo patients treated with phototherapy-A retrospective population-based cohort study. 2016 , 82, 197-203	7
686	Prognostic Factors in Patients With Pulmonary Hypertension-A Nationwide Cohort Study. 2016 , 5,	24
685	Men with nonapnea sleep disorders have a high risk of developing subsequent epilepsy: A nationwide population-based cohort study. 2016 , 91, 211-216	
684	Role of Chronic Inflammation in Myopia Progression: Clinical Evidence and Experimental Validation. 2016 , 10, 269-81	40
683	Are Chronic Periodontitis and Gingivitis Associated with Dementia? A Nationwide, Retrospective, Matched-Cohort Study in Taiwan. 2016 , 47, 82-93	59
682	Is an Oral Anticoagulant Necessary for Young Atrial Fibrillation Patients With a CHA2DS2-VASc Score of 1 (Men) or 2 (Women)?. 2016 , 5,	16
681	CHADS2 scores as a predictor of ischemic stroke after radical prostatectomy. 2016 , 5, 3-8	4

680	Impact of negative media publicity on attention-deficit/hyperactivity disorder medication in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2016 , 25, 45-53	2.6	6
679	5-alpha-reductase inhibitors and the risk of diabetes mellitus: A nationwide population-based study. 2016 , 76, 41-7		6
678	Comorbid risks of deep vein thrombosis and pulmonary thromboembolism in patients with chronic pancreatitis: a nationwide cohort study. 2016 , 14, 98-104		16
677	Oxygen-implanted induced formation of oxide layer enhances blood compatibility on titanium for biomedical applications. 2016 , 68, 523-529		13
676	Atrial fibrillation, liver disease, antithrombotics and risk of cerebrovascular events: A population-based cohort study. 2016 , 223, 829-837		13
675	Diabetes mellitus increases the risk of rotator cuff tear repair surgery: A population-based cohort study. 2016 , 30, 1473-1477		26
674	Acute Kidney Injury in Asians With Atrial Fibrillation Treated With Dabigatran or Warfarin. 2016 , 68, 2272-2283	49	
673	Association between acetylcholinesterase inhibitors and risk of stroke in patients with dementia. 2016 , 6, 29266		21
672	Statin Adherence After Ischemic Stroke or Transient Ischemic Attack Is Associated With Clinical Outcome. 2016 , 80, 731-7		26
671	Clinical Outcomes of Drug-Eluting Stents vs. Bare-Metal Stents in Acute Myocardial Infarction Patients Under Dialysis - A Nationwide Cohort Study. 2016 , 80, 363-70		12
670	Risk of pulmonary embolism in patients with end-stage renal disease receiving long-term dialysis. 2017 , 32, 1386-1393		9
669	Validation of a Modified CHA2DS2-VASc Score for Stroke Risk Stratification in Asian Patients With Atrial Fibrillation: A Nationwide Cohort Study. 2016 , 47, 2462-9		55
668	Association between migraine and risk of venous thromboembolism: A nationwide cohort study. 2016 , 56, 1290-9		14
667	European Society of Cardiology Guideline-Adherent Antithrombotic Treatment and Risk of Mortality in Asian Patients with Atrial Fibrillation. 2016 , 6, 30734		11
666	Use of lithium and cancer risk in patients with bipolar disorder: population-based cohort study. 2016 , 209, 393-399		47
665	Risk of liver injury after α -glucosidase inhibitor therapy in advanced chronic kidney disease patients. 2016 , 6, 18996		8
664	Characteristics of traditional Chinese medicine users and prescription analysis for pediatric atopic dermatitis: a population-based study. 2016 , 16, 173		14
663	Hormone replacement therapy and risk of atrial fibrillation in Taiwanese menopause women: A nationwide cohort study. 2016 , 6, 24132		15

662	Long term outcome of Aldosteronism after target treatments. 2016 , 6, 32103	64
661	"Weekend effect" on stroke mortality revisited: Application of a claims-based stroke severity index in a population-based cohort study. 2016 , 95, e4046	18
660	Depression and Insomnia in Patients With Psoriasis and Psoriatic Arthritis Taking Tumor Necrosis Factor Antagonists. 2016 , 95, e3816	34
659	Presence of diabetic microvascular complications does not incrementally increase risk of ischemic stroke in diabetic patients with atrial fibrillation: A nationwide cohort study. 2016 , 95, e3992	5
658	Association of Rheumatoid Arthritis and Hepatitis B Infection: A Nationwide Nested Case-Control Study From 1999 to 2009 in Taiwan. 2016 , 95, e3551	14
657	Midlife Ankylosing Spondylitis Increases the Risk of Cardiovascular Diseases in Males 5 Years Later: A National Population-Based Study. 2016 , 95, e3596	13
656	The trends of utilization in traditional Chinese medicine in Taiwan from 2000 to 2010: A population-based study. 2016 , 95, e4115	30
655	A 10-year follow-up study of the association between calcium channel blocker use and the risk of dementia in elderly hypertensive patients. 2016 , 95, e4593	16
654	Abuse-related trauma forward medical care in a randomly sampled nationwide population. 2016 , 95, e5214	1
653	Trend in and Correlates of Undergoing Radiotherapy in Taiwanese Cancer Patients' Last Month of Life. 2016 , 52, 395-403	
652	Chronic Osteomyelitis Is Associated With Increased Risk of New-Onset Atrial Fibrillation: Evidence From a Nationwide Cohort of 23 Million People. 2016 , 32, 1388-1395	2
651	Non-steroidal anti-inflammatory drugs and the risk of a second hip fracture: a propensity-score matching study. 2016 , 17, 201	2
650	The impact of time factors on overall survival in patients with nasopharyngeal carcinoma: a population-based study. 2016 , 11, 62	6
649	A cohort study of interstitial cystitis/bladder pain syndrome and hysterectomy. 2016 , 27, 1401-7	2
648	Association between ultrasonography screening and mortality in patients with hepatocellular carcinoma: a nationwide cohort study. 2016 , 65, 693-701	36
647	Long-Term Mortality and Major Adverse Cardiovascular Events in Sepsis Survivors. A Nationwide Population-based Study. 2016 , 194, 209-17	107
646	Increased osteoporosis risk in dermatomyositis or polymyositis independent of the treatments: a population-based cohort study with propensity score. 2016 , 52, 86-92	13
645	Association Between Antipsychotic Treatment and Advanced Diabetes Complications Among Schizophrenia Patients With Type 2 Diabetes Mellitus. 2016 , 42, 703-11	10

644	CHADS2 Scores as a Predictor of Ischemic Stroke in Patients With Peripheral Artery Disease. 2016 , 91, 45-50	7
643	Development of a web-based liver cancer prediction model for type II diabetes patients by using an artificial neural network. 2016 , 125, 58-65	79
642	Impact of Chronic Kidney Disease on Short-Term Cardiac Implantable Electronic Device Related Infection: A Nationwide Population-Based Cohort Study. 2016 , 95, e2587	2
641	Comparative effectiveness of angiotensin-converting-enzyme inhibitors and angiotensin II receptor blockers in patients with type 2 diabetes and retinopathy. 2016 , 188, E148-E157	11
640	Increased Risk of Stroke in Patients with Isolated Third, Fourth, or Sixth Cranial Nerve Palsies: A Nationwide Cohort Study. 2016 , 41, 273-82	11
639	The association between influenza infection, vaccination, and atrial fibrillation: A nationwide case-control study. 2016 , 13, 1189-94	36
638	Increased risk of hydrocephalus in long-term dialysis patients. 2016 , 31, 807-13	1
637	Cardiovascular, Bleeding, and Mortality Risks of Dabigatran in Asians With Nonvalvular Atrial Fibrillation. 2016 , 47, 441-9	70
636	Use of Oral Anticoagulants for Stroke Prevention in Patients With Atrial Fibrillation Who Have a History of Intracranial Hemorrhage. 2016 , 133, 1540-7	83
635	Risks of Death and Stroke in Patients Undergoing Hemodialysis With New-Onset Atrial Fibrillation: A Competing-Risk Analysis of a Nationwide Cohort. 2016 , 133, 265-72	56
634	Association of Sitagliptin with cardiovascular outcome in diabetic patients: a nationwide cohort study. 2016 , 53, 461-8	18
633	Cardiovascular Outcomes of Dipeptidyl Peptidase-4 Inhibitors in Elderly Patients With Type 2 Diabetes: A Nationwide Study. 2016 , 17, 59-64	9
632	Chronic otitis media surgery and re-operation risk factor analysis: A nationwide retrospective cohort study of 18 895 patients. 2016 , 136, 259-65	2
631	Identifying Chinese herbal medicine network for treating acne: Implications from a nationwide database. 2016 , 179, 1-8	19
630	Association between ischemic stroke and carbon monoxide poisoning: A population-based retrospective cohort analysis. 2016 , 29, 65-70	19
629	Increased risk of lung cancer among patients with bronchiectasis: a nationwide cohort study. 2016 , 109, 17-25	22
628	Increased risk of trigeminal neuralgia in patients with migraine: A nationwide population-based study. 2016 , 36, 1218-1227	16
627	Spinal cord injury is associated with an increased risk of atrial fibrillation: A population-based cohort study. 2016 , 13, 416-23	12

626	The association between urinary calculi and increased risk of future cardiovascular events: A nationwide population-based study. 2016 , 67, 463-70		9
625	Risk of Post-TKA Acute Myocardial Infarction in Patients With a History of Myocardial Infarction or Coronary Stent. 2016 , 474, 479-86		7
624	The mortality and direct medical costs of osteoporotic fractures among postmenopausal women in Taiwan. 2016 , 27, 665-76		24
623	Peripheral arterial disease and atrial fibrillation and risk of stroke, heart failure hospitalization and cardiovascular death: A nationwide cohort study. 2016 , 203, 204-11		23
622	Migraine and Risk of Ocular Motor Cranial Nerve Palsies: A Nationwide Cohort Study. 2016 , 123, 191-7		7
621	Sleep disorders increase risk of subsequent erectile dysfunction in individuals without sleep apnea: a nationwide population-base cohort study. <i>Sleep Medicine</i> , 2016 , 17, 64-8	4.6	14
620	Comparisons of CHADS2 and CHA2DS2-VASc scores for stroke risk stratification in atrial fibrillation: Which scoring system should be used for Asians?. 2016 , 13, 46-53		53
619	Migraine and incidence of ischemic stroke: A nationwide population-based study. 2017 , 37, 327-335		38
618	Low dose tranexamic acid reduces blood transfusion rate after total knee arthroplasty: A population-based study in Taiwan. 2017 , 116, 24-31		9
617	Risk of sudden sensorineural hearing loss in patients with end-stage renal disease undergoing dialysis. 2017 , 22, 397-402		10
616	Acute kidney injury and risk of deep vein thrombosis and pulmonary embolism in Taiwan: A nationwide retrospective cohort study. 2017 , 151, 29-35		10
615	Emergency room visits for respiratory diseases associated with ambient fine particulate matter in Taiwan in 2012: A population-based study. 2017 , 8, 465-473		16
614	Headaches and Risk of Dementia. 2017 , 353, 197-206		24
613	Comorbidities and risk of mortality in patients with sleep apnea. 2017 , 49, 377-383		13
612	Risk of inflammatory bowel disease in patients with rosacea: Results from a nationwide cohort study in Taiwan. 2017 , 76, 911-917		35
611	Postoperative ischemic stroke and death prediction with CHADS-VASc score in patients having coronary artery bypass grafting surgery: A nationwide cohort study. 2017 , 241, 120-123		11
610	Association of pre-hospital theophylline use and mortality in chronic obstructive pulmonary disease patients with sepsis. 2017 , 125, 33-38		3
609	Escalating Health Care Expenditures in Cancer Decedents' Last Year of Life: A Decade of Evidence from a Retrospective Population-Based Cohort Study in Taiwan. 2017 , 22, 460-469		17

608	Analysis of gallstone disease after gastric cancer surgery. 2017 , 20, 895-903	28
607	Increased dementia risk predominantly in diabetes mellitus rather than in hypertension or hyperlipidemia: a population-based cohort study. 2017 , 9, 7	29
606	Temporal relationship between dysthymia and temporomandibular disorder: a population-based matched case-control study in Taiwan. 2017 , 17, 50	2
605	Long-Term Risk of Cardiovascular Events in Patients With Chronic Kidney Disease Who Have Survived Sepsis: A Nationwide Cohort Study. 2017 , 6,	11
604	Risk of sepsis in patients with amyotrophic lateral sclerosis: a population-based retrospective cohort study in Taiwan. 2017 , 7, e013761	4
603	Increased risk of incident osteoporosis and osteoporotic fracture in tuberculosis patients: a population-based study in a tuberculosis-endemic area. 2017 , 28, 1711-1721	6
602	The effectiveness and safety of angiotensin-converting enzyme inhibition or receptor blockade in vascular diseases in patients with hemodialysis. 2017 , 96, e6525	1
601	Proton-Pump Inhibitor Use and the Risk of First-Time Ischemic Stroke in the General Population: A Nationwide Population-Based Study. 2017 , 112, 1084-1093	33
600	Risk and Prediction of Sudden Cardiac Death and Ventricular Arrhythmias for Patients with Atrial Fibrillation - A Nationwide Cohort Study. 2017 , 7, 46445	23
599	Severe hypoglycemia and hip fracture in patients with type 2 diabetes: a nationwide population-based cohort study. 2017 , 28, 2053-2060	27
598	Long-term allopurinol use decreases the risk of prostate cancer in patients with gout: a population-based study. 2017 , 20, 328-333	21
597	Risk of Uveitis Among People With Psoriasis: A Nationwide Cohort Study. 2017 , 135, 415-422	58
596	Effects of fine particulate matter and its constituents on emergency room visits for asthma in southern Taiwan during 2008-2010: a population-based study. 2017 , 24, 15012-15021	23
595	Trends in vascular risk factors, stroke performance measures, and outcomes in patients with first-ever ischemic stroke in Taiwan between 2000 and 2012. 2017 , 378, 80-84	17
594	Outcome Analysis of Patients with Gallstone Disease Receiving Cholecystectomy: A Population-Based Cohort Study. 2017 , 95, 132-139	2
593	Risk of developing psoriasis in patients with schizophrenia: a nationwide retrospective cohort study. 2017 , 31, 1497-1504	18
592	Comparative Effectiveness and Safety of Dabigatran and Rivaroxaban in Atrial Fibrillation Patients. 2017 , 6,	19
591	Comparative Risk of Ventricular Arrhythmia and Sudden Cardiac Death Across Antidepressants in Patients With Depressive Disorders. 2017 , 37, 32-39	10

590	Association of HIV and Opportunistic Infections With Incident Stroke: A Nationwide Population-Based Cohort Study in Taiwan. 2017 , 74, 117-125	17
589	Usefulness of HATCH score in the prediction of new-onset atrial fibrillation for Asians. 2017 , 96, e5597	31
588	Risk for Irritable Bowel Syndrome in Fibromyalgia Patients: A National Database Study. 2017 , 96, e6657	16
587	Familial aggregation of rheumatoid arthritis and co-aggregation of autoimmune diseases in affected families: a nationwide population-based study. 2017 , 56, 928-933	27
586	Risk of new-onset diabetes mellitus in primary aldosteronism: a population study over 5 years. 2017 , 35, 1698-1708	65
585	Risk of acute kidney injury after transarterial chemoembolisation in hepatocellular carcinoma patients: A nationwide population-based cohort study. 2017 , 27, 4482-4489	8
584	Cirrhosis patients' stroke risks and adverse outcomes: Two nationwide studies. 2017 , 263, 29-35	12
583	Increased Risk of Tics in Children Infected with Enterovirus: A Nationwide Population-Based Study. 2017 , 38, 276-282	2
582	Periodontal Disease Associated with Higher Risk of Dementia: Population-Based Cohort Study in Taiwan. 2017 , 65, 1975-1980	21
581	Statins decrease the risk of decompensation in hepatitis B virus- and hepatitis C virus-related cirrhosis: A population-based study. 2017 , 66, 896-907	65
580	Association of weekend effect with early mortality in severe sepsis patients over time. 2017 , 74, 345-351	20
579	Does early onset cataract increase the risk of ischemic stroke? A nationwide retrospective cohort study. 2017 , 12, 461-465	0
578	Prosthetic Joint Infection Following Invasive Dental Procedures and Antibiotic Prophylaxis in Patients With Hip or Knee Arthroplasty. 2017 , 38, 154-161	15
577	Association between use of short-acting benzodiazepines and migraine occurrence: a nationwide population-based case-control study. 2017 , 33, 511-517	7
576	Familial aggregation of nasopharyngeal carcinoma in Taiwan. 2017 , 73, 10-15	8
575	DMARD use is associated with a higher risk of dementia in patients with rheumatoid arthritis: A propensity score-matched case-control study. 2017 , 334, 217-222	24
574	Factors predicting a home death among home palliative care recipients. 2017 , 96, e8210	11
573	Air Pollution as a Potential Determinant of Rheumatoid Arthritis: A Population-based Cohort Study in Taiwan. 2017 , 28 Suppl 1, S54-S59	18

572	Association between malignancies and Marfan syndrome: a population-based, nested case-control study in Taiwan. 2017 , 7, e017243		4
571	Risk of psychiatric disorders in Guillain-Barre syndrome: A nationwide, population-based, cohort study. 2017 , 381, 88-94		15
570	The impact of chronic hepatitis B infection on major adverse cardiovascular events and all-cause mortality in patients with diabetes: a nationwide population-based study from Taiwan. 2017 , 7, e016179		8
569	Increased risk of peripheral arterial disease in patients with alcohol intoxication: A population-based retrospective cohort study. 2017 , 65, 25-30		3
568	Risks of newly onset hemorrhagic stroke in patients with neovascular age-related macular degeneration. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1277-1285	2.6	5
567	Different Implications of Heart Failure, Ischemic Stroke, and Mortality Between Nonvalvular Atrial Fibrillation and Atrial Flutter-a View From a National Cohort Study. 2017 , 6,		39
566	Previously undiagnosed risk factors and medication nonadherence are prevalent in young adults with first-ever stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2017 , 26, 1458-1464	2.6	3
565	Cardiovascular disease risk in patients receiving organ transplantation: a national cohort study. 2017 , 30, 1161-1171		9
564	Tuberculosis increases the risk of peripheral arterial disease: A nationwide population-based study. 2017 , 22, 1670-1676		7
563	Utilization of Statins Beyond the Initial Period After Stroke and 1-Year Risk of Recurrent Stroke. 2017 , 6,		21
562	Estimating lifetime medical costs from censored claims data. 2017 , 26, e332-e344		26
561	In-hospital complications of bilateral salpingo-oophorectomy at benign hysterectomy: a population-based cohort study. 2017 , 24, 187-195		2
560	Nationwide trends and in-hospital complications of trachelectomy for surgically resectable cervical cancer in Taiwanese women: A population-based study, 1998-2013. 2017 , 56, 449-455		4
559	Increased risk of Parkinson disease with diabetes mellitus in a population-based study. 2017 , 96, e5921		60
558	Chang Gung Research Database: A multi-institutional database consisting of original medical records. 2017 , 40, 263-269		75
557	Liver Cirrhosis in Patients With Atrial Fibrillation: Would Oral Anticoagulation Have a Net Clinical Benefit for Stroke Prevention?. 2017 , 6,		57
556	Stroke prediction with CHADS-VASc score in patients with mesenteric ischemia without atrial fibrillation-insights from a nationwide cohort. 2017 , 45, 193-198		0
555	Risk of developing pleural empyema in patients with stroke: a propensity-matched cohort study. 2017 , 12, 1131-1138		5

554	Visit-to-Visit Variations in Fasting Plasma Glucose and HbA Associated With an Increased Risk of Alzheimer Disease: Taiwan Diabetes Study. 2017 , 40, 1210-1217	46
553	Effect of statin use on clinical outcomes in ischemic stroke patients with atrial fibrillation. 2017 , 96, e5918	11
552	Validation of a novel claims-based stroke severity index in patients with intracerebral hemorrhage. 2017 , 27, 24-29	39
551	Association Between Cataract and Risk of Incident Atrial Fibrillation: A Nationwide Population-Based Retrospective Cohort Study. 2017 , 92, 370-375	15
550	Prevalence of schizophrenia in patients with psoriasis: a nationwide study. 2017 , 35, 1-6	31
549	Neck dissection and stroke in patients with oral cavity cancer: A population-based cohort study. 2017 , 39, 63-70	7
548	Male, old age and low income to predispose epilepsy in migraineurs. 2017 , 47, 63-72	2
547	Stroke severity may predict causes of readmission within one year in patients with first ischemic stroke event. 2017 , 372, 21-27	23
546	Proton Pump Inhibitors Increase Risk for Hepatic Encephalopathy in Patients With Cirrhosis in A Population Study. 2017 , 152, 134-141	100
545	Association of High-Volume Surgeons Working in High-Volume Hospitals with Cost of Free Flap Surgeries. 2017 , 5, e1520	0
544	Risk of Incident Psychiatric Disorders in Sexual Assault Victims: A Nationwide Population-Based Cohort Study. 2017 , 55, 147-157	
543	Migraine and subsequent chronic kidney disease risk: a nationwide population-based cohort study. 2017 , 7, e018483	12
542	Statin Therapy Is Associated with Reduced Risk of Peptic Ulcer Disease in the Taiwanese Population. 2017 , 8, 210	11
541	Increased Risk of Stroke in Patients of Concussion: A Nationwide Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6 13
540	Differences in Spontaneous Intracerebral Hemorrhage Cases between Urban and Rural Regions of Taiwan: Big Data Analytics of Government Open Data. <i>International Journal of Environmental Research and Public Health</i> , 2017 , 14,	4.6 5
539	Identifying Chinese Herbal Medicine Network for Endometriosis: Implications from a Population-Based Database in Taiwan. <i>Evidence-based Complementary and Alternative Medicine</i> , 2017 , 2017, 7501015	2.3 7
538	Effects of selective serotonin reuptake inhibitors on glaucoma: A nationwide population-based study. 2017 , 12, e0173005	9
537	Post-ischemic stroke rehabilitation is associated with a higher risk of fractures in older women: A population-based cohort study. 2017 , 12, e0175825	6

536	The effect of anti-rheumatic medications for coronary artery diseases risk in patients with rheumatoid arthritis might be changed over time: A nationwide population-based cohort study. 2017 , 12, e0179081	9
535	Association between retinal vein occlusion and an increased risk of acute myocardial infarction: A nationwide population-based follow-up study. 2017 , 12, e0184016	10
534	5-alpha-reductase inhibitor therapy postpones urine retention and prostate surgery in patients with prostate enlargement and a maximum uroflow rate of less than 15 ml/sec. 2017 , 12, e0175356	1
533	A systematic review and meta-analysis on herpes zoster and the risk of cardiac and cerebrovascular events. 2017 , 12, e0181565	39
532	Epidemiological profile and obstetric outcomes of patients with peripartum congestive heart failure in Taiwan: a retrospective nationwide study. 2017 , 17, 302	2
531	Moderate- to high-intensity statins for secondary prevention in patients with type 2 diabetes mellitus on dialysis after acute myocardial infarction. 2017 , 9, 71	3
530	Potential therapeutic effects of N-butylidenephthalide from Radix Angelica Sinensis (Danggui) in human bladder cancer cells. 2017 , 17, 523	17
529	Relationship between Erectile Dysfunction, Comorbidity, and Parkinson's Disease: Evidence from a Population-Based Longitudinal Study. 2017 , 13, 250-258	14
528	Bronchiectasis and increased risk of ischemic stroke: a nationwide population-based cohort study. 2017 , 12, 1375-1383	16
527	Ambient Air Pollutant Exposures and Hospitalization for Kawasaki Disease in Taiwan: A Case-Crossover Study (2000-2010). 2017 , 125, 670-676	26
526	Using Electronic Medical Record to Identify Patients With Dyslipidemia in Primary Care Settings: International Classification of Disease Code Matters From One Region to a National Database. 2017 , 9, 1178222616685880	14
525	Risk of Cardiovascular Ischemic Events After Surgical Castration and Gonadotropin-Releasing Hormone Agonist Therapy for Prostate Cancer: A Nationwide Cohort Study. 2017 , 35, 3697-3705	26
524	Age-adjusted Charlson Comorbidity Index scores predict major adverse cardiovascular events and all-cause mortality among systemic lupus erythematosus patients. 2017 , 29, 154-158	5
523	Vitreous haemorrhage: a population-based study of the incidence and risk factors in Taiwan. 2017 , 10, 461-466	3
522	Risk of major comorbidities among workers with hemophilia: A 14-year population-based study. 2018 , 97, e9803	5
521	Effectiveness and Safety of Different Rivaroxaban Dosage Regimens in Patients with Non-Valvular Atrial Fibrillation: A Nationwide, Population-Based Cohort Study. 2018 , 8, 3451	16
520	Oral Anticoagulation in Very Elderly Patients With Atrial Fibrillation: A Nationwide Cohort Study. 2018 , 138, 37-47	136
519	Health service utilization and medical costs among patients with schizophrenia receiving long-acting injectable risperidone versus oral risperidone: a nationwide retrospective matched cohort study in Taiwan. 2018 , 33, 204-212	0

518	Hydroxychloroquine may be associated with reduced risk of coronary artery diseases in patients with rheumatoid arthritis: A nationwide population-based cohort study. 2018 , 72, e13095	12
517	Characteristics and outcomes of ischemic stroke in patients with known atrial fibrillation or atrial fibrillation diagnosed after stroke. 2018 , 261, 68-72	14
516	Effect of Statin Intensity on the Risk of Epilepsy After Ischaemic Stroke: Real-World Evidence from Population-Based Health Claims. 2018 , 32, 367-376	10
515	Hospice Exposure Is Associated With Lower Health Care Expenditures in Taiwanese Cancer Decedents' Last Year of Life: A Population-Based Retrospective Cohort Study. 2018 , 55, 755-765.e5	8
514	Associations of chronic urticaria with atopic and autoimmune comorbidities: a nationwide population-based study. 2018 , 57, 822-829	18
513	Association measures of claims-based algorithms for common chronic conditions were assessed using regularly collected data in Japan. 2018 , 99, 84-95	17
512	Efficacy and Safety of Apixaban, Dabigatran, Rivaroxaban, and Warfarin in Asians With Nonvalvular Atrial Fibrillation. 2018 , 7,	85
511	Epidemiology, risk factors and characteristics of pediatric stroke: a nationwide population-based study. 2018 , 111, 445-454	14
510	Assessment of the charlson comorbidity index score, CHADS2 and CHA2DS2-VASc scores in predicting death in patients with thoracic empyema. 2018 , 47, 157-161	4
509	Is there different risk of cancer among end-stage renal disease patients undergoing hemodialysis and peritoneal dialysis?. 2018 , 7, 485-498	13
508	Effect of Rehabilitation Intensity on Mortality Risk After Stroke. 2018 , 99, 1042-1048.e6	17
507	Linking individual-level data on diagnoses and dispensing for research on antibiotic use: Evaluation of a novel data source from English secondary care. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 206-212	2.6 3
506	Risk of Erectile Dysfunction After Traumatic Brain Injury: A Nationwide Population-Based Cohort study in Taiwan. 2018 , 12, 913-925	17
505	Relationship of Aging and Incident Comorbidities to Stroke Risk in Patients With Atrial Fibrillation. 2018 , 71, 122-132	114
504	Retrospective cohort study on risk of hearing loss in patients with rheumatoid arthritis using claims data. 2018 , 8, e018134	10
503	Endometriosis increased the risk of bladder pain syndrome/interstitial cystitis: A population-based study. 2018 , 37, 1413-1418	13
502	Non-Apnea Sleep Disorder Increases the Risk of Subsequent Female Infertility-A Nationwide Population-Based Cohort Study. 2018 , 41,	5
501	Number of cholangitis episodes as a prognostic marker to predict timing of liver transplantation in biliary atresia patients after Kasai portoenterostomy. 2018 , 18, 119	12

500	Role of CHADS-VASc score in predicting new-onset atrial fibrillation in patients with type 2 diabetes mellitus with and without hyperosmolar hyperglycaemic state: real-world data from a nationwide cohort. 2018 , 8, e020065		5
499	Cardiovascular and Bleeding Risks in Acute Myocardial Infarction Newly Treated With Ticagrelor vs. Clopidogrel in Taiwan. 2018 , 82, 747-756		29
498	Risk of stroke in patients with dengue fever: a population-based cohort study. 2018 , 190, E285-E290		14
497	Prediction of new-onset atrial fibrillation after first-ever ischemic stroke: A comparison of CHADS, CHADS-VASc and HATCH scores and the added value of stroke severity. 2018 , 272, 73-79		11
496	Comparison of the risk of non-traumatic lower extremity amputation between haemodialysis and peritoneal dialysis patients with end-stage renal disease. 2018 , 23, 86-92		1
495	CHA2DS2-VASc score for ischaemic stroke risk stratification in patients with chronic obstructive pulmonary disease with and without atrial fibrillation: a nationwide cohort study. 2018 , 20, 575-581		9
494	Prior gastroscopy and mortality in patients with gastric cancer: a matched retrospective cohort study. 2018 , 87, 119-127.e3		17
493	Risk of gastrointestinal Hypomotility in schizophrenia and schizoaffective disorder treated with antipsychotics: A retrospective cohort study. 2018 , 195, 237-244		8
492	Fibromyalgia and Risk of Dementia-A Nationwide, Population-Based, Cohort Study. 2018 , 355, 153-161		24
491	Lifetime Risks, Projected Numbers, and Adverse Outcomes in Asian Patients With Atrial Fibrillation: A Report From the Taiwan Nationwide AF Cohort Study. 2018 , 153, 453-466		65
490	Psychotropic use and risk of stroke among patients with bipolar disorders: 10-year nationwide population based study. 2018 , 226, 77-84		7
489	The predictive role of CHA2DS2-VASc score between venous thromboembolism and ischemic stroke: a large-scale cohort study. 2018 , 36, 628-633		8
488	Validity of cancer diagnosis in the National Health Insurance database compared with the linked National Cancer Registry in Taiwan. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 1060-1066	2.6	47
487	Cognitive enhancers associated with decreased risk of injury in patients with dementia: a nationwide cohort study in Taiwan. 2018 , 66, 684-692		13
486	Changes in the Use of Intensive and Supportive Procedures for Patients With Stroke in Taiwan in the Last Month of Life Between 2000 and 2010. 2018 , 55, 835-842		3
485	Delayed diagnosis of atrial fibrillation after first-ever stroke increases recurrent stroke risk: a 5-year nationwide follow-up study. 2018 , 48, 661-667		8
484	Risk of Psoriasis Following Terbinafine or Itraconazole Treatment for Onychomycosis: A Population-Based Case-Control Comparative Study. 2018 , 41, 285-295		3
483	Increased risk of cholesteatoma among patients with allergic rhinitis: A nationwide investigation. 2018 , 128, 547-553		2

482	Risk factors and prediction score for chronic pancreatitis: A nationwide population-based cohort study. 2018 , 24, 5034-5045	2
481	A Web-Based Decision Support System for Predicting Readmission of Pneumonia Patients after Discharge. 2018 ,	2
480	The use of antipsychotics is associated with lower mortality in patients with Alzheimer's disease: A nationwide population-based nested case-control study in Taiwan. 2018 , 32, 1182-1190	4
479	Predictive values of CSS and NIHSS in the prognosis of patients with acute cerebral infarction: A comparative analysis. 2018 , 97, e12419	12
478	Risk of Nephrolithiasis in Patients With Sleep Apnea: A Population-Based Cohort Study. 2018 , 14, 767-773	1
477	Increased Risk of Benign Paroxysmal Positional Vertigo in Patients With Non-Apnea Sleep Disorders: A Nationwide, Population-Based Cohort Study. 2018 , 14, 2021-2029	4
476	Prostate-selective α -antagonists increase fracture risk in prostate cancer patients with and without a history of androgen deprivation therapy: a nationwide population-based study. 2018 , 9, 5263-5273	
475	Risks of hepatocellular carcinoma and cirrhosis-associated complications in patients with rheumatoid arthritis: a 10-year population-based cohort study in Taiwan. 2018 , 12, 531-543	2
474	Risk of ischemic stroke after discharge from inpatient surgery: Does the type of surgery matter?. 2018 , 13, e0206990	1
473	Cardiovascular risk of sitagliptin in ischemic stroke patients with type 2 diabetes and chronic kidney disease: A nationwide cohort study. 2018 , 97, e13844	3
472	Association between dementia and unintentional poisoning in Taiwan. 2018 , 9, 819-827	
471	The effects of Bu Yang Huan Wu Tang on post-stroke epilepsy: a nationwide matched study. 2018 , 10, 1839-1850	5
470	Effects of Statin Use in Advanced Chronic Kidney Disease Patients. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1 6
469	Comparison of Total Joint Replacement Rate Between Patients With Hemophilia A and Patients With Hemophilia B: A Population-Based and Retrospective Cohort Study. 2018 , 24, 163S-170S	3
468	The association between COPD and outcomes of patients with advanced chronic kidney disease. 2018 , 13, 2899-2905	8
467	Effects of metformin use on total mortality in patients with type 2 diabetes and chronic obstructive pulmonary disease: A matched-subject design. 2018 , 13, e0204859	14
466	Electroconvulsive Therapy and Risk of Dementia-A Nationwide Cohort Study in Taiwan. 2018 , 9, 397	20
465	Increased risk of aortic aneurysm and dissection in patients with Sjögren's syndrome: a nationwide population-based cohort study in Taiwan. 2018 , 8, e022326	6

464	Long-term results of posterior cruciate ligament tear with or without reconstruction: A nationwide, population-based cohort study. 2018 , 13, e0205118		17
463	Improvement in Mortality and End-Stage Renal Disease in Patients With Type 2 Diabetes After Acute Kidney Injury Who Are Prescribed Dipeptidyl Peptidase-4 Inhibitors. 2018 , 93, 1760-1774		5
462	Risk, Severity, and Predictors of Obstructive Sleep Apnea in Hemodialysis and Peritoneal Dialysis Patients. <i>International Journal of Environmental Research and Public Health</i> , 2018 , 15,	4.6	10
461	Symptomatic pulmonary embolism following hip fracture: A nationwide study. 2018 , 172, 120-127		2
460	Association between Atrial Fibrillation and Aortic Aneurysms: A Population-Based Cohort Study. 2018 , 55, 299-307		5
459	Incidence of immune thrombocytopenia in Taiwan: a nationwide population-based study. 2018 , 58, 2712-2719		7
458	Statin Use Is Associated With Decreased Osteoporosis and Fracture Risks in Stroke Patients. 2018 , 103, 3439-3448		18
457	Discontinuing or continuing statin following intracerebral hemorrhage from the view of a national cohort study. 2018 , 278, 15-22		10
456	Renal complications and subsequent mortality in acute critically ill patients without pre-existing renal disease. 2018 , 190, E1070-E1080		2
455	Susceptible period for cardiovascular complications in patients recovering from sepsis. 2018 , 190, E1062-E1069		14
454	Development and validation of risk score to estimate 1-year late poststroke epilepsy risk in ischemic stroke patients. 2018 , 10, 1001-1011		11
453	Long-Term Outcomes in Patients with Incident Chronic Obstructive Pulmonary Disease after Acute Kidney Injury: A Competing-Risk Analysis of a Nationwide Cohort. <i>Journal of Clinical Medicine</i> , 2018 , 7,	5.1	1
452	Risk of posterior circulation stroke in patients with cervical spondylosis: A nationwide, population-based study. 2018 , 277, 42-46		1
451	Changes in Ocular Hypotensive Drug Usage for Glaucoma Treatment After Cataract Surgery: A Nationwide Population-based Study in Taiwan. 2018 , 27, 600-605		1
450	Associations of PM2.5 and aspergillosis: ambient fine particulate air pollution and population-based big data linkage analyses. 2018 , 1		8
449	Cataract risk of neuro-interventional procedures: a nationwide population-based matched-cohort study. 2018 , 73, 836.e17-836.e22		2
448	Seasonal variation in the risk of ischemic stroke in patients with atrial fibrillation: A nationwide cohort study. 2018 , 15, 1611-1616		8
447	Design of a Clinical Decision Support System for Fracture Prediction Using Imbalanced Dataset. 2018 , 2018, 9621640		14

446	Do outpatient statins and ACEIs/ARBs have synergistic effects in reducing the risk of pneumonia? A population-based case-control study. 2018 , 13, e0199981	11
445	Urate-lowering treatment and risk of total joint replacement in patients with gout. 2018 , 57, 2129-2139	9
444	Influenza Vaccination and Incident Tuberculosis among Elderly Persons, Taiwan. 2018 , 24, 498-505	8
443	Increased Risk of Psychiatric Disorders in Allergic Diseases: A Nationwide, Population-Based, Cohort Study. 2018 , 9, 133	34
442	Is Heart Failure Associated With Risk of Suicide?. 2018 , 24, 795-800	10
441	ADVANCIS Score Predicts Acute Kidney Injury After Percutaneous Coronary Intervention for Acute Coronary Syndrome. 2018 , 15, 528-535	13
440	Comparison of Clinical Outcomes Among Patients With Atrial Fibrillation or Atrial Flutter Stratified by CHA2DS2-VASc Score. 2018 , 1, e180941	13
439	Fractures and the increased risk of suicide: a population-based case-control study. 2018 , 100-B, 780-786	9
438	Dabigatran, Rivaroxaban, and Warfarin in the Oldest Adults with Atrial Fibrillation in Taiwan. 2018 , 66, 1567-1574	15
437	Effects of antiepileptic drugs on lipogenic gene regulation and hyperlipidemia risk in Taiwan: a nationwide population-based cohort study and supporting in vitro studies. 2018 , 92, 2829-2844	6
436	Association Between Dialysis Modalities and Risk of Coronary Artery Disease: A Population-Based Cohort Study in Taiwan. 2018 , 22, 469-475	2
435	Factors associated with changing indications for adenotonsillectomy: A population-based longitudinal study. 2018 , 13, e0193317	3
434	Development of algorithms to determine the onset of pregnancy and delivery date using health care administrative data in a university hospital in Japan. <i>Pharmacoepidemiology and Drug Safety</i> , 2018 , 27, 751-762	2.6 6
433	Linagliptin and cardiovascular outcomes in type 2 diabetes after acute coronary syndrome or acute ischemic stroke. 2018 , 17, 2	19
432	The comorbidities and risk factors in children with congenital airway anomalies: A nationwide population-based study in Taiwan. 2018 , 97, e0561	2
431	Association between influenza vaccination and the reduced risk of acute kidney injury among older people: A nested case-control study. 2018 , 54, 65-69	6
430	Does a Supplemental Low-Protein Diet Decrease Mortality and Adverse Events After Commencing Dialysis? A Nationwide Cohort Study. 2018 , 10,	6
429	New-Onset Diabetes After Acute Kidney Injury Requiring Dialysis. 2018 , 41, 2105-2110	8

428	One-year survival rate and healthcare costs after cardiac arrest in Taiwan, 2006-2012. 2018 , 13, e0196687		5
427	Increased risk of deep vein thrombosis in end-stage renal disease patients. 2018 , 19, 204		23
426	Acute critical illness and cancer risk: Implications from a nationwide population based study in Asia. 2018 , 270, 319-323		3
425	Survival benefit associated with metformin use in inoperable non-small cell lung cancer patients with diabetes: A population-based retrospective cohort study. 2018 , 13, e0191129		19
424	Risk of dementia after charcoal-burning suicide attempts: a nationwide cohort study in Taiwan. 2018 , 66, 1070-1082		9
423	The risk of stroke after bilateral salpingo-oophorectomy at hysterectomy for benign diseases: A nationwide cohort study. 2018 , 114, 27-33		2
422	Risk of subsequent stroke, with or without extracranial-intracranial bypass surgery: a nationwide, retrospective, population-based study. 2018 , 1-8		11
421	Vascular injury during primary total knee arthroplasty: A nationwide study. 2019 , 118, 305-310		5
420	Validation studies of claims data in the Asia-Pacific region: A comprehensive review. <i>Pharmacoepidemiology and Drug Safety</i> , 2019 , 28, 156-170	2.6	16
419	A Stroke Detection System Based on Cincinnati Prehospital Stroke Scale. 2019 ,		1
418	Increased risk of cardiovascular comorbidities in hidradenitis suppurativa: A nationwide, population-based, cohort study in Taiwan. <i>Journal of Dermatology</i> , 2019 , 46, 867-873	1.6	7
417	Prediction of Recurrence-associated Death from Localized Prostate Cancer with a Charlson Comorbidity Index-reinforced Machine Learning Model. 2019 , 14, 593-606		8
416	Oral short-acting antihypertensive medications and the occurrence of stroke: a nationwide case-crossover study. 2019 , 42, 1794-1800		1
415	Association of gout medications and risk of cataract: a population-based case-control study. 2019 , 112, 841-846		3
414	Bidirectional association between aortic dissection and atrial fibrillation: Findings from a huge national database. 2019 , 42, 812		5
413	Effect of initiating statin therapy on long-term outcomes of patients with dyslipidemia after intracerebral hemorrhage. 2019 , 288, 137-145		8
412	Risk of ischaemic stroke in thyrotoxic atrial fibrillation. 2019 , 91, 561-570		3
411	Predictors of successful discharge from intensive care units in older adults aged 80 years or older: A population-based study. 2019 , 100, 103339		1

410	Risk of psychiatric disorders in pulmonary embolism: a nationwide cohort study. 2019 , 67, 977-986		7
409	Pinworm infections associated with risk of psychiatric disorders-A nationwide cohort study in Taiwan: Pinworm infections and psychiatric disorders. 2019 , 93, 14-19		4
408	Chinese Herbal Medicine and Acupuncture Reduced the Risk of Stroke After Bell's Palsy: A Population-Based Retrospective Cohort Study. 2019 , 25, 946-956		5
407	Clinical characteristics and outcomes associated with weekend admissions to psychiatric wards in Taiwan. 2019 , 60, 20-26		2
406	Helicobacter pylori infection and the risk of colorectal cancer: a nationwide population-based cohort study. 2019 , 112, 787-792		11
405	Comparing Cardiovascular Safety of Febuxostat and Allopurinol in the Real World: A Population-Based Cohort Study. 2019 , 94, 1147-1157		18
404	Influenza vaccination and secondary prevention of cardiovascular disease among Taiwanese elders-A propensity score-matched follow-up study. 2019 , 14, e0219172		11
403	Comparing the burdens of opportunistic infections among patients with systemic rheumatic diseases: a nationally representative cohort study. 2019 , 21, 211		23
402	The Association Between Decompensated Liver Cirrhosis and Deep Neck Infection: Real-World Evidence. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	8
401	Stroke in Parkinson's disease. 2019 , 112, 269-274		6
400	In-hospital and post-discharge outcomes of pediatric acute myocarditis underwent after high-dose steroid or intravenous immunoglobulin therapy. 2019 , 19, 10		9
399	Impact of post-sepsis cardiovascular complications on mortality in sepsis survivors: a population-based study. 2019 , 23, 293		13
398	Effect of time interval from diagnosis to treatment for cervical cancer on survival: A nationwide cohort study. 2019 , 14, e0221946		15
397	Comparative risk evaluation for cardiovascular events associated with dapagliflozin vs. empagliflozin in real-world type 2 diabetes patients: a multi-institutional cohort study. 2019 , 18, 120		26
396	Cardiovascular Outcomes Associated With Clinical Use of Citalopram and Omeprazole: A Nationwide Population-Based Cohort Study. 2019 , 8, e011607		5
395	End-of-life care in cancer and dementia: a nationwide population-based study of palliative care policy changes. 2019 ,		2
394	The Risk of Stroke in Kidney Transplant Recipients with End-Stage Kidney Disease. <i>International Journal of Environmental Research and Public Health</i> , 2019 , 16,	4.6	4
393	Risk of cardiotoxicity induced by adjuvant anthracycline-based chemotherapy and radiotherapy in young and old Asian women with breast cancer. 2019 , 195, 629-639		10

392	Benzodiazepines Associated With Acute Respiratory Failure in Patients With Obstructive Sleep Apnea. 2018 , 9, 1513	18
391	Tooth Loss Predicts Myocardial Infarction, Heart Failure, Stroke, and Death. 2019 , 98, 164-170	43
390	End-of-Life Health Care Utilization Between Chronic Obstructive Pulmonary Disease and Lung Cancer Patients. 2019 , 57, 933-943	11
389	Depression amongst patients commencing maintenance dialysis is associated with increased risk of death and severe infections: A nationwide cohort study. 2019 , 14, e0218335	4
388	Potential target-organ protection of mineralocorticoid receptor antagonist in acute kidney disease. 2019 , 37, 125-134	5
387	Risk of Atrial Fibrillation in Patients with Congenital Heart Disease: Results of a Propensity Score-Matched, Nationwide Cohort Study. 2019 , 26, 670-677	6
386	Re-evaluating Safety and Effectiveness of Dabigatran Versus Warfarin in a Nationwide Data Environment: A Prevalent New-User Design Study. 2019 , 6, 93-104	5
385	Increased ischemic stroke risk in patients with Behçet's disease: A nationwide population-based cohort study. 2019 , 14, e0218652	5
384	The crowd-out effect of a mass casualty incident: Experience from a dust explosion with multiple burn injuries. 2019 , 98, e15457	5
383	Epidemiologic study of pterygium in Taiwan. 2019 , 63, 297-303	4
382	Comparison of mortality and cardiovascular event risk associated with various insulin secretagogues: A nationwide real-world analysis. 2019 , 152, 103-110	3
381	Taiwan's National Health Insurance Research Database: past and future. 2019 , 11, 349-358	324
380	Adrenalectomy Improves the Long-Term Risk of End-Stage Renal Disease and Mortality of Primary Aldosteronism. 2019 , 3, 1110-1126	22
379	Long Term Outcomes and Effects of Surgery on Degenerative Spinal Deformity: A 14-Year National Cohort Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1 3
378	Risk of subsequent health disorders among living kidney donors. 2019 , 98, e14494	3
377	Long-term statin adherence in patients after hospital discharge for new onset of atherosclerotic cardiovascular disease: a population-based study of real world prescriptions in Taiwan. 2019 , 19, 62	14
376	Reduced risk of new onset stroke after kidney transplantation in Asian dialysis patients: a propensity score-matched, competing risk study in Taiwan. 2019 , 112, 489-495	2
375	Adult outcome of juvenile idiopathic arthritis: A nationwide population-based retrospective cohort study in Taiwan. 2019 , 22, 1283-1288	4

374	Aspirin use in central retinal arterial occlusion to prevent ischaemic stroke: a retrospective cohort study in Taiwan. 2019 , 9, e025455	2
373	Antithrombotic Treatment May Reduce Mortality Among New-Onset Atrial Fibrillation Patients with Gray-Zone Risk of Stroke. 2019 , 60, 303-309	3
372	Association between benzodiazepine use and risks of chronic-onset poststroke pneumonia: a population-based cohort study. 2019 , 9, e024180	5
371	Association of Daily Aspirin Therapy With Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B. 2019 , 179, 633-640	67
370	Incidence of type 2 diabetes mellitus in men receiving steroid 5 β -reductase inhibitors: population based cohort study. 2019 , 365, l1204	18
369	Risk of dementia in patients with end-stage renal disease under maintenance dialysis-a nationwide population-based study with consideration of competing risk of mortality. 2019 , 11, 31	10
368	Holiday Season and Weekend Effects on Stroke Mortality: A Nationwide Cohort Study Controlling for Stroke Severity. 2019 , 8, e011888	12
367	Clinical outcomes of second-generation limus-eluting stents compared to paclitaxel-eluting stents for acute myocardial infarction with cardiogenic shock. 2019 , 14, e0214417	1
366	Long-Term Follow-up in Patients with Spontaneous Intracerebral Hemorrhage Treated With or Without Surgical Intervention: a Large-Scale Retrospective Study. 2019 , 16, 891-900	
365	Bidirectional association between tuberculosis and sarcoidosis. 2019 , 24, 467-474	13
364	The association between heat stroke and subsequent cardiovascular diseases. 2019 , 14, e0211386	12
363	Chronic Kidney Disease Worsens Health Outcomes in Diabetic Patients After Hip Fracture Surgery: An Asian Nationwide Population-Based Cohort Study. 2019 , 34, 849-858	6
362	Stroke occurrence while on antiplatelet therapy may predict atrial fibrillation detected after stroke. 2019 , 283, 13-18	2
361	Increased risk for incident thyroid diseases in people with psoriatic disease: A cohort study. 2019 , 80, 1006-1012	18
360	Reduced use of emergency care and hospitalization in patients with post-stroke cognitive impairment treated with traditional Chinese medicine. 2019 , 112, 437-442	4
359	Increased risk of bisphosphonate-related osteonecrosis of the jaw in patients with Sjögren's syndrome: nationwide population-based cohort study. 2019 , 9, e024655	6
358	Risk of aortic dissection, congestive heart failure, pneumonia and acute respiratory distress syndrome in patients with clinical vertebral fracture: a nationwide population-based cohort study in Taiwan. 2019 , 9, e030939	1
357	Statin adherence and persistence on secondary prevention of cardiovascular disease in Taiwan. 2019 , 11, e011176	3

356	Symptomatic menopausal transition and risk of subsequent stroke. 2019 , 7, e7964	
355	Risk Of Urticaria In Geriatric Stroke Patients Who Received Influenza Vaccination: A Retrospective Cohort Study. 2019 , 14, 2085-2093	
354	Correlation between kidney transplantation and colorectal cancer in hemodialysis patients: A nationwide, retrospective, population-based cohort study. 2019 , 19, 1120	1
353	Effects of continuity of care on the postradiotherapy survival of working-age patients with oral cavity cancer: A nationwide population-based cohort study in Taiwan. 2019 , 14, e0225635	3
352	Patient and health care system characteristics are associated with delayed treatment of tuberculosis cases in Taiwan. 2019 , 19, 846	1
351	Incidental Congestive Heart Failure in Patients With Aldosterone-Producing Adenomas. 2019 , 8, e012410	9
350	Chronic obstructive pulmonary disease combined with vertebral compression fracture increases the risk of temporomandibular disorder: A population-based cohort study. 2019 , 98, e17162	2
349	Epidemiology of Pediatric Acute Pancreatitis in Taiwan: A Nationwide Population-based Study. 2019 , 68, e7-e12	3
348	Investigating the causal effect of socioeconomic status on quality of care under a universal health insurance system - a marginal structural model approach. 2019 , 19, 987	3
347	The influence of statins on aortic aneurysm after operation: A retrospective nationwide study. 2019 , 98, e15368	2
346	Increased risk of ankylosing spondylitis after Mycoplasma pneumonia: A Nationwide population-based study. 2019 , 98, e15596	4
345	Hormone therapy in postmenopausal women associated with risk of stroke and venous thromboembolism: a population-based cohort study in Taiwan. 2019 , 26, 197-202	6
344	No Association Between Human Immunodeficiency Virus Infections And Dementia: A Nationwide Cohort Study In Taiwan. 2019 , 15, 3155-3166	12
343	Increased Subsequent Risk of Coronary Heart Disease in Primary Cesarean Delivery Women: A Population-Based Cohort Study. 2019 , 28, 323-330	0
342	Effects on clinical outcomes of intensifying triple oral antidiabetic drug (OAD) therapy by initiating insulin versus enhancing OAD therapy in patients with type 2 diabetes: A nationwide population-based, propensity-score-matched cohort study. 2019 , 21, 312-320	6
341	Proton Pump Inhibitors and Risk of Hepatocellular Carcinoma in Patients With Chronic Hepatitis B or C. 2019 , 69, 1151-1164	15
340	Traumatic Brain Injury Increases the Risk of Major Adverse Cardiovascular and Cerebrovascular Events: A 13-Year, Population-Based Study. 2019 , 122, e740-e753	16
339	Surgical repair of aortic aneurysms and reduced incidence of dementia. 2019 , 278, 46-50	9

338	Age threshold for the use of non-vitamin K antagonist oral anticoagulants for stroke prevention in patients with atrial fibrillation: insights into the optimal assessment of age and incident comorbidities. 2019 , 40, 1504-1514		51
337	Risk of severe erectile dysfunction in primary hyperaldosteronism: A population-based propensity score matching cohort study. 2019 , 165, 622-628		1
336	Risk of psychiatric disorders in rosacea: A nationwide, population-based, cohort study in Taiwan. <i>Journal of Dermatology</i> , 2019 , 46, 110-116	1.6	7
335	Association Between Psoriasis and Dementia: A Population-Based Case-Control Study. 2019 , 20, 457-463		7
334	Non-Apnea Sleep Disorder associates with increased risk of incident heart failure-A nationwide population-based cohort study. 2019 , 14, e0209673		2
333	Impact of chronic urticaria on systemic lupus erythematosus: A nationwide population-based study in Taiwan. <i>Journal of Dermatology</i> , 2019 , 46, 26-32	1.6	5
332	The prevalence of mental disorders in Taiwanese prisons: a nationwide population-based study. 2019 , 54, 379-386		12
331	Stroke risk and outcomes in epilepsy patients: Two retrospective cohort studies based on National Health Insurance in Taiwan. 2019 , 280, 147-154		10
330	Nonsteroidal Anti-Inflammatory Drugs and Risk of First Hospitalization for Heart Failure in Patients with No History of Heart Failure: A Population-Based Case-Crossover Study. 2019 , 42, 67-75		11
329	Risk of psychiatric disorders in overactive bladder syndrome: a nationwide cohort study in Taiwan. 2019 , 67, 312-318		10
328	Risk of Dementia in Adults With ADHD: A Nationwide, Population-Based Cohort Study in Taiwan. 2019 , 23, 995-1006		24
327	Cardiovascular outcomes of vildagliptin in patients with type 2 diabetes mellitus after acute coronary syndrome or acute ischemic stroke. 2020 , 11, 110-124		3
326	Risk Factors for Myocardial Infarction and Stroke Among Sepsis Survivors: A Competing Risks Analysis. 2020 , 35, 34-41		3
325	Correlation between potentially inappropriate medication and Alzheimer's disease among the elderly. 2020 , 87, 103842		3
324	Increased incidence of colorectal cancer with obstructive sleep apnea: a nationwide population-based cohort study. <i>Sleep Medicine</i> , 2020 , 66, 15-20	4.6	12
323	Hyperlipidemia patients with long-term statin treatment are associated with a reduced risk of progression of benign prostatic enlargement. 2020 , 23, 354-361		1
322	Factors affecting long-term mortality rate after diagnosis of syringomyelia in disabled spinal cord injury patients: a population-based study. 2020 , 58, 402-410		
321	Outcomes of acute cardiovascular events in rheumatoid arthritis and systemic lupus erythematosus: a population-based study. 2020 , 59, 1355-1363		14

320	Effect of β-blocker therapy on late outcomes after surgical repair of type A aortic dissection. 2020 , 159, 1694-1703.e3	10
319	Influence of warfarin on cardiac and cerebrovascular events following bioprosthetic aortic valve replacement: A nationwide cohort study. 2020 , 159, 1730-1739.e1	1
318	Association between surgical repair of aortic aneurysms and the diagnosis of intracranial aneurysms. 2020 , 71, 481-489	5
317	Prior Antiplatelet Therapy, Excluding Phosphodiesterase Inhibitor Is Associated with Poor Outcome in Patients with Spontaneous Intracerebral Haemorrhage. 2020 , 11, 185-194	4
316	Association of Statin and Its Lipophilicity With Cardiovascular Events in Patients Receiving Chronic Dialysis. 2020 , 107, 1312-1324	2
315	Psychiatric Disorders After Traumatic Brain Injury: A Nationwide Population-Based Cohort Study and the Effects of Rehabilitation Therapies. 2020 , 101, 822-831	15
314	Association between surgical repair of aortic aneurysms and the diagnosis of subsequent cardiovascular diseases. 2020 , 75, 621-627	1
313	Association between atopic dermatitis and colorectal cancer risk: A nationwide cohort study. 2020 , 99, e18530	6
312	Pioglitazone and PPAR-γ-modulating treatment in hypertensive and type 2 diabetic patients after ischemic stroke: a national cohort study. 2020 , 19, 2	8
311	Incidence and Risk of Carpal Tunnel Syndrome in End-Stage Renal Disease Patients on Dialysis: A Nationwide Population-Based Matched Cohort Study. 2020 , 84, S100-S106	5
310	Risk of preventable hospitalization before and after diagnosis among rheumatoid arthritis patients compared to non-rheumatoid arthritis controls. 2020 , 87, 149-156	2
309	Comparing the Effectiveness and Safety of Nonvitamin K Antagonist Oral Anticoagulants and Warfarin in Elderly Asian Patients With Atrial Fibrillation: A Nationwide Cohort Study. 2020 , 157, 1266-1277	18
308	Natural History of Acromegaly: Incidences, Re-operations, Cancers, and Mortality Rates in a National Cohort. 2020 , 110, 977-987	9
307	Risk of new-onset autoimmune diseases in primary aldosteronism: a nation-wide population-based study. 2020 , 38, 745-754	2
306	Low dose of propranolol treatment is associated with better survival in cirrhotic patients with hepatic encephalopathy. 2020 , 32, 365-372	0
305	Effect of air pollution on gout development: a nationwide population-based observational study. 2021 , 114, 471-475	2
304	Late outcomes of endovascular aortic stent graft therapy in patients with chronic kidney disease. 2020 , 99, e22157	0
303	Decreased stroke risk with combined traditional Chinese and western medicine in patients with ischemic heart disease: A real-world evidence. 2020 , 99, e22654	2

302	Nephrologist Follow-Up Care of Patients With Acute Kidney Disease Improves Outcomes: Taiwan Experience. 2020 , 23, 1225-1234		8
301	Efficacy and safety outcomes of one generic nifedipine versus ADALAT long-acting nifedipine for hypertension management. <i>Journal of Clinical Hypertension</i> , 2020 , 22, 2296-2305	2.3	1
300	Intensive care utilization in patients with end-stage liver disease: A population-based comparative study of cohorts with and without comorbid hepatocellular carcinoma in taiwan. <i>EClinicalMedicine</i> , 2020 , 22, 100357	11.3	
299	Long-term outcomes following vehicle trauma related acute kidney injury requiring renal replacement therapy: a nationwide population study. 2020 , 10, 20572		0
298	Outcomes after surgery in patients with diabetes who used metformin: a retrospective cohort study based on a real-world database. 2020 , 8,		3
297	Impact of bleeding during dual antiplatelet therapy in patients with coronary artery disease. 2020 , 10, 21345		0
296	Clinical Use of Acid Suppressants and Risk of Dementia in the Elderly: A Pharmaco-Epidemiological Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	10
295	β-blocker dialyzability and the risk of mortality and cardiovascular events in patients undergoing hemodialysis. 2020 , 35, 1959-1965		2
294	Association between inflammatory bowel disease and bullous pemphigoid: a population-based case-control study. 2020 , 10, 12727		2
293	Diabetes mellitus associated with an increased risk of percutaneous coronary intervention long-term adverse outcomes in Taiwan: A nationwide population-based cohort study. 2020 , 34, 107689		3
292	Risk of Dementia in Diabetic Patients with Hyperglycemic Crisis: A Nationwide Taiwanese Population-Based Cohort Study. 2020 , 54, 419-426		0
291	Performance of ICD-10-CM Diagnosis Codes for Identifying Acute Ischemic Stroke in a National Health Insurance Claims Database. 2020 , 12, 1007-1013		13
290	Effect of previous coronary stenting on subsequent coronary artery bypass grafting outcomes. 2020 ,		4
289	Risk of Subsequent Migraines in Facial Fracture Patients: A Population-Based Cohort Study. 2020 ,		0
288	Risk of subsequent prostate cancer in peptic ulcer patients who received helicobacter pylori eradication therapy: an Asian population-based cohort study. 2020 , 20, 135		0
287	The implications of catheter ablation for solitary atrial flutter in preventing stroke risk: a nationwide population-based cohort study. 2020 , 22, 1558-1566		
286	The Age Distribution among Children Seeking Medical Treatment for Precocious Puberty in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
285	Not all aspirin products have equivalent antiplatelet efficacy-Aspirin formulated with magnesium stearate is less effective in preventing ischemic stroke. <i>Pharmacoepidemiology and Drug Safety</i> , 2020 , 29, 1570-1578	2.6	

284	Investigation of the relationship between sensorineural hearing loss and associated comorbidities in patients with chronic kidney disease: A nationwide, population-based cohort study. 2020 , 15, e0238913		2
283	Outcomes of Acute Aortic Dissection Surgery in Octogenarians. 2020 , 9, e017147		9
282	Is Agomelatine Associated with Less Sedative-Hypnotic Usage in Patients with Major Depressive Disorder? A Nationwide, Population-Based Study. 2020 , 16, 1727-1736		1
281	Infantile infection and antibiotic exposure in association with pediatric psoriasis development: A nationwide nested case-control study. 2021 , 85, 626-635		2
280	Association of ambient air pollution with cardiovascular disease risks in people with type 2 diabetes: a Bayesian spatial survival analysis. 2020 , 19, 110		0
279	Association between abdominal aortic aneurysms and alcohol-related diseases. 2020 , 99, e22968		0
278	Effect of time interval from diagnosis to treatment for non-small cell lung cancer on survival: a national cohort study in Taiwan. 2020 , 10, e034351		12
277	Association between initial dialytic modalities and the risks of mortality, infection death, and cardiovascular events: A nationwide population-based cohort study. 2020 , 10, 8066		0
276	Outcome and cost analysis of primary total knee arthroplasty in end-stage renal disease patients: A nationwide population-based study. 2021 , 44, 620-626		2
275	Association of Ischemic Stroke, Major Bleeding, and Other Adverse Events With Warfarin Use vs Non-vitamin K Antagonist Oral Anticoagulant Use in Patients With Atrial Fibrillation With a History of Intracranial Hemorrhage. 2020 , 3, e206424		14
274	Association of Daily Aspirin Therapy With Hepatocellular Carcinoma Risk in Patients With Chronic Hepatitis C Virus Infection. 2020 , 18, 2784-2792.e7		11
273	A Retrospective Study of Suicide Attempts in Patients With Pulmonary Hypertension. 2020 , 29, e231-e237		1
272	Comparative cardiovascular safety of GLP-1 receptor agonists versus other glucose-lowering agents in real-world patients with type 2 diabetes: a nationwide population-based cohort study. 2020 , 19, 83		13
271	All-cause mortality and the risk of stroke with selective aspiration thrombectomy in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention: A nationwide retrospective cohort study. 2020 , 99, e19590		1
270	Administrative and Claims Data Help Predict Patient Mortality in Intensive Care Units by Logistic Regression: A Nationwide Database Study. 2020 , 2020, 9076739		6
269	Increased risk of dementia in patients with genital warts: A nationwide cohort study in Taiwan. <i>Journal of Dermatology</i> , 2020 , 47, 503-511	1.6	11
268	Stroke to Dementia Associated with Environmental Risks-A Semi-Markov Model. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	0
267	Psoriasis is not a risk factor for dementia: a 12-year nationwide population-based cohort study. 2020 , 312, 657-664		2

266	Increased risk of psychiatric disorders in adult patients with vitiligo: A nationwide, population-based cohort study in Taiwan. <i>Journal of Dermatology</i> , 2020 , 47, 470-475	1.6	5
265	Nationwide cohort study of outcomes of acute myocardial infarction in patients with liver cirrhosis: A nationwide cohort study. 2020 , 99, e19575		3
264	Mortality of Cardiovascular Events in Patients With COPD and Preceding Hospitalization for Acute Exacerbation. 2020 , 158, 973-985		11
263	Are Anticholinergic Medications Associated With Increased Risk of Dementia and Behavioral and Psychological Symptoms of Dementia? A Nationwide 15-Year Follow-Up Cohort Study in Taiwan. 2020 , 11, 30		17
262	Severe varicose veins and the risk of mortality: a nationwide population-based cohort study. 2020 , 10, e034245		4
261	Home-Time as a Surrogate Measure for Functional Outcome After Stroke: A Validation Study. 2020 , 12, 617-624		2
260	Hospitalization outcome of heart diseases between patients who received medical care by cardiologists and non-cardiologist physicians: A propensity-score matched study. 2020 , 15, e0235207		3
259	New Users of Herbal Medicine Containing Aristolochic Acids and the Risk of Dementia in the Elderly: A Nationwide, Population-Based Study in Taiwan. 2020 , 16, 1493-1504		4
258	Evaluating Risk of Incident Diabetes Between Patients Who Used Lovastatin and Red Yeast Rice Prescriptions (LipoCol Forte): A Retrospective Cohort Study Based on a Real-World Database. 2020 , 13, 89-98		4
257	Diabetes pay-for-performance program can reduce all-cause mortality in patients with newly diagnosed type 2 diabetes mellitus. 2020 , 99, e19139		1
256	Vegetarian diet and incidence of total, ischemic, and hemorrhagic stroke in 2 cohorts in Taiwan. 2020 , 94, e1112-e1121		25
255	The prevalence of first-onset temporomandibular disorder in low back pain and associated risk factors: A nationwide population-based cohort study with a 15-year follow-up. 2020 , 99, e18686		1
254	Association between traumatic spinal cord injury and affective and other psychiatric disorders-A nationwide cohort study and effects of rehabilitation therapies. 2020 , 265, 381-388		19
253	Increased risk of strokes in patients with chronic low back pain (CLBP): A nationwide population-based cohort study. 2020 , 192, 105725		1
252	Adverse birth outcomes in adolescent and young adult female cancer survivors: a nationwide population-based study. 2020 , 122, 918-924		2
251	Association of depression and diabetes complications and mortality: a population-based cohort study. 2020 , 29, e96		22
250	A population-based cohort study of mortality of intensive care unit patients with liver cirrhosis. 2020 , 20, 15		3
249	Association of irritable bowel syndrome in patients with atrial fibrillation: a nationwide population-based investigation. 2020 , 35, 847-852		2

248	Blood pressure and the risk of major adverse cardiovascular events among firefighters. 2020 , 38, 850-857	8
247	Validity of Claims Diagnosis Codes for Cardiovascular Diseases in Diabetes Patients in Japanese Administrative Database. 2020 , 12, 367-375	14
246	Sex differences in fracture outcomes within Taiwan population: A nationwide matched study. 2020 , 15, e0231374	2
245	Association of adherence to antiretroviral therapy with economic burden of cardiovascular disease in HIV-infected population. 2021 , 28, 326-334	3
244	Comparative cardiometabolic risk of antipsychotics in children, adolescents and young adults. 2021 , 30, 769-783	0
243	Association between atopic keratoconjunctivitis and the risk of keratoconus. 2021 , 99, e54-e61	6
242	Association of chronic periodontitis with prostatic hyperplasia and prostatitis: A population-based cohort study in Taiwan. 2021 , 92, 72-86	1
241	Atrial fibrillation and associated outcomes in patients with peritoneal dialysis and hemodialysis: a 14-year nationwide population-based study. 2021 , 34, 53-62	3
240	Efficacy and Safety of Ticagrelor vs. Clopidogrel in East Asian Patients with Acute Myocardial Infarction: A Nationwide Cohort Study. 2021 , 109, 443-451	4
239	Heterogeneous Treatment Effects on Cardiovascular Diseases With Dipeptidyl Peptidase-4 Inhibitors Versus Sulfonylureas in Type 2 Diabetes Patients. 2021 , 109, 772-781	1
238	Association between dipeptidyl peptidase-4 inhibitors and risk of bullous pemphigoid in patients with type 2 diabetes: A population-based cohort study. 2021 , 171, 108546	3
237	Le risque d'hospitalisation évitable avant et après le diagnostic chez des patients atteints de polyarthrite rhumatoïde comparativement à des témoins sans polyarthrite rhumatoïde. 2021 , 88, 40-48	
236	Eating disorders and the risk of esophageal and stomach cancers-A nationwide, population-based cohort study in Taiwan. 2021 , 54, 959-968	3
235	Building clinical risk score systems for predicting the all-cause and expanded cardiovascular-specific mortality of patients with type 2 diabetes. 2021 , 23, 467-479	1
234	Association between nonsteroidal anti-inflammatory drug use and major adverse cardiovascular events in patients with end-stage renal disease: a population-based cohort study. 2021 , 34, 441-449	2
233	Acupuncture Decreased the Risk of Coronary Heart Disease in Patients with Osteoarthritis in Taiwan: A Nationwide Matched Cohort Study. 2021 , 27, S60-S70	1
232	Worldwide Availability of Pharmacoepidemiological Databases. 2021 , 15-53	
231	Tumor subsites and risk of osteoradionecrosis of the jaw in patients with oral cavity cancer: a national-based cohort study. 2021 , 278, 3425-3433	3

230	Assessing the International Transferability of a Machine Learning Model for Detecting Medication Error in the General Internal Medicine Clinic: Multicenter Preliminary Validation Study. 2021 , 9, e23454		2
229	Comparative effectiveness of bisoprolol and carvedilol among patients receiving maintenance hemodialysis. 2021 , 14, 983-990		3
228	Investigation of the Impact of Endodontic Therapy on Survival among Dialysis Patients in Taiwan: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
227	Association of digoxin with mortality in patients with advanced chronic kidney disease: A population-based cohort study. 2021 , 16, e0245620		1
226	Non-Vitamin K Antagonist Oral Anticoagulants in Elderly (85 years) Patients With Newly Diagnosed Atrial Fibrillation: Changing Clinical Practice and Outcomes for Stroke Prevention in a Nationwide Cohort Study. 2021 , 96, 52-65		9
225	Non-vitamin K antagonist oral anticoagulants versus warfarin in AF patients 85 years. 2021 , 51, e13488		3
224	Non-apnea sleep disorder and its risk for all kinds of injuries: A 14-year follow-up for a nationwide population-based retrospective study. 2021 , 100, e24766		0
223	Social Determinants of Diabetes-Related Preventable Hospitalization in Taiwan: A Spatial Analysis. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
222	Risk of Psychiatric Disorders in Multiple Sclerosis: A Nationwide Cohort Study in an Asian Population. 2021 , 17, 587-604		3
221	A nationwide cohort study for comparative vascular safety of long-acting insulin analogue versus intermediate-acting human insulin in type 2 diabetes. 2021 , 11, 4152		
220	Does irritable bowel syndrome increase the risk of interstitial cystitis/bladder pain syndrome? A cohort study of long term follow-up. 2021 , 32, 1307-1312		4
219	Newly Diagnosed Leptospirosis and Subsequent Hemorrhagic Stroke: A Nationwide Population-Based Cohort Study. 2021 , 52, 913-921		2
218	Similar major cardiovascular outcomes between pure statin and ezetimibe-statin in comparable intensity for type 2 diabetes with extremely atherosclerotic risks. 2021 , 11, 6697		
217	Continuation or discontinuation of oral anticoagulants after HAS-BLED scores increase in patients with atrial fibrillation. 2021 , 1		6
216	Accuracy of Japanese claims data in identifying diabetes-related complications. <i>Pharmacoepidemiology and Drug Safety</i> , 2021 , 30, 594-601	2.6	6
215	Validation of an Operational Definition to Identify Distal Radius Fractures in a National Health Insurance Database. 2021 , 46, 1026.e1-1026.e7		1
214	The risk trajectory of different cardiovascular morbidities associated with chronic kidney disease among patients with newly diagnosed diabetes mellitus: a propensity score-matched cohort analysis. 2021 , 20, 86		1
213	Short-, Mid-, and Long-Term Associations Between PM2.5 and Stroke Incidence in Taiwan. 2021 , 63, 742-751		2

212	Assessment of Malaysian University Undergraduate Knowledge and Awareness on Metabolic Syndrome and Conditions related to it. 2021 , 1893-1898		1
211	The Association between Migraine and Abdominal Aortic Aneurysms: A Nationwide Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
210	Association between gastroesophageal reflux disease and colorectal cancer risk: a population-based cohort study. 2021 , 36, 2411-2418		0
209	Vildagliptin Has a Neutral Association With Dementia Risk in Type 2 Diabetes Patients. 2021 , 12, 637392		1
208	Obstructive sleep apnea and influenza infection: a nationwide population-based cohort study. <i>Sleep Medicine</i> , 2021 , 81, 202-209	4.6	3
207	Mortality of major cardiovascular emergencies among patients admitted to hospitals on weekends as compared with weekdays in Taiwan. 2021 , 21, 528		0
206	High 1-year risk of stroke in patients with hepatocellular carcinoma: a nationwide registry-based cohort study. 2021 , 11, 10444		0
205	Risk of Dry Eye Syndrome in Patients with Orbital Fracture: A Nationwide Population-Based Cohort Study. 2021 , 9,		
204	Gout as a risk factor for acute myocardial infarction: evidence from competing risk model analysis. 2021 , 69, 1161-1167		0
203	Non-Typhoidal and the Risk of Kawasaki Disease: A Nationwide Population-Based Cohort Study. 2021 , 12, 701409		0
202	Dialysis Mode and Associated Outcomes in Patients With End-Stage Renal Disease and Atrial Fibrillation: A 14-Year Nationwide Cohort Study. 2021 , 10, e019596		1
201	Oral anticoagulants in extremely-high-risk, very elderly (>90 years) patients with atrial fibrillation. 2021 , 18, 871-877		3
200	Effects of long-term anti-seizure medication monotherapy on all-cause death in patients with post-stroke epilepsy: a nationwide population-based study in Taiwan. 2021 , 21, 226		0
199	Association of Immunosuppressants with Mortality of Patients with Bullous Pemphigoid: A Nationwide Population-Based Cohort Study. 2021 , 1-8		0
198	Long-Term Risk of Autoimmune Diseases other than Systemic Lupus Erythematosus in Cutaneous Lupus Erythematosus-Alone Patients: A 10-Year Nationwide Cohort Study. 2021 , 1-9		1
197	Novel model-based point scoring system for predicting stroke risk in atrial fibrillation patients: Results from a nationwide cohort study with validation. 2021 , 34, 100787		0
196	Effect of Permanent Pacemaker Implantation After Valve Surgery on Long-Term Outcomes. 2021 , 85, 1027-1034		1
195	Major adverse cardiovascular and limb events in patients with diabetes treated with GLP-1 receptor agonists vs DPP-4 inhibitors. 2021 , 64, 1949-1962		8

194	Increased risk of short-term depressive disorder after <i>Helicobacter pylori</i> eradication: A population-based nested cohort study. 2021 , 26, e12824		1
193	Efficacy and safety of ticagrelor versus clopidogrel in patients with non-ST-elevation myocardial infarction in Taiwan. 2021 , 11, 14150		0
192	Should oral anticoagulants still be prescribed to patients with atrial fibrillation with a single stroke risk factor but at high bleeding risk? a nationwide cohort study. 2021 ,		3
191	Associations Between Antidepressant Use and Advanced Diabetes Outcomes in Patients with Depression and Diabetes Mellitus. 2021 , 106, e5136-e5146		1
190	Increased risk of sensorineural hearing loss in patients with spinal cord injury: a nationwide longitudinal follow-up study. 2021 , 59, 1200-1205		
189	Association Between Age-Related Macular Degeneration and Risk of Heart Failure: A Population-Based Nested Case-Control Study. 2021 , 10, e020071		1
188	Decreased risk of liver and intrahepatic cancer in non-H. pylori-infected perforated peptic ulcer patients with truncal vagotomy: a nationwide study. 2021 , 11, 15594		
187	Effect of introducing biologics to patients with rheumatoid arthritis on the risk of venous thromboembolism: a nationwide cohort study. 2021 , 11, 17009		0
186	Risk of dementia in patients with toxoplasmosis: a nationwide, population-based cohort study in Taiwan. 2021 , 14, 435		1
185	A Head-To-Head Comparison of Benzbromarone and Allopurinol on the Risk of Type 2 Diabetes Mellitus in People With Asymptomatic Hyperuricemia. 2021 , 12, 731370		2
184	Clinical Risk Score for the Prediction of Incident Atrial Fibrillation: Derivation in 7'220'654 Taiwan Patients With 438'930 Incident Atrial Fibrillations During a 16-Year Follow-Up. 2021 , 10, e020194		2
183	Risk of psychiatric disorders in patients taking isotretinoin: A nationwide, population-based, cohort study in Taiwan. 2022 , 296, 277-282		2
182	Comparative Risk of Arterial Thromboembolic Events Between Aflibercept and Ranibizumab in Patients with Maculopathy: A Population-Based Retrospective Cohort Study. 2021 , 35, 579-588		1
181	Operational Determination of Subjective Cognitive Decline, Mild Cognitive Impairment, and Dementia Using Sum of Boxes of the Clinical Dementia Rating Scale. 2021 , 13, 705782		0
180	Association between Statins and Retinal Vascular Occlusion: A Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
179	Development and validation of the dialysis dementia risk score: A retrospective, population-based, nested case-control study. 2022 , 29, 59-68		1
178	Claims-based algorithms for common chronic conditions were efficiently constructed using machine learning methods. 2021 , 16, e0254394		
177	Risks of trastuzumab-related cardiotoxicity in breast cancer patients in Taiwan. 2021 ,		1

176	Effectiveness of hospital emergency department regionalization and categorization policy on appropriate patient emergency care use: a nationwide observational study in Taiwan. 2021 , 21, 21	3
175	Suicide attempt in patients with atrial fibrillation - A nationwide cohort study. 2019 , 92, 470-475	7
174	The risk of injury in adults with attention-deficit hyperactivity disorder: A nationwide, matched-cohort, population-based study in Taiwan. 2017 , 65, 57-73	18
173	Nationwide longitudinal analysis of acute liver failure in taiwan. 2014 , 93, e35	12
172	Statin use and the risk of renal cell carcinoma: national cohort study. 2020 , 68, 776-781	8
171	Preeclampsia and the Risk of Pancreatitis: A Nationwide, Population-Based Cohort Study. 2020 , 2020, 3261542	1
170	Does adhesive capsulitis of the shoulder increase the risk of stroke? A population-based propensity score-matched follow-up study. 2012 , 7, e49343	8
169	Association between prostate cancer and urinary calculi: a population-based study. 2013 , 8, e57743	8
168	Psychiatric disorders after epilepsy diagnosis: a population-based retrospective cohort study. 2013 , 8, e59999	23
167	Increased risk of ischemic heart disease in young patients with newly diagnosed ankylosing spondylitis--a population-based longitudinal follow-up study. 2013 , 8, e64155	32
166	Association between chronic prostatitis/chronic pelvic pain syndrome and anxiety disorder: a population-based study. 2013 , 8, e64630	27
165	Zolpidem Use and the Risk of Injury: A Population-Based Follow-Up Study. 2013 , 8, e67459	18
164	Parkinson's disease is related to an increased risk of ischemic stroke-a population-based propensity score-matched follow-up study. 2013 , 8, e68314	44
163	Bladder pain syndrome/interstitial cystitis is associated with hyperthyroidism. 2013 , 8, e72284	5
162	Air pollution and newly diagnostic autism spectrum disorders: a population-based cohort study in Taiwan. 2013 , 8, e75510	98
161	Association between ischemic stroke and iron-deficiency anemia: a population-based study. 2013 , 8, e82952	71
160	Increased risk of ischemic stroke after hyperosmolar hyperglycemic state: a population-based follow-up study. 2014 , 9, e94155	7
159	Factors predict prolonged wait time and longer duration of radiotherapy in patients with nasopharyngeal carcinoma: a multilevel analysis. 2014 , 9, e109930	9

158	Psoriasis and the risk of pneumonia: a population-based study. 2014 , 9, e116077	28
157	The risk of cancer in patients with congenital heart disease: a nationwide population-based cohort study in Taiwan. 2015 , 10, e0116844	24
156	Association between neovascular age-related macular degeneration and dementia: a population-based case-control study in Taiwan. 2015 , 10, e0120003	10
155	Association of dialysis with the risks of cancers. 2015 , 10, e0122856	38
154	Patients with knee osteoarthritis undergoing total knee arthroplasty have a lower risk of subsequent severe cardiovascular events: propensity score and instrumental variable analysis. 2015 , 10, e0127454	5
153	Impact of Pacemaker Lead Characteristics on Pacemaker Related Infection and Heart Perforation: A Nationwide Population-Based Cohort Study. 2015 , 10, e0128320	9
152	Increased Risk of Depressive Disorder following Cholecystectomy for Gallstones. 2015 , 10, e0129962	6
151	Fracture risk and adjuvant therapies in young breast cancer patients: a population-based study. 2015 , 10, e0130725	8
150	Validity of Diagnostic Codes for Acute Stroke in Administrative Databases: A Systematic Review. 2015 , 10, e0135834	219
149	Pre-Dialysis Visits to a Nephrology Department and Major Cardiovascular Events in Patients Undergoing Dialysis. 2016 , 11, e0147508	2
148	Impact of Socioeconomic Status on the Diagnosis of Primary Open-Angle Glaucoma and Primary Angle Closure Glaucoma: A Nationwide Population-Based Study in Taiwan. 2016 , 11, e0149698	12
147	First Fall-Related Injuries Requiring Hospitalization Increase the Risk of Recurrent Injurious Falls: A Nationwide Cohort Study in Taiwan. 2016 , 11, e0149887	9
146	Young Male Patients with Atrial Fibrillation and CHA2DS2-VASc Score of 1 May Not Need Anticoagulants: A Nationwide Population-Based Study. 2016 , 11, e0151485	12
145	Association of Cytomegalovirus End-Organ Disease with Stroke in People Living with HIV/AIDS: A Nationwide Population-Based Cohort Study. 2016 , 11, e0151684	8
144	Increased Risk of Dementia in Patients with Tension-Type Headache: A Nationwide Retrospective Population-Based Cohort Study. 2016 , 11, e0156097	21
143	Stroke and Risks of Development and Progression of Kidney Diseases and End-Stage Renal Disease: A Nationwide Population-Based Cohort Study. 2016 , 11, e0158533	18
142	Risk of Nephrotic Syndrome following Enteroviral Infection in Children: A Nationwide Retrospective Cohort Study. 2016 , 11, e0161004	5
141	Use of Selective Serotonin Reuptake Inhibitors and Risks of Stroke in Patients with Obsessive Compulsive Disorder: A Population-Based Study. 2016 , 11, e0162239	5

140	High risk of developing subsequent epilepsy in patients with sleep-disordered breathing. 2017 , 12, e0173491	8
139	Influence of time interval from diagnosis to treatment on survival for oral cavity cancer: A nationwide cohort study. 2017 , 12, e0175148	23
138	Ketoanalogues supplementation decreases dialysis and mortality risk in patients with anemic advanced chronic kidney disease. 2017 , 12, e0176847	9
137	Increased risk of tinnitus in patients with chronic kidney disease: A nationwide, population-based cohort study. 2017 , 12, e0183192	8
136	Comorbidity profiles of psoriasis in Taiwan: A latent class analysis. 2018 , 13, e0192537	15
135	Uremic pruritus and long-term morbidities in the dialysis population. 2020 , 15, e0241088	6
134	Meglitinides increase the risk of hypoglycemia in diabetic patients with advanced chronic kidney disease: a nationwide, population-based study. 2017 , 8, 78086-78095	10
133	Increased risk of malignancy in patients with an aortic aneurysm: a nationwide population-based retrospective study. 2018 , 9, 2829-2837	3
132	Chronic kidney disease is associated with a risk of higher mortality following total knee arthroplasty in diabetic patients: a nationwide population-based study. 2017 , 8, 100288-100295	17
131	Increased risk of Parkinson's disease following tension-type headache: a nationwide population-based cohort study. 2018 , 9, 2148-2157	3
130	Impact of atrial fibrillation on the development of ischemic stroke among cancer patients classified by CHADS-VASc score-a nationwide cohort study. 2018 , 9, 7623-7630	11
129	Two Decades of Research Using Taiwan's National Health Insurance Claims Data: Bibliometric and Text Mining Analysis on PubMed. 2020 , 22, e18457	9
128	Involvement of swallowing therapy is associated with improved long-term survival in patients with post-stroke dysphagia. 2019 , 55, 728-734	2
127	Trends in the Incidence and Treatment of Cerebrovascular Diseases in Korea : Part I. Intracranial Aneurysm, Intracerebral Hemorrhage, and Arteriovenous Malformation. 2020 , 63, 56-68	11
126	Weekly pattern of emergency room admissions for peptic ulcers: a population-based study. 2015 , 21, 3344-50	5
125	Association of hypnotics with stroke risk: a population-based case-control study. 2014 , 16,	2
124	Risk of Second Primary Cancer in People with Non-melanoma Skin Cancer: A Nationwide Cohort Study. 2018 , 50, 428-435	1
123	Similar Cardiovascular Outcomes Between Insulin Detemir and Insulin Glargine In Type 2 Diabetic Patients With Extremely Atherosclerotic Cardiovascular Disease Risks. 2020 , 26, 818-829	0

122	Registry-based stroke research in Taiwan: past and future. 2018 , 40, e2018004		9
121	Trends in Incident and Recurrent Rates of First-Ever Ischemic Stroke in Taiwan between 2000 and 2011. 2016 , 18, 60-5		39
120	A comparison of the cancer incidence rates between the national cancer registry and insurance claims data in Korea. 2012 , 13, 6163-8		71
119	Increased chronic kidney disease development and progression in diabetic patients after appendectomy: a population-based cohort study. 2018 , 6, e5019		5
118	Radiotherapy Increases the Incidence of Herpes Zoster in Oral Cavity Cancer Patients - a National Population-based Cohort Study. 2021 , 35, 3547-3553		0
117	Stroke prevention with direct oral anticoagulants in high risk elderly atrial fibrillation patients at increased bleeding risk. 2021 ,		0
116	Oral Anticoagulation Timing in Patients with Acute Ischaemic Stroke and Atrial Fibrillation. 2021 ,		1
115	Association of Acute Upper Respiratory Tract Infections with Sudden Sensorineural Hearing Loss: A Case-Crossover, Nationwide, Population-Based Cohort Study. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	0
114	Outcomes after ticagrelor versus clopidogrel treatment in end-stage renal disease patients with acute myocardial infarction: a nationwide cohort study. 2021 , 11, 20826		0
113	Prognostic factors and population-based analysis of melanoma with sentinel lymph node biopsy. 2021 , 11, 20524		1
112	Risk of Stroke with Antivenom Usage after Venomous Snakebite in Taiwan: A Population-Based Cohort Study. 2021 ,		1
111	Authors' reply. 2014 , 204, 323-4		
110	Healthcare utilization and costs in patients with benign prostatic hyperplasia: a population-based study. 2016 , 18, 942-945		2
109	A population-based cohort study of mortality of intensive care unit patients with liver cirrhosis.		
108	Five-year medical expenses of central cord syndrome: analysis using a national cohort. 2020 , 64, 147-153		
107	Risk for Irritable Bowel Syndrome in Patients with Helicobacter Pylori Infection: A Nationwide Population-Based Study Cohort Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2020 , 17,	4.6	1
106	Assessing the International Transferability of a Machine Learning Model for Detecting Medication Error in the General Internal Medicine Clinic: Multicenter Preliminary Validation Study (Preprint).		
105	Increase Risk of Dementia in Patients With Sudden Hearing Loss: A Population-Based Cohort Study With 7-Year Follow-Up in Taiwan. 2020 , 41, 1334-1340		

104	Incidence of stroke among patients with polycystic kidney disease in Taiwan: a retrospective population-based cohort study using National Health Insurance Database. 2021,	0
103	Risk of ischemic stroke in patients with end-stage renal disease receiving peritoneal dialysis with new-onset atrial fibrillation. 2020, 83, 1066-1070	
102	Two Decades of Research Using Taiwan's National Health Insurance Claims Data: Bibliometric and Text Mining Analysis on PubMed (Preprint).	
101	Secular trends in the incidence of fracture hospitalization between 2000 and 2015 among the middle-aged and elderly persons in Taiwan: A nationwide register-based cohort study. 2022, 154, 116250	
100	Major adverse cardiovascular event definitions used in observational analysis of administrative databases: a systematic review. 2021, 21, 241	8
99	Physician decision support system for idiopathic sudden sensorineural hearing loss patients. 2021, 84, 101-107	0
98	Long-term renal prognosis among patients with primary Sjögren's syndrome and renal involvement: A nationwide matched cohort study. 2020, 113, 102483	4
97	Global comparative healthcare effectiveness research: evaluating sustainable programmes in low & middle resource settings. 2013, 137, 494-501	3
96	Coronary Artery Complications in Pediatric Patients with Kawasaki Disease: A 12-Year National Survey. 2013, 29, 357-65	2
95	The association of aspirin use with overall survival of patients with inoperable non-small cell lung cancer: a retrospective study. 2021, 21, 1257	0
94	DeepDRG: Performance of Artificial Intelligence Model for Real-Time Prediction of Diagnosis-Related Groups.. 2021, 9,	0
93	Overview of drug treatment for paroxysmal supraventricular tachycardia in Taiwan emergency departments: Adenosine using trend from 2000 to 2012. 2021,	
92	Increased risk of bladder cancer in young adult men with hyperlipidemia: A population-based cohort study.. 2021, 100, e28125	1
91	Early-life laxative exposure and subsequent atopyAssociation between early-life laxative exposure and risk of allergic diseases: A nationwide matched cohort study.. 2022,	2
90	Risk of anxiety and depression in patients with lichen planus: A nationwide population-based study.. 2022, 300, 255-262	2
89	The continued decline of plasma transfusions in Taiwan: An 11-year population-based study.. 2021,	
88	Risks of Aromatase Inhibitor-Related Cardiotoxicity in Patients with Breast Cancer in Asia.. 2022, 14,	2
87	Invasive Candidiasis in Hospitalized Patients with Major Burns.. 2022, 12,	1

- 86 Modified Taiwan Atrial Fibrillation Score for the Prediction of Incident Atrial Fibrillation.. *Frontiers in Cardiovascular Medicine*, **2021**, 8, 805399 5.4 0
- 85 Early-life infections in association with the development of atopic dermatitis in infancy and early childhood: a nationwide nested case-control study.. **2022**, 1
- 84 Epigenetics-Associated Risk Reduction of Hematologic Neoplasms in a Nationwide Cohort Study: The Chemopreventive and Therapeutic Efficacy of Hydralazine.. **2022**, 12, 809014 1
- 83 Fracture risks in patients with atopic dermatitis: A nationwide matched cohort study-reply.. **2022**, 128, 231 0
- 82 Syphilis and Ischemic Stroke: Old Question Revisited by a Nationwide Cohort Study.. **2022**, 17474930221079168
- 81 Adjuvant postmastectomy radiotherapy might be associated with better survival in women with heart failure receiving total mastectomy.. **2022**, 17, 33
- 80 The risk and timing of acute ischemic stroke after electrical cardioversion for atrial fibrillation in Taiwan: A nationwide population-based cohort study.. **2021**, 1
- 79 Adjuvant Radiotherapy Is Associated with an Increase in the Survival of Old (Aged over 80 Years) and Very Old (Aged over 90 Years) Women with Breast Cancer Receiving Breast-Conserving Surgery.. **2022**, 12,
- 78 Association Between Antibiotic Treatment of Leptospirosis Infections and Reduced Risk of Dementia: A Nationwide, Cohort Study in Taiwan.. **2022**, 14, 771486 0
- 77 The Usage of Histamine Type 1 Receptor Antagonist and Risk of Dementia in the Elderly: A Nationwide Cohort Study.. **2022**, 14, 811494
- 76 Association between Clinical Use of Colchicine and Risk of Type 2 Diabetes Mellitus among Gouty Patients: A Nationwide Cohort Study.. *International Journal of Environmental Research and Public Health*, **2022**, 19, 4.6
- 75 Validation of Stroke Risk Factors in Patients with Acute Ischemic Stroke, Transient Ischemic Attack, or Intracerebral Hemorrhage on Taiwan's National Health Insurance Claims Data.. **2022**, 14, 327-335 0
- 74 Effect Modification by Indication to the Risks of Major Thromboembolic Adverse Events in Patients Receiving Intravitreal Anti-Vascular Endothelial Growth Factor Treatment: A Population-Based Retrospective Cohort Study.. **2022**, 36, 205 1
- 73 Early-Life Antibiotic Exposure Associated With Varicella Occurrence and Breakthrough Infections: Evidence From Nationwide Pre-Vaccination and Post-Vaccination Cohorts.. **2022**, 13, 848835
- 72 Early rhythm control and the risks of ischaemic stroke, heart failure, mortality and adverse events when performed early (. **2022**, 1
- 71 Hydralazine Associated With Reduced Therapeutic Phlebotomy Frequency in a Nationwide Cohort Study: Real-World Effectiveness for Drug Repurposing.. **2022**, 13, 850045
- 70 Discharge status validation of the Chang Gung Research Database in Taiwan.. **2021**, 2
- 69 Risk of depression in patients with oral cancer: a nationwide cohort study in Taiwan. **2021**, 11, 23524 0

68	Obstructive sleep apnea increases risk of female infertility: A 14-year nationwide population-based study.. 2021 , 16, e0260842		1
67	Adjuvant Whole Breast Radiotherapy Improve Survival in Women with Heart Failure with Reduced Ejection Fraction Receiving Breast-Conserving Surgery.. 2021 , 11,		1
66	Effect of Obstructive Sleep Apnea on the Risk of Injuries-A Nationwide Population-Based Cohort Study.. <i>International Journal of Environmental Research and Public Health</i> , 2021 , 18,	4.6	1
65	Infection Is Associated With an Increased Risk of Systemic Lupus Erythematosus: A Nationwide, Retrospective Cohort Study.. 2022 , 13, 815136		0
64	Table_1.DOC. 2019 ,		
63	Table_1.docx. 2020 ,		
62	Table_2.docx. 2020 ,		
61	Table_3.docx. 2020 ,		
60	Table_1.DOC. 2018 ,		
59	Table_2.DOC. 2018 ,		
58	Comparison of Benzbromarone and Allopurinol on Primary Prevention of the First Gout Flare in Asymptomatic Hyperuricemia. 2022 , 12, 697		1
57	Early Comprehensive Kidney Care in Dialysis-Requiring Acute Kidney Injury Survivors: A Populational Study.. <i>Frontiers in Medicine</i> , 2022 , 9, 847462	4.9	0
56	Decreased Risk of Stroke in People Using Red Yeast Rice Prescriptions (LipoCol Forte [®]): a Total Population-Based Retrospective Cohort Study.. <i>Evidence-based Complementary and Alternative Medicine</i> , 2022 , 2022, 8160425	2.3	
55	Sex differences following percutaneous coronary intervention or coronary artery bypass surgery for acute myocardial infarction.. <i>Biology of Sex Differences</i> , 2022 , 13, 18	9.3	
54	Weekend versus weekday hospitalization and clinical outcomes in atrial fibrillation patients with and without stroke.. <i>Postgraduate Medical Journal</i> , 2022 ,	2	
53	Association bBetween sSleep dDisorder and aAtrial fFibrillation: A nNationwide pPopulation-based cCohort sStudy. <i>Sleep Medicine</i> , 2022 ,	4.6	1
52	Association between human papillomavirus infection and sudden sensorineural hearing loss: A nationwide population-based cohort study.. <i>EClinicalMedicine</i> , 2022 , 47, 101402	11.3	1
51	Association of periodontitis with tinnitus: A population-based cohort study in Taiwan. <i>Journal of Clinical Periodontology</i> ,	7.7	0

50	Association between Non-Steroidal Anti-Inflammatory Drugs Use and the Risk of Type 2 Diabetes Mellitus: A Nationwide Retrospective Cohort Study. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3186	5.1	0
49	Dementia Risk after Major Surgery Based on the Type of Anesthesia: A Propensity Score Matched Population-Based Cohort Study. <i>SSRN Electronic Journal</i> ,	1	
48	Comparative efficacy of generic nifedipine versus brand-name amlodipine for hypertension management in Taiwan. <i>Journal of Clinical Hypertension</i> ,	2.3	
47	Stevens-Johnson syndrome and toxic epidermal necrolysis associated with increased risk of developing psychiatric disorders: A retrospective population-based cohort study in Taiwan. <i>Journal of Dermatology</i> ,	1.6	0
46	Epidemiologic Implication of the Association between Herpes Simplex Virus Infection and the Risk of Type 1 Diabetes Mellitus: A Nationwide Case-Control Study in Taiwan. <i>International Journal of Environmental Research and Public Health</i> , 2022 , 19, 7832	4.6	
45	Stroke Risk in Patients with Gout: A Nationwide Retrospective Cohort Study in Taiwan. <i>Journal of Clinical Medicine</i> , 2022 , 11, 3779	5.1	
44	Risk of Ischemic Bowel Disease in Patients With Atrial Fibrillation Receiving Warfarin or Non-vitamin K Antagonist Oral Anticoagulants. <i>Frontiers in Cardiovascular Medicine</i> , 9,	5.4	0
43	Bidirectional Relationship Between Tuberculosis and Hypothyroidism: An 18-Year Nationwide Population-Based Longitudinal Cohort Study. <i>Frontiers in Medicine</i> , 9,	4.9	
42	PM2.5 exposure and incident attention-deficit/hyperactivity disorder during the prenatal and postnatal periods: A birth cohort study. <i>Environmental Research</i> , 2022 , 214, 113769	7.9	1
41	The Combination of Sleep Disorders and Depression Significantly Increases Cancer Risk: A Nationwide Large-Scale Population-Based Study. 2022 , 19, 9266		0
40	Oral anticoagulant decreases stroke recurrence in patients with atrial fibrillation detected after stroke. 9,		
39	Sex difference in heart failure risk associated with febuxostat and allopurinol in gout patients. 9,		
38	Lower risk of ischemic stroke among patients with chronic kidney disease using chinese herbal medicine as add-on therapy: A real-world nationwide cohort study. 13,		
37	Major adverse cardiovascular and limb events in people with diabetes treated with GLP-1 receptor agonists vs SGLT2 inhibitors.		0
36	Survival effect of pretreatment FDG-PET/CT on nasopharyngeal cancer. 2022 ,		0
35	Influenza vaccination and risk of atrial fibrillation in patients with gout: A nationwide population-based cohort study. 13,		0
34	Joint effect of blood pressure and glycemic variation on the risk of cardiovascular morbidity and mortality in persons with type 2 diabetes. 2022 , 136, 155308		1
33	Operational Definition Identifying Osteoporotic Vertebral Fractures in the Claims Database. 2022 , 37,		1

32	Comparison of the risk of gastrointestinal perforation between patients with and without rheumatoid arthritis: A nationwide cohort study in Asia. 9,	○
31	Association of Statin Therapy With Major Adverse Cardiovascular and Limb Outcomes in Patients With End-stage Kidney Disease and Peripheral Artery Disease Receiving Maintenance Dialysis. 2022 , 5, e2229706	○
30	Long-term Outcomes of Concomitant Surgical Ablation for Atrial Fibrillation. 2022 ,	○
29	The use of beta-blockers before major trauma and posttrauma outcome: A nationwide population-based study. 2022 , 42, 267	○
28	Human Papillomavirus and Risk of Colorectal Cancer: An Analysis of Nationwide Claims Data. 2022 , 58, 1461	○
27	Associations of Warfarin Use with Risks of Ischemic Cerebrovascular Events and Major Bleeding in Patients with Hyperthyroidism-Related Atrial Fibrillation. 2022 , 10, 2670	○
26	Long-Term Risks of Stroke in Patients With Type A Aortic Dissection: A Nationwide Cohort Study.	○
25	Dementia risk after major elective surgery based on the route of anaesthesia: A propensity score-matched population-based cohort study. 2023 , 55, 101727	1
24	Use of fibrates is not associated with reduced risks of mortality or cardiovascular events among ESRD patients: A national cohort study. 9,	○
23	Clinical Use of Lansoprazole and the Risk of Osteoporosis: A Nationwide Cohort Study. 2022 , 19, 15359	○
22	Association between clinical use of lansoprazole and the risk of type 2 diabetes mellitus: A pharmacoepidemiological cohort study.	○
21	Effectiveness of statins for the primary prevention of cardiovascular disease in the Asian elderly population. 2022 ,	○
20	A Comparative Study of Stone Re-Treatment after Lithotripsy. 2022 , 12, 2130	○
19	The effects of mineralocorticoid receptor antagonists on cardiovascular outcomes in patients with end-stage renal disease and heart failure.	2
18	Role of sodium-glucose cotransporter-2 inhibitors in risk of chronic kidney disease among patients with type 2 diabetes mellitus.	○
17	Early Antiplatelet Resumption and the Risks of Major Bleeding After Intracerebral Hemorrhage.	○
16	Dementia risk amongst older adults with hip fracture receiving general anaesthesia or regional anaesthesia: a propensity-score-matched population-based cohort study. 2022 ,	○
15	Risk of Fractures, Repeated Fractures and Osteoporotic Fractures among Patients with Hemophilia in Taiwan: A 14-Year Population-Based Cohort Study. 2023 , 20, 525	○

- 14 Survival effect of pre-RT PET-CT on cervical cancer: Image-guided intensity-modulated radiation therapy era. 13, ○
- 13 All-Cause Standardized Mortality Ratio in Hemodialysis and Peritoneal Dialysis Patients: A Nationwide Population-Based Cohort Study. **2023**, 20, 2347 ○
- 12 A suggested mortality benefit with integrated health care versus conventional home health care in Taiwan. 1-17 ○
- 11 The association between tyrosine kinase inhibitors and fatal arrhythmia in patients with non-small cell lung cancer in Taiwan. 13, ○
- 10 The risk of ischemic cerebrovascular disease associated with benzbromarone use in gout people: A retrospective cohort study in Taiwan. **2023**, 102, e32779 ○
- 9 Developmental Trajectories and Predictors of Incident Dementia among Elderly Taiwanese People: A 14-Year Longitudinal Study. **2023**, 20, 3065 ○
- 8 Pre-CCRT 18-fluorodeoxyglucose PET-CT improves survival in patients with advanced stages p16-negative oropharyngeal squamous cell carcinoma via accurate radiation treatment planning. **2023**, 52, ○
- 7 Validation of diagnosis codes in healthcare databases in Taiwan, a literature review. ○
- 6 Evaluation of the timing of using direct oral anticoagulants after ischemic stroke for patients with atrial fibrillation. **2023**, 9, e14456 ○
- 5 TCM as adjunctive therapy improves risks of respiratory hospitalizations in persons with type 2 diabetes: A retrospective cohort study. **2023**, 102, e33318 ○
- 4 Sodium-Glucose Cotransporter-2 Inhibitor versus Beta-Blocker Use for Hepatocellular Carcinoma Risk among People with Hepatitis B or C Virus Infection and Diabetes Mellitus. **2023**, 15, 2104 ○
- 3 Long-term outcomes of statin dose, class, and use intensity on primary prevention of cardiovascular mortality: a national T2DM cohort study. **2023**, 79, 687-700 ○
- 2 Association between clinical use of nifedipine and the risk of osteoporosis: a nationwide retrospective cohort study. ○
- 1 Association of Statin Use With Cancer- and Noncancer-Associated Survival Among Patients With Breast Cancer in Asia. **2023**, 6, e239515 ○