CITATION REPORT List of articles citing

New cements for the 21st century: The pursuit of an alternative to Portland cement

DOI: 10.1016/j.cemconres.2011.03.016 Cement and Concrete Research, 2011, 41, 750-763.

Source: https://exaly.com/paper-pdf/51550794/citation-report.pdf

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
928	Sustainable Cements for Green Buildings Construction. 2011 , 21, 915-921		29
927	An engineered cover system for mine tailings using a hardpan layer: a solidification/stabilization method for layer and field performance evaluation. 2011 , 197, 153-60		18
926	Geopolymer Microstructure and Hydration Mechanism of Alkali-Activated Fly Ash-Based Geopolymer. 2011 , 374-377, 1481-1484		4
925	Factors Influence on Shrinkage of High Calcium Fly Ash Geopolymer Paste. 2012 , 610-613, 2275-2281		2
924	Alkali activation of vitreous calcium aluminosilicate derived from glass fiber waste. 2012 , 1, 83-93		14
923	Recycling of porcelain tile polishing residue in portland cement: hydration efficiency. 2012, 46, 2368-74		23
922	Are geopolymers more suitable than Portland cement to produce high volume recycled aggregates HPC?. 2012 , 36, 1048-1052		44
921	Alkaline solution/binder ratio as a determining factor in the alkaline activation of aluminosilicates. <i>Cement and Concrete Research</i> , 2012 , 42, 1242-1251	10.3	101
920	Structural Evolution during geopolymerization from an early age to consolidated material. 2012 , 28, 8502-10		99
919	Optimization of solids-to-liquid and alkali activator ratios of calcined kaolin geopolymeric powder. 2012 , 37, 440-451		79
918	Thermal behaviour and characterization of cement composites with burnt kaolin sand. 2012 , 108, 425-4	32	26
917	A review of the multi-component utilisation of coal fly ash. 2012 , 97, 1-23		712
916	Engineering and durability properties of concretes based on alkali-activated granulated blast furnace slag/metakaolin blends. 2012 , 33, 99-108		226
915	Organic corrosion inhibitor mixtures for reinforcing steel embedded in carbonated alkali-activated fly ash mortar. 2012 , 35, 30-37		26
914	Strength and Durability in Acid Media of Alkali Silicate-Activated Metakaolin Geopolymers. 2012 , 95, 2307-2313		30
913	Alkaline Hydration of Tricalcium Aluminate. 2012 , 95, 3317-3324		26
912	A new geopolymeric binder from hydrated-carbonated cement. 2012 , 74, 223-225		27

911	New geopolymeric binder based on fluid catalytic cracking catalyst residue (FCC). 2012 , 80, 50-52	49
910	Technical and commercial progress in the adoption of geopolymer cement. 2012 , 29, 89-104	432
909	Lightweight concrete production with low Portland cement consumption. 2012, 23, 68-74	69
908	Impact of nano-geothermal silica waste and chloride content on pore solution, microstructure, and hydration products in Portland cement pastes. 2012 , 47, 3639-3647	4
907	Synthesis of consolidated materials from alkaline solutions and metakaolin: existence of domains in the AlBiR/O ternary diagram. 2013 , 65, 220-229	26
906	Sulfuric acid resistance of blended ash geopolymer concrete. 2013 , 43, 80-86	235
905	A comprehensive overview about the influence of different additives on the properties of alkali-activated slag [A guide for Civil Engineer. 2013 , 47, 29-55	204
904	Alkali activated materials based on fluid catalytic cracking catalyst residue (FCC): Influence of SiO2/Na2O and H2O/FCC ratio on mechanical strength and microstructure. 2013 , 108, 833-839	38
903	Molecular design of comb-shaped polycarboxylate dispersants for environmentally friendly concrete. 2013 , 9, 10719	115
902	Influence of the activating solution composition on the stability and thermo-mechanical properties of inorganic polymers (geopolymers) from volcanic ash. 2013 , 48, 278-286	47
901	Bauxite residue in cement and cementitious applications: Current status and a possible way forward. 2013 , 73, 53-63	106
900	Use of CaO as an activator for producing a price-competitive non-cement structural binder using ground granulated blast furnace slag. <i>Cement and Concrete Research</i> , 2013 , 54, 208-214	3 207
899	Effects of the concentrated NH4NO3 solution on mechanical properties and structure of the fly ash based geopolymers. 2013 , 41, 570-579	44
898	Strength and elastic properties of mortars with various percentages of environmentally sustainable mineral binder. 2013 , 43, 348-361	7
897	Mortars of alkali-activated blast furnace slag with high aggregate:binder ratios. 2013, 44, 607-614	13
896	Alkali-activated blends of calcium aluminate cement and slag/diatomite. 2013 , 39, 9237-9245	30
895	External sulfate attack on alkali-activated slag. 2013 , 49, 31-39	109
894	Nanoparticles for high performance concrete (HPC). 2013 , 38-52	2

893	Ternary Cement Composites with Metakaolin Sand and Calcined Clayey Diatomite. 2013, 65, 7-13	4
892	Alternative Binders to Ordinary Portland Cement for Radwaste Solidification and Stabilization. 2013 , 171-191	5
891	Effectiveness of novel and traditional methods to incorporate industrial wastes in cementitious materials An overview. 2013 , 74, 134-143	69
890	Multi-scale modeling and experimental investigations of geopolymeric gels at elevated temperatures. 2013 , 122, 164-177	31
889	Hydration kinetics in hybrid binders: Early reaction stages. 2013 , 39, 82-92	109
888	C4A3 hydration in different alkaline media. Cement and Concrete Research, 2013, 46, 41-49	55
887	Mechanical properties and compositional heterogeneities of fresh geopolymer pastes. <i>Cement and Concrete Research</i> , 2013 , 48, 9-16	75
886	Strength of geopolymer cured in saline water in ambient conditions. 2013 , 107, 34-39	51
885	Metakaolin-Slag-Clinker Blends. The Role of Na+ or K+ as Alkaline Activators of Theses Ternary Blends. 2013 , 96, 1991-1998	30
884	Targeting HPC with the help of nanoparticles: An overview. 2013 , 38, 365-370	86
883	Introduction. 2013, xxi-xxvi	
882	Characterization of Heat-Resistant Geocement Based on Potassium Silica Solution. 2013 , 378, 230-234	
881	Introduction to nanotechnology in eco-efficient construction. 2013, 1-6	1
880	The suitability of concrete using recycled aggregates (RAs) for high-performance concrete (HPC). 2013 , 424-438	1
879	Use of construction and demolition waste (CDW) for alkali-activated or geopolymer cements. 2013 , 439-475	19
878	Alkali-activated based concrete. 2013 , 439-487	7
877	Optimization and Characterization of Geopolymer Mortars using Response Surface Methodology. 2013 , 135-149	
876	Evaluation of Geopolymer Concretes at Elevated Temperature. 2013 , 79-95	

875 Ultra Optimum Green Concrete Using High Volume Fly Ash Activated Systems. **2013**, 1612, 1

874	Compressive strength, microstructure and hydration products of hybrid alkaline cements. 2014 , 17, 829-837	22
873	Comparative study of the characteristics of nano silica - , silica fume - and fly ash - incorporated cement mortars. 2014 , 17, 570-582	90
872	Specific Examples of Hybrid Alkaline Cement. 2014 , 11, 01001	9
871	Hybrid cement based on the alkali activation of by-products of coal. 2014 , 13, 31-39	9
870	Cementitious Materials for Nuclear Waste Immobilization. 2014,	26
869	Assessing the environmental impact of conventional and green/tement production. 2014, 199-238	18
868	Spent FCC Catalyst for Preparing Alkali-Activated Binders: An Opportunity for a High-Degree Valorization. 2014 , 600, 709-716	6
867	The potential role of energy-from-waste air pollution control residues in the industrial ecology of cement. 2014 , 3, 111-127	3
866	Experimental Research on Basic Mechanical Properties of Inorganic Polymer Concrete. 2014 , 584-586, 955-959	
865	Experimental Study on Seismic Performance of AAS-CFST Column. 2014 , 670-671, 344-348	O
864	Corrosion Behavior of Steel Reinforcement in Concrete with Recycled Aggregates, Fly Ash and Spent Cracking Catalyst. 2014 , 7, 3176-3197	36
863	Cementitious Binders Incorporating Residues. 2014 , 219-229	5
862	Basic Characteristics of Green Cements of CEM V/A and V/B Kind. 2014 , 897, 196-199	5
861	Preliminary Studies on the use of Sugar Cane Bagasse Ash (SCBA) in the Manufacture of Alkali Activated Binders. 2014 , 600, 689-698	10
860	Individual and combined effects of Portland cement-based hydrated mortar components on alkali-activated slag cement. 2014 , 73, 515-522	9
859	Mechanical properties of anti-seepage grouting materials for heavy metal contaminated soil. 2014 , 24, 3316-3323	11
858	Andreasen Particle Packing Method on the Development of Geopolymer Concrete for Civil Engineering. 2014 , 26, 692-697	20

Property Optimization of Inorganic Silicon Aluminum Polymer Based on Quadratic Regression and 857 Orthogonal Design. 2014, 629-630, 510-517 Strength development of alkali-activated fly ash produced with combined NaOH and Ca(OH)2 856 59 activators. 2014, 53, 341-349 Fresh and hardened properties of alkali-activated fly ash/slag pastes with superplasticizers. 2014, 855 177 50, 169-176 Lead immobilization by geopolymers based on mechanically activated fly ash. 2014, 40, 8479-8488 854 70 Effect of temperature and alkaline concentration on metakaolin leaching kinetics. 2014, 40, 8975-8985 853 49 Use of glass waste as an activator in the preparation of alkali-activated slag. Mechanical strength 852 10.3 206 and paste characterisation. Cement and Concrete Research, 2014, 57, 95-104 Recycling of waste PET granules as aggregate in alkali-activated blast furnace slag/metakaolin 851 38 blends. 2014, 58, 31-37 306 Alkali Activated Materials. 2014, 850 Novel method for preparation of calcined kaolin intercalation compound-based geopolymer. 2014, 849 11 101, 637-642 848 Design and development of Alkali Pozzolan Cement (APC). 2014, 68, 426-433 17 Mechanical and hydration properties of ground granulated blastfurnace slag pastes activated with 847 54 MgOtaO mixtures. 2014, 69, 101-108 Rheology of alkali-activated slag pastes. Effect of the nature and concentration of the activating 846 129 solution. 2014, 53, 279-288 Effect of elevated temperature on the properties of geopolymer synthesized from calcined 845 58 ore-dressing tailing of bauxite and ground-granulated blast furnace slag. 2014, 69, 41-48 Effect of superplasticizers on the early age hydration of sulfoaluminate cement. 2014, 29, 757-762 8 844 Characterization of membrane foulants in a pilot-scale tunnel construction wastewater treatment 6 843 process. 2014, 171, 384-8 842 A review on alkali-activated slag cements incorporated with supplementary materials. 2014, 3, 61-74 28 Evaluation of Kuwaiti Argillaceous Materials as a Replacement of Sand for Clinker Production. 2014 841 2 , 39, 4485-4506 Shrinkage compensation of alkali-activated slag concrete and microstructural analysis. 2014, 66, 422-428 840 64

(2015-2014)

839	Flow properties of MK-based geopolymer pastes. A comparative study with standard Portland cement pastes. 2014 , 10, 1134-41	89
838	Three-dimensional quantification of pore structure in coal ash-based geopolymer using conventional electron tomography. 2014 , 52, 221-226	23
837	Influence of the chemical and mineralogical composition on the reactivity of volcanic ashes during alkali activation. 2014 , 40, 811-820	67
836	Synthesis and super retarding performance in cement production of diethanolamine modified lignin surfactant. 2014 , 52, 116-121	30
835	Influence of the processing temperature on the compressive strength of Na activated lateritic soil for building applications. 2014 , 65, 60-66	41
834	Influence of the activator concentration and calcium hydroxide addition on the properties of alkali-activated porcelain stoneware. 2014 , 63, 214-222	32
833	Characterization of mechanical and microstructural properties of palm oil fuel ash geopolymer cement paste. 2014 , 65, 592-603	79
832	Refluxed rice husk ash/NaOH suspension for preparing alkali activated binders. 2014 , 115, 72-74	52
831	Alkaline activation of synthetic aluminosilicate glass. 2014 , 40, 5547-5558	42
830	Alternative Binders. 2014 , 79-104	
8 ₃ 0	Alternative Binders. 2014, 79-104 Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015, 40, 1102-1109	27
	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure	² 7
829	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015 , 40, 1102-1109	0
829 828	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015 , 40, 1102-1109 Current state of K-based geopolymer cements cured at ambient temperature. 2015 , 4, 125-129	8
829 828 827	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015 , 40, 1102-1109 Current state of K-based geopolymer cements cured at ambient temperature. 2015 , 4, 125-129 A Binder from Alkali Activation of FCC Waste: Use in Roof Tiles Fabrication. 2015 , 668, 411-418	10
829 828 827 826	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015, 40, 1102-1109 Current state of K-based geopolymer cements cured at ambient temperature. 2015, 4, 125-129 A Binder from Alkali Activation of FCC Waste: Use in Roof Tiles Fabrication. 2015, 668, 411-418 The Influence of Fly Ash Properties on Zeolite Composed Hardened Material. 2015, 64, 648-654 Preparation and characterization of a hybrid alkaline binder based on a fly ash with no commercial	10
829 828 827 826	Innovations in cement-based materials: Addressing sustainability in structural and infrastructure applications. 2015, 40, 1102-1109 Current state of K-based geopolymer cements cured at ambient temperature. 2015, 4, 125-129 A Binder from Alkali Activation of FCC Waste: Use in Roof Tiles Fabrication. 2015, 668, 411-418 The Influence of Fly Ash Properties on Zeolite Composed Hardened Material. 2015, 64, 648-654 Preparation and characterization of a hybrid alkaline binder based on a fly ash with no commercial value. 2015, 104, 346-352	1 32

821	Characterisation of ground hydrated Portland cement-based mortar as an additive to alkali-activated slag cement. 2015 , 57, 55-63	8
820	Reaction kinetics, gel character and strength of ambient temperature cured alkali activated slag ${f fl}$ y ash blends. 2015 , 80, 105-115	179
819	The role of aluminium in alkali-activated bentonites. 2015 , 48, 585-597	24
818	Reuse of aluminosilicate industrial waste materials in the production of alkali-activated concrete binders. 2015 , 487-518	5
817	The resistance of alkali-activated cement-based binders to chemical attack. 2015 , 373-396	7
816	Setting, segregation and bleeding of alkali-activated cement, mortar and concrete binders. 2015 , 113-131	6
815	Prediction of the compressive strength of alkali-activated geopolymeric concrete binders by neuro-fuzzy modeling: a case studys. 2015 , 217-233	
814	Mechanical strength and Young's modulus of alkali-activated cement-based binders. 2015 , 171-215	12
813	An overview of the chemistry of alkali-activated cement-based binders. 2015 , 19-47	36
812	Introduction to Handbook of Alkali-activated Cements, Mortars and Concretes. 2015, 1-16	77
811	The environmental credentials of hydraulic lime-pozzolan concretes. 2015 , 93, 26-37	31
810	Quantifying CO2 emissions from Chinal cement industry. 2015 , 50, 1004-1012	117
809	Advances in understanding hydration of Portland cement. <i>Cement and Concrete Research</i> , 2015 , 78, 38-5 6 0.3	486
808	Incorporation of reactive magnesia and quicklime in sustainable binders for soil stabilisation. 2015 , 195, 53-62	28
807	The influence of fly ash characteristics and reaction conditions on strength and structure of geopolymers. 2015 , 94, 361-370	52
806	Fracture properties and response surface methodology model of alkali-slag concrete under freezeEhaw cycles. 2015 , 93, 620-626	37
805	Alkali-activated cements and mortars based on blast furnace slag and red clay brick waste. 2015 , 85, 324-331	83
804	Advances in understanding alkali-activated materials. <i>Cement and Concrete Research</i> , 2015 , 78, 110-125 10.3	617

(2015-2015)

803	Development or nigh strength alkali activated binder using palm oil ruel ash and GGBS at ambient temperature. 2015 , 93, 289-300	51
802	Compressive strength of treated palm oil fuel ash based geopolymer mortar containing calcium hydroxide and silica fume as mineral additives. 2015 , 60, 65-81	41
801	Effect of thermal treatment on reactivity and mechanical properties of alkali activated shaleBlag binder. 2015 , 83, 26-33	22
800	Effect of delay time and Na2SiO3 concentrations on compressive strength development of geopolymer mortar synthesized from TPOFA. 2015 , 86, 64-74	25
799	A novel approach to polyaluminosialates curing process using electric boosting and temperature profile investigation by DSC. 2015 , 121, 517-524	6
798	Investigation of novel waste glass and limestone binders using statistical methods. 2015 , 82, 296-303	61
797	Effect of granulated lead smelter slag on strength of fly ash-based geopolymer concrete. 2015 , 83, 128-135	82
796	The Porous Network and its Interface inside Geopolymers as a Function of Alkali Cation and Aging. 2015 , 119, 17619-17632	31
795	Structural and durability properties of hydraulic limepozzolan concretes. 2015 , 62, 212-223	15
794	Paste backfill of high-sulphide mill tailings using alkali-activated blast furnace slag: Effect of activator nature, concentration and slag properties. 2015 , 83, 117-127	88
793	Effect of the activator dose on the compressive strength and accelerated carbonation resistance of alkali silicate-activated slag/metakaolin blended materials. 2015 , 98, 217-226	70
792	Characterization of alkali activated slagfly ash blends containing nano-silica. 2015 , 98, 397-406	100
791	Micro and macro level properties of natural zeolite contained concretes. 2015 , 101, 347-358	45
790	Radiological characterization of anhydrous/hydrated cements and geopolymers. 2015, 101, 1105-1112	16
7 ⁸ 9	The shrinkage of alkali activated fly ash. <i>Cement and Concrete Research</i> , 2015 , 68, 75-82	110
788	Synthesis and properties of new materials produced by alkaline activation of glass cullet and red mud. 2015 , 135, 1-10	32
787	Properties of Ground Perlite Geopolymer Mortars. 2015 , 27, 04014210	23
786	Influence of slag composition on the hydration of alkali-activated slags. 2015 , 4, 85-100	36

785	Synthesis, characterization and mechanisms of one-part geopolymeric cement by calcining low-quality kaolin with alkali. 2015 , 48, 699-708		60
784	Life cycle assessment of the Spanish cement industry: implementation of environmental-friendly solutions. 2015 , 17, 59-73		46
783	Study on Strength and Microstructure of Cement-Based Materials Containing Combination Mineral Admixtures. 2016 , 2016, 1-10		3
782	The Durability and Performance of Short Fibers for a Newly Developed Alkali-Activated Binder. 2016 , 4, 11		8
781	Hydration of Hybrid Alkaline Cement Containing a Very Large Proportion of Fly Ash: A Descriptive Model. 2016 , 9,		70
780	Alkali-Activated Inorganic Based Brake Pads: Realization and Performances of Alternative Friction Materials for a Concrete Industrial Application. 2016 ,		O
779	Optimizing and Characterizing Geopolymers from Ternary Blend of Philippine Coal Fly Ash, Coal Bottom Ash and Rice Hull Ash. 2016 , 9,		36
778	Alkaline Hydration Of C2S and C3S. 2016 , 99, 604-611		40
777	Investigation of activation kinetics in geopolymer paste using quasielastic neutron scattering. 2016 , 120, 181-188		4
776	Evaluation of Sulfate Resistance of Calcined Dolomite Activated Ground Granulated Blast Furnace Slag. 2016 , 28, 04015135		9
775	Recent developments on inorganic polymers synthesis and applications. 2016 , 42, 15142-15159		87
774	Nanotechnologies for sustainable construction. 2016 , 55-78		14
773	Complex organomineral additive for blended portland cement. 2016 , 7, 593-597		7
772	Comparison of Selected Properties of Portland Cement Based Materials and Alkali Activated Materials Based on Granulated Blast Furnace Slag. 2016 , 865, 107-113		2
771	Internal heat liberation and strength development of self-cured geopolymers in ambient curing conditions. 2016 , 114, 297-306		21
770	Use of Fly Ash and Cu-Slag from Mexico to Make Alkali Cements and Hybrid Cements. 2016 , 1813, 1		
769	Experimental study on the synthesis and characterization of aplite rock-based geopolymers. 2016 , 5, 233-246		20
768	Toward an indexing approach to evaluate fly ashes for geopolymer manufacture. <i>Cement and Concrete Research</i> , 2016 , 85, 163-173	10.3	74

767	Low-CO2 Cements from Fluidized Bed Process Wastes and Other Industrial By-Products. 2016 , 188, 492-503	17
766	A Review on the Durability of Alkali-Activated Fly Ash/Slag Systems: Advances, Issues, and Perspectives. 2016 , 55, 5439-5453	99
765	Performance of blended metakaolin/blastfurnace slag alkali-activated mortars. 2016 , 71, 42-52	73
764	Effect of activator concentration on the strength, ITZ and drying shrinkage of fly ash/slag geopolymer concrete. 2016 , 118, 171-179	91
763	Pressed lightweight fly ash-OPC geopolymer concrete containing recycled lightweight concrete aggregate. 2016 , 127, 450-456	24
762	An overview of geopolymers derived from industrial by-products. 2016 , 127, 183-198	173
761	Mutual activation of blast furnace slag and a high-calcium fly ash rich in free lime and sulfates. 2016 , 126, 466-475	8
760	A review of alternatives traditional cementitious binders for engineering improvement of soils. 2016 , 1-11	13
759	Characterisation of pre-industrial hybrid cement and effect of pre-curing temperature. 2016, 73, 281-288	28
758	Structure and properties of clay-based geopolymer cements: A review. 2016 , 83, 595-629	226
75 ⁸	Structure and properties of clay-based geopolymer cements: A review. 2016 , 83, 595-629 Ceramic tiles waste as replacement material in Portland cement. 2016 , 28, 221-232	226 19
757	Ceramic tiles waste as replacement material in Portland cement. 2016 , 28, 221-232 Metakaolin and fly ash alkali-activated mortars compared with cementitious mortars at the same	19
757 756	Ceramic tiles waste as replacement material in Portland cement. 2016 , 28, 221-232 Metakaolin and fly ash alkali-activated mortars compared with cementitious mortars at the same strength class. <i>Cement and Concrete Research</i> , 2016 , 88, 198-210 Evaluation of activated high volume fly ash systems using Na 2 SO 4, lime and quicklime in mortars	19 91
757 756 755	Ceramic tiles waste as replacement material in Portland cement. 2016 , 28, 221-232 Metakaolin and fly ash alkali-activated mortars compared with cementitious mortars at the same strength class. <i>Cement and Concrete Research</i> , 2016 , 88, 198-210 Evaluation of activated high volume fly ash systems using Na 2 SO 4, lime and quicklime in mortars with high loss on ignition fly ashes. 2016 , 128, 248-255 Usability of Geopolymers for Oil Well Cementing Applications: Reaction Mechanisms, Pumpability,	19 91 51
757 756 755 754	Ceramic tiles waste as replacement material in Portland cement. 2016, 28, 221-232 Metakaolin and fly ash alkali-activated mortars compared with cementitious mortars at the same strength class. Cement and Concrete Research, 2016, 88, 198-210 Evaluation of activated high volume fly ash systems using Na 2 SO 4, lime and quicklime in mortars with high loss on ignition fly ashes. 2016, 128, 248-255 Usability of Geopolymers for Oil Well Cementing Applications: Reaction Mechanisms, Pumpability, and Properties. 2016, Influence of sepiolite addition on mechanical strength and microstructure of fly ash-metakaolin	19 91 51 3
757 756 755 754 753	Ceramic tiles waste as replacement material in Portland cement. 2016, 28, 221-232 Metakaolin and fly ash alkali-activated mortars compared with cementitious mortars at the same strength class. Cement and Concrete Research, 2016, 88, 198-210 Evaluation of activated high volume fly ash systems using Na 2 SO 4, lime and quicklime in mortars with high loss on ignition fly ashes. 2016, 128, 248-255 Usability of Geopolymers for Oil Well Cementing Applications: Reaction Mechanisms, Pumpability, and Properties. 2016, Influence of sepiolite addition on mechanical strength and microstructure of fly ash-metakaolin geopolymer paste. 2016, 27, 2470-2477 Is magnesia cement low carbon? Life cycle carbon footprint comparing with Portland cement. 2016,	19 91 51 3

749	Mechanical and micromechanical properties of alkali activated fly-ash cement based on nano-indentation. 2016 , 107, 95-102	43
748	Manufacture of hybrid cements with fly ash and bottom ash from a municipal solid waste incinerator. 2016 , 105, 218-226	80
747	Alternative prime materials for developing new cements: Alkaline activation of alkali aluminosilicate glasses. 2016 , 42, 9333-9340	21
746	Fresh properties, mechanical strength and microstructure of fly ash geopolymer paste reinforced with sawdust. 2016 , 111, 600-610	52
745	Compositional, microstructural and mechanical properties of ambient condition cured alkali-activated cement. 2016 , 113, 237-245	57
744	Phase evolution of fly ash calcium constituent at early alkali activation reaction age. 2016 , 174, 175-179	6
743	Optimizing Ternary-blended Geopolymers with Multi-response Surface Analysis. 2016 , 7, 929-939	26
742	Effect of calcium on the alkaline activation of aluminosilicate glass. 2016 , 42, 7697-7707	21
741	Interface Induced Growth and Transformation of Polymer-Conjugated Proto-Crystalline Phases in Aluminosilicate Hybrids: A Multiple-Quantum (23)Na-(23)Na MAS NMR Correlation Spectroscopy Study. 2016 , 32, 2787-97	13
740	Insights into the macroporosity of freeze-cast hierarchical geopolymers. 2016 , 6, 24635-24644	21
739	Toward responsible development and effective risk management of nano-enabled products in the U.S. construction industry. 2016 , 18, 1	20
738	Effects of Activator Properties and Ferrochrome Slag Aggregates on the Properties of alkali-activated Blast Furnace Slag Mortars. 2016 , 41, 1561-1571	12
737	Influence of calcium aluminate cement (CAC) on alkaline activation of red clay brick waste (RCBW). 2016 , 65, 177-185	40
736	Preparation and characterization of one-part non-Portland cement. 2016 , 42, 220-228	37
735	Investigations on Alkali-Activated Slag/Fly Ash Concrete with steel slag coarse aggregate for pavement structures. 2017 , 18, 500-512	21
734	Long-term durability of rock-based geopolymers aged at downhole conditions for oil well cementing operations. 2017 , 6, 217-230	13
733	Effects of alkali on one-part alkali-activated cement synthesized by calcining bentonite with dolomite and Na2CO3. 2017 , 139, 64-71	29
732	The use of different by-products in the production of lightweight alkali activated building materials. 2017 , 135, 315-322	35

731	Micro-mechanical properties of calcium sulfoaluminate cement and the correlation with microstructures. 2017 , 80, 10-16	42
730	Developing Low-Cost Activators for Alkali-Activated Phosphorus Slag-Based Binders. 2017 , 29, 04017006	9
729	Bond strength between concrete substrate and metakaolin geopolymer repair mortar: Effect of curing regime and PVA fiber reinforcement. 2017 , 80, 307-316	65
728	Efficiency and mechanism of stabilization/solidification of Pb(II), Cd(II), Cu(II), Th(IV) and U(VI) in metakaolin based geopolymers. 2017 , 140, 148-156	91
727	Alkali-activated Portland blast-furnace slag cement: Mechanical properties and hydration. 2017 , 140, 119-128	88
726	Impact of the selection of functional unit on the life cycle assessment of green concrete. 2017 , 22, 1969-1986	53
725	Sulfates in Completely Recyclable Concrete and the effect of CaSO4 on the clinker mineralogy. 2017 , 137, 300-306	4
724	Effect of Na2O content, SiO2/Na2O molar ratio, and curing conditions on the compressive strength of FA-based geopolymer. 2017 , 145, 253-260	66
723	C3S and C2S hydration in the presence of Na2CO3 and Na2SO4. 2017 , 100, 3188-3198	28
722	Influence of fly ash allocation approaches on the life cycle assessment of cement-based materials. 2017 , 157, 65-75	56
721	Thermomechanical properties of particle-reinforced geopolymer composite with various aggregate gradation of fine ceramic filler. 2017 , 143, 599-606	35
720	Effect of alkali dosage on alkali-silica reaction in sodium hydroxide activated slag mortars. 2017 , 143, 16-23	41
719	Alkali-activated mortars: Workability and rheological behaviour. 2017 , 145, 576-587	50
718	Cements in the 21 Century: Challenges, Perspectives, and Opportunities. 2017 , 100, 2746-2773	104
717	Resistance to acid attack of alkali-activated binders: Simple new techniques to measure susceptibility. 2017 , 150, 355-366	11
716	Effect of Activators on Strength of Hybrid Alkaline Cement. 2017 , 196, 012022	3
715	A novel water permeable geopolymer with high strength and high permeability coefficient derived from fly ash, slag and metakaolin. 2017 , 28, 1430-1434	16
714	Investigating Gel Molecular Structure and Its Relation with Mechanical Strength in Geopolymer Cement Based on Natural Pozzolan Using In Situ ATR-FTIR Spectroscopy. 2017 , 29, 04017078	11

713	C(N)BH and NABH gels: Compositions and solubility data at 25°C and 50°C. 2017, 100, 2700-2711	27
712	Formulation and characterization of blended alkali-activated materials based on flash-calcined metakaolin, fly ash and GGBS. 2017 , 144, 50-64	45
711	Geopolymer matrix for fibre reinforced composites aimed at strengthening masonry structures. 2017 , 141, 542-552	31
710	The influence of variable gypsum and water content on the strength and hydration of a belite-calcium sulphoaluminate cement. 2017 , 116, 199-206	15
709	High tech startup creation for energy efficient built environment. 2017 , 71, 618-629	18
708	Immobilization of hexavalent chromium by fly ash-based geopolymers. 2017 , 112, 213-223	40
707	Preparation of blended geopolymer from red mud and coal gangue with mechanical co-grinding preactivation. 2017 , 50, 1	38
706	Quantification of synthesized hydration products using synchrotron microtomography and spectral analysis. 2017 , 157, 476-488	6
705	Study of synergy between a natural volcanic pozzolan and a granulated blast furnace slag in the production of geopolymeric pastes and mortars. 2017 , 157, 151-160	30
704	External sulfate attack on alkali-activated fly ash-blast furnace slag composite. 2017, 157, 737-747	37
703	The effects of silica fume and hydrated lime on the strength development and durability characteristics of concrete under hot water curing condition. 2017 , 120, 02004	3
702	Shrinkage mitigation strategies in alkali-activated slag. <i>Cement and Concrete Research</i> , 2017 , 101, 131-14 3 0.3	67
701	Compressive strength and microstructure of alkali-activated mortars with high ceramic waste content. 2017 , 43, 13622-13634	38
700	Influence of fly ash on the pore structure and shrinkage characteristics of metakaolin-based geopolymer pastes and mortars. 2017 , 153, 284-293	83
699	Eco-efficient alkali-activated cement based on red clay brick wastes suitable for the manufacturing of building materials. 2017 , 166, 242-252	61
698	Evaluation of the potential improvement in the environmental footprint of geopolymers using waste-derived activators. 2017 , 166, 680-689	87
697	Durability of Alkali-Activated Fly Ash/Slag Concrete. 2017 , 904, 157-161	5
696	Investigation on a green olivine nano-silica source based activator in alkali activated slag-fly ash blends: Reaction kinetics, gel structure and carbon footprint. <i>Cement and Concrete Research</i> , 2017 , 10.3 100, 129-139	39

695	Optimization of the alkali activation conditions of ground granulated SiMn slag. 2017 , 150, 781-791	18
694	Composition design and performance of alkali-activated cements. 2017 , 50, 1	61
693	Selective Separation of Fe-Concentrates in EAF Slags Using Mechanical Dissimilarity of Solid Phases. 2017 , 48, 617-626	3
692	Strength development properties of geopolymer paste and mortar with respect to amorphous Si/Al ratio of fly ash. 2017 , 151, 512-519	34
691	Cement industry of China: Driving force, environment impact and sustainable development. 2017 , 75, 618-628	98
690	Alkali fusion of bentonite to synthesize one-part geopolymeric cements cured at elevated temperature by comparison with two-part ones. 2017 , 130, 103-112	27
689	A novel geopolymer application: Coatings to protect reinforced concrete against corrosion. 2017 , 135, 437-446	78
688	Utilisation of alkali activated glass powder in binary mixtures with Portland cement, slag, fly ash and hydrated lime. 2017 , 50, 1	32
687	Recycling Industrial By-Products in Hybrid Cements: Mechanical and Microstructure Characterization. 2017 , 8, 1433-1440	12
686	Mechanical strength, surface abrasion resistance and microstructure of fly ash-metakaolin-sepiolite geopolymer composites. 2017 , 43, 1052-1060	18
685	Effect of manufacturing process on the mechanisms and mechanical properties of fly ash-based geopolymer in ambient curing temperature. 2017 , 32, 461-467	39
684	Improvement of properties of aluminosilicate pastes based on optimization of curing parameters. 2017 ,	
683	1. Diffraction and crystallography applied to anhydrous cements. 2017 , 3-30	2
682	8. Chemistry, design and application of hybrid alkali activated binders. 2017 , 253-284	
681	Phase modification induced drying shrinkage reduction on Na2CO3 activated slag by incorporating Na2SO4. 2017 , 50, 1	8
680	EDS-Based Phase Analysis of Alkali Activated Slag. 2017 , 23, 1094-1095	
679	New inorganic binders containing ashes from agricultural wastes. 2017 , 127-164	5
678	Evaluation of Industrial By-Products as Sustainable Pozzolanic Materials in Recycled Aggregate Concrete. 2017 , 9, 767	43

677	Progress in the Adoption of Geopolymer Cement**This chapter is an updated version of the article: Van Deventer JSJ, Provis JL, Duxson P. Technical and commercial progress in the adoption of geopolymer cement. Miner Eng 2012;29:89🛮 04 2017 , 217-262	6
676	Ceramic-like open-celled geopolymer foam as a porous substrate for water treatment catalyst. 2017 , 175, 012044	1
675	Calcium Sulfoaluminate, Geopolymeric, and Cementitious Mortars for Structural Applications. 2017 , 4, 64	15
674	Flexural and Shear Behaviors of Reinforced Alkali-Activated Slag Concrete Beams. 2017 , 2017, 1-12	4
673	Accelerated carbonation as a fast curing technology for concrete blocks. 2017, 313-341	5
672	A influ^ hcia da composi^ [] [] qu^ finica e da finura no desempenho de cimentos ^ [cali ativados obtidos com esc^ fias de alto forno. 2017 , 22,	
671	Correlation of the Processing Parameters in the Formation of Granulated Ground Blast Furnace Slag Geopolymer. 2017 , 209, 012040	8
670	Sustainable hemp-based composites for the building industry application. 2017,	2
669	Characterization of novel geopolymer L'Zeolite composites as solid adsorbents for CO2 capture. 2018 , 341, 505-515	66
668	Use of slaked lime and Portland cement to improve the resistance of MSWI bottom ash-GBFS geopolymer concrete against carbonation. 2018 , 166, 290-300	39
667	Mechanical and microstructural characterization of fiber reinforced fly ash based geopolymer composites. 2018 , 167, 505-513	114
666	Experimental and Mechanistic Research on Enhancing the Strength and Deformation Characteristics of Fly-Ash-Cemented Filling Materials Modified by Electrochemical Treatment. 2018 , 32, 3614-3626	17
665	Application-oriented mix design optimization and characterization of zeolite-based geopolymer mortars. 2018 , 174, 138-149	16
664	Metal powders as foaming agents in fly ash based geopolymer synthesis and their impact on the structure depending on the Na /Al ratio. 2018 , 90, 161-168	26
663	Effect of mix design inputs, curing and compressive strength on the durability of Na2SO4-activated high volume fly ash concretes. 2018 , 91, 11-20	47
662	Reuse of waste sandstone sludge via alkali activation in matrices of fly ash and metakaolin. 2018 , 172, 212-223	20
661	Rheology of Cementitious Materials: Alkali-Activated Materials or Geopolymers. 2018, 149, 01002	5
660	Comparative Study of Alkali-Activated Natural Pozzolan and Fly Ash Mortars. 2018 , 30, 04018115	8

659	Pre-packed alkali activated cement-free mortars for repair of existing masonry buildings and concrete structures. 2018 , 173, 111-117	38
658	Early-Age Strength of Alkali-Activated Municipal Slagfly AshBased Geopolymer Mortar. 2018 , 30, 04018040	15
657	Characterization of novel blast-furnace slag cement pastes and mortars activated with a reactive mixture of MgO-NaOH. <i>Cement and Concrete Research</i> , 2018 , 105, 54-63	45
656	Corrosion behaviour of bare and galvanized steel in geopolymer and Ordinary Portland Cement based mortars with the same strength class exposed to chlorides. 2018 , 134, 64-77	43
655	The influence of Pb addition on the properties of fly ash-based geopolymers. 2018 , 350, 98-107	33
654	Microcalorimetric study of the effect of calcium hydroxide and temperature on the alkaline activation of coal fly ash. 2018 , 131, 2395-2410	9
653	Evaluating an Eco-Olivine Nanosilica as an Alternative Silica Source in Alkali-Activated Composites. 2018 , 30, 04018016	3
652	Influence of calcium additions on the compressive strength and microstructure of alkali-activated ceramic sanitary-ware. 2018 , 101, 3094-3104	11
651	Alkali-activated natural pozzolan/slag mortars: A parametric study. 2018 , 164, 625-643	43
650	A comparative study of mild steel passivation embedded in Belite-Ye'elimite-Ferrite and Porland cement mortars. 2018 , 261, 66-77	15
649	Lightweight aerated metakaolin-based geopolymer incorporating municipal solid waste incineration bottom ash as gas-forming agent. 2018 , 177, 775-781	23
648	Influence of selected activating methods on hydration processes of mixtures containing high and very high amount of fly ash. 2018 , 133, 823-843	31
647	Mechanisms of autogenous shrinkage of alkali-activated fly ash-slag pastes cured at ambient temperature within 24 h. 2018 , 171, 377-387	47
646	Assessment of the suitability of gravel wash mud as raw material for the synthesis of an alkali-activated binder. 2018 , 161, 110-118	9
645	Effects of POFA replaced with FA on durability properties of GBFS included alkali activated mortars. 2018 , 175, 174-186	54
644	Characteristics and applications of fly ash as a sustainable construction material: A state-of-the-art review. 2018 , 136, 95-109	194
643	Early hydration of calcium sulfoaluminate cement in the presence of hydroxyethyl methyl cellulose. 2018 , 134, 1429-1438	17
642	Alkali-silica reaction in waterglass-activated slag mortars incorporating fly ash and metakaolin. Cement and Concrete Research, 2018 , 108, 10-19	66

641	Creep properties of cement and alkali activated fly ash materials using nanoindentation technique. 2018 , 168, 547-555	23
640	Optimum Use of Sugar Cane Straw Ash in Alkali-Activated Binders Based on Blast Furnace Slag. 2018 , 30, 04018084	4
639	Physico-Mechanical Properties and Durability Aspects of Alkali-Activated Calcareous Fly Ash/Slag Mortars. 2018 , 761, 87-91	4
638	Alkali-activated materials. Cement and Concrete Research, 2018, 114, 40-48	569
637	First structural use of site-cast, alkali-activated slag concrete in China. 2018 , 171, 800-809	12
636	Hormigones de escorias activadas alcalinamente. Comportamiento mec [^] līco y durable. 2018 , 69, 163-168	1
635	Alkali-Activated Phosphorous Slag Performance under Different Curing Conditions: Compressive Strength, Hydration Products, and Microstructure. 2018 , 30, 04017253	12
634	Mechanical properties of ambient cured high strength hybrid steel and synthetic fibers reinforced geopolymer composites. 2018 , 85, 133-152	59
633	Beneficial use of boiler ash in alkali-activated bricks. 2018 , 128, 1-10	33
632	Zeolite-geopolymer composite materials: Production and characterization. 2018 , 171, 76-84	72
631	Alkali-activated slag concrete: Fresh and hardened behaviour. 2018 , 85, 22-31	77
630	Clinkering-free cementation by fly ash carbonation. 2018 , 23, 117-127	38
629	Radioactivity and Pb and Ni immobilization in SCM-bearing alkali-activated matrices. 2018, 159, 745-754	18
628	One-part alkali-activated materials: A review. <i>Cement and Concrete Research</i> , 2018 , 103, 21-34	443
627	An overview and experimental study on hybrid binders containing date palm ash, fly ash, OPC and activator composites. 2018 , 159, 567-577	38
626	Quantitative Elemental Mapping of Alkali Activated Slag Cement. 2018 , 24, 788-789	
625	Alkali Activation of HCFA Mixtures with Aluminosilicate Additives - Mechanical Characteristics. 2018 , 761, 96-99	2
624	Fiber reinforced mortars based on free Portland-CSA binders under high stress rate. 2018 , 183, 04013	4

623	The contribution of life-cycle assessment to environmentally preferable concrete mix selection for breakwater applications. 2018 , 18, 413-429	3
622	Comparison of hardening kinetics by small amplitude oscillatory rheometry in the case of alkali activated kaolinitic clays. 2018 , 1045, 012037	
621	Compressive Strength and Microstructure Properties of Alkali-Activated Systems with Blast Furnace Slag, Desulfurization Slag, and Gypsum. 2018 , 2018, 1-9	2
620	Selection of low impact concrete mixtures based on life-cycle assessment mixtures. 2018 , 11, 1354-1380	
619	Development of Alkaline-Activated Self-Leveling Hybrid Mortar Ash-Based Composites. 2018, 11,	8
618	Theoretical Study on the Production of Environment-Friendly Recycled Cement Using Inorganic Construction Wastes as Secondary Materials in South Korea. 2018 , 10, 4449	15
617	An holistic approach to a sustainable future in concrete construction. 2018 , 442, 012024	5
616	Experimental notes on the factors affecting the strength behavior of fly ash based geopolymer composites. 2018 ,	
615	Mechanical Performance of Glass-Based Geopolymer Matrix Composites Reinforced with Cellulose Fibers. 2018 , 11,	5
614	Some Progresses in the Challenges for Geopolymer. 2018 , 431, 022003	4
614	Some Progresses in the Challenges for Geopolymer. 2018, 431, 022003 Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795	45
	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018	
613	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795 Investigation of the hydration kinetics and microstructure formation mechanism of fresh fly ash cemented filling materials based on hydration heat and volume resistivity characteristics. 2018,	45
613	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795 Investigation of the hydration kinetics and microstructure formation mechanism of fresh fly ash cemented filling materials based on hydration heat and volume resistivity characteristics. 2018, 166, 146-158 Development of reactive MgO-based Engineered Cementitious Composite (ECC) through	45 25
613 612 611	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795 Investigation of the hydration kinetics and microstructure formation mechanism of fresh fly ash cemented filling materials based on hydration heat and volume resistivity characteristics. 2018, 166, 146-158 Development of reactive MgO-based Engineered Cementitious Composite (ECC) through accelerated carbonation curing. 2018, 191, 23-31 Properties of alkali-activated ground granulated blast furnace slag blended with ferronickel slag.	45 25 41
613612611610	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795 Investigation of the hydration kinetics and microstructure formation mechanism of fresh fly ash cemented filling materials based on hydration heat and volume resistivity characteristics. 2018, 166, 146-158 Development of reactive MgO-based Engineered Cementitious Composite (ECC) through accelerated carbonation curing. 2018, 191, 23-31 Properties of alkali-activated ground granulated blast furnace slag blended with ferronickel slag. 2018, 192, 123-132 The effect of water molecules on the structure, dynamics, and mechanical properties of sodium	45 25 41 27
613612611610609	Fracture properties of slag/fly ash-based geopolymer concrete cured in ambient temperature. 2018, 190, 787-795 Investigation of the hydration kinetics and microstructure formation mechanism of fresh fly ash cemented filling materials based on hydration heat and volume resistivity characteristics. 2018, 166, 146-158 Development of reactive MgO-based Engineered Cementitious Composite (ECC) through accelerated carbonation curing. 2018, 191, 23-31 Properties of alkali-activated ground granulated blast furnace slag blended with ferronickel slag. 2018, 192, 123-132 The effect of water molecules on the structure, dynamics, and mechanical properties of sodium aluminosilicate hydrate (NASH) gel: A molecular dynamics study. 2018, 193, 491-500	45 25 41 27 27

605	Structural integrity of glass/epoxy composites embedded in cement or geopolymer mortars. 2018 , 206, 509-516		5
604	Hydration and rheology control of concrete for digital fabrication: Potential admixtures and cement chemistry. <i>Cement and Concrete Research</i> , 2018 , 112, 96-110	10.3	200
603	Characterization of calcium-containing phases in alkali-activated municipal solid waste incineration bottom ash binder through chemical extraction and deconvoluted Fourier transform infrared spectra. 2018 , 192, 782-789		49
602	Properties of PVA Fiber Reinforced Geopolymer Mortar. 2018, 557-564		2
601	Strength and Microstructural Study of Recycled Asphalt Pavement: Slag Geopolymer as a Pavement Base Material. 2018 , 30, 04018177		30
600	The Influence of Mechanical Activation of Fly Ash on the Toxic Metals Immobilization by Fly Ash-Based Geopolymers. 2018 , 761, 3-6		2
599	Environmental perspectives of recycling various combustion ashes in cement production - A review. 2018 , 78, 401-416		83
598	Influence of Different Curing Regimes on the Performance and Microstructure of Alkali-Activated Slag Concrete. 2018 , 30, 04018230		19
597	Technical and environmental characterization of hydraulic and alkaline binders. 2018 , 196, 1306-1313		4
596	Insights on magnesium and sulfate ions' adsorption on the surface of sodium alumino-silicate hydrate (NASH) gel: a molecular dynamics study. 2018 , 20, 18297-18310		23
595	Sulfoaluminate cement-based concrete. 2018 , 355-385		6
594	Analysis of Active Ion-Leaching Behavior and the Reaction Mechanism During Alkali Activation of Low-Calcium Fly Ash. 2018 , 12,		7
593	Assessment of corrosion protection methods for reinforced concrete. 2018 , 315-353		4
592	Mechanical properties of alkali activated ground SiMn slag mortars with different types of aggregates. 2018 , 186, 79-89		11
591	Effects of alkali dosage and silicate modulus on alkali-silica reaction in alkali-activated slag mortars. <i>Cement and Concrete Research</i> , 2018 , 111, 104-115	10.3	42
590	Influence of Addition of Fluid Catalytic Cracking Residue (FCC) and the SiO2 Concentration in Alkali-Activated Ceramic Sanitary-Ware (CSW) Binders. 2018 , 8, 123		6
589	From Julius Caesar to Sustainable Composite Materials: A Passage through Port Caisson Technology. 2018 , 10, 1225		3
588	The use of calcium sulfoaluminate cement to mitigate the alkali silica reaction in mortars. 2018 , 184, 295-303		16

587	Molecular structure, dynamics, and mechanical behavior of sodium aluminosilicate hydrate (NASH) gel at elevated temperature: a molecular dynamics study. 2018 , 20, 20695-20711	36
586	Life cycle assessment (LCA) of an alkali-activated binary concrete based on natural volcanic pozzolan: A comparative analysis to OPC concrete. 2018 , 176, 103-111	83
585	Microstructural evaluation of initial dissolution of aluminosilicate particles and formation of geopolymer material. 2018 , 41, 101-111	8
584	The degradation mechanisms of alkali-activated fly ash/slag blend cements exposed to sulphuric acid. 2018 , 186, 1177-1187	36
583	Rheology, agglomerate structure, and particle shape of fresh geopolymer pastes with different NaOH activators content. 2018 , 187, 674-680	37
582	Self-healing performance of GGBFS based cementitious mortar with granulated activators exposed to a seawater environment. 2018 , 188, 569-582	9
581	The influence of curing methods on the strength of MSWI bottom ash-based alkali-activated mortars: The role of leaching of OHLand free alkali. 2018 , 186, 978-985	34
580	Advances in understanding and analyzing the anti-diffusion behavior in complete carbonation zone of MSWI bottom ash-based alkali-activated concrete. 2018 , 186, 1072-1081	13
579	Fly Ash-Based Geopolymer Binder: A Future Construction Material. 2018 , 8, 299	65
578	Upcycling carbon dioxide to improve mechanical strength of Portland cement. 2018 , 196, 726-738	60
577	Use of Fly-Ash Geopolymer Incorporating Ground Granulated Slag for Stabilisation of Kaolin Clay Cured at Ambient Temperature. 2019 , 37, 721-740	21
576	Low CO2 emission cements of waste glass activated by CaO and NaOH. 2019 , 239, 117992	20
575	Optimization of Raw Material Mixes in Studying Mixed Cements and Their Physicomechnical Properties. 2019 , 60, 76-81	13
574	Alkali-Activated Mortar for Tunnel-Lining Structure Repair. 2019 , 31, 04019217	7
573	EFFECT OF MECHANICAL ACTIVATION ON THE POZZOLANIC ACTIVITY OF MUSCOVITE. 2019 , 67, 209-216	12
572	A critical review on application of alkali activated slag as a sustainable composite binder. 2019 , 11, e00268	51
571	Mud-to-cement conversion of non-aqueous drilling fluids using alkali-activated fly ash. 2019 , 182, 106242	17
570	Heat-related deaths among construction workers in the United States. 2019 , 62, 1047-1057	17

569	Design of alkali-activated aluminium powder foamed materials for precursors with different particle sizes. 2019 , 224, 682-690	16
568	Estimation of air pollutants emission (PM, CO, SO and NO) during development of the industry using AUSTAL 2000 model: A new method for sustainable development. 2019 , 6, 1581-1590	8
567	The Use of Ceramic Waste Powder (CWP) in Making Eco-Friendly Concretes. 2019,	5
566	Utilizing spend garnets as sand replacement in alkali-activated mortars containing fly ash and GBFS. 2019 , 225, 132-145	36
565	Marl as a supplementary material to alkali-activated blended cements. 2019, 1-18	2
564	Shelf life of alkali activated cement: Effects of storage condition and duration. 2019 , 222, 664-672	4
563	Effect of rice husk ash addition on the compressive strength and thermal stability of metakaolin based geopolymer. 2019 , 222, 872-881	41
562	Recycling vanadium-bearing shale leaching residue for the production of one-part geopolymers. 2019 , 6, 105203	2
561	Influence of superplasticizers and retarders on the workability and strength of one-part alkali-activated fly ash/slag binders cured at room temperature. 2019 , 229, 116891	44
560	Wideband Power Spectrum Estimation Based on Sub-Nyquist Sampling in Cognitive Radio Networks. 2019 , 7, 115339-115347	1
559	New Generation Concretes Properties and Applications. 2019, 603, 032016	6
558	Potential of Green Ceramics Waste for Alkali Activated Foams. 2019 , 12,	4
557	Properties of Fine-Grained Concrete with Admixture of Diatomite Powder. 2019 , 603, 022045	1
556	Influence of Calcium Nitrate and Sodium Hydroxide on Carbonation-Induced Steel Corrosion in Concrete. 2019 , 75, 737-744	5
555	Optimization of production parameters of geopolymer mortar and concrete: A comprehensive experimental study. 2019 , 228, 116770	21
554	The effect of aggressive environments on the properties of a low calcium fly ash based geopolymer and the ordinary Portland cement pastes. 2019 , 13, 1169-1177	9
553	Hydration of Calcium Sulfoaluminate-Based Binder Incorporating Red Mud and Silica Fume. 2019 , 9, 2270	6
552	Dolomite binding materials with low CO2 emission. 2019 , 19, 1998-2004	2

551	Irreversible time-dependent rheological behavior of cement slurries: Constitutive model and experiments. 2019 , 63, 247-262	14
550	Effect of slag on the mechanical properties and bond strength of fly ash-based engineered geopolymer composites. 2019 , 164, 747-757	88
549	Effect of sewage sludge ash on mechanical and microstructural properties of geopolymers based on metakaolin. 2019 , 203, 95-103	24
548	Facile preparation of slag or fly ash geopolymer composite coatings with flame resistance. 2019 , 203, 655-661	32
547	Recent Progress in Green Cement Technology Utilizing Low-Carbon Emission Fuels and Raw Materials: A Review. 2019 , 11, 537	88
546	Effect of active components on strength development in alkali-activated low calcium fly ash cements. 2019 , 8, 1-19	21
545	Partial replacement of metakaolin with thermally treated rice husk ash in metakaolin-based geopolymer. 2019 , 221, 527-538	19
544	Cooperative action and compatibility between Portland cement and MSWI bottom ash alkali-activated double gel system materials. 2019 , 209, 445-453	11
543	Development of high-strength alkali-activated pastes containing high volumes of waste brick and ceramic powders. 2019 , 218, 519-529	46
542	Recycling of biomass and coal fly ash as cement replacement material and its effect on hydration and carbonation of concrete. 2019 , 94, 39-48	45
541	Recent progress in instrumental techniques for architectural heritage materials. 2019, 7,	21
540	Sugarcane Bagasse Ash Micronized Using Air Jet Mills for Green Pozzolan in Brazil. 2019 , 2019, 1-10	O
539	Recent progress in low-carbon binders. <i>Cement and Concrete Research</i> , 2019 , 122, 227-250 10.3	154
538	Influence of mineral admixtures on carbonation curing of cement paste. 2019 , 212, 653-662	53
537	Silico-Aluminophosphate and Alkali-Aluminosilicate Geopolymers: A Comparative Review. 2019, 6,	68
536	Understanding the roles of activators towards setting and hardening control of alkali-activated slag cement. 2019 , 171, 34-45	61
535	Alkali-activated binary mortar based on natural volcanic pozzolan for repair applications. 2019 , 25, 100785	18
534	Reactivity and Hydration Property of Synthetic Air Quenched Slag with Different Chemical Compositions. 2019 , 12,	5

533	Quantitative characterization of aluminosilicate gels in alkali-activated incineration bottom ash through sequential chemical extractions and deconvoluted nuclear magnetic resonance spectra. 2019 , 99, 175-180	18
532	Geopolymers and Other Alkali-Activated Materials. 2019 , 779-805	8
531	Engineering properties of natural pozzolan/slag based alkali-activated concrete. 2019, 208, 46-62	18
530	Geopolymers: Past, Present, and Future of Low Carbon Footprint Eco-materials. 2019 , 2765-2785	2
529	Influence of rice husk ash on the waterproof properties of ultrafine fly ash based geopolymer. 2019 , 208, 394-401	23
528	Valorisation of wood fly ash on concrete. 2019 , 145, 292-310	30
527	Aggregates Obtained by Alkali Activation of Fly Ash: The Effect of Granulation, Pelletization Methods and Curing Regimes. 2019 , 12,	5
526	Recycled Plastic and Cork Waste for Structural Lightweight Concrete Production. 2019, 11, 1876	11
525	An initial study on alkali activated limestone binders. <i>Cement and Concrete Research</i> , 2019 , 120, 267-278 _{10.3}	37
524	A sludge and modified rice husk ash-based geopolymer: synthesis and characterization analysis. 2019 , 226, 805-814	30
523	Effect of calcium sulfate variety and content on hydration mechanism of grout sealants for coal-bed methane drainage boreholes. 2019 , 203, 443-455	2
522	Toward clean cement technologies: A review on alkali-activated fly-ash cements incorporated with supplementary materials. 2019 , 509, 31-41	38
521	Alkali-activated binary concrete based on natural pozzolan; a real and eco-friendly alternative to the OPC concrete. 2019 , 274, 05003	
520	Cleaner one-part geopolymer prepared by introducing fly ash sinking spherical beads: Properties and geopolymerization mechanism. 2019 , 219, 686-697	20
519	Material characteristics of binder jet 3D printed hydrated CSA cement with the addition of fine aggregates. 2019 , 206, 494-503	18
518	Physical and mechanical properties and micro characteristics of fly ash-based geopolymers incorporating soda residue. 2019 , 98, 125-136	56
517	Durability of alumina silicate concrete based on slag/fly ash blends against corrosion. 2019 , 26, 1641-1651	5
516	Expansive soil modified by waste steel slag and its application in subbase layer of highways. 2019 , 59, 955-965	39

515	Bentonite replacing part of cement concrete for resistance to chloride ion attack. 2019 , 136, 03011	2
514	Study of Strain-Hardening Behaviour of Fibre-Reinforced Alkali-Activated Fly Ash Cement. 2019 , 12,	1
513	The effect of short carbon fibers on rheological behaviour and mechanical properties of metakaolin-slag geopolymer binder. 2019 , 613, 012050	
512	Porous geopolymers: processing routes and properties. 2019 , 613, 012048	7
511	Effects of CO Curing on Alkali-Activated Slag Paste Cured in Different Curing Conditions. 2019, 12,	6
510	Effect of sodium carbonate/sodium silicate activator on the rheology, geopolymerization and strength of fly ash/slag geopolymer pastes. 2019 , 97, 226-238	61
509	Surface-modification of fly ash and its effect on strength and freezing resistance of slag based geopolymer. 2019 , 199, 574-580	18
508	Cleaner production of one-part white geopolymer cement using pre-treated wood biomass ash and diatomite. 2019 , 209, 1420-1428	50
507	Role of alkali concentration on reaction kinetics of fly ash geopolymerization. 2019 , 505, 241-251	27
506	Review Paper on Utilization Potential of Rice Husk Ash as Supplementary Cementitious Material. 2019 , 673-684	4
505	Mechanism for rapid hardening of cement pastes under coupled CO2-water curing regime. 2019 , 97, 78-88	53
504	Effect of activated silica on polymerization mechanism and strength development of MSWI bottom ash alkali-activated mortars. 2019 , 201, 90-99	27
503	Dicalcium silicate (2CaOľSiO2) synthesized through flame spray pyrolysis and solution combustion synthesis methods. 2019 , 45, 9589-9595	9
502	Development of One-Part Alkali-Activated Ceramic/Slag Binders Containing Recycled Ceramic Aggregates. 2019 , 31, 04018386	21
501	Copper and cobalt improve the acid resistance of alkali-activated cements. <i>Cement and Concrete Research</i> , 2019 , 115, 327-338	18
500	Measurement and modeling needs for microstructure and reactivity of next-generation concrete binders. 2019 , 101, 24-31	5
499	Effect of water-to-cement ratio on sulfo-aluminate type cementitious grouting materials. 2019 , 71, 298-308	2
498	Effects of Alkali Activation and CO2 Curing on the Hydraulic Reactivity and Carbon Storage Capacity of BOF Slag in View of Its Use in Concrete. 2020 , 11, 3007-3020	2

497	Effect of limestone powder on fracture and flexural behaviour of PVA fibre-reinforced sulfoaluminate cement. 2020 , 72, 1243-1259		1
496	Sustainable Production of High Performance Concrete. 2020 , 527-536		
495	Alkali-activated natural pozzolan/slag binders: limitations and remediation. 2020, 72, 919-935		4
494	Mechanical and Durability Properties of Poorly Graded Sandy Soil Stabilized with Activated Slag. 2020 , 32, 04019324		10
493	Activation of Blast Furnace Slag with Soda Production Waste. 2020 , 32, 04019316		10
492	Role of particle fineness on engineering properties and microstructure of fly ash derived geopolymer. 2020 , 233, 117294		39
491	Properties of polyvinyl alcohol fiber reinforced fly ash based Engineered Geopolymer Composites with zeolite replacement. 2020 , 231, 117161		17
490	Uniaxial compressive strength of geopolymer cement for oil well cement. 2020 , 10, 67-70		4
489	Evaluation of Mechanical and Durability Properties of Concrete Containing Natural Chekneh Pozzolan and Wood Chips. 2020 , 44, 1159-1170		1
488	Alkaline activation of low-reactivity ceramics: Peculiarities induced by the precursors' dual character. 2020 , 105, 103440		7
487	Influence of production parameters on calcium sulfoaluminate cements. 2020, 239, 117866		3
486	Investigation on modulus of elasticity of fly ash-ground granulated blast furnace slag blended geopolymer concrete. 2020 , 27, 718-723		12
485	Preparation of one-part geopolymeric precursors using vanadium tailing by thermal activation. 2020 , 103, 779-783		18
484	Clean production and properties of geopolymer concrete; A review. 2020 , 251, 119679		176
483	Radiological and leaching assessment of an ettringite-based mortar from ladle slag and phosphogypsum. <i>Cement and Concrete Research</i> , 2020 , 128, 105954	10.3	10
482	Valorization of sewage sludge in the fabrication of construction and building materials: A review. 2020 , 154, 104606		57
481	Assessing the effect of fly ash with a high SO3 content in hybrid alkaline fly ash pastes (HAFAPs). 2020 , 238, 117776		4
480	Geopolymerization of halloysite via alkali-activation: Dependence of microstructures on precalcination. 2020 , 185, 105375		27

(2020-2020)

479	Influence of different activators on microstructure and strength of alkali-activated nickel slag cementitious materials. 2020 , 235, 117449	17
478	Effect of geogrid reinforcement on the drying shrinkage and thermal expansion of geopolymer concrete. 2020 , 21, 1029-1039	6
477	Laboratory production of calcium sulfoaluminate cements with high industrial waste content. 2020 , 106, 103475	12
476	Strength and micro-mechanism of MK-blended alkaline cement treated high plasticity clay. 2020 , 236, 117567	3
475	Geopolymer foams: An overview of recent advancements. 2020 , 109, 100621	75
474	Alkali-Activated Hybrid Concrete Based on Fly Ash and Its Application in the Production of High-Class Structural Blocks. 2020 , 10, 946	1
473	The Impact of the Amount of Water Used in Activation Solution and the Initial Temperature of Paste on the Rheological Behaviour and Structural Evolution of Metakaolin-Based Geopolymer Pastes. 2020 , 12, 8216	6
472	Development of sustainable preplaced aggregate concrete with alkali-activated slag grout. 2020 , 263, 120227	7
471	Cracking potential of alkali-activated slag and fly ash concrete subjected to restrained autogenous shrinkage. 2020 , 114, 103767	22
470	Properties of self-leveling mortars incorporating a high-volume of sugar cane bagasse ash as partial Portland cement replacement. 2020 , 32, 101694	3
469	A review on geopolymer in potential coating application: Materials, preparation and basic properties. 2020 , 32, 101734	20
468	Cementitious binders and reclaimed asphalt aggregates for sustainable pavement base layers: Potential, challenges and research needs. 2020 , 265, 120325	8
467	The strength oriented mix design for geopolymer concrete using Taguchi method and Indian concrete mix design code. 2020 , 262, 120853	7
466	Effect of H2O2 as the Foaming Agent on the Geopolymer Mortar using Curing of Room Temperature. 2020 , 854, 012022	1
465	Effect of Molarity and Temperature of Alkaline Activator Solution on the Rheological Properties and Structure Formation of Alkali-Activated Refractory Materials. 2020 , 77, 51-56	
464	Autogenous shrinkage of slag-fly ash blends activated with hybrid sodium silicate and sodium sulfate at different curing temperatures. 2020 , 265, 121276	9
463	Sustainable utilization of recycled aggregates: robust construction and demolition waste reduction strategies. 2020 , ahead-of-print,	4
462	Stabilization of soft soil using low-carbon alkali-activated binder. 2020 , 79, 1	3

461	Fly ash-based geopolymer as A4 type soil stabiliser. 2020 , 25, 100409	10
460	Assessing the modification efficiency of waste glass powder in hydraulic construction materials. 2020 , 263, 120111	8
459	Characterization of Fresh Sidoarjo Mud as Material on Geopolymer System. 2020 , 854, 012011	
458	Resistance to Chemical Attack of Hybrid Fly Ash-Based Alkali-Activated Concretes. 2020 , 25,	4
457	The influence of activator type and quantity on the transport properties of class F fly ash geopolymer. 2020 , 264, 120268	20
456	Stabilizing Soft Ground Using Geopolymer: An Experimental Study. 2020 ,	1
455	Effect of Internal Curing by Super Absorbent Polymer on the Autogenous Shrinkage of Alkali-Activated Slag Mortars. 2020 , 13,	2
454	Pressed recycled fly ash and carbide slag: Hydration of entirely waste-stream building components. 2020 , 265, 120282	2
453	Blastfurnace Hybrid Cement with Waste Water Glass Activator: Alkali-Silica Reaction Study. 2020 , 13,	2
452	Engineering Properties of Waste Sawdust-Based Lightweight Alkali-Activated Concrete: Experimental Assessment and Numerical Prediction. 2020 , 13,	10
451	Performance Optimization and Characterization of Soda Residue-Fly Ash Geopolymer Paste for Goaf Backfill: Beta-Hemihydrate Gypsum Alternative to Sodium Silicate. 2020 , 13,	6
450	High-Durability Concrete Using Eco-Friendly Slag-Pozzolanic Cements and Recycled Aggregate. 2020 , 10, 8307	5
449	Eco-Efficient Hybrid Cements: Pozzolanic, Mechanical and Abrasion Properties. 2020, 10, 8986	5
448	Long-term performance of novel high-calcium one-part alkali-activated cement developed from thermally activated lime kiln dust. 2020 , 32, 101766	47
447	Effect of POFA as a replacement material on fly ash based geopolymer mortar. 2020, 854, 012012	2
446	Internal curing of alkali-activated slag-fly ash paste with superabsorbent polymers. 2020 , 263, 120985	13
445	Green remediation by using low-carbon cement-based stabilization/solidification approaches. 2020 , 93-118	6
444	Role of Clay Minerals Content and Calcite in Alkali Activation of Low-Grade Multimineral Clays. 2020 , 32, 04020198	5

443	Optimization of gypsum and slag contents in blended cement containing slag. 2020 , 112, 103674		28
442	Mechanisms of autogenous shrinkage of alkali-activated slag and fly ash pastes. <i>Cement and Concrete Research</i> , 2020 , 135, 106107	10.3	51
441	Municipal Solid Waste Incineration Bottom Ash as Sole Precursor in the Alkali-Activated Binder Formulation. 2020 , 10, 4129		14
440	Multiscale micromechanical analysis of alkali-activated fly ash-slag paste. <i>Cement and Concrete Research</i> , 2020 , 135, 106141	10.3	26
439	Influence of slag on mechanical and durability properties of fly ash-based geopolymer concrete. 2020 , 57, 530-545		9
438	Internal curing by superabsorbent polymers in alkali-activated slag. <i>Cement and Concrete Research</i> , 2020 , 135, 106123	10.3	28
437	Properties of fresh and hardened fly ash/slag based geopolymer concrete: A review. 2020 , 270, 122389		96
436	Effect of calcium oxide on mechanical properties and microstructure of alkali-activated slag composites at sub-zero temperature. 2020 , 32, 101561		3
435	Mechanical and Microstructural Properties of Alkali Pozzolan Cement (APC). 2020, 18, 1281-1292		3
434	Efficient use of steel slag in alkali-activated fly ash-steel slag-ground granulated blast furnace slag ternary blends. 2020 , 259, 119814		14
433	Physical and mechanical properties of cement containing regional hazelnut shell ash wastes. 2020 , 259, 120965		8
432	CiteSpace-based visualization analysis on mappings of alkali-activated cementitious materials in the field of engineering research. 2020 , 12, e00350		2
431	Influence of NaOH content on the alkali conversion mechanism in MSWI bottom ash alkali-activated mortars. 2020 , 248, 118582		20
430	Nanoseeds as modifiers of the cement hydration kinetics. 2020 , 257-269		
429	Corrosion investigation of fly ash based geopolymer mortar in natural sewer environment and sulphuric acid solution. 2020 , 168, 108586		28
428	A review on alkali-activated binders: Materials composition and fresh properties of concrete. 2020 , 260, 119788		26
427	Alkali-activated concretes based on high unburned carbon content fly ash: carbonation and corrosion performance. 2020 , 1-21		2
426	Synthesis and characterization of geopolymer from lunar regolith simulant based on natural volcanic scoria. 2020 , 35, 144-144		6

425	Review of Fly-Ash-Based Geopolymers for Soil Stabilisation with Special Reference to Clay. 2020 , 10, 249		13
424	Bond performance of reinforced alkali-activated composites using water-quenched slag as alternative fine aggregates. 2020 , 24, 137-150		5
423	Interpreting the early-age reaction process of alkali-activated slag by using combined embedded ultrasonic measurement, thermal analysis, XRD, FTIR and SEM. 2020 , 186, 107840		45
422	New Materials and Technologies for Life-Lasting Cement Sheath: A Review of Recent Advances. 2020 , 35, 262-278		6
421	Basic oxygen furnace slag: Review of current and potential uses. 2020 , 149, 106234		28
420	Geopolymers, inorganic polymers, alkali-activated materials and hybrid binders from bauxite residue (red mud) IPutting things in perspective. 2020 , 258, 120610		36
419	Use of pretreatment to prevent expansion and foaming in high-performance MSWI bottom ash alkali-activated mortars. 2020 , 245, 118471		11
418	Effect of Accelerated Carbonation on the Performance of Concrete Containing Natural Zeolite. 2020 , 32, 04020037		10
417	Potential pozzolanicity of Algerian calcined bentonite used as cement replacement: optimisation of calcination temperature and effect on strength of self-compacting mortars. 2020 , 1-23		5
416	Use of slag (GBFS) generated in charcoal blast furnace as raw material in alkali-activated cement. 2020 , 142, 1223-1231		2
415	Novel acid-based geopolymer synthesized from nanosized tubular halloysite: The role of precalcination temperature and phosphoric acid concentration. 2020 , 110, 103601		22
414	Effect of NaOH content on hydration, mineralogy, porosity and strength in alkali/sulfate-activated binders from ground granulated blast furnace slag and phosphogypsum. <i>Cement and Concrete Research</i> , 2020 , 132, 106054	10.3	30
413	On the mechanical performance of K- and Na-based strain-hardening geopolymer composites (SHGC) reinforced with PVA fibers. 2020 , 248, 118558		8
412	Strength development of solely ground granulated blast furnace slag geopolymers. 2020 , 250, 118720		42
411	Influence of activator solution on microstructural and mechanical properties of geopolymer concrete. 2020 , 10, 100659		15
410	Alkali-silica reaction (ASR) in the alkali-activated cement (AAC) system: A state-of-the-art review. 2020 , 252, 119105		25
409	Preparation and properties of self-compacting alkali-activated slag repair mortar. 2020, 252, 119034		10
408	The effect of NaOH content on rheological properties, microstructures and interfacial characteristic of alkali activated phosphorus slag fresh pastes. 2020 , 252, 119132		6

(2021-2020)

407	Insight Into the Leaching of Sodium Alumino-Silicate Hydrate (N-A-S-H) Gel: A Molecular Dynamics Study. 2020 , 7,	7
406	Low-Carbon Concrete Based on Binary Biomass Ash-Silica Fume Binder to Produce Eco-Friendly Paving Blocks. 2020 , 13,	8
405	Evaluating the alkali-silica reaction in alkali-activated copper slag mortars. 2020 , 253, 119189	7
404	Alkali-Activated Cements from Urban, Mining and Agro-Industrial Waste: State-of-the-art and Opportunities. 2021 , 12, 2665-2683	7
403	Utilization of coal fly ash in China: a mini-review on challenges and future directions. 2021 , 28, 18727-18740	25
402	Corrosion resistance of alkali-activated binary reinforced concrete based on natural volcanic pozzolan exposed to chlorides. 2021 , 33, 101593	9
401	Physical and mechanical properties and micro characteristics of fly ash-based geopolymer paste incorporated with waste Granulated Blast Furnace Slag (GBFS) and functionalized Multi-Walled Carbon Nanotubes (MWCNTs). 2021 , 401, 123339	23
400	Machine learning to predict properties of fresh and hardened alkali-activated concrete. 2021 , 115, 103863	16
399	Effect of nano CABH seeds on the early-stage hydration and pore structure of Portland cement pastes. 2021 , 33, 295-303	1
398	Low carbon cementitious materials: Sodium sulfate activated ultra-fine slag/fly ash blends at ambient temperature. 2021 , 280, 124363	46
397	Influence of various factors on properties of geopolymer paste: A comparative study. 2021 , 22, E315	2
396	Effect of curing conditions on the microstructure and mechanical performance of geopolymers derived from nanosized tubular halloysite. 2021 , 268, 121186	12
395	Hydration mechanisms and durability of hybrid alkaline cements (HACs): A review. 2021, 266, 121039	20
394	Revealing the substitution preference of zinc in ordinary Portland cement clinker phases: A study from experiments and DFT calculations. 2021 , 409, 124504	24
393	Cellular ceramic foam derived from potassium-based geopolymer composite: Thermal, mechanical and structural properties. 2021 , 198, 109355	10
392	The role of temperature and activator solution molarity on the viscosity and hard structure formation of geopolymer pastes. 2021 , 272, 121661	Ο
391	Application of eco-friendly alternative activators in alkali-activated materials: A review. 2021 , 35, 102010	26
390	Evaluation of performances of volcanic-ash-laterite based blended geopolymer concretes: Mechanical properties and durability. 2021 , 34, 101935	13

389	Mechanical and durability properties of recycled aggregate concrete produced from recycled and natural aggregate blended based on the Densified Mixture Design Algorithm method. 2021 , 35, 102067	5
388	Influence of water activity on belite (EC2S) hydration. 2021 , 104, 1831-1840	2
387	Upcycling of natural volcanic resources for geopolymer: Comparative study on synthesis, reaction mechanism and rheological behavior. 2021 , 268, 121184	10
386	Quantitative phase analysis and microstructural characterization of Portland cement blends with diatomite waste using the Rietveld method. 2021 , 56, 1242-1254	4
385	Mechanical performance and reaction mechanism of copper slag activated with sodium silicate or sodium hydroxide. 2021 , 266, 120900	6
384	Understanding the aqueous phases of alkali-activated slag paste under water curing. 2021 , 33, 59-73	8
383	Alkali-activated binders based on the coarse fraction of municipal solid waste incineration bottom ash. 2021 ,	3
382	Frost Resistance of Alkali-Activated ConcreteAn Important Pillar of Their Sustainability. 2021, 13, 473	10
381	Plain Geopolymer Concrete Cross-Section Surface Analysis After Creep and Shrinkage Tests in Compression and Tension. 2021 , 13-24	О
380	Utilization of Industrial By-Products/Waste to Manufacture Geopolymer Cement/Concrete. 2021 , 13, 873	19
379	Development of Geopolymers as Substitutes for Traditional Ceramics for Bricks with Chamotte and Biomass Bottom Ash. 2021 , 14,	3
378	Effect of alkali activator concentration on waste brick powder-based ecofriendly mortar cured at ambient temperature. 2021 , 23, 727-740	3
377	Effect of curing regime on the performance and microstructure characteristics of alkali-activated slag-fly ash blended concrete. 2021 , 10, 289-317	9
376	Influence of the Activating Solution and Aggregates in the Physical and Mechanical Properties of Volcanic Ash Based Geopolymer Mortars. 2021 , 1054, 012003	2
375	A Mini Review on Properties of Portland Cement Concrete with Geopolymer Materials as Partial or Entire Replacement. 2021 , 6, 26	3
374	Effect of calcium hydroxide on the alkali-silica reaction of alkali-activated slag mortars activated by sodium hydroxide. 2021 , 272, 121868	10
373	Mechanical properties of semi-lightweight concrete containing nano-palm oil clinker powder. 2021 , 121, 102977	17
372	Strength Performance and Microstructure of Calcium Sulfoaluminate Cement-Stabilized Soft Soil. 2021 , 13, 2295	1

371	Performance of GGBS Cement Concrete under Natural Carbonation and Accelerated Carbonation Exposure. 2021 , 2021, 1-16	1
370	Volkanik t^ flesasl~geopolimerlerin basñ^ ldayan m ña k^ fls^ flesi ve sĕaklĦ etkileri.	
369	Influence of lithium salt on the performance of calcium sulfoaluminate cement. 1	1
368	Prediction of the autogenous shrinkage and microcracking of alkali-activated slag and fly ash concrete. 2021 , 117, 103913	18
367	Development of Sustainable Alkali-Activated Mortars Using Fe-Rich Fayalitic Slag as the Sole Solid Precursor. 2021 , 7,	5
366	Effects of alkali dosage and silicate modulus on autogenous shrinkage of alkali-activated slag cement paste. <i>Cement and Concrete Research</i> , 2021 , 141, 106322	10.3 21
365	Eco-House Prototype Constructed with Alkali-Activated Blocks: Material Production, Characterization, Design, Construction, and Environmental Impact. 2021 , 14,	4
364	Effect of sulfate activation of fly ash on mechanical and durability properties of recycled aggregate concrete. 2021 , 277, 122329	5
363	Stabilisation of a Plastic Soil with Alkali Activated Cements Developed from Industrial Wastes. 2021 , 13, 4501	1
362	Alkali-Activated Binders Using Bottom Ash from Waste-to-Energy Plants and Aluminium Recycling Waste. 2021 , 11, 3840	7
361	Modified blended limestone-Portland cement binders: Evaluation of 4 different sodium silicates. 2021 , 118, 103935	4
360	A comparative study on shrinkage characteristics of graphene oxide (GO) and graphene nanoplatelets (GNPs) modified alkali-activated slag cement composites. 2021 , 54, 1	8
359	Sustainable eco-friendly bricks from slate tailings through geopolymerization: synthesis and characterization analysis. 2021 , 278, 122337	7
358	A hybrid composite for structural applications made of rubber waste tires and calcium phosphate cement. 2021 , 18, 1342-1353	o
357	Performance and Durability of Rendering and Basecoat Mortars for ETICS with CSA and Portland Cement. 2021 , 6, 60	2
356	Evaluating the performance of high volume fly ash-blended-cement mortar individually containing nano- and ultrafine micro-magnesia. 2021 , 36, 102129	5
355	Positive Influence of Liquid Sodium Silicate on the Setting Time, Polymerization, and Strength Development Mechanism of MSWI Bottom Ash Alkali-Activated Mortars. 2021 , 14,	6
354	Investigation of Microstructure and Thermomechanical Properties of Nano-TiO2 Admixed Geopolymer for Thermal Resistance Applications. 2021 , 30, 3642	2

353	Strength Development and Microstructural Behavior of Soils Stabilized with Palm Oil Fuel Ash (POFA)-Based Geopolymer. 2021 , 11, 3572	2
352	Nanoparticles used as an ingredient in different types of concrete. 2021 , 3, 1	O
351	Standing support incorporating FRP and high water-content material for underground space. 2021 , 110, 103809	4
350	Crack Self-Healing in NaOH-Activated Slag-Based Composites Incorporating Calcium Hydroxide. 2021 , 33, 04021012	2
349	Fabrication of sustainable magnesium phosphate cement micromortar using design of experiments statistical modelling: Valorization of ceramic-stone-porcelain containing waste as filler. 2021 , 47, 10905-1091	7 ²
348	Research progress of geopolymer materials prepared from solid waste and their applications. 2021,	O
347	Effect of nano-silica in concrete; a review. 2021 , 278, 122347	25
346	Tailored design of properties of Hongsa fly ash-based geopolymer paste via an adjustment of the alkali activator composition. 2021 , 47, 13374-13380	1
345	Investigation on the performance of hydroxyethyl methyl cellulose modified cement mortars with Portland cement-calcium sulfoaluminate cement binders. 2021 , 283, 122721	9
344	Revealing the doping mechanism of barium in sulfoaluminate cement clinker phases. 2021 , 295, 126405	25
343	A Review on the Effect of Silica to Alumina Ratio, Alkaline Solution to Binder Ratio, Calcium Oxide + Ferric Oxide, Molar Concentration of Sodium Hydroxide and Sodium Silicate to Sodium Hydroxide Ratio on the Compressive Strength of Geopolymer Concrete. 1	2
342	Properties of modified engineered geopolymer composites incorporating multi-walled carbon Nanotubes(MWCNTs) and granulated blast furnace Slag(GBFS). 2021 , 47, 14244-14259	5
341	Enhancing the performance and environmental impact of alkali-activated binder-based composites containing graphene oxide and industrial by-products. 2021 , 284, 122811	6
340	Effects of nanosilica on the hydration and hardening properties of slag cement. 2021 , 282, 122705	6
339	Comparison on the properties of ITZs in fly ash-based geopolymer and Portland cement concretes with equivalent flowability. <i>Cement and Concrete Research</i> , 2021 , 143, 106392	28
338	Coordination environment of Si in calcium silicate hydrates, silicate minerals, and blast furnace slags: A XANES database. <i>Cement and Concrete Research</i> , 2021 , 143, 106376	4
337	Optimization of the processing parameters and characterization of hybrid geopolymer foam. 2021,	1
336	Enhancing Density-Based Mining Waste Alkali-Activated Foamed Materials Incorporating Expanded Cork. 2021 , 2, 523-540	

	Fresh and hardened properties of alkali-activated fly ash/slag binders: effect of fly ash source, surface area, and additives. 1-24	2
334	Experimental study on the freezing resistance and microstructure of alkali-activated slag in the presence of rice husk ash. 2021 , 38, 102173	4
333	Improving elevated temperature performance of geopolymer concrete utilizing nano-silica, micro-silica and styrene-butadiene latex. 2021 , 286, 122980	11
332	Basic performances and potential research problems of strain hardening geopolymer composites: A critical review. 2021 , 287, 123030	9
331	Temporal dynamics of rheological properties of metakaolin-based geopolymers: Effects of synthesis parameters. 2021 , 289, 123145	0
330	Assessment of the Suitability of Ceramic Waste in Geopolymer Composites: An Appraisal. 2021 , 14,	15
329	Rheology and alkali-silica reaction of alkali-activated slag mortars modified by fly ash microsphere: a comparative analysis to OPC mortars. 2021 , 8, 065501	0
328	Raman spectroscopy potentiality in the study of geopolymers reaction degree.	4
327	W⊞liwoli spoiw geopolimerowych na bazie lotnych popioll ₪ wapniowych. 2021 , 288, 100-103	
326	The Resistance of New Kind of High-Strength Cement after 5 Years Exposure to Sulfate Solution.	
325	One-part alkali activated slag using Ca(OH)2 and Na 2CO3 instead of NaOH as activator: more excellent compressive strength and microstructure.	
	externel compressive surelinguit and interest decare.	Ο
324	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021 , 291, 123312	7
324	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021 ,	7
	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021 , 291, 123312 A comparative study on the mechanical properties, autogenous shrinkage and cracking proneness	7
323	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021, 291, 123312 A comparative study on the mechanical properties, autogenous shrinkage and cracking proneness of alkali-activated concrete and ordinary Portland cement concrete. 2021, 292, 123418	7 6
323	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021, 291, 123312 A comparative study on the mechanical properties, autogenous shrinkage and cracking proneness of alkali-activated concrete and ordinary Portland cement concrete. 2021, 292, 123418 Early-age properties of alkali-activated slag and glass wool paste. 2021, 291, 123326 Effects of kinds of alkali-activated ions on geopolymerization process of geopolymer cement	7 6 4
323 322 321	Chemo-mechanical properties of alkali-activated slag/fly ash paste incorporating white mud. 2021, 291, 123312 A comparative study on the mechanical properties, autogenous shrinkage and cracking proneness of alkali-activated concrete and ordinary Portland cement concrete. 2021, 292, 123418 Early-age properties of alkali-activated slag and glass wool paste. 2021, 291, 123326 Effects of kinds of alkali-activated ions on geopolymerization process of geopolymer cement pastes. 2021, 293, 123536 Projectile impact resistance of fibre-reinforced geopolymer-based ultra-high performance concrete	7 6 4 2

317	Synthesis and Formation Process of a Typical Doped Solid-Solution Yellimite (Ca3.8Na0.2Al5.6Fe0.2Si0.2SO16): Experiments and Kinetic Analysis. 2021 , 11, 8015		O
316	INVESTIGATION OF KAOLIN BASED ONE PART GEOPOLYMERS. 2021 , 29, 172-181		
315	Immobilization of uranium soils with alkali-activated coal gangueBased geopolymer. 2021 , 329, 1155-116	56	1
314	Rheology of alkali-activated materials: A review. 2021 , 121, 104061		30
313	Preparation, characterization and rheological analysis of eco-friendly road geopolymer grouting materials based on volcanic ash and metakaolin. 2021 , 312, 127822		8
312	Strength and Microstructure of Clay Geopolymer Non-Load-Bearing Masonry Units Using Fine-Clay Brick Waste and Palm Oil Fuel Ash. 2021 , 33, 04021189		1
311	Alkaline-thermal activated electrolytic manganese residue-based geopolymers for efficient immobilization of heavy metals. 2021 , 298, 123853		3
310	The Effect of Reclaimed Asphalt Pavement (RAP) Aggregates on the Reaction, Mechanical Properties and Microstructure of Alkali-Activated Slag. 2021 , 2, 794-810		1
309	Synthesis of amorphous nano-silica from recycled concrete fines by two-step wet carbonation. Cement and Concrete Research, 2021 , 147, 106526	10.3	6
308	Effect of Alkaline Liquid and GGBS Replacement Level on Corrosion Behaviour of Reinforcing Steel in Chloride Contaminated Geopolymer Concrete Made with Fly Ash and GGBS. 2022 , 697-708		
307	Mechanical Evaluation of Na-Based Strain-Hardening Geopolymer Composites (SHGC) Reinforced with PVA, UHMWPE, and PBO Fibers. 2022 , 857-867		O
306	Review about the effect of chemical activation of industrials waste which is rich by SiO2 and CaO. 2021 , 49, 997-997		1
305	Mechanical Properties of Fly AshBlag Based Alkali-Activated Materials under the Low-Energy Consummation-Sealed Curing Condition. 2021 , 33, 04021288		О
304	Early hydration kinetics and microstructure development of hybrid alkali activated cements (HAACs) at room temperature. 2021 , 123, 104200		1
303	Unveiling substitution preference of chromium ions in sulphoaluminate cement clinker phases. 2021 , 222, 109092		23
302	Autogenous shrinkage and hydration property of alkali activated slag pastes containing superabsorbent polymer. <i>Cement and Concrete Research</i> , 2021 , 149, 106581	10.3	17
301	Alkali-activated waste ceramics: Importance of precursor particle size distribution. 2021 , 47, 31574-3158	2	4
300	Preparation and characterization of Cf/Pollucite composites through geopolymer precursors. 2021 , 47, 31713-31723		O

299	Solidification of radioactive wastes by cement-based materials. 2021 , 141, 103957	6
298	Performance Assessment of Graphene Oxide R einforced Sustainable Geopolymer Concrete. 2021 , 33, 04021322	1
297	Effect of calcium sulfoaluminate cements composition on their durability. 2021 , 307, 124952	2
296	Minimizing energy consumption to produce safe one-part alkali-activated materials. 2021 , 323, 129137	8
295	Geopolymer concrete as sustainable material: A state of the art review. 2021 , 306, 124762	16
294	Silica-based geopolymer spherical beads: Influence of viscosity on porosity architecture. 2021 , 124, 104261	1
293	Characterisation and control of cementitious mixes with colour pigment admixtures. 2021, 15, e00571	О
292	Mathematical model for strength of alkali-activated materials. 2021 , 44, 103189	1
291	Effect of rice husk ash-derived activator on the structural build-up of alkali activated materials. Cement and Concrete Research, 2021, 150, 106590	3
290	A review on characteristics of silico-manganese slag and its utilization into construction materials. 2022 , 176, 105946	4
289	Principles of Low-Carbon Cement. 2021 , 43-77	
288	Palm Oil Fuel Ash-Based Eco-Efficient Concrete: A Critical Review of the Short-Term Properties. 2021 , 14,	20
287	Sustainable Recycling Technologies for Bauxite Residue (Red Mud) Utilization. 2015, 173-179	1
286	Geopolymers: Past, Present, and Future of Low Carbon Footprint Eco-Materials. 2018, 1-21	2
285	Optimum Green Concrete Using Different High Volume Fly Ash Activated Systems. 2017 , 145-153	1
284	Historical Aspects and Overview. 2014 , 11-57	11
283	Binder Chemistry Blended Systems and Intermediate Ca Content. 2014, 125-144	12
282	Thermal Resistivity of Chemically Activated Calcined Clays-Based Cements. 2018 , 327-333	8

281	Synthesis of Bentonite Clay-Based Geopolymer and Its Application in the Treatment of Expansive Soil. 2020 , 133-143	1
280	Setting controlling of lithium slag-based geopolymer by activator and sodium tetraborate as a retarder and its effects on mortar properties. 2020 , 110, 103598	20
279	Quality control and assessment of geopolymer cements based on reacted and free alkalis. 2017 , 153, 274-283	6
278	Synthesis and characterization of alkali aluminosilicate hydraulic cement that meets standard requirements for general use. 2018 , 158, 42-49	15
277	Development of ceramic tile waste geopolymer binders based on pre-targeted chemical ratios and ambient curing. 2020 , 258, 120297	18
276	Microstructural characterisation of hybrid cement after exposure to high temperatures. 2020 , 262, 120843	7
275	Effect of sulfate activator on mechanical and durability properties of concrete incorporating low calcium fly ash. 2020 , 13, e00407	5
274	Preparation and characterization of high-strength geopolymer based on BH-1 lunar soil simulant with low alkali content. 2020 , 7, 1631-1631	15
273	Optimization of brick waste-based geopolymer binders at ambient temperature and pre-targeted chemical parameters. 2020 , 268, 122285	29
272	Rheology of Cementitious Materials: Alkali-Activated Materials or Geopolymers. 2018, 149, 01002	1
271	High-Resolution X-ray Diffraction and Fluorescence Microscopy Characterization of Alkali-Activated Slag-Metakaolin Binders. 2013 , 96, 1951-1957	58
270	A Study on the Improvement of Early-age Compressive Strength of Smart BFS Powder Added Cement Mortar. 2013 , 17, 135-141	4
269	The Vitruvian legacy: Mortars and binders before and after the Roman world. 2019 , 151-202	12
268	EFFLORESCENCE INHIBITION OF ALKALI-ACTIVATED STEEL SLAG-SLAG MATERIAL BY NANO SIOI 2018 , 285-292	3
267	Effects of Composition and Activator Type on Glass-Based Geopolymers. 2019 , 116,	3
266	Stabilizing Very High Moisture Content Fine Grained Soils with Calcium Sulfoaluminate Cements. 2017 , 6, 20160066	3
265	Development, Standardization, and Applications of Alkali-activated Concretes. 2013, 196-212	9
264	Selected Studies of the Durability of Fly-Ash-Based Geopolymer Concretes. 2013, 144-164	3

263	Reuse of iron ore tailings in the production of geopolymer mortars. 2019 , 72, 581-587	5
262	The Influence of Rice Husk Ash Addition on the Properties of Metakaolin-Based Geopolymers. 2016 , 10, 406-417	10
261	The Microstructure and Cation Exchange Ability of Zeolite Composed Hardened Material. 2015 , 64, 634-640	2
260	Application of a clay-slag geopolymer matrix for repairing damaged concrete: Laboratory and industrial-scale experiments. 2017 , 59, 929-937	4
259	Chloride Resistance of Blended Ash Geopolymer Concrete. 2016 , 6, 23-33	2
258	Ceniza de cascarilla de arroz como fuente de s^ lice en sistemas cementicios de ceniza volante y escoria activados alcalinamente. 2013 , 63, 361-375	38
257	New method to assess the pozzolanic reactivity of mineral admixtures by means of pH and electrical conductivity measurements in lime:pozzolan suspensions. 2014 , 64, e032	14
256	Early and late hydration of supersulphated cements of blast furnace slag with fluorgypsum. 2015 , 65, e043	7
255	Alkali-activated binary concrete based on a natural pozzolan: physical, mechanical and microstructural characterization. 2019 , 69, 191	8
254	Influence of different sources of coal gangue used as aluminosilicate powder on the mechanical properties and microstructure of alkali-activated cement. 2019 , 69, 199	5
253	An Alkali Activated Binder for High Chemical Resistant Self-Leveling Mortar. 2016 , 06, 132-142	2
252	Geo-Engineering and Microstructural Properties of Geopolymer Concrete and Motar: A Review. 1	
251	EFFECT OF THE CURING CONDITIONS ON THE CHARACTERISTICS OF CITROGYPSUM-CONTAINING ALKALI-ACTIVATED BINDERS. 2021 , 4, 24-34	
250	A comparative study on fly ash pozzolanic cement mortar and ambient-cured alkali-activated fly ash GBS cement mortar after exposure to elevated temperature. 2022 , 7, 1	2
249	Portland Versus Alkaline Cement: Continuity or Clean Break: "A Key Decision for Global Sustainability". 2021 , 9, 705475	8
248	Optimization of Alkali-Activated Municipal Slag Composite Performance by Substituting Varying Ratios of Fly Ash for Fine Aggregate. 2021 , 14,	1
247	Phosphorus Substitution Preference in Ye'elimite: Experiments and Density Functional Theory Simulations. 2021 , 14,	О
246	Mineralogy and glass content of Fe-rich fayalite slag size fractions and their effect on alkali activation and leaching of heavy metals. 2021 , 3, 287	O

245	Municipal Solid Waste Incineration Ash-Incorporated Concrete: One Step towards Environmental Justice. 2021 , 11, 495	3
244	A Taguchi Approach for Optimizing Design Mixture of Geopolymer Concrete Incorporating Fly Ash, Ground Granulated Blast Furnace Slag and Silica Fume. 2021 , 11, 1279	6
243	Potential applications of geopolymer concrete in construction: A review. 2021 , 15, e00733	15
242	Influence of Blended Activators on the Physical Properties of Alkali-activated Slag Mortar. 2012 , 16, 26-33	3
241	The Strength Properties of Alkali-Activated Slag Mortars by Combined Caustic Alkali with Sodium Carbonate as Activator. 2012 , 24, 745-752	3
240	Grinding Effects of Coal-Fired Pond Ash on Compressive Strength of Geopolymers. 2014 , 23, 3-11	
239	The Influence of Alkali Dosage on Zeolite Composed Hardened Material. 2015, 64, 641-647	
238	Influence of Fine Aggregate Properties on Unhardened Geopolymer Concrete. 2016 , 4, 101-111	2
237	State of Knowledge on Green Concrete with Recycled Aggregates and Cement Replacement. 2017, 3-27	1
236	Mechanical Properties of Geopolymers Cured in Saline Water. 2019 , 215-226	
235	Overcoming the Critical Barriers to Implementing Sustainable Concept in Kuwait Cement Manufacturing 2019 ,	
234	Transport and Durability Properties of Alkali-Activated Natural Pozzolan/Slag Concrete. 2019 , 116,	3
233	Optimization of raw mixes with the study of the production of mixed cements and their physicomechanical characteristics. 2019 , 59-64	3
232	Effect of Silicate Additives on the Impact Strength of Cement Pastes. 2020 , 468-473	
231	AVALIA^ 🛮 Ď DA UTILIZA^ 🗓 Ď DE RES^ DUOS INCORPORADOS AO CL^ 🕅 QUER PORTLAND: REVIS^ Ď SISTEM^ 🖫 ICA.	
230	Obtaining construction materials based on the dolomite lime of accelerated forced-carbonization hardening. 2020 , 43-57	1
229	Comparison of lunar and Martian regolith simulant-based geopolymer cements formed by alkali-activation for in-situ resource utilization. 2021 ,	Ο
228	Mechanical and Microstructural Characterization of Carbon Nanofiber R einforced Geopolymer Nanocomposite Based on Lunar Regolith Simulant. 2022 , 34,	Ο

227	Effect of drying temperature on the properties of alkali-activated binders - Recommendations for sample preconditioning. <i>Cement and Concrete Research</i> , 2022 , 151, 106617	10.3	7
226	Structure-property relationships and state behavior of alkali-activated aluminosilicate gels. <i>Cement and Concrete Research</i> , 2022 , 151, 106618	10.3	1
225	Effect of high temperatures on the mechanical behaviour of hybrid cement. 2020 , 70, 213		3
224	The effect of micro-SiO2 and micro-Al2O3 additive on the strength properties of ceramic powder-based geopolymer pastes. 1		2
223	Strength Behavior of Geopolymer Based SIFCON with Different Fibers.		1
222	Long-Term Physical and Mechanical Properties and Microstructures of Fly-Ash-Based Geopolymer Composite Incorporating Carbide Slag. 2021 , 14,		1
221	TAMAMLAYICI ^ EMENTOLU MALZEMELERLE BETONUN SODYUM S^ EFAT D°RENC° ^ ZER°NE KARILATIRMALI B°R ^ ZALIMA.		
220	An overview of the utilisation of Fe-rich residues in alkali-activated binders: Mechanical properties and state of iron. 2022 , 330, 129900		2
219	Preparation and engineering properties of alkali-activated filling grouts for shield tunnel. 2022 , 314, 125620		1
218	Experimental and analytical study of bond between basalt FRP bars and geopolymer concrete. 2022 , 315, 125461		2
217	Mechanical Behavior and Permeability of Plastic Concrete Containing Natural Zeolite under Triaxial and Uniaxial Compression. 2022 , 34,		1
216	Investigation of the hydration properties of cement with EDTA by alternative current impedance spectroscopy. 2022 , 126, 104365		2
215	Ultra-high performance concrete targets against high velocity projectile impact 🗈 -state-of-the-art review. 2022 , 160, 104080		5
214	Effect of bottom ash waste on the rheology and durability of alkali activation pastes. 2022 , 16, e00790		O
213	Effect of Glutinous Rice Slurry on the Reinforcement of Silt in the Yellow River Basin by Microbially Induced Carbonate Precipitation (MICP): Mechanical Property and Microcosmic Structure. 2021 , 2021, 1-23		3
212	Characterizing Steel Corrosion in Different Alkali-Activated Mortars. 2021 , 14,		O
211	Investigation of geopolymer-based ultra-high performance concrete slabs against contact explosions. 2021 , 315, 125727		1
210	Stress-Strain Relationship of Steel Fiber Reinforced Alkali Activated Slag Concrete under Static Compression. 2021 , 2021, 1-12		O

209	Alkali-activated and hybrid materials: Alternative to Portland cement as a storage media for solar thermal energy. 2021 ,	0
208	Effects of rice husk ash on itself activity and concrete behavior at different preparation temperatures. 2021 , 63, 1070-1076	O
207	Influence of steel and PP fibers on mechanical and microstructural properties of fly ash-GGBFS based geopolymer composites. 2021 ,	5
206	Durability of geopolymers with industrial waste. 2022 , 16, e00839	3
205	Low Energy/Low Carbon Eco-Cementitious Binders as an Alternative to Ordinary Portland Cement. 2021 , 1-23	
204	Improving the Chloride Binding Capacity of Alkali Activated Slag by Calcium and Aluminium Containing Phases.	
203	Flexural Behaviour of Reinforced Geopolymer Concrete Incorporated with Hazardous Heavy Metal Waste Ash and Glass Powder. 1048, 345-358	2
202	Preparation of geopolymer based on lunar regolith simulant at in-situ lunar temperature and its durability under lunar high and cryogenic temperature. 2022 , 318, 126033	О
201	Evaluation of eco-efficient geopolymer using chamotte and waste glass-based alkaline solutions. 2022 , 16, e00847	1
200	Influence of liquid-binder ratio on the performance of alkali-activated slag mortar with superabsorbent polymer. 2022 , 48, 103934	1
199	Study on the activation mechanism and hydration properties of gold tailings activated by mechanical-chemical-thermal coupling. 2022 , 48, 104014	O
198	Chloride penetration in alkali-activated concrete. 2022 , 431-450	1
197	Fabrication of green one-part geopolymer from silica-rich vanadium tailing via thermal activation and modification. 2022 , 29, 177-184	1
196	Performance of lime calcined clay cement-an experimental and microstructural evaluation. 1	
195	Mineral Composite Plaster Containing Hollow Glass Microspheres and CSA Cement for Building Insulation. 2022 , 12, 1152	
194	Properties of geopolymer sourced from construction and demolition waste: A review. 2022 , 104104	15
193	Characterisation of the Hydration Products of a Chemically and Mechanically Activated High Coal Fly Ash Hybrid Cement. 2022 , 12, 157	0
192	The use of rice hush ash in eco-concrete. 2022 , 171-197	O

191	Synthesis of MgO-Belite calcium sulfoaluminate cement from phosphate mine waste rock and phosphogypsum. 2022 ,	
190	Dolomite-based binders manufactured using concentrated solar energy in a fluidised bed reactor. 2022 , 232, 471-482	O
189	Setting Time, Microstructure, and Durability Properties of Low Calcium Fly Ash/Slag Geopolymer: A Review 2022 , 15,	2
188	Characteristics of hybrid alkaline cement composites with high cement content: flash set and high compressive strength. 2022 , 17, 1582-1597	2
187	Effects of different curing conditions on the long-term properties of alkali activated GBP + GBFS mortars exposed to high temperatures. 2022 , 321, 125732	1
186	Durability properties of sustainable alkali-activated cementitious materials as marine engineering material: A review. 2022 , 17, 100099	5
185	Thermodynamic modeling and mechanical properties of hybrid alkaline cement composites. 2022 , 322, 126381	1
184	Effect of mixed fibers on fly ash-based geopolymer resistance against carbonation. 2022 , 322, 126394	1
183	Experimental study on preparation and optimization of high-performance cement grouts mixed with chemical additives for capsule grouting technology. 2022 , 17, 1469-1484	1
182	Chemical effect of sewage sludge ash on early-age hydration of cement used as supplementary cementitious material. 2022 , 322, 126116	О
181	Evaluation of rheology and strength development of alkali-activated slag with different silicates sources. 2022 , 128, 104415	1
180	Physicochemical properties of MgO-silica fume cementitious materials exposed to high temperatures. 2022 , 50, 104124	1
179	Mechanical and Microstructural Evaluation of Eco-Friendly Geopolymer Produced from Chamotte and Waste Glass. 2022 , 391-401	
178	Development of Metakaolin-Based Geopolymer Mortar and the Flue Gas Desulfurization (FGD) Waste. 2022 , 323-331	
177	Design of Fly Ash-Based Alkali-Activated Mortars, Containing Waste Glass and Recycled CDW Aggregates, for Compressive Strength Optimization 2022 , 15,	O
176	Effect of Carbonation on Radon Exhalation Rate in Concrete. 2022 , 119,	
175	Influence of the Type and Concentration of the Activator on the Microstructure of Alkali Activated Simn Slag Pastes.	
174	Predicting Compressive Strength of Alkali-Activated Systems Based on the Network Topology and Phase Assemblages Using Tree-Structure Computing Algorithms.	

173	Effect of activator on rheological properties of alkali-activated slag-fly ash pastes. 2022, 29, 282-295	1
172	Experimental Investigation on Ambient-Cured One-Part Alkali-Activated Binders Using Combined High-Calcium Fly Ash (HCFA) and Ground Granulated Blast Furnace Slag (GGBS) 2022 , 15,	2
171	Performance of Silica Fume-Based Geopolymer Grouts for Heritage Masonry Consolidation. 2022 , 12, 288	0
170	The Effect of Slag on the Mechanical Properties of Coralline-Activated Materials and the Formation and Transformation of Mineral Crystals. 2022 , 12, 470	O
169	Factors Influencing the Properties of Extrusion-Based 3D-Printed Alkali-Activated Fly Ash-Slag Mortar 2022 , 15,	1
168	Improving the Mechanical Properties of Fly Ash-Based Geopolymer Composites with PVA Fiber and Powder 2022 , 15,	O
167	Effect of fly ash cenospheres on properties of multi-walled carbon nanotubes and polyvinyl alcohol fibers reinforced geopolymer composites. 2022 ,	3
166	A review: Reaction mechanism and strength of slag and fly ash-based alkali-activated materials. 2022 , 326, 126843	4
165	Utilization of waste Cappadocia earth as a natural pozzolan in alkali activation: A parametric study. 2022 , 329, 127192	0
164	Sustainable Management Strategy for Solidification/Stabilization of Zinc Plant Residues (ZPR) by Fly Ash/Clay-Based Geopolymers. 2022 , 14, 4438	
163	Weathered bottom ash from municipal solid waste incineration: Alkaline activation for sustainable binders. 2022 , 327, 126983	1
162	A study on early age properties of hybrid alkali activated mortars cured under ambient condition. 2022 ,	1
161	Mechanical property and microstructure development in alkali activated fly ash slag blends due to efflorescence. 2022 , 332, 127273	1
160	A review of conventional and alternative cementitious materials for geothermal wells. 2022 , 161, 112347	O
159	Mechanism understanding of alkali-silica reaction in alkali-activated materials system. <i>Cement and Concrete Research</i> , 2022 , 156, 106768	1
158	Valorization of marble powder wastes using rice husk ash to yield enhanced-performance inorganic polymer cements: Phase evolution, microstructure, and micromechanics analyses. 2022 , 8, 100461	O
157	Synthesis and application of geopolymers from municipal waste incineration fly ash (MSWI FA) as raw ingredient - A review. 2022 , 182, 106308	2
156	Adoption of alkali-activated cement-based binders (geopolymers) from industrial by-products for sustainable construction of utility buildings-A field demonstration. 2022 , 52, 104450	1

155	Drying shrinkage of one-part alkali-activated slag concrete. 2022 , 51, 104263		3
154	Incorporation of Sodium and Aluminum in Cementitious Calcium-Alumino-Silicate-Hydrate C-(A)-S-H Phases Studied by 23Na, 27Al, and 29Si MAS NMR Spectroscopy. 2021 , 125, 27975-27995		2
153	Experimental Evaluation of the Mechanical Strengths and the Thermal Conductivity of GGBFS and Silica Fume Based Alkali-Activated Concrete 2021 , 14,		1
152	Effect of Sodium Hydroxide, Liquid Sodium Silicate, Calcium Hydroxide, and Slag on the Mechanical Properties and Mineral Crystal Structure Evolution of Polymer Materials. 2021 , 11, 1586		2
151	Revealing the co-doping effects of fluorine and copper on the formation and hydration of cement clinker. 2022 , 335, 127516		0
150	Rheology of alkali-activated slag pastes: New insight from microstructural investigations by cryo-SEM. <i>Cement and Concrete Research</i> , 2022 , 157, 106806	10.3	2
149	Temperature-Dependent Compressive Stress-Strain Behaviors of Alkali-Activated Slag-Based Ultra-High Strength Concrete.		
148	A pilot-process for calcium hydroxide production from iron slag by low-temperature precipitation. 2022 , 107792		O
147	Effect of molarity of NaOH and alkalinity ratio on compressive strength of geo-polymer concrete. 2022 ,		0
146	Waste glass as a precursor in alkali-activated materials: Mechanical, durability, and microstructural properties.		O
145	Predicting compressive strength of alkali-activated systems based on the network topology and phase assemblages using tree-structure computing algorithms. 2022 , 336, 127557		О
144	Unveiling the cooperation effects of fluorine and copper on tricalcium silicate (C3S) during cement kiln co-processing hazardous wastes containing Cu. 2022 , 337, 127612		
143	Potential applications for geopolymers in carbon capture and storage. 2022 , 118, 103687		1
142	Effect of superabsorbent polymer introduction on properties of alkali-activated slag mortar. 2022 , 340, 127541		1
141	Effect of Seawater on Hydration and Sulfate Resistance of Noncement Mortars. 2022, 34,		
140	Effect of Nickel Slag on the Basic Tensile Creep of Alkali-Activated Slag/Nickel Slag Mortars.		
139	Role of Fly Ash Particle Size on Alkali Thermal Activation Process and Mechanical Properties of Geopolymer.		
138	Preparation and Properties of Municipal Solid Waste Incineration Alkali-Activated Lightweight Materials through Spontaneous Bubbles. 2022 , 14, 2222		Ο

137	Monitoring the Early Strength Development of Cement Mortar with Piezoelectric Transducers Based on Eigenfrequency Analysis Method. 2022 , 22, 4248		
136	A low-carbon alkali activated slag based ultra-high performance concrete (UHPC): Reaction kinetics and microstructure development. 2022 , 363, 132416		O
135	Reclaimed Asphalt and Alkali-Activated Slag Systems: The Effect of Metakaolin.		
134	Waste Management for Green Concrete Solutions: A Concise Critical Review. 2022 , 7, 37		О
133	Preparation and Performance of Ternesite™e⊞limite Cement. 2022 , 15, 4369		
132	An Essential Study of Strength Development in Geopolymer Materials Using the JMAK Method.		
131	Design Analysis and Test Verification of Double-Layer Gradient Coating Reinforced Concrete Flexural Strength. 2022 , 2022, 1-12		
130	Unraveling the doping preference of zinc ions in sulfoaluminate cement clinker minerals: A study combined with experiments and DFT calculations. 2022 , 110072		Ο
129	Factors affecting production and properties of self-compacting geopolymer concrete IA review. 2022 , 344, 128174		О
128	Behaviour of strain hardening geopolymer composites at elevated temperatures. 2022 , 132, 104634		O
127	Early structural build-up, setting behavior, reaction kinetics and microstructure of sodium silicate-activated slag mixtures with different retarder chemicals. <i>Cement and Concrete Research</i> , 2022 , 159, 106872	10.3	1
126	Multistep nucleation and growth mechanism of aluminosilicate gel observed by cryo-electron microscopy. <i>Cement and Concrete Research</i> , 2022 , 159, 106873	10.3	O
125	Calibration of Holmquist Johnson Cook (HJC) model for projectile penetration of geopolymer-based ultra-high performance concrete (G-UHPC). 2022 , 43, 149-163		2
124	Thermal, Microstructural, and Mechanical Properties of Ternary Blended Geopolymers. 2022,		
123	Multi-Objective Optimization of Sustainable Concrete Containing Fly Ash Based on Environmental and Mechanical Considerations. 2022 , 12, 948		2
122	Solidification mechanisms of copper in ferrite-rich Portland cement and its action mechanism in mineral phase. 2022 , 104962		
121	Influence of the type and concentration of the activator on the microstructure of alkali activated SiMn slag pastes. 2022 , 342, 128067		О
120	Key parameters establishing alkali activation effects on stabilized rammed earth. 2022 , 345, 128299		О

119	Green clinker-free binders: Simultaneous immobilization and carbonation of ferrous metallurgical residues activated by sulfur wastes. 2022 , 346, 128473		0
118	One part alkali activated materials: A state-of-the-art review. 2022 , 57, 104871		О
117	Longitudinal single-sided NMR study: Silica-to-alumina ratio changes the reaction mechanism of geopolymer. <i>Cement and Concrete Research</i> , 2022 , 160, 106921	10.3	0
116	Carbon-negative cement manufacturing from seawater-derived magnesium feedstocks. 2022 , 119,		O
115	Development of Underwater Mortar Using Belitic Calcium Sulfoaluminate Cement. 2022 , 11, 20210165		
114	Effect of Impurities on the Decarbonization of Calcium Carbonate Using Aqueous Sodium Hydroxide.		1
113	Assessment of the Corrosion of Steel Embedded in an Alkali-Activated Hybrid Concrete Exposed to Chlorides. 2022 , 27, 5296		
112	Axial compressive behavior of GFRP-confined seawater coral aggregate concrete incorporating slag-based alkali-activated materials. 2022 , 347, 128437		1
111	Multi-scale structure of in-situ polymerized cementitious composites with improved flowability, strength, deformability and anti-permeability. 2022 , 245, 110222		0
110	Reaction kinetics, mechanical properties, and microstructure of nano-modified recycled concrete fine powder/slag based geopolymers. 2022 , 372, 133715		O
109	The effect of sodium citrate on NaOH-activated BFS cement: Hydration, mechanical property, and micro/nanostructure. 2022 , 133, 104703		0
108	Effect of nickel slag on the basic tensile creep of alkali-activated slag/nickel slag mortars. 2022 , 351, 128778		1
107	Improving the durability of pumice-fly ash based geopolymer concrete with calcium aluminate cement. 2022 , 59, 105110		1
106	Experimental investigations on the structural performance and calculation analysis of reinforced alkali-activated materials (AAMs) beams. 2022 , 44, 1490-1505		O
105	Preparation and characterization of porous and stable sodium- and potassium-based alkali activated material (AAM). 2022 , 230, 106697		1
104	Enhancing the hardened properties of blended cement paste cured at 0°C by using alkali-treated ground granulated blast furnace slag. 2022 , 134, 104757		0
103	Mechanical performance and phase analysis of an eco-friendly alkali-activated binder made with sludge waste and blast-furnace slag. 2022 , 374, 134024		1
102	In-situ laboratory X-ray diffraction applied to assess cement hydration. 2022 , 162, 106988		2

101	Aglomerante ^ [Lali-ativado com a incorpora^ [] [] de res^ [] uos s^ [] dos: uma alternativa ao cimento Portland. 2020 , 67-94	O
100	Optimization and Hydration Mechanism of Ecological Ternary Cements Containing Phosphogypsum. 2022 , 12, 8726	o
99	Coagulation Mechanism and Compressive Strength Characteristics Analysis of High-Strength Alkali-Activated Slag Grouting Material. 2022 , 14, 3980	0
98	Recent Progress in Newer Cementitious Binders as an Alternative to Portland Cement: Need for the 21st Century. 2023 , 797-812	O
97	The influence of curing temperature on the strength and phase assemblage of hybrid cements based on GGBFS/FA blends. 9,	0
96	A Review on the Optimization of the Mechanical Properties of Sugarcane-Bagasse-Ash-Integrated Concretes. 2022 , 6, 283	1
95	Molecular Insights into the Reaction Process of Alkali-Activated Metakaolin by Sodium Hydroxide. 2022 , 38, 11337-11345	1
94	Study on the flexural properties and fiber-selection method of fiber-reinforced geopolymer concrete.	1
93	Geopolymer-Based Nepheline Ceramics: Effect of Sintering Profile on Morphological Characteristics and Flexural Strength. 2022 , 12, 1313	1
92	Experimental and Molecular Modeling Computation of Reinforcing Mechanism of Mortar by Polyether Polyol. 2022 , 20, 596-608	O
91	Effect of superplasticizer addition time and metakaolin source on the early-age hydration of limestone calcined clay cement (LC3). 2022 , 55,	O
90	Hydration Mechanism and Thermodynamic Simulation of Ecological Ternary Cements containing Phosphogypsum. 2022 , 104621	O
89	Effects of anionic species of activators on the rheological properties and early gel characteristics of alkali-activated slag paste. 2022 , 162, 106968	O
88	INFLUENCE OF ALKALIS ON THE PHASE DEVELOPMENT OF BELITE-SULFOALUMINATE CLINKERS. 2022 , 0-0	o
87	A Bibliometric Analysis of Research Trends in Geopolymer. 2022 , 15, 6979	0
86	Metakaolin-Reinforced Sulfoaluminate-Cement-Solidified Wasteforms of Spent Radioactive Resins (Dptimization by a Mixture Design. 2022 , 12, 1466	o
85	Seismic performance of interior beam-column joints using reinforced slag-based geopolymer concrete.	1
84	Diatomaceous Earth[lightweight Pozzolanic Admixtures for Repair Mortars[Iomplex Chemical and Physical Assessment. 2022 , 15, 6881	1

83	Geopolymer: A Systematic Review of Methodologies. 2022 , 15, 6852	2
82	Fly Ash-Based Geopolymer Composites: A Review of the Compressive Strength and Microstructure Analysis. 2022 , 15, 7098	3
81	Temperature-dependent compressive stress-strain behaviors of alkali-activated slag-based ultra-high strength concrete. 2022 , 357, 129250	0
80	Effect of flash-calcined sediment substitution in sulfoaluminate cement mortar. 9,	1
79	A state-of-the-art review on the utilization of calcareous fillers in the alkali activated cement. 2022 , 357, 129348	O
78	Geopolymer synthesized from electrolytic manganese residue and lead-zinc smelting slag: Compressive strength and heavy metal immobilization. 2022 , 134, 104806	1
77	Influence of limestone addition on sodium sulphate activated blast furnace slag cements. 2022 , 360, 129527	O
76	Drying shrinkage and microstructure of alkali-activated slag with different mixing time at low temperatures (B to 5°C). 2022 , 360, 129529	O
75	Comparison on early hydration of Portland cement and sulphoaluminate cement in the presence of nano ettringite. 2022 , 360, 129516	0
74	Modification on the chloride binding capacity of alkali activated slag by applying calcium and aluminium containing phases. 2022 , 358, 129427	1
73	Early Hydration Kinetics and Microstructure Development of MgO-Activated Slag at Room Temperature. 2023 , 35,	0
72	Low Energy/Low Carbon Eco-cementitious Binders as an Alternative to Ordinary Portland Cement. 2022 , 2619-2640	Ο
71	The combined effects of calcium oxide and phosphate on burnt coal cinder-based cementitious materials. 2023 , 362, 129720	1
70	A new perspective on Belite-ye'elimite-ferrite cement manufactured from electrolytic manganese residue: Production, properties, and environmental analysis. 2023 , 163, 107019	O
69	Preparation and hydration of industrial solid wastellement blends: A review. 2022, 29, 2106-2116	0
68	Hybrid alkali activated cements (HAACs) system: A state-of-the-art review on fresh, mechanical, and durability behaviour. 2022 , 361, 129636	O
67	Effect of limestone on engineering properties of alkali-activated concrete: A review. 2023 , 362, 129709	0
66	A Review on Selected Durability Parameters on Performance of Geopolymers Containing Industrial By-products, Agro- Wastes and Natural Pozzolan.	O

65	Effects of Ms modulus, Na concentration and fly ash content on properties of vapour-cured geopolymer mortars exposed to high temperatures. 2023 , 363, 129868	O
64	Effect of reactive silica sources on the properties of Na-metakaolin-based geopolymer binder. 2023 , 364, 129989	O
63	Potential use of iron ore tailings for binder production: A life cycle assessment. 2023 , 365, 130008	O
62	Nanosized belite phases obtained by flame spray pyrolysis: Assessment of process conditions on the mineralogy and reactivity. 2023 , 164, 107062	O
61	Mineralogical and microstructural changes in alkali-activated and hybrid materials exposed to accelerated leaching. 2023 , 64, 105733	О
60	Effect of nano-silica on mechanical, microstructural and durability properties of cement-based materials: A review. 2023 , 65, 105676	O
59	EVALUATION OF CURING TIME FOR MICRO CONCRETE MIXES CONTAINING SILICA FUME, NANO-SILICA AND FLY ASH.	О
58	Research and Development of Red Mud and Slag Alkali Activation Light Filling Materials Preparation by Ultra-High Water Content and Analysis of Microstructure Formation Mechanism. 2022 , 14, 5176	O
57	Shear Behavior of Granulated Blast Furnace Slag-Based Geopolymer-Reinforced Concrete Beams. 2022 , 12, 2053	1
56	Effects of Na2CO3/Na2SiO3 Ratio and Curing Temperature on the Structure Formation of Alkali-Activated High-Carbon Biomass Fly Ash Pastes. 2022 , 15, 8354	O
55	Nano-scale study on molecular structure, thermal stability, and mechanical properties of geopolymer.	O
54	Mechanical properties of an eco-friendly one-part alkali-activated binder: Influence of metakaolin and water content. 2022 ,	O
53	Low Carbon Alkali-Activated Slag Binder and Its Interaction with Polycarboxylate Superplasticizer: Importance of Microstructural Design of the PCEs. 2022 , 10, 17241-17251	О
52	Investigation on Roles of Packing Density and Water Film Thickness in Synergistic Effects of Slag and Silica Fume. 2022 , 15, 8978	O
51	EFFECT OF BORAX ON CALCIUM SULFOALUMINATE CEMENT PROPERTIES. 2022, 0-0	О
50	Innovative use of micronized biomass silica-GGBS as agro-industrial by-products for the production of a sustainable high-strength geopolymer concrete. 2022 , e01782	O
49	Influence of alkaline activator solution ratio on the properties of biomass fly ash-based alkali-activated materials. 2023 , 2423, 012033	О
48	Influence on Rheology and Microstructure of Nanosilica and Modified Polycarboxylate in Water-Glass-Activated Fly Ash/Ground Granulated Blast Furnace Slag Geopolymers . 2023 , 8,	O

(2023-2023)

47	Effects of the phosphogypsum on the hydration and microstructure of alkali activated slag pastes. 2023 , 368, 130391	О
46	Rheological and microstructural properties of FA+GGBFS-based engineered geopolymer composites (EGCs) capable of comparing with M45-ECC as mechanical performance. 2023 , 65, 105792	Ο
45	Study on preparation and performance of alkali-activated low carbon recycled concrete: Corn cob biomass aggregate. 2023 , 23, 90-105	0
44	Evaluation of environmental disturbance indicator using functional performance and life cycle assessment of ferrochrome waste concrete. 2023 , 65, 105788	O
43	Recent Advances in Alternative Cementitious Materials for Nuclear Waste Immobilization: A Review. 2023 , 15, 689	0
42	Use of nanomaterials in geopolymers. 2023 , 161-190	Ο
41	Alkali-Activated Hybrid Cement from Mineral Wool Fiber Waste and OPC. 2023, 13, 354	1
40	Carbonation of fly ash. 2023 , 267-325	Ο
39	Development of novel mineral admixtures for sulphoaluminate cement clinker: The effects of wet carbonation activated red mud. 2023 , 67, 105920	0
38	Production and evaluation of alkali-activated binders of low-calcium fly ash with slag replacement. 1-15	Ο
37	Effects of different waste forestry residues on the property of magnesium oxysulfate cement-based composites. 2023 , 195, 116445	0
36	Influence of CO2 Curing and Autoclaved Aerated Concrete Powder on Sulfate Attack of Cement Paste at Low Temperature. 2023 , 35,	Ο
35	Reaction mechanisms in geopolymers produced from sugarcane bagasse ash. 2023, 377, 131124	0
34	Machine learning interpretable-prediction models to evaluate the slump and strength of fly ash-based geopolymer. 2023 , 24, 100-124	O
33	Effect and mechanism of nano-alumina on early hydration properties and heavy metals solidification/stabilization of alkali-activated MSWI fly ash solidified body. 2023 , 452, 131327	0
32	Mechanisms of Chemical and Autogenous Shrinkage in Alkali-Activated Hybrid Systems. 2023 , 35,	O
31	Effect of cement clinker type, curing regime and activator dosage on the performance of one-part alkali-activated hybrid slag/clinker composites. 2023 , 68, 106164	0
30	Heavy metals immobilization of ternary geopolymer based on nickel slag, lithium slag and metakaolin. 2023 , 453, 131380	Ο

29	Shear transfer strength of alkali-activated slag-based concrete. 2023 , 70, 106304	O
28	Performance improvement of waste oyster-shell powderdement binary system via carbonation curing. 2023 , 70, 106336	O
27	A review on properties of cement-based composites doped with graphene. 2023, 70, 106367	O
26	The changes in the reaction kinetics and phase assemblage of sodium silicate-activated CaO-MgO-Al2O3-SiO2 glasses induced by the Al replacement by Mg. 2023 , 166, 107103	O
25	Impact of heat curing regime on the compressive strength and drying shrinkage of alkali-activated slag mortar. 2023 , 14, 100123	O
24	Mechanism study of effect of superplasticizers on the fluidity of alkali-activated materials. 2023 , 56,	O
23	Alkali-activated fly ash cured with pulsed microwave and thermal oven: A comparison of reaction products, microstructure and compressive strength. 2023 , 166, 107104	1
22	M45-ECC ve u^ Ūcu k^ [⊬c^ Ēuf esasl₹asarlanm⊞geopolimer kompozitlerin mekanik ve mikroyap š al ^ Ēellikleri.	O
21	Early strength development assessment of concrete produced from cement replaced with nano silica activated Corn Cob Ash. 2023 ,	О
20	Fracture behavior of alkali-activated basalt powder/slag systems reinforced with basalt and hybrid fibers. 2023 , 56,	O
19	Thermodynamic Modeling and Experimental Study of Carbonation of Alkali-Activated Slag Cements. 2023 , 11, 4049-4063	О
18	Preparation and Characterization of Geopolymers Based on Metakaolin with the Addition of Organic Phase PVA. 2023 , 15, 4441	O
17	Freeze-thaw resistance of cement-stabilized gangue bonding materials: Effects of an ionic stabilizer. 2023 , 373, 130888	О
16	Development of a Lytag-silica fume based lightweight concrete and corresponding design equation for pure bending. 2023 , 18, e01970	O
15	Effect of recycled coarse aggregate quality on the interfacial property and sulfuric acid resistance of geopolymer concrete at different acidity levels. 2023 , 375, 130919	O
14	Effect of the fineness of limestone powder on the properties of calcium sulfoaluminate cement.	O
13	Optimization of Activator Concentration for Graphene Oxide-Based Alkali-Activated Binder. 2023,	O
12	Feasibility and performance evaluation of cementitious material mixed with coal gangue solid waste. 2023 , 99-130	O

CITATION REPORT

11	A Review on Fresh, Hardened, and Microstructural Properties of Fibre-Reinforced Geopolymer Concrete. 2023 , 15, 1484	О
10	A Model Linking Compressive Strength and Porosity in Ternary System: Metakaolin, Limestone, Cement. 2023 , 13, 454	O
9	Review on Durability of Geopolymer Concrete Developed with Industrial and Agricultural Byproducts. 2023 ,	0
8	Study on Improving Measures of Mechanical Properties of Geopolymer Materials and Its Effect on CO2 Emission. 2023 , 15, 1699	O
7	Low carbon technology roadmap of China cement industry. 1-4	O
6	Characterisation of One-part Ambient Cured Engineered Geopolymer Composites. 2023, 21, 204-217	Ο
5	Comparative Life Cycle Analysis (LCA) between a Geopolymeric Mortar Derived from Mining Waste and Conventional Mortar. 1084, 165-170	O
4	Mechanisms of chloride transport in low carbon marine concrete: An alkali-activated slag system with high limestone powder. 2023 , 106539	O
3	Study of the Mechanical Properties and Microstructure of Alkali-Activated Fly AshBlag Composite Cementitious Materials. 2023 , 15, 1903	0
2	Decarbonizing the cement and concrete industry: A systematic review of socio-technical systems, technological innovations, and policy options. 2023 , 180, 113291	O
1	Elucidating the effects of dispersion methods on agglomerated nano silica particles in aqueous environment. 2023 ,	О