

Nicotiana tabacum protoplasts secretome can evolve elements of exocytosis mechanisms

Plant Signaling and Behavior

6, 1140-1145

DOI: [10.4161/psb.6.8.15750](https://doi.org/10.4161/psb.6.8.15750)

Citation Report

#	ARTICLE	IF	CITATIONS
1	AtSYP51/52 Functions Diverge in the Post-Golgi Traffic and Differently Affect Vacuolar Sorting. <i>Molecular Plant</i> , 2013, 6, 916-930.	3.9	45
2	Methodologies to decipher the cell secretome. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 2226-2232.	1.1	88
3	Plant secretome " From cellular process to biological activity. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2013, 1834, 2429-2441.	1.1	72
4	Plant secretome proteomics. <i>Frontiers in Plant Science</i> , 2013, 4, 9.	1.7	67
5	Plant secretomics. <i>Plant Signaling and Behavior</i> , 2014, 9, e29426.	1.2	30
6	SNAREs SYP121 and SYP122 Mediate the Secretion of Distinct Cargo Subsets. <i>Plant Physiology</i> , 2018, 178, 1679-1688.	2.3	56
7	Complex roles of Rabs and SNAREs in the secretory pathway and plant development: a never-ending story. <i>Journal of Microscopy</i> , 2020, 280, 140-157.	0.8	12