CITATION REPORT List of articles citing

Physical illness in patients with severe mental disorders. I. Prevalence, impact of medications and disparities in health care

DOI: 10.1002/j.2051-5545.2011.tb00014.x World Psychiatry, 2011, 10, 52-77.

Source: https://exaly.com/paper-pdf/51707801/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
1542	Physical illness in patients with severe mental disorders. II. Barriers to care, monitoring and treatment guidelines, plus recommendations at the system and individual level. <i>World Psychiatry</i> , 2011 , 10, 138-51	14.4	489
1541	Association of the metabolic syndrome with physical activity performance in patients with schizophrenia. 2011 , 37, 318-23		45
1540	The rights of people with mental disorders: WPA perspective. 2011 , 378, 1534-5		21
1539	Heart and mind: coronary heart disease and depression. 2011 , 2, 37-42		
1538	Bromization: the truths we know about the psychopharmacology of schizophrenia. 2011 , 199, 736-7		
1537	Sexual health for all?. 2011 , 8, 2119-21		2
1536	The 15th World Congress of Psychiatry and recent WPA activities. World Psychiatry, 2011 , 10, 159-160	14.4	
1535	Report on the implementation of the WPA Action Plan 2008-2011. World Psychiatry, 2011, 10, 161-4	14.4	15
1534	WPA papers and documents 2009â፬010. World Psychiatry, 2011 , 10, 79-80	14.4	
1533	A critical review of major mortality risk factors for all-cause mortality in first-episode schizophrenia: clinical and research implications. 2012 , 26, 52-61		50
1532	Osteoporosis and fracture risk in people with schizophrenia. 2012 , 25, 415-29		74
1531	Effectiveness of a cognitive behavioral weight management intervention in obese patients with psychotic disorders compared to patients with nonpsychotic disorders or no psychiatric disorders: results from a 12-month, real-world study. 2012 , 32, 458-64		11
1530	Genetic correlates of medical comorbidity associated with schizophrenia and treatment with antipsychotics. 2012 , 25, 381-90		28
1529	Systematic review of the benefits of physical therapy within a multidisciplinary care approach for people with schizophrenia. 2012 , 92, 11-23		86
1528	Drug treatment developments in schizophrenia and bipolar mania: latest evidence and clinical usefulness. 2012 , 3, 287-300		7
1527	Integrated Illness Management and Recovery: A Program for Integrating Physical and Psychiatric		37
	Illness Self-Management in Older Persons with Severe Mental Illness. 2012 , 15, 131-156		

1525	Cardiovascular morbidity, mortality and pharmacotherapy in patients with schizophrenia. 2012 , 42, 2275-85	72
1524	Association of mental disorders in early adulthood and later psychiatric hospital admissions and mortality in a cohort study of more than 1 million men. 2012 , 69, 823-31	48
1523	Quality of medical care and excess mortality in psychiatric patientsa nationwide register-based study in Sweden. 2012 , 2, e000778	46
1522	How does a history of psychiatric hospital care influence access to coronary care: a cohort study. 2012 , 2, e000831	11
1521	Differential Genetic Advantages in Youth and in Aging, or How to Die Healthy. 2012 , 26, 2703-2711	4
1520	Metabolic and cardiovascular adverse effects associated with antipsychotic drugs. 2011 , 8, 114-26	633
1519	Rural physical health care services for people with serious mental illness: a nursing perspective. 2012 , 20, 248-53	12
1518	Epidemiology and comorbidity of severe mental illnesses in the community: findings from a computerized mental health registry in a large Israeli health organization. 2012 , 47, 1775-82	37
1517	EPA guidance on the quality of mental health services. 2012 , 27, 87-113	31
1516	Deep brain stimulation for treatment-resistant depression: efficacy, safety and mechanisms of action. 2012 , 36, 1920-33	99
1515	Associations between sedentary behaviour and metabolic parameters in patients with schizophrenia. 2012 , 200, 73-8	103
1514	Predicting the severity of everyday functional disability in people with schizophrenia: cognitive deficits, functional capacity, symptoms, and health status. <i>World Psychiatry</i> , 2012 , 11, 73-9	158
1513	The new impact factor and immediacy index of World Psychiatry. World Psychiatry, 2012 , 11, 207-8	4
1512	Life expectancy at birth and all-cause mortality among people with personality disorder. 2012 , 73, 104-7	132
1511	Risk of venous thromboembolism during treatment with antipsychotic agents. 2012 , 66, 541-52	25
1510	Body weight and metabolic adverse effects of asenapine, iloperidone, lurasidone and paliperidone in the treatment of schizophrenia and bipolar disorder: a systematic review and exploratory meta-analysis. 2012 , 26, 733-59	113
1509	Safety and tolerability of antipsychotic polypharmacy. 2012 , 11, 527-42	130
1508	Metabolic and Cardiovascular Adverse Effects Associated with Treatment with Antipsychotic Drugs. 2012 , 4, 103-107	15

1507	The effect of dietary and physical activity pattern on metabolic profile in individuals with schizophrenia: a cross-sectional study. 2012 , 53, 1028-33	41
1506	Psychometric properties of the Spanish version of the Body Weight, Image and Self-Esteem Evaluation Questionnaire in patients with severe mental disorders. 2012 , 53, 1237-42	3
1505	Delirium and decisional incapacity in veterans with schizophrenia and medical illness. 2012 , 34, 506-9	4
1504	Evaluating health literacy in people with mental illness using the Test of Functional Health Literacy in Adults. 2012 , 60, 316-21	19
1503	Acute and maintenance effects of non-pharmacologic interventions for antipsychotic associated weight gain and metabolic abnormalities: a meta-analytic comparison of randomized controlled trials. 2012 , 140, 159-68	129
1502	Nurses' views on physical activity for people with serious mental illness. 2012 , 5, 4-12	36
1501	Obesity in bipolar disorder: an overview. 2012 , 14, 650-8	76
1500	Health promotion lifestyle interventions for weight management in psychosis: a systematic review and meta-analysis of randomised controlled trials. 2012 , 12, 78	101
1499	Primary care prescribing psychologists in the Indian Health Service. 2012 , 19, 441-5	2
1498	Are antipsychotics or antidepressants needed for psychotic depression? A systematic review and meta-analysis of trials comparing antidepressant or antipsychotic monotherapy with combination treatment. 2012 , 73, 486-96	79
1497	The functional exercise capacity is correlated with global functioning in patients with schizophrenia. 2012 , 125, 382-7	64
1496	Should we or shouldn't we? Mental health nurses' views on physical health care of mental health consumers. 2012 , 21, 202-10	82
1495	Gaps in health care for the somatic health of outpatients with severe mental illness. 2013 , 22, 249-55	18
1494	Build a better mouse: directly-observed issues in computer use for adults with SMI. 2013 , 84, 81-92	12
1493	Trends in bipolar disorder or depression as a cause of death on death certificates of US residents, 1999-2009. 2013 , 48, 1153-60	3
1492	An impaired health related muscular fitness contributes to a reduced walking capacity in patients with schizophrenia: a cross-sectional study. 2013 , 13, 5	24
1491	Effets mtaboliques indsirables des antipsychotiques. 2013 , 8, 165-173	2
1490	[Cardiovascular risk factors, cardiovascular risk and quality of life in patients with a severe mental disorder]. 2013 , 45, 141-8	7

(2013-2013)

1489	follow-up study. 2013 , 47, 460-6	27
1488	Increased advanced glycation end-products (AGEs) assessed by skin autofluorescence in schizophrenia. 2013 , 47, 1044-8	33
1487	Improvement of care for the physical health of patients with severe mental illness: a qualitative study assessing the view of patients and families. 2013 , 13, 426	28
1486	Examining the cost effectiveness of interventions to promote the physical health of people with mental health problems: a systematic review. 2013 , 13, 787	28
1485	Incidence and outcome of newly-diagnosed tuberculosis in schizophrenics: a 12-year, nationwide, retrospective longitudinal study. 2013 , 13, 351	15
1484	Multimorbidity in bipolar disorder and undertreatment of cardiovascular disease: a cross sectional study. 2013 , 11, 263	80
1483	Nurses' views on training needs to increase provision of primary care for consumers with serious mental illness. 2013 , 49, 210-7	11
1482	Effects of aerobic interval training on metabolic complications and cardiorespiratory fitness in young adults with psychotic disorders: a pilot study. 2013 , 149, 112-5	56
1481	Community rehabilitation and psychosocial interventions for psychotic disorders in youth. 2013 , 22, 745-58	9
1480	Should obesity be a limiting factor for clozapine treatment?. 2013 , 6, 75-9	4
1479	Metabolic syndrome among schizophrenia patients: study from a rural community of south India. 2013 , 6, 532-6	6
1478	[Metabolic Syndrome and Bipolar Affective Disorder: A Review of the Literature]. 2013, 42, 283-91	4
1477	Cause-specific mortality among patients with psychosis: disentangling the effects of age and illness duration. 2013 , 54, 536-45	7
1476	Acupuncture for management of balance impairment in a patient with bipolar disorder. 2013 , 6, 56-9	3
1475	Should obesity be a limiting factor for clozapine treatment?. 2013 , 6, 75-79	1
1474	Relationships between physical fitness, physical activity, smoking and metabolic and mental health parameters in people with schizophrenia. 2013 , 207, 25-32	104
1473	Risk of developing diabetes mellitus and hyperlipidemia among patients with bipolar disorder, major depressive disorder, and schizophrenia: a 10-year nationwide population-based prospective cohort study. 2013 , 150, 57-62	55
1472	Overview of antidepressant treatment of bipolar depression. 2013 , 16, 1673-85	59

1471	Drug-induced hypo- and hyperprolactinemia: mechanisms, clinical and therapeutic consequences. 2013 , 9, 955-68	23
1470	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia, part 2: update 2012 on the long-term treatment of schizophrenia and management of antipsychotic-induced side effects. 2013 , 14, 2-44	264
1469	Prevalence of the metabolic syndrome in patients with borderline personality disorder: results from a cross-sectional study. 2013 , 263, 205-13	41
1468	Perceived social support for diet and exercise among persons with serious mental illness enrolled in a healthy lifestyle intervention. 2013 , 36, 65-71	24
1467	Dementia and cancer: a review of the literature and current practice. 2013 , 9, 307-319	4
1466	Pimozide for schizophrenia or related psychoses. 2013 , CD001949	14
1465	There is a need for physiotherapists in the multidisciplinary treatment of schizophrenia. 2013 , 35, 239-242	1
1464	Obstructive sleep apnoea and schizophreniaa research agenda. 2013 , 17, 357-65	32
1463	A comparison of assertive community treatment fidelity measures and patient-centered medical home standards. 2013 , 64, 1127-33	4
	Clinically significant improved fitness and weight loss among overweight persons with serious	
1462	mental illness. 2013 , 64, 729-36	130
1462 1461		2
1461	mental illness. 2013 , 64, 729-36	
1461	mental illness. 2013, 64, 729-36 'The patient is medically cleared'. 2013, 74, 492, 494-6	2
1461 1460	mental illness. 2013, 64, 729-36 'The patient is medically cleared'. 2013, 74, 492, 494-6 Metabolic syndrome: differences between psychiatric and internal medicine patients. 2013, 45, 203-26	2
1461 1460 1459	mental illness. 2013, 64, 729-36 'The patient is medically cleared'. 2013, 74, 492, 494-6 Metabolic syndrome: differences between psychiatric and internal medicine patients. 2013, 45, 203-26 Evaluation of somatic health care practices in psychiatric inpatient wards. 2013, 47, 579-81 Are nurses in mental health services providing physical health care for people with serious mental	2 12 9
1461 1460 1459 1458	mental illness. 2013, 64, 729-36 'The patient is medically cleared'. 2013, 74, 492, 494-6 Metabolic syndrome: differences between psychiatric and internal medicine patients. 2013, 45, 203-26 Evaluation of somatic health care practices in psychiatric inpatient wards. 2013, 47, 579-81 Are nurses in mental health services providing physical health care for people with serious mental illness? An Australian perspective. 2013, 34, 198-207 The gap in life expectancy from preventable physical illness in psychiatric patients in Western	2 12 9 20
1461 1460 1459 1458	mental illness. 2013, 64, 729-36 'The patient is medically cleared'. 2013, 74, 492, 494-6 Metabolic syndrome: differences between psychiatric and internal medicine patients. 2013, 45, 203-26 Evaluation of somatic health care practices in psychiatric inpatient wards. 2013, 47, 579-81 Are nurses in mental health services providing physical health care for people with serious mental illness? An Australian perspective. 2013, 34, 198-207 The gap in life expectancy from preventable physical illness in psychiatric patients in Western Australia: retrospective analysis of population based registers. 2013, 346, f2539	2 12 9 20 473

1453	CNR1 gene and risk of the metabolic syndrome in patients with schizophrenia. 2013 , 33, 186-92		23
1452	Is the prevalence of metabolic syndrome and metabolic abnormalities increased in early schizophrenia? A comparative meta-analysis of first episode, untreated and treated patients. 2013 , 39, 295-305		205
1451	Cultural diversity in physical diseases among patients with mental illnesses. 2013 , 47, 250-8		9
1450	Feasibility and effectiveness of an automated telehealth intervention to improve illness self-management in people with serious psychiatric and medical disorders. 2013 , 36, 297-305		33
1449	The health benefits and challenges of exercise training in persons living with schizophrenia: a pilot study. 2013 , 3, 821-48		33
1448	Psychiatric morbidity and other factors affecting treatment adherence in pulmonary tuberculosis patients. 2013 , 2013, 489865		75
1447	Excess mortality of acute and transient psychotic disorders: comparison with bipolar affective disorder and schizophrenia. 2013 , 128, 370-5		33
1446	The characteristics, content, performance, and impact of the WPA website (www.wpanet.org). <i>World Psychiatry</i> , 2013 , 12, 85-6	14.4	3
1445	How to convince politicians that mental health is a priority. World Psychiatry, 2013, 12, 266-8	14.4	6
1444	WPA educational activities. World Psychiatry, 2013, 12, 181-2	14.4	2
1444	WPA educational activities. <i>World Psychiatry</i> , 2013 , 12, 181-2 A meta-analysis of cardio-metabolic abnormalities in drug na\(\mathbb{Q} \)e, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50	14.4	168
	A meta-analysis of cardio-metabolic abnormalities in drug naße, first-episode and multi-episode		
1443	A meta-analysis of cardio-metabolic abnormalities in drug nate, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50 Mental Health Nurse Incentive Program: facilitating physical health care for people with mental	14.4	168
1443	A meta-analysis of cardio-metabolic abnormalities in drug nawe, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50 Mental Health Nurse Incentive Program: facilitating physical health care for people with mental illness?. 2013 , 22, 399-408	14.4	168
1443 1442 1441	A meta-analysis of cardio-metabolic abnormalities in drug nawe, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50 Mental Health Nurse Incentive Program: facilitating physical health care for people with mental illness?. 2013 , 22, 399-408 The new impact factor of World Psychiatry. <i>World Psychiatry</i> , 2013 , 12, 280-1 Psychotic symptoms are associated with physical health problems independently of a mental	14.4	168 21 1
1443 1442 1441 1440	A meta-analysis of cardio-metabolic abnormalities in drug naße, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50 Mental Health Nurse Incentive Program: facilitating physical health care for people with mental illness?. 2013 , 22, 399-408 The new impact factor of World Psychiatry. <i>World Psychiatry</i> , 2013 , 12, 280-1 Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. <i>World Psychiatry</i> , 2013 , 12, 251-7 Challenges in pharmacologic management of the hospitalized patient with psychiatric comorbidity.	14.4	168 21 1 73
1443 1442 1441 1440 1439	A meta-analysis of cardio-metabolic abnormalities in drug nave, first-episode and multi-episode patients with schizophrenia versus general population controls. <i>World Psychiatry</i> , 2013 , 12, 240-50 Mental Health Nurse Incentive Program: facilitating physical health care for people with mental illness?. 2013 , 22, 399-408 The new impact factor of World Psychiatry. <i>World Psychiatry</i> , 2013 , 12, 280-1 Psychotic symptoms are associated with physical health problems independently of a mental disorder diagnosis: results from the WHO World Health Survey. <i>World Psychiatry</i> , 2013 , 12, 251-7 Challenges in pharmacologic management of the hospitalized patient with psychiatric comorbidity. 2013 , 8, 523-9	14.4	168 21 1 73 3

1435	Avoidable mortality in people with schizophrenia or bipolar disorder in England. 2013, 127, 195-201	64
1434	Screening physical health? Yes! But: nurses' views on physical health screening in mental health care. 2013 , 22, 2286-97	38
1433	Survey of Australian mental health nurses on physical activity promotion. 2013, 15, 148-161	12
1432	Cardiometabolic comorbidity in antipsychotic treated patients: need for systematic evaluation and treatment. 2013 , 17, 125-30	13
1431	Prevalence of metabolic syndrome and metabolic abnormalities in schizophrenia and related disordersa systematic review and meta-analysis. 2013 , 39, 306-18	626
1430	Schizophrenia is associated with excess multiple physical-health comorbidities but low levels of recorded cardiovascular disease in primary care: cross-sectional study. 2013 , 3,	134
1429	Interventions to reduce experiences of stigma and discrimination of people with mental illness and their caregivers. 2013 ,	4
1428	Affections mtaboliques et psychiatrie. 2013 , 10, 1-17	
1427	Physical activity and sedentary behaviour in outpatients with schizophrenia: A systematic review and meta-analysis. 2013 , 20, 588-595	57
1426	Switching to ziprasidone in the clinical practice setting: an open-label study. 2013 , 45, 125-42	7
1425	Weight gain, metabolic disturbances, and physical health care in a Brazilian sample of outpatients with schizophrenia. 2013 , 9, 133-8	4
1424	Deciding on Life Changes: The Role of Motivational Interviewing. 2013 , 65-80	
1423	Active steps towards a healthier life for people with severe mental illness: a qualitative approach to understanding the potential for implementing change. 2013 , 37, 423-9	3
1422	Emotions and Cardiovascular Disease. 2013 , 991-1002	2
1421	Obstetric and neonatal outcomes of pregnant women with severe mental illness at a specialist antenatal clinic. 2013 , 199, S26-9	24
1420	Multimorbidity patterns in a national representative sample of the Spanish adult population. 2014 , 9, e84794	59
1419	Health-related quality of life and utility scores in people with mental disorders: a comparison with the non-mentally ill general population. 2014 , 11, 2804-17	15
1418	Unmet needs in the management of schizophrenia. 2014 , 10, 97-110	40

1417	Associations of oxidative stress status parameters with traditional cardiovascular disease risk factors in patients with schizophrenia. 2014 , 74, 184-91	6
1416	Impact of socioeconomic deprivation on rate and cause of death in severe mental illness. 2014 , 14, 261	34
1415	Changing the obesogenic environment of severe mentally ill residential patients: ELIPS, a cluster randomised study design. 2014 , 14, 293	5
1414	Lichamelijke gezondheid van pati«nten met een ernstige psychische aandoening. 2014 , 30, 45-50	
1413	Metabolic syndrome and metabolic abnormalities in patients with major depressive disorder: a meta-analysis of prevalences and moderating variables. 2014 , 44, 2017-28	173
1412	Treating complexity: collaborative care for multiple chronic conditions. 2014 , 26, 638-47	27
1411	Breast cancer screening in women with mental illness: comparative meta-analysis of mammography uptake. 2014 , 205, 428-35	73
1410	Healthy Amistad: improving the health of people with severe mental illness. 2014 , 35, 791-5	3
1409	Cardiometabolic health nursing to improve health and primary care access in community mental health consumers: baseline physical health outcomes from a randomised controlled trial. 2014 , 35, 114-21	19
1408	Using electronic health records to improve the physical healthcare of people with serious mental illnesses: a view from the front lines. 2014 , 26, 629-37	9
1407	Mental health status and gender as risk factors for onset of physical illness over 10 years. 2014 , 68, 64-70	13
1406	Closing the gaps in mental health care. 2014 , 23, 230-1	
1405	Does a GLP-1 receptor agonist change glucose tolerance in patients treated with antipsychotic medications? Design of a randomised, double-blinded, placebo-controlled clinical trial. 2014 , 4, e004227	13
1404	Low rate of obesity among psychiatric inpatients in Indonesia. 2014 , 48, 175-83	5
1403	Physical health indicators in major mental illness: analysis of QOF data across UK general practice. 2014 , 64, e649-56	13
1402	The effects of antipsychotic switching on diabetes in chronic schizophrenia. 2014 , 31, e16-9	10
1401	Management of obesity in the psychiatrist's office. World Psychiatry, 2014 , 13, 193-5	1
1400	Training mental health nurses to assess the physical health needs of mental health service users: a pre- and post-test analysis. 2014 , 50, 243-50	9

1399	Self-reported health, health behaviors, attitudes, and beliefs of regional mental health consumers. 2014 , 50, 193-200	5
1398	The central place of psychiatry in health care worldwide. 2014 , 129, 401-3	O
1397	Reply: To PMID 24274997. 2014 , 129, 237	
1396	Improving the physical health of people with severe mental illness: boundaries of care provision. 2014 , 23, 243-51	21
1395	Psychological distress and emergency department utilization in the United States: evidence from the Medical Expenditure Panel Survey. 2014 , 21, 510-9	14
1394	Communication with colleagues: frequency of collaboration regarding physical health of consumers with mental illness. 2014 , 50, 33-43	17
1393	Is somatic health screening in patients with severe mental illness of added value?. 2014 , 50, 186-92	1
1392	The association of peptic ulcer and schizophrenia: a population-based study. 2014 , 77, 541-6	12
1391	A systematic review of controlled interventions to reduce overweight and obesity in people with schizophrenia. 2014 , 130, 279-89	39
1390	The prevalence and moderators of clinical pain in people with schizophrenia: a systematic review and large scale meta-analysis. 2014 , 160, 1-8	55
1389	Facilitating knowledge of mental health nurses to undertake physical health interventions: a pre-test/post-test evaluation. 2014 , 22, 383-93	13
1388	Proposed nurse-led initiatives in improving physical health of people with serious mental illness: a survey of nurses in mental health. 2014 , 23, 1018-29	21
1387	ROAMER: roadmap for mental health research in Europe. 2014 , 23 Suppl 1, 1-14	76
1386	Association of obesity and treated hypertension and diabetes with cognitive ability in bipolar disorder and schizophrenia. 2014 , 16, 422-31	53
1385	Schizophreniatime to commit to policy change. 2014 , 40 Suppl 3, S165-94	99
1384	Unexplored areas of psychotherapy in bipolar disorder. 2014 , 22, 373-8	4
1383	A comparison of risk factors for hepatitis C among young and older adult prisoners. 2014 , 20, 280-91	4
1382	Understanding the role of physiotherapists in schizophrenia: an international perspective from members of the International Organisation of Physical Therapists in Mental Health (IOPTMH). 2014 , 23, 125-9	26

1381	Improving the physical health of long-term psychiatric inpatients. 2014 , 48, 861-70	26
1380	Psychosis prevalence and physical, metabolic and cognitive co-morbidity: data from the second Australian national survey of psychosis. 2014 , 44, 2163-76	124
1379	Eating disorders in schizophrenia: implications for research and management. 2014 , 2014, 791573	30
1378	Monitoring and management of metabolic abnormalities: mixed-method evaluation of a successful intervention. 2014 , 22, 248-253	12
1377	Behavioral Health Homes: an opportunity to address healthcare inequities in people with serious mental illness. 2014 , 10, 10-6	14
1376	Reliability and practicality of measuring waist circumference to monitor cardiovascular risk among community mental health center patients. 2014 , 50, 68-74	10
1375	Prevalence and correlates of smoking status among veterans affairs primary care patients with probable major depressive disorder. 2014 , 39, 538-45	12
1374	Elevated blood urea nitrogen and medical outcome of psychiatric inpatients. 2014 , 85, 111-20	1
1373	Trend in rates for deaths with mention of schizophrenia on death certificates of US residents, 1999-2010. 2014 , 49, 1083-91	3
1372	The prevalence of metabolic syndrome in people with severe mental illness: a mediation analysis. 2014 , 49, 1739-46	37
1371	Excess mortality after disability retirement due to mental disorders: variations by socio-demographic factors and causes of death. 2014 , 49, 639-49	11
1370	A pilot test of a peer navigator intervention for improving the health of individuals with serious mental illness. 2014 , 50, 435-46	62
1369	Mental disorders across the adult life course and future coronary heart disease: evidence for general susceptibility. 2014 , 129, 186-93	55
1368	Stratified medicine for mental disorders. 2014 , 24, 5-50	121
1367	Comorbid medical illness in bipolar disorder. 2014 , 205, 465-72	80
1366	Flash sur la recommandation « soins somatiques en psychiatrie ». 2014 , 29, 589-590	
1365	Serious mental illness and the role of primary care. 2014 , 16, 458	10
1364	Vitamin D deficiency in patients with intellectual disabilities: prevalence, risk factors and management strategies. 2014 , 205, 458-64	24

1363	Smoking cessation outcomes and predictors among individuals with co-occurring substance use and/or psychiatric disorders. 2014 , 10, 9-18	9
1362	Does anxiety predict the use of urgent care by people with long term conditions? A systematic review with meta-analysis. 2014 , 77, 232-9	3
1361	A predisposition for allergies predicts subsequent hypertension, dyslipidemia, and diabetes mellitus among patients with schizophrenia or bipolar disorder: a nationwide longitudinal study. 2014 , 159, 171-5	8
1360	Risks of all-cause and suicide mortality in mental disorders: a meta-review. <i>World Psychiatry</i> , 2014 , 13, 153-60	852
1359	Metabolic syndrome and lung function in schizophrenia: a pilot study. 2014 , 220, 58-62	8
1358	Patterns of physical co-/multi-morbidity among patients with serious mental illness: a London borough-based cross-sectional study. 2014 , 15, 117	33
1357	Very low rates of screening for metabolic syndrome among patients with severe mental illness in Durban, South Africa. 2014 , 14, 228	19
1356	El suicidio en el trastorno bipolar. 2014 , 21, 30-32	
1355	Physical diseases among persons with obsessive compulsive symptoms and disorder: a general population study. 2014 , 49, 2013-22	21
1354	Aminotransferase levels as a prospective predictor for the development of metabolic syndrome in patients with schizophrenia. 2014 , 231, 4479-87	2
1353	Enhanced physical health screening for people with severe mental illness in Hong Kong: results from a one-year prospective case series study. 2014 , 14, 57	20
1352	Patterns of tobacco-related mortality among individuals diagnosed with schizophrenia, bipolar disorder, or depression. 2014 , 48, 102-10	158
1351	Police use of TASER devices in mental health emergencies: a review. 2014 , 37, 420-6	16
1350	What determines whether nurses provide physical health care to consumers with serious mental illness?. 2014 , 28, 87-93	19
1349	Sudden unexpected death in schizophrenia: autopsy findings in psychiatric inpatients. 2014 , 155, 72-6	56
1348	Clinical effectiveness and resource utilization of paliperidone ER for schizophrenia: Pharmacoepidemiologic International Longitudinal Antipsychotic Registry (PILAR). 2014 , 30, 1279-89	6
1347	Brugada syndrome ECG is highly prevalent in schizophrenia. 2014 , 7, 384-91	22
1346	Investing in Wellbeing in the Workplace. 2014 , 1-23	3

1345	Multiple risk-behavior profiles of smokers with serious mental illness and motivation for change. 2014 , 33, 1518-29	24
1344	The benefits of walking for individuals with schizophrenia spectrum disorders: A systematic review. 2014 , 21, 410-420	24
1343	Dentistry studentsâlviews about mental illness and impact of a targeted seminar on knowledge and attitudes: a mixed-method study. 2014 , 9, 190-202	2
1342	Double jeopardy: diabetes and severe mental illness. Addressing the special needs of this vulnerable group. 2014 , 4, 339-353	5
1341	Self-management interventions for type 2 diabetes in adult people with severe mental illness. 2014 ,	2
1340	Leefstijlbevordering bij mensen met een ernstige psychische aandoening. 2015 , 13, 7-10	9
1339	Developing a brief depression screen and identifying associations with comorbid physical and psychological illness in Australian Gulf War veterans. 2015 , 79, 566-73	11
1338	Pain is independently associated with reduced health related quality of life in people with psychosis. 2015 , 230, 585-91	13
1337	Validity of the 6min walk test in outpatients with bipolar disorder. 2015 , 230, 664-7	9
1336	Interrelationships Among Physical Health, Health-Related, and Psychosocial Characteristics of Persons Receiving Integrated Care in Community Mental Health Settings. 2015 , 41, 561-583	4
1335	Effects of antipsychotics, antidepressants and mood stabilizers on risk for physical diseases in people with schizophrenia, depression and bipolar disorder. <i>World Psychiatry</i> , 2015 , 14, 119-36	432
1334	Primary care consultation rates among people with and without severe mental illness: a UK cohort study using the Clinical Practice Research Datalink. 2015 , 5, e008650	33
1333	Inequalities in physical comorbidity: a longitudinal comparative cohort study of people with severe mental illness in the UK. 2015 , 5, e009010	58
1332	Weight Gain and Its Correlates Among Forensic Inpatients. 2015 , 60, 232-8	9
1331	Decreased pain sensitivity among people with schizophrenia: a meta-analysis of experimental pain induction studies. 2015 , 156, 2121-2131	74
1330	The prevalence and predictors of type two diabetes mellitus in people with schizophrenia: a systematic review and comparative meta-analysis. 2015 , 132, 144-57	143
1329	Weight gain and obesity in schizophrenia: epidemiology, pathobiology, and management. 2015 , 132, 97-108	149
1328	Recovery from psychosis: physical health, antipsychotic medication and the daily dilemmas for mental health nurses. 2015 , 22, 549-57	10

1327	Sexual Risk Behavior, Sexual Violence, and HIV in Persons With Severe Mental Illness in Uganda: Hospital-Based Cross-Sectional Study and National Comparison Data. 2015 , 105, 1142-8	5
1326	Feasibility and acceptability of patient partnership to improve access to primary care for the physical health of patients with severe mental illnesses: an interactive guide. 2015 , 14, 78	13
1325	Improving feedback from outpatient medical appointments attended by escorted psychiatric patients in the North London Forensic Service. 2015 , 4,	1
1324	The psychiatric inpatient physical health assessment sheet (PIPHAS): a useful tool to improve the speed, efficiency, and documentation of physical examination in new psychiatric inpatients. 2015 , 4,	2
1323	Association between concomitant psychiatric drug use, and patients' beliefs about and persistence with chronic cardiovascular medication. 2015 , 69, 328-35	1
1322	A case of dental pain. 2015 , 28, 49-50	
1321	Psychiatric Disorders and Psychopharmacologic Treatment as Risk Factors in Elective Fast-track Total Hip and Knee Arthroplasty. 2015 , 123, 1281-91	37
1320	Exploring the role of physical activity for people diagnosed with serious mental illness in Ireland. 2015 , 22, 58-64	5
1319	Smoking cessation outcomes of referral to a specialist hospital outpatient clinic. 2015 , 24, 561-70	6
1318	The gap between available knowledge and its use in clinical psychiatry. 2015 , 132, 441-50	19
1317	Predictors of Nurse Support for the Introduction of the Cardiometabolic Health Nurse in the Australian Mental Health Sector. 2015 , 51, 162-70	4
1316	Health-related quality of life and aerobic fitness in people with schizophrenia. 2015 , 24, 394-402	29
1315	Attitudes towards mental illness of nursing students in a Baccalaureate programme in Jamaica: a questionnaire survey. 2015 , 22, 599-605	18
1314	Scoping review of research in Australia on the co-occurrence of physical and serious mental illness and integrated care. 2015 , 24, 421-38	14
1313	Atopic Diseases and Subsequent Ischemic Stroke Among Patients With Schizophrenia: A Nationwide Longitudinal Study. 2015 , 77, 1031-8	2
1312	Promoting physical health for people with schizophrenia by reducing disparities in medical and dental care. 2015 , 132, 109-21	63
1311	Strategies to improve medication adherence in patients with schizophrenia: the role of support services. 2015 , 11, 1077-90	42
1310	Bridging the Treatment Gap for People with Mental Illness. 2015,	

1309	Understanding antipsychotic-induced weight gain and other metabolic issues. 2015, 4, 157-166	1
1308	Attitudes toward Placebo-Controlled Clinical Trials of Patients with Schizophrenia in Japan. 2015 , 10, e0143356	4
1307	Attitudes of Psychiatric Nurses about the Request for Euthanasia on the Basis of Unbearable Mental Suffering (UMS). 2015 , 10, e0144749	19
1306	Construction and Validation the Lifestyle Questionnaire Related to Cancer. 2015 , 8, e3965	5
1305	Efficacy and safety of aripiprazole once-monthly in obese and nonobese patients with schizophrenia: a post hoc analysis. 2015 , 11, 1299-306	7
1304	Sexual and reproductive health trends among women with enduring mental illness: a survey of Western Australian community mental health services. 2015 , 36, 499-510	14
1303	Mental Health Disparities Among Low-Income US Hispanic Residents of a US-Mexico Border Colonia. 2015 , 2, 445-56	10
1302	Cardiovascular risk prediction models for people with severe mental illness: results from the prediction and management of cardiovascular risk in people with severe mental illnesses (PRIMROSE) research program. 2015 , 72, 143-51	93
1301	The medical home and integrated behavioral health. 2015 , 135, 930-1	7
1300	Advancing Social Work Education: Lessons Learned from Piloting an Integrated Healthcare Curriculum. 2015 , 41, 594-621	7
1299	The Affordable Care Act, Accountable Care Organizations, and Mental Health Care for Older Adults: Implications and Opportunities. 2015 , 23, 304-19	26
1298	Risk of metabolic syndrome and its components in people with schizophrenia and related psychotic disorders, bipolar disorder and major depressive disorder: a systematic review and meta-analysis. 14.4 World Psychiatry, 2015 , 14, 339-47	627
1297	What carers of family members with mental illness say, think and do about their relative's smoking and the implications for health promotion and service delivery: a qualitative study. 2015 , 17, 261-277	15
1296	Applying the World Health Organization Mental Health Action Plan to evaluate policy on addressing co-occurrence of physical and mental illnesses in Australia. 2015 , 39, 370-378	9
1295	Chronic disease health risk behaviours amongst people with a mental illness. 2015 , 49, 731-41	31
1294	An audit of general practitioner involvement in public community mental health care. 2015 , 23, 571-4	3
1293	Behavioral health integration in primary care at Brigham and Women?s Advanced Primary Care Associates, South Huntington. 2015 , 3, 169-74	2
1292	An evaluation of peer-led self-management training for people with severe psychiatric diagnoses. 2015 , 10, 3-13	6

1291	[Cardiac and metabolic risk factors in severe mental disorders. Task of a prevention manager]. 2015 , 86, 866-71	6
1290	Difference in inflammatory cytokine production by mononuclear cells from obese and non-obese schizophrenic patients. 2015 , 132, 301-5	18
1289	Schizophrenia and the risk of fractures: a systematic review and comparative meta-analysis. 2015 , 37, 126-33	55
1288	Do people with mental illness receive adequate smoking cessation advice? A systematic review and meta-analysis. 2015 , 37, 14-23	59
1287	The role of genetic variation across IL-1 IL-2, IL-6, and BDNF in antipsychotic-induced weight gain. 2015 , 16, 45-56	26
1286	[Comorbid somatic illnesses in psychiatric inpatients - an analysis of administrative data]. 2015 , 29, 71-6	1
1285	Prevalence of behavioral health disorders and associated chronic disease burden in a commercially insured health system: findings of a case-control study. 2015 , 37, 101-8	27
1284	Schizoaffective disorder and metabolic syndrome: A meta-analytic comparison with schizophrenia and other non-affective psychoses. 2015 , 66-67, 127-34	21
1283	Mental health starts with physical health: current status and future directions of non-pharmacological interventions to improve physical health in first-episode psychosis. 2015 , 2, 726-742	33
1282	Lung function and respiratory diseases in people with psychosis: population-based study. 2015 , 207, 37-45	50
1281	An Overview of Links Between Obesity and Mental Health. 2015 , 4, 303-10	103
1280	Test-retest reliability, feasibility and clinical correlates of the Eurofit test battery in people with bipolar disorder. 2015 , 228, 620-5	15
1279	Exploring the views of nurses on the cardiometabolic health nurse in mental health services in australia. 2015 , 36, 135-44	12
1278	Cardiovascular health promotion and consumers with mental illness in Australia. 2015 , 36, 286-93	3
1277	Cardiovascular risk factors and metabolic syndrome in people with established psychotic illnesses: baseline data from the IMPaCT randomized controlled trial. 2015 , 45, 2619-29	85
1276	Evaluation of health promotion programmes in severe mental illness: theory and practice. 2015 , 24, 83-97	6
1275	Health-related physical fitness in patients with bipolar disorder vs. healthy controls: an exploratory study. 2015 , 177, 22-7	20
1274	Pathophysiological mechanisms of increased cardiometabolic risk in people with schizophrenia and other severe mental illnesses. 2015 , 2, 452-464	146

(2015-2015)

1273	Plasma adiponectin levels in schizophrenia and role of second-generation antipsychotics: a meta-analysis. 2015 , 56, 179-89	47
1272	Clinical management of comorbid diabetes and psychotic disorders. 2015 , 2, 465-476	17
1271	Feasibility and acceptability of an exergame intervention for schizophrenia. 2015, 19, 50-58	14
1270	The epidemiology of diabetes in psychotic disorders. 2015 , 2, 431-451	69
1269	Pragmatic replication trial of health promotion coaching for obesity in serious mental illness and maintenance of outcomes. 2015 , 172, 344-52	107
1268	Cardiovascular risk factors and 30-year cardiovascular risk in homeless adults with mental illness. 2015 , 15, 165	20
1267	Metabolic syndrome among psychiatric inpatients with schizophrenia in Indonesia. 2015 , 15, 10-4	10
1266	Are medical comorbid conditions of bipolar disorder due to immune dysfunction?. 2015 , 132, 180-91	62
1265	Insufficient dollars and qualified personnel to meet United States mental health needs. 2015 , 203, 233-40	27
1264	Promotion of cardiorespiratory fitness in schizophrenia: a clinical overview and meta-analysis. 2015 , 132, 131-43	82
1263	Gender differences in antipsychotics prescribed to veterans with serious mental illness. 2015 , 37, 347-51	5
1262	Schizophrenia and the eye. 2015 , 2, 46-55	95
1261	Mental health research priorities for Europe. 2015 , 2, 1036-42	108
1260	Circadian Clocks as Modulators of Metabolic Comorbidity in Psychiatric Disorders. 2015 , 17, 98	43
1259	Excess non-psychiatric hospitalizations among employees with mental disorders: a 10-year prospective study of the GAZEL cohort. 2015 , 131, 307-17	1
1258	A systematic review and meta-analysis of premature mortality in bipolar affective disorder. 2015 , 131, 417-25	185
1257	Incremental health expenditure and lost days of normal activity for individuals with mental disorders: results from the Sö Paulo Megacity Study. 2015 , 15, 745	5
1256	Protocol for CHANGE: a randomized clinical trial assessing lifestyle coaching plus care coordination versus care coordination alone versus treatment as usual to reduce risks of cardiovascular disease in adults with schizophrenia and abdominal obesity. 2015 , 15, 119	10

1255	Integrated Care at the Interface of Psychiatry and Primary Care: Prevention of Cardiovascular Disease. 2015 , 38, 463-74	1
1254	The exclusion of people with psychiatric disorders from medical research. 2015 , 70, 28-32	27
1253	Gender differences in mood stabilizer medications prescribed to Veterans with serious mental illness. 2015 , 188, 112-7	5
1252	Health Behavior Decision-making in African-American Adults Diagnosed with Schizophrenia. 2015 , 36, 493-504	2
1251	Ending lethal discrimination against people with serious mental illness. 2015 , 207, 469-70	3
1250	Lack of cardinal symptoms of meningitis in a hospitalized patient with chronic schizophrenia: lessons to be learned. 2015 , 37, 621.e3-4	2
1249	Excess cause-specific mortality in in-patient-treated individuals with personality disorder: 25-year nationwide population-based study. 2015 , 207, 339-45	32
1248	Sexual risk behaviors among women with bipolar disorder. 2015 , 230, 835-8	10
1247	Practical recommendations for improvement of the physical health care of patients with severe mental illness. 2015 , 131, 387-96	15
1246	Factors associated with co-occurring medical conditions among adults with serious mental disorders. 2015 , 161, 458-64	29
1245	The prevalence of pain in bipolar disorder: a systematic review and large-scale meta-analysis. 2015 , 131, 75-88	55
1244	Affections somatiques chez les patients en psychiatrie : tude transversale sur 24 mois. 2015 , 173, 399-404	
1243	Affections somatiques chez les patients en psychiatrie : tude transversale sur 24 mois. 2016 , 174, 374-379	
1242	Health Needs of Persons With Mental Disorders: Addressing Federal Funding for Intervention Research. 2016 , 22, 287-288	
1241	Prevalence and Predictors of Clozapine-Associated Constipation: A Systematic Review and Meta-Analysis. 2016 , 17,	52
1240	The Danish Schizophrenia Registry. 2016 , 8, 691-695	14
1239	Factors associated with decreased bone mineral density in postmenopausal women with schizophrenia. 2016 , 11, 153-7	8
1238	Development of the C4 inventory: a measure of common characteristics that complicate care in outpatient psychiatry. 2016 , 6, 56-64	2

(2016-2016)

1237	Investigating biological traces of traumatic stress in changing societies: challenges and directions from the ESTSS Task Force on Neurobiology. 2016 , 7, 29453	7
1236	Patient- and carer-held health records: can they improve annual health checks for patients with learning disability?. 2016 , 66, 210-2	3
1235	Type 2 Diabetes Mellitus. 2016 , 255-278	3
1234	Making the journey with me: a qualitative study of experiences of a bespoke mental health smoking cessation intervention for service users with serious mental illness. 2016 , 16, 193	13
1233	The Impact of Stakeholder Preferences on Service User Adherence to Treatments for Schizophrenia and Metabolic Comorbidities. 2016 , 11, e0166171	5
1232	Health Behaviors, Knowledge, Life Satisfaction, and Wellbeing in People with Mental Illness across Four Countries and Comparisons with Normative Sample. 2016 , 7, 145	13
1231	Activity intervention for first-episode psychosis. 41-65	1
1230	Autonomic nervous system dysfunction in psychiatric disorders and the impact of psychotropic medications: a systematic review and meta-analysis. 2016 , 41, 89-104	204
1229	A Randomized, Double-Blind, Placebo-Controlled Pilot Study of Betahistine to Counteract Olanzapine-Associated Weight Gain. 2016 , 36, 253-6	15
1228	Lipidology, cardiovascular risk, and schizophrenia. 2016 , 27, 305-7	2
1227	'That red flag on your file': misinterpreting physical symptoms as mental illness. 2016 , 25, 2933-42	19
1226	The physical health of people with schizophrenia in Asia: Baseline findings from a physical health check programme. 2016 , 23, 255-66	9
1225	The association between smoking prevalence and eating disorders: a systematic review and meta-analysis. 2016 , 111, 1914-1922	47
1224	Recovery environment of a sub-acute mental health service. 2016 , 21, 95-106	2
1223	Drug-Induced Diabetes Mellitus: Evidence for Statins and Other Drugs Affecting Glucose Metabolism. 2016 , 99, 390-400	21
1222	Self management interventions for type 2 diabetes in adult people with severe mental illness. 2016 , 4, CD011361	21
1221	Disrupting the Adverse Interplay Between Psychiatric and Medical Illnesses. 2016 , 78, 260-2	2
1220	Severe mental illness and type 2 diabetes: using theory and research evidence to develop complex behaviour change interventions. 2016 , 23, 312-21	2

1219	Mental Health Consumer Experiences and Strategies When Seeking Physical Health Care: A Focus Group Study. 2016 , 3, 2333393616631679	23
1218	Strategies to deal with comorbid physical illness in psychosis. 2016 , 25, 197-204	9
1217	Psychocardiology in the elderly. 2016 , 128, 474-479	3
1216	Severe mental illness and physical health care. 2016 , 5, 81-86	5
1215	The chasm of care: Where does the mental health nursing responsibility lie for the physical health care of people with severe mental illness?. 2016 , 25, 516-525	25
1214	Depression risk in patients with heart failure in primary care practices in Germany. 2016 , 28, 1889-1894	5
1213	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. 2016 , 9, 181-184	
1212	Health care disparities among persons with comorbid schizophrenia and cardiovascular disease: a case-control epidemiological study. 2016 , 25, 541-547	10
1211	Smoking cessation programs for persons with schizophrenia: An urgent unmet need. 2016 , 9, 181-184	13
1210	Cardiovascular risk assessment in patients with a severe mental illness: a systematic review and meta-analysis. 2016 , 16, 141	27
1209	Cardiometabolic disease and features of depression and bipolar disorder: population-based, cross-sectional study. 2016 , 208, 343-51	23
1208	Detecting and Managing Adverse Effects of Antipsychotic Medications: Current State of Play. 2016 , 39, 275-311	20
1207	Mental Health Issues and Special Care Patients. 2016 , 60, 551-66	2
1206	Challenges in Obtaining HIV Testing in an Acute Involuntary Inpatient Psychiatric Setting. 2016 , 27, 648-53	1
1205	Pharmacogenetic Associations of Antipsychotic Drug-Related Weight Gain: A Systematic Review and Meta-analysis. 2016 , 42, 1418-1437	103
1204	Endurance training in patients with schizophrenia and healthy controls: differences and similarities. 2016 , 266, 461-73	14
1203	Physical activity and sedentary behavior in people with bipolar disorder: A systematic review and meta-analysis. 2016 , 201, 145-52	78
1202	Reducing excess mortality due to chronic disease in people with severe mental illness: meta-review of health interventions. 2016 , 208, 322-9	35

(2016-2016)

1201	25, 448-454		24
1200	Big data for bipolar disorder. 2016 , 4, 10		37
1199	Mortality Risk Associated With Long-acting Injectable Antipsychotics: A Systematic Review and Meta-analyses of Randomized Controlled Trials. 2016 , 42, 1438-1445		28
1198	Clinically useful predictors for premature mortality among psychiatric patients visiting a psychiatric emergency room. 2016 , 62, 462-70		6
1197	BAP guidelines on the management of weight gain, metabolic disturbances and cardiovascular risk associated with psychosis and antipsychotic drug treatment. 2016 , 30, 717-48		127
1196	The value of physical examination in mental health nursing. 2016 , 17, 91-6		2
1195	Appeal of electronic cigarettes in smokers with serious mental illness. 2016 , 59, 30-4		48
1194	Improvements in Somatic Complaints Among Individuals With Serious Mental Illness Receiving Treatment in a Psychiatric Hospital. 2016 , 78, 271-80		11
1193	Cannabis and a lower BMI in psychosis: What is the role of AKT1?. 2016 , 176, 95-99		6
1192	The Need for Quality Improvement in Behavioral Health. 2016 , 33-54		2
1191	[Cardiovascular risk factors in users with severe mental disorder]. 2016, 26, 275-81		2
1190	Actividades de prevenciñ y promociñ de la salud en los pacientes con trastorno mental severo. 2016 , 23, 377-378		
1189	Positive psychology in dual diagnosis: a preliminary investigation. 2016 , 9, 139-153		3
1188	Physical health assessment in forensic settings: A dual diagnosis case study. 2016 , 5, 221-226		
1187	Physical activity as a vital sign in patients with bipolar disorder. 2016 , 246, 218-222		12
1186	Smoking Behaviors and Medical Co-Morbidities in Patients With Mental Illnesses. 2016 , 30, 740-746		5
1185	Cardiometabolic Risk and Monitoring in Psychiatric Disorders. 2016 , 305-331		
1184	Diabetes mellitus in people with schizophrenia, bipolar disorder and major depressive disorder: a systematic review and large scale meta-analysis. <i>World Psychiatry</i> , 2016 , 15, 166-74	1-4	365

1183	Mental health consumers' with medical co-morbidity experience of the transition through tertiary medical services to primary care. 2016 , 25, 127-35	13
1182	Relationship between prolactin, breast cancer risk, and antipsychotics in patients with schizophrenia: a critical review. 2016 , 133, 5-22	56
1181	Emotion dysregulation as a cross-cutting target for inpatient psychiatric intervention. 2016 , 206, 224-231	13
1180	Physical Activity Levels and Psychosis: A Mediation Analysis of Factors Influencing Physical Activity Target Achievement Among 204 186 People Across 46 Low- and Middle-Income Countries. 2017 , 43, 536-545	29
1179	Gene-specific DNA methylation may mediate atypical antipsychotic-induced insulin resistance. 2016 , 18, 423-32	18
1178	A survey of community pharmacistsâlattitudes towards mental illness. 2016 , 15, 93-102	3
1177	Cardiometabolic health, prescribed antipsychotics and health-related quality of life in people with schizophrenia-spectrum disorders: a cross-sectional study. 2016 , 16, 411	22
1176	Physical multimorbidity and psychosis: comprehensive cross sectional analysis including 242,952 people across 48 low- and middle-income countries. 2016 , 14, 189	84
1175	Evaluation and Management of Children and Adolescents With Acute Mental Health or Behavioral Problems. Part I: Common Clinical Challenges of Patients With Mental Health and/or Behavioral Emergencies. 2016 , 138,	24
1174	Schizophrenia. 2016 , 44, 649-653	7
1174 1173	Schizophrenia. 2016, 44, 649-653 Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14	7
	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications.	
1173	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14 Cardiovascular disease treatment among patients with severe mental illness: a data linkage study	42
1173	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14 Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. 2016, 66, e374-81	42 32
1173 1172 1171 1170	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14 Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. 2016, 66, e374-81 [Somatic morbidity in the mentally ill]. 2016, 87, 787-801 Sex Differences in Weight Loss among Veterans with Serious Mental Illness: Observational Study of	4 ² 3 ² 5
1173 1172 1171 1170	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14 Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. 2016, 66, e374-81 [Somatic morbidity in the mentally ill]. 2016, 87, 787-801 Sex Differences in Weight Loss among Veterans with Serious Mental Illness: Observational Study of a National Weight Management Program. 2016, 26, 410-9	4 ² 3 ² 5
1173 1172 1171 1170 1169	Inflammatory Cytokines and Antipsychotic-Induced Weight Gain: Review and Clinical Implications. 2016, 2, 1-14 Cardiovascular disease treatment among patients with severe mental illness: a data linkage study between primary and secondary care. 2016, 66, e374-81 [Somatic morbidity in the mentally ill]. 2016, 87, 787-801 Sex Differences in Weight Loss among Veterans with Serious Mental Illness: Observational Study of a National Weight Management Program. 2016, 26, 410-9 Patients' perceptions of barriers to self-managing bipolar disorder: A qualitative study. 2016, 62, 635-644 A new method for identifying causal genes of schizophrenia and anti-tuberculosis drug-induced	 42 32 5 9 7

 $_{1165}$ Physical health and metabolic dysfunction in bipolar disorder. 256-268

1164	Family Physician Support for a Family With a Mentally Ill Member. 2016 , 14, 460-2	2
1163	The role of boundary spanners in delivering collaborative care: a process evaluation. 2016 , 17, 96	9
1162	'Walk This Way' - a pilot of a health coaching intervention to reduce sedentary behaviour and increase low intensity exercise in people with serious mental illness: study protocol for a randomised controlled trial. 2016 , 17, 594	10
1161	Improving physical health monitoring for patients with chronic mental health problems who receive antipsychotic medications. 2016 , 5,	5
1160	A systematic review and meta-analysis of prescribing practices of antidepressants in cancer patients. 2016 , 25, 1002-16	37
1159	Associations of multiplicity of comorbid health conditions, serious mental illness, and health care costs. 2016 , 55, 518-30	7
1158	Motivation for physical activity and exercise in severe mental illness: A systematic review of intervention studies. 2016 , 25, 194-205	36
1157	Oral Hygiene in Patients With Severe Mental Illness: A Pilot Study on the Collaboration Between Oral Hygienists and Mental Health Nurses. 2016 , 52, 194-200	6
1156	Disparities in Treatment Uptake and Outcomes of Patients with Obesity in the USA. 2016 , 5, 282-90	22
1155	Understanding cognition in older patients with cancer. 2016 , 7, 258-69	36
1154	A scoping review of weight bias by community pharmacists towards people with obesity and mental illness. 2016 , 149, 226-35	5
1153	Somatic Care with a Psychotic Disorder. Lower Somatic Health Care Utilization of Patients with a Psychotic Disorder Compared to Other Patient Groups and to Controls Without a Psychiatric Diagnosis. 2016 , 43, 650-662	16
1152	The DSM and Professional Practice: Research, Clinical, and Institutional Perspectives. 2016 , 57, 153-67	10
1151	Use of an electronic metabolic monitoring form in a mental health service - a retrospective file audit. 2016 , 16, 109	9
1150	Associations Between Gender and Obesity Among Adults with Mental Illnesses in a Community Health Screening Study. 2016 , 52, 406-15	13
1149	Improving Treatment Adherence in Schizophrenia. 2016 , 3, 119-132	1
1148	Improving Metabolic Syndrome Screening on Patients on Second Generation Antipsychotic Medication. 2016 , 30, 671-677	9

1147	Clozapine-induced Gastrointestinal HypomotilityNew Objective Evidence for an Underestimated Side-effect. 2016 , 5, 12-3	1
1146	People with schizophrenia and depression have a low omega-3 index. 2016 , 110, 42-7	25
1145	Addressing the physical health of people with serious mental illness: A potential solution for an enduring problem. 2016 , 62, 201-2	10
1144	Provider Opinions Regarding the Development of a Stigma-Reduction Intervention Tailored for Providers. 2016 , 43, 577-83	5
1143	Systematic Review of Integrated General Medical and Psychiatric Self-Management Interventions for Adults With Serious Mental Illness. 2016 , 67, 1213-1225	41
1142	It is feasible and effective to help patients with severe mental disorders to quit smoking: An ecological pragmatic clinical trial with transdermal nicotine patches and varenicline. 2016 , 176, 272-280	17
1141	HOUSEHOLD INCOME LEVEL AS A MODERATOR OF ASSOCIATIONS BETWEEN CHRONIC HEALTH CONDITIONS AND SERIOUS MENTAL ILLNESS. 2016 , 44, 367-383	4
1140	Refocusing on physical health: Community psychiatric nurses' perceptions of using enhanced health checks for people with severe mental illness. 2016 , 25, 214-24	10
1139	Attitudes towards the people with mental illness: comparison between Czech medical doctors and general population. 2016 , 51, 1265-73	24
1138	Implementation of a Reverse Colocation Model: Lessons from Two Community Behavioral Health Agencies in Rural Pennsylvania. 2016 , 43, 443-58	7
1137	What are the top 10 physical activity research questions in schizophrenia?. 2016 , 38, 2235-43	17
1136	Impact of prescription charges on people living in poverty: A qualitative study. 2016 , 12, 893-902	14
1135	Stigma Related Avoidance in People Living with Severe Mental Illness (SMI): Findings of an Integrative Review. 2016 , 52, 251-61	16
1134	Prevalence and predictors of treatment dropout from physical activity interventions in schizophrenia: a meta-analysis. 2016 , 39, 15-23	130
1133	Occurrence of Medical Concerns in Psychiatric Outpatients with Intellectual Disabilities. 2016 , 9, 24-35	3
1132	Physical activity as a vital sign in patients with schizophrenia: Evidence and clinical recommendations. 2016 , 170, 336-40	25
1131	Trends in Smoking Rates by Level of Psychological Distress-Time Series Analysis of US National Health Interview Survey Data 1997-2014. 2016 , 18, 1463-70	40
1130	Cannabis use in people with severe mental illness: The association with physical and mental healtha cohort study. A Pharmacotherapy Monitoring and Outcome Survey study. 2016 , 30, 354-62	22

1129	Top 10 research questions to promote physical activity in bipolar disorders: A consensus statement from the International Organization of Physical Therapists in Mental Health. 2016 , 195, 82-7	14
1128	Changes in biomarkers of bone turnover in an aripiprazole add-on or switching study. 2016 , 170, 245-51	3
1127	EPA guidance on improving the image of psychiatry. 2016 , 266, 139-54	18
1126	Mapping interventions that promote mental health in the general population: A scoping review of reviews. 2016 , 87, 70-80	39
1125	The prevalence and predictors of obstructive sleep apnea in major depressive disorder, bipolar disorder and schizophrenia: A systematic review and meta-analysis. 2016 , 197, 259-67	86
1124	[Integrated management of patients with schizophrenia: beyond psychotropic drugs]. 2016 , 45, 118-23	O
1123	Barriers to Self-management of Serious Mental Illness and Diabetes. 2016 , 40, 194-204	40
1122	Point Prevalence of Co-Occurring Behavioral Health Conditions and Associated Chronic Disease Burden Among Adolescents. 2016 , 55, 408-14	24
1121	COPD and emotional distress: not always noticed and therefore untreated. 2016 , 21, 138-41	16
1120	A comparison of physical fitness in patients with bipolar disorder, schizophrenia and healthy controls. 2016 , 38, 2047-51	18
1119	Adherence to Psychotropic and Nonpsychotropic Medication Among Patients With Bipolar Disorder and General Medical Conditions. 2016 , 67, 342-5	9
1118	Mindfulness-based stress reduction for long-term physical conditions: A systematic review. 2016 , 50, 21-32	48
1117	Intervention to promote physical health in staff within mental health facilities and the impact on patients' physical health. 2016 , 70, 62-71	10
1116	Mortality and Its Determinants in Late-Life Schizophrenia: A 5-Year Prospective Study in a Dutch Catchment Area. 2016 , 24, 272-7	13
1115	A retrospective study of medical comorbidities in psychogeriatric patients. 2016 , 16, 12-9	8
1114	C-reactive protein is increased in schizophrenia but is not altered by antipsychotics: meta-analysis and implications. 2016 , 21, 554-64	186
1113	Access to and Use of the Internet by Veterans with Serious Mental Illness. 2016 , 52, 136-41	7
1112	Changes in metabolic parameters in patients with severe mental illness over a 10-year period: A retrospective cohort study. 2017 , 51, 75-82	10

1111	Can corneal confocal microscopy help in early detection of neuronal damage and cognitive dysfunction as a consequence of metabolic syndrome in schizophrenia?. 2017 , 11, 271-274	1
1110	Attending to physical health in mental health services in Australia: a qualitative study of service users' experiences and expectations. 2017 , 25, 602-611	18
1109	Predictors of Length of Stay in an Inpatient Psychiatric Unit of a General Hospital in Perugia, Italy. 2017 , 88, 129-140	16
1108	Body composition, pre-diabetes and cardiovascular disease risk in early schizophrenia. 2017 , 11, 229-236	8
1107	Snapshot of the supports of communication used by patients at a French psychiatric hospital: a digital or social division?. 2017 , 26, 8-13	1
1106	Medicaid Expenditures for Fee-for-Service Enrollees with Behavioral Diagnoses: Findings from a 50 State Claims Analysis. 2017 , 53, 1-7	8
1105	Female schizophrenia patients and risk of breast cancer: A population-based cohort study. 2017 , 188, 165-171	22
1104	Underdiagnosed chronic somatic illnesses in patients with severe mental disorder. 2017 , 217, 172-173	
1103	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. 2017 , 10, 4-20	11
1102	A pilot study of body image perceptions, and attitudes toward obesity in hospitalized psychotic and non-psychotic patients. 2017 , 26, 8-12	1
1101	General practitioner management of chronic diseases in adults with severe mental illness: a community intervention trial. 2017 , 41, 665-671	4
1100	Physical Health, Medication, and Healthcare Utilization among 70-Year-Old People with Schizophrenia: A Nationwide Danish Register Study. 2017 , 25, 500-509	12
1099	Applicability of the Chinese version of the Personal and Social Performance scale in patients with severe mental disorders. 2017 , 9, e12271	2
1098	A Retrospective Analysis of the Outcomes of Smoking Cessation Pharmacotherapy Among Persons With Mental Health and Substance Use Disorders. 2017 , 13, 21-28	1
1097	Status and perception of oral health in 6-17-year-old psychiatric inpatients-randomized controlled trial. 2017 , 21, 2749-2759	1
1096	Sporttherapie bei Schizophrenie. 2017 , 11, 51-65	
1095	Lifestyle factors and the metabolic syndrome in Schizophrenia: a cross-sectional study. 2017, 16, 12	50
1094	Psychoeducational intervention focused on healthy living improves psychopathological severity and lifestyle quality in psychiatric patients: preliminary findings from a controlled study. 2017 , 26, 271-275	10

1093	World Federation of Societies of Biological Psychiatry (WFSBP) guidelines for biological treatment of schizophrenia - a short version for primary care. 2017 , 21, 82-90	35
1092	Healthy Older Schizophrenia Patients: Exceptions to the Rule?. 2017 , 25, 510-511	1
1091	Prevalence of metabolic syndrome among patients with depressive disorder admitted to a psychiatric inpatient unit: A comparison with healthy controls. 2017 , 27, 139-144	6
1090	Prevalence, incidence and mortality from cardiovascular disease in patients with pooled and specific severe mental illness: a large-scale meta-analysis of 3,211,768 patients and 113,383,368 14.4 controls. <i>World Psychiatry</i> , 2017 , 16, 163-180	688
1089	Multiple physical healthcare needs among outpatients with schizophrenia: findings from a health examination study. 2017 , 71, 448-454	18
1088	Phytochemicals for taming agitated immune-endocrine-neural axis. 2017 , 91, 767-775	4
1087	Patient Characteristics Associated with Inpatient Psychiatric Re-admissions and the Utility of the READMIT Clinical Risk Index. 2017 , 38, 411-419	4
1086	Academic detailing among psychiatrists - feasibility and acceptability. 2017 , 30, 79-88	
1085	Improving physical health of patients with severe mental disorders: a critical review of lifestyle psychosocial interventions. 2017 , 17, 667-681	33
1084	Mechanisms of action in mindfulness-based cognitive therapy (MBCT) and mindfulness-based stress reduction (MBSR) in people with physical and/or psychological conditions: A systematic review. 2017 , 55, 74-91	135
1083	Chronic pain management group psychotherapy for psychiatric inpatients: A pilot study. 2017 , 81, 123-149	2
1082	Contemporary Data and Trends in the Economic Costs of Mental Disabilities. 2017 , 35, 162-177	4
1081	Treatment profiles in a Danish psychiatric university hospital department. 2017 , 71, 289-295	7
1080	User characteristics and effect profile of Butane Hash Oil: An extremely high-potency cannabis concentrate. 2017 , 178, 32-38	55
1079	Clinicians' adherence to clinical practice guidelines for cardiac function monitoring during antipsychotic treatment: a retrospective report on 434 patients with severe mental illness. 2017 , 17, 121	3
1078	Premature Mortality Among People with Mental Illness: Advocacy in Academic Psychiatry. 2017 , 41, 441-446	13
1077	Familial liability to psychosis is a risk factor for multimorbidity in people with psychotic disorders and their unaffected siblings. 2017 , 45, 81-89	4
1076	Collaborative care for individuals with bipolar disorder or schizophrenia and co-occurring physical health conditions: A systematic review. 2017 , 15, 705-729	

1075	Family identity and severe mental illness: A thematic synthesis of qualitative studies. 2017, 47, 611-627	7
1074	Using experience-based co-design for the development of physical activity provision in rehabilitation and recovery mental health care. 2017 , 24, 545-552	10
1073	[Schizophrenia and oral health]. 2017, 118, 115-118	
1072	Increased dopamine receptor expression and anti-depressant response following deep brain stimulation of the medial forebrain bundle. 2017 , 217, 80-88	27
1071	Effectiveness, efficiency and efficacy in the multidimensional treatment of schizophrenia: Rethinking project. 2017 , 10, 4-20	
1070	Chronic physical illnesses in patients with schizophrenia spectrum disorders are independently associated with higher rates of psychiatric rehospitalization; a cross-sectional study in Croatia. 2017 , 43, 73-80	15
1069	Royal Australian and New Zealand College of Psychiatrists expert consensus statement for the treatment, management and monitoring of the physical health of people with an enduring psychotic illness. 2017 , 51, 322-337	26
1068	Ethnicity and excess mortality in severe mental illness: a cohort study. 2017 , 4, 389-399	55
1067	Psychiatric readmissions and their association with physical comorbidity: a systematic literature review. 2017 , 17, 2	90
1066	Scar on my heart: effects of unemployment experiences on coronary heart disease. 2017 , 38, 62-92	8
1065	Association between bipolar spectrum disorder and bone health: a meta-analysis and systematic review protocol. 2017 , 7, e013981	5
1064	Social and material aspects of life and their impact on the physical health of people diagnosed with mental illness. 2017 , 20, 984-991	13
1063	Bidirectional longitudinal relationship between leisure-time physical activity and psychotropic medication usage: A register linked follow-up study. 2017 , 247, 208-213	8
1062	Exploring the Potential for Family Carers to Support People With Mental Illness to Stop Smoking. 2017 , 13, 52-59	5
1061	Participants' Voices From Within a Healthy Lifestyle Group. 2017 , 38, 107-112	5
1060	Comorbidities with chronic physical conditions and gender profiles of illness in schizophrenia. Results from PREST, a new health dataset. 2017 , 93, 102-109	26
1059	Prevalence of metabolic syndrome and its components among patients with various psychiatric diagnoses and treatments: A cross-sectional study. 2017 , 45, 62-69	15
1058	Epidemiology of depression with psychotic experiences and its association with chronic physical conditions in 47 low- and middle-income countries. 2017 , 47, 531-542	20

1057	Changing the obesogenic environment to improve cardiometabolic health in residential patients with a severe mental illness: cluster randomised controlled trial. 2017 , 211, 296-303	13
1056	Sedentary behavior and physical activity levels in people with schizophrenia, bipolar disorder and major depressive disorder: a global systematic review and meta-analysis. <i>World Psychiatry</i> , 2017 , 16, 308 ¹ / ₃ 15	381
1055	The WPA-Lancet Psychiatry Commission on the Future of Psychiatry. 2017, 4, 775-818	211
1054	Colorectal Cancer Screening Uptake's Association With Psychosocial and Sociodemographic Factors Among Homeless Blacks and Whites. 2017 , 44, 928-936	6
1053	Physical activity is associated with the physical, psychological, social and environmental quality of life in people with mental health problems in a low resource setting. 2017 , 258, 250-254	18
1052	Trends in standardized mortality among individuals with schizophrenia, 1993-2012: a population-based, repeated cross-sectional study. 2017 , 189, E1177-E1187	53
1051	Antipsychotic-induced hyperprolactinemia: synthesis of world-wide guidelines and integrated recommendations for assessment, management and future research. 2017 , 234, 3279-3297	50
1050	Geographic Variation in Mentally Unhealthy Days: Air Pollution and Altitude Perspectives. 2017 , 18, 258-266	8
1049	Predictors of smoking cessation group treatment engagement among veterans with serious mental illness. 2017 , 75, 103-107	8
1048	Reversing the downward spiral for people with severe mental illness through educational innovations. <i>World Psychiatry</i> , 2017 , 16, 41-42	8
1048		1
	innovations. World Psychiatry, 2017, 16, 41-42 Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with	
1047	innovations. World Psychiatry, 2017, 16, 41-42 Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with nonaffective psychosis. 2017, 24, 93-101 Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette	1
1047 1046	innovations. World Psychiatry, 2017, 16, 41-42 Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with nonaffective psychosis. 2017, 24, 93-101 Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette Syndrome. 2017, 33, e7-e8 Comparative efficacy of lifestyle intervention strategies on weight outcomes in people with	3
1047 1046 1045	Innovations. World Psychiatry, 2017, 16, 41-42 Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with nonaffective psychosis. 2017, 24, 93-101 Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette Syndrome. 2017, 33, e7-e8 Comparative efficacy of lifestyle intervention strategies on weight outcomes in people with psychosis: a systematic review and network meta-analysis protocol. 2017, 15, 1593-1601 Declining Clinical Course of Psychotic Disorders Over the Two Decades Following First	3 3
1047 1046 1045	Innovations. World Psychiatry, 2017, 16, 41-42 Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with nonaffective psychosis. 2017, 24, 93-101 Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette Syndrome. 2017, 33, e7-e8 Comparative efficacy of lifestyle intervention strategies on weight outcomes in people with psychosis: a systematic review and network meta-analysis protocol. 2017, 15, 1593-1601 Declining Clinical Course of Psychotic Disorders Over the Two Decades Following First Hospitalization: Evidence From the Suffolk County Mental Health Project. 2017, 174, 1064-1074 Frequency and Nature of Medication Errors and Adverse Drug Events in Mental Health Hospitals: a	3353
1047 1046 1045 1044	Metabolic dysfunction related to typical and atypical antipsychotics in drug-naive patients with nonaffective psychosis. 2017, 24, 93-101 Procedural Consolidation During Electroconvulsive Therapy for a Patient With Severe Tourette Syndrome. 2017, 33, e7-e8 Comparative efficacy of lifestyle intervention strategies on weight outcomes in people with psychosis: a systematic review and network meta-analysis protocol. 2017, 15, 1593-1601 Declining Clinical Course of Psychotic Disorders Over the Two Decades Following First Hospitalization: Evidence From the Suffolk County Mental Health Project. 2017, 174, 1064-1074 Frequency and Nature of Medication Errors and Adverse Drug Events in Mental Health Hospitals: a Systematic Review. 2017, 40, 871-886 BMI independently relates to glycaemia in patients with severe enduring mental illness (SMI). 2017,	3353

1039	Three Approaches to Understanding and Classifying Mental Disorder: ICD-11, DSM-5, and the National Institute of Mental Health's Research Domain Criteria (RDoC). 2017 , 18, 72-145	297
1038	Long-Term Metabolic Effects in French-Canadian Children and Adolescents Treated with Second-Generation Antipsychotics in Monotherapy or Polytherapy: A 24-Month Descriptive Retrospective Study. 2017 , 62, 827-836	10
1037	Healthcare resource use in schizophrenia, EuroSC findings. 2017 , 5, 1372027	6
1036	Effectiveness and cost-effectiveness of a cardiovascular risk prediction algorithm for people with severe mental illness (PRIMROSE). 2017 , 7, e018181	9
1035	Short video interventions to reduce mental health stigma: a multi-centre randomised controlled trial in nursing high schools. 2017 , 52, 1549-1557	25
1034	Challenges and successes in an integrated behavioral complex care clinic. 2017 , 9, 34-40	3
1033	Depression and pain: primary data and meta-analysis among 237 952 people across 47 low- and middle-income countries. 2017 , 47, 2906-2917	38
1032	A pilot randomized controlled trial of aerobic exercise as an adjunct to OCD treatment. 2017 , 49, 51-55	18
1031	Management of antipsychotic-induced hyperprolactinaemia. 2017 , 23, 278-286	6
1030	Somatic health care utilization by patients treated for substance use disorders. 2017 , 178, 277-284	7
1029	PREVALENCE of psychiatric morbidity in a community sample in Western Kenya. 2017, 17, 30	21
1028	Design of the Lifestyle Interventions for severe mentally ill Outpatients in the Netherlands (LION) trial; a cluster randomised controlled study of a multidimensional web tool intervention to improve cardiometabolic health in patients with severe mental illness. 2017 , 17, 107	12
1027	To what extent are psychiatrists aware of the comorbid somatic illnesses of their patients with serious mental illnesses? - a cross-sectional secondary data analysis. 2017 , 17, 162	10
1026	Physical health policies and metabolic screening in mental health care systems of sub-Saharan African countries: a systematic review. 2017 , 11, 31	13
1025	Integrating behavioral healthcare for individuals with serious mental illness: A randomized controlled trial of a peer health navigator intervention. 2017 , 182, 135-141	27
1024	Neglected disease in mentally ill patients: Major tuberculosis outbreak in a psychiatric hospital. 2017 , 45, 456-457	2
1023	Health Care and Mortality among Persons with Severe Mental Illness. 2017, 62, 259-267	2
1022	A Community Health Coachâ D elivered Mental Wellness Intervention: Using Mindâ B ody Bridging to Reduce Health Disparities in Diverse Communities. 2017 , 3, 167-176	

1021	The need for waist circumference as a criterion for metabolic syndrome in people with mental illness. 2017 , 24, 387-390	3
1020	The Top 100 Cited Papers in Health Care Disparities: a Bibliometric Analysis. 2017 , 4, 854-865	8
1019	Barriers and Facilitators to Smoking Cessation Among People With Severe Mental Illness: A Critical Appraisal of Qualitative Studies. 2017 , 19, 14-23	38
1018	The physical health of Indigenous and non-Indigenous patients participating in residential rehabilitation programs: a comparison study. 2017 , 25, 164-167	
1017	Genetic Determinants of Clozapine-Induced Metabolic Side Effects. 2017 , 62, 138-149	24
1016	Addressing Physical Health Needs of Individuals With Schizophrenia Using Orem's Theory. 2017 , 35, 271-279	
1015	Global Mental Health in Action: Reducing Disparities One Community at a Time. 2017 , 43, 276-290	17
1014	Opportunities for Integrating Physical Health Within Assertive Community Treatment Teams: Results from Practitioner Focus Groups. 2017 , 53, 306-315	4
1013	Systems for physical health care for mental health patients in the community: different approaches to improve patient care and safety in an Early Intervention in Psychosis Service. 2017 , 6,	3
1012	Vitamin D Supplementation in Chronic Schizophrenia Patients Treated with Clozapine: A Randomized, Double-Blind, Placebo-controlled Clinical Trial. 2017 , 26, 138-145	37
1011	Situational analysis to inform development of primary care and community-based mental health services for severe mental disorders in Nepal. 2017 , 11, 69	15
1010	Associations between physical activity and motivation, competence, functioning, and apathy in inhabitants with mental illness from a rural municipality: a cross-sectional study. 2017 , 17, 359	3
1009	Quality of Life in Patients With Schizophrenia in China: Relationships Among Demographic Characteristics, Psychosocial Variables, and Symptom Severity. 2017 , 55, 48-54	8
1008	Cardiovascular disease in patients with schizophrenia. 2017 , 206, 91-95	33
1007	Stroke survivors with severe mental illness: Are they at-risk for increased non-psychiatric hospitalizations?. 2017 , 12, e0182330	4
1006	Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. 2017 , 12, e0185881	19
1005	Clinic Appointment Attendance in Adults with Serious Mental Illness and Diabetes. 2017, 41, 810-821	3
1004	Is the Partners in Recovery program connecting with the intended population of people living with severe and persistent mental illness? What are their prioritised needs?. 2017 , 41, 566-572	8

1003	Double disparities in the health care for people with schizophrenia of an ethnic-national minority. 2017 , 6, 47	4
1002	Understanding the experience of initiating community-based physical activity and social support by people with serious mental illness: a systematic review using a meta-ethnographic approach. 2017 , 6, 214	15
1001	Childhood maltreatment and the medical morbidity in bipolar disorder: a case-control study. 2017 , 5, 30	8
1000	Randomised controlled trial to improve health and reduce substance use in established psychosis (IMPaCT): cost-effectiveness of integrated psychosocial health promotion. 2017 , 17, 407	6
999	Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). 2017 , 17, 413	28
998	Clinical Application of Patient-Centered Diabetes Care for People With Serious Mental Illness. 2017 , 35, 313-320	5
997	The relationship between self-reported health status and signs of psychological distress within European urban contexts. 2017 , 27, 68-73	8
996	Coronary heart disease risk in patients with schizophrenia: a Lebanese cross-sectional study. 2017 , 7, 79-88	6
995	Patterns of psychiatric diagnoses in inpatient and outpatient psychiatric settings in Saudi Arabia. 2017 , 44, 77-83	6
994	Medical and nursing students' attitudes toward mental illness: An Indian perspective. 2017 , 35, 86-94	12
993	Medical comorbidities in patients with serious mental illness: a retrospective study of mental health patients attending an outpatient clinic in Qatar. 2017 , 13, 2411-2418	9
992	Schizophrenia and Related Conditions in Late Life. 2017,	
991	Health Care Decisions among Mental Health Services Consumers in San Diego County: Implications for Integrated Care. 2017 , 42, 48-56	
990	Lifestyles of Patients with Functional Psychosis Compared to Those of a Sample of the Regional General Population: Findings from a Study in a Community Mental Health Service of the Veneto Region, Italy. 2018 , 54, 1050-1056	1
989	Association of depression with body mass index classification, metabolic disease, and lifestyle: A web-based survey involving 11,876 Japanese people. 2018 , 102, 23-28	27
988	Pharmacological management of diabetes in severe mental illness: a comprehensive clinical review of efficacy, safety and tolerability. 2018 , 11, 411-424	6
987	Living with schizophrenia in rural communities in north-east Thailand. 2018 , 27, 1481-1489	0
986	"Clinically nuanced" Medicaid cost-sharing. 2018 , 21, 189-191	O

985	Barriers to Family Caregivers' Coping With Patients With Severe Mental Illness in Iran. 2018, 28, 987-1001	24
984	Acute general hospital admissions in people with serious mental illness. 2018 , 48, 2676-2683	22
983	Disparities in the management of cardiovascular risk factors in patients with psychiatric disorders: a systematic review and meta-analysis. 2018 , 48, 2693-2701	25
982	Integrated Behavioral Health Care. 2018 , 357-368	1
981	The opinions of Turkish mental health nurses on physical health care for individuals with mental illness: A qualitative study. 2018 , 25, 245-257	9
980	Economic Impact in Medicaid Beneficiaries with Schizophrenia and Cardiometabolic Comorbidities Treated with Once-Monthly Paliperidone Palmitate vs. Oral Atypical Antipsychotics. 2018 , 5, 81-90	6
979	Health Risks among People with Severe Mental Illness in Psychiatric Outpatient Settings. 2018 , 39, 585-591	6
978	Associations between clinical and psychosocial factors and metabolic and cardiovascular risk factors in overweight patients with schizophrenia spectrum disorders - Baseline and two-years findings from the CHANGE trial. 2018 , 199, 96-102	24
977	"Why Come for Treatment?" Clients' and Therapists' Accounts of the Presenting Problems When Seeking Mental Health Care. 2018 , 28, 916-926	4
976	Quality improvement of physical health monitoring for people with intellectual disabilities: an integrative review. 2018 , 62, 199-216	1
975	Perspectives on Providing And Receiving Preventive Health Care From Primary Care Providers and Their Patients With Mental Illnesses. 2018 , 32, 1730-1739	9
974	Youth Mental Health Should Be a Top Priority for Health Care in Canada. 2018 , 63, 216-222	61
973	Agreement Among Clinician, Patient, and Independent Interviewer Ratings of Adaptive Functioning. 2018 , 206, 116-121	6
972	Impact of Psychiatric Illness on Outcomes After Operatively Managed Tibial Plateau Fractures (OTA-41). 2018 , 32, e221-e225	8
971	Does mental health influence weight loss in adults with prediabetes? Findings from the VA Diabetes Prevention Program. 2018 , 53, 32-37	9
970	Interventions to increase access to or uptake of physical health screening in people with severe mental illness: a realist review. 2018 , 8, e019412	19
969	Measuring and improving the quality of mental health care: a global perspective. World Psychiatry, 2018 , 17, 30-38	135
968	Peer-Led Self-Management of General Medical Conditions for Patients With Serious Mental Illnesses: A Randomized Trial. 2018 , 69, 529-535	34

967	A Report of the 24th Annual Congress on Women's Health-Workshop on Transforming Women's Health: From Research to Practice. 2018 , 27, 115-120	
966	Income Disparities in the Prevalence, Severity, and Costs of Co-occurring Chronic and Behavioral Health Conditions. 2018 , 56, 139-145	4
965	General hospital health professionals' attitudes and perceived dangerousness towards patients with comorbid mental and physical health conditions: Systematic review and meta-analysis. 2018 , 27, 942-955	19
964	The pharmacological management of metabolic syndrome. 2018 , 11, 397-410	56
963	Case study of an adaptation and implementation of a Diabetes Prevention Program for individuals with serious mental illness. 2018 , 8, 195-203	6
962	The Roles of Antisociality and Neurodevelopmental Problems in Criminal Violence and Clinical Outcomes Among Male Forensic Inpatients. 2018 , 45, 293-315	6
961	Excess mortality in people with mental illness: findings from a Northern Italy psychiatric case register. 2018 , 53, 249-257	9
960	Integrated Care for Older Adults with Serious Mental Illness and Medical Comorbidity: Evidence-Based Models and Future Research Directions. 2018 , 41, 153-164	20
959	Adherence to physical activity recommendations and physical and mental health risk in people with severe mental illness in Uganda. 2018 , 260, 236-240	7
958	The association between rehabilitation programs and metabolic syndrome in chronic inpatients with schizophrenia. 2018 , 260, 227-232	2
957	Loneliness in psychosis: a systematic review. 2018 , 53, 221-238	83
956	Chronic diseases and socioeconomic inequalities in quality of life among Brazilian adults: findings from a population-based study in Southern Brazil. 2018 , 28, 603-610	9
955	Physical deterioration in an acute mental health unit: A quantitative retrospective analysis of medical emergencies. 2018 , 27, 1364-1370	3
954	The utility of outpatient commitment: acute medical care access and protecting health. 2018 , 53, 597-606	6
953	Colocating an accredited practising dietitian to an adult community mental health service: An exploratory study. 2018 , 27, 1709-1718	3
952	Publication trends in a high impact journal: the case of World Psychiatry. 2018 , 35, 25-30	1
951	Physical health problems in people with psychosis: The issue for informal carers. 2018 , 64, 381-388	6
950	Red Yeast Rice (RYR) supplementation in patients treated with second-generation antipsychotics. 2018 , 37, 167-171	5

949	Offer and Use of Smoking-Cessation Support by Depression/Anxiety Status: A Cross-Sectional Survey. 2018 , 13, 207-215	1
948	Dietary patterns and physical activity in people with schizophrenia and increased waist circumference. 2018 , 199, 109-115	33
947	Alterations of the serum N-glycan profile in female patients with Major Depressive Disorder. 2018 , 234, 139-147	13
946	Characteristics of double care demanding patients in a mental health care setting and a nursing home setting: results from the SpeCIMeN study. 2018 , 22, 33-39	8
945	Prevalence and predictors of metabolic syndrome in patients with schizophrenia and healthy controls: A study in rural South Indian population. 2018 , 192, 102-107	7
944	Effects of the Thai Health Improvement Profile intervention on the physical health and health behaviours of people with schizophrenia: A quasi-experimental study. 2018 , 27, 126-137	7
943	Evaluation of a general practitioner-led cardiometabolic clinic: Physical health profile and treatment outcomes for clients on clozapine. 2018 , 27, 303-310	6
942	A systematic review of trials investigating strength training in schizophrenia spectrum disorders. 2018 , 192, 64-68	14
941	Physical Health in Public Mental Health Care: A Qualitative Study Employing the COM-B Model of Behaviour to Describe Views and Practices of Australian Psychologists. 2018 , 53, 302-312	4
940	Making sense of self-care practices at the intersection of severe mental illness and physical health-An Australian study. 2018 , 26, e47-e55	9
939	Physical health promotion in patients with functional psychoses receiving community psychiatric services: Results of the PHYSICO-DSM-VR study. 2018 , 193, 406-411	4
938	Preventive Service Use Among People With and Without Serious Mental Illnesses. 2018 , 54, 1-9	9
937	The NoSAS score: A new and simple screening tool for obstructive sleep apnea syndrome in depressive disorder. 2018 , 227, 136-140	16
936	Feasibility, Acceptability, and Preliminary Effectiveness of a Peer-Delivered and Technology Supported Self-Management Intervention for Older Adults with Serious Mental Illness. 2018 , 89, 293-305	60
935	Chinese Health Improvement Profile for people with severe mental illness: A cluster-randomized, controlled trial. 2018 , 27, 841-855	11
934	GPs' views and perspectives on patient non-adherence to treatment in primary care prior to suicide. 2018 , 27, 112-119	4
933	What type and dose of antidepressants are cancer and non-cancer inpatients being prescribed: a retrospective case-control study at an Australian tertiary hospital. 2018 , 26, 625-634	4
932	The impact of awareness of psychotic disorder on pathways to psychiatric care for first episode psychosis in India. 2018 , 11, 295-310	4

931	Novel technology as platform for interventions for caregivers and individuals with severe mental health illnesses: A systematic review. 2018 , 226, 169-177	12
930	Quality of life in bipolar disorder: towards a dynamic understanding. 2018 , 48, 1111-1118	25
929	Hypertension risk and clinical care in patients with bipolar disorder or schizophrenia; a systematic review and meta-analysis. 2018 , 225, 665-670	46
928	Treating body, treating mind: The experiences of people with psychotic disorders and their general practitioners - Findings from the Australian National Survey of High Impact Psychosis. 2018 , 52, 561-572	5
927	A randomized, double-blind, placebo-controlled proof of concept study to evaluate samidorphan in the prevention of olanzapine-induced weight gain in healthy volunteers. 2018 , 195, 245-251	28
926	Early changes of blood lipid levels during psychotropic drug treatment as predictors of long-term lipid changes and of new onset dyslipidemia. 2018 , 12, 219-229	14
925	Pharmacology training in mental health nurse education: Justification for an increase in frequency and depth in the UK. 2018 , 62, 36-38	4
924	Mortality, morbidity and medical resources utilization of patients with schizophrenia: A case-control community-based study. 2018 , 260, 177-181	23
923	Coronary vascular disease event risk and metabolic syndrome prevalence in patients enrolled in an assertive treatment community program. 2018 , 81, 28-32	
922	Need of support in people with chronic obstructive pulmonary disease. 2018 , 27, e1089-e1096	16
921	Comorbidity of chronic somatic diseases in patients with psychotic disorders and their influence on 4-year outcomes of integrated care treatment (ACCESS II study). 2018 , 193, 377-383	11
920	Skin autofluorescence assessment of cardiovascular risk in people with severe mental illness. 2018 , 4, 313-316	2
919	Haemorrhoid care in mental health nursing practice. 2018 , 7, 92-96	
918	Obesity and Related-factors in Patients with Chronic Mental Illness Registered to Community Mental Health Welfare Centers. 2018 , 29, 76	
917	Can We Improve Physical Health Monitoring for Patients Taking Antipsychotics on a Mental Health Inpatient Unit?. 2018 , 38, 447-453	5
916	Psychosis. 213-225	
915	Physical Health of People with Mental Illness. 277-299	
914	The Role of the Primary Care Team. 373-385	

913	Major psychiatric disorders and the aetiology and progression of coronary heart disease. 2018 , 13, 446-454	1
912	Investigating the Agreement Between Cardiovascular Disease Risk Calculators Among People Diagnosed With Schizophrenia. 2018 , 9, 685	5
911	Nine deaths among 29 patients with severe mental illness identified with high mortality using SSEPP. 2018 , 72, 543-548	
910	Early Combination Therapy for Type 2 Diabetes Mellitus and Common Comorbid Mental Disorders. 2018 , 16, 48-53	
909	Health system changes needed to support people consulting general practice out of hours services in Ireland. 2018 , 12, 56	2
908	Clinical decisions and stigmatizing attitudes towards mental health problems in primary care physicians from Latin American countries. 2018 , 13, e0206440	9
907	Utilization of somatic specialist services among psychiatric immigrant patients: the Norwegian patient registry study. 2018 , 18, 852	2
906	Lifestyle Interventions and Prevention of Suicide. 2018 , 9, 567	18
905	Evaluating the Impact of Integrated Care on Service Utilization in Serious Mental Illness. 2018, 54, 1101-1108	2
904	Certified Peer Specialists and Older Adults With Serious Mental Illness' Perspectives of the Impact of a Peer-Delivered and Technology-Supported Self-Management Intervention. 2018 , 206, 875-881	15
903	Monitoring of somatic parameters at outpatient departments for mood and anxiety disorders. 2018 , 13, e0200520	3
902	Incidence Rates and Risk of Hospital Registered Infections among Schizophrenia Patients before and after Onset of Illness: A Population-Based Nationwide Register Study. 2018 , 7,	6
901	y-QUIT: Smoking Prevalence, Engagement, and Effectiveness of an Individualized Smoking Cessation Intervention in Youth With Severe Mental Illness. 2018 , 9, 683	6
900	Antipsychotics, Metabolic Adverse Effects, and Cognitive Function in Schizophrenia. 2018 , 9, 622	65
899	Increased Risk of Metabolic Syndrome in Antidepressants Users: A Mini Review. 2018 , 9, 621	9
898	Factors associated with visits to general practitioners in patients with schizophrenia in Malaga. 2018 , 19, 180	4
897	Psychosocial stress impairs health behavior in patients with mental disorders. 2018 , 18, 375	14
896	A constructivist grounded theory of generalist health professionals and their mental health work. 2018 , 27, 1816-1825	4

895	Modern medicine and the one-size-fits-all approach: A clinician's comment to Alexandra Pīvan's "Mind Electric" article. 2018 , 24, 1079-1083	1
894	Serious Mental Illness, Neighborhood Disadvantage, and Type 2 Diabetes Risk: A Systematic Review of the Literature. 2018 , 9, 2150132718802025	7
893	An evaluation of sleep disturbance on in-patient psychiatric units in the UK. 2018 , 42, 193-197	9
892	Could we do more?. 2018 , 20, 683-684	5
891	Lifestyle Interventions in Patients With Serious Mental Illness. 2018, 247-253	1
890	Patterns of chronic physical multimorbidity in psychiatric and general population. 2018 , 114, 72-80	14
889	What causes medication administration errors in a mental health hospital? A qualitative study with nursing staff. 2018 , 13, e0206233	14
888	Antipsychotic Drugs: From Receptor-binding Profiles to Metabolic Side Effects. 2018 , 16, 1210-1223	50
887	Correlates of Treatment Retention Among Persons with Serious Mental Illness Receiving Integrated Care in a Community Mental Health Setting. 2018 , 44, 291-307	
886	[Somatic risks in elderly people with severe psychiatric illnesses]. 2018 , 51, 779-784	2
886 885	[Somatic risks in elderly people with severe psychiatric illnesses]. 2018, 51, 779-784 Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018, 38, 51-54	3
	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018	
885	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018 , 38, 51-54	
88 ₅	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018 , 38, 51-54 [Elderly patients with early onset mental illness]. 2018 , 51, 741-743 Regionally specific volume deficits along the hippocampal long axis in early and chronic psychosis.	3
885 884 883	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018, 38, 51-54 [Elderly patients with early onset mental illness]. 2018, 51, 741-743 Regionally specific volume deficits along the hippocampal long axis in early and chronic psychosis. 2018, 20, 1106-1114	3 33
885 884 883	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018, 38, 51-54 [Elderly patients with early onset mental illness]. 2018, 51, 741-743 Regionally specific volume deficits along the hippocampal long axis in early and chronic psychosis. 2018, 20, 1106-1114 How meaningful activities influence the recovery process. 2018, 11, 114-125	33
885 884 883 882	Prophylactic Use of Haloperidol and Changes in Glucose Levels in Hospitalized Older Patients. 2018, 38, 51-54 [Elderly patients with early onset mental illness]. 2018, 51, 741-743 Regionally specific volume deficits along the hippocampal long axis in early and chronic psychosis. 2018, 20, 1106-1114 How meaningful activities influence the recovery process. 2018, 11, 114-125 Closing the medical mortality gap in patients with major psychiatric conditions. 2018, 79, 444-448 Physical Health Care for People with Severe Mental Illness: the Attitudes, Practices, and Training	3 33 12

877 Conundrums in Managing Early Stages of Schizophrenia. **2018**, 103-114

876	Stigmatizing attitudes of primary care professionals towards people with mental disorders: A systematic review. 2018 , 53, 317-338	45
875	What is the risk-benefit ratio of long-term antipsychotic treatment in people with schizophrenia?. World Psychiatry, 2018 , 17, 149-160	116
874	Hidden care: Revelations of a case-note audit of physical health care in a community mental health service. 2018 , 27, 1742-1755	5
873	Interventions for the management of obesity in people with bipolar disorder. 2018,	2
872	Primary healthcare utilisation among adults with mood and anxiety disorders: an analysis of the New Zealand Health Survey. 2018 , 10, 68-75	6
871	Oral health experiences and needs among young adults after a first-episode psychosis: a phenomenological study. 2018 , 25, 475-485	8
870	Introduction to Urban Sustainability Issues. 2018 , 3-15	2
869	Barriers to effective diabetes management - a survey of people with severe mental illness. 2018 , 18, 165	13
868	A Payer-Guided Approach To Widespread Diffusion Of Behavioral Health Homes In Real-World Settings. 2018 , 37, 248-256	11
867	Weight changes associated with antiepileptic mood stabilizers in the treatment of bipolar disorder. 2018 , 74, 1485-1489	21
866	Furthering the Evidence of the Effectiveness of Employment Strategies for People with Mental Disorders in Europe: A Systematic Review. 2018 , 15,	4
865	Psychotropic medication profile in a community youth mental health service in Australia. 2018, 90, 8-14	1
864	A population study of Norwegian psychiatric patients referred for clinical brain scanning. 2018 , 4, 149-156	2
863	An evaluation of a tailored care program for complex and persistent mental health problems: Partners in Recovery program. 2018 , 68, 99-107	6
862	Effects of primary care clinician beliefs and perceived organizational facilitators on the delivery of preventive care to individuals with mental illnesses. 2018 , 19, 16	5
861	Mental health service utilization is associated with retention in care among persons living with HIV at a university-affiliated HIV clinic. 2018 , 15, 1	21
860	A systematic review and meta-analysis of gender difference in epidemiology of HIV, hepatitis B, and hepatitis C infections in people with severe mental illness. 2018 , 17, 16	10

859	Using Electronic Health Records to Enhance a Peer Health Navigator Intervention: A Randomized Pilot Test for Individuals with Serious Mental Illness and Housing Instability. 2018 , 54, 1172-1179	9
858	Medication Adherence Patterns Among Patients with Multiple Serious Mental and Physical Illnesses. 2018 , 35, 671-685	6
857	"Happy feet": evaluating the benefits of a 100-day 10,000 step challenge on mental health and wellbeing. 2018 , 18, 19	15
856	Development of a supported self-management intervention for adults with type 2 diabetes and a learning disability. 2018 , 4, 106	1
855	Training models for implementing evidence-based psychological treatment for college mental health: A cluster randomized trial study protocol. 2018 , 72, 117-125	6
854	A Randomized Controlled Trial on the Efficacy of a Psychosocial Behavioral Intervention to Improve the Lifestyle of Patients With Severe Mental Disorders: Study Protocol. 2018 , 9, 235	13
853	Community Mental Health Center Integrated Care Outcomes. 2018 , 89, 969-982	7
852	The oral health of long-term psychiatric inpatients in Singapore. 2018 , 266, 206-211	8
851	Mortality in people with mental disorders in the Czech Republic: a nationwide, register-based cohort study. 2018 , 3, e289-e295	18
850	Burden of Schizophrenia or Psychosis-Related Symptoms in Adults Undergoing Substance Abuse Evaluation. 2018 , 206, 528-536	3
849	Is sport an untapped resource for recovery from first episode psychosis? A narrative review and call to action. 2019 , 13, 358-368	9
848	Positive Psychiatry: Neuroscience of Brain Health and Resilience. 2019 , 329-345	3
847	Is psychosis a multisystem disorder? A meta-review of central nervous system, immune, cardiometabolic, and endocrine alterations in first-episode psychosis and perspective on potential models. 2019 , 24, 776-794	49
846	Psychosocial Interventions for Youth Mental Health. 2019 , 241-260	1
845	Effectiveness of a community-based nurse-led lifestyle-modification intervention for people with serious mental illness and metabolic syndrome. 2019 , 28, 1328-1337	10
844	Schizophrenia and attendance in primary healthcare: a population-based matched cohort study. 2019 , 37, 358-365	5
843	Coping Strategies for Oral Health Problems by People with Schizophrenia. 2019 , 10, 187-194	2
842	Incorporating a Physical Activity Program into an Assertive Community Treatment Team: Impact and Strategies. 2019 , 55, 1293-1297	3

841	Associations between health risk behaviors and perceived health status among individuals with serious mental illness (SMI). 2019 , 17, 494-508	О
840	Physical Healthcare of People with Serious Mental Illness: A Cross-Sectional Study of Nurses' Involvement, Views, and Current Practices. 2019 , 40, 908-916	1
839	Perception of physical health by patients with severe mental illness and their family caregivers: A qualitative study. 2019 , 55, 718-727	1
838	Second-generation antipsychotic drugs and short-term somatic serious adverse events: a systematic review and meta-analysis. 2019 , 6, 753-765	15
837	Clinical Care Quality Among Veterans Health Administration Patients With Mental Illness Following Medical Home Implementation. 2019 , 70, 816-823	3
836	Physical health in individuals with psychiatric disorders in Austria. 2019 , 257, 38-44	4
835	Samidorphan mitigates olanzapine-induced weight gain and metabolic dysfunction in rats and non-human primates. 2019 , 33, 1303-1316	9
834	Biomolekulare VulnerabilitEsfaktoren psychischer Erkrankungen. 2019 , 64, 329-348	5
833	[The risk of medical comorbidity in mental disorders with a particular focus on depressive syndromes]. 2019 , 65, 129-143	Ο
832	Glucose, cholesterol and blood pressure in type II diabetes: A longitudinal observational study comparing patients with and without severe mental illness. 2019 , 26, 347-357	5
831	Out-of-hospital cardiac arrest in patients with psychiatric disorders - Characteristics and outcomes. 2019 , 143, 180-188	5
830	PTSD is associated with poor health behavior and greater Body Mass Index through depression, increasing cardiovascular disease and diabetes risk among U.S. veterans. 2019 , 15, 100930	18
829	A pharmacist-managed cardiovascular risk-reduction clinic for individuals experiencing serious mental illness. 2019 , 59, 698-703	1
828	Utilization of somatic healthcare in Croatian patients with schizophrenia spectrum disorder, major depression, PTSD and the general population. 2019 , 19, 203	2
827	Antipsychotic drug use and risk of stroke and myocardial infarction: a systematic review and meta-analysis. 2019 , 19, 189	24
826	Mental Disabilities Increase the Risk of Respiratory Infection-related Healthcare Utilization. 2019 , 16,	2
825	Mortality and suicide rates in patients discharged from forensic psychiatric wards in Japan. 2019 , 95, 152131	4
824	Clinical profile and correlates of hospital stay in patients with severe mental illness. 2019 , 45, 41-43	1

823	Birth dimensions, severe mental illness and risk of type 2 diabetes in a cohort of Danish men born in 1953. 2019 , 62, 1-9	4
822	Evaluation of the Taking Texas Tobacco Free Workplace Program within behavioral health centers. 2019 , 9, 319-327	17
821	Thrombocytosis in bipolar disorder: A case report. 2019 , 21, 800-802	
820	Manifesto for an international digital mental health network. 2019 , 2, 14-24	11
819	Coronary Artery Calcium in Individuals With Severe Mental Illness. 2019 , 12, e008861	1
818	Nonpharmacological Interventions for the Treatment of Cardiometabolic Risk Factors in People With Schizophrenia-A Systematic Review. 2019 , 10, 566	12
817	Intensive Outpatient Treatment of Depression in a Spinocerebellar Ataxia Type 1 Patient. 2019 , 2019, 9186797	
816	Prediction of cardiovascular disease risk among people with severe mental illness: A cohort study. 2019 , 14, e0221521	17
815	Lifestyle Interventions for Weight Management in People with Serious Mental Illness: A Systematic Review with Meta-Analysis, Trial Sequential Analysis, and Meta-Regression Analysis Exploring the Mediators and Moderators of Treatment Effects. 2019 , 88, 350-362	26
814	Health Effects of an Individualized Lifestyle Intervention for People with Psychotic Disorders in Psychiatric Outpatient Services: A Two Year Follow-up. 2019 , 40, 839-850	4
813	Prevalence of metabolic syndrome and its associated risk factors in an African-Caribbean population with severe mental illness. 2019 , 281, 112558	5
812	Out-of-Hospital Cardiac Arrest in Patients With and Without Psychiatric Disorders: Differences in Use of Coronary Angiography, Coronary Revascularization, and Implantable Cardioverter-Defibrillator and Survival. 2019 , 8, e012708	9
811	Implementing a brief healthy-lifestyle group program on a psychiatric inpatient unit. 2019, 55, 424-429	
810	Effect of cannabis on weight and metabolism in first-episode non-affective psychosis: Results from a three-year longitudinal study. 2019 , 33, 284-294	11
809	Mental and physical health in prison: how co-occurring conditions influence inmate misconduct. 2019 , 7, 1	20
808	Factors prospectively associated with physical activity and dietary related outcomes in people with severe mental illness: A systematic review of longitudinal studies. 2019 , 273, 181-191	2
807	The medical home functions of primary care practices that care for adults with psychological distress: a cross-sectional study. 2019 , 19, 21	2
806	Sociodemographic, clinical and criminological characteristics of a sample of Italian Volterra REMS patients. 2019 , 62, 50-55	1

805	Health-related lifestyle and perceived health among people with severe mental illness: Gender differences and degree of sense of coherence. 2019 , 33, 182-188	8
804	Clozapine: why wait to start a laxative?. 2019 , 25, 377-386	3
803	Self-Reported Pain Intensity and Depressive Symptoms Among Community-Dwelling Older Adults with Schizophrenia Spectrum Disorders. 2019 , 55, 1298-1304	6
802	The impact of obesity on pregnancy outcomes among women with psychiatric disorders: Results from a prospective pregnancy registry. 2019 , 123, 109735	2
801	Adjunctive memantine for major mental disorders: A systematic review and meta-analysis of randomized double-blind controlled trials. 2019 , 209, 12-21	12
800	Venous Thromboembolism as an Adverse Effect During Treatment With Olanzapine: A Case Series. 2019 , 10, 330	3
799	Transposable Elements and Their Epigenetic Regulation in Mental Disorders: Current Evidence in the Field. 2019 , 10, 580	29
798	Neurobiological effects of aerobic exercise, with a focus on patients with schizophrenia. 2019 , 269, 499-515	22
797	Engaging family physicians in one health. 2019 , 254, 1267-1269	2
796	Cost-effectiveness of a lifestyle intervention for people with a serious mental illness (SMILE): design of a pragmatic cluster-randomised controlled trial. 2019 , 19, 151	4
795	Co-occurring medical and substance use disorders in patients with schizophrenia: a systematic review. 2019 , 48, 62-76	6
794	Associations of the Built Environment With Physical Activity and Sedentary Time in Ugandan Outpatients With Mental Health Problems. 2019 , 16, 243-250	7
793	Incentivizing healthy lifestyle behaviors to reduce cardiovascular risk in people with serious mental illness: An equipoise randomized controlled trial of the wellness incentives program. 2019 , 81, 1-10	2
792	Relationships between psychological distress and health behaviors among Canadian adults: Differences based on gender, income, education, immigrant status, and ethnicity. 2019 , 7, 100385	13
791	Food insecurity and work impairment in people with severe mental disorders in a rural district of Ethiopia: a cross-sectional survey. 2019 , 54, 1055-1066	2
790	Relationship between living alone and common mental disorders in the 1993, 2000 and 2007 National Psychiatric Morbidity Surveys. 2019 , 14, e0215182	30
7 ⁸ 9	Pilot-Testing of "Healthy Body Healthy Mind": An Integrative Lifestyle Program for Patients With a Mental Illness and Co-morbid Metabolic Syndrome. 2019 , 10, 91	8
788	Decline in incidence of sudden cardiac death in the young: a 10-year nationwide study of 8756 deaths in Denmark. 2019 , 21, 909-917	6

787	Evaluation of a Physical health plan for people with psychosis: a protocol for a quality improvement study. 2019 , 5, 8	3
786	Samidorphan mitigates olanzapine-induced weight gain and metabolic dysfunction in rats and nonhuman primates. 2019 , 29, S394	
785	"We're All in this Together": Peer-specialist Contributions to a Healthy Lifestyle Intervention for People with Serious Mental Illness. 2019 , 46, 298-310	14
784	Inhibited autonomy for promoting physical health: qualitative analysis of narratives from persons living with severe mental illness. 2019 , 5, e10	3
783	Experiences with Participation in a Supervised Group-Based Outdoor Cycling Programme for People with Mental Illness: A Focus Group Study. 2019 , 16,	2
782	Mental disorders and medical comorbidities: Association rule mining approach. 2019 , 55, 517-526	9
781	Design and methods of the 'monitoring outcomes of psychiatric pharmacotherapy' (MOPHAR) monitoring program - a study protocol. 2019 , 19, 125	4
780	Metabolic Side Effects of Antipsychotic Medication: An Overview. 2019 , 58, 18	
779	A systematic review of palliative care tools and interventions for people with severe mental illness. 2019 , 19, 106	11
778	The psychiatric, psychosocial and physical health profile of young people with early psychosis: Data from an early psychosis intervention service. 2019 , 40, 93-115	5
777	Perspectives on diet and physical activity among urban African Americans with serious mental illness. 2019 , 58, 509-525	6
776	A Practical Approach to Mental Health for the Diabetes Educator. 2019 , 7, 29-44	17
775	âBootball is pure enjoymentâEAn exploration of the behaviour change processes which facilitate engagement in football for people with mental health problems. 2019 , 16, 19-30	7
774	Model Programs and Interventions for Older Adults with Schizophrenia. 2019 , 169-189	
773	Does social capital and a healthier lifestyle increase mental health resilience to disability acquisition? Group-based discrete trajectory mixture models of pre-post longitudinal data. 2019 , 235, 112143	9
772	Sedentary behaviour associations with health outcomes in people with severe mental illness: a systematic review. 2020 , 30, 150-157	3
771	Medicaid spending burden among beneficiaries with treatment-resistant depression. 2019 , 8, 381-392	16
770	Feasibility, Adherence and Efficacy of Liraglutide Treatment in a Sample of Individuals With Mood Disorders and Obesity. 2018 , 9, 784	6

(2019-2019)

769	Chronic kidney disease in adults with schizophrenia: A nationwide population-based study. 2019 , 58, 1-6	14
768	Access to Psychiatrist Services for Older Adults in Long-Term Care: A Population-Based Study. 2019 , 20, 610-616.e2	8
767	Relationship between obesity and health problems in help-seeking military veterans. 2020, 166, 227-231	1
766	Interventions to integrate care for people with serious mental illness and substance use disorders: a systematic scoping review protocol. 2019 , 9, e031122	1
765	Improving physical healthcare provided to psychiatric inpatients at an acute mental health trust. 2019 , 8, e000537	2
764	Optimising prescribing for patients with severe mental illness: the need for criteria. 2019 , 22, 139-141	1
763	Dying Too Soon: Excess Mortality in Severe Mental Illness. 2019 , 10, 855	18
762	A Future Research Agenda for Digital Geriatric Mental Healthcare. 2019 , 27, 1277-1285	12
761	A reverse colocated integrated care model intervention among persons with severe persistent mental illness at the U.SMexico border: A randomized controlled trial protocol. 2019 , 16, 100490	1
760	Prevalence of ECG abnormalities and risk factors for QTc interval prolongation in hospitalized psychiatric patients. 2019 , 9, 2045125319891386	3
759	A collaboration between service users and professionals for the development and evaluation of a new program for cardiovascular risk management in persons with a diagnosis of severe mental illness: French multicenter qualitative and feasibility studies. 2019 , 13, 74	2
758	Examining the Association between Neighbourhood Socioeconomic Disadvantage and Type 2 Diabetes Comorbidity in Serious Mental Illness. 2019 , 16,	5
757	Multimodal lifestyle intervention using a web-based tool to improve cardiometabolic health in patients with serious mental illness: results of a cluster randomized controlled trial (LION). 2019 , 19, 339	9
756	The Role of Proopiomelanocortin and Emelanocyte-Stimulating Hormone in the Metabolic Syndrome in Psychiatric Disorders: A Narrative Mini-Review. 2019 , 10, 834	5
755	Maintenance treatment for patients with a first psychotic episode. 2019 , 32, 147-156	3
754	Stigmatizing attitudes of tertiary hospital physicians towards people with mental disorders in Saudi Arabia. 2019 , 40, 936-942	3
753	Effects of chronic physical illness on treatment outcomes among patients with schizophrenia. 2019 , 32, 451-460	3
752	Attitudes of Italian Psychiatrists Toward the Evaluation of Physical Comorbidities and Sexual Dysfunction in Patients With Schizophrenia. Implications for Clinical Practice. 2019 , 10, 842	3

751	"That's all Fake": Health professionals stigma and physical healthcare of people living with Serious Mental Illness. 2019 , 14, e0226401	11
750	Patient perspectives on how living with a mental illness affects making and maintaining healthy lifestyle changes. 2019 , 102, 346-351	3
749	Peripheral Biomarkers in Schizophrenia: A Meta-Analysis of Microarray Gene Expression Datasets. 2019 , 22, 186-193	8
748	Exploring the experiences of people vlogging about severe mental illness on YouTube: An interpretative phenomenological analysis. 2019 , 246, 422-428	10
747	Metabolic risk in patients participating in residential rehabilitation programs: how are we doing?. 2019 , 27, 179-182	4
746	Does Gender Influence Outcome in Schizophrenia?. 2019 , 90, 173-184	31
745	Disagreement between service-users and clinicians assessment of physical health during early psychosis. 2019 , 13, 314-317	1
744	Physical activity in secure settings: A scoping review of methods, theory and practise. 2019 , 16, 80-95	7
743	High prevalence of prediabetes and metabolic abnormalities in overweight or obese schizophrenia patients treated with clozapine or olanzapine. 2019 , 24, 441-452	8
742	High prevalence of metabolic alterations in Latin American patients at initial stages of psychosis. 2019 , 13, 1382-1388	2
741	Agreement between primary care and hospital diagnosis of schizophrenia and bipolar disorder: A cross-sectional, observational study using record linkage. 2019 , 14, e0210214	8
740	Can antipsychotic dose reduction lead to better functional recovery in first-episode psychosis? A randomized controlled-trial of antipsychotic dose reduction. The reduce trial: Study protocol. 2019 , 13, 1345-1356	10
739	Diabesity and mood disorders: Multiple links through the microbiota-gut-brain axis. 2019 , 66, 80-93	24
738	Excess medical comorbidity and mortality across the lifespan in schizophrenia.: A nationwide Danish register study. 2019 , 206, 347-354	28
737	Positive mental health and mental health stigma: A qualitative study assessing student attitudes. 2019 , 13, 1-6	13
736	Mental health care professionals' accounts of actions and responsibilities related to managing physical health among people with severe mental illness. 2019 , 33, 174-181	8
735	The 'Fit for Life' exercise programme: improving the physical health of people with a mental illness. 2019 , 24, 187-192	5
734	Using an Integrated Care Pathway for Late-Life Schizophrenia Improves Monitoring of Adverse Effects of Antipsychotics and Reduces Antipsychotic Polypharmacy. 2019 , 27, 84-90	4

733	Physical health status of older adults with severe mental illness: The PHiSMI-E cohort study. 2019 , 28, 457-467	8
732	Consumers at the centre: interprofessional solutions for meeting mental health consumers' physical health needs. 2019 , 33, 226-234	8
731	Impaired insulin signaling in unaffected siblings and patients with first-episode psychosis. 2019 , 24, 1513-152	2 17
730	Clozapine and Long-Term Mortality Risk in Patients With Schizophrenia: A Systematic Review and Meta-analysis of Studies Lasting 1.1-12.5 Years. 2019 , 45, 315-329	87
729	Unemployment, unemployment duration, and health: selection or causation?. 2019, 20, 59-73	28
728	Body Mass Index: A Reliable Predictor of Subcutaneous Fat Thickness and Needle Length for Ventral Gluteal Intramuscular Injections. 2019 , 26, e72-e78	4
727	Frailty, multimorbidity and functional status as predictors for health outcomes of acute psychiatric hospitalisation in older adults. 2020 , 24, 119-128	8
726	Neurocognitive disorder due to neurosyphilis: a case report. 2020 , 49, 202-207	1
725	Metabolic Syndrome Screening in People With Severe Mental Illness: Results From Two Spanish Community Mental Health Centers. 2020 , 26, 162-171	2
724	Morbidity and Mortality in the Children and Young Adult Offspring of Parents With Schizophrenia or Affective Disorders-A Nationwide Register-Based Cohort Study in 2 Million Individuals. 2020 , 46, 130-139	14
723	The effectiveness of health behavior change interventions in managing physical health in people with a psychotic illness: A systematic review. 2020 , 56, 121-140	1
722	Eating disorder or oesophageal achalasia during adolescence: diagnostic difficulties. 2020 , 25, 87-90	3
721	Relationship Between Volunteering and Perceived General Health of Individuals with Serious Mental Illness. 2020 , 56, 348-354	2
720	Physical Functional Limitations in a First-Admission Cohort at Midlife: Findings From the Suffolk County Mental Health Project. 2020 , 75, 1424-1430	
719	Mental and Physical Health in Couple Relationships: Is It Better to Live Together?. 2020 , 36, 303-316	8
718	Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. 2020 , 215, 424-429	2
717	Prevalence of obesity, metabolic syndrome, diabetes and risk of cardiovascular disease in a psychiatric inpatient sample: results of the Metabolism in Psychiatry (MiP) Study. 2020 , 270, 597-609	5
716	Unmedicated patients with schizophrenia in economically underdeveloped areas of China. 2020 , 47, 101865	2

715	Healthcare Costs for People with Serious Mental Illness in England: An Analysis of Costs Across Primary Care, Hospital Care, and Specialist Mental Healthcare. 2020 , 18, 177-188	8
714	Getting in Early: Early Intervention Services for Psychosis. 2020 , 561-588	
713	Mortality by diseases and medical conditions in the offspring of parents with severe mental illness. 2020 , 55, 1649-1657	1
712	Physical Examination Skills Among Chief Residents in Psychiatry: Practices, Attitudes, and Self-Perceived Knowledge. 2020 , 44, 68-72	6
711	Gender differences in metabolic syndrome risk factors among patients with serious mental illness. 2020 , 29, 254-265	2
710	Stepping up early treatment for help-seeking youth with at-risk mental states: Feasibility and acceptability of a real-world exercise program. 2020 , 14, 450-462	8
709	Interactions between psychiatric and physical disorders and their effects on the risks of suicide: a nested case-control study. 2020 , 1462, 79-91	3
708	Systematic Review of the Impact of Behavioral Health Homes on Cardiometabolic Risk Factors for Adults With Serious Mental Illness. 2020 , 71, 57-74	16
707	Youth StepCare: a pilot study of an online screening and recommendations service for depression and anxiety among youth patients in general practice. 2020 , 21, 2	4
706	Depression and Uptake of Oral Anticoagulation Therapy in Patients With Atrial Fibrillation: A Danish Nationwide Cohort Study. 2020 , 58, 216-224	5
705	Stage at diagnosis and survival in patients with cancer and a pre-existing mental illness: a meta-analysis. 2020 , 74, 84-94	16
704	A modality-specific dysfunction of pain processing in schizophrenia. 2020 , 41, 1738-1753	9
703	Can high intensity interval training improve health outcomes among people with mental illness? A systematic review and preliminary meta-analysis of intervention studies across a range of mental illnesses. 2020 , 263, 629-660	13
702	Incidence of ischaemic heart disease and stroke among people with psychiatric disorders: retrospective cohort study. 2020 , 217, 442-449	11
701	Association of physical health multimorbidity with mortality in people with schizophrenia spectrum disorders: Using a novel semantic search system that captures physical diseases in electronic patient records. 2020 , 216, 408-415	14
700	The impact of depression on adherence to organized and opportunistic breast cancer screening. 2020 , 29, 53-59	2
699	The Healthcare Triple Aim in the Recovery Era. 2020 , 47, 492-496	2
698	Assessing the Integration of Behavioral Health Services in Primary Care in Colombia. 2020 , 47, 435-442	3

(2020-2020)

697	Increased inflammasome activity in markedly ill psychiatric patients: An explorative study. 2020 , 339, 577119	11
696	Caregiver physical health and child maltreatment reports and rereports. 2020 , 108, 104671	3
695	The importance of clinical and labour market histories in psychiatric disability retirement: analysis of the comprehensive Finnish national-level RETIRE data. 2020 , 55, 1011-1020	5
694	Better care for less money: cost-effectiveness of integrated care in multi-episode patients with severe psychosis. 2020 , 141, 221-230	4
693	Comorbidity of obsessive-compulsive disorder in bipolar spectrum disorders: Systematic review and meta-analysis of its prevalence. 2020 , 263, 193-208	14
692	Routine identification of patients with disabilities in primary care: A mixed-methods study. 2020 , 13, 100872	4
691	A lack of therapeutic engagement and consumer input in acute inpatient care planning limits fully accountable mental health nursing practice. 2020 , 29, 290-298	9
690	Factors Associated with Medication Adherence Among Patients with Severe Mental Disorders in China: A Propensity Score Matching Study. 2020 , 14, 1329-1339	3
689	Preclinical Considerations about Affective Disorders and Pain: A Broadly Intertwined, yet Often Under-Explored, Relationship Having Major Clinical Implications. 2020 , 56,	2
688	Prevalence, management, and outcomes of SARS-CoV-2 infections in older people and those with dementia in mental health wards in London, UK: a retrospective observational study. 2020 , 7, 1054-1063	34
687	Metabolic profile of methylazoxymethanol model of schizophrenia in rats and effects of three antipsychotics in long-acting formulation. 2020 , 406, 115214	6
686	Mortality and suicide in schizophrenia: 21-year follow-up in rural China. 2020 , 6, e121	4
685	Schizophrenia. 2020 , 48, 704-708	
684	Physical Comorbidities are Independently Associated with Higher Rates of Psychiatric Readmission in a Chinese Han Population. 2020 , 16, 2073-2082	1
683	FADS1 modulates metabolic syndrome in schizophrenia patients receiving olanzapine monotherapy. 2020 , 54, 102352	1
682	Rates and correlates of pharmacotherapy-related problems among psychiatric inpatients: a representative Danish study. 2020 , 10, 2045125320957120	1
681	The challenges of keeping psychiatric patients safe in rehabilitation centers during coronavirus outbreak. 2020 , 34, 580-581	3
680	Guest editorial: Special issue on maintenance treatment in schizophrenia. 2020 , 225, 1-3	1

679	Neighborhood environment perceptions associate with depression levels and cardiovascular risk among middle-aged and older adults: Data from the Washington, DC cardiovascular health and needs assessment. 2021 , 25, 2078-2089	4
678	Differential Medication Attitudes to Antihypertensive and Mood Stabilizing Agents in response to an Automated Text-Messaging Adherence Enhancement Intervention. 2020 , 30, 57-64	O
677	Harnessing Technology for the Social Good: Empowering Consumers with Immediate Feedback and Self-Directed Means of Care to Address Affordability, Access, and Stigma in Mental Health. 2020 , 45, 135-137	
676	Assessing and improving students' collaborative skills using a mental health simulation: A pilot study. 2020 , 1-4	2
675	The relationship between hopelessness and risk factors for early mortality in people with a lived experience of a serious mental illness. 2020 , 18, 369-382	2
674	Factors that influence participation in physical activity for people with bipolar disorder: a synthesis of qualitative evidence. 2020 ,	1
673	P.838Coronavirus information to psychiatric patients. 2020 , 40, S465-S466	
672	Structural MRI Study of the Planum Temporale in Individuals With an At-Risk Mental State Using Labeled Cortical Distance Mapping. 2020 , 11, 593952	1
671	Reprint of: Internalising symptoms mediate the longitudinal association between childhood inflammation and psychotic-like experiences in adulthood. 2020 , 226, 24-29	
670	Universal and selective interventions to promote good mental health in young people: Systematic review and meta-analysis. 2020 , 41, 28-39	25
669	Exploring the Role of Contactins across Psychological, Psychiatric and Cardiometabolic Traits within UK Biobank. 2020 , 11,	O
668	Patterns of primary care among persons with schizophrenia: the role of patients, general practitioners and centre factors. 2020 , 14, 82	3
667	An integrative collaborative care model for people with mental illness and physical comorbidities. 2020 , 14, 83	6
666	Cardiovascular risk screening of patients with serious mental illness or use of antipsychotics in family practice. 2020 , 21, 153	3
665	Uric acid levels in subjects with schizophrenia: A systematic review and meta-analysis. 2020 , 292, 113305	12
664	Are diabetes self-management programmes for the general diabetes population effective for people with severe mental illness?: a systematic review. 2020 , 20, 386	2
663	The effect of a severe psychiatric illness on colorectal cancer treatment and survival: A population-based retrospective cohort study. 2020 , 15, e0235409	4
662	Physical comorbidities in private psychiatric inpatients: Prevalence and its association with quality of life and functional impairment. 2020 , 29, 1253-1261	

661	Interventions for the management of obesity in people with bipolar disorder. 2020, 7, CD013006	4
660	Use of an Exposome Approach to Understand the Effects of Exposures From the Natural, Built, and Social Environments on Cardio-Vascular Disease Onset, Progression, and Outcomes. 2020 , 8, 379	12
659	Severe mental illness and palliative care: patient semistructured interviews. 2020,	4
658	Family involvement to support cardiovascular self-management care for people with severe mental illness: a systematic review. 2020 , 1-17	О
657	Physical activity for adolescents with severe mental illness: a systematic scoping review. 2020 , 1-34	2
656	Cross-sectional mixed-methods study protocol exploring the enablers and barriers for people with severe and enduring mental illness in Jamaica when accessing healthcare for chronic physical illness. 2020 , 10, e038245	
655	The American Psychiatric Association Practice Guideline for the Treatment of Patients With Schizophrenia. 2020 , 177, 868-872	113
654	Do we need sex-oriented clinical practice guidelines for the treatment of schizophrenia?. 2020 , 33, 192-199	10
653	Cancer and severe mental illness: Bi-directional problems and potential solutions. 2020, 29, 1445-1451	11
652	Reprint of: Examining Medicare Part D Medication Therapy Management program in the context of mental health. 2020 , 60, S54-S63	1
651	Alexithymia 3.0: reimagining alexithymia from a medical perspective. 2020 , 14,	1
650	Excess mortality associated with mental illness in people living with HIV in Cape Town, South Africa: a cohort study using linked electronic health records. 2020 , 8, e1326-e1334	8
649	Loneliness and its association with physical health conditions and psychiatric hospitalizations in people with serious mental illness. 2020 , 18, 571-585	2
648	The Effects of Exclusively Resistance Training-Based Supervised Programs in People with Depression: A Systematic Review and Meta-Analysis of Randomized Controlled Trials. 2020 , 17,	3
647	The clinical characterization of the adult patient with depression aimed at personalization of management. <i>World Psychiatry</i> , 2020 , 19, 269-293	59
646	The onset and accumulation of physical multimorbidity in severe and common mental disorders. 2020 , 33, 484-490	3
645	Remission From Unhealthy Drinking Among Patients With an Alcohol Use Disorder: A Longitudinal Study Using Systematic, Primary Care-Based Alcohol Screening Data. 2020 , 81, 436-445	4
644	Prevalence and Factors Associated with Depression among HIV/AIDS-Infected Patients Attending ART Clinic at Jimma University Medical Center, Jimma, Southwest Ethiopia. 2020 , 2020, 5414072	2

643	Severe mental illness and health service utilisation for nonpsychiatric medical disorders: A systematic review and meta-analysis. 2020 , 17, e1003284	10
642	A qualitative study exploring the barriers and facilitators of implementing a cardiovascular disease risk reducing intervention for people with severe mental illness into primary care contexts across England: the 'PRIMROSE' trial. 2020 , 20, 753	6
641	Factors to consider during the implementation of nutrition and physical activity trials for people with psychotic illness into an Australian community setting. 2020 , 20, 743	1
640	Enabling people with severe mental illness to overcome barriers to access dental treatment: a qualitative study applying COM-B framework analysis. 2020 , 1-9	3
639	The Impact of Mental Illness on Postoperative Outcomes Among Medicare Beneficiaries: A Missed Opportunity to Help Surgical Patients?. 2020 , 272, 419-425	13
638	The Role of Parental Capacity for Medical Decision-Making in Medical Ethics and the Care of Psychiatrically Ill Youth: Case Report. 2020 , 11, 559263	O
637	Mental health in the Pacific: Urgency and opportunity. 2020 , 61, 537-550	2
636	Mental and self-rated health of bakery workers in Lebanon: A national study. 2020 , 8, 2050312120962345	3
635	Physical health examination in outpatients with schizophrenia: the cost effectiveness of laboratory screening tests. 2020 , 19, 70	
634	Experiences of barriers to trans-sectoral treatment of patients with severe mental illness. A qualitative study. 2020 , 14, 87	6
633	Knowledge of Prevention Measures and Information About Coronavirus in Romanian Male Patients with Severe Mental Illness and Severe Alcohol Use Disorder. 2020 , 16, 2857-2864	4
632	Mental Health Disorders and Summer Temperature-Related Mortality: A Case Crossover Study. 2020 , 17,	4
631	Impact of Psychotropic Medication Effects on Obesity and the Metabolic Syndrome in People With Serious Mental Illness. 2020 , 11, 573479	14
630	Neurocognitive disorder due to neurosyphilis: A case report. 2020 , 49, 202-207	2
629	Investigating Nurses' Views on Care of Mentally Ill Patients with Skin Injuries. 2020, 17,	
628	Metabolic predictors for mortality among patients treated with long-term clozapine - A longitudinal study. 2020 , 41, 63-69	5
627	Randomized Trial of Reverse Colocated Integrated Care on Persons with Severe, Persistent Mental Illness in Southern Texas. 2020 , 35, 2035-2042	6
626	Lamotrigine in the maintenance treatment of bipolar disorder. 2020 ,	1

(2020-2020)

625	Improving social function with real-world social-cognitive remediation in schizophrenia: Results from the RemedRugby quasi-experimental trial. 2020 , 63, e41	4
624	"Waiting in the Wings"-Next-of-Kin's Experiences of Lifestyle Interventions for People with Schizophrenia. 2020 , 41, 832-839	1
623	An economic evaluation of a specialist preventive care clinician in a community mental health service: a randomised controlled trial. 2020 , 20, 405	О
622	Antipsychotics, Weight Gain and Metabolic Risk. 2020 , 619-619	
621	"Not Alone Anymore": The Experiences of Adults With Diabetes in New York's Medicaid Health Home Program. 2020 , 58 Suppl 6 Suppl 1, S60-S65	1
620	Rates, types and associations of sexual risk behaviours and sexually transmitted infections in those with severe mental illness: a scoping review. 2020 , 290, 112946	1
619	Feasibility and Acceptability of a Student-Led Lifestyle (Diet and Exercise) Intervention Within a Residential Rehabilitation Setting for People With Severe Mental Illness, GO HEART (Group Occupation, Health, Exercise And Rehabilitation Treatment). 2020 , 11, 319	3
618	Isolation of patients in psychiatric hospitals in the context of the COVID-19 pandemic: An ethical, legal, and practical challenge. 2020 , 71, 101572	11
617	Psychiatric Disorders Are Associated with Increased Risk of Sepsis Following a Cancer Diagnosis. 2020 , 80, 3436-3442	4
616	Integrated Care for Older Adults with Serious Mental Illness and Medical Comorbidity: Evidence-Based Models and Future Research Directions. 2020 , 36, 341-352	6
615	Peer Support in Coordination of Physical Health and Mental Health Services for People With Lived Experience of a Serious Mental Illness. 2020 , 11, 365	5
614	Morbidity as a Predictor for Participation in the Danish National Mammography Screening Program: A Cross-Sectional Study. 2020 , 12, 509-518	2
613	Are individuals with cardiovascular disease at risk of COVID-19-related mental health problems or individuals with cardiovascular disease at risk of cardiovascular disease-related mental health problems during COVID-19? A psychological-psychiatric perspective. 2020 , 144, 109919	3
612	The COVID-19 pandemic is a crisis and opportunity for bipolar disorder. 2020 , 22, 641-643	40
611	Validation of the Finnish Health Improvement Profile (HIP) with patients with severe mental illness. 2020 , 20, 112	1
610	An examination of physical illness and health service use in homeless veterans with PTSD, major depressive disorder, anxiety disorder, and/or bipolar disorder in Nebraska. 2020 , 29, 161-168	1
609	Lessons Learned From a Physical Activity Intervention in Psychiatric Treatment: Patient, Staff, and Leader Perspectives. 2020 , 11, 87	2
608	Factors that influence participation in physical activity for anxiety or depression: a synthesis of qualitative evidence. 2020 ,	O

607	Implementation of a wound care education project to improve the wound care competency among psychiatric nurses: A quality improvement project and feasibility study. 2020 , 27, 709-717	1
606	Adverse effects of interactions between antipsychotics and medications used in the treatment of cardiovascular disorders. 2020 , 72, 350-359	13
605	Oyster Care: An Innovative Palliative Approach towards SPMI Patients. 2020 , 11, 509	2
604	Delineating the Psychic Structure of Substance Use and Addictions, from Neurobiology to Clinical Implications: Ten Years Later. 2020 , 9,	
603	The excess economic burden of mental disorders: findings from a cross-sectional prevalence survey in Austria. 2020 , 21, 1075-1089	2
602	Motivators for patients with schizophrenia spectrum disorders to start and maintain exercising: a qualitative interview study. 2020 , 1-9	2
601	"Mental Health Professionals Have Never Mentioned My Diabetes, They Don't Get Into That": A Qualitative Study of Support Needs in Adults With Type 1 and Type 2 Diabetes and Severe Mental Illness. 2020 , 44, 494-500	6
600	The influence of caregiver stress and affiliate stigma in community-based mental health care on family caregiver wellbeing. 2020 , 49, 35-55	2
599	Examining Medicare Part D Medication Therapy Management program in the context of mental health. 2020 , 60, 571-579.e1	5
598	Universal blood-borne virus screening in patients with severe mental illness managed in an outpatient clozapine clinic: uptake and prevalence. 2020 , 28, 186-189	O
597	The Views of Non-psychiatric Medical Specialists About People with Schizophrenia and Depression. 2020 , 56, 1077-1084	O
596	Development and Validation of an Administrative Claims-based Measure for All-cause 30-day Risk-standardized Readmissions After Discharge From Inpatient Psychiatric Facilities. 2020 , 58, 225-233	3
595	Undiagnosed HIV, hepatitis B, and hepatitis C infections in people with severe psychiatric disorders in Ethiopia. 2020 , 20, 180	3
594	Adverse childhood experiences and chronic lung diseases in adulthood: a systematic review and meta-analysis. 2020 , 11, 1720336	11
593	Perspectives of older adults, caregivers, and healthcare providers on frailty screening: a qualitative study. 2020 , 20, 65	5
592	Navigating a Complex Health System: the Perceptions of Psychiatric Residents in Addressing Sexual and Reproductive Health of Women with Severe Mental Illness. 2020 , 44, 403-407	1
591	Wellbeing Wednesdays: nurse-led clinic for improving physical health care in a general adolescent inpatient unit. 2020 , 29, 230-235	0
590	Using Concept Mapping to Operationalize Mental Well-Being for Men and Boys. 2020 , 66, 14-23	1

589	A Holistic Client Functioning Profile Comparison of People With Serious Mental Illness. 2020 , 98, 3-16	3
588	My Bridge (Mi Puente), a care transitions intervention for Hispanics/Latinos with multimorbidity and behavioral health concerns: protocol for a randomized controlled trial. 2020 , 21, 174	O
587	Update on weight-gain caused by antipsychotics: a systematic review and meta-analysis. 2020 , 19, 295-314	54
586	Molekulartoxische Folgen von chronischem und traumatischem Stress und deren Reversibilit durch entspannungs- und achtsamkeitsbasierte Interventionen. 2020 , 30, 29-43	1
585	Emotionally evocative patients in the emergency department: a mixed methods investigation of providers' reported emotions and implications for patient safety. 2020 , 29, 1-2	10
584	Insulin resistance is associated with verbal memory impairment in bipolar disorders. 2020 , 266, 610-614	2
583	Stigmatisation of those with mental health conditions in the acute general hospital setting. A qualitative framework synthesis. 2020 , 255, 112974	12
582	A community-based system dynamics approach for understanding factors affecting mental Health and Health seeking behaviors in Beirut and Beqaa regions of Lebanon. 2020 , 16, 28	10
581	A multidisciplinary approach to mental illness: do inflammation, telomere length and microbiota form a loop? A protocol for a cross-sectional study on the complex relationship between inflammation, telomere length, gut microbiota and psychiatric disorders. 2020 , 10, e032513	7
580	BMI-NECK: A simple assessment of risk of obstructive sleep apnea in schizophrenia. 2020 , 125, 33-37	3
579	Integrated Analysis of Summary Statistics to Identify Pleiotropic Genes and Pathways for the Comorbidity of Schizophrenia and Cardiometabolic Disease. 2020 , 11, 256	5
578	Fertility trends of women with serious mental illness in the United Kingdom 1992-2017: A primary care cohort study using the clinical practice research datalink. 2020 , 269, 141-147	5
577	Predictors of physical activity recording in routine mental healthcare. 2020 , 18, 100329	1
576	Prevalence and major risk factors of type 2 diabetes mellitus among adult psychiatric inpatients from 2005 to 2018 in Beijing, China: a longitudinal observational study. 2020 , 8,	5
575	Experiences of individuals with severe mental illnesses about physical health services: A qualitative study. 2020 , 34, 237-243	4
574	Comparison of Elixhauser and Charlson Methods for Discriminative Performance in Mortality Risk in Patients with Schizophrenic Disorders. 2020 , 17,	5
573	Improved self-esteem and activity levels following a 12-week community activity and healthy lifestyle programme in those with serious mental illness: A feasibility study. 2021 , 15, 367-373	2
572	The COVID-19 pandemic from an acute psychiatric perspective: a London psychiatric intensive care unit experience. 2021 , 45, 76-79	3

571	History of Serious Mental Illness Is a Predictor of Morbidity and Mortality in Cardiac Surgery. 2021 , 111, 109-116	2
570	Psychological and relational factors in ESRD hemodialysis treatment in an underserved community. 2021 , 104, 149-154	О
569	Prioritizing COVID-19 vaccination for people with severe mental illness. <i>World Psychiatry</i> , 2021 , 20, 54-554.4	42
568	Providing Health Physicals and/or Health Monitoring Services in Mental Health Clinics: Impact on Laboratory Screening and Monitoring for High Risk Populations. 2021 , 48, 279-289	
567	Self-management of chronic disease in individuals with psychotic disorder: A qualitative study. 2021 , 57, 702-708	1
566	Are Certain Health Centers Better Patient-Centered Medical Homes for People with Severe Mental Illness?. 2021 , 92, 107-122	1
565	Practice Facilitation in Integrated Behavioral Health and Primary Care Settings: a Scoping Review. 2021 , 48, 133-155	3
564	Clinical characteristics of familial schizophrenia. 2021 , 13, e12422	O
563	Premature mortality associated with severe mental illness or substance use disorder in an integrated health care system. 2021 , 68, 1-6	3
562	The risk of physical multimorbidity in people with psychotic disorders: A systematic review and meta-analysis. 2021 , 140, 110315	6
561	Physician remuneration schemes, psychiatric hospitalizations and follow-up care: Evidence from blended fee-for-service and capitation models. 2021 , 268, 113465	Ο
560	Rapid response calls in inpatient psychiatric units. 2021 , 29, 309-314	
559	Achieving Access Parity for Inpatient Psychiatric Care Requires Repealing the Medicaid Institutions for Mental Disease Exclusion Rule. 2021 , 22, 63-72	
558	Pandemics and pre-existing mental illness: A systematic review and meta-analysis. 2021 , 10, 100177	32
557	COVID-19 vaccination for people with severe mental illness: why, what, and how?. 2021 , 8, 444-450	51
556	Cardiovascular disease in patients with severe mental illness. 2021 , 18, 136-145	35
555	Physical health interventions for patients who have experienced a first episode of psychosis: a narrative review. 2021 , 38, 62-75	3
554	Parental mental illness, attendance at preventive child healthcare and dental caries in the offspring: a nation-wide population-based cohort study. 2021 , 56, 583-592	3

553	A spatial epidemiology case study of mentally unhealthy days (MUDs): air pollution, community resilience, and sunlight perspectives. 2021 , 31, 491-506	4
552	Organization of Community Mental Health Services for Persons with a Severe Mental Illness and Comorbid Somatic Conditions: A Systematic Review on Somatic Outcomes and Health Related Quality of Life. 2021 , 18,	2
551	Identification and management of cardiometabolic risk in subjects with schizophrenia spectrum disorders: A Delphi expert consensus study. 2021 , 64, e7	3
550	The overlap of genetic susceptibility to schizophrenia and cardiometabolic disease can be used to identify metabolically different groups of individuals. 2021 , 11, 632	4
549	Changes over time in mental health symptoms among adolescents in Tampere, Finland. 2021, 9, 96-104	1
548	The Role of Gut Microbiota in the High-Risk Construct of Severe Mental Disorders: A Mini Review. 2020 , 11, 585769	6
547	Relationship between physical exercise and the most varied forms of dyskinesia. 27,	
546	Bipolar disorders, obesity, and metabolic disturbances: Mechanisms and implications. 2021 , 257-274	
545	Improving the Physical Health of Rural People Living with Mental Illness. 2021 , 291-323	
544	Neuropsychological correlates of community function among major depressive disorder outpatients without comorbidity in Hong Kong: An exploratory cross-Sectional study. 2021 , 4, 8	
543	"Being There" vs "Being Direct:" Perspectives of Persons with Serious Mental Illness on Receiving Support with Physical Health from Peer and Non-Peer Providers. 2021 , 48, 539-550	2
542	Physical activity and exercise in the pathophysiology and treatment of bipolar disorder. 2021 , 373-381	
541	Potentially preventable hospitalisations for physical health conditions in community mental health service users: a population-wide linkage study. 2021 , 30, e22	1
540	Immunity as a Common Risk Pathway for Psychiatric and Medical Comorbidity. 2021 , 41-50	
539	Risk of out-of-hospital cardiac arrest in patients with bipolar disorder or schizophrenia. 2021 , 107, 1544-1551	3
538	Barriers to and Facilitators of Oral Health Among Persons Living With Mental Illness: A Qualitative Study. 2021 , 72, 156-162	O
537	Patients with psychiatric diagnoses have increased odds of morbidity and mortality in elective orthopedic surgery. 2021 , 84, 42-45	2
536	Barriers and facilitators for dental care among patients with severe or long-term mental illness. 2021 ,	3

535	A Study on Women with Mental Illness Admitted to Halfway House and Recovery to Community (2016-2018). 2021 , 46, 131-140	
534	Does Switching Antipsychotics Ameliorate Weight Gain in Patients With Severe Mental Illness? A Systematic Review and Meta-analysis. 2021 , 47, 948-958	6
533	Oral health promotion practices of Australian community mental health professionals: a cross sectional web-based survey. 2021 , 21, 85	1
532	Guidance on the treatment of antipsychotic-induced hyperprolactinemia when switching the antipsychotic is not an option. 2021 , 78, 862-871	2
531	Comparisons between suicide in persons with serious mental illness, other mental disorders, or no known mental illness: Results from 37 U.S. states, 2003-2017. 2021 , 228, 74-82	12
530	COVID-19-related psychological distress and engagement in preventative behaviors among individuals with severe mental illnesses. 2021 , 7, 7	7
529	Poverty transitions in severe mental illness: longitudinal analysis of social drift in China, 1994-2015. 2021 , 1-9	0
528	Misdiagnosis, detection rate, and associated factors of severe psychiatric disorders in specialized psychiatry centers in Ethiopia. 2021 , 20, 10	5
527	Caring for someone with cancer and severe mental illness. 2021 , 20, 30-35	
526	Perspectives on implementing HIIT interventions for service users in inpatient mental health settings: A qualitative study investigating patient, carer and staff attitudes. 2021 , 283, 198-206	2
525	Quality of diabetes care in patients with schizophrenia: a case-control study in Qatar. 2021, 21, 149	1
524	Telemental Health and the Management of Psychosis. 2021 , 23, 27	5
523	The Relationship between Community Participation and Physical Activity among Individuals with Serious Mental Illnesses. 2021 , 20, 100381-100381	2
522	Prevention and management of physical health conditions in adults with severe mental disorders: WHO recommendations. 2021 , 15, 22	4
521	Emergency Medical Services response levels and subsequent emergency contacts among patients with a history of mental illness in Denmark: a nationwide study. 2021 , 28, 363-372	1
520	Maternal psychiatric diagnosis and comorbidities around pregnancy.	O
519	Roles of inflammation in intrinsic pathophysiology and antipsychotic drug-induced metabolic disturbances of schizophrenia. 2021 , 402, 113101	4
518	Exploring depressive symptoms and its associates among Bangladeshi older adults amid COVID-19 pandemic: findings from a cross-sectional study. 2021 , 56, 1487-1497	4

517	Minding metabolism: targeted interventions to improve cardio-metabolic monitoring across early and chronic psychosis. 2021 , 1	1
516	Physical Comorbidity According to Diagnoses and Sex among Psychiatric Inpatients in South Korea. 2021 , 18,	Ο
515	Reducing the stigma of mental health disorders with a focus on low- and middle-income countries. 2021 , 58, 102601	16
514	Undiagnosed disease in decedents with and without schizophrenia: an autopsy-based case-control study. 2021 , 75, 568-573	1
513	EEG based Major Depressive disorder and Bipolar disorder detection using Neural Networks:A review. 2021 , 202, 106007	13
512	Using additive and relative hazards to quantify colorectal survival inequalities for patients with a severe psychiatric illness. 2021 , 56, 70-74	O
511	Acceptance and commitment-based therapy for patients with psychiatric and physical health conditions in routine general hospital care - Development, implementation and outcomes. 2021 , 143, 110374	3
510	Attachment Style Mediates the Relationship between Trauma and Somatic Distress among Individuals with Serious Mental Illness. 2021 , 84, 150-164	
509	Applicability of somatic monitoring instructions in clinical practice guidelines on antipsychotic drug use. 2021 , 21, 189	1
508	Predicting Physical Activity Behavior Change Among Individuals Living With Severe Mental Illness. 2021 , 52, 73-93	
507	Promoting physical health among people with enduring mental illness: a qualitative study of healthcare providers' perspectives. 2021 , 11, e044855	О
506	Mental well-being of the general population: direct and indirect effects of socioeconomic, relational and health factors. 2021 , 30, 2171-2185	3
505	Monitoring of metabolic side-effects in children and adolescents prescribed antipsychotic medication: A systematic review. 2021 , 55, 763-771	Ο
504	Sensory-based approaches in psychiatric care: A systematic mixed-methods review. 2021 , 77, 3991-4004	1
503	Patients with schizophrenia are under-vaccinated for COVID-19: a report from Israel. <i>World Psychiatry</i> , 2021 , 20, 300-301	11
502	Clustering of physical health multimorbidity in 68,392 people with severe mental illness and matched comparators: a lifetime prevalence analysis of United Kingdom primary care data.	
501	Physical Health Problems Among People With Severe Mental Illnesses: Race, Gender, and Implications for Practice. 2021 , 27, 283-291	1
500	Improving Interprofessional Attitudes Towards Mental and Physical Comorbidities: The Effectiveness of High Fidelity Simulation Training Versus Roleplay. 2021 , 54, 22-29	O

499	Diagnostic Overshadowing in Psychiatric-Somatic Comorbidity: A Case for Structural Testimonial Injustice. 1	Ο
498	Association Between Bipolar Disorder or Schizophrenia and Oral Anticoagulation Use in Danish Adults With Incident or Prevalent Atrial Fibrillation. 2021 , 4, e2110096	3
497	Patient and Mental Health Care Professionals' Perspectives on Health Promotion in Psychiatric Clinical Practice: A Focus Group Study. 2021 , 42, 870-879	0
496	Effectiveness and cost effectiveness of interpersonal community psychiatric treatment (ICPT) for people with long-term severe non-psychotic mental disorders: a multi-Centre randomized controlled trial. 2021 , 21, 261	Ο
495	Renewed call for lifestyle interventions to address obesity among individuals with serious mental illness in the COVID-19 era and beyond. 2021 , 11, 1359-1364	1
494	[DNVF-Discussion paper - Specificities, Challenges and Aims of Mental Health Service Research in Germany]. 2021 , 83, 541-552	1
493	Cardiovascular Diseases and Schizophrenia in India: Evidence, Gaps, and Way Forward. 2021 , 12, 639295	1
492	In- and outpatient lifestyle interventions on diet and exercise and their effect on physical and psychological health: a systematic review and meta-analysis of randomised controlled trials in patients with schizophrenia spectrum disorders and first episode of psychosis. 2021 , 125, 535-568	10
491	Being Born in Winter-Spring and at Around the Time of an Influenza Pandemic Are Risk Factors for the Development of Schizophrenia: The Apna Study in Navarre, Spain. 2021 , 10,	Ο
490	Quality assessment of a consultation-liaison psychiatry service. 2021 , 21, 281	
489	Integrated Behavioral Health: Definitions and Contexts. 2021 , 68, 511-518	
488	Applying the Stages of Change Model in a Nutrition Education Programme for the Promotion of Fruit and Vegetable Consumption among People with Severe Mental Disorders (DIETMENT). 2021 , 13,	2
487	Group Lifestyle Intervention With Mobile Health for Young Adults With Serious Mental Illness: A Randomized Controlled Trial. 2021 , appips202100047	3
486	COVID-19 Vaccination: crucial roles and opportunities for the mental health professionals. 2021 , 8, e25	1
485	Effect of Nurse-Led Counseling on Maintenance of Healthy Lifestyle Among Outpatients Receiving Antipsychotics: Clinical Case Reports. 025371762110212	
485		1
	Antipsychotics: Clinical Case Reports. 025371762110212 The Interactive Effects of Coworker and Supervisor Support on Prenatal Stress and Postpartum	1 35

481	Longitudinal relations between needs satisfaction and physical activity among psychiatric patients with dual diagnoses. 1-14	1
480	"Anti-COVID-19" Medications, Supplements, and Mental Health Status in Indonesian Mothers with School-Age Children. 2021 , 13, 699-709	1
479	Accessing and engaging with primary health care services following discharge from forensic secure services: the perspectives of service users and mental health practitioners. 2021 , 23, 117-131	
478	Mortality among involuntary inpatients of psychiatric hospital. 2021 , 11,	O
477	Social Processes Associated With Health and Health Behaviors Linked to Early Mortality in People With a Diagnosis of a Serious Mental Illness. 2021 , 1745691621990613	1
476	Lithium-Induced Sinoatrial Node Dysfunction. 2021 , 13, e16778	
475	The Physical Health and Activity of Patients under Forensic Psychiatric Care: A Scoping Review. 1-16	O
474	Alterations of cellular aging markers in obsessive- compulsive disorder: mitochondrial DNA copy number and telomere length. 2021 , 46, E451-E458	Ο
473	Extensive bidirectional genetic overlap between bipolar disorder and cardiovascular disease phenotypes. 2021 , 11, 407	3
472	Genetic Variation in the ASTN2 Locus in Cardiovascular, Metabolic and Psychiatric Traits: Evidence for Pleiotropy Rather Than Shared Biology. 2021 , 12,	Ο
471	Caught between good intentions and rigid structures: A qualitative description of professionals' experiences with health promotion in mental health services. 2021 ,	
470	Mind-Body Connection: Cardiovascular Sequelae of Psychiatric Illness. 2021 , 100959	O
469	Association of Mental Health Disorders and Aortic Dissection. 2021,	1
468	Usability Testing of a Mobile Health Application for Self-Management of Serious Mental Illness in a Norwegian Community Mental Health Setting. 2021 , 18,	2
467	Dietary intake, physical activity and sedentary behaviour patterns in a sample with established psychosis and associations with mental health symptomatology. 2021 , 1-11	1
466	COVID-19 Vaccination for Persons With Severe Mental Illnesses: An Indian Perspective. 2021 , 43, 436-441	2
465	Real-World Functioning in Patients With Schizophrenia: Beyond Negative and Cognitive Symptoms. 2021 , 12, 700747	1
464	The role of the FTO gene in the relationship between depression and obesity. A systematic review. 2021 , 127, 630-637	2

463	Activation in persons with mental health disorders: An integrative review. 2021 , 28, 873-899	
462	[Symptom Monitoring and Detection of Early Warning Signs in Bipolar Episodes Via App - Views of Patients and Relatives on e-Health Need]. 2021 , 80,	
461	[Vaccination Against COVID-19 in Patients Treated with Psychotropic Drugs]. 2021, 48, 399-403	
460	Engaging in resuscitation status conversations in psychiatry: A qualitative study of nurses' perspectives. 2021 , 28, 995-1004	O
459	COVID-19 risk: Adult Medicaid beneficiaries with autism, intellectual disability, and mental health conditions. 2021 , 13623613211039662	4
458	The prevalence of physical multimorbidity among people with non-affective psychotic disorders 10 years after first diagnosis: a matched retrospective cohort study. 2021 , 1	1
457	Appraisal of patient-level health economic models of severe mental illness: systematic review 2021 , 1-12	O
456	Determinants of Physical Health Self-Management Behaviours in Adults With Serious Mental Illness: A Systematic Review. 2021 , 12, 723962	1
455	An Evidence-Based Review of OLZ/SAM for Treatment of Adults with Schizophrenia or Bipolar I Disorder. 2021 , 17, 2885-2904	O
454	Life expectancy, mortality risks and cause of death in patients with serious mental illness in South East London: a comparison between 2008âØ012 and 2013âØ017. 1-10	1
453	Outcomes associated with different vaccines in individuals with bipolar disorder and impact on the current COVID-19 pandemic- a systematic review. 2021 , 54, 90-90	1
452	Quality of diabetes care among patients with schizophrenia. A mixed-methods study 2021 , 4, 100070	O
451	Adiposity in schizophrenia: A systematic review and meta-analysis. 2021 , 144, 524-536	5
450	Pharmacist-led interventions for people living with severe and persistent mental illness: A systematic review. 2021 , 48674211048410	4
449	Cross-sectional analysis of coding, patient characteristics, consultation frequency and pharmacological treatment of adults with severe mental disorders in Irish general practice. 2021 , 1	
448	Depressive symptoms and health-related quality of life in a heterogeneous psychiatric sample: conditional indirect effects of pain severity and interference. 2021 , 21, 470	1
447	Evaluation of cardiovascular risk in adult psychiatric outpatients in Qatar using two risk assessment tools. 2021 , 2021, 27	
446	Lamotrigine in the maintenance treatment of bipolar disorder. 2021 , 9, CD013575	1

Psychosoziale Therapien bei schwer psychisch kranken Menschen. **2021**, 32, 46-53

444	Characterising the shared genetic determinants of bipolar disorder, schizophrenia and risk-taking. 2021 , 11, 466	4
443	Doxycycline exposure during adolescence and future risk of non-affective psychosis and bipolar disorder: a total population cohort study. 2021 , 11, 468	О
442	Cost Offsets of Treatment for Serious Mental Illness and Substance Use Disorder. 2021 , 72, 1006-1011	
441	Healthcare resource use and costs for people with type 2 diabetes mellitus with and without severe mental illness in England: longitudinal matched-cohort study using the Clinical Practice Research Datalink 2021 , 1-8	1
440	Assessing the physical healthcare gap among patients with severe mental illness: large real-world investigation from Italy. 2021 , 7,	78
439	Clinical Heart Failure Among Patients With and Without Severe Mental Illness and the Association With Long-Term Outcomes. 2021 , 14, e008364	1
438	Inflammatory Response in SARS-CoV-2 Infection of Patients with Schizophrenia and Long-Term Antipsychotic Treatment. 2021 , 17, 3053-3060	4
437	Achalasia and Disordered Eating Behaviours. 2022 , 199-206	
436	Medical Comorbidities in 181 Patients With Bipolar Disorder . Schizophrenia and Related Psychotic Disorders: Findings From a Single-Center, Retrospective Study From an Acute Inpatients Psychiatric Unit. 2021 , 12, 702789	2
435	Service Use by Medicaid Recipients With Serious Mental Illness During an RCT of the Bridge Peer Health Navigator Intervention. 2021 , 72, 1145-1150	0
434	The association of medical resource utilization with physical morbidity and premature mortality among patients with schizophrenia: An historical prospective population cohort study. 2021 , 237, 62-68	О
433	Association between high BMI and high homocysteine levels in Chinese patients with bipolar disorder. 2021 , 295, 284-290	1
432	The clinical characterization of the patient with primary psychosis aimed at personalization of management. <i>World Psychiatry</i> , 2021 , 20, 4-33	43
431	Pain in the bipolar disorder: prevalence, characteristics and relationship with suicide risk. 2021 , 29, e3463	
430	Effect of Enhanced Primary Care for People with Serious Mental Illness on Service Use and Screening. 2021 , 36, 970-977	3
429	Personality and risk of hospital diagnosed mental disorder: a 35 years' prospective study. 2021 , 56, 2073-208	 1 o
428	Antipsychotic medication adherence and preventive diabetes screening in Medicaid enrollees with serious mental illness: an analysis of real-world administrative data. 2021 , 21, 69	1

427 A Multilevel Approach to Understanding Job Demands and Resources in Healthcare. **2021**, 63-82

426	Chronic obstructive pulmonary disease in severe mental illness: A timely diagnosis to advance the process of quitting smoking. 2021 , 64, e22	4
425	Meeting the challenge of physical comorbidity and unhealthy lifestyles. 114-130	1
424	Versorgungsstrukturen in der Psychiatrie. 2016 , 1-35	o
423	Somatic Problems and Dual Disorder Patients. 2015 , 349-361	5
422	Versorgungsstrukturen in der Psychiatrie. 2017 , 1285-1319	o
421	Psychosis and Physical Comorbidity. 2019 , 1-28	2
420	The Physical Health Care Fidelity Scale: Psychometric Properties. 2020 , 47, 901-910	4
419	[Management of eating disorders in schizophrenia]. 2016 , 39-43	1
418	A mixed methods study of peer-to-peer support in a group-based lifestyle intervention for adults with serious mental illness. 2016 , 39, 328-334	15
417	Text message exchanges between older adults with serious mental illness and older certified peer specialists in a smartphone-supported self-management intervention. 2019 , 42, 57-63	15
416	Effect of charted mental illness on reperfusion therapy in hospitalized patients with an acute myocardial infarction in Florida. 2017 , 96, e7788	3
415	The Effect of Integrating Primary Care and Mental Health Services on Diabetes and Depression: A Multi-site Impact Evaluation on the US-Mexico Border. 2021 , 59, 67-76	4
414	The importance of not jumping to conclusions: syphilis as an organic cause of neurological, psychiatric and endocrine presentations. 2015 , 2015,	2
413	Prevalence and correlates of diabetes mellitus and dyslipidaemia in a long-stay inpatient schizophrenia population in Singapore. 2018 , 59, 465-471	9
412	Specialist psychiatric health care utilization among older people with intellectual disability - predictors and comparisons with the general population: a national register study. 2020 , 20, 70	8
411	Sexual risk behaviours and sexual abuse in persons with severe mental illness in Uganda: a qualitative study. 2012 , 7, e29748	13
410	Sickness absence due to specific mental diagnoses and all-cause and cause-specific mortality: a cohort study of 4.9 million inhabitants of Sweden. 2012 , 7, e45788	42

(2020-2013)

409	Excess mortality, causes of death and life expectancy in 270,770 patients with recent onset of mental disorders in Denmark, Finland and Sweden. 2013 , 8, e55176	360
408	Health risks and changes in self-efficacy following community health screening of adults with serious mental illnesses. 2015 , 10, e0123552	14
407	Relative Risk of Acute Myocardial Infarction in People with Schizophrenia and Bipolar Disorder: A Population-Based Cohort Study. 2015 , 10, e0134763	20
406	Excess Mortality in Patients with Severe Mental Disorders in 1996-2010 in Finland. 2016 , 11, e0152223	31
405	Working with Bipolar Disorder During the COVID-19 Pandemic: Both Crisis and Opportunity. 2020 , 7, 4	3
404	Educational Needs of Mental Health ProfessionalsâlPhysical Health Care Competencies for Clients with Severe Mental Illnesses. 2019 , 39, 456-485	2
403	Lifestyle behaviors among 4,343 Brazilian adults with severe mental illness and 55,859 general population controls: data from the Brazilian National Health Survey. 2020 , 42, 245-249	3
402	[The problem of multiple somatic and/or psychiatric pathology basic concepts and prevalence]. 2018 , 118, 5-13	3
401	Predicting the Mental Health Literacy of Clergy: An Informational Resource for Counselors. 2017 , 39, 225-241	9
400	The relationship between child maltreatment and exposure to traumatic events during later adolescence and young adulthood. 2016 , 4, 115-122	4
399	Application of Community-Engaged Research to Inform the Development and Implementation of a Peer-Delivered Mobile Health Intervention for Adults With Serious Mental Illness. 2019 , 11, e12380	29
398	A Smartphone-Based Technique to Detect Dynamic User Preferences for Tailoring Behavioral Interventions: Observational Utility Study of Ecological Daily Needs Assessment. 2020 , 8, e18609	4
397	The Impact of General Medical Conditions in Obsessive-Compulsive Disorder. 2018 , 15, 246-253	21
396	Randomized controlled trials in schizophrenia: opportunities, limitations, and trial design alternatives. 2011 , 13, 155-72	30
395	Inflammation: opportunities for treatment stratification among individuals diagnosed with mood disorders. 2017 , 19, 27-36	7
394	The intriguing relationship between coronary heart disease and mental disorders. 2018 , 20, 31-40	136
393	Mortality and Medical Comorbidity in the Severely Mentally Ill. 2019 , 116, 405-411	25
392	Schizophrenia. 2020 , 117, 412-419	11

391	Improving community health networks for people with severe mental illness: a case study investigation. 2015 , 3, 1-234	13
390	Managing with Learning Disability and Diabetes: OK-Diabetes - a case-finding study and feasibility randomised controlled trial. 2018 , 22, 1-328	8
389	Cognitive-behavioural therapy for clozapine-resistant schizophrenia: the FOCUS RCT. 2019, 23, 1-144	6
388	Primary care management of cardiovascular risk for people with severe mental illnesses: the Primrose research programme including cluster RCT. 2019 , 7, 1-98	2
387	Stigmatizing Attitudes Towards Mental Disorders Among Non-Mental Health Professionals in Six General Hospitals in Hunan Province. 2019 , 10, 946	9
386	Assessing sustainability of InSHAPE participants' fitness activities in a community mental health setting. 2015 , 53, 46-53	7
385	Lifestyle and Behavioral Interventions to Reduce the Risk of Metabolic Syndrome in Community-Dwelling Adults With Serious Mental Illness: Implications for Nursing Practice. 2016 , 54, 46-55	1
384	National trends in second-generation antipsychotic augmentation for nonpsychotic depression. 2014 , 75, 490-7	30
383	Antipsychotic Medication Treatment Patterns in Adult Depression. 2018, 79,	11
382	Obesity: its epidemiology, comorbidities, and management. 2013 , 15,	44
381	Metabolic syndrome, serious mental illnesses & lifestyle. 2016 , 143, 395-7	8
380	Metabolic syndrome in patients with severe mental illness in Gorgan. 2016 , 7, 62-7	5
379	A comparative study of physical activity level among inpatients with schizophrenia and bipolar disorder. 2018 , 5, 93	2
378	Physical comorbidity in schizophrenia & its correlates. 2017 , 146, 281-284	7
377	Barriers, attitudes, confidence, and knowledge of nurses regarding metabolic health screening and intervention in people with mental illness: a pilot study from Uganda. 2019 , 19, 2546-2554	2
376	A Qualitative Study on Primary Care Integration into an Asian Immigrant-specific Behavioural Health Setting in the United States. 2018 , 18, 2	1
375	Integrating Primary Care Into Community Mental Health Centres in Texas, USA: Results of a Case Study Investigation. 2019 , 19, 1	3
374	Outcomes of administrative involuntary hospitalization: A national retrospective cohort study in Japan. 2019 , 9, 99-106	1

373	Person-centered Health Promotion in Chronic Disease. 2013 , 3, 5-12	8
372	Is serious mental illness associated with earlier death among persons with HIV? Ten year follow up in Maryland Medicaid Recipients. 2012 , 4, 213-218	3
371	Well-being, physical and mental health: part 1. 2018 , 22, 34-41	1
370	Impact of pharmacists on outcomes for patients with psychiatric or neurologic disorders. 2020 , 10, 358-380	9
369	Effects of Antipsychotics on Bone Mineral Density in Patients with Schizophrenia: Gender Differences. 2016 , 14, 238-49	31
368	Assessment of the Latent Adverse Events of Antipsychotic Treatment Using a Subjective Questionnaire in Japanese Patients with Schizophrenia. 2017 , 15, 132-137	10
367	Comorbidity of mental and musculoskeletal disorders in ageing women: A data linkage study using national registries. 2022 , 155, 63-69	O
366	Identifying Mental Disorders in Primary Care: Diagnostic Accuracy of the Connected Mind Fast Check (CMFC) Electronic Screen. 2021 , 28, 882-896	2
365	Primte Psychose und Typ-2-Diabetes. 2021 , 17, 739-743	1
364	Observational cohort study of the triggers, diagnoses and outcomes of the medical emergency team (MET) response in adult psychiatry inpatients colocated with acute medical services in Australia. 2021 , 11, e046110	
363	Impact of the COVID-19 Pandemic on Mental Health Law in the State of Qatar. 2021, 79, 101748	O
362	Association of Bipolar Disorder with Major Adverse Cardiovascular Events: A Population-Based Historical Cohort Study. 2021 ,	2
361	Challenges in Treating Cancer Patients With Unstable Psychiatric Disorder. 2021, 12, 137-148	
360	Medical conditions and Attention-Deficit/Hyperactivity Disorder symptoms from early childhood to adolescence. 2021 ,	2
359	Metabolic disturbances associated with antipsychotic drug treatment in patients with schizophrenia: State-of-the-art and future perspectives. 2021 , 11, 696-710	2
358	Volume Reduction of the Dorsal Lateral Prefrontal Cortex Prior to the Onset of Frank Psychosis in Individuals with an At-Risk Mental State. 2021 ,	
357	Does Telephone Based Intervention Combined with Face to Face Contact Improve Socio-Occupational Functioning of Persons with Schizophrenia? A Retrospective Chart Review. 1	O
356	Examining service participation and outcomes from a population-level telephone-coaching service supporting changes to healthy eating, physical activity and weight: A comparison of participants with and without a mental health condition 2021 , 24, 101609	

355	Medical Comorbidities. 2012, 79-84	
354	Schizophrħie et douleur : une perspective psychiatrique. 2013 , 129-139	
353	Could Schizophrenia Be a Refractory Condition to Central Pain Sensitization?. 2014, 157-171	
352	Metabolic Syndrome Among People with PTSD: Epidemiological Overview. 2015 , 1-14	
351	AUTHOR'S REPLY. 2015 , 68, 451	
350	Physical monitoring and advice: absence of evidence is not evidence of absence: commentary onâl cochrane corner. 2015 , 21, 75-77	
349	Physical healthcare. 48-52	
348	Metabolic Syndrome Among People with PTSD: Epidemiological Overview. 2016 , 1297-1313	
347	Psychopharmacological Treatment. 2016 , 155-177	
346	Psychiatric and General Medical Comorbidity. 2016 , 459-472	
345	A Day in the Life of a Behavioral Health Consultant. 2016 , 209-233	
344	Somatische Komorbidit E. 2016, 25-41	
343	Distance Delivery of Mindfulness-Based Cognitive Therapy. 2016 , 7-18	
342	Bipolar Disorder. 2016 , 363-372	
341	Rischio di mortalit [^] con i farmaci antipsicotici nella popolazione psichiatrica anziana? Una revisione sistematica della letteratura. 2016 , 127-150	
340	Antimicrobial Resistance (AMR): Why Psychiatric/Mental Health Nurses Need to Have AMR in Their Alphabet. 2016 , 54, 13-4	
339	Somatische Morbidit psychisch Kranker. 2017 , 571-581	
338	The Psychiatric Consultation-Liaison Service: Function and Follies. 2017 , 47, 171-176	

(2020-2017)

337	Astenia y adinamia en un paciente con trastorno esquizoafectivo: no todo estlen la mente. 2017 , 58,	
336	Troubles mentaux sṽEes et qualit des soins en oncologie. 2018 , 12, 93-98	
335	Co-morbidity in the Severely Mentally Ill: Cardiometabolic Risk Factors, Prevention and Intervention. 2019 , 79-102	
334	Kardiovaskulfe autonome Dysfunktion bei psychischen Erkrankungen. 2018 , 29, 24-28	
333	Comment amliorer les soins somatiques ?. 2019 , 175-183	
332	Development of a Medical Release Transition Framework. 2019 , 135-155	1
331	Antipsychotics and Cardiac Side Effects. 2019 , 1-10	
330	Definition, Diagnostic Criteria, Screening, Diagnosis, and Classification of Diabetes and Categories of Glucose Intolerance. 2019 , 71-85	Ο
329	Metabolic syndrome and its impact on functioning in participants with schizophrenia: A hospital-based cross-sectional study. 2019 , 35, 179	1
328	Potential Toxic Effects of Olanzapine on Metabolic Parameters in <i>de Novo</i> Paranoid Schizophrenic Patients. The Role of Adjunctive Aripeprazole: Clinical and Experimental Study. 2019 , 07, 91-113	
327	An Interconnected Smart Technology System for Individuals with Mental Illness Living in the Community and Transitional Hospital Apartments. 2019 , 131-142	1
326	Pharmakotherapie und andere somatische Behandlungsverfahren (Modul 4a). 2019 , 51-137	
325	Klassifikation, Diagnostik und Differenzialdiagnostik (Modul 2). 2019 , 13-36	
324	âlWhat Worksâlîn Supervising Probationers with Mental Illness. 2019 , 744-757	
323	Supporting patients with serious mental illness during physical health treatment. 2019,	2
322	Aktiviteter i et recovery-perspektiv. En litteraturgjennomgang. 2019 , 16, 70-79	1
321	Insulin Resistance in Chronic Disease. 2020 , 37-51	
320	Psychiatric Diseases in Relation to Physical Illness. 2020 , 1-8	

319	The Relative Risk of Developing Type 2 Diabetes Mellitus in Young Adults with Schizophrenia Treated with Different Atypical Antipsychotic. 2019 , 26, 445-453	
318	Antipsychotics and Cardiac Side Effects. 2020 , 721-729	
317	Psychische stoornissen. 2020 , 147-170	
316	A qualitative study exploring the barriers and facilitators of implementing a cardiovascular disease risk reducing intervention for people with severe mental illness into primary care contexts across England: the âPRIMROSEâltrial	0
315	The relationship between social participation and self-rated health in persons with psychiatric disabilities: Is the health behavior mediation model useful. 2020 , 37, 69-83	
314	The overlap of genetic susceptibility to schizophrenia and cardiometabolic disease can be used to identify metabolically different groups of individuals.	
313	A qualitative study exploring the barriers and facilitators of implementing a cardiovascular disease risk reducing intervention for people with severe mental illness into primary care contexts across England: the âPRIMROSEâltrial	
312	Kronik Ruhsal Hastal Dlan Bireylerde Diyabet Yfietimi ve Psikiyatri Hemli esinin Rol. 195-199	
311	Development of a Web-Based Acceptance and Commitment Therapy Intervention to Support Lifestyle Behavior Change and Well-Being in Health Care Staff: Participatory Design Study (Preprint).	
310	The Cardiac Conduction and Contractility Complications of Methamphetamine Use and the Relationship to Psychiatric Comorbidity: A Systematic Review. 2020 , 16, 5-19	
309	Management of Metabolic Syndrome in Schizophrenia. 2020 , 50, 340-345	1
308	Influence of Symptom Awareness and Nursing Competency on the Burden of Nursing Care for Patients with Mental Illness by General Ward Nurses. 2020 , 29, 264-272	1
307	Coordination of services for people with serious mental illness and general medical conditions: Perspectives from rural northeastern United States. 2020 , 43, 234-243	1
306	Determining rates of death in custody in England and Wales. 1-13	1
305	Keyworker mediated enhancement of physical health in patients with first episode psychosis: A feasibility/acceptability study. 2021 ,	0
304	Bipolar disorder and medical comorbidities: A Portuguese population-based observational retrospective study (2008-2015). 2022 , 298, 232-238	1
303	Experiences and views of carers regarding the physical health care of people with severe mental illness: An integrative thematic review of qualitative research. 2021 ,	0
302	Antipsychotic-Associated Weight Gain and Clinical Improvement Under Clozapine Treatment 2022 , 42, 75-80	Ο

301	The Development of a Nutrition Screening Tool for Mental Health Settings Prone to Obesity and Cardiometabolic Complications: Study Protocol for the NutriMental Screener. 2021 , 18,	O
300	A Communityâ B ased System Dynamics Approach for Understanding Factors Affecting Mental Health and Health Seeking Behaviors in Beirut and Beqaa Regions of Lebanon.	
299	Cardiovascular Manifestations in Schizophrenia. 2020 , 1-19	
298	Methodology for Development of a Community Level Intervention Module for Physical Illness in Persons with Mental Illness (CLIPMI). 2020 , 42, S94-S98	1
297	The somatic care situation of people with mental illness. 2021 , 4, e226	O
296	Cost-effectiveness and budget impact of a lifestyle intervention to improve cardiometabolic health in patients with severe mental illness. 2020 , 7, 131-138	
295	Psychiatric aspects of chronic physical disease. 2020 , 48, 784-787	O
294	Psychiatric Medication Changes Associated With Increased Rate of Medical Readmissions in Patients With Serious Mental Illness. 2021 , 209, 166-173	O
293	Psychological Treatment Considerations in Medical Comorbidity. 2021,	
292	Recovery in Severe Mental Disorder and Comorbidity. 2020 , 229-241	
291	Improving the Physical Health of Rural People Living with Mental Illness. 2020, 1-33	
290	Epidemiologische Beitrge zur Klinischen Psychologie. 2020 , 57-112	O
289	Psychosis and Physical Comorbidity. 2020 , 231-258	
288	Cardiovascular Manifestations in Schizophrenia. 2020 , 335-353	
287	Service learning experiences of doctor of physical therapy students with a severe mental illness population. 2020 , 9, 316	О
286	Gender and Outcome in Schizophrenia. 2020 , 15-25	
285	Understanding the experience of initiating community-based group physical activity by people with serious mental illness: A systematic review using a meta-ethnographic approach. 2020 , 63, e95	4
284	A Smartphone-Based Technique to Detect Dynamic User Preferences for Tailoring Behavioral Interventions: Observational Utility Study of Ecological Daily Needs Assessment (Preprint).	

283	A Communityâ B ased System Dynamics Approach for Understanding Factors Affecting Mental Health and Health Seeking Behaviors in Beirut and Beqaa Regions of Lebanon.		
282	Study protocol for a pilot high-intensity interval training intervention in inpatient mental health settings: a two-part study using a randomised controlled trial and naturalistic study design. 2021 , 7, 198	3	O
281	Design strategies, chemistry and therapeutic insights of multi-target directed ligands as antidepressant agents. 2021 ,		1
280	IMPACT smoking cessation support for people with severe mental illness in South Asia (IMPACT 4S): a protocol for a randomised controlled feasibility trial of a combined behavioural and pharmacological support intervention.		O
279	Psychosoziale Behandlung: Hintergrund und spezifische Ansfize. 2021 , 15, 531-546		1
278	Enhancing physical health monitoring in people with severe mental illness: the development of a health passport. 2020 , 23, 17-20		O
277	Experiences With the Mental Health Service System of Family Caregivers of Individuals With an Intellectual/Developmental Disability Referred to START. 2020 , 58, 379-392		2
276	Mortality characteristics in Sudan in national psychiatric hospitals: 5-year review of hospital mortality. 2020 , 27,		
275	Development of a Web-Based Acceptance and Commitment Therapy Intervention to Support Lifestyle Behavior Change and Well-Being in Health Care Staff: Participatory Design Study. 2020 , 4, e22	507	1
274	Physical and psychiatric comorbidity among patients with severe mental illness as seen in Uganda.		
273	The American Psychiatric Association Practice Guideline for the Treatment of Patients With Schizophrenia. 2020 , 18, 493-497		5
272	Performance in Practice: Practice Assessment Tool for the Care of Patients With Schizophrenia. 2020 , 18, 402-423		1
271	Prevalence and correlates of diagnosed and undiagnosed epilepsy and migraine headache among people with severe psychiatric disorders in Ethiopia. 2020 , 15, e0241581		
270	Effects of Income Level on the Association Between Hypertension and Depression: 2010-2017 Korea National Health and Nutrition Examination Survey. 2020 , 53, 439-446		O
269	WPA papers and documents 2009-2010. World Psychiatry, 2011, 10, 79-80	14.4	
268	The 15th World Congress of Psychiatry and recent WPA activities. World Psychiatry, 2011, 10, 159-60	14.4	
267	Papers and documents available on the WPA website. World Psychiatry, 2012, 11, 63	14.4	
266	Factors Predicting Length of Stay in an Adolescent Psychiatric Unit, South Bronx, NY: A Short Report. 2018 , 27, 142-147		5

265	The Health and Well-being of Children and Adolescents Accessing In-Patient Psychiatry: A Brief Report. 2018 , 27, 191-196	3
264	Health Care Utilization of Veterans With Serious Mental Illness. 2017 , 34, S14S-S19S	1
263	Using Information on Patient Adherence to Antipsychotic Medication to Understand Their Adherence to Other Medications. 2019 , 44, 350-357	3
262	Metabolic syndrome and 10-year risk of cardiovascular events among schizophrenia inpatients treated with antipsychotics. 2019 , 33, 97	
261	Depression, Risk Preferences and Risk-Taking Behavior.	2
260	Encyclopedia of Gerontology and Population Aging. 2021 , 4010-4017	
259	Association between early-onset affective disorders and hypothyroidism in a larger number of psychiatric drug-free patients. 2021 , 299, 31-36	
258	Improving Pain Care Using Psychosocial Screening and Patient Education among Veterans. 1-12	
257	Effects of age and gender on the relationship between alcohol use disorder and somatic diseases: a national register study in Norway. 2021 , 11, e050608	
256	Exploring the use of psychotropic medication in cardiac patients with and without anxiety and its association with 1-year mortality 2021 ,	O
255	The evaluation of a physical health promotion intervention for people with severe mental illness receiving community based accommodational support: a mixed-method pilot study 2022 , 22, 6	О
254	Alteration of the 5 GABA receptor and 5HTT lead to cognitive deficits associated with major depressive-like behaviors in a 14-day combined stress rat model 2021 , 1-24	
253	Altered physical pain processing in different psychiatric conditions 2021,	1
252	Volume deficits in hippocampal subfields in unaffected relatives of schizophrenia patients with high genetic loading but without any psychiatric symptoms 2022 , 240, 125-131	Ο
251	Purva Rupeeyam of bhela indriya sthana-an explorative study. 2020 , 13, 228-236	1
250	Association of cardiovascular metabolic risk factor measurements with psychiatric readmission among in-hospital patients with severe mental illness: a retrospective study 2022 , 22, 43	Ο
249	Barriers to Somatic Health Care for Persons With Severe Mental Illness in Belgium: A Qualitative Study of Patients' and Healthcare Professionals' Perspectives 2021 , 12, 798530	1
248	Understanding the Effects of Antipsychotics on Appetite Control 2021 , 8, 815456	1

247	An Online-Based Transition Care Program for Adolescents with Spina Bifida Using Intervention Mapping: A Protocol for Program Development 2022 , 19,	О
246	COVID-19-Related Mortality Risk in People With Severe Mental Illness: A Systematic and Critical Review 2021 , 12, 798554	4
245	Implementation of a lifestyle intervention for people with a severe mental illness (SMILE): a process evaluation 2022 , 22, 27	1
244	Shared brain and genetic architectures between mental health and physical activity.	O
243	Mapping multimorbidity in individuals with schizophrenia and bipolar disorders: evidence from the South London and Maudsley NHS Foundation Trust Biomedical Research Centre (SLAM BRC) case register 2022 , 12, e054414	1
242	Sex Differences in Fish Oil and Olanzapine Effects on Gut Microbiota in Diet-Induced Obese Mice 2022 , 14,	O
241	Severe mental disorders and vaccinations - a systematic review 2022, 1-16	0
240	Effectiveness of referral to a population-level telephone coaching service for improving health risk behaviours in people with a mental health condition: study protocol for a randomised controlled trial 2022 , 23, 49	1
239	Common Life Stressors as Risk Markers for Intimate Partner Violence: A Meta-analysis. 1	1
238	Number of episodes and duration of illness associated with hypertension and 10-year cardiovascular risk in patients with bipolar disorder type I 2021 , 308, 114344	1
237	Hip, vertebral, and wrist fracture risks and schizophrenia: a nationwide longitudinal study 2022 , 22, 77	1
236	Investigating adjustment profiles in children exposed to intimate partner violence using a biopsychosocial resilience framework: A Canadian population-based study 2022 , 125, 105453	1
235	Mediational pathways of tobacco use among adult daily smokers with psychiatric symptoms in the Population Assessment of Tobacco and Health (PATH) survey 2022 , 129, 107249	
234	Self-Reported Pain and Emotional Reactivity in Bipolar Disorder: A Prospective FACE-BD Study 2022 , 11,	
233	Patient-centric characterization of multimorbidity trajectories in patients with severe mental illnesses: A temporal bipartite network modeling approach 2022 , 127, 104010	
232	Learning, doing and sticking with it: A qualitative study on achieving clinically significant reduction in cardiovascular disease risk in a healthy lifestyle intervention for people with serious mental illness 2022 ,	O
231	Drug Combinations for Mood Disorders and Physical Comorbidities That Need Attention: A Cross-Sectional National Database Survey 2022 ,	
230	Libraries as a Mental Health Resource. 2022 , 18, 65-70	

229	Movement Disorders and Mortality in Severely Mentally Ill Patients: The Curacao Extrapyramidal Syndromes Study XIV 2022 ,	
228	Influence of first- and second-generation antipsychotics on anthropometric parameters of male psychiatric patients 2022 , 28, 1772	
227	Influence of first- and second-generation antipsychotics on anthropometric parameters of male psychiatric patients. 28,	
226	Weight gain and comorbidities associated with oral second-generation antipsychotics: analysis of real-world data for patients with schizophrenia or bipolar I disorder 2022 , 22, 114	O
225	Exploring the feasibility and acceptability of a physical activity programme for individuals with serious mental illness: A case study. 1-23	
224	Previous exposure to antipsychotic drug treatment is an effective predictor of metabolic disturbances experienced with current antipsychotic drug treatments 2022 , 22, 210	O
223	Primary care for people with severe mental illness and comorbid obstructive airways disease: a qualitative study of patient perspectives with integrated stakeholder feedback 2022 , 12, e057143	О
222	Health Care Expenditures Among Individuals With Chronic Psychotic Disorders in Ontario: An Analysis Over Time. 2022 , 2,	
221	Body mass index in the middle-aged offspring of parents with severe mental illness 2022, 1-7	
220	Risk of severe COVID-19 infection in individuals with severe mental disorders, substance use disorders, and common mental disorders 2022 , 75, 75-82	1
219	Social stigma among health-care providers toward patients with schizophrenia and obsessive-compulsive disorders at tertiary hospital in Makkah, Saudi Arabia. 2022 , ahead-of-print,	
218	Evaluating family knowledge about sexual health in patients with severe mental illness: a qualitative study in Iran 2022 , 22, 174	
217	Pain management in people with severe mental illness: an agenda for progress 2022,	О
216	Role of medical comorbidity in the association between psychiatric disorders and mortality among patients with COVID-19 2022 , 1	O
215	Temporal Trends in the Incidence and Disability Adjusted Life Years of Schizophrenia in China Over 30 Years 2022 , 13, 831188	О
214	Variations in COVID-19 vaccination uptake among people in receipt of psychotropic drugs: cross-sectional analysis of a national population-based prospective cohort 2022 , 1-8	
213	Association between mental illness and blood pressure variability: a systematic review 2022, 21, 19	2
212	Mind the gap: a review of optimisation in mental healthcare service delivery. 1-34	O

211	Mental health consumers' perspectives of physical health interventions: An integrative review 2022 ,	0
210	Innovations in Care Delivery for Patients With Serious Mental Illness Among Accountable Care Organizations 2022 , appips202000484	
209	Achieving diabetes treatment targets in people with registered mental illness is similar or improved compared with those without: Analyses of linked observational datasets 2022 , e14835	0
208	Physical illness comorbidity and its influencing factors among persons with severe mental illness in Rural China 2022 , 71, 103075	1
207	Differential Effects by Mental Health Status of Filling the Medicare Part D Coverage Gap 2022 , 60, 133-139	
206	Use of Psychoeducation for Psychotic Disorder Patients Treated With Modern, Long-Acting, Injected Antipsychotics 2021 , 12, 804612	
205	We Should Improve Personalization of Management in Patients with a Diagnosis of Schizophrenia 2021 , 11,	О
204	Disparities and inequalities in cancer care and outcomes in patients with severe mental illness: Call to action. 2021 , 30, 1997-2001	2
203	Motivation to Improve Mental Wellbeing via Community Physical Activity Initiatives and the Associated Impacts-A Cross-Sectional Survey of UK Participants 2021 , 18,	1
202	Gender Differences in Clinical and Psychosocial Features Among Persons With Schizophrenia: A Mini Review 2021 , 12, 789179	3
201	The Effect of Atypical Anti-psychotic Agents on Obesity and Glucose Metabolism. 2021 , 18, 49-55	
200	COVID-19 Vaccination Rates in a Cohort Study of Patients With Mental Illness in Residential and Community Care 2021 , 12, 805528	4
199	Determinants of timely access to Specialized Mental Health Services and maintenance of a link with primary care: a cross-sectional study. 2021 , 15, 84	
198	Guts Imbalance Imbalances the Brain: A Review of Gut Microbiota Association With Neurological and Psychiatric Disorders 2022 , 9, 813204	9
197	Temporal trends in associations between severe mental illness and risk of cardiovascular disease: A systematic review and meta-analysis 2022 , 19, e1003960	5
196	Mental Health Nurses' Perceptions of Their Role in Physical Screening and Lifestyle Coaching for Patients With a Severe Mental Illness: A Qualitative Study 2022 , 10783903221085596	
195	Clustering of physical health multimorbidity in people with severe mental illness: An accumulated prevalence analysis of United Kingdom primary care data 2022 , 19, e1003976	1
194	Patient-reported outcomes of lifestyle interventions in patients with severe mental illness: a systematic review and meta-analysis 2022 , 22, 261	1

(2020-2022)

Closing the Care Gap for People with Severe and Persistent Mental Illness: Collaborative Care, 193 Telehealth, and Clinical Pharmacy. 2022, 3, Specialized Biopsychosocial Care in Inpatient Somatic Medicine Units-A Pilot Study.. 2022, 10, 844874 192 Table_1.docx. 2018, 191 Data_Sheet_1.doc. 2020, 190 189 Table_1.docx. 2019, 188 DataSheet_1.pdf. 2020, 187 Table_1.xlsx. 2020, Table_10.xlsx. **2020**, 186 Table_11.xlsx. 2020, 185 184 Table_12.xlsx. 2020, Table_2.xlsx. 2020, 183 Table_3.xlsx. 2020, 182 181 Table_4.xlsx. 2020, Table_5.xlsx. 2020, 180 Table_6.xlsx. **2020**, 179 178 Table_7.xlsx. **2020**, Table_8.xlsx. 2020, 177 Table_9.xlsx. 2020, 176

175	Table_1.pdf. 2020 ,		
174	Table_2.pdf. 2020 ,		
173	Table_3.pdf. 2020 ,		
172	Table_4.pdf. 2020 ,		
171	Table_5.docx. 2020 ,		
170	Increased risk of somatic diseases following anorexia nervosa in a controlled nationwide cohort study 2022 ,		
169	Psychische stoornissen. 2022 , 141-164		
168	Genetic analysis of the PCSK9 locus in psychological, psychiatric, metabolic and cardiovascular traits in UK Biobank 2022 ,		1
167	Mortality in people with schizophrenia: a systematic review and meta-analysis of relative risk and aggravating or attenuating factors <i>World Psychiatry</i> , 2022 , 21, 248-271	14.4	8
166	Functional Rehabilitation: An Integrated Treatment Model for Patients With Complex Physical and Psychiatric Conditions 2022 , 28, 193-202		
165	Is it possible to stage schizophrenia? A systematic review 2022 , 12, 197		
164	Physical Healthcare, Health-Related Quality of Life and Global Functioning of Persons with a Severe Mental Illness in Belgian Long-Term Mental Health Assertive Outreach Teams: A Cross-Sectional Self-Reported Survey 2022 , 19,		О
163	Mental Health Conditions and Risk of First-Ever Ischemic Stroke and Death in Patients with Incident Atrial Fibrillation: A Nationwide Cohort Study 2022 , e13801		1
162	Psychological status and physical performance are independently associated with autonomic function 2022 , 21, 29		
161	Community Psychiatry in Rural Greece: The Role of the Mobile Mental Health Units. 2022 , 4, 277-280		
160	Group Intervention for Parents of People with Psychotic and Substance Use Disorders: a Qualitative Evaluation of Appropriateness.		
159	Consumers With Serious Mental Illness Perspectives on Care Integration: Preparation for Integration 2022 , 28, 193-202		О
158	Five-year mortality after hospitalisation for suicide attempt with a violent method. 2022 , 110949		

157	Performance Analysis of Machine Learning and Soft Computing Techniques in Diagnosis of Behavioral Disorders. 2022 , 85-99	0
156	Potential Triggers for Risking the Development of Eating Disorders in Non-Clinical Higher-Education Students in Emerging Adulthood. 2022 , 14, 2293	
155	Association Between Depression or Anxiety and the Risk of Hepatitis B Flares: A Nationwide Population-Based Cohort Study. Volume 15, 2983-2993	0
154	Tobacco Treatment Outcomes for Hospital Patients With and Without Mental Health Diagnoses. 2022 , 13,	O
153	The knowledge, barriers and opportunities to improve nutrition and physical activity amongst young people attending an Australian youth mental health service: a mixed-methods study. 2022 , 22,	
152	Does Schizophrenia Itself Cause Obesity?. 13,	O
151	Lithium toxicity following Roux-en-Y gastric bypass: Mini review and illustrative case. 2022 , 12, 214-218	O
150	Hybrid and Remote Psychosocial Interventions Focused on Weight and Sedentary Behavior Management Among Patients with Severe Mental Illnesses: a Systematic Review.	
149	From psychiatric hospitals to residential facilities: Characteristics of patients who benefited from an institutional partnership.	
148	Examining the preventive health-screening activities of mental health nurses.	1
147	Willingness to be vaccinated against COVID-19 is equal in individuals with affective disorders and healthy controls. 2022 , 11, 100186	1
146	Determinants of Clinical Recovery in Schizophrenia. 2022 , 23-43	
145	COVID-19 vaccination rates in hospitalized mentally ill patients compared to the general population in Germany: Results from the COVID LVac study. 2022 , 65,	
144	Patients Profile Who Receive Care From Giresun Community Mental Health Center.	
143	Oral health and quality of life among people with severe or long-term mental illness: A call for interprofessional collaboration. 1-15	
142	The perspectives of healthcare professionals in mental health settings on stigma and recovery - A qualitative inquiry. 2022 , 22,	1
141	Sex Differences in Comorbidity Combinations in the Swedish Population. 2022 , 12, 949	
140	Clinical and psychopathological correlates of duration of untreated illness (DUI) in affective spectrum disorders. 2022 , 61, 60-70	O

139	Combining digital pill and smartphone data to quantify medication adherence in an observational psychiatric pilot study. 2022 , 315, 114707	O
138	Improving physical health monitoring and interventions in a learning disabilities forensic psychiatric secure service. 2022 , S1-S6	
137	Does medical disparity exist while treating severe mental illness patients with acute appendicitis in emergency departments? A real-world database study. 2022 , 22,	
136	Domains of Vulnerability, Resilience, Health Habits, and Mental and Physical Health for Health Disparities Research. 2022 , 12, 240	
135	Incidence and associations of hospital delirium diagnoses in 85979 people with severe mental illness: a data linkage study.	
134	The Transtheoretical Model based psychoeducation's effect on healthy lifestyle behaviours in schizophrenia: A randomized controlled trial. 2022 , 41, 51-61	1
133	Pattern of long-term weight and metabolic changes after a first-episode of psychosis: results from a 10-years prospective follow-up of the PAFIP cohort. 1-30	1
132	Severe mental illness and quality of care for type 2 diabetes: A retrospective population-based cohort study. 2022 , 190, 110026	О
131	Disparities in Reperfusion Therapy and Time Delays Among Patients With Ischemic Stroke and a History of Mental Illness.	
130	All-cause and cause-specific mortality among people with severe mental illness in Brazil's public health system, 2000â15: a retrospective study. 2022 ,	1
129	Physical and psychiatric comorbidities among patients with severe mental illness as seen in Uganda.	
128	Introducing Extended Consultations for Patients with Severe Mental Illness in General Practice. Results from the SOFIA Feasibility Study.	
127	Epidemiology of trauma in patients with mental disorders. 2022 , 7, e000910	
126	Association of energy adjusts nutrient-rich foods on mental health among obese and overweight women: a cross-sectional study.	
125	The Relationship between Mental Disorders and the COVID-19 Pandemicatourse, Risk Factors, and Potential Consequences. 2022 , 19, 9573	1
124	The use of e-& mHealth technology-based interventions to improve modifiable lifestyle risk factors amongst individuals with severe mental illness (SMI): a scoping review. 1-12	
123	Talking about Health: A Topic Analysis of Narratives from Individuals with Schizophrenia and Other Serious Mental Illnesses. 2022 , 12, 286	
122	Relationship between suicide attempt and medical morbidity in adolescent girls. 2022 , 155, 42-48	

121	Neuroimaging in the Acute Psychiatric Setting: Associations With Neuropsychiatric Risk Factors.	О
120	Improving physical activity and diet in patients with severe mental disorders: Results from the LIFESTYLE multicentric, real-world randomized controlled trial. 2022 , 317, 114818	1
119	Discrepancies between ideal and actual affect in schizophrenia: Implications for understanding negative symptoms. 2022 , 155, 313-319	0
118	Excuse me, are you my body?. 2022 , 10, 36-41	О
117	Challenging Perceptions: What Is Mental Health Anyway?. 2022 , 13-23	0
116	Populations with disabilities and others with access and functional needs. 2022 , 27-53	О
115	The Impact of Climate Change on Mental Health and Emotional Wellbeing: A Narrative Review of Current Evidence, and its Implications. 2022 , 34, 443-498	3
114	Perceptions of Mental Health Nurses Regarding Metabolic Syndrome at a Public Tertiary Psychiatric Hospital in Western Cape, South Africa. 2022 , 24,	O
113	Challenges and Insights from Treating Psychotic Disorders During Covid-19 Pandemic in Brazil.	О
112	Comparing the COVID-19-related PTSD symptoms between psychiatric patients and healthy subjects: an observational retrospective study from Northern Italy. 1-11	О
111	People with serious mental illness are at higher risk for acute care hospitalization in Israel, 2000âӢ019. 2022 , 11,	0
110	The prevalence and associated clinical correlates of hyperuricemia in patients with bipolar disorder. 16,	O
109	Physical Health Impairment and Exercise as Medicine in Severe Mental Disorders: A Narrative Review. 2022 , 8,	1
108	The development and validation of a medicines optimisation tool to protect the physical health of people with severe mental illness (OPTIMISE). 2022 , 22,	O
107	Probing the impact of psychoanalytic therapy for bipolar disorders: A scoping review. 1-12	0
106	Psychometrics of the Physical Health Attitude Scale in Taiwanese mental health nurses: A validation study.	О
105	A qualitative exploration of Ugandan mental health care workersâlperspectives and experiences on sexual and reproductive health of people living with mental illness in Uganda. 2022 , 22,	0
104	Mental health conditions and bleeding events in patients with incident atrial fibrillation: A Finnish nationwide cohort study. 2022 , 78, 117-122	O

103	Impacts of Physical Exercise and Media Use on the Physical and Mental Health of People with Obesity: Based on the CGSS 2017 Survey. 2022 , 10, 1740	1
102	Mortality among Treatment Non-Adherent Persons with Mental Illness âlFindings from the Community Mental Health Centre in India.	O
101	Doen Som Eica nas Pessoas com Doen Mental Grave. 2022, 8, 105-113	O
100	Primary care for individuals with serious mental illness (PriSMI): protocol for a convergent mixed methods study. 2022 , 12, e065084	O
99	Effectiveness of Project ECHO Programs in Improving Clinician Knowledge and Confidence in Managing Complex Psychiatric Patients: a Waitlist-Controlled Study.	0
98	Impact of the COVID-19 pandemic on non-COVID-19 hospital mortality in patients with schizophrenia: a nationwide population-based cohort study.	O
97	COVID-19 vaccine acceptance and perceived stigma in patients with depression: a network perspective. 2022 , 12,	1
96	Shared brain and genetic architectures between mental health and physical activity. 2022 , 12,	O
95	Tverrfaglig behandling for pasienter med psykiske helseutfordringer. 2020, 131,	0
94	Innovations in Psychiatric Care Models: Lessons from the Past to Inform the Future. 2022 , 25-39	O
93	Effectiveness and Benefits of Exercise on Older People Living With Mental Illnessâl Physical and Psychological Outcomes in Regional Australia: A Mixed-Methods Study. 2022 , 1-13	0
92	Risk of respiratory diseases with use of psychotropic drugs: Results of a community-based cross-sectional study from South India.	O
91	Psychoactive Substance Effect on Mental Health and Well-Being Focusing on Student-Aged Lithuanian Cohort of Sexual Minorities. 2022 , 14, 13063	0
90	Stigma towards patients with mental illness: An online survey of United States nurses.	O
89	Comparative Effectiveness of Multiple Exercise Interventions in the Treatment of Mental Health Disorders: A Systematic Review and Network Meta-Analysis. 2022 , 8,	1
88	Outcomes of Peer-Provided Individual Placement and Support Services in a Mental Health Peer-Run Vocational Program.	O
87	Learnings from user feedback of a novel digital mental health assessment. 13,	О
86	Association of comorbid mental disorders with cardiovascular disease risk in patients with type 2 diabetes: A nationwide cohort study. 2022 , 79, 33-41	O

85	Die Nînberger Integrierten Psychosomatischen Akutbetten (NIPA). 2022 , 17, 245-250	O
84	Interface Between Physical and Mental Health. 2022 , 249-275	О
83	Excess resource use and costs of physical comorbidities in individuals with mental health disorders: A systematic literature review and meta-analysis. 2023 , 66, 14-27	О
82	Nursing Staffâß Experiences of Caring for People with Mental Ill-Health in General Emergency Departments: A Qualitative Descriptive Study. 1-10	O
81	Adverse Effects in Patients with Intellectual and Developmental Disabilities Hospitalized at the University Clinical Hospital. 2022 , 12, 1898	0
80	Psychotherapie bei Adipositas. 2022 , 16, 513-530	O
79	Evaluation of the prevalence of the most common psychiatric disorders in patients with type 2 diabetes mellitus using the patient health questionnaire: results of the cross-sectional âDIA2PSIâ study.	O
78	Quantifying consultations to medical specialties during psychiatric inpatient admissions in a Queensland tertiary hospital. 103985622211311	О
77	The role of mindfulness training in sustaining weight reduction: retrospective cohort analysis. 2022 , 8,	0
76	Infraslow closed-loop brain training for anxiety and depression (ISAD): a protocol for a randomized, double-blind, sham-controlled pilot trial in adult females with internalizing disorders. 2022 , 23,	О
75	Inflammatory monocyte gene signature predicts beneficial within group effect of simvastatin in patients with schizophrenia spectrum disorders in a secondary analysis of a randomized controlled trial. 2022 , 26, 100551	0
74	A Quality Measurement Framework for Emergency Department Care of Psychiatric Emergencies. 2022 ,	O
73	Responding to the Challenge of Multimorbidity in People with Serious Mental Illness. 2013 , 42, 489-491	O
72	The Risk and The Course of Cancer Among People with Severe Mental Illness. 2021 , 17,	O
71	THE CULTURAL ADAPTATION, RELIABILITY AND VALIDITY OF THE TURKISH VERSION OF THE SIMPLE PHYSICAL ACTIVITY QUESTIONNAIRE IN COMMON MENTAL DISORDERS.	O
70	CliniciansâlEmotional Reactions toward Patients with Depressive Symptoms in Mood Disorders: A Narrative Scoping Review of Empirical Research. 2022 , 19, 15403	O
69	Rural-urban prescribing patterns by primary care and behavioral health providers in older adults with serious mental illness. 2022 , 22,	0
68	Mortality in Schizophrenia-Spectrum Disorders: Recent Advances in Understanding and Management. 2022 , 10, 2366	2

67	Halting the Metabolic Complications of Antipsychotic Medication in Patients with a First Episode of Psychosis: How Far Can We Go with the Mediterranean Diet? A Pilot Study. 2022 , 14, 5012	O
66	Time effect on cardiometabolic risk indicators in patients with bipolar disorder: a longitudinal caseâllontrol study.	O
65	Culturally adapted psychoeducation for bipolar disorder in a low-resource setting: protocol for a multicentre randomised controlled trial. 2022 , 8,	Ο
64	Risks of complicated acute appendicitis in patients with psychiatric disorders. 2022, 22,	O
63	Shared Decision Making in Psychiatry: Dissolving the Responsibility Problem.	O
62	Dopamine partial agonists: a discrete class of antipsychotics. 1-13	O
61	Accessing acute medical care to protect health: the utility of community treatment orders. 2022 , 35, e100858	O
60	Physical Health and Activity of Inpatients under Forensic Mental Health Care: A Cross-Sectional Survey and Audit of Patients in a High Secure Setting in Queensland, Australia. 1-12	O
59	Genetic risk for severe mental illness does not influence adipose tissue functions	О
58	The burden of somatic diseases among people with alcohol- and drug use disorders are influenced by mental illness and low socioeconomic status. A registry-based cohort study in Norway. 2022 , 111137	O
57	Perspectives on Coordinating Health Services for Individuals with Serious Mental Illness âlʿA Qualitative Study. Volume 15, 2735-2750	О
56	Factors associated with patient readmission to a specialised psychiatric hospital in the Eastern Cape. 28,	O
55	Psychotic-like experiences are associated with physical disorders in general population: A cross-sectional study from the NESARC II. 2022 , 111128	Ο
54	The physical health nurse consultant and mental health consumer: An important therapeutic partnership.	O
53	YouXin: A digital system to facilitate self-management in people with psychosis in China: protocol for a non-randomised validity and feasibility study with a mixed-methods design (Preprint).	Ο
52	Uncommon Medical Diagnostic Profiles in Psychiatric Settings Across South-south Nigeria.	O
51	Exploring the impact of mental health conditions on vaccine uptake in high-income countries: a systematic review. 2023 , 23,	O
50	Psychosis, antipsychotics and premature mortality: The elephant in the room. 2016 , 1, 11-17	O

49	Health Literacy and Serious or Persistent Mental Illness: A Mixed Methods Study. 2023, 7,	0
48	Can we better understand severe mental illness through the lens of Syndemics?. 13,	O
47	Racial and Ethnic Disparities in Hospital-Based Care Among Dual Eligibles Who Use Health Centers. 2023 , 7, 9-18	0
46	Physical Healthcare for People with a Severe Mental Illness in Belgium by Long-Term Community Mental Health Outreach Teams: A Qualitative Descriptive Study on Physiciansâ∏Community Mental Health Workersâြand Patientsâ[Perspectives. 2023 , 20, 811	O
45	Physical health of individuals with psychosis âla mixed method study. 1-10	O
44	Cause-specific mortality after discharge from inpatient psychiatric care in Taiwan: a national matched cohort study.	O
43	A smoking cessation intervention for people with severe mental illness treated in ambulatory mental health care (KISMET): study protocol of a randomised controlled trial.	O
42	Prevalence of, and factors associated with, diabetes mellitus in people with severe mental illness attending a multidisciplinary, outpatient cardiometabolic health assessment service. 2023 , 11, e003055	0
41	New insights from the last decade of research in psychiatric genetics: discoveries, challenges and clinical implications. 2023 , 22, 4-24	О
40	Thinking, Feeling, and Moving: Competition for Brain Resources in Health and Disease. 2023 , 237-259	O
39	Procollagen type 1 N-terminal propeptide, neurofilament light chain, proinflammatory cytokines, and cognitive function in bipolar and major depressive disorders: An exploratory study of brainâl bone axis and systemic inflammation. 2023 , 158, 403-408	О
38	COVID-19 Vaccination Prioritization Strategies in Malaysia: A Retrospective Analysis of Early Evidence. 2023 , 11, 48	O
37	Change in prevalence over time and factors associated with depression among Bangladeshi older adults during the COVID -19 pandemic.	O
36	Does moderate to vigorous physical activity mediate the association between depression and physical function in midlife: Evidence from two British birth cohort studies. 2022 ,	O
35	Examining coping and acculturative stress as mediators between perceived discrimination and internalising symptoms among African immigrants.	0
34	Genetic architecture of the HLA/MHC locus in cardiometabolic disease, severe mental illness, and related traits	O
33	Therapeutic Potential and Limitation of Serotonin Type 7 Receptor Modulation. 2023, 24, 2070	1
32	Special Topics in Consultation-Liaison Psychiatry. 2023 , 53, 3-4	O

31	Survival of patients with severe mental disorders: Influence of social functioning. 002076402311522	O
30	Caregiversalperceptions of compulsory treatment of physical illness in involuntarily psychiatric hospitalization. 096973302211404	O
29	Antidepressant and antipsychotic drug prescribing and complications of diabetes: a systematic review of observational studies.	0
28	A Qualitative Study of Emergency Physiciansaland NursesalExperiences Caring for Patients With Psychiatric Conditions and/or Substance Use Disorders. 2023 ,	O
27	The Case for Neuroinnovation: Health Burdens Associated with Psychiatric, Addiction-Related, and Co-occurring Disorders. 2023 , 3-12	0
26	Current State of Modeling Human Psychiatric Disorders Using Zebrafish. 2023 , 24, 3187	O
25	Characteristics of Comorbid Physical Disease in Patients with Severe Mental Illness in South Korea: A Nationwide Population-Based Study (2014-2019).	0
24	Social Isolation, Healthy Habits, Inequality and Mental Health in the United States.	O
23	Healthy choices, healthy changes: A randomized trial of incentives to promote healthy eating and exercise in people with schizophrenia and other serious mental illnesses. 2023 , 255, 1-8	0
22	Antidepressant and antipsychotic drug prescribing and diabetes outcomes: A systematic review of observational studies. 2023 , 199, 110649	O
21	Systematic review of structured care pathways in major depressive disorder and bipolar disorder. 2023 , 23,	0
20	Holistic assessment of patients with chronic mental disorders who attend a metabolic clinic in Sligo Town catchment area.	O
19	Mental disorders, COVID-19-related life-saving measures and mortality in France: A nationwide cohort study. 2023 , 20, e1004134	0
18	Opposing effects of clozapine and brexpiprazole on Eminoisobutyric acid: Pathophysiology of antipsychotics-induced weight gain. 2023 , 9,	1
17	Knowledge, attitude and practices towards oral health in psychiatric patients attending a tertiary care centre in Northern India. 2022 , 17, 830	0
16	Risk factors for mortality due to natural causes and suicide among people with severe mental illness in western China. 2023 , 322, 115108	O
15	How does severe mental illness impact on cancer outcomes in individuals with severe mental illness and cancer? A scoping review of the literature. 2023 ,	0
14	A smoking cessation intervention for people with severe mental illness treated in ambulatory mental health care (KISMET): study protocol of a randomised controlled trial. 2023 , 23,	O

CITATION REPORT

13	The bi-directional association between bipolar disorder and obesity: Evidence from Meta and bioinformatics analysis.	O
12	Development and initial evaluation of a behavioural intervention to support weight management for people with serious mental illness: an uncontrolled feasibility and acceptability study. 2023 , 23,	O
11	Cardiovascular disease in older people with serious mental illness: Current challenges and future directions. 14,	O
10	Association of severe mental illness and septic shock case fatality rate in patients admitted to the intensive care unit: A national population-based cohort study. 2023 , 20, e1004202	O
9	Clinical correlates and metabolic indicators of elevated fasting glucose in overweight/obese Chinese Han patients with first-episode and drug-naive major depressive disorder. 14,	О
8	Mapping the ethical aspects in end-of-life care for persons with a severe and persistent mental illness: A scoping review of the literature. 14,	O
7	Role of uric acid as a biomarker of cognitive function in schizophrenia during maintenance period.	О
6	A Candidate Gliotransmitter, L-FAminoisobutyrate, Contributes to Weight Gain and Metabolic Complication Induced by Atypical Antipsychotics. 2023 , 15, 1621	O
5	Metabolic adverse effects of antipsychotics: the state of the problem and management options. 2023 , 19, 431-441	О
4	Prospects of using biologically active substances to prevent depression. 2023 , 23-44	O
3	Somatic health according to people with severe mental disease. 2023,	О
2	Influence of comorbid depression and diagnostic workup on diagnosis of physical illness: a´randomized experiment. 2023 ,	O
1	Acceptability, access, and uptake of human papillomavirus vaccination in mental health populations: a scoping review.	О