A point of minimal important difference (MID): a critiqu

Expert Review of Pharmacoeconomics and Outcomes Researc 11, 171-184

DOI: 10.1586/erp.11.9

Citation Report

#	Article	IF	CITATIONS
1	Outcome measures for palliative care research. Current Opinion in Supportive and Palliative Care, 2012, 6, 500-507.	0.5	4
2	Correlation of the National Institutes of Health Patient Reported Outcomes Measurement Information System Scales and Standard Pain and Functional Outcomes in Spine Augmentation. American Journal of Neuroradiology, 2012, 33, 2186-2190.	1.2	23
3	Quantity vs. Quality: An Exploration of the Predictors of Posttreatment Sexual Adjustment for Women Affected by Early Stage Cervical and Endometrial Cancer. Journal of Sexual Medicine, 2012, 9, 2952-2960.	0.3	25
4	Performance of an Item Response Theory-Based Computer Adaptive Test in Identifying Functional Decline. Archives of Physical Medicine and Rehabilitation, 2012, 93, 1153-1160.	0.5	35
5	New methods can extend the use of minimal important difference units inÂmeta-analyses of continuous outcome measures. Journal of Clinical Epidemiology, 2012, 65, 817-826.	2.4	17
6	Brief International Cognitive Assessment for MS (BICAMS): international standards for validation. BMC Neurology, 2012, 12, 55.	0.8	275
7	Linking the Tinnitus Questionnaire and the subjective Clinical Global Impression: Which differences are clinically important?. Health and Quality of Life Outcomes, 2012, 10, 79.	1.0	73
8	Minimal clinically important differences in health-related quality of life after total hip or knee replacement. Bone and Joint Research, 2012, 1, 71-77.	1.3	78
9	Minimally clinically important improvement: all non-responders are not really non-responders an illustration from total knee replacement. Osteoarthritis and Cartilage, 2012, 20, 364-367.	0.6	21
10	The impact of menopause on health-related quality of life: results from the STRIDE longitudinal study. Quality of Life Research, 2012, 21, 535-544.	1.5	63
11	Scientific rigour in psychoâ€oncology trials: why and how to avoid common statistical errors. Psycho-Oncology, 2013, 22, 499-505.	1.0	11
12	Psychometric validation of the physician global assessment scale for assessing severity of psoriasis disease activity. Quality of Life Research, 2013, 22, 2489-2499.	1.5	36
13	Methods for interpreting change over time in patient-reported outcome measures. Quality of Life Research, 2013, 22, 475-483.	1.5	178
14	The minimal clinical important difference in the World Health Organization Quality of Life instrument—100. Supportive Care in Cancer, 2013, 21, 1295-1301.	1.0	38
15	Which Patients Are Most Likely to Benefit From Total Joint Arthroplasty?. Arthritis and Rheumatism, 2013, 65, 1243-1252.	6.7	163
16	Minimal Clinically Important Differences of 3 Patient-Rated Outcomes Instruments. Journal of Hand Surgery, 2013, 38, 641-649.	0.7	345
17	Clinically meaningful differences in pain, disability and quality of life for chronic nonspecific neck pain â€" A reanalysis of 4 randomized controlled trials of cupping therapy. Complementary Therapies in Medicine, 2013, 21, 342-347.	1.3	92
18	Evaluating a nurse-led survivorship care package (SurvivorCare) for bowel cancer survivors: study protocol for a randomized controlled trial. Trials, 2013, 14, 260.	0.7	27

#	Article	IF	CITATIONS
19	Determination and comparison of the smallest detectable change (SDC) and the minimal important change (MIC) of four-shoulder patient-reported outcome measures (PROMs). Journal of Orthopaedic Surgery and Research, 2013, 8, 40.	0.9	203
20	Using the probability-probability plot and index to augment interpretation of treatment effect for patient-reported outcome measures. Expert Review of Pharmacoeconomics and Outcomes Research, 2013, 13, 707-713.	0.7	1
21	Perceived changes and minimum clinically important difference of the Neurological Fatigue Index for multiple sclerosis (NFI-MS). Multiple Sclerosis Journal, 2013, 19, 502-505.	1.4	19
22	Effect Sizes for 2×2 Contingency Tables. PLoS ONE, 2013, 8, e58777.	1.1	111
23	Desvenlafaxine compared with placebo for treatment of menopausal vasomotor symptoms. Menopause, 2013, 20, 28-37.	0.8	39
24	Patients with Severe Radiographic Osteoarthritis Have a Better Prognosis in Physical Functioning after Hip and Knee Replacement: A Cohort-Study. PLoS ONE, 2013, 8, e59500.	1.1	89
25	Smoking and Health-Related Quality of Life in the General Population. Independent Relationships and Large Differences According to Patterns and Quantity of Smoking and to Gender. PLoS ONE, 2014, 9, e91562.	1.1	57
26	The Impact of Esophageal Reflux-Induced Symptoms on Quality of Life after Gastrectomy in Patients with Gastric Cancer. Journal of Gastric Cancer, 2014, 14, 15.	0.9	9
27	Interpretation of patient-reported outcomes. Statistical Methods in Medical Research, 2014, 23, 460-483.	0.7	61
28	Minimal clinically important improvement (MCII) and patient-acceptable symptom state (PASS) in total hip arthroplasty (THA) patients 1 year postoperatively. Monthly Notices of the Royal Astronomical Society: Letters, 2014, 85, 39-48.	1.2	134
29	Test-retest reliability and rater agreements of Assessment of Capacity for Myoelectric Control version 2.0. Journal of Rehabilitation Research and Development, 2014, 51, 635-644.	1.6	19
30	Incremental cost per quality-adjusted life year gained? The need for alternative methods to evaluate medical interventions for ultra-rare disorders. Journal of Comparative Effectiveness Research, 2014, 3, 399-422.	0.6	50
31	Tackling the "quality of life―conundrum. Asia-Pacific Journal of Clinical Oncology, 2014, 10, 99-100.	0.7	0
32	Clinical Significance in Dementia Research. American Journal of Alzheimer's Disease and Other Dementias, 2014, 29, 492-497.	0.9	17
33	Development of the Measure of Ovarian Symptoms and Treatment Concerns: Aiming for Optimal Measurement of Patient-Reported Symptom Benefit With Chemotherapy for Symptomatic Ovarian Cancer. International Journal of Gynecological Cancer, 2014, 24, 865-873.	1.2	30
34	Willingness to undergo surgery again validated clinically important differences in health-related quality of life after total hip replacement or total knee replacement surgery. Journal of Clinical Epidemiology, 2014, 67, 114-120.	2.4	14
35	The minimal clinically important difference in the Oxford knee score and Short Form 12 score after total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2014, 22, 1933-1939.	2.3	329
36	Education Attainment is Associated With Patient-reported Outcomes: Findings From the Swedish Hip Arthroplasty Register. Clinical Orthopaedics and Related Research, 2014, 472, 1868-1876.	0.7	68

#	Article	lF	CITATIONS
37	Quantifying the burden of informal caregiving for patients with cancer in Europe. Supportive Care in Cancer, 2014, 22, 1637-1646.	1.0	120
38	Improving decision making about clinical trial participation – a randomised controlled trial of a decision aid for women considering participation in the IBIS-II breast cancer prevention trial. British Journal of Cancer, 2014, 111, 1-7.	2.9	69
39	Minimal clinically important difference in myasthenia gravis: Outcomes from a randomized trial. Muscle and Nerve, 2014, 49, 661-665.	1.0	50
40	Health-Related Quality of Life (HRQoL) changes in South Australia: comparison of burden of disease morbidity and survey-based health utility estimates. Health and Quality of Life Outcomes, 2014, 12, 113.	1.0	9
41	Is the Long Form of the Fugl-Meyer Motor Scale More Responsive Than the Short Form in Patients With Stroke?. Archives of Physical Medicine and Rehabilitation, 2014, 95, 941-949.	0.5	24
42	Psychometric properties of four fear of falling rating scales in people with Parkinson's disease. BMC Geriatrics, 2014, 14, 66.	1.1	51
43	Minimally important change was estimated for the Manchester–Oxford Foot Questionnaire after foot/ankle surgery. Journal of Clinical Epidemiology, 2014, 67, 697-705.	2.4	56
44	Health-Related Quality of Life in the Finnish Trial of Screening for Prostate Cancer. European Urology, 2014, 65, 39-47.	0.9	21
45	Health-related quality of life in patients with multiple myeloma - does it matter?. Haematologica, 2015, 100, 704-705.	1.7	36
46	Patient-reported outcomes for US oncology labeling: review and discussion of score interpretation and analysis methods. Expert Review of Pharmacoeconomics and Outcomes Research, 2015, 15, 951-959.	0.7	11
47	Minimally important difference estimates and methods: a protocol. BMJ Open, 2015, 5, e007953.	0.8	103
48	Massage for low-back pain. The Cochrane Library, 2015, 2015, CD001929.	1.5	215
49	PedsQL Gastrointestinal Symptoms Scales and Gastrointestinal Worry Scales in Pediatric Patients with Inflammatory Bowel Disease in Comparison with Healthy Controls. Inflammatory Bowel Diseases, 2015, 21, 1115-1124.	0.9	38
50	Psychometric Properties of the Quantitative Myasthenia Gravis Score and the Myasthenia Gravis Composite Scale. Journal of Neuromuscular Diseases, 2015, 2, 301-311.	1.1	11
51	Does insertion of intramuscular electromyographic electrodes alter motor behavior during locomotion?. Journal of Electromyography and Kinesiology, 2015, 25, 431-437.	0.7	6
52	The use of patient-reported outcomes after routine arthroplasty. Bone and Joint Journal, 2015, 97-B, 578-581.	1.9	31
53	The Minimum Clinically Important Difference in the Repeatable Battery for the Assessment of Neuropsychological Status. Clinical Neuropsychologist, 2015, 29, 905-923.	1.5	25
54	Application of the Itch Severity Score in patients with moderate-to-severe plaque psoriasis: Clinically important difference and responder analyses. Journal of Dermatological Treatment, 2015, 26, 121-123.	1.1	32

#	Article	IF	CITATIONS
55	The Patient Acceptable Symptomatic State for the Modified Harris Hip Score and Hip Outcome Score Among Patients Undergoing Surgical Treatment for Femoroacetabular Impingement. American Journal of Sports Medicine, 2015, 43, 1844-1849.	1.9	270
56	Meaningful changes for the Oxford hip and knee scores after joint replacement surgery. Journal of Clinical Epidemiology, 2015, 68, 73-79.	2.4	334
57	Estimating the minimum important change in the 15D scores. Quality of Life Research, 2015, 24, 599-606.	1.5	182
58	Correlation of the Patient Reported Outcomes Measurement Information System with Legacy Outcomes Measures in Assessment of Response to Lumbar Transforaminal Epidural Steroid Injections. American Journal of Neuroradiology, 2015, 36, 594-599.	1.2	15
59	Good, or Just Better?. American Journal of Sports Medicine, 2015, 43, 1841-1843.	1.9	8
60	Effect of preoperative neuromuscular training (NEMEX-TJR) on functional outcome after total knee replacement: an assessor-blinded randomized controlled trial. BMC Musculoskeletal Disorders, 2015, 16, 101.	0.8	34
61	Magnitude of effect of asthma treatments on Asthma Quality of Life Questionnaire and Asthma Control Questionnaire scores: Systematic review and network meta-analysis. Journal of Allergy and Clinical Immunology, 2015, 136, 914-922.	1.5	58
62	Optimal Strategies for Reporting Pain in Clinical Trials and Systematic Reviews: Recommendations from an OMERACT 12 Workshop. Journal of Rheumatology, 2015, 42, 1962-1970.	1.0	116
63	The Minimal Clinically Important Difference in Vestibular Schwannoma Qualityâ€ofâ€Life Assessment. Otolaryngology - Head and Neck Surgery, 2015, 153, 202-208.	1.1	51
64	Minimal important change (MIC) based on a predictive modeling approach was more precise than MIC based on ROC analysis. Journal of Clinical Epidemiology, 2015, 68, 1388-1396.	2.4	99
65	Challenges for defining minimal clinically important difference (MCID) after spinal cord injury. Spinal Cord, 2015, 53, 84-91.	0.9	76
66	Editorial Comment. Urology, 2015, 85, 105-106.	0.5	3
67	Systematic review of endometriosis pain assessment: how to choose a scale?. Human Reproduction Update, 2015, 21, 136-152.	5 <b>.</b> 2	231
68	Thresholds for clinical importance for four key domains of the EORTC QLQ-C30: physical functioning, emotional functioning, fatigue and pain. Health and Quality of Life Outcomes, 2016, 14, 87.	1.0	95
69	Sex differences in subjective and objective measures of pain, functional impairment, and health-related quality of life in patients with lumbar degenerative disc disease. Pain, 2016, 157, 1065-1071.	2.0	47
70	Test-Retest Reliability of Maximal and Submaximal Gas Exchange Variables in Patients With Coronary Artery Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2016, 36, 263-269.	1.2	7
71	How Much Better Is Good Enough?. Anesthesiology, 2016, 125, 7-10.	1.3	15
72	Responsiveness, Minimal Detectable Change, and Minimally Clinically Important Differences for the Disorders of Consciousness Scale. Journal of Head Trauma Rehabilitation, 2016, 31, E43-E51.	1.0	13

#	ARTICLE	IF	CITATIONS
73	Psychometric properties of the Neck OutcOme Score, Neck Disability Index, and Short Form–36 were evaluated in patients with neck pain. Journal of Clinical Epidemiology, 2016, 79, 31-40.	2.4	31
74	Sensitivity to Change and Minimal Important Differences of the LupusQoL in Patients With Systemic Lupus Erythematosus. Arthritis Care and Research, 2016, 68, 1505-1513.	1.5	45
75	Is it time to define minimally clinically important differences for patient-reported outcome measures used in alcohol brief intervention studies?. Addiction, 2016, 111, 1528-1529.	1.7	3
76	Minimal important differences for fatigue patient reported outcome measures—a systematic review. BMC Medical Research Methodology, 2016, 16, 62.	1.4	145
77	Health-related quality of life following treatment for extremity soft tissue sarcoma. Journal of Surgical Oncology, 2016, 114, 821-827.	0.8	16
78	Responsiveness of the active wrist joint position sense test after distal radius fracture intervention. Journal of Hand Therapy, 2016, 29, 474-482.	0.7	35
79	Design, implementation and reporting strategies to reduce the instance and impact of missing patient-reported outcome (PRO) data: a systematic review. BMJ Open, 2016, 6, e010938.	0.8	87
80	Minimal important improvement thresholds for the six-minute walk test in a knee arthroplasty cohort: triangulation of anchor- and distribution-based methods. BMC Musculoskeletal Disorders, 2016, 17, 390.	0.8	25
81	Interpreting change from patient reported outcome (PRO) endpoints: patient global ratings of concept versus patient global ratings of change, a case study among osteoporosis patients. Health and Quality of Life Outcomes, 2016, 14, 25.	1.0	11
82	Evaluation of the Dutch version of the Foot and Ankle Outcome Score (FAOS): responsiveness and Minimally Important Change. Knee Surgery, Sports Traumatology, Arthroscopy, 2016, 24, 1339-1347.	2.3	36
83	Interpretation of the QuickDASH score after open carpal tunnel decompression: threshold values associated with patient satisfaction. Journal of Hand Surgery: European Volume, 2016, 41, 624-631.	0.5	33
84	Patient-reported outcome measures in arthroplasty registries. Monthly Notices of the Royal Astronomical Society: Letters, 2016, 87, 9-23.	1.2	202
85	Minimal Clinically Important Difference as Applied in Rheumatology: An OMERACT Rasch Working Group Systematic Review and Critique. Journal of Rheumatology, 2016, 43, 194-202.	1.0	56
86	Examining the Minimal Important Difference of Patient-reported Outcome Measures for Individuals with Knee Osteoarthritis: A Model Using the Knee Injury and Osteoarthritis Outcome Score. Journal of Rheumatology, 2016, 43, 395-404.	1.0	41
87	The Consistency and Reporting of Quality-of-Life Outcomes in Trials of Immunosuppressive Agents in Kidney Transplantation: A Systematic Review and Meta-analysis. American Journal of Kidney Diseases, 2016, 67, 762-774.	2.1	26
88	Altered Multifidus Recruitment During Walking in Young Asymptomatic Individuals With a History of Low Back Pain. Journal of Orthopaedic and Sports Physical Therapy, 2016, 46, 365-374.	1.7	21
89	Best (but oft-forgotten) practices: expressing and interpreting associations and effect sizes in clinical outcome assessments. American Journal of Clinical Nutrition, 2016, 103, 685-693.	2,2	27
90	Interpreting Change in Scores on Patient-Reported Outcome Instruments. Therapeutic Innovation and Regulatory Science, 2016, 50, 22-29.	0.8	71

#	Article	IF	CITATIONS
91	The Added Value of Analyzing Pooled Health-Related Quality of Life Data: A Review of the EORTC PROBE Initiative. Journal of the National Cancer Institute, 2016, 108, djv391.	3.0	28
92	Multisensory Stimulation to Improve Low- and Higher-Level Sensory Deficits after Stroke: A Systematic Review. Neuropsychology Review, 2016, 26, 73-91.	2.5	45
93	Reliability and validity of the Cancer Therapy Satisfaction Questionnaire in lung cancer. Quality of Life Research, 2016, 25, 71-80.	1.5	13
94	Relative effect sizes for measures of risk. Communications in Statistics - Theory and Methods, 2017, 46, 6774-6781.	0.6	112
95	Is my patient actually getting better? Application of the McNemar test for demonstrating the change at a single subject level. Disability and Rehabilitation, 2017, 39, 1341-1347.	0.9	15
96	The minimal clinically important difference raised the significance of outcome effects above the statistical level, with methodological implications for future studies. Journal of Clinical Epidemiology, 2017, 82, 128-136.	2.4	183
97	Item response theory analysis to evaluate reliability and minimal clinically important change of the Roland-Morris Disability Questionnaire in patients with severe disability due to back pain from vertebral compression fractures. Spine Journal, 2017, 17, 821-829.	0.6	12
98	Minimally Important Differences in Patient or Proxy-Reported Outcome Studies Relevant to Children: A Systematic Review. Pediatrics, 2017, 139, .	1.0	13
99	Translation and Adaptation of the Genetic Counselling Outcome Scale (GCOSâ€⊋4) for Use in Denmark. Journal of Genetic Counseling, 2017, 26, 1080-1089.	0.9	17
100	Minimal Clinically Important Differences for American Orthopaedic Foot & American Score in Hallux Valgus Surgery. Foot and Ankle International, 2017, 38, 551-557.	1.1	88
101	Health-Related Quality of Life in Patients with Multiple Sclerosis: Impact of Disease-Modifying Drugs. CNS Drugs, 2017, 31, 585-602.	2.7	54
102	Responsiveness and Minimally Important Differences for 4ÂPatient-Reported Outcomes Measurement Information System Short Forms: Physical Function, Pain Interference, Depression, and Anxiety in Knee Osteoarthritis. Journal of Pain, 2017, 18, 1096-1110.	0.7	155
103	Design a Proof of Concept Trial. ICSA Book Series in Statistics, 2017, , 75-92.	0.0	1
104	The anchor-based minimal important change, based on receiver operating characteristic analysis or predictive modeling, may need to be adjusted for the proportion of improved patients. Journal of Clinical Epidemiology, 2017, 83, 90-100.	2.4	81
105	A systematic review of healthâ€related quality of life in longitudinal studies of myeloma patients. European Journal of Haematology, 2017, 99, 3-17.	1.1	54
106	No differences in subjective knee function between surgical techniques of anterior cruciate ligament reconstruction at 2-year follow-up: a cohort study from the Swedish National Knee Ligament Register. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 3945-3954.	2.3	12
107	A unified multi-level model approach to assessing patient responsiveness including; return to normal, minimally important differences and minimal clinically important improvement for patient reported outcome measures. BMJ Open, 2017, 7, e014041.	0.8	15
108	Health-related quality of life for immediate versus delayed androgen-deprivation therapy in patients with asymptomatic, non-curable prostate cancer (TROG 03.06 and VCOG PR 01-03 [TOAD]): a randomised, multicentre, non-blinded, phase 3 trial. Lancet Oncology, The, 2017, 18, 1192-1201.	5.1	45

#	ARTICLE	IF	CITATIONS
109	Concurrent Validity and Responsiveness of PROMIS Health Domains Among Patients Presenting for Anterior Cervical Spine Surgery. Spine, 2017, 42, E1357-E1365.	1.0	69
111	Myasthenia Gravis Impairment Index. Neurology, 2017, 89, 2357-2364.	1.5	35
112	Using Patientâ€Reported Outcome Measures for Quality Improvement in Clinical Genetics: an Exploratory Study. Journal of Genetic Counseling, 2017, 26, 1017-1028.	0.9	23
113	Minimal important difference to infer changes in health-related quality ofÂlife—a systematic review. Journal of Clinical Epidemiology, 2017, 89, 188-198.	2.4	164
114	Defining the Primary Outcomes and Justifying Secondary Outcomes of a Study: Usually, the Fewer, the Better. Anesthesia and Analgesia, 2017, 125, 678-681.	1.1	50
115	Minimal Clinically Important Difference in Quality of Life for Patients With Low Back Pain. Spine, 2017, 42, 1908-1916.	1.0	111
116	Improved knee biomechanics among patients reporting a good outcome in knee-related quality of life one year after total knee arthroplasty. BMC Musculoskeletal Disorders, 2017, 18, 122.	0.8	33
117	Determining the longitudinal validity and meaningful differences in HRQL of the PedsQLâ,,¢ Sickle Cell Disease Module. Health and Quality of Life Outcomes, 2017, 15, 124.	1.0	26
118	ProCare Trial: a phase <scp>II</scp> randomized controlled trial of shared care for followâ€up of men with prostate cancer. BJU International, 2017, 119, 381-389.	1.3	60
119	Curriculum-Based Measurement of Reading Progress Monitoring: The Importance of Growth Magnitude and Goal Setting in Decision Making. School Psychology Review, 2017, 46, 320-328.	1.8	13
120	A leprosy clinical severity scale for erythema nodosum leprosum: An international, multicentre validation study of the ENLIST ENL Severity Scale. PLoS Neglected Tropical Diseases, 2017, 11, e0005716.	1.3	29
121	Myeloma in Elderly Patients: When Less Is More and More Is More. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2017, 37, 575-585.	1.8	16
122	Minimal Clinically Important Difference. Rheumatic Disease Clinics of North America, 2018, 44, 177-188.	0.8	72
123	Meaningful Change Scores in the Knee Injury and Osteoarthritis Outcome Score in Patients Undergoing Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2018, 46, 1120-1128.	1.9	72
124	The impact of sexual orientation on body image, self-esteem, urinary and sexual functions in the experience of prostate cancer. European Journal of Cancer Care, 2018, 27, e12827.	0.7	13
125	Measuring Clinical Treatment Response in Myasthenia Gravis. Neurologic Clinics, 2018, 36, 339-353.	0.8	51
126	Effect of Neoadjuvant Therapy and Rectal Surgery on Health-related Quality of Life in Patients With Rectal Cancer During the First 2 Years After Diagnosis. Clinical Colorectal Cancer, 2018, 17, e499-e512.	1.0	58
127	Discriminant Ability, Concurrent Validity, and Responsiveness of PROMIS Health Domains Among Patients With Lumbar Degenerative Disease Undergoing Decompression With or Without Arthrodesis. Spine, 2018, 43, 1512-1520.	1.0	67

#	Article	IF	CITATIONS
128	How to decide which patient-reported outcome measure to use? A practical guide for plastic surgeons. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2018, 71, 957-966.	0.5	17
129	Comparing the validity and responsiveness of the EQ-5D-5L to the Oxford hip and knee scores and SF-12 in osteoarthritis patients 1 year following total joint replacement. Quality of Life Research, 2018, 27, 1311-1322.	1.5	43
130	Guidelines for Inclusion of Patient-Reported Outcomes in Clinical Trial Protocols. JAMA - Journal of the American Medical Association, 2018, 319, 483.	3.8	507
131	Establishing minimally important differences for the American Shoulder and Elbow Surgeons score and the Western Ontario Rotator Cuff Index in patients with full-thickness rotator cuff tears. Journal of Shoulder and Elbow Surgery, 2018, 27, e160-e166.	1.2	56
132	Establishing anchor-based minimally important differences (MID) with the EORTC quality-of-life measures: a meta-analysis protocol. BMJ Open, 2018, 8, e019117.	0.8	45
133	Statistical Primer for Athletic Trainers: The Essentials of Understanding Measures of Reliability and Minimal Important Change. Journal of Athletic Training, 2018, 53, 98-103.	0.9	27
134	Fatigue is a relevant outcome in patients with myasthenia gravis. Muscle and Nerve, 2018, 58, 197-203.	1.0	33
135	Comparing 15D Valuation Studies in Norway and Finland—Challenges When Combining Information from Several Valuation Tasks. Value in Health, 2018, 21, 462-470.	0.1	4
136	Analysis of Health-Related Quality of Life and Patient-Reported Outcomes in Oncology. , 2018, , 315-342.		0
137	Total knee replacement and non-surgical treatment of knee osteoarthritis: 2-year outcome from two parallel randomized controlled trials. Osteoarthritis and Cartilage, 2018, 26, 1170-1180.	0.6	106
138	The challenges and opportunities of using patient reported outcome measures (PROMs) in clinical practice. International Journal of Osteopathic Medicine, 2018, 28, 56-61.	0.4	34
139	The patellofemoral pain and osteoarthritis subscale of the KOOS (KOOS-PF): development and validation using the COSMIN checklist. British Journal of Sports Medicine, 2018, 52, 1130-1136.	3.1	80
140	Clinically Meaningful Improvements After Hip Arthroscopy for Femoroacetabular Impingement in Adolescent and Young Adult Patients Regardless of Gender. Journal of Pediatric Orthopaedics, 2018, 38, 465-470.	0.6	90
141	Validation of the English Version of the HeartQoL Health-Related Quality of Life Questionnaire in Patients With Coronary Heart Disease. Journal of Cardiopulmonary Rehabilitation and Prevention, 2018, 38, 92-99.	1.2	16
142	Late consequences of venous thromboembolism: Measuring quality of life after deep vein thrombosis and pulmonary embolism. Thrombosis Research, 2018, 164, 170-176.	0.8	32
143	Clinical interpretation of the Uremic Pruritus in Dialysis Patients ( <scp>UP</scp> â€Dial) scale: a novel instrument for the assessment of uremic pruritus. Journal of the European Academy of Dermatology and Venereology, 2018, 32, 1188-1194.	1.3	7
144	Translation and Crossâ€Cultural Adaptation with Preliminary Validation of GCOSâ€24 for Use in Spain. Journal of Genetic Counseling, 2018, 27, 732-743.	0.9	10
145	Adaptive behavior in autism: Minimal clinically important differences on the Vinelandâ€II. Autism Research, 2018, 11, 270-283.	2.1	98

#	ARTICLE	IF	Citations
146	Translation and validation of the arabic version of the revised 15â€item myasthenia gravis qualityâ€ofâ€life questionnaire. Muscle and Nerve, 2018, 57, 581-585.	1.0	9
147	The Neurogenic Bladder Symptom Score (NBSS): a secondary assessment of its validity, reliability among people with a spinal cord injury. Spinal Cord, 2018, 56, 259-264.	0.9	43
148	Patient-Reported Outcomes and Opioid Use by Outpatient Cancer Patients. Journal of Pain, 2018, 19, 278-290.	0.7	18
149	Hip Arthroscopic Surgery for Femoroacetabular Impingement With Capsular Management: Factors Associated With Achieving Clinically Significant Outcomes. American Journal of Sports Medicine, 2018, 46, 288-296.	1.9	103
150	Health-related quality of life in adult primary immune thrombocytopenia. Expert Review of Hematology, 2018, 11, 975-985.	1.0	22
151	Satisfactory results of a psychometric analysis and calculation of minimal clinically important differences of the World Health Organization quality of life-BREF questionnaire in an observational cohort study with lung cancer and mesothelioma patients. BMC Cancer, 2018, 18, 1173.	1.1	20
152	The interpretation of change score of the pain disability index after vocational rehabilitation is baseline dependent. Health and Quality of Life Outcomes, 2018, 16, 182.	1.0	23
153	Interpreting European Organisation for Research and Treatment for Cancer Quality of life Questionnaire core 30 scores as minimally importantly different for patients with malignant melanoma. European Journal of Cancer, 2018, 104, 169-181.	1.3	38
154	Psychological symptoms and the MCID of the DASH score in shoulder surgery. Journal of Orthopaedic Surgery and Research, 2018, 13, 246.	0.9	21
155	What is the Minimum Clinically Important Difference for the WOMAC Index After TKA?. Clinical Orthopaedics and Related Research, 2018, 476, 2005-2014.	0.7	158
156	Health-Related Quality of Life in Cancer. , 2018, , 109-125.		2
157	Establishing Minimal Important Differences for the VR-12 and SANE Scores in Patients Following Treatment of Rotator Cuff Tears. Orthopaedic Journal of Sports Medicine, 2018, 6, 232596711878215.	0.8	39
158	3 steps to improve reporting and interpretation of patient-reported outcome scores in orthopedic studies. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 1-2.	1.2	14
159	Minimally Important Difference of the EQ-5D-5L Index Score in Adults with Type 2 Diabetes. Value in Health, 2018, 21, 1090-1097.	0.1	54
160	Minimal clinically important difference for the 22â€item Sinonasal Outcome Test in medically managed patients with chronic rhinosinusitis. Clinical Otolaryngology, 2018, 43, 1328-1334.	0.6	47
161	Patient-Reported Outcomes Within the First Year After Hip Arthroscopy and Rehabilitation for Femoroacetabular Impingement and/or Labral Injury: The Difference Between Getting Better and Getting Back to Normal. American Journal of Sports Medicine, 2018, 46, 2607-2614.	1.9	50
162	A phase 2 study of modified lenalidomide, bortezomib and dexamethasone in transplantâ€ineligible multiple myeloma. British Journal of Haematology, 2018, 182, 222-230.	1.2	118
163	Proxy and patient reports of health-related quality of life in a national cancer survey. Health and Quality of Life Outcomes, 2018, 16, 6.	1.0	32

#	Article	IF	CITATIONS
164	Patient-Reported Outcome Measures: Development and Psychometric Evaluation. ICSA Book Series in Statistics, 2018, , 317-346.	0.0	3
165	The minimal important difference of the ICU mobility scale. Heart and Lung: Journal of Acute and Critical Care, 2018, 47, 497-501.	0.8	24
166	An Assessment of Clinically Important Differences on the Worst Pain Severity Item of the Modified Brief Pain Inventory in Patients with Diabetic Peripheral Neuropathic Pain. Pain Research and Management, 2018, 2018, 1-8.	0.7	7
167	Guidance for using pilot studies to inform the design of intervention trials with continuous outcomes. Clinical Epidemiology, 2018, Volume 10, 153-157.	1.5	137
168	The clinical significance of 10-m walk test standardizations in Parkinson's disease. Journal of Neurology, 2018, 265, 1829-1835.	1.8	34
169	Minimal important change values for the Oxford Knee Score and the Forgotten Joint Score at 1 year after total knee replacement. Monthly Notices of the Royal Astronomical Society: Letters, 2018, 89, 541-547.	1.2	59
170	Principles of Statistics. Clinics in Sports Medicine, 2018, 37, 375-386.	0.9	10
171	Health status of people who have provided informal care or support to an adult with chronic disease in the last 5 years: results from a population-based cross-sectional survey in South Australia. Australian Health Review, 2019, 43, 408.	0.5	6
172	Increased knee laxity with hamstring tendon autograft compared to patellar tendon autograft: a cohort study of 5462 patients with primary anterior cruciate ligament reconstruction. Knee Surgery, Sports Traumatology, Arthroscopy, 2019, 27, 381-388.	2.3	46
174	Disease severity and minimal clinically important differences in clinical outcome assessments for Alzheimer's disease clinical trials. Alzheimer's and Dementia: Translational Research and Clinical Interventions, 2019, 5, 354-363.	1.8	165
175	A systematic review of recent cardiac rehabilitation meta-analyses in patients with coronary heart disease or heart failure. Future Cardiology, 2019, 15, 227-249.	0.5	29
176	Patient-reported outcomes in spine surgery: past, current, and future directions. Journal of Neurosurgery: Spine, 2019, 31, 155-164.	0.9	81
177	Measures of Clinical Meaningfulness and Important Differences. Physical Therapy, 2019, 99, 1574-1579.	1.1	6
178	The Minimal Clinically Important Difference for PROMIS Physical Function in Patients With Thumb Carpometacarpal Arthritis. Hand, 2021, 16, 638-643.	0.7	27
179	Establishing the minimum clinically important difference for the Genetic Counseling Outcome Scale (GCOSâ€24). Journal of Genetic Counseling, 2019, 28, 1003-1010.	0.9	12
180	A Detoxification Intervention for Gulf War Illness: A Pilot Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2019, 16, 4143.	1.2	4
181	An overview of using qualitative techniques to explore and define estimates of clinically important change on clinical outcome assessments. Journal of Patient-Reported Outcomes, 2019, 3, 16.	0.9	36
182	Estimation of minimally important differences and responder definitions for EORTC QLQâ€MY20 scores in multiple myeloma patients. European Journal of Haematology, 2019, 103, 500-509.	1.1	25

#	Article	IF	Citations
183	Danish version of the National Institutes of Health–Chronic Prostatitis Symptom Index (NIH-CPSI) questionnaire: a linguistic translation, cross-cultural adaptation and test–re-test reliability study. Scandinavian Journal of Urology, 2019, 53, 62-68.	0.6	1
184	Translation and validation of the arabic version of the myasthenia gravis activities of daily living scale. Muscle and Nerve, 2019, 59, 583-586.	1.0	5
185	Quality of Life in Women with Cervical Cancer. , 2019, , 267-289.		1
186	Minimal clinically important difference of commonly used hip-, knee-, foot-, and ankle-specific questionnaires: a systematic review. Journal of Clinical Epidemiology, 2019, 113, 44-57.	2.4	70
187	Understanding the Minimal Clinically Important Difference (MCID) of Patientâ€Reported Outcome Measures. Otolaryngology - Head and Neck Surgery, 2019, 161, 551-560.	1.1	174
188	Meaningful changes in the Short Form 12 physical and mental summary scores after total knee arthroplasty. Knee, 2019, 26, 861-868.	0.8	42
189	Minimal clinically important decline in physical function over one year: EPOSA study. BMC Musculoskeletal Disorders, 2019, 20, 227.	0.8	14
190	It is good to feel better, but better to feel good: whether a patient finds treatment †successful†or not depends on the questions researchers ask. British Journal of Sports Medicine, 2019, 53, 1474-1478.	3.1	42
191	A systematic review of estimates of the minimalÂclinically important difference and patient acceptable symptom state of the Western Ontario and McMaster Universities Osteoarthritis Index in patients who underwent total hip and total knee replacement. Osteoarthritis and Cartilage, 2019, 27, 1408-1419.	0.6	49
192	Defining Clinically Important Difference in the Atrial Fibrillation Effect on Quality-of-Life Score. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e005358.	0.9	59
193	Follow-up of degenerative lumbar spine surgery—PROMs stabilize after 1Âyear: an equivalence study based on Swespine data. European Spine Journal, 2019, 28, 2187-2197.	1.0	23
194	A minimally important treatment effect is a keyÂbut elusive concept. Spinal Cord, 2019, 57, 83-84.	0.9	3
196	Minimally Important Difference in the Foot and Ankle Outcome Score Among Patients Undergoing Hallux Valgus Surgery. Foot and Ankle International, 2019, 40, 694-701.	1,1	16
197	Minimal Clinically Important Difference for PROMIS Physical Function in Patients With Distal Radius Fractures. Journal of Hand Surgery, 2019, 44, 454-459.e1.	0.7	67
198	Minimal important differences for improvement in shoulder condition patient-reported outcomes: a systematic review to inform a <i>BMJ</i> Rapid Recommendation. BMJ Open, 2019, 9, e028777.	0.8	82
199	Validation of the Chinese version of the Pelvic Floor Distress Inventory-20 (PFDI-20) according to the COSMIN checklist. International Urogynecology Journal, 2019, 30, 1127-1139.	0.7	36
200	The minimum clinically important difference: which direction to take. European Journal of Neurology, 2019, 26, 850-855.	1.7	52
201	Can Methods Developed for Interpreting Group-level Patient-reported Outcome Data be Applied to Individual Patient Management?. Medical Care, 2019, 57, S38-S45.	1.1	47

#	Article	IF	CITATIONS
202	Editorial Comment: 7th International Congress of Arthroplasty Registries. Clinical Orthopaedics and Related Research, 2019, 477, 1299-1300.	0.7	1
203	A Comparison of Treatment Effects for Nonsurgical Therapies and the Minimum Clinically Important Difference in Knee Osteoarthritis. JBJS Reviews, 2019, 7, e5-e5.	0.8	28
204	Predicting clinical outcome and length of sick leave after surgery for lumbar spinal stenosis in Sweden: a multi-register evaluation. European Spine Journal, 2019, 28, 1423-1432.	1.0	20
205	Clinical Utility of Patient-Reported Outcome Measurement Information System Domain Scales. Circulation: Cardiovascular Quality and Outcomes, 2019, 12, e004753.	0.9	29
206	Predicting patient-reported outcomes following hip and knee replacement surgery using supervised machine learning. BMC Medical Informatics and Decision Making, 2019, 19, 3.	1.5	70
207	Comparison of Sino-Nasal Outcome Test 22 Symptom Scores in Rhinogenic and Odontogenic Sinusitis. American Journal of Rhinology and Allergy, 2019, 33, 44-50.	1.0	19
208	Determining clinically important differences in health-related quality of life in older patients with cancer undergoing chemotherapy or surgery. Quality of Life Research, 2019, 28, 663-676.	1.5	23
209	Intra-articular treatment options for knee osteoarthritis. Nature Reviews Rheumatology, 2019, 15, 77-90.	3.5	292
210	Clarithromycin added to bortezomibâ€eyclophosphamideâ€dexamethasone impairs healthâ€related quality of life in multiple myeloma patients. European Journal of Haematology, 2019, 102, 70-78.	1.1	8
211	Measuring activities of daily living in Parkinson's disease: On a road to nowhere and back again?. Measurement: Journal of the International Measurement Confederation, 2019, 132, 109-124.	2.5	17
212	Reconsidering the minimally important difference: evidence of instability over time and across groups. Spine Journal, 2019, 19, 726-734.	0.6	27
213	Health-related quality of life in transplant ineligible newly diagnosed multiple myeloma patients treated with either thalidomide or lenalidomide-based regimen until progression: a prospective, open-label, multicenter, randomized, phase 3 study. Haematologica, 2020, 105, 1650-1659.	1.7	19
214	Six-Minute Walk Test. Chest, 2020, 157, 603-611.	0.4	143
215	HDQLIFE and Neuroâ€QoL Physical Function Measures: Responsiveness in Persons with Huntington's Disease. Movement Disorders, 2020, 35, 326-336.	2.2	10
216	What is the minimal important difference of pain intensity, mandibular function, and headache impact in patients with temporomandibular disorders? Clinical significance analysis of a randomized controlled trial. Musculoskeletal Science and Practice, 2020, 46, 102108.	0.6	28
217	Giving Meaning to Differences in BREAST-Q Scores: Minimal Important Difference for Breast Reconstruction Patients. Plastic and Reconstructive Surgery, 2020, 145, 11e-20e.	0.7	85
218	ISSLS prize in clinical science 2020: the reliability and interpretability of score change in lumbar spine research. European Spine Journal, 2020, 29, 663-669.	1.0	7
219	Minimal Clinically Important Difference of Oxford, Constant, and UCLA shoulder score for arthroscopic rotator cuff repair. Journal of Orthopaedics, 2020, 19, 21-27.	0.6	69

#	Article	IF	Citations
220	Evaluating Effectiveness of an Acute Rehabilitation Program in Hospital-Associated Deconditioning. Journal of Geriatric Physical Therapy, 2020, 43, 172-178.	0.6	8
221	Measuring change in health-related quality of life: the impact of different analytical methods on the interpretation of treatment effects in glioma patients. Neuro-Oncology Practice, 2020, 7, 668-675.	1.0	5
222	Minimum Clinically Important Differences of the Hospital for Special Surgery Dysphagia and Dysphonia Inventory and Other Dysphagia Measurements in Patients Undergoing ACDF. Clinical Orthopaedics and Related Research, 2020, 478, 2309-2320.	0.7	8
223	Reliability, Discriminative, and Prognostic Validity of the Multidimensional Symptom Index in Musculoskeletal Trauma. Clinical Journal of Pain, 2020, 36, 700-706.	0.8	0
224	Determination of the patient acceptable symptom state for the Japanese Orthopaedic Association Score in patients undergoing anterior cervical discectomy and fusion for cervical spondylotic myelopathy. Spine Journal, 2020, 20, 1785-1794.	0.6	4
225	Minimally important differences for interpreting European Organisation for Research and Treatment of Cancer Quality of Life Questionnaire Core 30 scores in patients with head and neck cancer. Head and Neck, 2020, 42, 3141-3152.	0.9	28
226	Most ankle sprain research is either false or clinically unimportant: A 30-year audit of randomized controlled trials. Journal of Sport and Health Science, 2021, 10, 523-529.	3.3	7
227	Minimally important differences for interpreting the EORTC QLQ 30 in patients with advanced colorectal cancer treated with chemotherapy. Colorectal Disease, 2020, 22, 2278-2287.	0.7	22
228	Defining the patient acceptable symptom state for the American Orthopaedic Foot & American Score following hallux valgus surgery. Foot and Ankle Surgery, 2021, 27, 528-534.	0.8	5
229	Test-retest reliability of multiscale fractal dimension measurements of plantar pressure maps during dynamic tasks. Journal of Biomechanics, 2020, 113, 110103.	0.9	1
230	Validation of the Chinese version of the Pelvic Organ Prolapse Symptom Score (POP-SS). Menopause, 2020, 27, 1053-1059.	0.8	3
231	Relative Reduction in Prevalence (RRP): An Alternative to Cohen's Effect Size Statistics for Judging Alcohol, Cigarette, and Marijuana Use Prevention Outcomes. Journal of Primary Prevention, 2020, 41, 473-486.	0.8	4
232	Evaluating the Minimal Clinically Important Difference of EQ-5D-3L in Patients With Degenerative Lumbar Spinal Stenosis. Spine, 2020, 45, 1309-1316.	1.0	14
233	Responsiveness to change over time and test-retest reliability of the PROMIS and Neuro-QoL mental health measures in persons with Huntington disease (HD). Quality of Life Research, 2020, 29, 3419-3439.	1.5	9
234	Interpretation of health-related quality of life outcomes in Parkinson's disease from the EARLYSTIM Study. PLoS ONE, 2020, 15, e0237498.	1.1	5
235	Development and pilot evaluation of a mobile app on parent-child exercises to improve physical activity and psychosocial outcomes of Hong Kong Chinese children. BMC Public Health, 2020, 20, 1544.	1.2	20
236	Reply to letter to the editor: $\hat{a} \in \hat{e}$ effect of the dr. Bart application on healthcare use and clinical outcomes in people with osteoarthritis of the knee and/or hip in the Netherlands $\hat{a} \in \hat{e}$ a randomized controlled trial $\hat{a} \in \hat{e}$ . Osteoarthritis and Cartilage, 2020, 28, 1494-1496.	0.6	0
237	Meaningful improvement thresholds in measures of pain and quality of life in oral lichen planus. Oral Diseases, 2020, 26, 1464-1473.	1.5	12

#	Article	IF	CITATIONS
238	Later retirement, job strain, and health: Evidence from the new State Pension age in the United Kingdom. Health Economics (United Kingdom), 2020, 29, 891-912.	0.8	32
239	Cost-Effectiveness of Operative Versus Non-Operative Treatment for Clavicle Fracture: a Systematic Literature Review. Current Reviews in Musculoskeletal Medicine, 2020, 13, 391-399.	1.3	7
240	Responsiveness and minimal important change of the QuickDASH and PSFS when used among patients with shoulder pain. BMC Musculoskeletal Disorders, 2020, 21, 328.	0.8	13
241	Evaluating the credibility of anchor based estimates of minimal important differences for patient reported outcomes: instrument development and reliability study. BMJ, The, 2020, 369, m1714.	3.0	110
242	Similar postoperative outcomes after total knee arthroplasty with measured resection and gap balancing techniques using a contemporary knee system: a randomized controlled trial. Knee Surgery, Sports Traumatology, Arthroscopy, 2021, 29, 3178-3185.	2.3	12
243	Defining threshold values on the neck disability index corresponding to a patient acceptable symptom state in patients undergoing elective surgery for degenerative disorders of the cervical spine. Spine Journal, 2020, 20, 1316-1326.	0.6	10
244	<p>Clinically Meaningful Difference for the Infant Gastroesophageal Questionnaire Revised version (I-GERQ-R): A Quantitative Synthesis</p> . Patient Related Outcome Measures, 2020, Volume 11, 87-93.	0.7	5
245	Determining the Patient Acceptable Symptomatic State for Patients Undergoing Arthroscopic Partial Meniscectomy in the Knee. American Journal of Sports Medicine, 2020, 48, 847-852.	1.9	13
246	What's a true change? – Interpreting change scores in measurement instruments of evidence-based practice: A comment. Complementary Therapies in Medicine, 2020, 54, 102454.	1.3	0
247	Minimal important differences for the WOMAC osteoarthritis index and the Forgotten Joint Score-12 in total knee arthroplasty patients. BMC Musculoskeletal Disorders, 2020, 21, 401.	0.8	28
248	Distal radius fractures in the elderly population. EFORT Open Reviews, 2020, 5, 361-370.	1.8	29
249	Critical consideration of assessment methods for clinically significant changes of mental distress after psychoâ€oncological interventions. International Journal of Methods in Psychiatric Research, 2020, 29, e1821.	1.1	16
250	International standards for the analysis of quality-of-life and patient-reported outcome endpoints in cancer randomised controlled trials: recommendations of the SISAQOL Consortium. Lancet Oncology, The, 2020, 21, e83-e96.	5.1	180
251	Minimal clinically important difference (MCID) for patient-reported shoulder outcomes. Journal of Shoulder and Elbow Surgery, 2020, 29, 1484-1492.	1.2	71
252	Are Oxford Hip Score and Western Ontario and McMaster Universities Osteoarthritis Index Useful Predictors of Clinical Meaningful Improvement and Satisfaction After Total Hip Arthroplasty?. Journal of Arthroplasty, 2020, 35, 2458-2464.	1.5	38
253	Exploring Clinically Meaningful Changes for the Frailty Index in a Longitudinal Cohort of Hospitalized Older Patients. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2020, 75, 1928-1934.	1.7	41
254	Minimal clinically important difference of commonly used patient-reported outcome measures in total knee arthroplasty: review of terminologies, methods and proposed values. Knee Surgery and Related Research, 2020, 32, 19.	1.8	65
255	Effect of initial treatment on healthâ€related quality of life in patients with newly diagnosed multiple myeloma without immediate stem cell transplant intent: results from the Connect <sup>®</sup> MM Registry. British Journal of Haematology, 2021, 193, 93-100.	1.2	4

#	Article	IF	CITATIONS
256	Frailty state utility and minimally important difference: findings from the North West Adelaide Health Study. Age and Ageing, 2021, 50, 565-569.	0.7	1
257	Reliability and Validity of Turkish Myasthenia Gravis-Activities of Daily Living Scale. OTJR Occupation, Participation and Health, 2021, 41, 101-107.	0.4	2
258	Clinical Outcomes of Open Versus Arthroscopic Broström Procedure for Lateral Ankle Instability: A Meta-analysis. Journal of Foot and Ankle Surgery, 2021, 60, 577-584.	0.5	25
259	The patient acceptable symptom state in oral lichen planus: identification of cut-off threshold scores in measures of pain and quality of life. Clinical Oral Investigations, 2021, 25, 3699-3709.	1.4	5
260	Responsiveness and Minimal Clinically Important Difference of the Motor Function Measure in Collagen VI-Related Dystrophies and Laminin Alpha2-Related Muscular Dystrophy. Archives of Physical Medicine and Rehabilitation, 2021, 102, 604-610.	0.5	5
261	The patient acceptable symptom state for the Oswestry Disability Index following single-level lumbar fusion for degenerative spondylolisthesis. Spine Journal, 2021, 21, 598-609.	0.6	15
262	Associations between comorbidities and immediate and one-year outcomes following supervised exercise therapy and patient education $\hat{a}\in$ A cohort study of 24,513 individuals with knee or hip osteoarthritis. Osteoarthritis and Cartilage, 2021, 29, 39-49.	0.6	16
263	The Clinically Important Difference and Patient Acceptable Symptomatic State for Commonly Used Patient-Reported Outcomes After Knee Cartilage Repair. American Journal of Sports Medicine, 2021, 49, 193-199.	1.9	29
264	Mind the methods of determining minimal important differences: three critical issues to consider. Evidence-Based Mental Health, 2021, 24, 77-81.	2,2	27
265	Minimally important difference in cost savings: Is it possible to identify an MID for cost savings?. Health Services and Outcomes Research Methodology, 2021, 21, 131-144.	0.8	3
266	Minimal Clinically Important Difference, Substantial Clinical Benefit, and Patient Acceptable Symptom State of Outcome Measures Relating to Shoulder Pathology and Surgery: a Systematic Review. Current Reviews in Musculoskeletal Medicine, 2021, 14, 27-46.	1.3	34
267	Factors associated with health-related quality of life of military policemen in Salvador, Brazil: cross-sectional study. Health and Quality of Life Outcomes, 2021, 19, 21.	1.0	1
268	Identifying the minimal important difference in patient-reported outcome measures in the field of people with severe mental illness: a pre–post-analysis of the Illness Management and Recovery Programme. Quality of Life Research, 2021, 30, 1723-1733.	1.5	1
269	Establishing anchor-based minimally important differences for the EORTC QLQ-C30 in glioma patients. Neuro-Oncology, 2021, 23, 1327-1336.	0.6	15
270	Estimates of the minimal important difference to evaluate the clinical significance of antidepressants in the acute treatment of moderate-to-severe depression. BMJ Evidence-Based Medicine, 2022, 27, 69-73.	1.7	30
271	Prior hip arthroscopy does not affect 1-year patient-reported outcomes following total hip arthroplasty: a register-based matched case-control study of 675 patients. Monthly Notices of the Royal Astronomical Society: Letters, 2021, 92, 408-412.	1.2	3
272	Determining minimal important change for the thyroid-related quality of life questionnaire ThyPRO. Endocrine Connections, 2021, 10, 316-324.	0.8	17
273	Responsiveness and interpretability of commonly used outcome assessments of mobility capacity in older hospital patients with cognitive spectrum disorders. Health and Quality of Life Outcomes, 2021, 19, 68.	1.0	4

#	Article	IF	CITATIONS
274	Estimates of the mean difference in orthopaedic randomized trials: obligatory yet obscure. BMC Medical Research Methodology, 2021, 21, 59.	1.4	2
275	Minimal important change and minimum clinically important difference values of the KOOS-12 after total knee arthroplasty. Knee, 2021, 29, 541-546.	0.8	18
276	Effect of lisocabtagene maraleucel on HRQoL and symptom severity in relapsed/refractory large B-cell lymphoma. Blood Advances, 2021, 5, 2245-2255.	2.5	16
277	Development of supine and standing knee joint position sense tests. Physical Therapy in Sport, 2021, 49, 112-121.	0.8	8
278	Meaningful values in the Forgotten Joint Score after total knee arthroplasty. Bone and Joint Journal, 2021, 103-B, 846-854.	1.9	44
279	Understanding Clinical Significance in Rehabilitation. American Journal of Physical Medicine and Rehabilitation, 2022, 101, 64-77.	0.7	6
280	Minimal Clinically Important Difference for Mini-Balance Evaluation Systems Test and Berg Balance Scale:A Systematic Review. The Japanese Journal of Rehabilitation Medicine, 2021, 58, 555-564.	0.0	1
281	The minimal important change for the seven-item disability of the arm, shoulder, and hand (DASH 7) questionnaire – Assessing shoulder function in patients with subacromial pain. JSES International, 2021, 5, 474-479.	0.7	0
282	Addressing Bias in Responder Analysis of Patient-Reported Outcomes. Therapeutic Innovation and Regulatory Science, 2021, 55, 989-1000.	0.8	7
283	Especially for neuro-oncologists—minimally important differences for the EORTC QLQ-C30 in glioma patients. Neuro-Oncology, 2021, 23, 1222-1222.	0.6	0
284	Validation of the Multidimensional Assessment of Interoceptive Awareness (MAIA-2) questionnaire in hospitalized patients with major depressive disorder. PLoS ONE, 2021, 16, e0253913.	1.1	24
285	SPIRIT-PRO Extension explanation and elaboration: guidelines for inclusion of patient-reported outcomes in protocols of clinical trials. BMJ Open, 2021, 11, e045105.	0.8	65
286	Health-related quality of life in patients with newly diagnosed multiple myeloma ineligible for stem cell transplantation: results from the randomized phase III ALCYONE trial. BMC Cancer, 2021, 21, 659.	1.1	8
287	Study rationale and design of a study of EMPAgliflozin's effects in patients with type 2 diabetes mellitus and Coronary ARtery disease: the EMPA-CARD randomized controlled trial. BMC Cardiovascular Disorders, 2021, 21, 318.	0.7	5
288	Cutoff Values to Interpret Short-term Treatment Outcomes After Arthroscopic Meniscal Surgery, Measured With the Knee Injury and Osteoarthritis Outcome Score. Journal of Orthopaedic and Sports Physical Therapy, 2021, 51, 281-288.	1.7	12
289	Defining the minimal clinically important difference for theÂknee society score following revision total knee arthroplasty. Knee Surgery, Sports Traumatology, Arthroscopy, 2022, 30, 2744-2752.	2.3	9
290	Clinical Use of PROMIS, Neuro-QoL, TBI-QoL, and Other Patient-Reported Outcome Measures for Individual Adult Clients with Cognitive and Language Disorders. Seminars in Speech and Language, 2021, 42, 192-210.	0.5	9
291	Short and long-term psychosocial consequences of participating in a colorectal cancer screening programme: a matched longitudinal study. BMJ Evidence-Based Medicine, 2022, 27, 87-96.	1.7	3

#	Article	IF	CITATIONS
292	Inter-methodological quantification of the target change for performance test outcomes relevant to elite female soccer players. Science and Medicine in Football, 2022, 6, 248-261.	1.0	9
293	Estimating the minimum important difference in the DEMQOL instrument in people with dementia. Quality of Life Research, 2021, 30, 2995-3005.	1.5	2
294	TARGET JNL: Neuropsychiatric Disease and Treatment Clinically Significant Changes in the 17- and 6-Item Hamilton Rating Scales for Depression: A STAR*D Report. Neuropsychiatric Disease and Treatment, 2021, Volume 17, 2333-2345.	1.0	17
295	Determining the Minimal Important Difference for the Wound-QoL Questionnaire. Patient Preference and Adherence, 2021, Volume 15, 1571-1578.	0.8	4
296	Days alive and at home after hip fracture: a cross-sectional validation of a patient-centred outcome measure using routinely collected data. BMJ Quality and Safety, 2023, 32, 546-556.	1.8	9
297	Collection and Reporting of Patient-reported Outcome Measures in Arthroplasty Registries: Multinational Survey and Recommendations. Clinical Orthopaedics and Related Research, 2021, 479, 2151-2166.	0.7	41
298	Methodological approach for determining the Minimal Important Difference and Minimal Important Change scores for the European Organisation for Research and Treatment of Cancer Head and Neck Cancer Module (EORTC QLQ-HN43) exemplified by the Swallowing scale. Quality of Life Research, 2022, 31, 841-853.	1.5	3
299	Triangulation of multiple meaningful change thresholds for patient-reported outcome scores. Quality of Life Research, 2021, 30, 2755-2764.	1.5	14
300	Interpreting Quality-of-Life Questionnaires in Patients with Long-Standing Facial Palsy. Facial Plastic Surgery and Aesthetic Medicine, 2022, 24, 75-80.	0.5	5
301	Patient-Reported Outcomes From a Phase 3 Randomized Controlled Trial Exploring Optimal Sequencing of Short-Term Androgen Deprivation Therapy With Prostate Radiation Therapy in Localized Prostate Cancer. International Journal of Radiation Oncology Biology Physics, 2021, 110, 1101-1113.	0.4	8
302	Patient-reported quality of life and symptom burden measures in human papillomavirus associated oropharyngeal cancer – A review of the literature and PRO methodology. Oral Oncology, 2021, 118, 105309.	0.8	10
303	Minimal important change (MIC): a conceptual clarification and systematic review of MIC estimates of PROMIS measures. Quality of Life Research, 2021, 30, 2729-2754.	1.5	153
304	Socioeconomic and humanistic burden of illness of excessive daytime sleepiness severity associated with obstructive sleep apnoea in the European Union 5. Sleep Medicine, 2021, 84, 46-55.	0.8	11
305	Spillover Effects of Mental Health Disorders on Family Members' Health-Related Quality of Life: Evidence from a US Sample. Medical Decision Making, 2022, 42, 80-93.	1.2	6
306	A systematic review of maintenance following intensive therapy programs in chronic post-stroke aphasia: importance of individual response analysis. Disability and Rehabilitation, 2022, 44, 5811-5826.	0.9	23
307	Development, Validation, and Results of a Survey of Personal Electronic Device Use Among 299 Anesthesia Providers From a Single Institution. Anesthesia and Analgesia, 2021, Publish Ahead of Print,	1.1	2
308	Fundamentals of osteoarthritis: outcome evaluation with patient-reported measures and functional tests. Osteoarthritis and Cartilage, 2022, 30, 775-785.	0.6	15
309	Minimal detectable change in handgrip strength and usual and maximum gait speed scores in community-dwelling Japanese older adults requiring long-term care/support. Geriatric Nursing, 2021, 42, 1184-1189.	0.9	1

#	Article	IF	CITATIONS
310	Using anchor-based methods to determine the smallest effect size of interest. Journal of Experimental Social Psychology, 2021, 96, 104159.	1.3	59
311	â€~No Effect' Conclusions in Studies Reporting Nonsignificant Results Are Potentially Incorrect. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2022, 38, 1315-1323.e1.	1.3	2
312	Impact of dexmedetomidine supplemented analgesia on delirium in patients recovering from orthopedic surgery: A randomized controlled trial. BMC Anesthesiology, 2021, 21, 223.	0.7	16
313	The oxford knee score minimal clinically important difference for revision total knee arthroplasty. Knee, 2021, 32, 211-217.	0.8	9
314	Editorial Commentary: Patients Who Achieve a Minimal Clinically Important Difference (Feel Better) Early After Hip Arthroscopy Have the Highest Rates of Long-Term Satisfaction. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 3088-3089.	1.3	1
315	Determining Clinically Meaningful Thresholds for the Nonarthritic Hip Score in Patients Undergoing Arthroscopy for Femoroacetabular Impingement Syndrome. Arthroscopy - Journal of Arthroscopic and Related Surgery, 2021, 37, 3113-3121.	1.3	31
316	Conducting randomized controlled pharmaceutical trials in the pregnant population., 2022,, 93-110.		0
317	The minimally important difference of the Gastrointestinal Quality of Life Index for symptomatic gallstone surgery. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 6938-6948.	1.3	3
318	Effect of Patient Demographics on Minimally Important Difference of Ankle Osteoarthritis Scale Among End-Stage Ankle Arthritis Patients. Foot and Ankle International, 2021, 42, 624-632.	1.1	4
319	Effect of Digoxin vs Bisoprolol for Heart Rate Control in Atrial Fibrillation on Patient-Reported Quality of Life. JAMA - Journal of the American Medical Association, 2020, 324, 2497.	3.8	118
320	Advancing Interpretation of Patient-Reported Outcomes. ICSA Book Series in Statistics, 2018, , 69-89.	0.0	1
321	Measuring quality of life in bariatric surgery: a multicentre study. Surgical Endoscopy and Other Interventional Techniques, 2020, 34, 5522-5532.	1.3	14
322	Estimation of an Instrument-Defined Minimally Important Difference in EQ-5D-5L Index Scores Based on Scoring Algorithms Derived Using the EQ-VT Version 2 Valuation Protocols. Value in Health, 2020, 23, 936-944.	0.1	22
323	Myeloma in Elderly Patients: When Less Is More and More Is More. American Society of Clinical Oncology Educational Book / ASCO American Society of Clinical Oncology Meeting, 2017, 37, 575-585.	1.8	20
324	Translation and validation of the Arabic version of the Boston carpal tunnel syndrome questionnaire. Journal of King Abdulaziz University, Islamic Economics, 2019, 24, 296-301.	0.5	11
325	A Responder Analysis of the Effects of Yoga for Individuals With COPD: Who Benefits and How?. International Journal of Yoga Therapy, 2012, 22, 23-36.	0.4	9
326	Examining the Usage, User Experience, and Perceived Impact of an Internet-Based Cognitive Behavioral Therapy Program for Adolescents With Anxiety: Randomized Controlled Trial. JMIR Mental Health, 2020, 7, e15795.	1.7	15
327	Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. Peerl, 2016, 4, e2092.	0.9	18

#	ARTICLE	IF	CITATIONS
328	Minimally important differences for the EORTC QLQ-C30 in prostate cancer clinical trials. BMC Cancer, 2021, 21, 1083.	1.1	12
329	Conflating effect size and minimal clinically important difference. Comment on Br J Anaesth 2021; 126: 1029–37. British Journal of Anaesthesia, 2022, 128, e1-e2.	1.5	5
330	Methodological challenges in measuring meaningful change in individuals with spinal muscular atrophy. Muscle and Nerve, 2021, 64, 639-640.	1.0	0
331	Estimation of Patient Acceptable Symptom State (PASS) and Treatment Failure (TF) Threshold Values for the Achilles Tendon Total Rupture Score (ATRS) at 6 Months, 1 Year, and 2 Years After Acute Achilles Tendon Rupture. Journal of Foot and Ankle Surgery, 2022, 61, 503-507.	0.5	5
332	Ascertaining minimal clinically meaningful changes in symptoms of depression rated by the 15â€item Centre for Epidemiologic Studies Depression Scale. Journal of Evaluation in Clinical Practice, 2021, , .	0.9	8
334	Statistical Development on Determing the Minimium Clinically Important Difference. Biometrics & Biostatistics International Journal, 2015, 2, .	0.2	1
336	Psychometric Evaluation of a Patient-Reported Symptom Index for Nonmuscle Invasive Bladder Cancer: Field Testing Protocol. JMIR Research Protocols, 2017, 6, e216.	0.5	2
337	Predicting Treatment Success after Scarf Osteotomy for Hallux Valgus using The American Orthopedic Foot and Ankle Society and Short Form Health Survey Scores. Journal of Foot & Ankle Surgery, 2018, 5, 59-63.	0.1	1
338	Am I Coughing More Than Usual?., 2019,,.		4
339	Designing and Evaluating Crime Prevention Solutions for the Digital Age. , 2019, , 125-146.		1
342	Validity and reliability of EQ-5D-5L among patients with axial spondyloarthritis in Singapore. European Journal of Rheumatology, 2020, 7, 71-78.	1.3	13
343	Characterising the potential for recall bias in anchorâ€based MCID calculation of patientâ€reported outcome measures for chronic rhinosinusitis. Clinical Otolaryngology, 2020, 45, 768-774.	0.6	6
344	Spinal Cord Injury–Functional Index/Capacity: Responsiveness to Change Over Time. Archives of Physical Medicine and Rehabilitation, 2022, 103, 199-206.	0.5	4
345	Small differences in EQ-5D-5L health utility scores were interpreted differently between and within respondents. Journal of Clinical Epidemiology, 2022, 142, 133-143.	2.4	2
346	Patient-Reported Outcomes and Pelvic Organ Prolapse. , 2021, , 555-575.		0
347	Long-term quality of life outcomes of women treated for early-stage endometrial cancer. International Journal of Gynecological Cancer, 2021, 31, 530-536.	1.2	14
348	Measuring quality of life in Parkinson's disease. , 2020, , 387-407.		0
349	Acupuncture treatment and minimal clinically important differences: a case study of randomised controlled trials of acupuncture for chronic pain. Acupuncture in Medicine, 2022, 40, 191-193.	0.4	0

#	Article	IF	CITATIONS
350	Changes and thresholds in the Forgotten Joint Score after total hip arthroplasty. Bone and Joint Journal, 2021, 103-B, 1759-1765.	1.9	15
351	Minimal important changes and differences were estimated for Oxford hip and knee scores following primary and revision arthroplasty. Journal of Clinical Epidemiology, 2022, 143, 159-168.	2.4	34
352	Preoperative predictors of health-related quality of life changes (EQ-5D and EQ VAS) after total hip and knee replacement: a systematic review. BMC Musculoskeletal Disorders, 2022, 23, 58.	0.8	8
353	Minimal important differences of EORTC QLQ-C30 for metastatic breast cancer patients: Results from a randomized clinical trial. Quality of Life Research, 2022, 31, 1829-1836.	1.5	3
354	Thresholds for meaningful improvement in WOMAC scores need to be adjusted to patient characteristics after hip and knee replacement. Journal of Orthopaedics, 2022, 29, 50-59.	0.6	5
355	The Minimal Clinically Important Difference, Substantial Clinical Benefit, and Patient-Acceptable Symptomatic State after Medial Patellofemoral Ligament Reconstruction. Arthroscopy, Sports Medicine, and Rehabilitation, 2022, 4, e661-e678.	0.8	14
356	The potential of dividing the oxford knee score into subscales for predicting clinically meaningful improvements in pain and function of patients undergoing total knee arthroplasty. International Journal of Orthopaedic and Trauma Nursing, 2021, 45, 100919.	0.4	1
358	Protocol for psychometric evaluation of the Amyotrophic Lateral Sclerosis - Bulbar Dysfunction Index (ALS-BDI): a prospective longitudinal study. BMJ Open, 2022, 12, e060102.	0.8	2
359	Expert perspective on Riddle and Dumenci's â€~Commentary on finding meaning in patient-reported outcome change scores: a seemingly unquenchable thirst for understanding'. Osteoarthritis and Cartilage, 2022, , .	0.6	1
360	Responsiveness of the Traumatic Brain Injury Quality of Life Cognition Banks in Recent Brain Injury. Frontiers in Human Neuroscience, 2022, 16, 763311.	1.0	1
361	Menstrual Symptoms, Health-Related Quality of Life, and Work Productivity in Japanese Women with Dysmenorrhea Receiving Different Treatments: Prospective Observational Study. Advances in Therapy, 2022, 39, 2562-2577.	1.3	11
362	Cannabidiol effects on cognition in individuals with cocaine use disorder: Exploratory results from a randomized controlled trial. Pharmacology Biochemistry and Behavior, 2022, 216, 173376.	1.3	7
363	Responsiveness and Minimal Clinically Important Difference of the Chinese Version of the Motor Function Measure-32 in Children and Adolescents with Duchenne Muscular Dystrophy. Developmental Neurorehabilitation, 2021, , 1-8.	0.5	2
364	The Minimal Clinically Important Difference: A Review of Clinical Significance. American Journal of Sports Medicine, 2023, 51, 520-524.	1.9	38
365	Improved adjusted minimal important change took reliability of transition ratings into account. Journal of Clinical Epidemiology, 2022, 148, 48-53.	2.4	10
366	Establishing Minimal Clinically Important Differences for the Quality of Life Instrument in Patients With Breast Cancer QLICP-BR (V2.0) Based on Anchor-Based and Distribution-Based Methods. Frontiers in Oncology, 2022, 12, 753729.	1.3	5
367	Safety of ezetimibe in lipid-lowering treatment: systematic review and meta-analysis of randomised controlled trials and cohort studies. , 2022, 1, e000134.		13
368	Breathing Exercises for Patients with Asthma in Specialist Care: A Multicenter Randomized Clinical Trial. Annals of the American Thoracic Society, 2022, 19, 1498-1506.	1.5	2

#	Article	IF	CITATIONS
369	Long-Term Health-Related Quality of Life of Autologous Hematopoietic Cell Transplantation Patients and Nontransplant Patients With Aggressive Lymphoma: A Prospective Cohort Analysis. JCO Oncology Practice, 0, , .	1.4	0
370	The Responsiveness of the Patient-Reported Outcomes Measurement Information System Upper Extremity and Physical Function in Patients With Cubital Tunnel Syndrome. Journal of Hand Surgery, 2022, , .	0.7	0
371	The Meaning and Reliability of Minimal Important Differences (MIDs) for Clinician-Reported Outcome Measures (ClinROMs) in Dermatology—A Scoping Review. Journal of Personalized Medicine, 2022, 12, 1167.	1.1	2
372	Quantitative assessment of the course of distal radioulnar joint instability. Hand Therapy, 0, , 175899832211138.	0.5	0
373	Interpretation threshold values for the Oxford Knee Score in patients undergoing unicompartmental knee arthroplasty. Monthly Notices of the Royal Astronomical Society: Letters, 0, 93, 634-642.	1.2	6
374	How do Patient-reported Outcome Scores in International Hip and Knee Arthroplasty Registries Compare?. Clinical Orthopaedics and Related Research, 2022, 480, 1884-1896.	0.7	11
375	Reliability of Isometric Muscle Strength Measurement and Its Accuracy Prediction of Maximal Dynamic Force in People with Multiple Sclerosis. Medicina (Lithuania), 2022, 58, 948.	0.8	1
376	Determination of Patient Acceptable Symptom State for the Oswestry Disability Index Score in Patients Who Underwent Minimally Invasive Discectomy for Lumbar Disc Herniation: 2-Year Follow-up Data from a Randomized Controlled Trial. World Neurosurgery, 2022, 167, e53-e60.	0.7	2
377	Establishing thresholds for meaningful within-individual change using longitudinal item response theory. Quality of Life Research, 2023, 32, 1267-1276.	1.5	6
378	The critical role of mixed methods research in developing valid and reliable patient-reported outcome measures. Methods, 2022, 205, 213-219.	1.9	0
379	PROMs Following Root Canal Treatment and Surgical Endodontic Treatment. International Dental Journal, 2023, 73, 28-41.	1.0	5
380	Association of change in health-related quality of life and treatment discontinuation in metastatic breast cancer: a post hoc, exploratory analysis of two randomized clinical trials. Supportive Care in Cancer, 2022, 30, 8367-8375.	1.0	4
381	Establishing the minimal clinically important difference of the EQ-5D-3L in older adults with a history of falls. Quality of Life Research, 0, , .	1.5	2
382	A review of the content and psychometric properties of cancer-related fatigue (CRF) measures used to assess fatigue in intervention studies. Supportive Care in Cancer, 2022, 30, 8871-8883.	1.0	4
383	Minimal Clinically Important Difference (MCID)., 2022,, 1-2.		0
384	Work ability and associated factors in people living with human T-cell leukemia virus type 1. Revista Da Sociedade Brasileira De Medicina Tropical, 0, , .	0.4	1
385	An Extension of the Anchor-Based MID Credibility Assessment Instrument Addressing Construct Proximity is a Reliable Alternative to the Correlation Item. SSRN Electronic Journal, 0, , .	0.4	0
386	Credibility and Generalization of the Minimally Important Difference Concept in Dermatology. JAMA Dermatology, 0, , .	2.0	0

#	Article	IF	Citations
387	Considerations for Analyzing and Interpreting Data from Biometric Monitoring Technologies in Clinical Trials. Digital Biomarkers, 0, , 83-97.	2.2	2
389	Quality of Life in Women with Ovarian Cancer. , 2022, , 225-241.		0
390	Quality of life reporting in the management of posterior fossa tumours: A systematic review. Frontiers in Surgery, 0, 9, .	0.6	3
391	Protocol for a systematic review and meta-analysis of minimal important differences for generic multiattribute utility instruments. BMJ Open, 2022, 12, e062703.	0.8	0
394	Measuring individual true change with PROMIS using IRT-based plausible values. Quality of Life Research, $0$ , , .	1.5	1
395	Association between VTE and antibiotic prophylaxis guideline compliance and patient-reported outcomes after total hip and knee arthroplasty: an observational study. Journal of Patient-Reported Outcomes, 2022, 6, .	0.9	0
396	What Preoperative Factors Are Associated With Achieving a Clinically Meaningful Improvement and Satisfaction After Single-Level Transforaminal Lumbar Interbody Fusion for Degenerative Spondylolisthesis?. Global Spine Journal, 0, , 219256822211398.	1.2	1
397	The effect of EMPAgliflozin on markers of inflammation in patients with concomitant type 2 diabetes mellitus and Coronary ARtery Disease: the EMPA-CARD randomized controlled trial. Diabetology and Metabolic Syndrome, 2022, 14, .	1.2	9
398	Patient acceptable symptom state (PASS): thresholds for the EQ-5D-5L and Oxford hip and knee scores for patients with total hip and knee replacement. Quality of Life Research, 2023, 32, 519-530.	1.5	2
399	The challenges inherent with anchor-based approaches to the interpretation of important change in clinical outcome assessments. Quality of Life Research, 2023, 32, 1239-1246.	1.5	4
400	Evaluation of Skindex-16 construct validity in routinely collected psoriasis data: a retrospective analysis of the relationship between overall physician global assessment scores and Skindex-16 and measure discordance. Archives of Dermatological Research, 0, , .	1.1	0
401	Minimal clinically important difference for the Mandarin version of the Tinnitus Questionnaire determined via anchor-based and distribution-based methods. Health and Quality of Life Outcomes, 2022, 20, .	1.0	1
402	Health-related quality of life and estimation of the minimally important difference in the Functional Assessment of Cancer Therapy-Endocrine Symptom score in postmenopausal ER+/HER2- metastatic breast cancer with low sensitivity to endocrine therapy. PLoS ONE, 2022, 17, e0278344.	1.1	0
403	Clinically meaningful change: evaluation of the Rasch-built Overall Amyotrophic Lateral Sclerosis Disability Scale (ROADS) and the ALSFRS-R. Amyotrophic Lateral Sclerosis and Frontotemporal Degeneration, 2023, 24, 311-316.	1.1	4
404	Minimal important difference in childhood interstitial lung diseases. Thorax, 2023, 78, 476-483.	2.7	2
405	Do members of cancer peer support groups know more about cancer than non-members? Results from a cross-sectional study in Germany. Supportive Care in Cancer, 2023, 31, .	1.0	0
406	Bayesian tests of two proportions: A tutorial with R and JASP. Methodology, 2022, 18, 239-277.	0.5	1
407	The effect of topical tranexamic acid on functional outcomes and quality of life in patients undergoing unicompartmental knee arthroplasty. Archives of Orthopaedic and Trauma Surgery, 0, , .	1.3	1

#	Article	IF	CITATIONS
408	Minimal Clinically Important Difference Estimates Are Biased by Adjusting for Baseline Severity, Not by Regression to the Mean. Journal of Athletic Training, 2022, 57, 1122-1123.	0.9	0
409	Assessing individual-level measurement precision of the Short Physical Performance Battery using the test information function. International Journal of Rehabilitation Research, 0, Publish Ahead of Print,	0.7	1
410	The Influence of the COVID-19 Pandemic on Social Anxiety: A Systematic Review. International Journal of Environmental Research and Public Health, 2023, 20, 2362.	1.2	21
411	Clinical evaluation of hip joint diseases: total hip arthroplasty to support patients' quality of life. , 2023, 1, 18-25.		2
412	An extension minimal important difference credibility item addressing construct proximity is a reliable alternative to the correlation item. Journal of Clinical Epidemiology, 2023, 157, 46-52.	2.4	1
413	Novel Endpoints in Solid Organ Transplantation: Targeting Patient-reported Outcome Measures. Transplantation, 2023, 107, 1895-1902.	0.5	3
414	The test-retest reliability and concurrent validity of $360\hat{A}^o$ turn test in patients with knee osteoarthritis. Somatosensory & Motor Research, 0, , 1-7.	0.4	0
416	Interpretation Threshold Values for the Oxford Hip Score in Patients Undergoing Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2023, 105, 797-804.	1.4	1
417	Personalized pain management: The relationship between clinical relevance and reliability of measurements. European Journal of Pain, 2023, 27, 1056-1064.	1.4	1
418	MCID and PASS in Knee Surgeries. Theoretical Aspects and Clinical RelevanceÂReferences. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 2060-2067.	2.3	9
419	From Meaningful Outcomes to Meaningful Change Thresholds: A Path to Progress for Establishing Digital Endpoints. Therapeutic Innovation and Regulatory Science, 0, , .	0.8	1
420	Minimal Clinically Important Differences in Inspiratory Muscle Function Variables after a Respiratory Muscle Training Programme in Individuals with Long-Term Post-COVID-19 Symptoms. Journal of Clinical Medicine, 2023, 12, 2720.	1.0	3
421	Introduction to the special section: "Methodologies and considerations for meaningful change― Quality of Life Research, 2023, 32, 1223-1230.	1.5	4
422	Minimal Clinically Important Difference and Patient-Acceptable Symptom State in Orthopaedic Spine Surgery. JBJS Reviews, 2023, 11, .	0.8	3
425	Statistical Methods for PROMS and QoL. , 2023, , 9-16.		0
460	Minimal Clinically Important Difference (MCID). , 2023, , 4389-4390.		O