

# High-Sensitivity ST2 for Prediction of Adverse Outcome

Circulation: Heart Failure

4, 180-187

DOI: [10.1161/circheartfailure.110.958223](https://doi.org/10.1161/circheartfailure.110.958223)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Biomarkers in Advanced Heart Failure: Diagnostic and Therapeutic Insights. <i>Congestive Heart Failure</i> , 2011, 17, 169-174.	2.0	13
2	Establishing Prognosis in Heart Failure: A Multimarker Approach. <i>Progress in Cardiovascular Diseases</i> , 2011, 54, 86-96.	1.6	45
3	Use of Novel and Conventional Biomarkers for Management of Patients With Heart Failure. <i>Current Treatment Options in Cardiovascular Medicine</i> , 2011, 13, 475-488.	0.4	7
4	Role of IL-33 in inflammation and disease. <i>Journal of Inflammation</i> , 2011, 8, 22.	1.5	368
5	Directions from Hecate: towards a multi-marker approach for heart failure assessment. <i>European Journal of Heart Failure</i> , 2011, 13, 691-693.	2.9	4
7	Soluble ST2 Is Regulated by p75 Neurotrophin Receptor and Predicts Mortality in Diabetic Patients With Critical Limb Ischemia. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, e149-60.	1.1	42
8	Distribution and Clinical Correlates of the Interleukin Receptor Family Member Soluble ST2 in the Framingham Heart Study. <i>Clinical Chemistry</i> , 2012, 58, 1673-1681.	1.5	162
9	Combined use of high-sensitivity ST2 and NTproBNP to improve the prediction of death in heart failure. <i>European Journal of Heart Failure</i> , 2012, 14, 32-38.	2.9	130
10	Important Differences in Mode of Death Between Men and Women With Heart Failure Who Would Qualify for a Primary Prevention Implantable Cardioverter-Defibrillator. <i>Circulation</i> , 2012, 126, 2402-2407.	1.6	66
11	Measurement of multiple biomarkers in advanced stage heart failure patients treated with pulmonary artery catheter guided therapy. <i>Critical Care</i> , 2012, 16, R135.	2.5	33
12	Prognostic Utility of Novel Biomarkers of Cardiovascular Stress. <i>Circulation</i> , 2012, 126, 1596-1604.	1.6	414
13	Performance of the Seattle Heart Failure Model in Implantable Defibrillator Patients Treated With Cardiac Resynchronization Therapy. <i>American Journal of Cardiology</i> , 2012, 110, 398-402.	0.7	21
14	Defining the Role of ST2: A Multimarker Approach?. <i>Journal of Cardiac Failure</i> , 2012, 18, 311-312.	0.7	1
15	Prognostic value of soluble ST2 in an unselected cohort of patients admitted to an intensive care unit – The Linz Intensive Care Unit (LICU) study. <i>Clinica Chimica Acta</i> , 2012, 413, 587-593.	0.5	16
16	Prognostic Impact of the Addition of Ventilatory Efficiency to the Seattle Heart Failure Model in Patients With Heart Failure. <i>Journal of Cardiac Failure</i> , 2012, 18, 614-619.	0.7	14
17	Clinical Adoption of Prognostic Biomarkers: The Case for Heart Failure. <i>Progress in Cardiovascular Diseases</i> , 2012, 55, 3-13.	1.6	26
18	Transcriptomic Biomarkers of Cardiovascular Disease. <i>Progress in Cardiovascular Diseases</i> , 2012, 55, 64-69.	1.6	60
19	Experimental biomarkers in heart failure: an update. <i>Expert Review of Cardiovascular Therapy</i> , 2012, 10, 1119-1132.	0.6	3

#	ARTICLE	IF	CITATIONS
20	Selective improvement in Seattle Heart Failure Model risk stratification using iodine-123 meta-iodobenzylguanidine imaging. <i>Journal of Nuclear Cardiology</i> , 2012, 19, 1007-1016.	1.4	60
21	Novel biomarkers in chronic heart failure. <i>Nature Reviews Cardiology</i> , 2012, 9, 347-359.	6.1	108
22	Multiple Biomarkers for Risk Prediction in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2012, 5, 183-190.	1.6	169
23	The Use of Biomarkers in the Patient with Heart Failure. <i>Current Cardiology Reports</i> , 2013, 15, 372.	1.3	34
24	Positioning of Inflammatory Biomarkers in the Heart Failure Landscape. <i>Journal of Cardiovascular Translational Research</i> , 2013, 6, 485-492.	1.1	66
25	New and Emerging Biomarkers in Left Ventricular Systolic Dysfunction—Insight into Dilated Cardiomyopathy. <i>Journal of Cardiovascular Translational Research</i> , 2013, 6, 516-527.	1.1	29
26	Biological variation of galectin-3 and soluble ST2 for chronic heart failure: Implication on interpretation of test results. <i>American Heart Journal</i> , 2013, 165, 995-999.	1.2	110
27	The Emerging Role of Galectin-3 and ST2 in Heart Failure: Practical Considerations and Pitfalls Using Novel Biomarkers. <i>Current Heart Failure Reports</i> , 2013, 10, 441-449.	1.3	27
28	Incorporating Common Biomarkers into the Clinical Management of Heart Failure. <i>Current Heart Failure Reports</i> , 2013, 10, 450-457.	1.3	5
29	Therapeutic Implications of Biomarkers in Chronic Heart Failure. <i>Clinical Pharmacology and Therapeutics</i> , 2013, 94, 468-479.	2.3	19
30	Heart Failure Biomarkers. <i>Journal of Cardiovascular Translational Research</i> , 2013, 6, 471-484.	1.1	17
31	Soluble ST2 as a Biomarker for Detecting Stable Heart Failure With a Normal Ejection Fraction in Hypertensive Patients. <i>Journal of Cardiac Failure</i> , 2013, 19, 163-168.	0.7	74
32	Serum soluble ST2 and interleukin-33 levels in patients with pulmonary arterial hypertension. <i>International Journal of Cardiology</i> , 2013, 168, 1545-1547.	0.8	50
33	Temporal changes of soluble <sc>ST</sc>2 after cardiovascular interventions. <i>European Journal of Clinical Investigation</i> , 2013, 43, 113-120.	1.7	18
34	Biomarkers and diagnostics in heart failure. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2013, 1832, 2442-2450.	1.8	298
35	Heart Failure. <i>JACC: Heart Failure</i> , 2013, 1, 1-20.	1.9	612
36	ST2 as a Cardiovascular Risk Biomarker: From the Bench to the Bedside. <i>Journal of Cardiovascular Translational Research</i> , 2013, 6, 493-500.	1.1	77
37	Cardiac Markers. , 2013, , 817-831.		6

#	ARTICLE	IF	CITATIONS
38	Pathophysiology of the Cardiorenal Syndromes: Executive Summary from the Eleventh Consensus Conference of the Acute Dialysis Quality Initiative (ADQI). <i>Contributions To Nephrology</i> , 2013, 182, 82-98.	1.1	135
39	Pathogenesis of Cardiorenal Syndrome Type 1 in Acute Decompensated Heart Failure: Workgroup Statements from the Eleventh Consensus Conference of the Acute Dialysis Quality Initiative (ADQI). <i>Contributions To Nephrology</i> , 2013, 182, 99-116.	1.1	83
40	Ventricular-Arterial Coupling, Remodeling, and Prognosis in Chronic Heart Failure. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1165-1172.	1.2	189
41	The Presage <sup>®</sup> ST2 Assay: analytical considerations and clinical applications for a high-sensitivity assay for measurement of soluble ST2. <i>Expert Review of Molecular Diagnostics</i> , 2013, 13, 13-30.	1.5	79
42	Prognostic and Diagnostic Value of Plasma Soluble Suppression of Tumorigenicity-2 Concentrations in Acute Respiratory Distress Syndrome. <i>Critical Care Medicine</i> , 2013, 41, 2521-2531.	0.4	47
43	Soluble ST2 Is Associated with All-Cause and Cardiovascular Mortality in a Population-Based Cohort: The Dallas Heart Study. <i>Clinical Chemistry</i> , 2013, 59, 536-546.	1.5	58
44	Soluble ST2 in Ambulatory Patients With Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 1172-1179.	1.6	114
45	Soluble Concentrations of the Interleukin Receptor Family Member ST2 and $\beta$ -Blocker Therapy in Chronic Heart Failure. <i>Circulation: Heart Failure</i> , 2013, 6, 1206-1213.	1.6	116
46	Soluble ST2 predicts elevated SBP in the community. <i>Journal of Hypertension</i> , 2013, 31, 1431-1436.	0.3	42
47	Old and newer biomarkers in heart failure. <i>Journal of Cardiovascular Medicine</i> , 2013, 14, 690-697.	0.6	9
48	Soluble ST2 protein in chronic heart failure is independent of traditional factors. <i>Archives of Medical Science</i> , 2013, 1, 21-26.	0.4	25
49	A Role for Soluble ST2 in Vascular Remodeling Associated with Obesity in Rats. <i>PLoS ONE</i> , 2013, 8, e79176.	1.1	37
50	A Novel Cardiac Bio-Marker: ST2: A Review. <i>Molecules</i> , 2013, 18, 15314-15328.	1.7	114
51	A structured home visit program by non-licensed healthcare personnel can make a difference in the management and readmission of heart failure patients. <i>Journal of Hospital Administration</i> , 2013, 3, 1.	0.0	2
52	The Prognostic Value of Plasma Soluble ST2 in Hospitalized Chinese Patients with Heart Failure. <i>PLoS ONE</i> , 2014, 9, e110976.	1.1	10
53	Evolution of Biomarker Guided Therapy for Heart Failure: Current Concepts and Trial Evidence. <i>Current Cardiology Reviews</i> , 2014, 11, 80-89.	0.6	18
54	Elevated Soluble ST2 and Depression Increased the Risk of All-Cause Mortality and Hospitalization in Patients With Heart Failure. <i>International Heart Journal</i> , 2014, 55, 445-450.	0.5	21
55	Serum levels of the soluble IL-1 receptor family member ST2 and right ventricular dysfunction. <i>Biomarkers in Medicine</i> , 2014, 8, 95-106.	0.6	15

#	ARTICLE	IF	CITATIONS
56	The ease of use and reproducibility of the Alere <sup>®</sup> Heart Check System: a comparison of patient and healthcare professional measurement of BNP. <i>Biomarkers in Medicine</i> , 2014, 8, 791-796.	0.6	14
57	Coronary sinus biomarker sampling compared to peripheral venous blood for predicting outcomes in patients with severe heart failure undergoing cardiac resynchronization therapy: The BIOCRT study. <i>Heart Rhythm</i> , 2014, 11, 2167-2175.	0.3	46
58	ST2 may not be a useful predictor for incident cardiovascular events, heart failure and mortality. <i>Heart</i> , 2014, 100, 1715-1721.	1.2	42
59	Plasma Soluble ST2 Levels Correlate With Disease Severity and Predict Clinical Worsening in Patients With Pulmonary Arterial Hypertension. <i>Clinical Cardiology</i> , 2014, 37, 365-370.	0.7	44
60	Using ST2 in cardiovascular patients: a review. <i>Future Cardiology</i> , 2014, 10, 525-539.	0.5	59
61	Increased Soluble ST2 Predicts Long-term Mortality in Patients with Stable Coronary Artery Disease: Results from the Ludwigshafen Risk and Cardiovascular Health Study. <i>Clinical Chemistry</i> , 2014, 60, 530-540.	1.5	102
62	Role of point of care - ST <sub>2</sub> , Galectin-3 and adrenomedullin in the evaluation and treatment of emergency patients. <i>International Journal of Critical Illness and Injury Science</i> , 2014, 4, 261.	0.2	2
63	STOP-HF: Expanding the role of HF programs into the community. <i>Global Cardiology Science &amp; Practice</i> , 2014, 2014, 23.	0.3	0
64	Pathophysiology of the Cardiorenal Syndromes: Executive Summary from the Eleventh Consensus Conference of the Acute Dialysis Quality Initiative (ADQI). <i>Blood Purification</i> , 2014, 37, 2-13.	0.9	7
65	Cardiac and Renal Fibrosis in Chronic Cardiorenal Syndromes. <i>Nephron Clinical Practice</i> , 2014, 127, 106-112.	2.3	35
66	Cardiorenal Syndrome. <i>Heart Failure Clinics</i> , 2014, 10, 251-280.	1.0	115
67	Soluble ST2 and Galectin-3 in Heart Failure. <i>Clinics in Laboratory Medicine</i> , 2014, 34, 87-97.	0.7	32
68	Head-to-Head Comparison of Serial Soluble ST2, Growth Differentiation Factor-15, and Highly-Sensitive Troponin T Measurements in Patients With Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2014, 2, 65-72.	1.9	167
69	Heart Failure With Recovered Ejection Fraction. <i>Circulation</i> , 2014, 129, 2380-2387.	1.6	244
70	Head-to-Head Comparison of 2 Myocardial Fibrosis Biomarkers for Long-Term Heart Failure Risk Stratification. <i>Journal of the American College of Cardiology</i> , 2014, 63, 158-166.	1.2	222
71	Strain Improves Risk Prediction Beyond Ejection Fraction in Chronic Systolic Heart Failure. <i>Journal of the American Heart Association</i> , 2014, 3, e000550.	1.6	81
72	Incremental Utility of Iodine-123 Meta-Iodobenzylguanidine Imaging Beyond Established Heart Failure Risk Models. <i>Journal of Cardiac Failure</i> , 2014, 20, 577-583.	0.7	10
73	Biomarkers in Pulmonary Arterial Hypertension. <i>Current Heart Failure Reports</i> , 2014, 11, 477-484.	1.3	13

#	ARTICLE	IF	CITATIONS
74	Determinants and implications of elevated soluble ST2 levels in heart failure. <i>International Journal of Cardiology</i> , 2014, 176, 1242-1243.	0.8	9
75	Factors Influencing the Predictive Power of Models for Predicting Mortality and/or Heart Failure Hospitalization in Patients With Heart Failure. <i>JACC: Heart Failure</i> , 2014, 2, 429-436.	1.9	241
76	Biomarker Predictors of Cardiac Hospitalization in Chronic Heart Failure: A Recurrent Event Analysis. <i>Journal of Cardiac Failure</i> , 2014, 20, 569-576.	0.7	26
77	Heart Failure Risk Prediction Models. <i>JACC: Heart Failure</i> , 2014, 2, 437-439.	1.9	26
78	Transcriptomic biomarkers in safety and risk assessment of chemicals. , 2014, , 1033-1038.		9
79	Contemporary Strategies in the Diagnosis and Management of Heart Failure. <i>Mayo Clinic Proceedings</i> , 2014, 89, 662-676.	1.4	24
80	Biomarkers of Myocardial Stress and Fibrosis as Predictors of Mode of Death in Patients With Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2014, 2, 260-268.	1.9	104
81	sST2 levels are associated with all-cause mortality in anticoagulated patients with atrial fibrillation. <i>European Journal of Clinical Investigation</i> , 2015, 45, 899-905.	1.7	19
82	Soluble ST2 Testing: A Promising Biomarker in the Management of Heart Failure. <i>Arquivos Brasileiros De Cardiologia</i> , 2015, 106, 145-52.	0.3	73
83	Combined Biomarker Analysis for Risk of Acute Kidney Injury in Patients with ST-Segment Elevation Myocardial Infarction. <i>PLoS ONE</i> , 2015, 10, e0125282.	1.1	37
84	Elevated Plasma Soluble ST2 Is Associated with Heart Failure Symptoms and Outcome in Aortic Stenosis. <i>PLoS ONE</i> , 2015, 10, e0138940.	1.1	47
85	Emerging Risk Biomarkers in Cardiovascular Diseases and Disorders. <i>Journal of Lipids</i> , 2015, 2015, 1-50.	1.9	201
86	Novel Biomarkers in Heart Failure Beyond Natriuretic Peptides – The Case for Soluble ST2. <i>European Cardiology Review</i> , 2015, 10, 37.	0.7	8
87	Myocardial pressure overload induces systemic inflammation through endothelial cell IL-33. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 7249-7254.	3.3	143
88	Actual position of interleukin(IL)-33 in atherosclerosis and heart failure: Great Expectations or En attendant Godot?. <i>Perfusion (United Kingdom)</i> , 2015, 30, 356-374.	0.5	5
89	Inflammatory Biomarkers in Post-infarction Heart Failure and Cardiac Remodeling. , 2015, , 105-116.		0
90	Galectin-3 and myocardial fibrosis in nonischemic dilated cardiomyopathy. <i>International Journal of Cardiology</i> , 2015, 184, 96-100.	0.8	60
91	ST2 Pathogenetic Profile in Ambulatory Heart Failure Patients. <i>Journal of Cardiac Failure</i> , 2015, 21, 355-361.	0.7	31

#	ARTICLE	IF	CITATIONS
92	ST2 and Patient Prognosis in Chronic Heart Failure. American Journal of Cardiology, 2015, 115, 64B-69B.	0.7	53
93	Structural Heart Disease and ST2: Cross-Sectional and Longitudinal Associations With Echocardiography. American Journal of Cardiology, 2015, 115, 59B-63B.	0.7	30
94	Multimarker Testing With ST2 in Chronic Heart Failure. American Journal of Cardiology, 2015, 115, 76B-80B.	0.7	19
95	Soluble ST2 in Ventricular Dysfunction. Advances in Clinical Chemistry, 2015, 69, 139-159.	1.8	8
96	Imaging the patient with a new diagnosis of heart failure in the contemporary era. Journal of Nuclear Cardiology, 2015, 22, 975-979.	1.4	0
97	Serial soluble ST2 for the monitoring of pharmacologically optimised chronic stable heart failure. International Journal of Cardiology, 2015, 178, 284-291.	0.8	26
98	Prognostic utility of novel biomarkers of cardiovascular stress in patients with aortic stenosis undergoing valve replacement. Heart, 2015, 101, 1382-1388.	1.2	90
99	Novel Biomarkers of Cardiac Stress, Cardiovascular Dysfunction, and Outcomes in HIV-Infected Individuals. JACC: Heart Failure, 2015, 3, 591-599.	1.9	65
100	Soluble ST2 may possess special superiority as a risk predictor in heart failure patients. International Journal of Cardiology, 2015, 186, 146-147.	0.8	5
101	State of the Art: Newer biomarkers in heart failure. European Journal of Heart Failure, 2015, 17, 559-569.	2.9	151
102	Soluble ST2—Analytical Considerations. American Journal of Cardiology, 2015, 115, 8B-21B.	0.7	86
103	Predictors of clinical outcomes in acute decompensated heart failure: Acute Study of Clinical Effectiveness of Nesiritide in Decompensated Heart Failure outcome models. American Heart Journal, 2015, 170, 290-297.e1.	1.2	57
104	The Current and Potential Clinical Relevance of Heart Failure Biomarkers. Current Heart Failure Reports, 2015, 12, 318-327.	1.3	10
105	Candidate biomarkers in heart failure with reduced and preserved ejection fraction. Biomarkers, 2015, 20, 258-265.	0.9	6
106	Pathophysiology and the cardiorenal connection in heart failure. Circulating hormones:biomarkers or mediators. Clinica Chimica Acta, 2015, 443, 3-8.	0.5	30
107	Markers of fibrosis, inflammation, and remodeling pathways in heart failure. Clinica Chimica Acta, 2015, 443, 29-38.	0.5	70
108	Soluble ST2 reflects hemodynamic stress in non-ischemic heart failure. International Journal of Cardiology, 2015, 179, 378-384.	0.8	31
109	Soluble ST2 in heart failure. Clinica Chimica Acta, 2015, 443, 57-70.	0.5	114

#	ARTICLE	IF	CITATIONS
110	Elevated ST2 Distinguishes Incidences of Pediatric Heart and Small Bowel Transplant Rejection. <i>American Journal of Transplantation</i> , 2016, 16, 938-950.	2.6	34
111	Molecular and Digital Biomarker Supported Decision Making in Clinical Studies in Cardiovascular Indications. <i>Archiv Der Pharmazie</i> , 2016, 349, 399-409.	2.1	9
112	The incremental prognostic and clinical value of multiple novel biomarkers in heart failure. <i>European Journal of Heart Failure</i> , 2016, 18, 1491-1498.	2.9	54
113	Left Ventricular Contactile Reserve. , 2016, , 127-148.		2
114	The search for efficient diagnostic and prognostic biomarkers of heart failure. <i>Future Cardiology</i> , 2016, 12, 327-337.	0.5	1
115	Biomarkers to Predict Reverse Remodeling and Myocardial Recovery in Heart Failure. <i>Current Heart Failure Reports</i> , 2016, 13, 207-218.	1.3	17
116	Soluble ST2 for Prediction of Heart Failure and Cardiovascular Death in an Elderly, Community-Dwelling Population. <i>Journal of the American Heart Association</i> , 2016, 5, .	1.6	67
118	Soluble ST2 and Risk of Arrhythmias, Heart Failure, or Death in Patients with Mildly Symptomatic Heart Failure: Results from MADIT-CRT. <i>Journal of Cardiovascular Translational Research</i> , 2016, 9, 421-428.	1.1	30
119	Biomarkers in Heart Failure: ST2. , 2016, , 251-268.		0
120	Prognostic Value of Baseline and Changes in Circulating Soluble ST2 Levels and the Effects of Nesiritide in Acute Decompensated Heart Failure. <i>JACC: Heart Failure</i> , 2016, 4, 68-77.	1.9	45
121	The soluble receptor ST2 is positively associated with occupational exposure to radiation. <i>International Journal of Radiation Biology</i> , 2016, 92, 87-93.	1.0	4
122	Development and evaluation of multi-marker risk scores for clinical prognosis. <i>Statistical Methods in Medical Research</i> , 2016, 25, 255-271.	0.7	18
123	Prognostic Value of Galectin-3 for Adverse Outcomes in Chronic Heart Failure. <i>Journal of Cardiac Failure</i> , 2016, 22, 256-262.	0.7	46
124	Biomarkers for Heart Failure: An Update for Practitioners of Internal Medicine. <i>American Journal of Medicine</i> , 2016, 129, 560-567.	0.6	55
125	The fibrosis-cell death axis in heart failure. <i>Heart Failure Reviews</i> , 2016, 21, 199-211.	1.7	214
126	Novel Biomarkers of Heart Failure: Do They Have Incremental Clinical Utility?. <i>Journal of Cardiac Failure</i> , 2016, 22, 263-264.	0.7	0
127	Soluble ST2 is associated with disease severity in arrhythmogenic right ventricular cardiomyopathy. <i>Biomarkers</i> , 2017, 22, 367-371.	0.9	24
128	Sparse Simultaneous Signal Detection for Identifying Genetically Controlled Disease Genes. <i>Journal of the American Statistical Association</i> , 2017, 112, 1032-1046.	1.8	9



#	ARTICLE	IF	CITATIONS
129	Estratificação prognóstica na hipertensão pulmonar: valor acrescido da abordagem multibiomarcadores. <i>Revista Portuguesa De Cardiologia</i> , 2017, 36, 111-125.	0.2	18
130	Clinical Phenotyping of Heart Failure with Biomarkers: Current and Future Perspectives. <i>Current Heart Failure Reports</i> , 2017, 14, 106-116.	1.3	16
131	Soluble ST2 in Heart Failure With Preserved Ejection Fraction. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	64
132	Role of Biomarkers for the Prevention, Assessment, and Management of Heart Failure: A Scientific Statement From the American Heart Association. <i>Circulation</i> , 2017, 135, e1054-e1091.	1.6	417
133	Serum Galectin-3 and ST2 as predictors of unfavorable outcome in stable dilated cardiomyopathy patients. <i>Hellenic Journal of Cardiology</i> , 2017, 58, 350-359.	0.4	21
134	Prognostic stratification in pulmonary hypertension: A multi-biomarker approach. <i>Revista Portuguesa De Cardiologia (English Edition)</i> , 2017, 36, 111-125.	0.2	16
135	Effects of obesity on IL-33/ST2 system in heart, adipose tissue and liver: study in the experimental model of Zucker rats. <i>Experimental and Molecular Pathology</i> , 2017, 102, 354-359.	0.9	13
136	Beyond Natriuretic Peptides for Diagnosis and Management of Heart Failure. <i>Clinical Chemistry</i> , 2017, 63, 211-222.	1.5	41
137	Prognostic Value of Serial ST2 Measurements in Patients With Acute Heart Failure. <i>Journal of the American College of Cardiology</i> , 2017, 70, 2378-2388.	1.2	108
138	Serum suppression of tumorigenicity 2 level is an independent predictor of all-cause mortality in HIV-infected patients. <i>Aids</i> , 2017, 31, 2355-2365.	1.0	4
139	Soluble ST2 predicts outcome and hemorrhagic transformation after acute stroke. <i>Annals of Clinical and Translational Neurology</i> , 2017, 4, 553-563.	1.7	32
140	Role of cardiac inflammation in right ventricular failure. <i>Cardiovascular Research</i> , 2017, 113, 1441-1452.	1.8	58
141	Novel Biomarkers for the Risk Stratification of Heart Failure with Preserved Ejection Fraction. <i>Current Heart Failure Reports</i> , 2017, 14, 434-443.	1.3	15
142	Clinical Applications of Biomarkers in Atrial Fibrillation. <i>American Journal of Medicine</i> , 2017, 130, 1351-1357.	0.6	39
143	Contemporary Risk Stratification After Myocardial Infarction in the Community: Performance of Scores and Incremental Value of Soluble Suppression of Tumorigenicity-2. <i>Journal of the American Heart Association</i> , 2017, 6, .	1.6	18
144	The integrated value of sST2 and global longitudinal strain in the early stratification of patients with severe aortic valve stenosis: a translational imaging approach. <i>International Journal of Cardiovascular Imaging</i> , 2017, 33, 1915-1920.	0.7	14
145	Soluble ST2 for Risk Stratification and the Prediction of Mortality in Patients Undergoing Transcatheter Aortic Valve Implantation. <i>American Journal of Cardiology</i> , 2017, 120, 986-993.	0.7	23
146	Prognostic Value of Soluble Suppression of Tumorigenicity-2 in Chronic Heart Failure. <i>JACC: Heart Failure</i> , 2017, 5, 280-286.	1.9	127

#	ARTICLE	IF	CITATIONS
147	Editorial commentary: Biomarkers in heart failure, between scientific scrutiny and exploration. Trends in Cardiovascular Medicine, 2017, 27, 134-135.	2.3	0
148	Increased Soluble Suppression of Tumorigenicity 2 Level Predicts All-Cause and Cardiovascular Mortality in Maintenance Hemodialysis Patients: A Prospective Cohort Study. Blood Purification, 2017, 43, 37-45.	0.9	16
149	Comparison Between Soluble ST2 and High-Sensitivity Troponin I in Predicting Short-Term Mortality for Patients Presenting to the Emergency Department With Chest Pain. Annals of Laboratory Medicine, 2017, 37, 137-146.	1.2	20
150	Soluble ST2 does not change cardiovascular risk prediction compared to cardiac troponin T in kidney transplant candidates. PLoS ONE, 2017, 12, e0181123.	1.1	7
151	Prognostic role of soluble suppression of tumorigenicity-2 on cardiovascular mortality in outpatients with heart failure. Anatolian Journal of Cardiology, 2017, 18, 200-205.	0.5	7
152	Bio-profiling and bio-prognostication of chronic heart failure with mid-range ejection fraction. International Journal of Cardiology, 2018, 257, 188-192.	0.8	32
153	An Appraisal of Biomarker-Based Risk-Scoring Models in Chronic Heart Failure: Which One Is Best?. Current Heart Failure Reports, 2018, 15, 24-36.	1.3	13
154	Monitoring Biomarkers in Patients Receiving Nephilysin Inhibitors. Current Emergency and Hospital Medicine Reports, 2018, 6, 8-16.	0.6	4
155	The prognostic value of sST2 and galectin-3 considering different aetiologies in non-ischaemic heart failure. Open Heart, 2018, 5, e000750.	0.9	24
156	Association of soluble ST2 with functional capacity in outpatients with heart failure. Herz, 2018, 43, 455-460.	0.4	12
157	Prognostic value of soluble ST2 biomarker in heart failure patients with reduced ejection fraction "A multicenter study. Indian Heart Journal, 2018, 70, S79-S84.	0.2	17
158	A Critical Therapeutic Target to Inhibit Apoptosis in Relevant Heart Failure: An Overview. American Journal of Advanced Drug Delivery, 2018, 06, .	0.1	0
159	OBSOLETE: Biomarkers in Heart Failure, Use of. , 2018, , .		0
160	ST2 and Prognosis in Chronic Heart Failure. Journal of the American College of Cardiology, 2018, 72, 2321-2323.	1.2	11
161	sST2 Predicts Outcome in Chronic Heart Failure Beyond NT-proBNP and High-Sensitivity Troponin T. Journal of the American College of Cardiology, 2018, 72, 2309-2320.	1.2	126
162	Comparison of multiple biomarkers for mortality prediction in patients with acute heart failure of ischemic and nonischemic etiology. Biomarkers in Medicine, 2018, 12, 1207-1217.	0.6	7
163	Prognostic Utility of Soluble Suppression of Tumorigenicity 2 level as a Predictor of Clinical Outcomes in Incident Hemodialysis Patients. International Journal of Medical Sciences, 2018, 15, 730-737.	1.1	14
164	ST2 elevation in heart failure, predictive of a high early mortality. Indian Heart Journal, 2018, 70, 822-827.	0.2	14

#	ARTICLE	IF	CITATIONS
165	Fibrosis Marker Soluble ST2 Predicts Atrial Fibrillation Recurrence after Cryoballoon Catheter Ablation of Nonvalvular Paroxysmal Atrial Fibrillation. <i>Korean Circulation Journal</i> , 2018, 48, 920.	0.7	35
166	IL-33/ST2 Axis in Organ Fibrosis. <i>Frontiers in Immunology</i> , 2018, 9, 2432.	2.2	145
167	Multimarker Approach to Identify Patients With Higher Mortality and Rehospitalization Rate After Surgical Aortic Valve Replacement for Aortic Stenosis. <i>JACC: Cardiovascular Interventions</i> , 2018, 11, 2172-2181.	1.1	26
168	Comparative symptom biochemistry between moderate and advanced heart failure. <i>Heart and Lung: Journal of Acute and Critical Care</i> , 2018, 47, 565-575.	0.8	9
169	Biomarkers in Heart Failure, Use of. , 2018, , 293-302.		0
170	Biomarkers in Cardiorenal Syndromes. <i>BioMed Research International</i> , 2018, 2018, 1-8.	0.9	19
171	The Effect of Left Ventricular Assist Device Therapy on Cardiac Biomarkers: Implications for the Identification of Myocardial Recovery. <i>Current Heart Failure Reports</i> , 2018, 15, 250-259.	1.3	13
172	Inflammatory Mediators in Heart Failure. , 2018, , 33-50.		0
173	Multi-biomarker analysis in patients after transcatheter aortic valve implantation (TAVI). <i>Biomarkers</i> , 2018, 23, 773-780.	0.9	12
174	Predictive Ability of Novel Cardiac Biomarkers ST2, Galectin-3, and NT-proBNP Before Cardiac Surgery. <i>Journal of the American Heart Association</i> , 2018, 7, .	1.6	19
175	Prognostic role of soluble ST2 in acute coronary syndrome with diabetes. <i>European Journal of Clinical Investigation</i> , 2018, 48, e12994.	1.7	18
176	Stretch, Injury and Inflammation Markers Evaluation to Predict Clinical Outcomes After Implantable Cardioverter Defibrillator Therapy in Heart Failure Patients With Metabolic Syndrome. <i>Frontiers in Physiology</i> , 2018, 9, 758.	1.3	35
177	Independent Prognostic Value of Serum Soluble ST2 Measurements in Patients With Heart Failure and a Reduced Ejection Fraction in the PARADIGM-HF Trial (Prospective Comparison of ARNI With ACEI to Tj ETQq0 0 0 rgBT /Overlock 10 Tt). <i>Circulation</i> , 2018, 138, e004446.	1.6	58
178	Established and Emerging Roles of Biomarkers in Heart Failure. <i>Circulation Research</i> , 2018, 123, 614-629.	2.0	200
179	Predictive value of soluble ST2 in adolescent and adult patients with complex congenital heart disease. <i>PLoS ONE</i> , 2018, 13, e0202406.	1.1	18
180	Galectin-3 and ST2 as predictors of therapeutic success in high-risk patients undergoing percutaneous mitral valve repair (MitraClip). <i>Clinical Cardiology</i> , 2018, 41, 1164-1169.	0.7	6
181	GDF-15, Galectin 3, Soluble ST2, and Risk of Mortality and Cardiovascular Events in CKD. <i>American Journal of Kidney Diseases</i> , 2018, 72, 519-528.	2.1	82
182	For Whom the Bell Tolls. <i>Current Cardiology Reports</i> , 2019, 21, 106.	1.3	5

#	ARTICLE	IF	CITATIONS
183	Soluble ST2 links inflammation to outcome after subarachnoid hemorrhage. <i>Annals of Neurology</i> , 2019, 86, 384-394.	2.8	16
184	Alteration of the IL-33-sST2 pathway in hypertensive patients and a mouse model. <i>Hypertension Research</i> , 2019, 42, 1664-1671.	1.5	11
185	Clinical and Prognostic Significance of sST2 in Heart Failure. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2193-2203.	1.2	110
186	Cardiac Biomarkers and Risk of Incident Heart Failure in Chronic Kidney Disease: The CRIC (Chronic) Tj ETQq1 1 0.784314 rgBT/Overl	1.6	48
187	Cytokines in heart failure. <i>Advances in Clinical Chemistry</i> , 2019, 93, 63-113.	1.8	25
188	The Use of Biomarkers in Clinical Management Guidelines: A Critical Appraisal. <i>Thrombosis and Haemostasis</i> , 2019, 119, 1901-1919.	1.8	57
189	Periodontitis is associated with elevated serum levels of cardiac biomarkers Soluble ST2 and C-reactive protein. <i>Journal of Clinical Periodontology</i> , 2019, 46, 809-818.	2.3	20
190	Is low level HIV viraemia associated with elevated levels of markers of immune activation, coagulation and cardiovascular disease?. <i>HIV Medicine</i> , 2019, 20, 571-580.	1.0	19
191	Regenerative Medicine and Biomarkers for Dilated Cardiomyopathy. , 2019, , 173-185.		2
193	Biomarkers in the Diagnosis, Management, and Prognostication of Perioperative Right Ventricular Failure in Cardiac Surgery Are We There Yet?. <i>Journal of Clinical Medicine</i> , 2019, 8, 559.	1.0	14
194	Comparison of Echocardiographic and Electrocardiographic Mapping for Cardiac Resynchronisation Therapy Optimisation. <i>Cardiology Research and Practice</i> , 2019, 2019, 1-9.	0.5	7
195	Exercise-induced Changes in Soluble ST2 Concentrations in Marathon Runners. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 405-410.	0.2	11
196	Transcriptomic Biomarkers in Safety and Risk Assessment of Chemicals. , 2019, , 1125-1134.		4
197	ST2 in heart failure with preserved and reduced ejection fraction. <i>Scandinavian Cardiovascular Journal</i> , 2019, 53, 21-27.	0.4	40
198	Use of Cardiac Biomarkers for Monitoring Improvement of Left Ventricular Function by Immunoabsorption Treatment in Dilated Cardiomyopathy. <i>Biomolecules</i> , 2019, 9, 654.	1.8	6
199	Association between the level of serum soluble ST2 and invasively measured aortic pulse pressure in patients undergoing coronary angiography. <i>Medicine (United States)</i> , 2019, 98, e14215.	0.4	1
200	Cardiac Biomarkers in Advanced Heart Failure: How Can They Impact Our Pre-transplant or Pre-LVAD Decision-making. <i>Current Heart Failure Reports</i> , 2019, 16, 274-284.	1.3	10
201	Development of heart failure risk prediction models based on a multi-marker approach using random forest algorithms. <i>Chinese Medical Journal</i> , 2019, 132, 819-826.	0.9	18

#	ARTICLE	IF	CITATIONS
202	Combination of ST2 and B-type natriuretic peptide in diabetic patients with acute heart failure. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 81-90.	0.6	10
203	Soluble ST2 and brain natriuretic peptide predict different mode of death in patients with heart failure and preserved ejection fraction. <i>Journal of Cardiology</i> , 2019, 73, 326-332.	0.8	17
204	Biomarkers to Assess and Guide the Management of Heart Failure. , 2019, , 97-108.		0
205	Tropisetron inhibits sepsis by repressing hyper-inflammation and regulating the cardiac action potential in rat models. <i>Biomedicine and Pharmacotherapy</i> , 2019, 110, 380-388.	2.5	18
206	Elevated Sera sST2 Is Associated With Heart Failure in Men ≥50 Years Old With Myocarditis. <i>Journal of the American Heart Association</i> , 2019, 8, e008968.	1.6	62
207	sST2 as a novel biomarker for the prediction of in-hospital mortality after coronary artery bypass grafting. <i>Biomarkers</i> , 2019, 24, 268-276.	0.9	8
208	Diagnostic value of novel biomarkers for heart failure. <i>Herz</i> , 2020, 45, 65-78.	0.4	17
209	Analysis of Novel Cardiovascular Biomarkers in Patients With Pulmonary Hypertension (PH). <i>Heart Lung and Circulation</i> , 2020, 29, 337-344.	0.2	29
210	Circulatory factors associated with function and prognosis in patients with severe heart failure. <i>Clinical Research in Cardiology</i> , 2020, 109, 655-672.	1.5	19
211	sST2 adds to the prognostic value of Gal-3 and BNP in chronic heart failure. <i>Acta Cardiologica</i> , 2020, 75, 739-747.	0.3	12
212	Can Biomarkers Provide Right Ventricular-Specific Prognostication in the Perioperative Setting?. <i>Journal of Cardiac Failure</i> , 2020, 26, 776-780.	0.7	5
213	Biomarkers and Precision Medicine in Heart Failure. , 2020, , 449-466.e3.		0
214	Serum ST2 and hospitalization rates in Caucasian and African American outpatients with heart failure. <i>International Journal of Cardiology</i> , 2020, 304, 116-121.	0.8	7
215	Biomarkers in patients with Takotsubo cardiomyopathy compared to patients with acute anterior ST-elevation myocardial infarction. <i>Biomarkers</i> , 2020, 25, 137-143.	0.9	13
216	Reappraisal of Inflammatory Biomarkers in Heart Failure. <i>Current Heart Failure Reports</i> , 2020, 17, 9-19.	1.3	21
217	Correlation of plasma soluble suppression of tumorigenicity-2 level with the severity and stability of coronary atherosclerosis. <i>Coronary Artery Disease</i> , 2020, 31, 628-635.	0.3	9
218	Real-Life Multimarker Monitoring in Patients with Heart Failure: Continuous Remote Monitoring of Mobility and Patient-Reported Outcomes as Digital End Points in Future Heart-Failure Trials. <i>Digital Biomarkers</i> , 2020, 4, 45-59.	2.2	8
219	Combined use of high-sensitivity ST2 and NT-proBNP for predicting major adverse cardiovascular events in coronary heart failure. <i>Annals of Palliative Medicine</i> , 2020, 9, 1976-1989.	0.5	7

#	ARTICLE	IF	CITATIONS
220	The inflammatory markers sST2, HSP27 and hsCRP as a prognostic biomarker panel in chronic heart failure patients. <i>Clinica Chimica Acta</i> , 2020, 510, 507-514.	0.5	10
221	Post-operative acute kidney injury is associated with a biomarker of acute brain injury after paediatric cardiac surgery. <i>Cardiology in the Young</i> , 2020, 30, 505-510.	0.4	2
222	Biomarkers in pulmonary arterial hypertension: Moving closer toward precision medicine?. <i>Journal of Heart and Lung Transplantation</i> , 2020, 39, 287-288.	0.3	5
223	Distinctive patterns of inflammation across the heart failure syndrome. <i>Heart Failure Reviews</i> , 2021, 26, 1333-1344.	1.7	32
224	Predicting long-term cardiovascular outcomes of patients with acute myocardial infarction using soluble ST2. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2020, 41, .	0.3	4
225	ST2 silencing aggravates ventricular remodeling and chronic heart failure in rats by mediating the IL-33/ST2 axis. <i>Journal of Tissue Engineering and Regenerative Medicine</i> , 2020, 14, 1201-1212.	1.3	5
226	Serum soluble ST2 is a potential long-term prognostic biomarker for transient ischaemic attack and ischaemic stroke. <i>European Journal of Neurology</i> , 2020, 27, 2202-2208.	1.7	14
227	Serum soluble suppression of tumorigenicity-2 level associates with severity of pulmonary hypertension associated with uncorrected atrial septal defect. <i>Pulmonary Circulation</i> , 2020, 10, 1-8.	0.8	4
228	Classic and Novel Biomarkers as Potential Predictors of Ventricular Arrhythmias and Sudden Cardiac Death. <i>Journal of Clinical Medicine</i> , 2020, 9, 578.	1.0	20
229	Noninvasive Prognostic Biomarkers for Left-Sided Heart Failure as Predictors of Survival in Pulmonary Arterial Hypertension. <i>Chest</i> , 2020, 157, 1606-1616.	0.4	20
230	Soluble ST2: A complex and diverse role in several diseases. <i>Clinica Chimica Acta</i> , 2020, 507, 75-87.	0.5	83
231	Elevated soluble-St2 concentrations in preeclampsia correlate with echocardiographic parameters of diastolic dysfunction and return to normal values one year after delivery. <i>Journal of Maternal-Fetal and Neonatal Medicine</i> , 2021, 34, 379-385.	0.7	6
232	Soluble ST2 proteins in male cachectic patients with chronic heart failure. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2021, 31, 886-893.	1.1	7
233	Soluble ST2 as a Biomarker for Early Complications in Patients with Chronic Thromboembolic Pulmonary Hypertension Treated with Balloon Pulmonary Angioplasty. <i>Diagnostics</i> , 2021, 11, 133.	1.3	8
234	ST2 in patients with severe aortic stenosis and heart failure. <i>Cardiology Journal</i> , 2021, 28, 129-135.	0.5	10
235	Long-Term and Short-Term Prognostic Value of Circulating Soluble Suppression of Tumorigenicity-2 Concentration in Chronic Heart Failure: A Systematic Review and Meta-Analysis. <i>Cardiology</i> , 2021, 146, 433-440.	0.6	4
236	Biomarkers in Heart Failure. <i>Heart Failure Clinics</i> , 2021, 17, 223-243.	1.0	10
237	Association Between Angiotensin Receptorâ€“Nepriylsin Inhibition, Cardiovascular Biomarkers, and Cardiac Remodeling in Heart Failure With Reduced Ejection Fraction. <i>Circulation: Heart Failure</i> , 2021, 14, e008410.	1.6	27

#	ARTICLE	IF	CITATIONS
238	A possible role for ST2 as prognostic biomarker for COVID-19. <i>Vascular Pharmacology</i> , 2021, 138, 106857.	1.0	22
239	Impact of Midregional Nâ€“Terminal Proâ€“Atrial Natriuretic Peptide and Soluble Suppression of Tumorigenicity 2 Levels on Heart Rhythm in Patients Treated With Catheter Ablation for Atrial Fibrillation: The Biorhythm Study. <i>Journal of the American Heart Association</i> , 2021, 10, e020917.	1.6	6
240	Prognostic value of serum soluble ST2 in stable coronary artery disease: a prospective observational study. <i>Scientific Reports</i> , 2021, 11, 15203.	1.6	5
241	A Review of Novel Cardiac Biomarkers in Acute or Chronic Cardiovascular Diseases: The Role of Soluble ST2 (sST2), Lipoprotein-Associated Phospholipase A2 (Lp-PLA2), Myeloperoxidase (MPO), and Procalcitonin (PCT). <i>Disease Markers</i> , 2021, 2021, 1-10.	0.6	13
242	Ability of soluble ST2 to predict left ventricular remodeling in patients with acute coronary syndrome. <i>Heart and Vessels</i> , 2022, 37, 173-183.	0.5	6
243	Increased Serum Levels of soluble ST2 as a Predictor of Disease Progression in Systemic Sclerosis. <i>Scandinavian Journal of Rheumatology</i> , 2022, 51, 315-322.	0.6	4
244	Risk prediction model of in-hospital mortality in heart failure with preserved ejection fraction and mid-range ejection fraction: a retrospective cohort study. <i>Biomarkers in Medicine</i> , 2021, 15, 1223-1232.	0.6	1
245	Cardiovascular damage phenotypes and all-cause and CVD mortality in older adults. <i>Annals of Epidemiology</i> , 2021, 63, 35-40.	0.9	2
246	Prognostic Value of Circulating sST2 for the Prediction of Mortality in Patients With Cardiac Light-Chain Amyloidosis. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 597472.	1.1	3
247	Common genetic variation at the IL1RL1 locus regulates IL-33/ST2 signaling. <i>Journal of Clinical Investigation</i> , 2013, 123, 4208-4218.	3.9	101
248	Novel biomarkers for cardiovascular risk prediction. <i>Journal of Geriatric Cardiology</i> , 2017, 14, 135-150.	0.2	157
249	Membrane Translocation of IL-33 Receptor in Ventilator Induced Lung Injury. <i>PLoS ONE</i> , 2015, 10, e0121391.	1.1	14
252	miR-487b mitigates chronic heart failure through inhibition of the IL-33/ST2 signaling pathway. <i>Oncotarget</i> , 2017, 8, 51688-51702.	0.8	20
253	Novel cardiovascular biomarkers in patients with cardiovascular diseases undergoing intensive physical exercise. <i>Panminerva Medica</i> , 2020, 62, 135-142.	0.2	5
254	A Multiparametric Approach Based on NT-proBNP, ST2, and Galectin3 for Stratifying One Year Prognosis of Chronic Heart Failure Outpatients. <i>Journal of Cardiovascular Development and Disease</i> , 2017, 4, 0009.	0.8	16
255	Type 4 Cardiorenal Syndrome: Myocardial Dysfunction, Fibrosis, and Heart Failure in Patients with Chronic Kidney Disease. <i>Journal of Clinical &amp; Experimental Cardiology</i> , 2012, 03, .	0.0	4
256	Soluble ST2 protein in the short-term prognosis after hospitalisation in chronic systolic heart failure. <i>Kardiologia Polska</i> , 2014, 72, 725-734.	0.3	12
257	Soluble ST2 as a Potential Biomarker in Pericardial Fluid of Coronary Artery Patients. <i>Brazilian Journal of Cardiovascular Surgery</i> , 2021, 36, 677-684.	0.2	2



#	ARTICLE	IF	CITATIONS
258	Intersection Between Diabetes and Heart Failure: Is SGLT2i the "One Stone for Two Birds" Approach?. <i>Current Cardiology Reports</i> , 2021, 23, 171.	1.3	2
259	Biomarkers ST2 and interleukin 33 for assessing the severity of cardiac inflammation and fibrosis in patients with chronic heart failure. <i>Russian Journal of Cardiology</i> , 2021, 26, 4530.	0.4	2
260	Biomarkers and Optimal Management of Heart Failure in the Aging Population. , 2014, , 135-146.		0
261	Prognostic value of novel biomarkers compared with detailed biochemical evaluation in patients with heart failure. <i>Polish Archives of Internal Medicine</i> , 2015, 125, 434-442.	0.3	4
262	Effectiveness of the Suppression of Tumorigenicity 2 for Prognosis in Heart Failure: Systematic Reviews. <i>The Journal of Health Technology Assessment</i> , 2015, 3, 115-121.	0.2	0
263	Clinical roles of soluble ST2 for the outcomes of cardiac valve operations. <i>Research Ideas and Outcomes</i> , 0, 2, e8849.	1.0	0
264	Soluble suppression of tumorigenicity-2 for risk stratification in outpatients with heart failure. <i>Anatolian Journal of Cardiology</i> , 2018, 19, 228.	0.5	0
265	Advances in New Marker ST2 for Heart Failure. <i>Advances in Clinical Medicine</i> , 2019, 09, 451-455.	0.0	0
267	Prognostic Value of ST2 Biomarkers in Hypertonic Disease Patients on the Background of the Chronic Obstructive Pulmonary Disease. <i>Ukrainskij Zhurnal Medicini Biologicheskogo Ta Sportu</i> , 2019, 4, 146-151.	0.0	1
271	A MULTI-MARKER MODEL FOR PREDICTING DECOMPENSATED HEART FAILURE IN PATIENTS WITH PRIOR ACUTE MYOCARDIAL INFARCTION. <i>EUREKA Health Sciences</i> , 2020, 1, 34-39.	0.1	0
272	Valid cardiac biochemical markers. Part II. Cardiovascular Therapy and Prevention (Russian) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 342 Td</i>	0.4	4
273	Cellular, molecular, genomic changes occurring in the heart under mechanical circulatory support. <i>Annals of Cardiothoracic Surgery</i> , 2014, 3, 496-504.	0.6	7
274	Soluble ST2: A Novel Prognostic Biomarker of Heart Failure. <i>Acta Cardiologica Sinica</i> , 2014, 30, 501-3.	0.1	6
275	Biomarkers Beyond the Natriuretic Peptides for Chronic Heart Failure: Galectin-3 and Soluble ST2. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2012, 23, 98-102.	0.7	2
276	ST2 and Galectin-3: Ready for Prime Time?. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016, 27, 238-52.	0.7	18
278	Advances in Biomarkers for Detecting Early Cancer Treatment-Related Cardiac Dysfunction. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 753313.	1.1	19
279	Circulating Blood-Based Biomarkers in Pulmonary Hypertension. <i>Journal of Clinical Medicine</i> , 2022, 11, 383.	1.0	6
280	THE ROLE OF NT-PROBNP AND ST2 BIOMARKERS IN PATIENTS WITH ACUTE CORONARY SYNDROME. <i>Wiadomości Lekarskie</i> , 2022, 75, 34-38.	0.1	1



#	ARTICLE	IF	CITATIONS
281	Changes in transcriptomic landscape in human end-stage heart failure with distinct etiology. <i>IScience</i> , 2022, 25, 103935.	1.9	4
282	Prognostic utility of soluble ST2 biomarker in heart failure patients with reduced ejection fraction. <i>International Journal of Clinical Biochemistry and Research</i> , 2022, 9, 22-27.	0.0	0
283	Severe Aortic Valve Stenosis and Pulmonary Hypertension: A Systematic Review of Non-Invasive Ways of Risk Stratification, Especially in Patients Undergoing Transcatheter Aortic Valve Replacement. <i>Journal of Personalized Medicine</i> , 2022, 12, 603.	1.1	5
284	Soluble ST2 Is a Sensitive and Specific Biomarker for Fulminant Myocarditis. <i>Journal of the American Heart Association</i> , 2022, 11, e024417.	1.6	16
286	Increased biomarkers of cardiovascular risk in HIV-1 viremic controllers and low persistent inflammation in elite controllers and art-suppressed individuals. <i>Scientific Reports</i> , 2022, 12, 6569.	1.6	5
287	Effect of $\beta$ -blocker therapy on the level soluble ST2 protein in the blood serum in patients with heart failure with preserved and mildly reduced ejection fraction. <i>Bulletin of Siberian Medicine</i> , 2022, 21, 35-46.	0.1	0
288	Assessment of systemic and gastrointestinal tissue damage biomarkers for GVHD risk stratification. <i>Blood Advances</i> , 2022, 6, 3707-3715.	2.5	9
290	New aspects in cardiorenal syndrome and HFpEF. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1807-1815.	1.4	7
291	Changes in cardiac biomarkers in association with alterations in cardiac structure and function, and health status in heart failure with reduced ejection fraction: the EVALUATE-HF trial. <i>European Journal of Heart Failure</i> , 2022, 24, 1200-1208.	2.9	10
292	Soluble suppression of tumorigenesis-2 is a strong predictor of all-cause, cardiovascular and infection-related mortality risk in haemodialysis patients with diabetes mellitus. <i>CKJ: Clinical Kidney Journal</i> , 2022, 15, 1915-1923.	1.4	3
293	Association of ST2 Elevation in the Early Third Trimester with Heart Failure and Pre-Eclampsia in the Peripartum Period. <i>Journal of Women's Health</i> , 0, , .	1.5	0
294	Soluble ST2: a valuable prognostic marker in heart failure. <i>Heart Failure Reviews</i> , 2022, 27, 2155-2164.	1.7	8
295	Evaluation of new and old biomarkers in dogs with degenerative mitral valve disease. <i>BMC Veterinary Research</i> , 2022, 18, .	0.7	4
296	Soluble Isoform of Suppression of Tumorigenicity 2 (ST2) Biomarker in a Large Cohort of Healthy Pediatric Population: Determination of Reference Intervals. <i>Journal of Clinical Medicine</i> , 2022, 11, 4693.	1.0	3
297	Prediction of Left Ventricular Reverse Remodelling: A Mini Review on Clinical Aspects. <i>Cardiology</i> , 2022, 147, 521-528.	0.6	2
298	Biomarkers in HFpEF for Diagnosis, Prognosis, and Biological Phenotyping. <i>Current Heart Failure Reports</i> , 0, , .	1.3	3
299	New Biomarkers and Their Potential Role in Heart Failure Treatment Optimisation—An African Perspective. <i>Journal of Cardiovascular Development and Disease</i> , 2022, 9, 335.	0.8	6
300	Growth stimulation expressed gene 2 (ST2): Clinical research and application in the cardiovascular related diseases. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	1.1	1

#	ARTICLE	IF	CITATIONS
301	Advances in congestive heart failure biomarkers. <i>Advances in Clinical Chemistry</i> , 2023, , 205-248.	1.8	3
302	Prognostic Value of Combined Biomarkers in Patients With Heart Failure: The Heartmarker Score. <i>Annals of Laboratory Medicine</i> , 2023, 43, 253-262.	1.2	2
303	Biomarkers in Pulmonary Arterial Hypertension. <i>Diagnostics</i> , 2022, 12, 3033.	1.3	3
304	Laboratory and Metabolomic Fingerprint in Heart Failure with Preserved Ejection Fraction: From Clinical Classification to Biomarker Signature. <i>Biomolecules</i> , 2023, 13, 173.	1.8	3
305	Soluble ST2 as a New Oxidative Stress and Inflammation Marker in Metabolic Syndrome. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 2579.	1.2	4
306	Biomarker sST2 in Adults with Transposition of the Great Arteries Palliated by Mustard Procedure: A Five-Year Follow-up. <i>Pediatric Cardiology</i> , 2023, 44, 927-932.	0.6	0
307	GDF-15 and solubleÂST2 as biomarkers of right ventricular dysfunction in pulmonary hypertension. <i>Biomarkers in Medicine</i> , 2022, 16, 1193-1207.	0.6	2
308	Recent Advances in Serum Biomarkers for Risk Stratification and Patient Management in Cardio-Oncology. <i>Current Cardiology Reports</i> , 2023, 25, 133-146.	1.3	7
309	New Insight in Cardiorenal Syndrome: From Biomarkers to Therapy. <i>International Journal of Molecular Sciences</i> , 2023, 24, 5089.	1.8	8
310	Serum-soluble suppression of tumourigenicity-2 as a biomarker in children with congestive heart failure. <i>Cardiology in the Young</i> , 0, , 1-6.	0.4	0
311	Novel Oxidative Stress Biomarkers with Risk Prognosis Values in Heart Failure. <i>Biomedicines</i> , 2023, 11, 917.	1.4	9
312	Differential Expression of <i>Caveolin-3</i>, Suppression of Tumorigenicity 2</i>, and <i>Growth Differentiation Factor-15</i> Genes and Their Association with Acute Myocardial Infarction: A Cross-Sectional Study in a Multi-Specialty Hospital in Tamil Nadu. <i>Genetic Testing and Molecular Biomarkers</i> , 2023, 27, 109-119.	0.3	0