

CITATION REPORT

List of articles citing

Suboptimal performance of blood glucose meters in an antenatal diabetes clinic

DOI: 10.2337/dc10-1457
Diabetes Care, 2011, 34, 335-7.

Source: <https://exaly.com/paper-pdf/51945723/citation-report.pdf>

Version: 2024-04-26

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
19	Blood glucose measurements in critically ill patients. <i>Journal of Diabetes Science and Technology</i> , 2012 , 6, 22-8	4.1	7
18	The effect of hematocrit on the results of measurements using glucose meters based on different techniques. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 50, 361-5	5.9	9
17	Lucha por sobrevivir, diabetes tipo 2 y obesidad. <i>Avances En Diabetología</i> , 2012 , 28, 55-58		1
16	Activation of human neutrophils by <i>Esenbeckia leiocarpa</i> : comparison between the crude hydroalcoholic extract (CHE) and an alkaloid (Alk) fraction. <i>Journal of Inflammation</i> , 2012 , 9, 19	6.7	3
15	Self-monitoring of blood glucose during pregnancy: indications and limitations. <i>Diabetology and Metabolic Syndrome</i> , 2012 , 4, 54	5.6	10
14	The gut microbiota profile is associated with insulin action in humans. <i>Acta Diabetologica</i> , 2013 , 50, 753-61	6.1	39
13	A novel route to prepare LaNiO ₃ perovskite-type oxide nanofibers by electrospinning for glucose and hydrogen peroxide sensing. <i>Analyst, The</i> , 2013 , 138, 362-7	5	56
12	Obesity and Lung Disease. 2013 ,		4
11	Plasma glucose measurement in diabetes: impact and implications of variations in sample collection procedures with a focus on the first hour after sample collection. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014 , 52, 1061-8	5.9	8
10	Adipose Tissue and Adipokines in Health and Disease. 2014 ,		5
9	Respiratory Diseases in Obesity. 2014 , 295-314		
8	Assessment of glucose meter performance at the antenatal diabetes clinic: exploration of patient-related and pre-analytical factors. <i>Annals of Clinical Biochemistry</i> , 2014 , 51, 47-53	2.2	6
7	Obesity and nutrition in acute respiratory distress syndrome. <i>Clinics in Chest Medicine</i> , 2014 , 35, 655-71	5.3	26
6	The Ligands of Neutrophil Gelatinase-Associated Lipocalin. <i>RSC Advances</i> , 2015 , 5, 104363-104374	3.7	21
5	Evaluation of Blood Glucose Meter Efficacy in an Antenatal Diabetes Clinic. <i>Diabetes Technology and Therapeutics</i> , 2016 , 18, 68-74	8.1	2
4	Facile synthesis of nickel oxide thin films from PVP encapsulated nickel sulfide thin films: an efficient material for electrochemical sensing of glucose, hydrogen peroxide and photodegradation of dye. <i>New Journal of Chemistry</i> , 2017 , 41, 14985-14994	3.6	14
3	Evaluating the utility of a point-of-care glucometer for the diagnosis of gestational diabetes. <i>International Journal of Gynecology and Obstetrics</i> , 2018 , 141, 91-96	4	8

2 A Perspective on the Accuracy of Blood Glucose Meters During Pregnancy. *Diabetes Care*, **2018**, 41, 2053-2058 10

1 Hypoglycaemia on an oral glucose tolerance test in pregnancy - Is it clinically significant?. *Diabetes Research and Clinical Practice*, **2019**, 147, 111-117

7-4 4