

CITATION REPORT

List of articles citing

EBF recommendation on the validation of bioanalytical methods for dried blood spots

DOI: 10.4155/bio.11.132
Bioanalysis, 2011, 3, 1567-75.

Source: <https://exaly.com/paper-pdf/52087653/citation-report.pdf>

Version: 2024-04-17

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
145	EBF and dried blood spots: from recommendations to potential resolution. <i>Bioanalysis</i> , 2011 , 3, 1787-9	2.1	17
144	Dried blood spots as a sampling technique for the quantitative determination of guanfacine in clinical studies. <i>Bioanalysis</i> , 2011 , 3, 2501-14	2.1	30
143	Dried blood spots in toxicology: from the cradle to the grave?. 2012 , 42, 230-43		117
142	Managing the effect of hematocrit on DBS analysis in a regulated environment. <i>Bioanalysis</i> , 2012 , 4, 345-71	2.1	64
141	Updates from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , 2012 , 4, 1969-70	2.1	10
140	What is next for dried blood spots?. <i>Bioanalysis</i> , 2012 , 4, 2059-65	2.1	24
139	Direct trace-elemental analysis of urine samples by laser ablation-inductively coupled plasma mass spectrometry after sample deposition on clinical filter papers. 2012 , 84, 8682-90		30
138	Evaluation of dry blood spot technique for quantification of an Anti-CD20 monoclonal antibody drug in human blood samples. 2012 , 65, 44-8		14
137	Validation of a ligand binding assay using dried blood spot sampling. <i>AAPS Journal</i> , 2013 , 15, 123-31	3.7	15
136	The effect of hematocrit on bioanalysis of DBS: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , 2013 , 5, 2147-60	2.1	86
135	IS addition in bioanalysis of DBS: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , 2013 , 5, 2137-45	2.1	23
134	State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <i>Bioanalysis</i> , 2013 , 5, 2187-208	2.1	94
133	Current Understanding of Bioanalytical Assay Reproducibility: Incurred Sample Reanalysis, Incurred Sample Stability, and Incurred Sample Accuracy. 2013 , 47-64		2
132	Best Practices in LC-MS Method Development and Validation for Dried Blood Spots. 2013 , 379-389		3
131	A microfluidic device for dry sample preservation in remote settings. <i>Lab on A Chip</i> , 2013 , 13, 4331-42	7.2	21
130	A dried urine spot test to simultaneously monitor Mo and Ti levels using solid sampling high-resolution continuum source graphite furnace atomic absorption spectrometry. 2013 , 81, 11-19		33
129	Bioanalytical Assays Toxicokinetics. 2013 , 887-896		

128	A dried blood spot update: still an important bioanalytical technique?. <i>Bioanalysis</i> , 2013 , 5, 879-83	2.1	26
127	Update of the EBF recommendation for the use of DBS in regulated bioanalysis integrating the conclusions from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , 2013 , 5, 2129-36	2.1	81
126	Assessment of the within- and between-lot variability of Whatman FTA() DMPK and 903() DBS papers and their suitability for the quantitative bioanalysis of small molecules. <i>Bioanalysis</i> , 2013 , 5, 2613-30	2.1	9
125	Measurement of in vivo therapeutic mAb concentrations: comparison of conventional serum/plasma collection and analysis to dried blood spot sampling. <i>Bioanalysis</i> , 2013 , 5, 1979-90	2.1	8
124	The importance of controlling for the acute-phase response in the population-based assessment of vitamin A status: a study in children of pre-school age in Uganda. 2013 , 16, 1540-7		4
123	Development and validation of dried blood spots technique for quantitative determination of topiramate using liquid chromatography-tandem mass spectrometry. <i>Biomedical Chromatography</i> , 2013 , 27, 1054-61	1.7	18
122	Letter: dry blood spots for anti-TNF treatment monitoring in IBD. 2013 , 37, 1024-5		7
121	Letter: dry blood spots for anti-TNF treatment monitoring in IBD--authors' reply. 2013 , 37, 1025-6		1
120	Hemato-critical issues in quantitative analysis of dried blood spots: challenges and solutions. <i>Bioanalysis</i> , 2013 , 5, 2023-41	2.1	170
119	Merck's perspective on the implementation of dried blood spot technology in clinical drug development - why, when and how. <i>Bioanalysis</i> , 2013 , 5, 341-50	2.1	59
118	Dried blood spots: the future. 2013 , 48-66		3
117	. 2014 ,		23
116	Automated direct extraction and analysis of dried blood spots employing on-line SPE high-resolution accurate mass bioanalysis. <i>Bioanalysis</i> , 2014 , 6, 2027-41	2.1	23
115	Potential Role for Dried Blood Spot Sampling and Bioanalysis in Preclinical Studies. 2014 , 195-201		
114	Pharmaceutical Perspectives of Use of Dried Blood Spots. 2014 , 151-159		1
113	Development of a UPLC-MS/MS method for the quantification of sildenafil by DBS, and its use on pediatric pulmonary hypertension. <i>Bioanalysis</i> , 2014 , 6, 2815-24	2.1	6
112	Determination of tamoxifen and endoxifen in dried blood spots using LC-MS/MS and the effect of coated DBS cards on recovery and matrix effects. <i>Bioanalysis</i> , 2014 , 6, 2999-3009	2.1	23
111	Conference report: moving forward together: "we are making progress". <i>Bioanalysis</i> , 2014 , 6, 1159-65	2.1	1

110	European Bioanalysis Forum continued plans to support liquid microsampling. <i>Bioanalysis</i> , 2014 , 6, 1897-900	9
109	Quantification of valproic acid in dried blood spots. 2014 , 74, 648-52	12
108	Quantifying vemurafenib in dried blood spots using high-performance LC-MS/MS. <i>Bioanalysis</i> , 2014 , 6, 3215-24	2.1 12
107	Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <i>Bioanalysis</i> , 2014 , 6, 2481-514	2.1 67
106	Dried blood spots: concepts, present status, and future perspectives in bioanalysis. 2014 , 6, 399-414	88
105	Simultaneous determination of rifampicin, clarithromycin and their metabolites in dried blood spots using LC-MS/MS. <i>Talanta</i> , 2014 , 121, 9-17	6.2 52
104	Therapeutic drug monitoring by dried blood spot: progress to date and future directions. 2014 , 53, 961-73	212
103	Fully-automated approach for online dried blood spot extraction and bioanalysis by two-dimensional-liquid chromatography coupled with high-resolution quadrupole time-of-flight mass spectrometry. 2014 , 86, 1246-53	36
102	LC-MS/MS method for the determination of two metabolites of tribendimidine, deacylated amidantel and its acetylated metabolite in plasma, blood and dried blood spots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2015 , 105, 163-173	3.5 9
101	A novel approach for quantitation of glucosylceramide in human dried blood spot using LC-MS/MS. <i>Bioanalysis</i> , 2015 , 7, 1483-96	2.1 9
100	Dried blood spot analysis of creatinine with LC-MS/MS in addition to immunosuppressants analysis. 2015 , 407, 1585-94	32
99	Direct analysis of dried blood spots by femtosecond-laser ablation-inductively coupled plasma-mass spectrometry. Feasibility of split-flow laser ablation for simultaneous trace element and isotopic analysis. 2015 , 30, 296-309	35
98	Dried blood spots for monitoring and individualization of antiepileptic drug treatment. 2015 , 75, 25-39	32
97	Role of therapeutic drug monitoring in pulmonary infections: use and potential for expanded use of dried blood spot samples. <i>Bioanalysis</i> , 2015 , 7, 481-95	2.1 17
96	Potential missing steps for a wide use of dried matrix spots in biomedical analysis. <i>Bioanalysis</i> , 2015 , 7, 2375-2385	2.1 9
95	DBS sampling in imatinib therapeutic drug monitoring: from method development to clinical application. <i>Bioanalysis</i> , 2015 , 7, 2105-17	2.1 26
94	Bioanalysis of emixustat (ACU-4429) in whole blood collected with volumetric absorptive microsampling by LC-MS/MS. <i>Bioanalysis</i> , 2015 , 7, 2071-83	2.1 25
93	A new DBS card with spot sizes independent of the hematocrit value of blood. <i>Bioanalysis</i> , 2015 , 7, 2095-104	19

92	Novel membrane devices and their potential utility in blood sample collection prior to analysis of dried plasma spots. <i>Bioanalysis</i> , 2015 , 7, 1987-2002	2.1	30
91	A LC-MS/MS method for therapeutic drug monitoring of carbamazepine, lamotrigine and valproic acid in DBS. <i>Bioanalysis</i> , 2015 , 7, 2031-9	2.1	25
90	Dried Blood Spot Technique for the Monitoring of Ambrisentan, Bosentan, Sildenafil, and Tadalafil in Patients with Pulmonary Arterial Hypertension. 2015 , 87, 12112-20		18
89	Ultra-high performance liquid chromatography tandem mass spectrometric method for the determination of tamoxifen, N-desmethyltamoxifen, 4-hydroxytamoxifen and endoxifen in dried blood spots--development, validation and clinical application during breast cancer adjuvant therapy. <i>Talanta</i> , 2015 , 132, 775-84	6.2	46
88	Suitability of methylmalonic acid and total homocysteine analysis in dried bloodspots. 2015 , 853, 435-441		11
87	The use of dried blood spots for quantification of 15 antipsychotics and 7 metabolites with ultra-high performance liquid chromatography - tandem mass spectrometry. 2015 , 7, 502-11		32
86	The use of mass spectrometry to analyze dried blood spots. 2016 , 35, 361-438		143
85	Alternative Sampling Strategies for Therapeutic Drug Monitoring. 2016 , 279-336		11
84	Clinical feasibility of dried blood spots: Analytics, validation, and applications. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 130, 231-243	3.5	79
83	Single-Ascending-Dose Pharmacokinetic Study of Tribendimidine in <i>Opisthorchis viverrini</i> -Infected Patients. 2016 , 60, 5705-15		8
82	Application of dried blood spots to determine vitamin D status in a large nutritional study with unsupervised sampling: the Food4Me project. 2016 , 115, 202-11		33
81	Assuring the Proper Analytical Performance of Measurement Procedures for Immunosuppressive Drug Concentrations in Clinical Practice: Recommendations of the International Association of Therapeutic Drug Monitoring and Clinical Toxicology Immunosuppressive Drug Scientific Committee. <i>Therapeutic Drug Monitoring</i> , 2016 , 33, 170-83	3.2	65
80	Dried blood spots analysis with mass spectrometry: Potentials and pitfalls in therapeutic drug monitoring. <i>Clinical Biochemistry</i> , 2016 , 49, 1035-46	3.5	77
79	A DBS method for quantitation of the new oral trypanocidal drug fexinidazole and its active metabolites. <i>Bioanalysis</i> , 2016 , 8, 2045-63	2.1	1
78	Fully automated determination of nicotine and its major metabolites in whole blood by means of a DBS online-SPE LC-HR-MS/MS approach for sports drug testing. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2016 , 123, 132-40	3.5	30
77	Opening the toolbox of alternative sampling strategies in clinical routine: A key-role for (LC-)MS/MS. 2016 , 84, 61-73		23
76	Regulated Bioanalysis: Fundamentals and Practice. 2017 ,		3
75	Liquid ChromatographyMass Spectrometry Assays in the Regulated Bioanalytical Laboratory. 2017 , 121-153		

74	Validation, quality control, and compliance practice for mass spectrometry assays in the clinical laboratory. 2017 , 63-76		1
73	Development and application of a novel method to characterize methylmercury exposure in newborns using dried blood spots. <i>Environmental Research</i> , 2017 , 159, 276-282	7.9	16
72	Simultaneous determination of pentoxifylline, metabolites M1 (lisofylline), M4 and M5, and caffeine in plasma and dried blood spots for pharmacokinetic studies in preterm infants and neonates. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 146, 302-313	3.5	9
71	Dried Blood Spots Combined With Ultra-High-Performance Liquid Chromatography-Mass Spectrometry for the Quantification of the Antipsychotics Risperidone, Aripiprazole, Pipamperone, and Their Major Metabolites. <i>Therapeutic Drug Monitoring</i> , 2017 , 39, 429-440	3.2	12
70	Dried blood spots from finger prick facilitate therapeutic drug monitoring of adalimumab and anti-adalimumab in patients with inflammatory diseases. 2017 , 83, 2474-2484		22
69	Volumetric adsorptive microsampling-liquid chromatography tandem mass spectrometry assay for the simultaneous quantification of four antibiotics in human blood: Method development, validation and comparison with dried blood spot. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2017 , 145, 704-710	3.5	33
68	Automated high throughput analysis of antiretroviral drugs in dried blood spots. 2017 , 52, 534-542		17
67	Measured GFR in Routine Clinical Practice-The Promise of Dried Blood Spots. 2018 , 25, 76-83		9
66	Fingerprint Drug Analysis: Overcoming Pitfalls and Heading Toward the Future?. 2018 , 64, 879-881		3
65	LC-MS/MS method for the simultaneous analysis of seven antimalarials and two active metabolites in dried blood spots for applications in field trials: Analytical and clinical validation. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 154, 263-277	3.5	24
64	Drug monitoring by volumetric absorptive microsampling: method development considerations to mitigate hematocrit effects. <i>Bioanalysis</i> , 2018 , 10, 241-255	2.1	14
63	Dried matrix spots and clinical elemental analysis. Current status, difficulties, and opportunities. 2018 , 99, 75-87		36
62	Clinical application of microsampling versus conventional sampling techniques in the quantitative bioanalysis of antibiotics: a systematic review. <i>Bioanalysis</i> , 2018 , 10, 407-423	2.1	20
61	Dried blood spots combined to an UPLC-MS/MS method for the simultaneous determination of drugs of abuse in forensic toxicology. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 147, 634-644	2.5	36
60	A dried blood spot assay for paclitaxel and its metabolites. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2018 , 148, 307-315	3.5	20
59	State of the Science in Dried Blood Spots. 2018 , 64, 656-679		83
58	Therapeutic drug monitoring of tacrolimus and mycophenolic acid in outpatient renal transplant recipients using a volumetric dried blood spot sampling device. 2018 , 84, 2889-2902		39
57	The Use of Dried Blood Spots for the Quantification of Antihypertensive Drugs. 2018 , 2018, 3235072		2

56	Dried-Blood-Spot Technique to Monitor Direct Oral Anticoagulants: Clinical Validation of a UPLC-MS/MS-Based Assay. 2018 , 90, 9395-9402		22
55	Determination of antipsychotic drugs in oral fluid using dried saliva spots by gas chromatography-tandem mass spectrometry. 2019 , 411, 6141-6153		15
54	Determination of Antidepressants and Antipsychotics in Dried Blood Spots (DBSs) Collected from Post-Mortem Samples and Evaluation of the Stability over a Three-Month Period. 2019 , 24,		19
53	Preanalytical considerations in therapeutic drug monitoring of immunosuppressants with dried blood spots. 2019 , 6, 57-68		8
52	Development and Validation of a Method Using Dried Oral Fluid Spot to Determine Drugs of Abuse. 2019 , 64, 1906-1912		8
51	How and when to use dried blood spots in psychoneuroendocrinological research. 2019 , 108, 190-196		6
50	Development and clinical applications of the dried blood spot method for therapeutic drug monitoring of anti-epileptic drugs. 2019 , 125, 215-236		14
49	Microsampling for quantitative bioanalysis, an industry update: output from an AAPS/EBF survey. <i>Bioanalysis</i> , 2019 , 11, 619-628	2.1	16
48	Determination of methadone and EDDP in oral fluid using the dried saliva spots sampling approach and gas chromatography-tandem mass spectrometry. 2019 , 411, 2177-2187		15
47	Development and validation of LC-MS/MS method for imatinib and norimatinib monitoring by finger-prick DBS in gastrointestinal stromal tumor patients. <i>PLoS ONE</i> , 2019 , 14, e0225225	3.7	9
46	Tacrolimus Can Be Reliably Measured With Volumetric Absorptive Capillary Microsampling Throughout the Dose Interval in Renal Transplant Recipients. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 607-614	3.2	19
45	Dried Blood Spot Self-Sampling by Guardians of Children With Epilepsy Is Feasible: Comparison With Plasma for Multiple Antiepileptic Drugs. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 509-518	3.2	10
44	Official International Association for Therapeutic Drug Monitoring and Clinical Toxicology Guideline: Development and Validation of Dried Blood Spot-Based Methods for Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2019 , 41, 409-430	3.2	91
43	Determination of Antiepileptic Drugs Using Dried Saliva Spots. <i>Journal of Analytical Toxicology</i> , 2019 , 43, 61-71	2.9	18
42	LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2019 , 166, 40-51	3.5	47
41	Golimumab Dried Blood Spot Analysis (GOUDA): a Prospective Trial Showing Excellent Correlation with Venepuncture Samples and More Detailed Pharmacokinetic Information. <i>AAPS Journal</i> , 2018 , 21, 10	3.7	11
40	Determination of blood dexmedetomidine in dried blood spots by LC-MS/MS to screen therapeutic levels in paediatric patients. <i>PLoS ONE</i> , 2019 , 14, e0210391	3.7	1
39	Review of DBS methods as a quantitative tool for anticancer drugs. <i>Biomedical Chromatography</i> , 2019 , 33, e4445	1.7	11

38	Therapeutic Drug Monitoring of Targeted Anticancer Protein Kinase Inhibitors in Routine Clinical Use: A Critical Review. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 33-44	3.2	10
37	Determination of Perampanel in Dried Plasma Spots: Applicability to Therapeutic Drug Monitoring. <i>Therapeutic Drug Monitoring</i> , 2020 , 42, 309-314	3.2	3
36	Novel LC-MS/MS method for the determination of selumetinib (AZD6244) in whole blood collected with volumetric absorptive microsampling. <i>Bioanalysis</i> , 2020 , 12, 883-892	2.1	
35	Technological advancement in dry blood matrix microsampling and its clinical relevance in quantitative drug analysis. <i>Bioanalysis</i> , 2020 , 12, 1483-1501	2.1	1
34	Use of Dried Blood Spot Specimens to Monitor Patients with Inherited Metabolic Disorders. <i>International Journal of Neonatal Screening</i> , 2020 , 6, 26	2.6	16
33	Fluispotter, a novel automated and wearable device for accurate volume serial dried blood spot sampling. <i>Bioanalysis</i> , 2020 , 12, 665-681	2.1	3
32	Extraction of dried oral fluid spots (DOFS) for the identification of drugs of abuse using liquid chromatography tandem mass spectrometry (LC-MS/MS). <i>Forensic Chemistry</i> , 2020 , 19, 100254	2.8	6
31	Validation and clinical application of dried blood spot assay for quantitative assessment of edoxaban in healthy adults. <i>Bioanalysis</i> , 2020 , 12, 393-407	2.1	0
30	Development of a dried blood spot sampling method towards therapeutic monitoring of radotinib in the treatment of chronic myeloid leukaemia. <i>Journal of Clinical Pharmacy and Therapeutics</i> , 2020 , 45, 1006-1013	2.2	6
29	A novel functional C1 inhibitor activity assay in dried blood spot for diagnosis of Hereditary angioedema. <i>Clinica Chimica Acta</i> , 2020 , 504, 155-162	6.2	6
28	Determination of lithium in dried blood spots and dried plasma spots by graphite furnace atomic absorption spectrometry: Method development, validation and clinical application. <i>Talanta</i> , 2020 , 216, 120907	6.2	6
27	Selection of a surrogate matrix for the quantification of an endogenous analyte in dried whole blood. <i>Bioanalysis</i> , 2020 , 12, 409-418	2.1	2
26	Lead (Pb) exposure assessment in dried blood spots using Total Reflection X-Ray Fluorescence (TXRF). <i>Environmental Research</i> , 2021 , 198, 110444	7.9	7
25	Quantitative and qualitative application of a novel capillary microsampling device, Microsampling Wing (MSW), using antiepileptic drugs in rats. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 194, 113788	3.5	2
24	Evaluation of 92 cardiovascular proteins in dried blood spots collected under field-conditions: Off-the-shelf affinity-based multiplexed assays work well, allowing for simplified sample collection. <i>BioEssays</i> , 2021 , 43, e2000299	4.1	1
23	Volumetric absorptive microsampling for the quantification of tacrolimus in capillary blood by high performance liquid chromatography-tandem mass spectrometry. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2021 , 1165, 122521	3.2	1
22	A robust multiplexed assay to quantify C1-inhibitor, C1q, and C4 proteins for in vitro diagnosis of hereditary angioedema from dried blood spot. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2021 , 195, 113844	3.5	4
21	Microsampling Devices for Routine Therapeutic Drug Monitoring-Are We There Yet?. <i>Therapeutic Drug Monitoring</i> , 2021 , 43, 322-334	3.2	2

20	Mind the Quality Gap When Banking on Dry Blood Spots. <i>Biopreservation and Biobanking</i> , 2021 , 19, 136-142	3
19	Dried Blood Spot Technique Applied in Therapeutic Drug Monitoring of Anticancer Drugs: a Review on Conversion Methods to Correlate Plasma and Dried Blood Spot Concentrations. <i>Pharmaceutical Research</i> , 2021 , 38, 759-778	4.5 7
18	Analysis of tamoxifen and its metabolites in dried blood spot and volumetric absorptive microsampling: comparison and clinical application. <i>Heliyon</i> , 2021 , 7, e07275	3.6 0
17	Therapeutic Drug Monitoring of Antiseizure Medications Using Volumetric Absorptive Microsampling: Where Are We?. <i>Pharmaceuticals</i> , 2021 , 14,	5.2 2
16	Precise sample metering method by coordinated burst action of hydrophobic burst valves applied to dried blood spot collection. <i>Lab on A Chip</i> , 2021 , 21, 4445-4454	7.2 1
15	Comparison of glucose measurement on dried blood spots versus plasma samples in pregnant women with and without anemia. <i>Archives of Endocrinology and Metabolism</i> , 2020 , 64, 454-461	2.2
14	Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , 2016 , 27, 288-317	2.4 60
13	Determination of polymyxin B in dried blood spots using LC-MS/MS for therapeutic drug monitoring.. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2022 , 1192, 123131	3.2 1
12	Direct multi-class DESI-MS/MS method for the analysis of sleep inducers and ototoxic drugs in Dried Blood Spots.. <i>Rapid Communications in Mass Spectrometry</i> , 2022 , e9265	2.2 0
11	Biological Matrix Supply Chain Shortages: More Matrices Are Now Rare-the Case for Surrogate Matrices.. <i>AAPS Journal</i> , 2022 , 24, 42	3.7
10	An Investigation of Instability in Dried Blood Spot Samples for Pharmacokinetic Sampling in Phase 3 Trials of Verubecestat.. <i>AAPS Journal</i> , 2022 , 24, 52	3.7 1
9	Analytical and clinical validation of Dried blood spot and Volumetric Absorptive Microsampling for measurement of tacrolimus and creatinine after renal transplantation.. <i>Clinical Biochemistry</i> , 2022 ,	3.5 0
8	Quantification of Zonisamide in Dried Blood Spots and Dried Plasma Spots by UPLCMS/MS: Application to Clinical Practice. 2022 , 27, 4899	0
7	Dried Blood Spots in Therapeutic Drug Monitoring and Toxicology. 2022 , 43-66	0
6	ADAPTATION OF DRIED BLOOD DROP METHOD FOR THERAPEUTIC DRUG MONITORING. 2022 , 10, 331-342	0
5	Volumetric dried blood microsampling for monitoring imatinib mesylate therapy: Method development and clinical application in patients with chronic myeloid leukemia. 2023 , 222, 115108	0
4	A fast and validated LC-MS/MS method to quantify lenvatinib in dried blood spot. 2023 , 115255	0
3	A Validated UHPLCMS/MS Method to Quantify Eight Antibiotics in Quantitative Dried Blood Spots in Support of Pharmacokinetic Studies in Neonates. 2023 , 12, 199	0

- 2 Analytical and clinical validation of an LC-MS/MS method for carbamazepine, lamotrigine and levetiracetam in dried blood spots. ejhpharm-2022-003589 ○
- 1 Ceramides biomarkers determination in quantitative dried blood spots by UHPLC-MS/MS. 2023, 1255, 341131 ○