

CITATION REPORT

List of articles citing

Is controlled drinking an acceptable goal in the treatment of alcohol dependence? A survey of French alcohol specialists

DOI: 10.1093/alcalc/agr083

Alcohol and Alcoholism, 2011, 46, 586-91.

Source: <https://exaly.com/paper-pdf/52095245/citation-report.pdf>

Version: 2024-04-09

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
50	Quality of life among alcohol-dependent patients: how satisfactory are the available instruments? A systematic review. <i>Drug and Alcohol Dependence</i> , 2012 , 125, 192-202	4.9	37
49	Extending the treatment options in alcohol dependence: a randomized controlled study of as-needed nalmefene. <i>Biological Psychiatry</i> , 2013 , 73, 706-13	7.9	313
48	Nalmefene: a review of its use in the treatment of alcohol dependence. <i>CNS Drugs</i> , 2013 , 27, 761-72	6.7	109
47	Reduction of harmful consumption versus total abstinence in addiction treatment. <i>Neuropsychiatry</i> , 2013 , 3, 635-644	1.8	2
46	[Abstinence in alcohol-dependence: critical and updated approach of the 2001 national guidelines]. <i>Presse Medicale</i> , 2013 , 42, 19-25	2.2	4
45	A randomised, double-blind, placebo-controlled, efficacy study of nalmefene, as-needed use, in patients with alcohol dependence. <i>European Neuropsychopharmacology</i> , 2013 , 23, 1432-42	1.2	231
44	Reduced-risk drinking as a viable treatment goal in problematic alcohol use and alcohol dependence. <i>Journal of Psychopharmacology</i> , 2013 , 27, 987-97	4.6	71
43	The effects of drinking goal on treatment outcome for alcoholism. <i>Journal of Consulting and Clinical Psychology</i> , 2013 , 81, 13-22	6.5	49
42	Alcoholism risk reduction in France: a modernised approach related to alcohol misuse disorders. <i>International Journal of Environmental Research and Public Health</i> , 2014 , 11, 11664-75	4.6	4
41	Patient preferences and perspectives regarding reducing alcohol consumption: role of nalmefene. <i>Patient Preference and Adherence</i> , 2014 , 8, 1347-52	2.4	8
40	Nalmefene for reduced-risk drinking: it is not only fancy term for harm reduction. 2014 , 275-280		
39	[Topiramate in substance-related and addictive disorders]. <i>Presse Medicale</i> , 2014 , 43, 892-901	2.2	6
38	Can alcohol dependent patients adhere to an as-needed medication regimen?. <i>European Addiction Research</i> , 2014 , 20, 209-17	4.6	18
37	Long-term efficacy, tolerability and safety of nalmefene as-needed in patients with alcohol dependence: A 1-year, randomised controlled study. <i>Journal of Psychopharmacology</i> , 2014 , 28, 733-44	4.6	87
36	Pharmacological management of alcohol dependence: from mono-therapy to pharmacogenetics and beyond. <i>European Neuropsychopharmacology</i> , 2014 , 24, 181-91	1.2	22
35	[Prognosis assessment of alcoholic liver disease: how and why?]. <i>Presse Medicale</i> , 2014 , 43, 124-34	2.2	3
34	Acceptance of controlled drinking among treatment specialists of alcohol dependence in Japan. <i>Alcohol and Alcoholism</i> , 2014 , 49, 447-52	3.5	9

33	Differences in the acceptability of non-abstinence goals by type of drug among American substance abuse clinicians. <i>Journal of Substance Abuse Treatment</i> , 2014 , 46, 214-8	4.2	26
32	The New French Guidelines on Alcohol Misuse: An Initiative for Strengthening Cross-European Interplay. <i>Addiction</i> , 2015 , 110, 1362-3	4.6	8
31	Modelling the consequences of a reduction in alcohol consumption among patients with alcohol dependence based on real-life observational data. <i>BMC Public Health</i> , 2015 , 15, 1271	4.1	5
30	Risk of All-Cause Mortality in Alcohol-Dependent Individuals: A Systematic Literature Review and Meta-Analysis. <i>EBioMedicine</i> , 2015 , 2, 1394-404	8.8	60
29	Les médicaments du sevrage et de la réduction de la consommation. <i>Actualités Pharmaceutiques</i> , 2015 , 54, 26-34	0	
28	Development of the Alcohol Quality of Life Scale (AQoLS): a new patient-reported outcome measure to assess health-related quality of life in alcohol use disorder. <i>Quality of Life Research</i> , 2015 , 24, 1471-81	3.7	18
27	Clinical relevance of as-needed treatment with nalmefene in alcohol-dependent patients. <i>European Addiction Research</i> , 2015 , 21, 160-168	4.6	25
26	Patient-centered care interventions for the management of alcohol use disorders: a systematic review of randomized controlled trials. <i>Patient Preference and Adherence</i> , 2016 , 10, 1823-1845	2.4	15
25	Sodium oxybate plus nalmefene for the treatment of alcohol use disorder: A case series. <i>Journal of Psychopharmacology</i> , 2016 , 30, 402-9	4.6	6
24	Acceptance of Reduced-Risk Drinking as a Therapeutic Goal within the Polish Alcohol Treatment System. <i>Alcohol and Alcoholism</i> , 2016 , 51, 436-41	3.5	11
23	Treatment Professionals' Basic Beliefs About Alcohol Use Disorders: The Impact of Different Cultural Contexts. <i>Substance Use and Misuse</i> , 2016 , 51, 479-88	2.2	6
22	Barriers to the diffusion of Reduced Risk Drinking programs in Poland. <i>Addiction Research and Theory</i> , 2017 , 25, 416-423	2.6	2
21	Management of precipitated opiate withdrawal syndrome induced by nalmefene mistakenly prescribed in opiate-dependent patients: a review for clinicians. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2017 , 13, 669-677	5.5	5
20	American counselors' Acceptance of non-abstinence outcome goals for clients diagnosed with co-occurring substance use and other psychiatric disorders. <i>Journal of Substance Abuse Treatment</i> , 2017 , 82, 29-33	4.2	5
19	Patients' Knowledge and Attitudes Towards Regular Alcohol Urine Screening: A Survey Study. <i>Journal of Addiction Medicine</i> , 2017 , 11, 300-307	3.8	3
18	Reply to Brailon et al.: Nalmefene Phase IV Study: A Seeding Flying in the Face of Evidence?. <i>Clinical Drug Investigation</i> , 2018 , 38, 387-388	3.2	
17	Who Receives Nalmefene and How Does It Work in the Real World? A Single-Arm, Phase IV Study of Nalmefene in Alcohol Dependent Outpatients: Baseline and 1-Month Results. <i>Clinical Drug Investigation</i> , 2018 , 38, 147-155	3.2	11
16	Feasibility, acceptability and preliminary outcomes of a mindfulness-based relapse prevention program in a naturalistic setting among treatment-seeking patients with alcohol use disorder: a prospective observational study. <i>BMJ Open</i> , 2019 , 9, e026839	3	7

15	Barriers and levers in screening and care for alcohol use disorders among French general practitioners: results from a computer-assisted telephone interview-based survey. <i>Alcoholism Treatment Quarterly</i> , 2019 , 37, 207-224	1.2	2
14	Health-related quality of life in alcohol dependence: Similar cross-cultural impact beyond specific drinking habits. <i>Journal of Ethnicity in Substance Abuse</i> , 2019 , 18, 279-295	1.1	2
13	Successes and failures in treatment of substance abuse: Treatment system perspectives and lessons from the European continent.. <i>NAD Nordic Studies on Alcohol and Drugs</i> , 2020 , 37, 323-337	1.1	0
12	Abstinence or controlled drinking in a five-year follow-up on Swedish clients reporting positive change after treatment for substance use disorders. <i>Drugs and Alcohol Today</i> , 2020 , 20, 147-156	1.4	1
11	Controlled drinking-non-abstinent versus abstinent treatment goals in alcohol use disorder: a systematic review, meta-analysis and meta-regression. <i>Addiction</i> , 2021 , 116, 1973-1987	4.6	14
10	Acceptance of Non-Abstinence as an Outcome Goal for Individuals Diagnosed With Substance Use Disorders: A Narrative Review of Published Research. <i>Journal of Studies on Alcohol and Drugs</i> , 2020 , 81, 405-415	1.9	8
9	Predicting Success of a Digital Self-Help Intervention for Alcohol and Substance Use With Machine Learning. <i>Frontiers in Psychology</i> , 2021 , 12, 734633	3.4	1
8	Kontrolliertes Trinken bei Alkoholkonsumstörungen: Eine systematische Übersicht. <i>Sucht</i> , 2015 , 61, 147-174.	4.5	7
7	Acceptability of nonabstinent treatment outcome goals among addiction treatment providers in Ukraine. <i>Psychology of Addictive Behaviors</i> , 2018 , 32, 485-495	3.4	2
6	Off-label baclofen prescribing practices among French alcohol specialists: results of a national online survey. <i>PLoS ONE</i> , 2014 , 9, e98062	3.7	36
5	The Effects of as-Needed Nalmefene on Patient-Reported Outcomes and Quality of Life in Relation to a Reduction in Alcohol Consumption in Alcohol-Dependent Patients. <i>PLoS ONE</i> , 2015 , 10, e0129289	3.7	20
4	Controlled Drinking Behaviors Among Korean American and Korean Male Workers. <i>Nursing Research</i> , 2021 , 70, 114-122	1.9	
3	Different Goals, Different Needs: The Effects of Telephone- and Text Message-Based Continuing Care for Patients with Different Drinking Goals After Residential Treatment for Alcohol Use Disorder.		
2	Behandling av alkoholbrukslidelse: pasientfaktorerers betydning for gjennomføring og utfall. 2022 , 59,		
1	Determinants of health-related quality of life in recently detoxified patients with severe alcohol use disorder. 2022 , 20,		0