

# CITATION REPORT

List of articles citing

The effect of hematocrit and punch location on assay bias during quantitative bioanalysis of dried blood spot samples

DOI: 10.4155/bio.11.220  
Bioanalysis, 2011, 3, 2335-47.

**Source:** <https://exaly.com/paper-pdf/52128622/citation-report.pdf>

**Version:** 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

| #   | Paper   | IF  | Citations |
|-----|---|-----|-----------|
| 138 | Dried blood spots in toxicology: from the cradle to the grave?. <i>Bioanalysis</i> , <b>2012</b> , 42, 230-43   |     | 117       |
| 137 | Discovery pharmacokinetic studies in mice using serial microsampling, dried blood spots and microbore LC-MS/MS. <i>Bioanalysis</i> , <b>2012</b> , 4, 1077-95   | 2.1 | 39        |
| 136 | Incurred sample reanalysis comparison of dried blood spots and plasma samples on the measurement of lopinavir in clinical samples. <i>Bioanalysis</i> , <b>2012</b> , 4, 237-40   | 2.1 | 18        |
| 135 | Managing the effect of hematocrit on DBS analysis in a regulated environment. <i>Bioanalysis</i> , <b>2012</b> , 4, 345-71  | 2.1 | 64        |
| 134 | Analysis of cyclosporin A, tacrolimus, sirolimus, and everolimus in dried blood spot samples using liquid chromatography tandem mass spectrometry. <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 1803-11     | 4.4 | 41        |
| 133 | Evaluation of dried blood spot (DBS) technology versus plasma analysis for the determination of MK-1775 by HILIC-MS/MS in support of clinical studies. <i>Analytical and Bioanalytical Chemistry</i> , <b>2012</b> , 404, 3037-48 | 4.4 | 26        |
| 132 | Dried matrix on paper disks: the next generation DBS microsampling technique for managing the hematocrit effect in DBS analysis. <i>Bioanalysis</i> , <b>2012</b> , 4, 2027-35  | 2.1 | 51        |
| 131 | Perforated dried blood spot accurate microsampling: the concept and its applications in toxicokinetic sample collection. <b>2012</b> , 47, 655-67   |     | 36        |
| 130 | In-depth study of homogeneity in DBS using two different techniques: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , <b>2013</b> , 5, 2161-9  | 2.1 | 44        |
| 129 | The effect of hematocrit on bioanalysis of DBS: results from the EBF DBS-microsampling consortium. <i>Bioanalysis</i> , <b>2013</b> , 5, 2147-60  | 2.1 | 86        |
| 128 | State-of-the-art dried blood spot analysis: an overview of recent advances and future trends. <i>Bioanalysis</i> , <b>2013</b> , 5, 2187-208  | 2.1 | 94        |
| 127 | Best Practices in LC-MS Method Development and Validation for Dried Blood Spots. <b>2013</b> , 379-389  |     | 3         |
| 126 | Development and validation of a new UPLC-PDA method to quantify linezolid in plasma and in dried plasma spots. <b>2013</b> , 936, 42-7  |     | 30        |
| 125 | Microsample analyses via DBS: challenges and opportunities. <i>Bioanalysis</i> , <b>2013</b> , 5, 2547-65   | 2.1 | 48        |
| 124 | Recent advances in the bioanalytical applications of dried matrix spotting for the analysis of drugs and their metabolites. <i>Bioanalysis</i> , <b>2013</b> , 5, 2581-8  | 2.1 | 20        |
| 123 | A dried blood spot update: still an important bioanalytical technique?. <i>Bioanalysis</i> , <b>2013</b> , 5, 879-83  | 2.1 | 26        |
| 122 | Evaluation of dried blood spots for the quantification of therapeutic monoclonal antibodies and detection of anti-drug antibodies. <i>Bioanalysis</i> , <b>2013</b> , 5, 613-22   | 2.1 | 19        |

|     |  |     |     |
|-----|--|-----|-----|
| 121 | Bioanalytical implementation of plasma capillary microsampling: small hurdles, large gains. <i>Bioanalysis</i> , <b>2013</b> , 5, 1485-9                                       | 2.1 | 21  |
| 120 | A novel approach to capillary plasma microsampling for quantitative bioanalysis. <i>Bioanalysis</i> , <b>2013</b> , 5, 1131-5  | 2.1 | 48  |
| 119 | 2013 White Paper on recent issues in bioanalysis: HybridR-the best of LBA and LCMS. <i>Bioanalysis</i> , <b>2013</b> , 5, 2903-18  | 2.1 | 55  |
| 118 | Current and future use of "dried blood spot" analyses in clinical chemistry. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2013</b> , 51, 1897-909                    | 5.9 | 78  |
| 117 | Hemato-critical issues in quantitative analysis of dried blood spots: challenges and solutions. <i>Bioanalysis</i> , <b>2013</b> , 5, 2023-41                                  | 2.1 | 170 |
| 116 | Merck's perspective on the implementation of dried blood spot technology in clinical drug development - why, when and how. <i>Bioanalysis</i> , <b>2013</b> , 5, 341-50        | 2.1 | 59  |
| 115 | Capillary microsampling in the regulatory environment: validation and use of bioanalytical capillary microsampling methods. <i>Bioanalysis</i> , <b>2013</b> , 5, 731-8        | 2.1 | 42  |
| 114 | Training and microsample collection. <b>2013</b> , 14-28   |     | 3   |
| 113 | . <b>2014</b> ,  |     | 23  |
| 112 | Automated direct extraction and analysis of dried blood spots employing on-line SPE high-resolution accurate mass bioanalysis. <i>Bioanalysis</i> , <b>2014</b> , 6, 2027-41   | 2.1 | 23  |
| 111 | Beyond Dried Blood Spots Application of Dried Matrix Spots. <b>2014</b> , 235-241  |     | 2   |
| 110 | Punching and Extraction Techniques for Dried Blood Spot Sample Analysis. <b>2014</b> , 160-167   |     | 2   |
| 109 | Pharmaceutical Perspectives of Use of Dried Blood Spots. <b>2014</b> , 151-159   |     | 1   |
| 108 | Clinical chemistry and dried blood spots: increasing laboratory utilization by improved understanding of quantitative challenges. <i>Bioanalysis</i> , <b>2014</b> , 6, 2791-4 | 2.1 | 13  |
| 107 | Quantification of valproic acid in dried blood spots. <b>2014</b> , 74, 648-52   |     | 12  |
| 106 | Spot them in the spot: analysis of abused substances using dried blood spots. <i>Bioanalysis</i> , <b>2014</b> , 6, 2211-27  |     | 59  |
| 105 | Procedures and practices for the validation of bioanalytical methods using dried blood spots: a review. <i>Bioanalysis</i> , <b>2014</b> , 6, 2481-514                         | 2.1 | 67  |
| 104 | Optimization in Drug Discovery. <i>Methods in Pharmacology and Toxicology</i> , <b>2014</b> ,  | 1.1 | 16  |

|     |  |     |     |
|-----|--|-----|-----|
| 103 | Therapeutic drug monitoring by dried blood spot: progress to date and future directions. <b>2014</b> , 53, 961-73  |     | 212 |
| 102 | Why dried blood spots are an ideal tool for CYP1A2 phenotyping. <b>2014</b> , 53, 763-71   |     | 15  |
| 101 | Development of LC-MS/MS method for the determination of dapiprazole on dried blood spots and urine: application to pharmacokinetics. <i>Biomedical Chromatography</i> , <b>2014</b> , 28, 615-20   | 1.7 | 3   |
| 100 | Recent developments in sample-pretreatment techniques for mass spectrometry-based metabolomics. <b>2014</b> , 61, 157-167  |     | 92  |
| 99  | Automated high-capacity on-line extraction and bioanalysis of dried blood spot samples using liquid chromatography/high-resolution accurate mass spectrometry. <i>Rapid Communications in Mass Spectrometry</i> , <b>2014</b> , 28, 2415-26                        | 2.2 | 20  |
| 98  | Interpatient distributions of bloodspot area per fixed volume of application: comparison between filter paper and non-cellulose dried matrix spotting cards. <b>2014</b> , 437, 187-90   |     | 3   |
| 97  | How effective is [corrected] the use of DBS and DPS as tools to encourage widespread therapeutic drug monitoring?. <i>Bioanalysis</i> , <b>2014</b> , 6, 425-7   | 2.1 | 13  |
| 96  | Development and validation of an UPLC-PDA method to quantify daptomycin in human plasma and in dried plasma spots. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2014</b> , 88, 66-70  | 3.5 | 35  |
| 95  | Volumetric absorptive microsampling: a dried sample collection technique for quantitative bioanalysis. <b>2014</b> , 86, 8489-95   |     | 235 |
| 94  | Fully-automated approach for online dried blood spot extraction and bioanalysis by two-dimensional-liquid chromatography coupled with high-resolution quadrupole time-of-flight mass spectrometry. <b>2014</b> , 86, 1246-53                                       |     | 36  |
| 93  | Influence of haematocrit level on the kinetics of blood spreading on thin porous medium during dried blood spot sampling. <b>2014</b> , 451, 38-47   |     | 30  |
| 92  | Evaluation of peripheral blood microsampling techniques in combination with liquid chromatography-high resolution mass spectrometry for the determination of drug pharmacokinetics in clinical studies. <i>Drug Testing and Analysis</i> , <b>2014</b> , 6, 568-77 | 3.5 | 2   |
| 91  | Dried blood spots and their role in bioanalysis. <b>2015</b> , 194-208   |     |     |
| 90  | Influence of Hematocrit and Total-Spot Volume on Performance Characteristics of Dried Blood Spots for Newborn Screening. <b>2015</b> , 1, 69-78  |     | 50  |
| 89  | Analysis of dried blood spots in forensic toxicology. <b>2015</b> , 80-92  |     | 1   |
| 88  | [Blood sampling using "dried blood spot": a clinical biology revolution underway?]. <b>2015</b> , 73, 25-37  |     | 2   |
| 87  | What is the right blood hematocrit preparation procedure for standards and quality control samples for dried blood spot analysis?. <i>Bioanalysis</i> , <b>2015</b> , 7, 345-51  | 2.1 | 41  |
| 86  | A novel approach for quantitation of glucosylceramide in human dried blood spot using LC-MS/MS. <i>Bioanalysis</i> , <b>2015</b> , 7, 1483-96  | 2.1 | 9   |

|    |   |     |     |
|----|---|-----|-----|
| 85 | A device for dried blood microsampling in quantitative bioanalysis: overcoming the issues associated blood hematocrit. <i>Bioanalysis</i> , <b>2015</b> , 7, 653-9  | 2.1 | 133 |
| 84 | A validated method for the quantification of fosfomycin on dried plasma spots by HPLC-MS/MS: application to a pilot pharmacokinetic study in humans. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2015</b> , 115, 509-14 | 3.5 | 18  |
| 83 | The performance of five different dried blood spot cards for the analysis of six immunosuppressants. <i>Bioanalysis</i> , <b>2015</b> , 7, 1225-35  | 2.1 | 24  |
| 82 | The design and evaluation of a shaped filter collection device to sample and store defined volume dried blood spots from finger pricks. <b>2015</b> , 14, 45  |     | 18  |
| 81 | Implementing dried blood spot sampling for clinical pharmacokinetic determinations: considerations from the IQ Consortium Microsampling Working Group. <b>2015</b> , 17, 292-300  |     | 43  |
| 80 | Dried blood spot analysis for rat and dog studies: validation, hematocrit, toxicokinetics and incurred sample reanalysis. <i>Bioanalysis</i> , <b>2015</b> , 7, 869-83  | 2.1 | 10  |
| 79 | Message from the editors. <i>Bioanalysis</i> , <b>2015</b> , 7, 1-4   | 2.1 |     |
| 78 | Enhanced stability of blood matrices using a dried sample spot assay to measure human butyrylcholinesterase activity and nerve agent adducts. <b>2015</b> , 87, 5723-9  |     | 20  |
| 77 | Cocaine and metabolite concentrations in DBS and venous blood after controlled intravenous cocaine administration. <i>Bioanalysis</i> , <b>2015</b> , 7, 2041-56  | 2.1 | 20  |
| 76 | A disposable sampling device to collect volume-measured DBS directly from a fingerprick onto DBS paper. <i>Bioanalysis</i> , <b>2015</b> , 7, 2085-94   | 2.1 | 47  |
| 75 | The effect of drying on the homogeneity of DBS. <i>Bioanalysis</i> , <b>2015</b> , 7, 1977-85   | 2.1 | 22  |
| 74 | A LC-MS/MS method for therapeutic drug monitoring of carbamazepine, lamotrigine and valproic acid in DBS. <i>Bioanalysis</i> , <b>2015</b> , 7, 2031-9  | 2.1 | 25  |
| 73 | The use of mass spectrometry to analyze dried blood spots. <b>2016</b> , 35, 361-438  |     | 143 |
| 72 | Validation and Clinical Evaluation of a Novel Method To Measure Miltefosine in Leishmaniasis Patients Using Dried Blood Spot Sample Collection. <b>2016</b> , 60, 2081-9  |     | 14  |
| 71 | Solithromycin Pharmacokinetics in Plasma and Dried Blood Spots and Safety in Adolescents. <b>2016</b> , 60, 2572-6  |     | 13  |
| 70 | Dried blood spots analysis with mass spectrometry: Potentials and pitfalls in therapeutic drug monitoring. <i>Clinical Biochemistry</i> , <b>2016</b> , 49, 1035-46   | 3.5 | 77  |
| 69 | A DBS method for quantitation of the new oral trypanocidal drug fexinidazole and its active metabolites. <i>Bioanalysis</i> , <b>2016</b> , 8, 2045-63  | 2.1 | 1   |
| 68 | Aflatoxin B-lysine adduct in dried blood spot samples of animals and humans. <b>2016</b> , 98, 210-219  |     | 12  |

|    |   |     |    |
|----|---|-----|----|
| 67 | Dried Blood-Spot Thyroglobulin Measurement: Field-Friendly and Ready for Field Testing. <b>2016</b> , 26, 610   |     |    |
| 66 | Newborn screening blood spot analysis in the UK: influence of spot size, punch location and haematocrit. <b>2016</b> , 23, 7-16   |     | 32 |
| 65 | Quantification of multiple elements in dried blood spot samples. <i>Clinical Biochemistry</i> , <b>2017</b> , 50, 703-709   | 3.5 | 24 |
| 64 | Clinical perspectives of dried blood spot protein quantification using mass spectrometry methods. <b>2017</b> , 54, 173-184   |     | 14 |
| 63 | Quantitative LC-HRMS determination of selected cardiovascular drugs, in dried blood spots, as an indicator of adherence to medication. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 142, 232-243  | 3.5 | 14 |
| 62 | Development of a dried blood spot HPLC-PDA method for the analysis of linezolid and ciprofloxacin in hospital-acquired pneumonia patients. <i>Drug Testing and Analysis</i> , <b>2017</b> , 9, 1611-1619  | 3.5 | 8  |
| 61 | Capillary blood collected on volumetric absorptive microsampling (VAMS) device for monitoring hydroxychloroquine in rheumatoid arthritis patients. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 140, 334-341                                    | 3.5 | 45 |
| 60 | Volumetric absorptive microsampling (VAMS) as an alternative to conventional dried blood spots in the quantification of miltefosine in dried blood samples. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2017</b> , 135, 160-166                           | 3.5 | 46 |
| 59 | Newborn Thyroid Screening: Influence of Pre-Analytic Variables on Dried Blood Spot Thyrotropin Measurement. <b>2017</b> , 27, 1128-1134   |     | 5  |
| 58 | Comparison of cross-sectional HIV incidence assay results from dried blood spots and plasma. <b>2017</b> , 12, e0172283   |     | 13 |
| 57 | Method for the Determination of Iodide in Dried Blood Spots from Newborns by High Performance Liquid Chromatography Tandem Mass Spectrometry. <b>2018</b> , 90, 3291-3298   |     | 15 |
| 56 | Development and validation of a method for gefitinib quantification in dried blood spots using liquid chromatography-tandem mass spectrometry: Application to finger-prick clinical blood samples of patients with non-small cell lung cancer. <b>2018</b> , 1087-1088, 1-5 |     | 10 |
| 55 | Incorporating dried blood spot LC-MS/MS analysis for clinical development of a novel oncolytic agent. <i>Bioanalysis</i> , <b>2018</b> , 10, 341-356  | 2.1 | 5  |
| 54 | Determination of warfarin and warfarin alcohols in dried blood spots by ultra-high performance liquid chromatography coupled to electrospray ionization-tandem mass spectrometry (UHPLC-ESI-MS/MS). <i>Microchemical Journal</i> , <b>2018</b> , 136, 247-254               | 4.8 | 5  |
| 53 | Development and validation of a sensitive LCMS/MS method to analyze NBOMes in dried blood spots: evaluation of long-term stability. <b>2018</b> , 36, 113-121   |     | 9  |
| 52 | Quantification of cotinine in dried blood spots as a biomarker of exposure to tobacco smoke. <b>2018</b> , 23, 44-50  |     | 7  |
| 51 | A simple, rapid and stability indicating validated method for quantification of lamotrigine in human plasma and dry plasma spot using LC-ESI-MS/MS: Application in clinical study. <b>2018</b> , 1072, 362-369  |     | 14 |
| 50 | Investigation of the effect of blood hematocrit and lipid content on the blood volume deposited by a disposable dried blood spot collection device. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2018</b> , 149, 419-424                                   | 3.5 | 24 |

|    |  |     |    |
|----|--|-----|----|
| 49 | Estimation of the Volume of Blood in a Small Disc Punched From a Dried Blood Spot Card. <b>2018</b> , 120, 1700362   |     | 13 |
| 48 | Dried Blood Spots for Global Health Diagnostics and Surveillance: Opportunities and Challenges. <b>2018</b> , 99, 256-265  |     | 66 |
| 47 | Development of a hematocrit-insensitive device to collect accurate volumes of dried blood spots without specialized skills for measuring clozapine and its metabolites as model analytes. <b>2018</b> , 1087-1088, 70-79                                 |     | 15 |
| 46 | Novel and rapid LC-MS/MS method for quantitative analysis of methylphenidate in dried blood spots. <i>Bioanalysis</i> , <b>2018</b> , 10, 839-850  | 2.1 | 9  |
| 45 | An Improved LC-ESI-MS/MS Method to Quantify Pregabalin in Human Plasma and Dry Plasma Spot for Therapeutic Monitoring and Pharmacokinetic Applications. <b>2018</b> , 40, 610-619  |     | 7  |
| 44 | Microsampling: considerations for its use in pharmaceutical drug discovery and development. <i>Bioanalysis</i> , <b>2019</b> , 11, 1015-1038   | 2.1 | 26 |
| 43 | Determination of haemoglobin derivatives in aged dried blood spot to estimate haematocrit. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2019</b> , 57, 1026-1034   | 5.9 | 1  |
| 42 | Hematocrit effect on dried blood spots in adults: a computational study and theoretical considerations. <b>2019</b> , 79, 325-333  |     | 6  |
| 41 | Development and clinical applications of the dried blood spot method for therapeutic drug monitoring of anti-epileptic drugs. <b>2019</b> , 125, 215-236   |     | 14 |
| 40 | The dried blood spot sampling method in the laboratory medicine. <b>2019</b> , 120, 223-234  |     | 2  |
| 39 | Evaluation of a Volumetric Dried Blood Spot Card Using a Gravimetric Method and a Bioanalytical Method with Capillary Blood from 44 Volunteers. <b>2019</b> , 91, 5558-5565  |     | 11 |
| 38 | Validation of methods for determining pediatric midazolam using wet whole blood and volumetric absorptive microsampling. <i>Bioanalysis</i> , <b>2019</b> , 11, 1737-1754  | 2.1 | 10 |
| 37 | LC-MS application for therapeutic drug monitoring in alternative matrices. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2019</b> , 166, 40-51   | 3.5 | 47 |
| 36 | Quantification of cocaine and cocaine metabolites in dried blood spots from a controlled administration study using liquid chromatography-tandem mass spectrometry. <i>Drug Testing and Analysis</i> , <b>2019</b> , 11, 709-720                         | 3.5 | 12 |
| 35 | Candidate reference method for determination of vitamin D from dried blood spot samples. <i>Clinical Chemistry and Laboratory Medicine</i> , <b>2020</b> , 58, 817-827   | 5.9 | 3  |
| 34 | Validated DBS method for filgotinib quantitation in rat dried blood spots and its application to a pharmacokinetic study in rats.. <i>ADMET and DMPK</i> , <b>2020</b> , 8, 139-148  | 1.3 | 3  |
| 33 | Determination of anabolic steroids in dried blood using microsampling and gas chromatography-tandem mass spectrometry: Application to a testosterone gel administration study. <i>Journal of Chromatography A</i> , <b>2020</b> , 1628, 461445           | 4.5 | 8  |
| 32 | A highly multiplexed biochemical assay for analytes in dried blood spots: application to newborn screening and diagnosis of lysosomal storage disorders and other inborn errors of metabolism. <i>Genetics in Medicine</i> , <b>2020</b> , 22, 1262-1268 | 8.1 | 5  |

|    |   |     |    |
|----|---|-----|----|
| 31 | Novel methodology to perform incurred sample reanalysis on dried blood spot cards: Experimental data using darolutamide and filgotinib. <i>Biomedical Chromatography</i> , <b>2020</b> , 34, e4938  | 1.7 | 1  |
| 30 | Stereoselective Analysis of Methadone and EDDP in Laboring Women and Neonates in Plasma and Dried Blood Spots and Association with Neonatal Abstinence Syndrome. <i>American Journal of Perinatology</i> , <b>2021</b> , 38, 968-975  | 3.3 | 2  |
| 29 | Opportunities and obstacles for microsampling techniques in bioanalysis: Special focus on DBS and VAMS. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2020</b> , 182, 113102  | 3.5 | 23 |
| 28 | Fully automated dried blood spot sample preparation enables the detection of lower molecular mass peptide and non-peptide doping agents by means of LC-HRMS. <i>Analytical and Bioanalytical Chemistry</i> , <b>2020</b> , 412, 3765-3777   | 4.4 | 25 |
| 27 | Determination of fluoroquinolones in dried plasma spots by using microwave-assisted extraction coupled to ultra-high performance liquid chromatography-tandem mass spectrometry for therapeutic drug monitoring. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , <b>2021</b> , 195, 113821 | 3.5 | 2  |
| 26 | Determination of Cu in blood via direct analysis of dried blood spots using high-resolution continuum source graphite furnace atomic absorption spectrometry. <i>Journal of Analytical Atomic Spectrometry</i> , <b>2021</b> , 36, 1666-1677  | 3.7 | 4  |
| 25 | The use of dried blood spots for characterizing children's exposure to organic environmental chemicals. <i>Environmental Research</i> , <b>2021</b> , 195, 110796   | 7.9 | 1  |
| 24 | A Novel Personalized Systems Nutrition Program Improves Dietary Patterns, Lifestyle Behaviors and Health-Related Outcomes: Results from the Habit Study. <i>Nutrients</i> , <b>2021</b> , 13,   | 6.7 | 0  |
| 23 | Solutions for hematocrit bias in dried blood spot hormone analysis. <i>Bioanalysis</i> , <b>2021</b> ,  | 2.1 | 2  |
| 22 | Toward proteome-wide exploration of proteins in dried blood spots using liquid chromatography-coupled mass spectrometry. <i>Proteomics</i> , <b>2021</b> , e2100019   | 4.8 | 1  |
| 21 | Drug, Lipid, and Acylcarnitine Profiling Using Dried Blood Spot (DBS) Technology in Drug Discovery. <i>Methods in Pharmacology and Toxicology</i> , <b>2014</b> , 461-475   | 1.1 | 3  |
| 20 | Pre-cut Filter Paper for Detecting Anti-Japanese Encephalitis Virus IgM from Dried Cerebrospinal Fluid Spots. <i>PLoS Neglected Tropical Diseases</i> , <b>2016</b> , 10, e0004516  | 4.8 | 6  |
| 19 | Analysis of copper, selenium, and zinc in newborn dried bloodspots using total reflection X-ray fluorescence (TXRF) spectroscopy. 1, e1   |     | 2  |
| 18 | Nouvelles applications des systèmes alternatifs de micro-prélevements. <i>Revue Francophone Des Laboratoires</i> , <b>2021</b> , 2021, 54-64  | 0   |    |
| 17 | Advantages and Challenges of Dried Blood Spot Analysis by Mass Spectrometry Across the Total Testing Process. <i>Electronic Journal of the International Federation of Clinical Chemistry and Laboratory Medicine</i> , <b>2016</b> , 27, 288-317   | 2.4 | 60 |
| 16 | A Non-Invasive Method for Detection of Antihypertensive Drugs in Biological Fluids: The Salivary Therapeutic Drug Monitoring.. <i>Frontiers in Pharmacology</i> , <b>2021</b> , 12, 755184  | 5.6 | 0  |
| 15 | Dried plasma spot-based liquid chromatography-tandem mass spectrometry for the quantification of methotrexate in human plasma and its application in therapeutic drug monitoring.. <i>Journal of Separation Science</i> , <b>2022</b> ,   | 3.4 | 0  |
| 14 | Methodological aspects of dried blood spot sampling for the determination of isoprostanooids and prostanoids. <i>Microchemical Journal</i> , <b>2022</b> , 175, 107212  | 4.8 | 0  |



|    |  |     |   |
|----|--|-----|---|
| 13 | Direct multi-class DESI-MS/MS method for the analysis of sleep inducers and ototoxic drugs in Dried Blood Spots.. <i>Rapid Communications in Mass Spectrometry</i> , <b>2022</b> , e9265                               | 2.2 | 0 |
| 12 | A large-volume sputum dry storage and transportation device for molecular and culture-based diagnosis of tuberculosis.. <i>Lab on A Chip</i> , <b>2022</b> ,   | 7.2 |   |
| 11 | Dried Plasma Spot Based LC-MS/MS Method for Monitoring of Meropenem in the Blood of Treated Patients.. <i>Molecules</i> , <b>2022</b> , 27,  | 4.8 | 0 |
| 10 | Dried Samples of Biological Fluids on Porous Membranes as a Promising Sample Preparation Method for Biomedical and Veterinary Diagnostics. <i>Journal of Analytical Chemistry</i> , <b>2022</b> , 77, 410-428          | 1.1 | 0 |
| 9  | Analytical and clinical validation of Dried blood spot and Volumetric Absorptive Microsampling for measurement of tacrolimus and creatinine after renal transplantation.. <i>Clinical Biochemistry</i> , <b>2022</b> , | 3.5 | 0 |
| 8  | Advanced Microsamples: Current Applications and Considerations for Mass Spectrometry-Based Metabolic Phenotyping Pipelines. <i>Separations</i> , <b>2022</b> , 9, 175  | 3.1 | 1 |
| 7  | Dried Blood Spots in Therapeutic Drug Monitoring and Toxicology. <b>2022</b> , 43-66   |     | 0 |
| 6  | Design issues in personalized nutrition advice systems (Preprint).   |     | 0 |
| 5  | Microsampling tools for collecting, processing, and storing blood at the point-of-care.  |     | 0 |
| 4  | Design Issues in Personalized Nutrition Advice Systems (Preprint).   |     | 0 |
| 3  | Do dried blood spots have the potential to support result management processes in routine sports drug testing? Part 3: LCMS/MS-based peptide analysis for dried blood spot sampling time point estimation.             |     | 0 |
| 2  | Evaluation of dried-blood spots and a hematocrit-independent procedure in lysosomal diseases screening using multiplexed tandem mass spectrometry assays. <b>2023</b> , 542, 117278                                    |     | 0 |
| 1  | A validated method for the determination of hematocrit in dried blood spots using image analysis.  |     | 0 |