

CITATION REPORT

List of articles citing

Intervention against excessive alcohol consumption in primary health care: a survey of GP attitudes and practices in England 10 years on

DOI: 10.1093/alcalc/agr067

Alcohol and Alcoholism, 2011, 46, 570-7.

Source: <https://exaly.com/paper-pdf/52143043/citation-report.pdf>

Version: 2024-04-27

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
85	Screening and prevention in Swiss primary care: a systematic review. <i>International Journal of General Medicine</i> , 2011 , 4, 853-70	2.3	11
84	New developments in brief interventions to treat problem drinking in nonspecialty health care settings. <i>Current Psychiatry Reports</i> , 2011 , 13, 422-9	9.1	8
83	Widening access to treatment for alcohol misuse: description and formative evaluation of an innovative web-based service in one primary care trust. <i>Alcohol and Alcoholism</i> , 2012 , 47, 697-701	3.5	9
82	Clinical recognition and recording of alcohol disorders by clinicians in primary and secondary care: meta-analysis. <i>British Journal of Psychiatry</i> , 2012 , 201, 93-100	5.4	80
81	Commentary on Seppänen and colleagues (2012): Institutionalization of brief alcohol intervention in primary health care—the Finnish case. <i>Alcoholism: Clinical and Experimental Research</i> , 2012 , 36, 1311-3	3.7	2
80	Can screening and brief intervention lead to population-level reductions in alcohol-related harm?. <i>Addiction Science & Clinical Practice</i> , 2012 , 7, 15	4.1	55
79	Implementing training and support, financial reimbursement, and referral to an internet-based brief advice program to improve the early identification of hazardous and harmful alcohol consumption in primary care (ODHIN): study protocol for a cluster randomized factorial trial. <i>Implementation Science</i> , 2013 , 8, 11	8.4	40
78	Problem alcohol use among problem drug users in primary care: a qualitative study of what patients think about screening and treatment. <i>BMC Family Practice</i> , 2013 , 14, 98	2.6	18
77	Older adult problem drinkers: who presents for alcohol treatment?. <i>Aging and Mental Health</i> , 2013 , 17, 24-32	3.5	20
76	Acceptability of screening for early detection of liver disease in hazardous/harmful drinkers in primary care. <i>British Journal of General Practice</i> , 2013 , 63, e516-22	1.6	6
75	Alcohol consumption screening of newly-registered patients in primary care: a cross-sectional analysis. <i>British Journal of General Practice</i> , 2013 , 63, e706-12	1.6	22
74	Nurses' role in tackling problematic alcohol use. <i>Practice Nursing</i> , 2013 , 24, 351-355	0.1	
73	Health professionals' alcohol-related professional practices and the relationship between their personal alcohol attitudes and behavior and professional practices: a systematic review. <i>International Journal of Environmental Research and Public Health</i> , 2013 , 11, 218-48	4.6	41
72	Paramedic perceptions and attitudes to working with patients with alcohol-related injury or illness. <i>Journal of Paramedic Practice: the Clinical Monthly for Emergency Care Professionals</i> , 2014 , 6, 310-318	0.3	4
71	Alcohol and public health: heavy drinking is a heavy price to pay for populations. <i>Journal of Public Health</i> , 2014 , 36, 396-8	3.5	7
70	The impact of brief alcohol interventions in primary healthcare: a systematic review of reviews. <i>Alcohol and Alcoholism</i> , 2014 , 49, 66-78	3.5	379
69	Managing alcohol problems in general practice in Europe: results from the European ODHIN survey of general practitioners. <i>Alcohol and Alcoholism</i> , 2014 , 49, 531-9	3.5	47

68	[Screening and brief intervention in primary care: barriers against an early intervention for patients with alcohol misuse]. <i>PPmP Psychotherapie Psychosomatik Medizinische Psychologie</i> , 2014 , 64, 373-7	0.3	1
67	Interpreting null findings from trials of alcohol brief interventions. <i>Frontiers in Psychiatry</i> , 2014 , 5, 85	5	21
66	Brief interventions implementation on alcohol from the European health systems perspective. <i>Frontiers in Psychiatry</i> , 2014 , 5, 161	5	24
65	Impact of primary healthcare providers' initial role security and therapeutic commitment on implementing brief interventions in managing risky alcohol consumption: a cluster randomised factorial trial. <i>Implementation Science</i> , 2016 , 11, 96	8.4	7
64	Eligibility for interventions, co-occurrence and risk factors for unhealthy behaviours in patients consulting for routine primary care: results from the Pre-Empt study. <i>BMC Family Practice</i> , 2015 , 16, 133 ^{2.6}		8
63	Personalised digital interventions for reducing hazardous and harmful alcohol consumption in community-dwelling populations. 2015 ,		14
62	Professional's Attitudes Do Not Influence Screening and Brief Interventions Rates for Hazardous and Harmful Drinkers: Results from ODHIN Study. <i>Alcohol and Alcoholism</i> , 2015 , 50, 430-7	3.5	26
61	Norwegian midwives' use of screening for and brief interventions on alcohol use in pregnancy. <i>Sexual and Reproductive Healthcare</i> , 2015 , 6, 186-90	2.4	18
60	Interventions for Increasing Subsequent Alcohol Treatment Utilisation Among Patients with Alcohol Use Disorders from Somatic Inpatient Settings: A Systematic Review. <i>Alcohol and Alcoholism</i> , 2015 , 50, 420-9	3.5	9
59	Stosunek lekarzy rodzinnych do interwencji związanych z użyciem alkoholu [polskie wyniki międzynarodowego projektu badawczego ODHIN. <i>Alkoholizm I Narkomania</i> , 2015 , 28, 91-102	0.6	1
58	Differences between Groups of Family Physicians with Different Attitudes towards At-Risk Drinkers: A Post Hoc Study of the ODHIN Survey in Portugal. <i>International Journal of Family Medicine</i> , 2016 , 2016, 3635907		3
57	The Impact of an Implementation Project on Primary Care Staff Perceptions of Delivering Brief Alcohol Advice. <i>Journal of Addiction</i> , 2016 , 2016, 4731571	2.2	
56	Spreading alcohol brief interventions from health care to non-health care settings: Is it justified?. <i>Drugs: Education, Prevention and Policy</i> , 2016 , 23, 359-364	1.2	3
55	[General practitioners' commitment to treating excessive alcohol consumption: A question of role security in treating affected patients?]. <i>Zeitschrift Fur Evidenz, Fortbildung Und Qualitat Im Gesundheitswesen</i> , 2016 , 112, 36-42	1.4	
54	Comparison of brief interventions in primary care on smoking and excessive alcohol consumption: a population survey in England. <i>British Journal of General Practice</i> , 2016 , 66, e1-9	1.6	65
53	Can a theoretical framework help to embed alcohol screening and brief interventions in an endoscopy day-unit?. <i>Frontline Gastroenterology</i> , 2016 , 7, 47-53	2.6	2
52	Implementing referral to an electronic alcohol brief advice website in primary healthcare: results from the ODHIN implementation trial. <i>BMJ Open</i> , 2016 , 6, e010271	3	14
51	Are recent attempts to quit smoking associated with reduced drinking in England? A cross-sectional population survey. <i>BMC Public Health</i> , 2016 , 16, 535	4.1	8

50	Strategies to Overcome Barriers to Implementation of Alcohol Screening and Brief Intervention in General Practice: a Delphi Study Among Healthcare Professionals and Addiction Prevention Experts. <i>Prevention Science</i> , 2016 , 17, 689-99	4	22
49	[Detection and prevalence of alcohol use disorders in primary health care in Catalonia]. <i>Atencion Primaria</i> , 2016 , 48, 175-82	3.6	2
48	Can student health professionals accurately estimate alcohol content in commonly occurring drinks?. <i>Therapeutic Advances in Psychopharmacology</i> , 2016 , 6, 256-62	4.9	4
47	STREAM: Elucidating How Alcohol Use Disorders are Managed in UK General Practice Today. <i>Alcohol and Alcoholism</i> , 2016 , 51, 428-35	3.5	1
46	Feasibility and acceptability of an audio computer-assisted self-interview version of the Alcohol, Smoking and Substance Involvement Screening Test (ASSIST) in primary care patients. <i>Substance Abuse</i> , 2016 , 37, 299-305	3.8	27
45	Opportunities for primary care to reduce hospital admissions: a cross-sectional study of geographical variation. <i>British Journal of General Practice</i> , 2017 , 67, e20-e28	1.6	9
44	Barriers for identification and treatment of problem drinkers in primary care. <i>Gaceta Sanitaria</i> , 2017 , 31, 95-99	2.2	2
43	Personalised digital interventions for reducing hazardous and harmful alcohol consumption in community-dwelling populations. <i>The Cochrane Library</i> , 2017 , 9, CD011479	5.2	127
42	Rethinking alcohol interventions in health care: a thematic meeting of the International Network on Brief Interventions for Alcohol & Other Drugs (INEBRIA). <i>Addiction Science & Clinical Practice</i> , 2017 , 12, 14	4.1	33
41	Can Doctors Be Divided Into Groups Based on Their Attitudes to Addressing Alcohol Issues in Their Patients? Analyses From a Survey of Portuguese General Practitioners. <i>Substance Use and Misuse</i> , 2017 , 52, 233-239	2.2	3
40	Potentials of Smart Breathalyzer: Interventions for Excessive Drinking Among College Students. <i>Lecture Notes in Computer Science</i> , 2018 , 195-206	0.9	1
39	Is problem alcohol use being detected and treated in Irish general practice?. <i>BMC Family Practice</i> , 2018 , 19, 30	2.6	4
38	Brief Interventions in Primary Care: an Evidence Overview of Practitioner and Digital Intervention Programmes. <i>Current Addiction Reports</i> , 2018 , 5, 265-273	3.9	29
37	An exploration of alcohol-related fire incidences. <i>Journal of Risk Research</i> , 2018 , 21, 1217-1232	4.2	1
36	Nalmefene, Given as Needed, in the Routine Treatment of Patients with Alcohol Dependence: An Interventional, Open-Label Study in Primary Care. <i>European Addiction Research</i> , 2018 , 24, 293-303	4.6	12
35	Factors Influencing the Implementation of Screening and Brief Interventions for Alcohol Use in Primary Care Practices: A Systematic Review Protocol. <i>Acta Medica Portuguesa</i> , 2018 , 31, 45-50	1.4	5
34	Optimizing the delivery of interventions for harmful alcohol use in primary healthcare: an update. <i>Current Opinion in Psychiatry</i> , 2018 , 31, 324-332	4.9	5
33	Implementing alcohol screening and brief interventions in primary health care: study protocol for a pilot cluster randomized controlled trial. <i>Family Practice</i> , 2019 , 36, 199-205	1.9	2

32	Are German family practitioners and psychiatrists sufficiently trained to diagnose and treat patients with alcohol problems?. <i>BMC Family Practice</i> , 2019 , 20, 115	2.6	1
31	Addressing alcohol in routine healthcare in Sweden-population-based surveys in 2010 and 2017. <i>European Journal of Public Health</i> , 2019 , 29, 748-753	2.1	3
30	Person Centered Approach to Recovery in Medicine. <i>Integrating Psychiatry and Primary Care</i> , 2019 ,	0.3	3
29	Screening for Psychosocial Distress and Psychiatric Disorders in Medicine: From Concepts to Evidence. <i>Integrating Psychiatry and Primary Care</i> , 2019 , 57-78	0.3	1
28	Digital brief interventions for risky drinkers are not the panacea: A pilot study exploring barriers for its implementation according to professionals' perceptions. <i>Health Informatics Journal</i> , 2020 , 26, 925-933		
27	Systematic Review of Clinician-Reported Barriers to Provision of Brief Advice for Alcohol Intake in Hospital Inpatient and Emergency Settings. <i>Alcoholism: Clinical and Experimental Research</i> , 2020 , 44, 2386-2400	3.7	4
26	Containment and care? A qualitative interview study exploring police custody staff views about delivering brief alcohol interventions to heavy drinking arrestees. <i>Drugs: Education, Prevention and Policy</i> , 2020 , 27, 436-444	1.2	1
25	General Practice Patients' Readiness to be Treated With Brief Intervention to Reduce Alcohol Consumption: A Cross-Sectional Study With Between-Subject Design. <i>Alcohol and Alcoholism</i> , 2021 , 56, 291-298	3.5	
24	Evaluating the effectiveness of the smartphone app, Drink Less, compared with the NHS alcohol advice webpage, for the reduction of alcohol consumption among hazardous and harmful adult drinkers in the UK at 6-month follow-up: protocol for a randomised controlled trial. <i>Addiction</i> , 2021 , 116, 412-425	4.6	4
23	Factors influencing the implementation of screening and brief interventions for alcohol use in primary care practices: a systematic review using the COM-B system and Theoretical Domains Framework. <i>Implementation Science</i> , 2021 , 16, 6	8.4	17
22	Barreras de acceso, autoreconocimiento y reconocimiento en depresión y trastornos del consumo del alcohol: un estudio cualitativo. <i>Revista Colombiana De Psiquiatría</i> , 2021 , 50, 55-66	0.8	
21	Access barriers, self-recognition, and recognition of depression and unhealthy alcohol use: A qualitative study. <i>Revista Colombiana De Psiquiatría (English Ed)</i> , 2021 , 50 Suppl 1, 52-63	0.3	1
20	Treating Excessive Consumers With Brief Intervention to Reduce Their Alcohol Consumption. <i>European Journal of Health Psychology</i> , 2021 , 28, 131-138	1.1	
19	Pre-screening Ability of the Functional-Belief-Based Alcohol Use Questionnaire (FBAQ) among Chiang Mai University Undergraduates: An External Validation Study. <i>Drug and Alcohol Dependence</i> , 2021 , 227, 109002	4.9	
18	Impact of Training and Municipal Support on Primary Health Care-Based Measurement of Alcohol Consumption in Three Latin American Countries: 5-Month Outcome Results of the Quasi-experimental Randomized SCALA Trial. <i>Journal of General Internal Medicine</i> , 2021 , 36, 2663-2671	4	3
17	The effectiveness of electronic screening and brief intervention for reducing levels of alcohol consumption: a systematic review and meta-analysis. <i>Journal of Medical Internet Research</i> , 2014 , 16, e142	7.6	104
16	User Preferences for Content, Features, and Style for an App to Reduce Harmful Drinking in Young Adults: Analysis of User Feedback in App Stores and Focus Group Interviews. <i>JMIR MHealth and UHealth</i> , 2016 , 4, e47	5.5	47
15	The organisation and delivery of health improvement in general practice and primary care: a scoping study. <i>Health Services and Delivery Research</i> , 2015 , 3, 1-180	1.5	8

14	L'Alcoolologie et les futurs médecins généralistes français. <i>Psychotropes (discontinued)</i> , 2017 , 23, 89	0.1	2
13	Prevalence, Pattern, and Correlates of Alcohol Misuse among Male Patients Attending Rural Primary Care in India. <i>Journal of Pharmacy and Bioallied Sciences</i> , 2017 , 9, 66-72	1.1	7
12	Discussing alcohol use with the GP: a qualitative study. <i>BJGP Open</i> , 2020 , 4,	3.1	5
11	Evaluating the effectiveness of the smartphone app, Drink Less, compared with the NHS alcohol advice webpage, for the reduction of alcohol consumption among hazardous and harmful adult drinkers in the UK at six-month follow-up: protocol for a randomised controlled trial.		
10	Putting the Screen in Screening: Technology-Based Alcohol Screening and Brief Interventions in Medical Settings. 2014 , 36, 63-79		18
9	A screening focusing on aftereffects of alcohol consumption in a student population. A National cross-sectional survey. <i>Journal of Preventive Medicine and Hygiene</i> , 2018 , 59, E48-E62	1.4	
8	Using Consolidated Framework for Implementation Research to investigate facilitators and barriers of implementing alcohol screening and brief intervention among primary care health professionals: a systematic review. <i>Implementation Science</i> , 2021 , 16, 99	8.4	0
7	Development of community strategies supporting brief alcohol advice in three Latin American countries: a protocol. <i>Health Promotion International</i> , 2021 ,	3	1
6	Efficacy of a theory-driven program to implement alcohol screening and brief interventions in primary health care: A cluster randomized controlled trial.. <i>Addiction</i> , 2021 ,	4.6	0
5	Optimising the Notification Policy to Improve Engagement with an Alcohol Reduction App: Results from a Micro-Randomized Trial (Preprint).		
4	Prevalence and characteristics of hazardous and harmful drinkers receiving general practitioners' brief advice on and support with alcohol consumption in Germany: results of a population survey.		
3	Prevalence and characteristics of hazardous and harmful drinkers receiving general practitioners' brief advice on and support with alcohol consumption in Germany: results of a population survey. 2022 , 12, e064268		0
2	Screening and brief intervention for alcohol use disorder risk in three middle-income countries. 2022 , 22,		0
1	How Notifications affect Engagement with a Behaviour Change App: Results from a Micro-Randomised Trial. (Preprint).		0