

CITATION REPORT

List of articles citing

**Genome-wide association study of CSF biomarkers
Abeta1-42, t-tau, and p-tau181p in the ADNI cohort**

DOI: 10.1212/wnl.ob013e318204a397
Neurology, 2011, 76, 69-79.

Source: <https://exaly.com/paper-pdf/52174501/citation-report.pdf>

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
167	Intersectional innovation in biomarker development for patient-centric medicine. 2011 , 8, 469-481		0
166	The role of genetics for biomarker development in neurodegeneration. 2011 , 95, 501-4		20
165	Imaging the Alzheimer brain. <i>Journal of Alzheimers Disease</i> , 2011 , 26 Suppl 3, 1-27	4.3	30
164	Minimally invasive biomarker confirms glial activation present in Alzheimer's disease: a preliminary study. 2011 , 7, 495-9		25
163	Function and comorbidities of apolipoprotein e in Alzheimer's disease. 2011 , 2011, 974361		28
162	Alzheimer's disease genetics: lessons to improve disease modelling. 2011 , 39, 910-6		34
161	Impact of SORL1 single nucleotide polymorphisms on Alzheimer's disease cerebrospinal fluid markers. 2011 , 32, 164-70		34
160	The "Alzheimer's disease signature": potential perspectives for novel biomarkers. 2011 , 8, 7		15
159	Evaluation of the global association between cholesterol-associated polymorphisms and Alzheimer's disease suggests a role for rs3846662 and HMGR splicing in disease risk. 2011 , 6, 62		9
158	Neurological imaging: statistics behind the pictures. 2011 , 3, 423-432		4
157	Genome-wide association study identifies multiple novel loci associated with disease progression in subjects with mild cognitive impairment. <i>Translational Psychiatry</i> , 2011 , 1, e54	8.6	22
156	Alzheimer's therapeutics: translation of preclinical science to clinical drug development. 2012 , 37, 261-77		34
155	Maternal family history is associated with Alzheimer's disease biomarkers. <i>Journal of Alzheimers Disease</i> , 2012 , 31, 659-68	4.3	45
154	HIV and aging: state of knowledge and areas of critical need for research. A report to the NIH Office of AIDS Research by the HIV and Aging Working Group. 2012 , 60 Suppl 1, S1-18		394
153	The Alzheimer's Disease Neuroimaging Initiative: a review of papers published since its inception. <i>Alzheimers and Dementia</i> , 2012 , 8, S1-68	1.2	368
152	Development of biomarkers to chart all Alzheimer's disease stages: the royal road to cutting the therapeutic Gordian Knot. <i>Alzheimers and Dementia</i> , 2012 , 8, 312-36	1.2	92
151	Functional analysis of APOE locus genetic variation implicates regional enhancers in the regulation of both TOMM40 and APOE. <i>Journal of Human Genetics</i> , 2012 , 57, 18-25	4.3	65

150	Using CSF biomarkers to replicate genetic associations in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2012 , 33, 1486.e9-15	5.6	20
149	Structural and functional neural correlates of visuospatial information processing in normal aging and amnesic mild cognitive impairment. <i>Neurobiology of Aging</i> , 2012 , 33, 2782-97	5.6	30
148	Relationship between genetic risk factors and markers for Alzheimer's disease pathology. 2012 , 6, 477-95		22
147	ABC Transporters and the Alzheimer's Disease Enigma. 2012 , 3, 54		60
146	Promising Genetic Biomarkers of Preclinical Alzheimer's Disease: The Influence of APOE and TOMM40 on Brain Integrity. 2012 , 2012, 421452		18
145	A REVIEW OF BIOCHEMICAL MARKERS FOR EARLY DIAGNOSIS OF ALZHEIMER'S DISEASE. 2012 , 3, 54-62		2
144	The release of S-100B and NSE in severe traumatic head injury is associated with APOE ε. 2012 , 154, 675-80; discussion 680		18
143	Amyloid pathway-based candidate gene analysis of [(11)C]PiB-PET in the Alzheimer's Disease Neuroimaging Initiative (ADNI) cohort. 2012 , 6, 1-15		39
142	Other Genes Implicated in Alzheimer's Disease. 2013 , 209-230		
141	Longitudinal assessment of tau and amyloid beta in cerebrospinal fluid of Parkinson disease. 2013 , 126, 671-82		56
140	Heart-type fatty acid binding protein and vascular endothelial growth factor: cerebrospinal fluid biomarker candidates for Alzheimer's disease. 2013 , 263, 553-60		38
139	A quantum dot probe conjugated with an antibody for molecular imaging of Alzheimer's disease in a mouse model. 2013 , 33, 759-65		24
138	[Genetics and Alzheimer's disease: a population at risk]. 2013 , 48, 39-44		
137	Epigenetic signature and enhancer activity of the human APOE gene. 2013 , 22, 5036-47		50
136	Alzheimer's disease risk genes and the age-at-onset phenotype. <i>Neurobiology of Aging</i> , 2013 , 34, 2696.e15-5		19
135	The National Institute on Aging-Alzheimer's Association research criteria for mild cognitive impairment due to Alzheimer's disease: predicting the outcome. 2013 , 263, 325-33		20
134	Genetic insights in Alzheimer's disease. 2013 , 12, 92-104		248
133	The Alzheimer's Disease Neuroimaging Initiative: a review of papers published since its inception. <i>Alzheimers and Dementia</i> , 2013 , 9, e111-94	1.2	296

132	TOMM40 intron 6 poly-T length, age at onset, and neuropathology of AD in individuals with APOE ϵ / ϵ . <i>Alzheimers and Dementia</i> , 2013 , 9, 554-61	1.2	23
131	GWAS of cerebrospinal fluid tau levels identifies risk variants for Alzheimer's disease. 2013 , 78, 256-68		255
130	Association of TOMM40 polymorphisms with late-onset Alzheimer's disease in a Northern Han Chinese population. 2013 , 15, 279-87		23
129	Alzheimer's therapeutics: continued clinical failures question the validity of the amyloid hypothesis-but what lies beyond?. 2013 , 85, 289-305		159
128	Whole-exome sequencing and imaging genetics identify functional variants for rate of change in hippocampal volume in mild cognitive impairment. <i>Molecular Psychiatry</i> , 2013 , 18, 781-7	15.1	63
127	Neuroimaging and other biomarkers for Alzheimer's disease: the changing landscape of early detection. 2013 , 9, 621-48		84
126	Plasma proteomics for the identification of Alzheimer disease. 2013 , 27, 337-42		36
125	Influence of TSPO genotype on 11C-PBR28 standardized uptake values. 2013 , 54, 1320-2		50
124	Insights into the genetic architecture of early stage age-related macular degeneration: a genome-wide association study meta-analysis. <i>PLoS ONE</i> , 2013 , 8, e53830	3.7	79
123	Association between NME8 locus polymorphism and cognitive decline, cerebrospinal fluid and neuroimaging biomarkers in Alzheimer's disease. <i>PLoS ONE</i> , 2014 , 9, e114777	3.7	31
122	Genetic variation modifies risk for neurodegeneration based on biomarker status. <i>Frontiers in Aging Neuroscience</i> , 2014 , 6, 183	5.3	14
121	The Broad Impact of TOM40 on Neurodegenerative Diseases in Aging. 2014 , 1,		41
120	SUCLG2 identified as both a determinant of CSF A β -42 levels and an attenuator of cognitive decline in Alzheimer's disease. 2014 , 23, 6644-58		30
119	Replicative association analysis of genetic markers of cognitive traits with Alzheimer's disease in the Russian population. 2014 , 48, 835-844		12
118	Genome-wide association study of CSF levels of 59 alzheimer's disease candidate proteins: significant associations with proteins involved in amyloid processing and inflammation. 2014 , 10, e1004758		84
117	Genetic modification of the relationship between phosphorylated tau and neurodegeneration. <i>Alzheimers and Dementia</i> , 2014 , 10, 637-645.e1	1.2	18
116	Cerebrospinal fluid BACE1 activity and markers of amyloid precursor protein metabolism and axonal degeneration in Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2014 , 10, S425-S429.e1	1.2	31
115	Role of synaptic activity in the regulation of amyloid beta levels in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2014 , 35, 1217-32	5.6	32

114	Genetic discoveries in AD using CSF amyloid and tau. 2014 , 2, 23-29		7
113	Genetic analysis of quantitative phenotypes in AD and MCI: imaging, cognition and biomarkers. 2014 , 8, 183-207		111
112	Alzheimer's and ABC transporters--new opportunities for diagnostics and treatment. <i>Neurobiology of Disease</i> , 2014 , 72 Pt A, 54-60	7.5	57
111	A genome-wide association meta-analysis of plasma A β peptides concentrations in the elderly. <i>Molecular Psychiatry</i> , 2014 , 19, 1326-35	15.1	27
110	The TOMM40 poly-T rs10524523 variant is associated with cognitive performance among non-demented elderly with type 2 diabetes. 2014 , 24, 1492-9		18
109	The association between TOMM40 gene polymorphism and spontaneous brain activity in amnesic mild cognitive impairment. 2014 , 261, 1499-507		13
108	Alzheimer's disease genetics: from the bench to the clinic. 2014 , 83, 11-26		308
107	Evaluation of late-onset Alzheimer disease genetic susceptibility risks in a Canadian population. <i>Neurobiology of Aging</i> , 2014 , 35, 936.e5-12	5.6	37
106	Limited agreement between biomarkers of neuronal injury at different stages of Alzheimer's disease. <i>Alzheimers and Dementia</i> , 2014 , 10, 684-9	1.2	49
105	Treatment of Alzheimer's Disease: The Legacy of the Cholinergic Hypothesis, Neuroplasticity, and Future Directions. <i>Journal of Alzheimers Disease</i> , 2015 , 47, 149-56	4.3	39
104	Epistasis analysis links immune cascades and cerebral amyloidosis. 2015 , 12, 227		8
103	Comprehensive gene- and pathway-based analysis of depressive symptoms in older adults. <i>Journal of Alzheimers Disease</i> , 2015 , 45, 1197-206	4.3	27
102	Genetic Interactions Explain Variance in Cingulate Amyloid Burden: An AV-45 PET Genome-Wide Association and Interaction Study in the ADNI Cohort. 2015 , 2015, 647389		17
101	2014 Update of the Alzheimer's Disease Neuroimaging Initiative: A review of papers published since its inception. <i>Alzheimers and Dementia</i> , 2015 , 11, e1-120	1.2	206
100	Candidate genes for Alzheimer's disease are associated with individual differences in plasma levels of beta amyloid peptides in adults with Down syndrome. <i>Neurobiology of Aging</i> , 2015 , 36, 2907.e1-10	5.6	21
99	Opportunities in pharmacogenomics for the treatment of Alzheimer's disease. 2015 , 10, 229-252		18
98	Alzheimer Disease. 2015 , 321-338		3
97	The Effect of Propofol Versus Isoflurane Anesthesia on Human Cerebrospinal Fluid Markers of Alzheimer's Disease: Results of a Randomized Trial. <i>Journal of Alzheimers Disease</i> , 2016 , 52, 1299-310	4.3	31

96	ABCA7 Genotypes Confer Alzheimer's Disease Risk by Modulating Amyloid- β Pathology. <i>Journal of Alzheimer's Disease</i> , 2016 , 52, 693-703	4.3	13
95	Associations between TOMM40 Poly-T Repeat Variants and Dementia in Cases with Parkinsonism. 2016 , 6, 99-108		4
94	Redox Based-Peripheral Biomarkers in Alzheimer's Disease: Challenges, Limits and Prospects. 2016 , 377-397		1
93	A human carboxypeptidase E/NF- κ B gene mutation in an Alzheimer's disease patient leads to dementia and depression in mice. <i>Translational Psychiatry</i> , 2016 , 6, e973	8.6	15
92	Conflicting cerebrospinal fluid biomarkers and progression to dementia due to Alzheimer's disease. 2016 , 8, 51		14
91	Prediction of later clinical course by a specific glucose metabolic pattern in non-demented patients with probable REM sleep behavior disorder admitted to a memory clinic: A case study. 2016 , 248, 151-8		8
90	Genetic loci associated with ideal cardiovascular health: A meta-analysis of genome-wide association studies. 2016 , 175, 112-20		17
89	Alzheimer's Disease Cerebrospinal Fluid (CSF) Biomarkers. 2016 , 139-180		3
88	The TOMM40 gene rs2075650 polymorphism contributes to Alzheimer's disease in Caucasian, and Asian populations. 2016 , 628, 142-6		17
87	Integration of bioinformatics and imaging informatics for identifying rare PSEN1 variants in Alzheimer's disease. <i>BMC Medical Genomics</i> , 2016 , 9 Suppl 1, 30	3.7	16
86	Association Analysis of Polymorphisms in TOMM40, CR1, PVRL2, SORL1, PICALM, and 14q32.13 Regions in Colombian Alzheimer Disease Patients. 2016 , 30, 305-309		11
85	Combined Genome-Wide CSF A β 42's Associations and Simple Network Properties Highlight New Risk Factors for Alzheimer's Disease. 2016 , 58, 120-8		5
84	An Overview of Genome-Wide Association Studies in Alzheimer's Disease. 2016 , 32, 183-90		54
83	Dissecting Complex and Multifactorial Nature of Alzheimer's Disease Pathogenesis: a Clinical, Genomic, and Systems Biology Perspective. 2016 , 53, 4833-64		31
82	Mapping CSF biomarker profiles onto NIA-AA guidelines for Alzheimer's disease. 2016 , 266, 587-97		10
81	Genome-wide association study identifies locus influencing human plasma tau levels. <i>Neurology</i> , 2017 , 88, 669-676	6.5	26
80	Opposing effects of progranulin deficiency on amyloid and tau pathologies via microglial TYROBP network. 2017 , 133, 785-807		50
79	Genome-wide association study identifies four novel loci associated with Alzheimer's endophenotypes and disease modifiers. 2017 , 133, 839-856		107

78	Hippocampal thinning linked to longer TOMM40 poly-T variant lengths in the absence of the APOE ϵ variant. <i>Alzheimers and Dementia</i> , 2017 , 13, 739-748	1.2	18
77	State of Play in Alzheimer's Disease Genetics. <i>Journal of Alzheimerss Disease</i> , 2017 , 58, 631-659	4.3	29
76	Transcriptome-wide piRNA profiling in human brains of Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 57, 170-177	5.6	42
75	Biomarkers and Functional Decline in Prodromal Alzheimer's Disease. <i>Journal of Alzheimerss Disease</i> , 2017 , 58, 69-78	4.3	9
74	RGS2 and SIRT1 Link Renin Angiotensin Aldosterone System to Alzheimer's Disease. 2017 , 239-251		2
73	Genomic variants, genes, and pathways of Alzheimer's disease: An overview. 2017 , 174, 5-26		101
72	Targeted neurogenesis pathway-based gene analysis identifies ADORA2A associated with hippocampal volume in mild cognitive impairment and Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 60, 92-103	5.6	42
71	A sequential tree-based classifier for personalized biomarker testing of Alzheimer's disease risk. 2017 , 7, 248-260		5
70	Differences in the frequency of Alzheimer's disease-associated genomic variations in populations of different races. 2017 , 17, 2184-2193		7
69	Genome-wide significant, replicated and functional risk variants for Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2017 , 124, 1455-1471	4.3	6
68	Association analysis of rare variants near the APOE region with CSF and neuroimaging biomarkers of Alzheimer's disease. <i>BMC Medical Genomics</i> , 2017 , 10, 29	3.7	17
67	Genome-wide network-based pathway analysis of CSF t-tau/A β -42 ratio in the ADNI cohort. <i>BMC Genomics</i> , 2017 , 18, 421	4.5	10
66	Analysis of the joint effect of SNPs to identify independent loci and allelic heterogeneity in schizophrenia GWAS data. <i>Translational Psychiatry</i> , 2017 , 7, 1289	8.6	3
65	Whole exome sequence-based association analyses of plasma amyloid- β in African and European Americans; the Atherosclerosis Risk in Communities-Neurocognitive Study. <i>PLoS ONE</i> , 2017 , 12, e0180048	2.7	6
64	Alterations in cholesterol metabolism-related genes in sporadic Alzheimer's disease. <i>Neurobiology of Aging</i> , 2018 , 66, 180.e1-180.e9	5.6	27
63	Genome-wide association study of Alzheimer's disease endophenotypes at prediagnosis stages. <i>Alzheimers and Dementia</i> , 2018 , 14, 623-633	1.2	35
62	Fluid biomarker agreement and interrelation in dementia due to Alzheimer's disease. <i>Journal of Neural Transmission</i> , 2018 , 125, 193-201	4.3	3
61	Quantitative Genetics Validates Previous Genetic Variants and Identifies Novel Genetic Players Influencing Alzheimer's Disease Cerebrospinal Fluid Biomarkers. <i>Journal of Alzheimerss Disease</i> , 2018 , 66, 639-652	4.3	8

60	Association of MAPT haplotype-tagging polymorphisms with cerebrospinal fluid biomarkers of Alzheimer's disease: A preliminary study in a Croatian cohort. <i>Brain and Behavior</i> , 2018 , 8, e01128	3.4	15
59	Genome-wide association study identified ATP6V1H locus influencing cerebrospinal fluid BACE activity. <i>BMC Medical Genetics</i> , 2018 , 19, 75	2.1	9
58	Development of Multiplex Genotyping Method of Polymorphic Markers of Genes Associated with Cognitive Abilities. <i>Russian Journal of Genetics</i> , 2018 , 54, 740-745	0.6	1
57	Introduction. 2018 , xxi-xxx		
56	Commentary: Endophenotypes as Disease Modifiers: Decoding the Biology of Alzheimer's by Genome-wide Association Studies. <i>CNS and Neurological Disorders - Drug Targets</i> , 2018 , 17, 6-8	2.6	4
55	Genome-wide association study identifies two loci influencing plasma neurofilament light levels. <i>BMC Medical Genomics</i> , 2018 , 11, 47	3.7	9
54	Data integration for functional annotation of regulatory single nucleotide polymorphisms associated with Alzheimer's disease susceptibility. <i>Gene</i> , 2018 , 672, 115-125	3.8	3
53	A Genome-Wide Association Study of β Synuclein Levels in Cerebrospinal Fluid. <i>Neurotoxicity Research</i> , 2019 , 35, 41-48	4.3	4
52	A decade in psychiatric GWAS research. <i>Molecular Psychiatry</i> , 2019 , 24, 378-389	15.1	40
51	Genome and epigenome wide studies of neurological protein biomarkers in the Lothian Birth Cohort 1936. <i>Nature Communications</i> , 2019 , 10, 3160	17.4	21
50	Mitochondria as Potential Targets in Alzheimer Disease Therapy: An Update. <i>Frontiers in Pharmacology</i> , 2019 , 10, 902	5.6	83
49	Genome-wide association study identifies Alzheimer's risk variant in MS4A6A influencing cerebrospinal fluid sTREM2 levels. <i>Neurobiology of Aging</i> , 2019 , 84, 241.e13-241.e20	5.6	18
48	Sirtuins in Alzheimer's Disease: SIRT2-Related GenoPhenotypes and Implications for Pharmacogenetics. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	40
47	Latest advances in cerebrospinal fluid and blood biomarkers of Alzheimer's disease. <i>Therapeutic Advances in Neurological Disorders</i> , 2019 , 12, 1756286419888819	6.6	24
46	New APOE-related therapeutic options for Alzheimer's disease. 2019 ,		3
45	CSF soluble TREM2 as a measure of immune response along the Alzheimer's disease continuum. <i>Neurobiology of Aging</i> , 2019 , 74, 182-190	5.6	33
44	The gene is a key regulator of progranulin expression and modifies the risk of multiple neurodegenerative diseases. <i>Science Advances</i> , 2020 , 6,	14.3	5
43	Common Factors in Neurodegeneration: A Meta-Study Revealing Shared Patterns on a Multi-Omics Scale. <i>Cells</i> , 2020 , 9,	7.9	8

42	Association of Uncommon, Noncoding Variants in the APOE Region With Risk of Alzheimer Disease in Adults of European Ancestry. <i>JAMA Network Open</i> , 2020 , 3, e2017666	10.4	5
41	MicroRNA-298 reduces levels of human amyloid- β precursor protein (APP), β site APP-converting enzyme 1 (BACE1) and specific tau protein moieties. <i>Molecular Psychiatry</i> , 2020 ,	15.1	33
40	Validation of the Alzheimer Disease Dementia Conversion-Related Pattern as an ATN Biomarker of Neurodegeneration. <i>Neurology</i> , 2021 , 96, e1358-e1368	6.5	2
39	Genetic Variability in Molecular Pathways Implicated in Alzheimer's Disease: A Comprehensive Review. <i>Frontiers in Aging Neuroscience</i> , 2021 , 13, 646901	5.3	5
38	Quantitative endophenotypes as an alternative approach to understanding genetic risk in neurodegenerative diseases. <i>Neurobiology of Disease</i> , 2021 , 151, 105247	7.5	1
37	Insomnia Moderates the Relationship Between Amyloid- β and Cognitive Decline in Late-Life Adults without Dementia. <i>Journal of Alzheimers Disease</i> , 2021 , 81, 1701-1710	4.3	2
36	Use of Deep-Learning Genomics to Discriminate Healthy Individuals from Those with Alzheimer's Disease or Mild Cognitive Impairment. <i>Behavioural Neurology</i> , 2021 , 2021, 3359103	3	1
35	Post-translational modifications: Regulators of neurodegenerative proteinopathies. <i>Ageing Research Reviews</i> , 2021 , 68, 101336	12	4
34	Group penalized quantile regression. <i>Statistical Methods and Applications</i> , 1	0.8	
33	Association and Interaction of TOMM40 and PVRL2 with Plasma Amyloid- β and Alzheimer's Disease Among Chinese Older Adults: A Population-Based Study. <i>SSRN Electronic Journal</i> ,	1	
32	Genetic loci associated with Alzheimer's disease and cerebrospinal fluid biomarkers in a Finnish case-control cohort. <i>PLoS ONE</i> , 2013 , 8, e59676	3.7	50
31	Prevalence of Alzheimer's pathologic endophenotypes in asymptomatic and mildly impaired first-degree relatives. <i>PLoS ONE</i> , 2013 , 8, e60747	3.7	13
30	Variations in the FRA10AC1 Fragile Site and 15q21 Are Associated with Cerebrospinal Fluid A β -42 Level. <i>PLoS ONE</i> , 2015 , 10, e0134000	3.7	28
29	Genome-wide association study identifies CD1A associated with rate of increase in plasma neurofilament light in non-demented elders. <i>Aging</i> , 2019 , 11, 4521-4535	5.6	4
28	Genome-wide association study identifies locus influencing the rate of ventricular enlargement in non-demented elders. <i>Aging</i> , 2019 , 11, 9862-9874	5.6	2
27	Association of Alzheimer's disease risk variants on the gene with PICALM expression, core biomarkers, and feature neurodegeneration. <i>Aging</i> , 2020 , 12, 21202-21219	5.6	3
26	Low plasma leptin in cognitively impaired ADNI subjects: gender differences and diagnostic and therapeutic potential. <i>Current Alzheimer Research</i> , 2014 , 11, 165-74	3	43
25	Biomarkers for the early diagnosis of Alzheimer's disease: The challenge of XXI century. <i>Advances in Alzheimers Disease</i> , 2013 , 02, 13-30	0.1	8

24	Identification of altered exosomal microRNAs and mRNAs in Alzheimer's disease. <i>Ageing Research Reviews</i> , 2021 , 73, 101497	12	6
23	Imaging Biomarkers for Diagnosis, Prognosis and Treatment of Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2012 , 103-116		
22	Emerging Principles and Biomarkers in In Vitro Diagnostics for Alzheimer's Disease. <i>Frontiers in Neuroscience</i> , 2012 , 87-102		
21	Genetic and epigenetic architectures of neurological protein biomarkers in the Lothian Birth Cohort 1936.		
20	Genome-wide association study identifies affecting the rate of CSF A β decline in non-demented elders. <i>Aging</i> , 2019 , 11, 5433-5444	5.6	3
19	A gene-environment interplay between omega-3 supplementation and APOE ϵ provides insights for Alzheimer's disease precise prevention amongst high-genetic-risk population. <i>European Journal of Neurology</i> , 2021 ,	6	0
18	TOMM40 rs2075650 polymorphism shows no association with neovascular age-related macular degeneration or polypoidal choroidal vasculopathy in a Chinese population. <i>Molecular Vision</i> , 2013 , 19, 2050-7	2.3	3
17	Genetic variation affecting exon skipping contributes to brain structural atrophy in Alzheimer's disease. <i>AMIA Summits on Translational Science Proceedings</i> , 2018 , 2017, 124-131	1.1	6
16	Genome-Wide association study of quantitative biomarkers identifies a novel locus for alzheimer's disease at 12p12.1.. <i>BMC Genomics</i> , 2022 , 23, 85	4.5	0
15	Identifying differential regulatory control of APOE eP on African versus European haplotypes as potential therapeutic targets.. <i>Alzheimers and Dementia</i> , 2022 ,	1.2	1
14	Association and interaction of TOMM40 and PVRL2 with plasma amyloid- β and Alzheimer's disease among Chinese older adults: a population-based study.. <i>Neurobiology of Aging</i> , 2022 ,	5.6	0
13	Dissection of the polygenic architecture of neuronal A β production using a large sample of individual iPSC lines derived from Alzheimer's disease patients. <i>Nature Aging</i> , 2022 , 2, 125-139		0
12	Genome-wide association study identifies APOE locus influencing plasma p-tau181 levels.. <i>Journal of Human Genetics</i> , 2022 ,	4.3	
11	Use of deep learning genomics to discriminate Alzheimer's disease and healthy controls. <i>Annual International Conference of the IEEE Engineering in Medicine and Biology Society IEEE Engineering in Medicine and Biology Society Annual International Conference</i> , 2021 , 2021, 5788-5791	0.9	
10	Association between the LRP1B and APOE loci and the development of Parkinson's disease dementia.		
9	The Big Picture of Neurodegeneration: A Meta Study to Extract the Essential Evidence on Neurodegenerative Diseases in a Network-Based Approach. <i>Frontiers in Aging Neuroscience</i> , 14,	5.3	0
8	Alzheimer's Disease Blood Biomarkers Associated With Neuroinflammation as Therapeutic Targets for Early Personalized Intervention. <i>Frontiers in Digital Health</i> , 4,	2.3	
7	Whole-exome rare-variant analysis of Alzheimer's disease and related biomarker traits.		0

- 6 Omnibus proteome-wide association study (PWAS-O) identified 43 risk genes for Alzheimer's disease dementia.
- 5 Biomarkers of diagnosis, prognosis, pathogenesis, response to therapy: Convergence or divergence? Lessons from Alzheimer's disease and synucleinopathies. **2023**, 187-218
- 4 Genome-wide Survival Study Identifies PARL as a Novel Locus for Clinical Progression and Neurodegeneration in Alzheimer's Disease. **2023**,
- 3 Novel CYP11B1-RMDN2 Alzheimer's disease locus identified by genome-wide association analysis of cerebral tau deposition on PET.
- 2 The Relationship of Omega-3 Fatty Acids with Dementia and Cognitive Decline: Evidence from Perspective Cohort Studies of Supplementation, Dietary Intake, and Blood Markers. **2023**,
- 1 A global view of the genetic basis of Alzheimer disease.