## CITATION REPORT List of articles citing

Quality of life: the ultimate outcome measure of interventions in major depressive disorder

DOI: 10.3109/10673229.2011.614099 Harvard Review of Psychiatry, 2011, 19, 229-39.

**Source:** https://exaly.com/paper-pdf/52202763/citation-report.pdf

Version: 2024-04-28

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
221	Quality of life for chronic psychiatric illnesses and home care. <b>2016</b> , 32, 511-5		6
220	The impact of psychotherapy, pharmacotherapy, and their combination on quality of life in depression. <i>Harvard Review of Psychiatry</i> , <b>2011</b> , 19, 277-89	4.1	36
219	Post-traumatic stress disorder as a comorbidity: impact on disease outcomes. <b>2012</b> , 12, 1023-37		39
218	Mood disorders in everyday life: a systematic review of experience sampling and ecological momentary assessment studies. <b>2012</b> , 32, 510-23		175
217	A descriptive analysis of quality of life using patient-reported measures in major depressive disorder in a naturalistic outpatient setting. <b>2013</b> , 22, 585-96		53
216	[Cardiovascular risk factors, cardiovascular risk and quality of life in patients with a severe mental disorder]. <b>2013</b> , 45, 141-8		7
215	Predicting relapse in major depressive disorder using patient-reported outcomes of depressive symptom severity, functioning, and quality of life in the Individual Burden of Illness Index for Depression (IBI-D). <i>Journal of Affective Disorders</i> , <b>2013</b> , 151, 59-65	6.6	39
214	Does experienced seclusion or restraint affect psychiatric patients' subjective quality of life at discharge?. <b>2013</b> , 7, 28		14
213	Neurocognitive impairments and quality of life in unemployed patients with remitted major depressive disorder. <b>2013</b> , 210, 913-8		27
212	Quality of life in outpatients with depression in China. <i>Journal of Affective Disorders</i> , <b>2013</b> , 150, 513-21	6.6	15
211	Quality of life in obsessive compulsive disorder. <b>2013</b> , 18, 21-33		52
210	Quality of life in anorexia nervosa: a review of the literature. <b>2013</b> , 21, 206-22		18
209	Development and validation of the Individual Burden of Illness Index for Major Depressive Disorder (IBI-D). <b>2013</b> , 40, 76-86		20
208	Quality of life determinants in patients of a Psychosocial Care Center for alcohol and other drug users. <b>2013</b> , 34, 524-30		12
207	Adjunctive atypical antipsychotic treatment for major depressive disorder: a meta-analysis of depression, quality of life, and safety outcomes. <b>2013</b> , 10, e1001403		171
206	The importance of quality of life in patients with alcohol abuse and dependence. <i>Harvard Review of Psychiatry</i> , <b>2013</b> , 21, 1-17	4.1	35
205	Characterizing depression and comorbid medical conditions in African American women in a primary care setting. <b>2013</b> , 105, 183-91		6

204	Depression in the elderly with visual impairment and its association with quality of life. <b>2013</b> , 8, 931-43		51
203	Do concomitant pain symptoms in patients with major depression affect quality of life even when taking into account baseline depression severity?. <b>2013</b> , 7, 463-70		10
202	Relative hypo- and hypercortisolism are both associated with depression and lower quality of life in bipolar disorder: a cross-sectional study. <b>2014</b> , 9, e98682		41
201	Are antidepressants effective in quality of life improvement among children and adolescents? A systematic review. <b>2014</b> , 19, 134-41		6
200	Biased processing of neutral facial expressions is associated with depressive symptoms and suicide ideation in individuals at risk for major depression due to affective temperaments. <b>2014</b> , 55, 518-25		31
199	Improvement in quality of life with left prefrontal transcranial magnetic stimulation in patients with pharmacoresistant major depression: acute and six month outcomes. <b>2014</b> , 7, 219-25		25
198	Potential biomarker of subjective quality of life: prefrontal activation measurement by near-infrared spectroscopy. <b>2014</b> , 9, 63-73		9
197	Patient-reported outcomes of quality of life, functioning, and depressive symptom severity in major depressive disorder comorbid with panic disorder before and after SSRI treatment in the star*d trial. <b>2014</b> , 31, 707-16		16
196	Deep brain stimulation of the human reward system for major depressionrationale, outcomes and outlook. <b>2014</b> , 39, 1303-14		102
195	Major depression. <b>2014</b> , 98, 981-1005		37
195 194	Major depression. 2014, 98, 981-1005  Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. 2014, 55, 979-88		13
	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders:	6.6	
194	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. <b>2014</b> , 55, 979-88  Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with	6.6	13
194	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. <b>2014</b> , 55, 979-88  Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2014</b> , 166, 307-14  Improvement in self-reported quality of life with cognitive therapy for recurrent major depressive		13
194 193 192	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. 2014, 55, 979-88  Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 307-14  Improvement in self-reported quality of life with cognitive therapy for recurrent major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 167, 37-43  Health-related quality of life in patients with depression treated with duloxetine or a selective		13 12 13
194 193 192	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. 2014, 55, 979-88  Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 307-14  Improvement in self-reported quality of life with cognitive therapy for recurrent major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 167, 37-43  Health-related quality of life in patients with depression treated with duloxetine or a selective serotonin reuptake inhibitor in a naturalistic outpatient setting. 2015, 9, 1481-90  Depression Affects the Scores of All Facets of the WHOQOL-BREF and May Mediate the Effects of		13 12 13 2
194 193 192 191	Self-reported quality of life and clinician-rated functioning in mood and anxiety disorders: relationships and neuropsychological correlates. 2014, 55, 979-88  Improvements in quality of life with desvenlafaxine 50mg/d vs placebo in employed adults with major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 166, 307-14  Improvement in self-reported quality of life with cognitive therapy for recurrent major depressive disorder. <i>Journal of Affective Disorders</i> , 2014, 167, 37-43  Health-related quality of life in patients with depression treated with duloxetine or a selective serotonin reuptake inhibitor in a naturalistic outpatient setting. 2015, 9, 1481-90  Depression Affects the Scores of All Facets of the WHOQOL-BREF and May Mediate the Effects of Physical Disability among Community-Dwelling Older Adults. 2015, 10, e0128356  Do depressed patients on adjunctive atypical antipsychotics demonstrate a better quality of life compared to those on antidepressants only? A comparative cross-sectional study of a nationally		13 12 13 2 33

186	Health resource use and costs of vilazodone and other selective serotonin re-uptake inhibitors in treating major depressive disorder. <b>2015</b> , 18, 919-29	1
185	Work productivity loss with depression, diagnosed and undiagnosed, among workers in an Internet-based survey conducted in Japan. <b>2015</b> , 57, 105-10	18
184	Quality of life in major depressive disorder before/after multiple steps of treatment and one-year follow-up. <b>2015</b> , 131, 51-60	57
183	Chinese patients with major depression: Do concomitant pain symptoms affect quality of life independently of severity of depression?. <b>2015</b> , 19, 174-81	5
182	Exercise and severe major depression: effect on symptom severity and quality of life at discharge in an inpatient cohort. <i>Journal of Psychiatric Research</i> , <b>2015</b> , 61, 25-32	73
181	Self-stigma and quality of life in patients with depressive disorder: a cross-sectional study. <b>2016</b> , 12, 2677-268	<b>37</b> 16
180	Which Are the Most Burdensome Functioning Areas in Depression? A Cross-National Study. <b>2016</b> , 7, 1342	12
179	Sensory processing patterns, coping strategies, and quality of life among patients with unipolar and bipolar disorders. <b>2016</b> , 38, 207-15	21
178	IMPROVEMENTS IN PSYCHOSOCIAL FUNCTIONING AND HEALTH-RELATED QUALITY OF LIFE FOLLOWING EXERCISE AUGMENTATION IN PATIENTS WITH TREATMENT RESPONSE BUT NONREMITTED MAJOR DEPRESSIVE DISORDER: RESULTS FROM THE TREAD STUDY. <b>2016</b> , 33, 870-81	20
177	Effect of psychotherapy for depression on quality of life: meta-analysis. <b>2016</b> , 209, 460-468	54
176	Levels of depressive symptoms may modify the relationship between the WHOQOL-BREF and its determining factors in community-dwelling older adults. <b>2016</b> , 28, 591-601	13
175	Exercise improves physical and psychological quality of life in people with depression: A meta-analysis including the evaluation of control group response. <b>2016</b> , 241, 47-54	93
174	Quality of life, functioning and cognition in bipolar disorder and major depression: A latent profile analysis. <b>2016</b> , 241, 289-96	37
173	Canadian Network for Mood and Anxiety Treatments (CANMAT) 2016 Clinical Guidelines for the Management of Adults with Major Depressive Disorder: Section 1. Disease Burden and Principles of Care. <b>2016</b> , 61, 510-23	140
172	Early normalization of Quality of Life predicts later remission in depression: Findings from the CO-MED trial. <i>Journal of Affective Disorders</i> , <b>2016</b> , 206, 17-22	16
171	Life Satisfaction and Sense of Coherence of Breast Cancer Survivors Compared to Women with Mental Depression, Arterial Hypertension and Healthy Controls. <b>2016</b> , 253-265	1
170	Cognitive behavioural therapy for ADHD in adults: systematic review and meta-analyses. <b>2016</b> , 8, 3-11	33
169	Correlates of general quality of life are different in patients with primary insomnia as compared to patients with insomnia and psychiatric comorbidity. <b>2017</b> , 22, 172-183	1

168	The recovery index: A novel approach to measuring recovery and predicting remission in major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2017</b> , 208, 369-374	<b>5</b>	58
167	Emotional intelligence and coping strategies as determinants of quality of life in depressed patient-caregiver dyads: An actor-partner interdependence analysis. <b>2017</b> , 74, 70-79		14
166	Towards recovery-oriented psychosocial interventions for bipolar disorder: Quality of life outcomes, stage-sensitive treatments, and mindfulness mechanisms. <b>2017</b> , 52, 148-163		46
165	Utility scores for different health states related to depression: individual participant data analysis. <b>2017</b> , 26, 1649-1658		16
164	Factors affecting the quality of life among Chinese rural general residents: a cross-sectional study. <b>2017</b> , 146, 140-147		12
163	New perspectives in mental health: addressing cognitive deficits in remitted depression. <b>2017</b> , 24, 252-259		1
162	Effect of blue-blocking glasses in major depressive disorder with sleep onset insomnia: A randomized, double-blind, placebo-controlled study. <b>2017</b> , 34, 753-761		20
161	Assessment of Biopsychosocial Complexity and Health Care Needs: Measurement Properties of the INTERMED Self-Assessment Version. <b>2017</b> , 79, 485-492		14
160	Methylation Status of the Serotonin Transporter Promoter CpG Island Is Associated With Major Depressive Disorder in Chinese Han Population: A Case-Control Study. <b>2017</b> , 205, 641-646		9
159	Effects of Transcranial Magnetic Stimulation on the Cognitive Control of Emotion: Potential Antidepressant Mechanisms. <b>2017</b> , 33, 73-80		26
158	Comorbid Social Phobia and Major Depressive Disorder: the Influence of Remission from Depression on Quality of Life and Functioning. <b>2017</b> , 12, 719-736		2
157	The efficacy of psychotherapy, pharmacotherapy and their combination on functioning and quality of life in depression: a meta-analysis. <i>Psychological Medicine</i> , <b>2017</b> , 47, 414-425	)	64
156	Major Depressive Disorder in Patients With Doctoral Degrees: Patient-reported Depressive Symptom Severity, Functioning, and Quality of Life Before and After Initial Treatment in the STAR*D Study. <b>2017</b> , 23, 328-341		2
155	Clinician identification of elevated symptoms of depression among individuals seeking treatment for substance misuse. <b>2017</b> , 181, 71-76		1
154	Quality of Life and Functioning in Comorbid Posttraumatic Stress Disorder and Major Depressive Disorder After Treatment With Citalopram Monotherapy. <b>2017</b> , 40, 16-23		9
153	Analysis of Patient-reported Outcomes of Quality of Life and Functioning Before and After Treatment of Major Depressive Disorder Comorbid With Alcohol Use Disorders. <b>2017</b> , 11, 47-54		3
152	Model-Based Economic Evaluation of Treatments for Depression: A Systematic Literature Review. <b>2017</b> , 1, 149-165		10
151	Sleep disturbance and its associations with severity of dependence, depression and quality of life among heroin-dependent patients: a cross-sectional descriptive study. <b>2017</b> , 12, 16		15

150	Assessment of health-related quality of life, mental health status and psychological distress based on the type of pharmacotherapy used among patients with depression. <b>2017</b> , 26, 969-980		3	
149	Factors related to the improvement in quality of life for depressed inpatients treated with fluoxetine. <b>2017</b> , 17, 309		13	
148	Association between obesity and depressive symptoms in Mexican population. <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2018</b> , 53, 639-646	4.5	14	
147	Change in symptomatic burden and life satisfaction during short-term psychotherapy: Focusing on the role of family income. <b>2018</b> , 18, 133-142		2	
146	ECT Has Greater Efficacy Than Fluoxetine in Alleviating the Burden of Illness for Patients with Major Depressive Disorder: A Taiwanese Pooled Analysis. <b>2018</b> , 21, 63-72		7	
145	The relationship between positive affect and negative affect during treatment for major depressive disorder. <b>2018</b> , 28, 958-968		4	
144	Electroconvulsive therapy, depression, the immune system and inflammation: A systematic review. <b>2018</b> , 11, 29-51		75	
143	Functional Recovery in Major Depressive Disorder: Providing Early Optimal Treatment for the Individual Patient. <b>2018</b> , 21, 128-144		43	
142	The associated factors for the quality of life among Chinese rural elderly: 1-year follow-up study. <b>2018</b> , 26, 185-193		0	
141	Quality of life in bipolar disorder: towards a dynamic understanding. <i>Psychological Medicine</i> , <b>2018</b> , 48, 1111-1118	6.9	25	
140	The association of alcohol use and quality of life in depressed and non-depressed individuals: a cross-sectional general population study. <b>2018</b> , 27, 1217-1226		3	
139	The role of selective serotonin reuptake inhibitors in preventing relapse of major depressive disorder. <b>2018</b> , 8, 49-58		28	
138	Quality of life is associated with chronic inflammation in depression: A cross-sectional study. Journal of Affective Disorders, <b>2018</b> , 227, 494-497	6.6	11	
137	When is it Effective to Focus on the Alliance? Analysis of a Within-Client Moderator. <b>2018</b> , 42, 159-171		11	
136	Subjectively different but objectively the same? Three profiles of QoL in people with severe mental health problems. <b>2018</b> , 27, 2965-2974		7	
135	Long-term follow-up on health-related quality of life in major depressive disorder: a 2-year European cohort study. <b>2018</b> , 14, 1339-1350		35	
134	The association between different domains of quality of life and symptoms in primary care patients with emotional disorders. <b>2018</b> , 8, 11180		22	
133	Assessment of Translocator Protein Density, as Marker of Neuroinflammation, in Major Depressive Disorder: A Pilot, Multicenter, Comparative, Controlled, Brain PET Study (INFLADEP Study). <b>2018</b> , 9, 320	5	10	

## (2020-2018)

132	The role of depression, eating disorder symptoms, and exercise in young adults' quality of life. <b>2018</b> , 31, 68-73		4
131	Quality of Life Outcomes in Internet-Delivered (Space from Depression) Treatment for Depression. <b>2019</b> , 14, 1301-1313		2
130	A randomized, double-blind, 6-week prospective pilot study on the efficacy and safety of dose escalation in non-remitters in comparison to those of the standard dose of escitalopram for major depressive disorder. <i>Journal of Affective Disorders</i> , <b>2019</b> , 259, 91-97	6.6	3
129	Quality of life in euthymic patients with unipolar major depressive disorder and bipolar disorder. <b>2019</b> , 15, 1649-1657		16
128	Common Mental Health Disorders among Informal Waste Pickers in Johannesburg, South Africa 2018-A Cross-Sectional Study. <b>2019</b> , 16,		6
127	Quality of life for patients diagnosed with bipolar disorder: Lifestyle and treatment. <b>2019</b> , 34, 34-40		3
126	Cortisol, oxytocin, and quality of life in major depressive disorder. <b>2019</b> , 28, 2919-2928		12
125	Impact of a structured, group-based running programme on clinical, cognitive and social function in youth and adults with complex mood disorders: a 12-week pilot study. <b>2019</b> , 5, e000521		Ο
124	Prevalence of major depressive disorder and its socio-demographic correlates in the general adult population in Hebei province, China. <i>Journal of Affective Disorders</i> , <b>2019</b> , 252, 92-98	6.6	13
123	Predicting change in quality of life from age 79 to 90 in the Lothian Birth Cohort 1921. <b>2019</b> , 28, 737-74	19	10
123	Predicting change in quality of life from age 79 to 90 in the Lothian Birth Cohort 1921. <b>2019</b> , 28, 737-74.  Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120	6.6	10 32
	Treatment effectiveness and tolerability outcomes that are most important to individuals with		
122	Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120  Associations between self-rated health, quality of life and symptoms of depression among Finnish		32
122	Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120  Associations between self-rated health, quality of life and symptoms of depression among Finnish inpatients with alcohol and substance use disorders. <b>2020</b> , 25, 128-134  Does early and late life depression differ in residual symptoms, functioning and quality of life		32
122 121 120	Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120  Associations between self-rated health, quality of life and symptoms of depression among Finnish inpatients with alcohol and substance use disorders. <b>2020</b> , 25, 128-134  Does early and late life depression differ in residual symptoms, functioning and quality of life among the first-episode major depressive patients. <b>2020</b> , 47, 101843  Neuromodulation for major depressive disorder: innovative measures to capture efficacy and		32 4 4
122 121 120	Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120  Associations between self-rated health, quality of life and symptoms of depression among Finnish inpatients with alcohol and substance use disorders. <b>2020</b> , 25, 128-134  Does early and late life depression differ in residual symptoms, functioning and quality of life among the first-episode major depressive patients. <b>2020</b> , 47, 101843  Neuromodulation for major depressive disorder: innovative measures to capture efficacy and outcomes. <b>2020</b> , 7, 1075-1080  Anhedonia is central for the association between quality of life, metacognition, sleep, and affective symptoms in generalized anxiety disorder: A complex network analysis. <i>Journal of Affective</i>	6.6	32 4 4 5
122 121 120 119	Treatment effectiveness and tolerability outcomes that are most important to individuals with bipolar and unipolar depression. <i>Journal of Affective Disorders</i> , <b>2019</b> , 243, 116-120  Associations between self-rated health, quality of life and symptoms of depression among Finnish inpatients with alcohol and substance use disorders. <b>2020</b> , 25, 128-134  Does early and late life depression differ in residual symptoms, functioning and quality of life among the first-episode major depressive patients. <b>2020</b> , 47, 101843  Neuromodulation for major depressive disorder: innovative measures to capture efficacy and outcomes. <b>2020</b> , 7, 1075-1080  Anhedonia is central for the association between quality of life, metacognition, sleep, and affective symptoms in generalized anxiety disorder: A complex network analysis. <i>Journal of Affective Disorders</i> , <b>2020</b> , 277, 1013-1021  Depression treatment in Germany - using claims data to compare a collaborative mental health care program to the general practitioner program and usual care in terms of guideline adherence and	6.6	32 4 4 5

114	Wellness Interventions in the Workplace. <b>2020</b> , 248-257
113	Engaging the Five Senses. <b>2020</b> , 448-462
112	Family Relations, Friendships, and Love. <b>2020</b> , 553-564
111	Index. <b>2020</b> , 623-636
110	Screening and Assessment Methods for Wellness. <b>2020</b> , 13-22
109	The Biopsychosocial Assessment. <b>2020</b> , 23-36
108	Wellness Measurement. <b>2020</b> , 37-44
107	The Wellness Treatment Plan. <b>2020</b> , 45-56
106	The Concept of Wellness in Psychiatric and Substance-Use Disorders. <b>2020</b> , 57-65
105	Neurological and Neurosurgical Disorders and Wellness. <b>2020</b> , 66-78
104	Cardiovascular and Pulmonary Wellness. <b>2020</b> , 79-86
103	Gastrointestinal System and Wellness. <b>2020</b> , 87-97
102	Wellness and the Genito-Urinary System. <b>2020</b> , 98-115
101	Reproductive System. <b>2020</b> , 116-134
100	Allergic, Infectious, and Immunological Processes. <b>2020</b> , 135-159
99	Wellness in Endocrine and Metabolic Disorders. <b>2020</b> , 160-176
98	Wellness in Older Individuals. <b>2020</b> , 188-198
97	Wellness in Children and Adolescents. <b>2020</b> , 199-208

## (2020-2020)

96	Wellness in Cancer and Neoplastic Diseases. <b>2020</b> , 225-236
95	Wellness in Terminal Illness. <b>2020</b> , 237-247
94	Wellness Interventions for Physicians and Healthcare Professionals. <b>2020</b> , 258-270
93	Nutrition. <b>2020,</b> 271-291
92	Exercise, Dance, Tai Chi, Pilates, and Alexander Technique. <b>2020</b> , 315-323
91	Sleep, Rest, and Relaxation in Improving Wellness. <b>2020</b> , 324-331
90	Sex, Intimacy, and Well-Being. <b>2020</b> , 332-344
89	Mindfulness, Meditation, and Yoga. <b>2020</b> , 345-356
88	Positive Neuropsychology, Cognitive Rehabilitation, and Neuroenhancement. <b>2020</b> , 365-377
87	Acupuncture, Herbs, and Ayurvedic Medicine. <b>2020</b> , 378-393
86	Massage, Humor, and Music. <b>2020</b> , 403-412
85	Nature and Pets. <b>2020</b> , 413-422
84	Resilience and Wellness. <b>2020</b> , 484-493
83	Developing Purpose, Meaning, and Achievements. <b>2020</b> , 494-503
82	Healing and Wellness. <b>2020</b> , 504-514
81	Connection, Compassion, and Community. <b>2020</b> , 515-524
80	Work, Love, Play, and Joie de Vivre. <b>2020</b> , 535-544
79	Well-Being and Work∏ife Balance. <b>2020</b> , 545-552

 $78\,$   $\,$  The Role of Leisure, Recreation, and Play in Health and Well-Being. 2020, 565-572

77	Wellness Apps and Devices. <b>2020</b> , 605-622	O
76	Wellness Interventions in Patients Living with Chronic Medical Conditions. 2020, 177-187	
75	Pharmaceuticals and Alternatives for Wellness. <b>2020</b> , 302-314	
74	Emotional Intelligence and Its Role in Sustaining Fulfillment in Life. <b>2020</b> , 463-473	
73	Wellness and Whole-Person Care. <b>2020</b> , 573-581	
72	Wellness in Pain Disorders. <b>2020</b> , 209-224	
71	Forgiveness, Gratitude, and Spirituality. <b>2020</b> , 357-364	
70	The Role of Aesthetics in Wellness. <b>2020</b> , 394-402	0
69	Circadian Rhythm in the Digital Age. <b>2020</b> , 423-434	
68	The Arts in Health Settings. <b>2020</b> , 435-447	
67	Wellness Interventions for Chronicity and Disability. <b>2020</b> , 525-534	
66	The Personalized Wellness Life Plan. <b>2020</b> , 582-597	
65	Wellness Measures. <b>2020</b> , 597-604	
64	Relationships Between Depressive Symptoms, Other Psychological Symptoms, and Quality of Life. <b>2020</b> , 289, 113049	4
63	Health-related quality of life among Israeli Arabs diagnosed with depression: the role of illness representations, self-stigma, self-esteem, and age. <i>Journal of Affective Disorders</i> , <b>2020</b> , 274, 282-288	7
62	Impact of Cognitive Symptoms on Health-Related Quality of Life and Work Productivity in Chinese Patients with Major Depressive Disorder: Results from the PROACT Study. <b>2020</b> , 16, 749-759	7
61	Household food insecurity is associated with depressive symptoms: results from a Mexican population-based survey. <b>2020</b> , 12, 407-416	14

60	Quality of Life of People with Severe Mental Health Problems: Testing an Interactive Model. <b>2020</b> , 17,	1
59	Pharmacological Treatment of Major Depressive Disorder. <b>2020</b> , 103-119	1
58	Efficacy of Eye Movement Desensitization and Reprocessing on the Quality of Life in Patients with Major Depressive Disorder: A Randomized Clinical Trial. <b>2020</b> , 13, 11-17	3
57	Quality of Life Impacts of Bright Light Treatment, Fluoxetine, and the Combination in Patients with Nonseasonal Major Depressive Disorder: A Randomized Clinical Trial. <b>2021</b> , 66, 289-297	2
56	Quality of life after response to acute-phase cognitive therapy for recurrent depression. <i>Journal of Affective Disorders</i> , <b>2021</b> , 278, 218-225	2
55	The Quality of Life in Bipolar Disorder (QoL.BD) questionnaire a decade on - A systematic review of the measurement of condition-specific aspects of quality of life in bipolar-disorder. <i>Journal of Affective Disorders</i> , <b>2021</b> , 278, 33-45	1
54	Randomized trial of cognitive behaviour group therapy and a mindfulness-based intervention for social anxiety disorder: Preliminary findings. <b>2021</b> , 28, 200-218	3
53	Cognitive illness representations among Israeli Arabs diagnosed with depression and their relationship with health-related quality of life. <b>2021</b> , 20764021992406	1
52	Long-term effect of aripiprazole lauroxil on health-related quality of life in patients with schizophrenia. <b>2021</b> , 21, 164	1
51	Impacts on Quality of Life with Escitalopram Monotherapy and Aripiprazole Augmentation in Patients with Major Depressive Disorder: A CAN-BIND Report. <b>2021</b> , 54, 225-231	1
50	Does the use of antidepressants change the subjective well- being of individuals with ICD-10 depressive disorder identified in the general population?. <b>2021</b> , 4, 100092	
49	Predictors of Quality of Life Improvement with Escitalopram and Adjunctive Aripiprazole in Patients with Major Depressive Disorder: A CAN-BIND Study Report. <b>2021</b> , 35, 439-450	1
48	Childhood Maltreatment and Its Interaction with Hypothalamic-Pituitary-Adrenal Axis Activity and the Remission Status of Major Depression: Effects on Functionality and Quality of Life. <b>2021</b> , 11,	
47	Exploring real-world evidence to uncover unknown drug benefits and support the discovery of new treatment targets for depressive and bipolar disorders. <i>Journal of Affective Disorders</i> , <b>2021</b> , 290, 324-333.6	3
46	Depressive symptoms and health-related quality of life in patients attending government Ibwned psychiatric clinics in Nigeria. <b>2021</b> , ahead-of-print,	
45	Illness perception amongst adults with multimorbidity at primary care clinics in Southwest Nigeria. <b>2021</b> , 13, e1-e8	O
44	Depressive symptoms and health-related quality of life in a heterogeneous psychiatric sample: conditional indirect effects of pain severity and interference. <b>2021</b> , 21, 470	1
43	An Examination of Correlates of Quality of Life in Children and Youth With Mental Health Issues. <b>2021</b> , 12, 709516	2

42	Relationships between reduction in symptoms and restoration of function and wellbeing: Outcomes of the Oral Ketamine Trial on Suicidality (OKTOS). <b>2021</b> , 305, 114212	O
41	Sex and Chronic Psychiatric Illness. <b>2017</b> , 507-524	2
40	Sex and Quality of Life. <b>2017</b> , 539-572	6
39	Individualized Treatment Strategy for Depressive Disorder. <b>2019</b> , 1180, 219-232	3
38	Gastrointestinal health: An investigation of mediating effects on mood and quality of life. <b>2020</b> , 7, 20551029	9202974524
37	Quality of life as patient-reported outcomes: principles of assessment. <b>2014</b> , 16, 137-45	49
36	Patient-reported outcomes before and after treatment of major depressive disorder. <b>2014</b> , 16, 171-83	24
35	Examining the Impact of Patient-Reported Hope for Improvement and Patient Satisfaction with Clinician/Treatment on the Outcome of Major Depressive Disorder Treatment. <b>2016</b> , 7,	1
34	A Field Study of the Conditions of the Elderly in Rural Community; The Correlation between of Sleep Quality and Quality of Life. <b>2012</b> , 51, 119	2
33	Mini-Depressions-Status-Test (MDST): Entwicklung eines grafisch basierten Screenings depressiver Verstimmungen. <b>2019</b> , 30, 9-17	O
32	Redefining Therapeutic Outcomes of Depression Treatment. <b>2019</b> , 5, 1-8	1
31	Actividad fBica y calidad de vida relacionada con la salud en una comunidad acadfhica. <b>2020</b> , 18, 1-29	O
30	Effectiveness of a structured intervention to make routine clinical meetings therapeutically effective (DIALOG+) for patients with depressive and anxiety disorders in Bosnia and Herzegovina: A cluster randomised controlled trial <b>2021</b> , 1, None	3
29	The Handbook of Wellness Medicine. <b>2020</b> ,	2
28	Nutraceuticals and Wellness. 2020, 292-301	1
27	Quality of life in patients suffering from insomnia. <b>2012</b> , 9, 13-26	126
26	Improving Quality of Life for Patients with Major Depressive Disorder by Increasing Hope and Positive Expectations with Future Directed Therapy (FDT). <b>2013</b> , 10, 12-22	10
25	Major Depression Comorbid with Medical Conditions: Analysis of Quality of Life, Functioning, and Depressive Symptom Severity. <b>2018</b> , 48, 8-25	1

24	Increasing motivation in effort-based decision-making tasks: effects of salience and reward expectancy manipulations. <b>2021</b> , 1-15		1
23	Anxiety, Depression and Quality of Life-A Systematic Review of Evidence from Longitudinal Observational Studies. <b>2021</b> , 18,		4
22	Multiple Aspects of Energy Poverty Are Associated With Lower Mental Health-Related Quality of Life: A Modelling Study in Three Peri-Urban African Communities.		
21	Computational Approaches to Treatment Response Prediction in Major Depression Using Brain Activity and Behavioral Data: A Systematic Review. <i>Network Neuroscience</i> , 1-52	5.6	O
20	Functional status and return to work in people with major depression: a 3-year national follow-up study <i>Social Psychiatry and Psychiatric Epidemiology</i> , <b>2022</b> , 1	4.5	
19	Patient-reported health-related quality of life from a randomized, placebo-controlled phase 2 trial of zuranolone in adults with major depressive disorder <i>Journal of Affective Disorders</i> , <b>2022</b> ,	6.6	O
18	Depressive symptoms and neuroticism-related traits are the main factors associated with wellbeing independent of the history of lifetime depression in the UK Biobank. <i>Psychological Medicine</i> , 1-9	6.9	
17	Anxiety and Depression Mediate the Relationship of Medication-Resistant PTSD to Quality of Life in Service Members. <i>Military Behavioral Health</i> , 1-9	0.6	O
16	Improvement in quality of life of postmenopausal women with depression with commonly used antidepressants (Escitalopram vs. Desvenlafaxine): A randomized controlled trial in a tertiary care teaching hospital of North India. <i>Journal of Mid-Life Health</i> , <b>2022</b> , 13, 80	1.2	
15	Predicting the Treatment Outcomes of Antidepressants Using a Deep Neural Network of Deep Learning in Drug-Nalle Major Depressive Patients. <i>Journal of Personalized Medicine</i> , <b>2022</b> , 12, 693	3.6	O
14	Effect of antidepressants on functioning and quality of life outcomes in children and adolescents with major depressive disorder: a systematic review and meta-analysis <i>Translational Psychiatry</i> , <b>2022</b> , 12, 183	8.6	О
13	Multiple aspects of energy poverty are associated with lower mental health-related quality of life: A modelling study in three peri-urban African communities. <i>SSM Mental Health</i> , <b>2022</b> , 2, 100103		Ο
12	Predicting treatment outcome in depression: an introduction into current concepts and challenges <i>European Archives of Psychiatry and Clinical Neuroscience</i> , <b>2022</b> ,	5.1	О
11	Dimensions and Predictors of Personal Recovery in Major Depression. <i>Comprehensive Approach To Psychiatry</i> , <b>2022</b> , 225-244	0.7	
10	Retinal markers of therapeutic responses in major depressive disorder: Effects of antidepressants on retinal function. <i>Journal of Psychiatric Research</i> , <b>2022</b> ,	5.2	
9	Remission of symptoms is not equal to functional recovery: Psychosocial functioning impairment in major depression. 13,		O
8	What does Etaying well[after depression mean? Chronic low grade symptomatology after treatment for depression is common. <b>2022</b> ,		
7	Interrelationships between childhood maltreatment, depressive symptoms, functional impairment, and quality of life in patients with major depressive disorder: A network analysis approach. <b>2022</b> , 132, 105787		О

6	The effect of salience of rewards on effort-based decision making in psychotic disorders. <b>2022</b> , 22,	1
5	What outcomes matter to service users who experience persistent depression: A mixed-method narrative review and synthesis. <b>2022</b> , 10, 100431	O
4	Subjective quality of life factorial structure across mental disorders: should we switch to assessing dimensions?.	0
3	Transdiagnostic psychiatry: Symptom profiles and their direct and indirect relationship with well-being. <b>2023</b> , 161, 218-227	O
2	Cognitive behavior therapy for adult depressive disorders in routine clinical care: A systematic review and meta-analysis. <b>2023</b> , 331, 322-333	0
1	Combining Medications and Psychotherapy. <b>2022</b> ,	O