

# CITATION REPORT

List of articles citing

ELM--the database of eukaryotic linear motifs

DOI: 10.1093/nar/gkr1064

Nucleic Acids Research, 2012, 40, D242-51.

**Source:** <https://exaly.com/paper-pdf/52281916/citation-report.pdf>

**Version:** 2024-04-19

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
271	Proteome Analysis of Drosophila Mutants Identifies a Regulatory Role for 1433 in Metabolic Pathways.		
270	Disease-associated mutations disrupt functionally important regions of intrinsic protein disorder. <i>PLoS Computational Biology</i> , <b>2012</b> , 8, e1002709	5	95
269	PepSite: prediction of peptide-binding sites from protein surfaces. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, W4226-71	20.1	133
268	The identification of short linear motif-mediated interfaces within the human interactome. <b>2012</b> , 28, 976-82		50
267	iELM--a web server to explore short linear motif-mediated interactions. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, W364-9	20.1	26
266	Structure and activity of the only human RNase T2. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 8733-42	20.1	25
265	Sequence determinants of a microtubule tip localization signal (MtLS). <i>Journal of Biological Chemistry</i> , <b>2012</b> , 287, 28227-42	5.4	36
264	Feline immunodeficiency virus Gag is a nuclear shuttling protein. <b>2012</b> , 86, 8402-11		18
263	Peptide-binding domains: are limp handshakes safest?. <b>2012</b> , 5, pe40		9
262	Gain of function in CDKN1C. <b>2012</b> , 44, 737-8		10
261	Linear motifs confer functional diversity onto splice variants. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 7123-31	20.1	54
260	Computational modelling of linear motif-mediated protein interactions. <b>2012</b> , 12, 1553-61		8
259	Computational analysis of interactomes: current and future perspectives for bioinformatics approaches to model the host-pathogen interaction space. <b>2012</b> , 57, 508-18		35
258	SLiMPrints: conservation-based discovery of functional motif fingerprints in intrinsically disordered protein regions. <i>Nucleic Acids Research</i> , <b>2012</b> , 40, 10628-41	20.1	57
257	Uncovering new aspects of protein interactions through analysis of specificity landscapes in peptide recognition domains. <b>2012</b> , 586, 2764-72		11
256	The emerging contribution of sequence context to the specificity of protein interactions mediated by PDZ domains. <b>2012</b> , 586, 2648-61		82
255	Beyond 'furballs' and 'dumpling soups' - towards a molecular architecture of signaling complexes and networks. <b>2012</b> , 586, 2740-50		18

254	Profile-based short linear protein motif discovery. <b>2012</b> , 13, 104		13
253	Specification, annotation, visualization and simulation of a large rule-based model for ERBB receptor signaling. <b>2012</b> , 6, 107		29
252	Defining the roles and interactions of PTB. <b>2012</b> , 40, 815-20		58
251	Analysis of the relationships between evolvability, thermodynamics, and the functions of intrinsically disordered proteins/regions. <b>2012</b> , 41, 51-7		13
250	Linear motifs: lost in (pre)translation. <b>2012</b> , 37, 333-41		48
249	A comparative study of short linear motif compositions of the influenza A virus ribonucleoproteins. <i>PLoS ONE</i> , <b>2012</b> , 7, e38637	3-7	7
248	Evaluating caveolin interactions: do proteins interact with the caveolin scaffolding domain through a widespread aromatic residue-rich motif?. <i>PLoS ONE</i> , <b>2012</b> , 7, e44879	3-7	73
247	Structural and functional characterization of the protein kinase Mps1 in <i>Arabidopsis thaliana</i> . <i>PLoS ONE</i> , <b>2012</b> , 7, e45707	3-7	13
246	Disordered binding regions and linear motifs--bridging the gap between two models of molecular recognition. <i>PLoS ONE</i> , <b>2012</b> , 7, e46829	3-7	49
245	Structure of metabotropic glutamate receptor C-terminal domains in contact with interacting proteins. <b>2012</b> , 5, 52		31
244	The NRF2-related interactome and regulome contain multifunctional proteins and fine-tuned autoregulatory loops. <b>2012</b> , 586, 1795-802		81
243	The use of evolutionary patterns in protein annotation. <b>2012</b> , 22, 316-25		24
242	IGSF9 family proteins. <b>2013</b> , 38, 1236-51		15
241	Proteolytic cleavage of LEDA-1/PIANP by furin-like proprotein convertases precedes its plasma membrane localization. <b>2013</b> , 434, 22-7		5
240	Signalink 2 - a signaling pathway resource with multi-layered regulatory networks. <b>2013</b> , 7, 7		133
239	A conserved N-terminal motif is required for complex formation between FUS, EWSR1, TAF15 and their oncogenic fusion proteins. <b>2013</b> , 27, 4965-74		22
238	Probing the protein space for extending the detection of weak homology folds. <b>2013</b> , 320, 152-8		6
237	Promiscuity as a functional trait: intrinsically disordered regions as central players of interactomes. <i>Biochemical Journal</i> , <b>2013</b> , 454, 361-9	3.8	123

236	Teaching the bioinformatics of signaling networks: an integrated approach to facilitate multi-disciplinary learning. <i>Briefings in Bioinformatics</i> , <b>2013</b> , 14, 618-32	13.4	12
235	Selective C-2 alkylation of tryptophan by a Pd(II)/norbornene-promoted C-H activation reaction. <b>2013</b> , 78, 12263-7		52
234	From protein sequence to dynamics and disorder with DynaMine. <i>Nature Communications</i> , <b>2013</b> , 4, 2741	17.4	103
233	Peptide docking and structure-based characterization of peptide binding: from knowledge to know-how. <b>2013</b> , 23, 894-902		72
232	Conformational biases of linear motifs. <b>2013</b> , 117, 15943-57		13
231	Structures composing protein domains. <b>2013</b> , 95, 1511-24		6
230	PepBind: a comprehensive database and computational tool for analysis of protein-peptide interactions. <b>2013</b> , 11, 241-6		43
229	SLiMScape: a protein short linear motif analysis plugin for Cytoscape. <b>2013</b> , 14, 224		5
228	Prediction of protein interaction types based on sequence and network features. <b>2013</b> , 7 Suppl 6, S5		4
227	Status quo of annotation of human disease variants. <b>2013</b> , 14, 352		3
226	Effects of optional structural elements, including two alternative amino termini and a new splicing cassette IV, on the function of the sodium-bicarbonate cotransporter NBCn1 (SLC4A7). <b>2013</b> , 591, 4983-5004		12
225	Systematic analysis of somatic mutations in phosphorylation signaling predicts novel cancer drivers. <b>2013</b> , 9, 637		192
224	Construction of human activity-based phosphorylation networks. <b>2013</b> , 9, 655		134
223	The PTEN Long N-tail is intrinsically disordered: increased viability for PTEN therapy. <b>2013</b> , 9, 2877-88		38
222	Recurrent SETBP1 mutations in atypical chronic myeloid leukemia. <b>2013</b> , 45, 18-24		272
221	Kidins220 accumulates with tau in human Alzheimer's disease and related models: modulation of its calpain-processing by GSK3/PP1 imbalance. <b>2013</b> , 22, 466-82		22
220	Emerging topics in the cell biology of mitogen-activated protein kinases. <b>2013</b> , 18, 140-8		49
219	Downregulation of Wip1 phosphatase modulates the cellular threshold of DNA damage signaling in mitosis. <b>2013</b> , 12, 251-62		40

218	Characterization of CCDC28B reveals its role in ciliogenesis and provides insight to understand its modifier effect on Bardet-Biedl syndrome. <b>2013</b> , 132, 91-105		29
217	Exploring the binding diversity of intrinsically disordered proteins involved in one-to-many binding. <b>2013</b> , 22, 258-73		132
216	Small ubiquitin-related modifier (SUMO) pathway-mediated enhancement of human cytomegalovirus replication correlates with a recruitment of SUMO-1/3 proteins to viral replication compartments. <i>Journal of General Virology</i> , <b>2013</b> , 94, 1373-1384	4.9	18
215	Genomic cloning and promoter functional analysis of myostatin-2 in shi drum, <i>Umbrina cirrosa</i> : conservation of muscle-specific promoter activity. <b>2013</b> , 164, 99-110		6
214	Searching for protein signatures using a multilevel alphabet. <b>2013</b> , 81, 1058-68		1
213	Mapping and analysis of phosphorylation sites: a quick guide for cell biologists. <b>2013</b> , 24, 535-42		171
212	The PsbO homolog from <i>Symbiodinium kawagutii</i> (Dinophyceae) characterized using biochemical and molecular methods. <b>2013</b> , 115, 167-78		6
211	Alternative splicing of intrinsically disordered regions and rewiring of protein interactions. <b>2013</b> , 23, 443-50		134
210	Analysis of Molecular Recognition Features (MoRFs) in membrane proteins. <b>2013</b> , 1834, 798-807		22
209	Structural Annotations of Genomes with Superfamily and G3D. <b>2013</b> , 69-97		
208	Supervillin-mediated suppression of p53 protein enhances cell survival. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 7918-7929	5.4	26
207	Metabolic interaction between anthocyanin and lignin biosynthesis is associated with peroxidase FaPRX27 in strawberry fruit. <b>2013</b> , 163, 43-60		70
206	Phosphorylation of HopQ1, a type III effector from <i>Pseudomonas syringae</i> , creates a binding site for host 14-3-3 proteins. <b>2013</b> , 161, 2049-61		45
205	Loss of the E3 ubiquitin ligase LRSAM1 sensitizes peripheral axons to degeneration in a mouse model of Charcot-Marie-Tooth disease. <b>2013</b> , 6, 780-92		37
204	Expression, purification, and structural analysis of intracellular C-termini from metabotropic glutamate receptors. <b>2013</b> , 520, 257-79		4
203	MYRF is a membrane-associated transcription factor that autoproteolytically cleaves to directly activate myelin genes. <b>2013</b> , 11, e1001625		143
202	Comprehensive repertoire of foldable regions within whole genomes. <i>PLoS Computational Biology</i> , <b>2013</b> , 9, e1003280	5	28
201	System-wide analysis reveals intrinsically disordered proteins are prone to ubiquitylation after misfolding stress. <b>2013</b> , 12, 2456-67		19

200	Exploring Protein-Peptide Binding Specificity through Computational Peptide Screening. <i>PLoS Computational Biology</i> , <b>2013</b> , 9, e1003277	5	28
199	Recruitment of EB1, a master regulator of microtubule dynamics, to the surface of the <i>Theileria annulata</i> schizont. <b>2013</b> , 9, e1003346		29
198	Signatures of pleiotropy, economy and convergent evolution in a domain-resolved map of human-virus protein-protein interaction networks. <b>2013</b> , 9, e1003778		37
197	The cyclin-dependent kinase ortholog pUL97 of human cytomegalovirus interacts with cyclins. <i>Viruses</i> , <b>2013</b> , 5, 3213-30	6.2	17
196	Intrinsic disorder in PTEN and its interactome confers structural plasticity and functional versatility. <i>Scientific Reports</i> , <b>2013</b> , 3, 2035	4.9	59
195	Cyclin A degradation by primate cytomegalovirus protein pUL21a counters its innate restriction of virus replication. <b>2013</b> , 9, e1003825		22
194	SUMOylation of pancreatic glucokinase regulates its cellular stability and activity. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 5951-62	5.4	25
193	Tumor protein D52 represents a negative regulator of ATM protein levels. <b>2013</b> , 12, 3083-97		19
192	Identification of a hydrophobic domain in varicella-zoster virus ORF61 necessary for ORF61 self-interaction, viral replication, and skin pathogenesis. <b>2013</b> , 87, 4075-9		1
191	Overexpressed TPX2 causes ectopic formation of microtubular arrays in the nuclei of acentrosomal plant cells. <b>2013</b> , 64, 4575-87		23
190	CD95L cell surface cleavage triggers a prometastatic signaling pathway in triple-negative breast cancer. <b>2013</b> , 73, 6711-21		66
189	Schnurri-3 regulates ERK downstream of WNT signaling in osteoblasts. <b>2013</b> , 123, 4010-22		39
188	<i>Drosophila</i> TRP and TRPL are assembled as homomultimeric channels in vivo. <b>2013</b> , 126, 3121-33		8
187	Development of proteome-wide binding reagents for research and diagnostics. <b>2013</b> , 7, 756-66		15
186	Identification of CRM1-dependent Nuclear Export Cargos Using Quantitative Mass Spectrometry. <b>2013</b> , 12, 664-78		69
185	<i>Coxiella burnetii</i> effector protein subverts clathrin-mediated vesicular trafficking for pathogen vacuole biogenesis. <b>2013</b> , 110, E4770-9		66
184	A disorder-to-order structural transition in the COOH-tail of Fz4 determines misfolding of the L501fsX533-Fz4 mutant. <i>Scientific Reports</i> , <b>2013</b> , 3, 2659	4.9	16
183	The switches.ELM resource: a compendium of conditional regulatory interaction interfaces. <b>2013</b> , 6, rs7		83

182	Ubiquitination site preferences in anaphase promoting complex/cyclosome (APC/C) substrates. <b>2013</b> , 3, 130097		33
181	A novel effect of MARCKS phosphorylation by activated PKC: the dephosphorylation of its serine 25 in chick neuroblasts. <i>PLoS ONE</i> , <b>2013</b> , 8, e62863	3.7	9
180	Functional diversity and structural disorder in the human ubiquitination pathway. <i>PLoS ONE</i> , <b>2013</b> , 8, e65443	3.7	22
179	A viral-human interactome based on structural motif-domain interactions captures the human infectome. <i>PLoS ONE</i> , <b>2013</b> , 8, e71526	3.7	19
178	Origins of Myc proteins--using intrinsic protein disorder to trace distant relatives. <i>PLoS ONE</i> , <b>2013</b> , 8, e75057	3.7	17
177	Profiling antibody responses to infections by <i>Chlamydia abortus</i> enables identification of potential virulence factors and candidates for serodiagnosis. <i>PLoS ONE</i> , <b>2013</b> , 8, e80310	3.7	16
176	DRD4 rare variants in Attention-Deficit/Hyperactivity Disorder (ADHD): further evidence from a birth cohort study. <i>PLoS ONE</i> , <b>2013</b> , 8, e85164	3.7	19
175	NRF2-ome: an integrated web resource to discover protein interaction and regulatory networks of NRF2. <b>2013</b> , 2013, 737591		33
174	Intrinsic disorder in the BK channel and its interactome. <i>PLoS ONE</i> , <b>2014</b> , 9, e94331	3.7	14
173	Investigating the molecular basis of Siah1 and Siah2 E3 ubiquitin ligase substrate specificity. <i>PLoS ONE</i> , <b>2014</b> , 9, e106547	3.7	13
172	Structural Systems Biology: Modeling Interactions and Networks for Systems Studies. <b>2014</b> , 9-19		
171	Research resource: EPSLiM: ensemble predictor for short linear motifs in nuclear hormone receptors. <b>2014</b> , 28, 768-77		4
170	The herpes simplex virus 1 UL51 gene product has cell type-specific functions in cell-to-cell spread. <b>2014</b> , 88, 4058-68		32
169	Large-scale interaction profiling of PDZ domains through proteomic peptide-phage display using human and viral phage peptidomes. <b>2014</b> , 111, 2542-7		82
168	The PXDLS linear motif regulates circadian rhythmicity through protein-protein interactions. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, 11879-90	20.1	7
167	A cancer-associated mutation inactivates a region of the high-mobility group protein HMG20b essential for cytokinesis. <b>2014</b> , 13, 2554-63		6
166	Cooperative structure of the heterotrimeric pre-mRNA retention and splicing complex. <b>2014</b> , 21, 911-8		22
165	Intrinsically disordered regions in autophagy proteins. <b>2014</b> , 82, 565-78		53

164	3did: a catalog of domain-based interactions of known three-dimensional structure. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, D374-9	20.1	165
163	The eukaryotic linear motif resource ELM: 10 years and counting. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, D259-66.1	20.1	234
162	IDEAL in 2014 illustrates interaction networks composed of intrinsically disordered proteins and their binding partners. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, D320-5	20.1	70
161	The TPLATE adaptor complex drives clathrin-mediated endocytosis in plants. <b>2014</b> , 156, 691-704		167
160	Bioinformatical Approaches to Unstructured/Disordered Proteins and Their Interactions. <b>2014</b> , 525-556		1
159	Enzymatic characterization of a glycoside hydrolase family 5 subfamily 7 (GH5_7) mannanase from <i>Arabidopsis thaliana</i> . <b>2014</b> , 239, 653-65		16
158	EMS mutagenesis in mature seed-derived rice calli as a new method for rapidly obtaining TILLING mutant populations. <b>2014</b> , 10, 5		43
157	Analysis of TTG1 function in <i>Arabidopsis thaliana</i> . <b>2014</b> , 14, 16		15
156	A putative role of the Sup35p C-terminal domain in the cytoskeleton organization during yeast mitosis. <b>2014</b> , 10, 925-40		4
155	Structural disorder in viral proteins. <b>2014</b> , 114, 6880-911		133
154	Overlapping and distinct roles of <i>Aspergillus fumigatus</i> UDP-glucose 4-epimerases in galactose metabolism and the synthesis of galactose-containing cell wall polysaccharides. <i>Journal of Biological Chemistry</i> , <b>2014</b> , 289, 1243-56	5-4	74
153	Gene3D: Multi-domain annotations for protein sequence and comparative genome analysis. <i>Nucleic Acids Research</i> , <b>2014</b> , 42, D240-5	20.1	42
152	Crystal structure of the WOPR-DNA complex and implications for Wor1 function in white-opaque switching of <i>Candida albicans</i> . <b>2014</b> , 24, 1108-20		10
151	Evolutionarily conserved and conformationally constrained short peptides might serve as DNA recognition elements in intrinsically disordered regions. <b>2014</b> , 10, 1469-80		3
150	Functional characterization of G-protein-coupled receptors: a bioinformatics approach. <b>2014</b> , 277, 764-79		24
149	Evidence supporting the existence of a NUPR1-like family of helix-loop-helix chromatin proteins related to, yet distinct from, AT hook-containing HMG proteins. <b>2014</b> , 20, 2357		12
148	TCTEX1D4 interactome in human testis: unraveling the function of dynein light chain in spermatozoa. <b>2014</b> , 18, 242-53		7
147	Prediction of protein post-translational modifications: main trends and methods. <b>2014</b> , 83, 143-154		6



146	The calcineurin signaling network evolves via conserved kinase-phosphatase modules that transcend substrate identity. <b>2014</b> , 55, 422-435		70
145	Use of host-like peptide motifs in viral proteins is a prevalent strategy in host-virus interactions. <b>2014</b> , 7, 1729-1739		67
144	Potential of known and short prokaryotic protein motifs as a basis for novel peptide-based antibacterial therapeutics: a computational survey. <b>2014</b> , 5, 4		11
143	High-throughput methods for identification of protein-protein interactions involving short linear motifs. <b>2015</b> , 13, 38		32
142	Functional Characterization of Nupr1L, A Novel p53-Regulated Isoform of the High-Mobility Group (HMG)-Related Protumoral Protein Nupr1. <b>2015</b> , 230, 2936-50		7
141	LocSigDB: a database of protein localization signals. <b>2015</b> , 2015,		32
140	Mapping of the Sequences Directing Localization of the Drosophila Germ Cell-Expressed Protein (GCE). <i>PLoS ONE</i> , <b>2015</b> , 10, e0133307	3-7	10
139	An Efficient Exact Algorithm for the Motif Stem Search Problem over Large Alphabets. <b>2015</b> , 12, 384-97		12
138	Human FAM154A (SAXO1) is a microtubule-stabilizing protein specific to cilia and related structures. <b>2015</b> , 128, 1294-307		27
137	A recently evolved isoform of the transcription factor BES1 promotes brassinosteroid signaling and development in <i>Arabidopsis thaliana</i> . <b>2015</b> , 27, 361-74		63
136	Lithium an emerging contaminant: bioavailability, effects on protein expression, and homeostasis disruption in short-term exposure of rainbow trout. <b>2015</b> , 161, 85-93		14
135	Functional characterization of nuclear trafficking signals in pseudorabies virus pUL31. <b>2015</b> , 89, 2002-12		23
134	Differential pleiotropy and HOX functional organization. <b>2015</b> , 398, 1-10		11
133	Identification and Characterization of a Novel Family of Cysteine-Rich Peptides (MgCRP-I) from <i>Mytilus galloprovincialis</i> . <i>Genome Biology and Evolution</i> , <b>2015</b> , 7, 2203-19	3-9	14
132	QSLiMFinder: improved short linear motif prediction using specific query protein data. <b>2015</b> , 31, 2284-93		12
131	ProFET: Feature engineering captures high-level protein functions. <b>2015</b> , 31, 3429-36		46
130	Human ortholog of Drosophila Melted impedes SMAD2 release from TGF- $\beta$ receptor I to inhibit TGF- $\beta$ signaling. <b>2015</b> , 112, E3000-9		15
129	Systematic identification of cancer driving signaling pathways based on mutual exclusivity of genomic alterations. <b>2015</b> , 16, 45		101

128	Identification of intrinsically disordered regions in PTEN and delineation of its function via a network approach. <b>2015</b> , 77-78, 69-74		10
127	A single PXXP motif in the C-terminal region of srGAP3 mediates binding to multiple SH3 domains. <b>2015</b> , 589, 1156-63		10
126	Identification and fine mapping of nuclear and nucleolar localization signals within the human ribosomal protein S17. <i>PLoS ONE</i> , <b>2015</b> , 10, e0124396	3.7	14
125	C5orf30 is a negative regulator of tissue damage in rheumatoid arthritis. <b>2015</b> , 112, 11618-23		20
124	Bioinformatics Approaches for Predicting Disordered Protein Motifs. <b>2015</b> , 870, 291-318		15
123	Transcriptional regulators form diverse groups with context-dependent regulatory functions. <b>2015</b> , 528, 147-51		109
122	Redefining the BH3 Death Domain as a 'Short Linear Motif'. <b>2015</b> , 40, 736-748		40
121	Molecular principles of human virus protein-protein interactions. <b>2015</b> , 31, 1025-33		28
120	Species differences in cannabinoid receptor 2 and receptor responses to cocaine self-administration in mice and rats. <b>2015</b> , 40, 1037-51		87
119	A WDR Gene Is a Conserved Member of a Chitin Synthase Gene Cluster and Influences the Cell Wall in <i>Aspergillus nidulans</i> . <i>International Journal of Molecular Sciences</i> , <b>2016</b> , 17,	6.3	4
118	Evolution of Gene in : A Case of Convergent Evolution as a Mechanism for Bacterial Autophagy Evasion. <b>2016</b> , 2016, 6745028		7
117	Reconstruction of the High-Osmolarity Glycerol (HOG) Signaling Pathway from the Halophilic Fungus <i>Wallemia ichthyophaga</i> in <i>Saccharomyces cerevisiae</i> . <b>2016</b> , 7, 901		6
116	Overlapping Regions in HIV-1 Genome Act as Potential Sites for Host-Virus Interaction. <b>2016</b> , 7, 1735		2
115	MSX1 mutations and associated disease phenotypes: genotype-phenotype relations. <b>2016</b> , 24, 1663-1670		15
114	Proteome-wide search for functional motifs altered in tumors: Prediction of nuclear export signals inactivated by cancer-related mutations. <i>Scientific Reports</i> , <b>2016</b> , 6, 25869	4.9	1
113	A systematic evaluation of sorting motifs in the sodium-iodide symporter (NIS). <i>Biochemical Journal</i> , <b>2016</b> , 473, 919-28	3.8	12
112	Adaptive patterns in the p53 protein sequence of the hypoxia- and cancer-tolerant blind mole rat <i>Spalax</i> . <b>2016</b> , 16, 177		6
111	Conformational flexibility of BECN1: Essential to its key role in autophagy and beyond. <b>2016</b> , 25, 1767-85		50

110	Evolution of Protein Domain Repeats in Metazoa. <b>2016</b> , 33, 3170-3182		22
109	Computational analysis of translational readthrough proteins in Drosophila and yeast reveals parallels to alternative splicing. <i>Scientific Reports</i> , <b>2016</b> , 6, 32142	4.9	4
108	Germline and somatic mutations in the gene in focal cortical dysplasia and epilepsy. <b>2016</b> , 2, e118		76
107	Evolution of domain-peptide interactions to coadapt specificity and affinity to functional diversity. <b>2016</b> , 113, E3862-71		26
106	The phenotypic impact of the male-specific region of chromosome-Y in inbred mating: the role of genetic variants and gene duplications in multiple inbred rat strains. <b>2016</b> , 7, 10		11
105	NES-REBS: A novel nuclear export signal prediction method using regular expressions and biochemical properties. <b>2016</b> , 14, 1650013		1
104	Growth signals employ CGGBP1 to suppress transcription of Alu-SINEs. <b>2016</b> , 15, 1558-71		13
103	The MS4A family: counting past 1, 2 and 3. <b>2016</b> , 94, 11-23		70
102	Characterization of the Free State Ensemble of the CoRRN Box Motif by Molecular Dynamics Simulations. <b>2016</b> , 120, 1060-8		9
101	Protein intrinsic disorder within the Potyvirus genus: from proteome-wide analysis to functional annotation. <b>2016</b> , 12, 634-52		25
100	ELM 2016--data update and new functionality of the eukaryotic linear motif resource. <i>Nucleic Acids Research</i> , <b>2016</b> , 44, D294-300	20.1	222
99	The Genomes of Three Uneven Siblings: Footprints of the Lifestyles of Three Trichoderma Species. <b>2016</b> , 80, 205-327		118
98	Widespread Expansion of Protein Interaction Capabilities by Alternative Splicing. <b>2016</b> , 164, 805-17		308
97	Interpreting functional effects of coding variants: challenges in proteome-scale prediction, annotation and assessment. <i>Briefings in Bioinformatics</i> , <b>2016</b> , 17, 841-62	13.4	13
96	hMENA(11a) contributes to HER3-mediated resistance to PI3K inhibitors in HER2-overexpressing breast cancer cells. <b>2016</b> , 35, 887-96		9
95	CP39, CP75 and CP91 are major structural components of the Dictyostelium centrosome's core structure. <b>2017</b> , 96, 119-130		10
94	Interaction of Mal de Rb Cuarto virus (Fijivirus genus) proteins and identification of putative factors determining viroplasm formation and decay. <b>2017</b> , 230, 19-28		3
93	Molecular modeling in the age of clinical genomics, the enterprise of the next generation. <b>2017</b> , 23, 75		28

92	Modeling Peptide-Protein Structure and Binding Using Monte Carlo Sampling Approaches: Rosetta FlexPepDock and FlexPepBind. <b>2017</b> , 1561, 139-169		22
91	ARA-PEPs: a repository of putative sORF-encoded peptides in Arabidopsis thaliana. <b>2017</b> , 18, 37		23
90	Prediction of virus-host protein-protein interactions mediated by short linear motifs. <b>2017</b> , 18, 163		34
89	Proteome Analysis of Drosophila Mutants Identifies a Regulatory Role for 14-3-3 $\eta$ in Metabolic Pathways. <b>2017</b> , 16, 1976-1987		2
88	Discovery of short linear motif-mediated interactions through phage display of intrinsically disordered regions of the human proteome. <b>2017</b> , 284, 485-498		50
87	DDX3 directly regulates TRAF3 ubiquitination and acts as a scaffold to co-ordinate assembly of signalling complexes downstream from MAVS. <i>Biochemical Journal</i> , <b>2017</b> , 474, 571-587	3.8	25
86	Therapeutic Interventions of Cancers Using Intrinsically Disordered Proteins as Drug Targets: c-Myc as Model System. <b>2017</b> , 16, 1176935117699408		38
85	Exploring Short Linear Motifs Using the ELM Database and Tools. <b>2017</b> , 58, 8.22.1-8.22.35		18
84	Long disordered regions of the C-terminal domain of Abelson tyrosine kinase have specific and additive functions in regulation and axon localization. <i>PLoS ONE</i> , <b>2017</b> , 12, e0189338	3.7	2
83	Exhaustive search of linear information encoding protein-peptide recognition. <i>PLoS Computational Biology</i> , <b>2017</b> , 13, e1005499	5	8
82	Perturbed human sub-networks by Fusobacterium nucleatum candidate virulence proteins. <b>2017</b> , 5, 89		19
81	SLIMSearch: a framework for proteome-wide discovery and annotation of functional modules in intrinsically disordered regions. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, W464-W469	20.1	54
80	FOXP in Tetrapoda: Intrinsically Disordered Regions, Short Linear Motifs and their evolutionary significance. <b>2017</b> , 40, 181-190		2
79	HH-MOTiF: de novo detection of short linear motifs in proteins by Hidden Markov Model comparisons. <i>Nucleic Acids Research</i> , <b>2017</b> , 45, W470-W477	20.1	7
78	Molecular Life Sciences. <b>2018</b> , 1009-1016		
77	The eukaryotic linear motif resource - 2018 update. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, D428-D434	20.1	129
76	Fattening the perspective of Hox protein specificity through SLiMming. <b>2018</b> , 62, 755-766		2
75	Characterization of Haartman Institute snake virus-1 (HISV-1) and HISV-like viruses-The representatives of genus Hartmanivirus, family Arenaviridae. <b>2018</b> , 14, e1007415		15

74	A resource of variant effect predictions of single nucleotide variants in model organisms. <b>2018</b> , 14, e8430		43
73	Firefly genomes illuminate parallel origins of bioluminescence in beetles. <b>2018</b> , 7,		64
72	The SRC-family tyrosine kinase HCK shapes the landscape of SKAP2 interactome. <b>2018</b> , 9, 13102-13115		5
71	Minimotif Miner 4: a million peptide minimotifs and counting. <i>Nucleic Acids Research</i> , <b>2018</b> , 46, D465-D470.1		9
70	Computational Methods for Predicting Protein-Protein Interactions Using Various Protein Features. <i>Current Protocols in Protein Science</i> , <b>2018</b> , 93, e62	3.1	30
69	How to Evaluate Smart Cities Construction? A Comparison of Chinese Smart City Evaluation Methods Based on PSF. <i>Sustainability</i> , <b>2018</b> , 10, 37	3.6	13
68	The C-terminus of varicella-zoster virus glycoprotein M contains trafficking motifs that mediate skin virulence in the SCID-human model of VZV pathogenesis. <i>Virology</i> , <b>2018</b> , 523, 110-120	3.6	6
67	ELM-the eukaryotic linear motif resource in 2020. <i>Nucleic Acids Research</i> , <b>2020</b> , 48, D296-D306	20.1	110
66	Protein Abundance Biases the Amino Acid Composition of Disordered Regions to Minimize Non-functional Interactions. <i>Journal of Molecular Biology</i> , <b>2019</b> , 431, 4978-4992	6.5	11
65	Subcellular Localization Signals of bHLH-PAS Proteins: Their Significance, Current State of Knowledge and Future Perspectives. <i>International Journal of Molecular Sciences</i> , <b>2019</b> , 20,	6.3	6
64	Deciphering the intrinsic properties of fungal proteases in optimizing phytopathogenic interaction. <i>Gene</i> , <b>2019</b> , 711, 143934	3.8	3
63	The carboxy-terminus, a key regulator of protein function. <i>Critical Reviews in Biochemistry and Molecular Biology</i> , <b>2019</b> , 54, 85-102	8.7	19
62	Characterization of putative proteins encoded by variable ORFs in white spot syndrome virus genome. <i>BMC Structural Biology</i> , <b>2019</b> , 19, 8	2.7	3
61	Probabilistic variable-length segmentation of protein sequences for discriminative motif discovery (DiMotif) and sequence embedding (ProtVecX). <i>Scientific Reports</i> , <b>2019</b> , 9, 3577	4.9	30
60	Identification of a Novel Deltavirus in Boa Constrictors. <i>MBio</i> , <b>2019</b> , 10,	7.8	37
59	Medical rolling bearing fault prognostics based on improved extreme learning machine. <i>Journal of Combinatorial Optimization</i> , <b>2019</b> , 1	0.9	1
58	Unusual nature of long non-coding RNAs coding for "unusual peptides". <i>Gene</i> , <b>2020</b> , 729, 144298	3.8	3
57	Understanding the penetrance of intrinsic protein disorder in rotavirus proteome. <i>International Journal of Biological Macromolecules</i> , <b>2020</b> , 144, 892-908	7.9	16

56	Biophysical prediction of protein-peptide interactions and signaling networks using machine learning. <i>Nature Methods</i> , <b>2020</b> , 17, 175-183	21.6	30
55	The search of sequence variants using a constrained protein evolution simulation approach. <i>Computational and Structural Biotechnology Journal</i> , <b>2020</b> , 18, 1790-1799	6.8	
54	Early Metazoan Origin and Multiple Losses of a Novel Clade of RIM Presynaptic Calcium Channel Scaffolding Protein Homologs. <i>Genome Biology and Evolution</i> , <b>2020</b> , 12, 1217-1239	3.9	3
53	Mutation of CFAP57, a protein required for the asymmetric targeting of a subset of inner dynein arms in <i>Chlamydomonas</i> , causes primary ciliary dyskinesia. <i>PLoS Genetics</i> , <b>2020</b> , 16, e1008691	6	18
52	SARS-CoV-2 (COVID-19) structural and evolutionary dynamicome: Insights into functional evolution and human genomics. <i>Journal of Biological Chemistry</i> , <b>2020</b> , 295, 11742-11753	5.4	30
51	Post-translational modifications of <i>Drosophila melanogaster</i> HOX protein, Sex combs reduced. <i>PLoS ONE</i> , <b>2020</b> , 15, e0227642	3.7	
50	Prediction, Analysis, Visualization, and Storage of Protein-Protein Interactions Using Computational Approaches. <b>2021</b> , 265-346		
49	Late p65 nuclear translocation in glioblastoma cells indicates non-canonical TLR4 signaling and activation of DNA repair genes. <i>Scientific Reports</i> , <b>2021</b> , 11, 1333	4.9	3
48	The CIP2A-TOPBP1 complex safeguards chromosomal stability during mitosis.		4
47	C-Jun N-terminal kinase post-translational regulation of pain-related Acid-Sensing Ion Channels 1b and 3.		
46	Current status and future perspectives of computational studies on human-virus protein-protein interactions. <i>Briefings in Bioinformatics</i> , <b>2021</b> , 22,	13.4	5
45	Evolution of Transmissible Spongiform Encephalopathies and the Prion Protein Gene (PRNP) in Mammals. <i>Journal of Mammalian Evolution</i> , <b>2021</b> , 28, 573-582	2.2	
44	Interactome and structural basis for targeting the human T-cell leukemia virus Tax oncoprotein.		
43	C-Jun N-Terminal Kinase Post-Translational Regulation of Pain-Related Acid-Sensing Ion Channels 1b and 3. <i>Journal of Neuroscience</i> , <b>2021</b> , 41, 8673-8685	6.6	0
42	On the Potential of Machine Learning to Examine the Relationship Between Sequence, Structure, Dynamics and Function of Intrinsically Disordered Proteins. <i>Journal of Molecular Biology</i> , <b>2021</b> , 433, 167198	6.5	7
41	Next Generation Protein Structure Predictions and Genetic Variant Interpretation. <i>Journal of Molecular Biology</i> , <b>2021</b> , 433, 167180	6.5	6
40	The 28 Ser Amino Acid of Cucumber Mosaic Virus Movement Protein Has a Role in Symptom Formation and Plasmodesmata Localization. <i>Viruses</i> , <b>2021</b> , 13,	6.2	3
39	Innovations of the Rule-Based Modeling Approach. <b>2013</b> , 273-300		12

38	Dynamic conformational flexibility and molecular interactions of intrinsically disordered proteins. <i>Journal of Biosciences</i> , <b>2020</b> , 45, 1	2.3	3
37	Molecular dynamics simulations and biochemical characterization of Pf14-3-3 and PfCDPK1 interaction towards its role in growth of human malaria parasite. <i>Biochemical Journal</i> , <b>2020</b> , 477, 2153-2177	3.8	4
36	Development of viable TAP-tagged dengue virus for investigation of host-virus interactions in viral replication. <i>Journal of General Virology</i> , <b>2016</b> , 97, 646-658	4.9	8
35	Interaction of 14-3-3I and CDPK1 mediates the growth of human malaria parasite.		2
34	SARS-CoV2 (COVID-19) Structural/Evolution Dynamicome: Insights into functional evolution and human genomics. <b>2020</b> ,		4
33	Firefly genomes illuminate parallel origins of bioluminescence in beetles.		1
32	Comprehensive variant effect predictions of single nucleotide variants in model organisms.		5
31	Identification of Entry Factors Involved in Hepatitis C Virus Infection Based on Host-Mimicking Short Linear Motifs. <i>PLoS Computational Biology</i> , <b>2017</b> , 13, e1005368	5	7
30	Systematic identification of phosphorylation-mediated protein interaction switches. <i>PLoS Computational Biology</i> , <b>2017</b> , 13, e1005462	5	31
29	GPS-ARM: computational analysis of the APC/C recognition motif by predicting D-boxes and KEN-boxes. <i>PLoS ONE</i> , <b>2012</b> , 7, e34370	3.7	33
28	Protein disorder and short conserved motifs in disordered regions are enriched near the cytoplasmic side of single-pass transmembrane proteins. <i>PLoS ONE</i> , <b>2012</b> , 7, e44389	3.7	14
27	Marked variability in the extent of protein disorder within and between viral families. <i>PLoS ONE</i> , <b>2013</b> , 8, e60724	3.7	40
26	Predicting binding within disordered protein regions to structurally characterised peptide-binding domains. <i>PLoS ONE</i> , <b>2013</b> , 8, e72838	3.7	28
25	Discovery and characterization of distinct simian pegiviruses in three wild African Old World monkey species. <i>PLoS ONE</i> , <b>2014</b> , 9, e98569	3.7	38
24	Comparative genomic analysis of slc39a12/ZIP12: insight into a zinc transporter required for vertebrate nervous system development. <i>PLoS ONE</i> , <b>2014</b> , 9, e111535	3.7	16
23	The Functional Human C-Terminome. <i>PLoS ONE</i> , <b>2016</b> , 11, e0152731	3.7	7
22	Role of Plant Somatic Embryogenesis Receptor Kinases (SERKs) in Cell-to-Embryo Transitional Activity: Key at Novel Assorted Structural Subunits. <i>American Journal of Plant Sciences</i> , <b>2014</b> , 05, 3177-3193	4.5	4
21	DoReMi: context-based prioritization of linear motif matches. <i>PeerJ</i> , <b>2014</b> , 2, e315	3.1	5

20 Molecular Life Sciences. **2014**, 1-7

- 19 Intraflagellar Protein 88 Interactome Analysis: A Bioinformatics Approach Highlights Its Role in Testis and Sperm Function. *Journal of Biophysical Chemistry*, **2014**, 05, 99-106 0.1
- 18 Perturbed human sub-networks by *Fusobacterium nucleatum* candidate virulence proteins.
- 17 Repeating Sequences in Proteins: Their Identification and Structural/Functional Implications. **2018**, 1047-1053
- 16 Structural Capacitance in Protein Evolution and Human Diseases.
- 15 A screen for targets of the *Drosophila* pseudokinase Tribbles identifies Neuralized and Mindbomb, ubiquitin ligases that mediate Notch signaling.
- 14 Post-translational modifications of *Drosophila melanogaster* HOX protein, Sex combs reduced.
- 13 Exploring the rules of chimeric antigen receptor phenotypic output using combinatorial signaling motif libraries and machine learning. 0
- 12 Dynamic conformational flexibility and molecular interactions of intrinsically disordered proteins. *Journal of Biosciences*, **2020**, 45, 2.3 1
- 11 Computational and Experimental Analysis of Genetic Variants.. **2022**, 12, 3303-3336 2
- 10 The CIP2A-TOPBP1 complex safeguards chromosomal stability during mitosis. *Nature Communications*, **2022**, 13, 17.4 0
- 9 Neuronal-specific septin-3 binds Atg8/LC3B, accumulates and localizes to autophagosomes during induced autophagy. **2022**, 79, 1
- 8 Prediction of protein-protein interaction sites in intrinsically disordered proteins. 9, 0
- 7 The physical interactome between *Peregrinus maidis* proteins and the maize mosaic virus glycoprotein provides insights into the cellular biology of a rhabdovirus in the insect vector.. **2022**, 0
- 6 Intrinsically Disordered Proteins: An Overview. **2022**, 23, 14050 2
- 5 SKAP2 Modular Organization Differently Recognizes SRC Kinases Depending on Their Activation Status and Localization. **2023**, 22, 100451 0
- 4 CLIP: accurate prediction of disordered linear interacting peptides from protein sequences using co-evolutionary information. 1
- 3 Decoding CAR T cell phenotype using combinatorial signaling motif libraries and machine learning. **2022**, 378, 1194-1200 0



- 2 Evolutionary Landscape of SOX Genes to Inform Genotype-to-Phenotype Relationships. **2023**, 14, 222 ○
- 1 Computational Analysis, In silico Functional Annotation, and Expression of Recombinant PE\_PGRS Protein Biomarkers Found in Mycobacterium tuberculosis. **2023**, 16, ○