

# Inference of Population Splits and Mixtures from Genom

PLoS Genetics

8, e1002967

DOI: [10.1371/journal.pgen.1002967](https://doi.org/10.1371/journal.pgen.1002967)

Citation Report

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 1  | The genetic prehistory of southern Africa. <i>Nature Communications</i> , 2012, 3, 1143.   | 12.8 | 271       |
| 2  | Ancient Admixture in Human History. <i>Genetics</i> , 2012, 192, 1065-1093.  | 2.9  | 2,012     |
| 3  | A High-Coverage Genome Sequence from an Archaic Denisovan Individual. <i>Science</i> , 2012, 338, 222-226.   | 12.6 | 1,695     |
| 4  | Robust Identification of Local Adaptation from Allele Frequencies. <i>Genetics</i> , 2013, 195, 205-220.   | 2.9  | 518       |
| 5  | DNA analysis of an early modern human from Tianyuan Cave, China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 2223-2227.          | 7.1  | 484       |
| 6  | Genome-wide data substantiate Holocene gene flow from India to Australia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 1803-1808. | 7.1  | 97        |
| 7  | Inferring Population Histories Using Genome-Wide Allele Frequency Data. <i>Molecular Biology and Evolution</i> , 2013, 30, 654-668.  | 8.9  | 34        |
| 8  | Signatures of natural selection on genetic variants affecting complex human traits. <i>Applied &amp; Translational Genomics</i> , 2013, 2, 78-94.  | 2.1  | 23        |
| 9  | The Missing Link of Jewish European Ancestry: Contrasting the Rhineland and the Khazarian Hypotheses. <i>Genome Biology and Evolution</i> , 2013, 5, 61-74.                              | 2.5  | 46        |
| 10 | PHYLOGENOMICS REVEALS EXTENSIVE RETICULATE EVOLUTION IN <i>XIPHOPHORUS</i> FISHES. <i>Evolution; International Journal of Organic Evolution</i> , 2013, 67, 2166-2179.                   | 2.3  | 176       |
| 11 | Detecting Signatures of Selection Through Haplotype Differentiation Among Hierarchically Structured Populations. <i>Genetics</i> , 2013, 193, 929-941.                                   | 2.9  | 340       |
| 12 | Understanding the origin of species with genome-scale data: modelling gene flow. <i>Nature Reviews Genetics</i> , 2013, 14, 404-414.   | 16.3 | 246       |
| 13 | Inferring Admixture Histories of Human Populations Using Linkage Disequilibrium. <i>Genetics</i> , 2013, 193, 1233-1254.   | 2.9  | 445       |
| 14 | Efficient Moment-Based Inference of Admixture Parameters and Sources of Gene Flow. <i>Molecular Biology and Evolution</i> , 2013, 30, 1788-1802.   | 8.9  | 121       |
| 15 | Genetic Signatures Reveal High-Altitude Adaptation in a Set of Ethiopian Populations. <i>Molecular Biology and Evolution</i> , 2013, 30, 1877-1888.                                      | 8.9  | 173       |
| 16 | High-Throughput Sequencing of a South American Amerindian. <i>PLoS ONE</i> , 2013, 8, e83340.  | 2.5  | 9         |
| 18 | Genome-Wide and Paternal Diversity Reveal a Recent Origin of Human Populations in North Africa. <i>PLoS ONE</i> , 2013, 8, e80293.   | 2.5  | 39        |
| 19 | Standing at the Gateway to Europe - The Genetic Structure of Western Balkan Populations Based on Autosomal and Haploid Markers. <i>PLoS ONE</i> , 2014, 9, e105090.                      | 2.5  | 54        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 20 | Genome-Wide Analysis of Cold Adaptation in Indigenous Siberian Populations. PLoS ONE, 2014, 9, e98076.  | 2.5  | 128       |
| 21 | Computational and Statistical Analyses of Insertional Polymorphic Endogenous Retroviruses in a Non-Model Organism. Computation, 2014, 2, 221-245.   | 2.0  | 5         |
| 22 | Population history and genomic signatures for high-altitude adaptation in Tibetan pigs. BMC Genomics, 2014, 15, 834.  | 2.8  | 140       |
| 23 | iNJclust: Iterative Neighbor-Joining Tree Clustering Framework for Inferring Population Structure. IEEE/ACM Transactions on Computational Biology and Bioinformatics, 2014, 11, 903-914.                      | 3.0  | 10        |
| 24 | Patterns of Admixture and Population Structure in Native Populations of Northwest North America. PLoS Genetics, 2014, 10, e1004530.   | 3.5  | 81        |
| 25 | Genome Sequencing Highlights the Dynamic Early History of Dogs. PLoS Genetics, 2014, 10, e1004016.  | 3.5  | 481       |
| 26 | Speciation and Introgression between <i>Mimulus nasutus</i> and <i>Mimulus guttatus</i> . PLoS Genetics, 2014, 10, e1004410.  | 3.5  | 252       |
| 27 | A Population Genetic Signal of Polygenic Adaptation. PLoS Genetics, 2014, 10, e1004412.   | 3.5  | 447       |
| 28 | Population Genomic Analysis of Ancient and Modern Genomes Yields New Insights into the Genetic Ancestry of the Tyrolean Iceman and the Genetic Structure of Europe. PLoS Genetics, 2014, 10, e1004353.        | 3.5  | 86        |
| 29 | Worldwide Patterns of Ancestry, Divergence, and Admixture in Domesticated Cattle. PLoS Genetics, 2014, 10, e1004254.  | 3.5  | 391       |
| 30 | Reconstructing Austronesian population history in Island Southeast Asia. Nature Communications, 2014, 5, 4689.  | 12.8 | 158       |
| 31 | Genome-Wide SNP Analysis Reveals Population Structure and Demographic History of the Ryukyu Islanders in the Southern Part of the Japanese Archipelago. Molecular Biology and Evolution, 2014, 31, 2929-2940. | 8.9  | 48        |
| 32 | Prehistoric genomes reveal the genetic foundation and cost of horse domestication. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, E5661-9.                       | 7.1  | 260       |
| 33 | fastSTRUCTURE: Variational Inference of Population Structure in Large SNP Data Sets. Genetics, 2014, 197, 573-589.  | 2.9  | 1,429     |
| 34 | Speciation with gene flow in equids despite extensive chromosomal plasticity. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 18655-18660.                        | 7.1  | 183       |
| 35 | Likelihood-based inference of population history from low-coverage <i>de novo</i> genome assemblies. Molecular Ecology, 2014, 23, 198-211.  | 3.9  | 28        |
| 36 | Novel trophic niches drive variable progress towards ecological speciation within an adaptive radiation of pufferfishes. Molecular Ecology, 2014, 23, 1846-1862.  | 3.9  | 64        |
| 37 | Variations on a Common STRUCTURE: New Algorithms for a Valuable Model. Genetics, 2014, 197, 809-811.  | 2.9  | 13        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 38 | <scp>ABC</scp> inference of multi-€population divergence with admixture from unphased population genomic data. <i>Molecular Ecology</i> , 2014, 23, 4458-4471.  | 3.9  | 49        |
| 39 | Whole genome sequencing of Turkish genomes reveals functional private alleles and impact of genetic interactions with Europe, Asia and Africa. <i>BMC Genomics</i> , 2014, 15, 963.   | 2.8  | 46        |
| 40 | Deciphering the Genetic Blueprint behind Holstein Milk Proteins and Production. <i>Genome Biology and Evolution</i> , 2014, 6, 1366-1374.   | 2.5  | 37        |
| 41 | Genetic landscape of populations along the Silk Road: admixture and migration patterns. <i>BMC Genetics</i> , 2014, 15, 131.  | 2.7  | 24        |
| 42 | The genome of a Late Pleistocene human from a Clovis burial site in western Montana. <i>Nature</i> , 2014, 506, 225-229.  | 27.8 | 500       |
| 43 | A Genetic Atlas of Human Admixture History. <i>Science</i> , 2014, 343, 747-751.  | 12.6 | 691       |
| 44 | Late <scp>M</scp>iocene lineage divergence and ecological differentiation of rare endemic <i><scp>J</scp>uniperus blancoi</i>: clues for the diversification of <scp>N</scp>orth <scp>A</scp>merican conifers. <i>New Phytologist</i> , 2014, 203, 335-347. | 7.3  | 23        |
| 45 | Genomic Diversity and Admixture Differs for Stone-Age Scandinavian Foragers and Farmers. <i>Science</i> , 2014, 344, 747-750.   | 12.6 | 315       |
| 46 | The advantages of going large: genome-wide <scp>SNP</scp>s clarify the complex population history and systematics of the threatened western pond turtle. <i>Molecular Ecology</i> , 2014, 23, 2228-2241.  | 3.9  | 56        |
| 47 | Divergent population structure and climate associations of a chromosomal inversion polymorphism across the <i><scp>M</scp>imulus guttatus</i> species complex. <i>Molecular Ecology</i> , 2014, 23, 2844-2860.  | 3.9  | 60        |
| 48 | Detecting and Measuring Selection from Gene Frequency Data. <i>Genetics</i> , 2014, 196, 799-817.   | 2.9  | 64        |
| 49 | Lactase Persistence Alleles Reveal Partial East African Ancestry of Southern African Khoe Pastoralists. <i>Current Biology</i> , 2014, 24, 852-858.   | 3.9  | 111       |
| 50 | The impact of whole-genome sequencing on the reconstruction of human population history. <i>Nature Reviews Genetics</i> , 2014, 15, 149-162.  | 16.3 | 147       |
| 51 | Upper Palaeolithic Siberian genome reveals dual ancestry of Native Americans. <i>Nature</i> , 2014, 505, 87-91.   | 27.8 | 821       |
| 52 | Genomic structure in Europeans dating back at least 36,200 years. <i>Science</i> , 2014, 346, 1113-1118.  | 12.6 | 287       |
| 53 | Genetic structure of the four wild tomato species in the<i>Solanum peruvianum</i>s.l. species complex. <i>Genome</i> , 2014, 57, 169-180.   | 2.0  | 18        |
| 54 | A worldwide survey of genome sequence variation provides insight into the evolutionary history of the honeybee <i>Apis mellifera</i> . <i>Nature Genetics</i> , 2014, 46, 1081-1088.  | 21.4 | 273       |
| 55 | Toward a new history and geography of human genes informed by ancient DNA. <i>Trends in Genetics</i> , 2014, 30, 377-389.   | 6.7  | 227       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 56 | Investigating Population History Using Temporal Genetic Differentiation. <i>Molecular Biology and Evolution</i> , 2014, 31, 2516-2527.  | 8.9  | 50        |
| 57 | So, you want to use next-generation sequencing in marine systems? Insight from the Pan-Pacific Advanced Studies Institute. <i>Bulletin of Marine Science</i> , 2014, 90, 79-122.      | 0.8  | 53        |
| 58 | The genetics of monarch butterfly migration and warning colouration. <i>Nature</i> , 2014, 514, 317-321.  | 27.8 | 264       |
| 59 | Ancient human genomes suggest three ancestral populations for present-day Europeans. <i>Nature</i> , 2014, 513, 409-413.  | 27.8 | 1,179     |
| 60 | A footprint of past climate change on the diversity and population structure of <i>Miscanthus sinensis</i> . <i>Annals of Botany</i> , 2014, 114, 97-107.                             | 2.9  | 87        |
| 61 | The genetic prehistory of the New World Arctic. <i>Science</i> , 2014, 345, 1255-1262.  | 12.6 | 264       |
| 62 | Evolutionary genomics of <i>Borrelia burgdorferi</i> sensu lato: Findings, hypotheses, and the rise of hybrids. <i>Infection, Genetics and Evolution</i> , 2014, 27, 576-593.         | 2.3  | 31        |
| 63 | Admixture and the organization of genetic diversity in a butterfly species complex revealed through common and rare genetic variants. <i>Molecular Ecology</i> , 2014, 23, 4555-4573. | 3.9  | 169       |
| 64 | Evolution in subdivided plant populations: concepts, recent advances and future directions. <i>New Phytologist</i> , 2014, 201, 417-432.  | 7.3  | 65        |
| 65 | The genetics of Mexico recapitulates Native American substructure and affects biomedical traits. <i>Science</i> , 2014, 344, 1280-1285.   | 12.6 | 420       |
| 66 | Maritime route of colonization of Europe. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014, 111, 9211-9216.                              | 7.1  | 71        |
| 67 | The population genomic landscape of human genetic structure, admixture history and local adaptation in Peninsular Malaysia. <i>Human Genetics</i> , 2014, 133, 1169-1185.             | 3.8  | 30        |
| 68 | Admixture facilitates genetic adaptations to high altitude in Tibet. <i>Nature Communications</i> , 2014, 5, 3281.  | 12.8 | 172       |
| 69 | Troublesome Reflection: Racism as the Blind Spot in the Scientific Critique of Race. <i>Human Biology</i> , 2014, 86, 233.  | 0.2  | 11        |
| 70 | Across language families: Genome diversity mirrors linguistic variation within Europe. <i>American Journal of Physical Anthropology</i> , 2015, 157, 630-640.                         | 2.1  | 63        |
| 71 | The origin and evolution of maize in the Southwestern United States. <i>Nature Plants</i> , 2015, 1, 14003.   | 9.3  | 138       |
| 72 | Genome-Wide SNP Analysis of Southern African Populations Provides New Insights into the Dispersal of Bantu-Speaking Groups. <i>Genome Biology and Evolution</i> , 2015, 7, 2560-2568. | 2.5  | 27        |
| 73 | Merino and Merino-derived sheep breeds: a genome-wide intercontinental study. <i>Genetics Selection Evolution</i> , 2015, 47, 64.   | 3.0  | 97        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 74 | Genome-wide insights into population structure and genetic history of tunisian local cattle using the illumina bovinesnp50 beadchip. BMC Genomics, 2015, 16, 677.   | 2.8 | 32        |
| 75 | Barley landraces are characterized by geographically heterogeneous genomic origins. Genome Biology, 2015, 16, 173.  | 8.8 | 117       |
| 76 | Early modern human dispersal from Africa: genomic evidence for multiple waves of migration. Investigative Genetics, 2015, 6, 13.  | 3.3 | 34        |
| 77 | Seascape genetics along environmental gradients in the Arabian Peninsula: insights from ddRAD sequencing of anemonefishes. Molecular Ecology, 2015, 24, 6241-6255.  | 3.9 | 65        |
| 78 | Genome analyses suggest the presence of polyploidy and recent human-driven expansions in eight global populations of the honeybee pathogen <i>Nosema ceranae</i> . Environmental Microbiology, 2015, 17, 4443-4458. | 3.8 | 66        |
| 79 | Historical introgression among the American live oaks and the comparative nature of tests for introgression. Evolution; International Journal of Organic Evolution, 2015, 69, 2587-2601.                            | 2.3 | 193       |
| 80 | Genomic sequencing reveals historical, demographic and selective factors associated with the diversification of the fire-associated fungus <i>Neurospora discreta</i> . Molecular Ecology, 2015, 24, 5657-5675.     | 3.9 | 32        |
| 81 | Neon: An R Package to Estimate Human Effective Population Size and Divergence Time from Patterns of Linkage Disequilibrium between SNPS. Journal of Computer Science and Systems Biology, 2015, 8, .                | 0.0 | 28        |
| 82 | A survey of polymorphisms detected from sequences of popular beef breeds1,2,3. Journal of Animal Science, 2015, 93, 5128-5143.  | 0.5 | 36        |
| 83 | Revisiting demographic processes in cattle with genome-wide population genetic analysis. Frontiers in Genetics, 2015, 6, 191.   | 2.3 | 45        |
| 84 | Commentary: Portuguese crypto-Jews: the genetic heritage of a complex history. Frontiers in Genetics, 2015, 6, 261.   | 2.3 | 0         |
| 85 | Comparative Population Genomics of African Montane Forest Mammals Support Population Persistence across a Climatic Gradient and Quaternary Climatic Cycles. PLoS ONE, 2015, 10, e0131800.                           | 2.5 | 28        |
| 86 | Genetic Admixture. , 2015, , 887-897.   |     | 0         |
| 87 | Full-genome evolutionary histories of selfing, splitting, and selection in <i>Caenorhabditis</i> . Genome Research, 2015, 25, 667-678.  | 5.5 | 92        |
| 88 | Genome-wide signatures of male-mediated migration shaping the Indian gene pool. Journal of Human Genetics, 2015, 60, 493-499.   | 2.3 | 22        |
| 89 | Inference of Gorilla Demographic and Selective History from Whole-Genome Sequence Data. Molecular Biology and Evolution, 2015, 32, 600-612.   | 8.9 | 55        |
| 90 | Detecting individual ancestry in the human genome. Investigative Genetics, 2015, 6, 7.  | 3.3 | 19        |
| 91 | Genome-wide ancestry of 17th-century enslaved Africans from the Caribbean. Proceedings of the National Academy of Sciences of the United States of America, 2015, 112, 3669-3673.                                   | 7.1 | 110       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 92  | Unravelling the Genetic History of Negritos and Indigenous Populations of Southeast Asia. <i>Genome Biology and Evolution</i> , 2015, 7, 1206-1215.  | 2.5  | 63        |
| 93  | Evolution of stickleback in 50 years on earthquake-uplifted islands. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E7204-12.   | 7.1  | 156       |
| 94  | Genome-Wide Scan for Adaptive Divergence and Association with Population-Specific Covariates. <i>Genetics</i> , 2015, 201, 1555-1579.  | 2.9  | 374       |
| 95  | Intraspecific Polymorphism, Interspecific Divergence, and the Origins of Function-Altering Mutations in Deer Mouse Hemoglobin. <i>Molecular Biology and Evolution</i> , 2015, 32, 978-997.                                       | 8.9  | 88        |
| 96  | Uncovering the Genetic History of the Present-Day Greenlandic Population. <i>American Journal of Human Genetics</i> , 2015, 96, 54-69.   | 6.2  | 85        |
| 97  | Statistical Inference on Genetic Data Reveals the Complex Demographic History of Human Populations in Central Asia. <i>Molecular Biology and Evolution</i> , 2015, 32, 1411-1424.  | 8.9  | 27        |
| 98  | Ancient genomics. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20130387.   | 4.0  | 142       |
| 99  | A coalescent-based method for population tree inference with haplotypes. <i>Bioinformatics</i> , 2015, 31, 691-698.  | 4.1  | 9         |
| 100 | Human Population Movements. , 2015, , 219-233.   |      | 0         |
| 101 | Northâ€“South Colonization Associated with Local Adaptation of the Wild Tomato Species<i>Solanum chilense</i>. <i>Molecular Biology and Evolution</i> , 2015, 32, 2932-2943.   | 8.9  | 47        |
| 102 | A Genomic Portrait of Haplotype Diversity and Signatures of Selection in Indigenous Southern African Populations. <i>PLoS Genetics</i> , 2015, 11, e1005052.   | 3.5  | 42        |
| 103 | Genomic evidence for the Pleistocene and recent population history of Native Americans. <i>Science</i> , 2015, 349, aab3884.   | 12.6 | 449       |
| 104 | Mitogenomic Meta-Analysis Identifies Two Phases of Migration in the History of Eastern Eurasian Sheep. <i>Molecular Biology and Evolution</i> , 2015, 32, 2515-2533.   | 8.9  | 122       |
| 105 | Posterior predictive checks to quantify lack-of-fit in admixture models of latent population structure. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E3441-50.            | 7.1  | 11        |
| 106 | Current state of research in ethnogenomics: Genome-wide analysis and uniparental markers. <i>Russian Journal of Genetics</i> , 2015, 51, 418-429.  | 0.6  | 0         |
| 107 | Genomic Analyses Reveal Potential Independent Adaptation to High Altitude in Tibetan Chickens. <i>Molecular Biology and Evolution</i> , 2015, 32, 1880-1889.   | 8.9  | 193       |
| 108 | Complex histories of repeated gene flow in Cameroon crater lake cichlids cast doubt on one of the clearest examples of sympatric speciation. <i>Evolution; International Journal of Organic Evolution</i> , 2015, 69, 1406-1422. | 2.3  | 122       |
| 109 | The Kalash Genetic Isolate: Ancient Divergence, Drift, and Selection. <i>American Journal of Human Genetics</i> , 2015, 96, 775-783.   | 6.2  | 46        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 110 | Single Geographic Origin of a Widespread Autotetraploid <i>Arabidopsis arenosa</i> Lineage Followed by Interploidy Admixture. <i>Molecular Biology and Evolution</i> , 2015, 32, 1382-1395.                                      | 8.9  | 120       |
| 111 | Genetic structure in village dogs reveals a Central Asian domestication origin. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 13639-13644.                                 | 7.1  | 192       |
| 112 | Evidence of <i>Bos javanicus</i> x <i>Bos indicus</i> hybridization and major QTLs for birth weight in Indonesian Peranakan Ongole cattle. <i>BMC Genetics</i> , 2015, 16, 75.   | 2.7  | 23        |
| 113 | A Common Genetic Origin for Early Farmers from Mediterranean Cardial and Central European LBK Cultures. <i>Molecular Biology and Evolution</i> , 2015, 32, msv181.   | 8.9  | 155       |
| 114 | Evidence of long-term gene flow and selection during domestication from analyses of Eurasian wild and domestic pig genomes. <i>Nature Genetics</i> , 2015, 47, 1141-1148.  | 21.4 | 263       |
| 115 | Ancient genomes link early farmers from Atapuerca in Spain to modern-day Basques. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, 11917-11922.                               | 7.1  | 255       |
| 116 | RAD sequencing and genomic simulations resolve hybrid origins within North American <i>Canis</i> . <i>Biology Letters</i> , 2015, 11, 20150303.  | 2.3  | 40        |
| 117 | Inference Under a Wright-Fisher Model Using an Accurate Beta Approximation. <i>Genetics</i> , 2015, 201, 1133-1141.  | 2.9  | 21        |
| 118 | On the origin of mongrels: evolutionary history of free-breeding dogs in Eurasia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2015, 282, 20152189.  | 2.6  | 43        |
| 119 | Tracking the origins of Yakutian horses and the genetic basis for their fast adaptation to subarctic environments. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E6889-97. | 7.1  | 139       |
| 120 | Genome sequencing of the extinct Eurasian wild aurochs, <i>Bos primigenius</i> , illuminates the phylogeography and evolution of cattle. <i>Genome Biology</i> , 2015, 16, 234.  | 8.8  | 178       |
| 121 | Stable recombination hotspots in birds. <i>Science</i> , 2015, 350, 928-932.   | 12.6 | 280       |
| 122 | Methods and models for unravelling human evolutionary history. <i>Nature Reviews Genetics</i> , 2015, 16, 727-740.   | 16.3 | 166       |
| 123 | The future of ancient DNA: Technical advances and conceptual shifts. <i>BioEssays</i> , 2015, 37, 284-293.   | 2.5  | 209       |
| 124 | Insights into the origin of rare haplogroup C3* Y chromosomes in South America from high-density autosomal SNP genotyping. <i>Forensic Science International: Genetics</i> , 2015, 15, 115-120.                                  | 3.1  | 10        |
| 125 | Static and Moving Frontiers: The Genetic Landscape of Southern African Bantu-Speaking Populations. <i>Molecular Biology and Evolution</i> , 2015, 32, 29-43.   | 8.9  | 48        |
| 126 | Simple and cost-effective 14-loci SNP assay designed for differentiation of European, East Asian and African samples. <i>Forensic Science International: Genetics</i> , 2015, 14, 42-49.   | 3.1  | 17        |
| 127 | Admixture into and within sub-Saharan Africa. <i>ELife</i> , 2016, 5, .  | 6.0  | 120       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 128 | Inferring Phylogenetic Networks with Maximum Pseudolikelihood under Incomplete Lineage Sorting. PLoS Genetics, 2016, 12, e1005896.   | 3.5  | 348       |
| 129 | Multispecies Outcomes of Sympatric Speciation after Admixture with the Source Population in Two Radiations of Nicaraguan Crater Lake Cichlids. PLoS Genetics, 2016, 12, e1006157.                                  | 3.5  | 97        |
| 130 | Phylogeographic Analysis of <i>Blastomyces dermatitidis</i> and <i>Blastomyces gilchristii</i> Reveals an Association with North American Freshwater Drainage Basins. PLoS ONE, 2016, 11, e0159396.                | 2.5  | 34        |
| 131 | Use of Population Genetics to Assess the Ecology, Evolution, and Population Structure of <i>Coccidioides</i> . Emerging Infectious Diseases, 2016, 22, 1022-1030.  | 4.3  | 58        |
| 132 | Whole-Genome Sequencing of Native Sheep Provides Insights into Rapid Adaptations to Extreme Environments. Molecular Biology and Evolution, 2016, 33, 2576-2592.  | 8.9  | 271       |
| 133 | Northern glacial refugia and altitudinal niche divergence shape genome-wide differentiation in the emerging plant model <i>Arabidopsis arenosa</i> . Molecular Ecology, 2016, 25, 3929-3949.                       | 3.9  | 83        |
| 134 | A genomic perspective on hybridization and speciation. Molecular Ecology, 2016, 25, 2337-2360.   | 3.9  | 458       |
| 135 | Genome-wide association study of behavioral, physiological and gene expression traits in outbred CFW mice. Nature Genetics, 2016, 48, 919-926.   | 21.4 | 119       |
| 136 | The Effects of Both Recent and Long-Term Selection and Genetic Drift Are Readily Evident in North American Barley Breeding Populations. G3: Genes, Genomes, Genetics, 2016, 6, 609-622.                            | 1.8  | 21        |
| 137 | Long-distance dispersal and barriers shape genetic structure of peatmosses ( <i>Sphagnum</i> ) across the Northern Hemisphere. Journal of Biogeography, 2016, 43, 1215-1226.                                       | 3.0  | 42        |
| 138 | The apportionment of human diversity revisited. American Journal of Physical Anthropology, 2016, 160, 561-569.   | 2.1  | 29        |
| 139 | Secondary contact and local adaptation contribute to genome-wide patterns of clinal variation in <i>Drosophila melanogaster</i> . Molecular Ecology, 2016, 25, 1157-1174.  | 3.9  | 149       |
| 140 | Malagasy Genetic Ancestry Comes from an Historical Malay Trading Post in Southeast Borneo. Molecular Biology and Evolution, 2016, 33, 2396-2400.   | 8.9  | 62        |
| 141 | Evolutionary Patterns and Processes: Lessons from Ancient DNA. Systematic Biology, 2017, 66, syw059.   | 5.6  | 73        |
| 142 | Genomic and phenotypic differentiation of <i>Arabidopsis thaliana</i> along altitudinal gradients in the North Italian Alps. Molecular Ecology, 2016, 25, 3574-3592.   | 3.9  | 47        |
| 143 | Navigating the currents of seascape genomics: how spatial analyses can augment population genomic studies. Environmental Epigenetics, 2016, 62, 581-601.   | 1.8  | 108       |
| 144 | Genome-wide SNP analysis explains coral diversity and recovery in the Ryukyu Archipelago. Scientific Reports, 2016, 5, 18211.  | 3.3  | 57        |
| 145 | The earliest maize from San Marcos Tehuac n is a partial domesticate with genomic evidence of inbreeding. Proceedings of the National Academy of Sciences of the United States of America, 2016, 113, 14151-14156. | 7.1  | 93        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 146 | Effects of Linked Selective Sweeps on Demographic Inference and Model Selection. <i>Genetics</i> , 2016, 204, 1207-1223.  | 2.9  | 144       |
| 147 | Human population history revealed by a supertree approach. <i>Scientific Reports</i> , 2016, 6, 29890.  | 3.3  | 26        |
| 148 | Genomic and Chemical Diversity in <i>Cannabis</i> . <i>Critical Reviews in Plant Sciences</i> , 2016, 35, 349-363.  | 5.7  | 115       |
| 149 | Insight into the genetic composition of South African Sanga cattle using SNP data from cattle breeds worldwide. <i>Genetics Selection Evolution</i> , 2016, 48, 88.   | 3.0  | 34        |
| 150 | Detecting the existence of gene flow between Spanish and North African goats through a coalescent approach. <i>Scientific Reports</i> , 2016, 6, 38935.   | 3.3  | 10        |
| 151 | Statistical Inference in the Wright-Fisher Model Using Allele Frequency Data. <i>Systematic Biology</i> , 2016, 66, syw056.   | 5.6  | 46        |
| 152 | An algorithm for computing the gene tree probability under the multispecies coalescent and its application in the inference of population tree. <i>Bioinformatics</i> , 2016, 32, i225-i233.  | 4.1  | 12        |
| 153 | Inferring rooted population trees using asymmetric neighbor joining. <i>Annals of Applied Statistics</i> , 2016, 10, .  | 1.1  | 2         |
| 154 | A genome-wide assessment of genetic diversity and population structure of Korean native cattle breeds. <i>BMC Genetics</i> , 2016, 17, 139.   | 2.7  | 19        |
| 155 | Local and global patterns of admixture and population structure in Iranian native cattle. <i>BMC Genetics</i> , 2016, 17, 108.  | 2.7  | 42        |
| 156 | Phylogeographic and population genetic analyses reveal multiple species of <i>Boa</i> and independent origins of insular dwarfism. <i>Molecular Phylogenetics and Evolution</i> , 2016, 102, 104-116.                                     | 2.7  | 47        |
| 157 | Genealogies: Pedigrees and Phylogenies are Reticulating Networks Not Just Divergent Trees. <i>Evolutionary Biology</i> , 2016, 43, 456-473.   | 1.1  | 57        |
| 158 | Urbanization shapes the demographic history of a native rodent (the white-footed mouse,) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 262 Td</i>   | 2.3  | 24        |
| 159 | The cryptic origins of evolutionary novelty: 1000-fold faster trophic diversification rates without increased ecological opportunity or hybrid swarm. <i>Evolution; International Journal of Organic Evolution</i> , 2016, 70, 2504-2519. | 2.3  | 33        |
| 160 | Statistical methods for analyzing ancient DNA from hominins. <i>Current Opinion in Genetics and Development</i> , 2016, 41, 72-76.  | 3.3  | 26        |
| 161 | Recent advances in the study of fine-scale population structure in humans. <i>Current Opinion in Genetics and Development</i> , 2016, 41, 98-105.   | 3.3  | 47        |
| 162 | Distinguishing contemporary hybridization from past introgression with postgenomic ancestry-informative <i>SNPs</i> in strongly differentiated <i>Ciona</i> species. <i>Molecular Ecology</i> , 2016, 25, 5527-5542.                      | 3.9  | 50        |
| 163 | Genomic insights into the peopling of the Southwest Pacific. <i>Nature</i> , 2016, 538, 510-513.  | 27.8 | 262       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 164 | The Demographic Development of the First Farmers in Anatolia. <i>Current Biology</i> , 2016, 26, 2659-2666.  | 3.9  | 163       |
| 165 | Genome-wide SNP data suggest complex ancestry of sympatric North Pacific killer whale ecotypes. <i>Heredity</i> , 2016, 117, 316-325.  | 2.6  | 35        |
| 166 | Native American Genomics and Population Histories. <i>Annual Review of Anthropology</i> , 2016, 45, 319-340.   | 1.5  | 49        |
| 167 | Domestication history and geographical adaptation inferred from a SNP map of African rice. <i>Nature Genetics</i> , 2016, 48, 1083-1088.   | 21.4 | 158       |
| 168 | Posterior predictive checks of coalescent models: P2C2M, an R package. <i>Molecular Ecology Resources</i> , 2016, 16, 193-205.   | 4.8  | 21        |
| 169 | Inbreeding and purging at the genomic Level: the Chillingham cattle reveal extensive, nonrandom SNP heterozygosity. <i>Animal Genetics</i> , 2016, 47, 19-27.                          | 1.7  | 46        |
| 170 | Commonalities in Development of Pure Breeds and Population Isolates Revealed in the Genome of the Sardinian Fonni's Dog. <i>Genetics</i> , 2016, 204, 737-755.                         | 2.9  | 33        |
| 171 | Species Trees, Inference of. , 2016, , 236-244.  |      | 5         |
| 172 | A time transect of exomes from a Native American population before and after European contact. <i>Nature Communications</i> , 2016, 7, 13175.  | 12.8 | 134       |
| 173 | Draft genome sequence of an elite <i>Dura</i> palm and whole-genome patterns of DNA variation in oil palm. <i>DNA Research</i> , 2016, 23, 527-533.                                    | 3.4  | 34        |
| 174 | Geographic Population Structure in Epstein-Barr Virus Revealed by Comparative Genomics. <i>Genome Biology and Evolution</i> , 2016, 8, 3284-3291.                                      | 2.5  | 29        |
| 175 | Worldwide genetic and cultural change in human evolution. <i>Current Opinion in Genetics and Development</i> , 2016, 41, 85-92.  | 3.3  | 22        |
| 176 | Characterization of Greater Middle Eastern genetic variation for enhanced disease gene discovery. <i>Nature Genetics</i> , 2016, 48, 1071-1076.  | 21.4 | 314       |
| 177 | Genomic analysis of Andamanese provides insights into ancient human migration into Asia and adaptation. <i>Nature Genetics</i> , 2016, 48, 1066-1070.                                  | 21.4 | 126       |
| 178 | Contrasting Linguistic and Genetic Origins of the Asian Source Populations of Malagasy. <i>Scientific Reports</i> , 2016, 6, 26066.  | 3.3  | 48        |
| 179 | Genome Sequence of a 5,310-Year-Old Maize Cob Provides Insights into the Early Stages of Maize Domestication. <i>Current Biology</i> , 2016, 26, 3195-3201.                            | 3.9  | 130       |
| 180 | Diversification in wild populations of the model organism <i>Anolis carolinensis</i> : A genome-wide phylogeographic investigation. <i>Ecology and Evolution</i> , 2016, 6, 8115-8125. | 1.9  | 17        |
| 181 | Genome-culture coevolution promotes rapid divergence of killer whale ecotypes. <i>Nature Communications</i> , 2016, 7, 11693.  | 12.8 | 222       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 182 | Complex interplay between neutral and adaptive evolution shaped differential genomic background and disease susceptibility along the Italian peninsula. <i>Scientific Reports</i> , 2016, 6, 32513.               | 3.3  | 41        |
| 183 | Chimpanzee genomic diversity reveals ancient admixture with bonobos. <i>Science</i> , 2016, 354, 477-481.   | 12.6 | 230       |
| 184 | Ancient Human Migration after Out-of-Africa. <i>Scientific Reports</i> , 2016, 6, 26565.  | 3.3  | 15        |
| 185 | Full circumpolar migration ensures evolutionary unity in the Emperor penguin. <i>Nature Communications</i> , 2016, 7, 11842.  | 12.8 | 43        |
| 186 | Evolution of heterogeneous genome differentiation across multiple contact zones in a crow species complex. <i>Nature Communications</i> , 2016, 7, 13195.   | 12.8 | 156       |
| 187 | Genomic study of the Ket: a Paleo-Eskimo-related ethnic group with significant ancient North Eurasian ancestry. <i>Scientific Reports</i> , 2016, 6, 20768.   | 3.3  | 48        |
| 188 | Global population divergence and admixture of the brown rat ( <i>Rattus norvegicus</i> ). <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20161762.                                   | 2.6  | 119       |
| 189 | Population Structure of UK Biobank and Ancient Eurasians Reveals Adaptation at Genes Influencing Blood Pressure. <i>American Journal of Human Genetics</i> , 2016, 99, 1130-1139.                                 | 6.2  | 53        |
| 190 | Beyond Serial Founder Effects: The Impact of Admixture and Localized Gene Flow on Patterns of Regional Genetic Diversity. <i>Human Biology</i> , 2016, 88, 219.   | 0.2  | 11        |
| 191 | Rice Chloroplast Genome Variation Architecture and Phylogenetic Dissection in Diverse <i>Oryza</i> Species Assessed by Whole-Genome Resequencing. <i>Rice</i> , 2016, 9, 57.                                      | 4.0  | 63        |
| 192 | Random genetic drift, natural selection, and noise in human cranial evolution. <i>American Journal of Physical Anthropology</i> , 2016, 160, 582-592.   | 2.1  | 31        |
| 193 | Reticulate evolutionary history and extensive introgression in mosquito species revealed by phylogenetic network analysis. <i>Molecular Ecology</i> , 2016, 25, 2361-2372.  | 3.9  | 98        |
| 194 | Worldwide variation in hip fracture incidence weakly aligns with genetic divergence between populations. <i>Osteoporosis International</i> , 2016, 27, 2867-2872.   | 3.1  | 9         |
| 195 | The Complex Admixture History and Recent Southern Origins of Siberian Populations. <i>Molecular Biology and Evolution</i> , 2016, 33, 1777-1795.  | 8.9  | 65        |
| 196 | Whole-exome sequencing to analyze population structure, parental inbreeding, and familial linkage. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 6713-6718. | 7.1  | 53        |
| 197 | Genomic and archaeological evidence suggest a dual origin of domestic dogs. <i>Science</i> , 2016, 352, 1228-1231.  | 12.6 | 366       |
| 198 | The multivariate Wright-Fisher process with mutation: Moment-based analysis and inference using a hierarchical Beta model. <i>Theoretical Population Biology</i> , 2016, 108, 36-50.                              | 1.1  | 6         |
| 199 | Multi-layered population structure in Island Southeast Asians. <i>European Journal of Human Genetics</i> , 2016, 24, 1605-1611.   | 2.8  | 50        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 200 | Genomic survey provides insights into the evolutionary changes that occurred during European expansion of the invasive mosquitofish ( <i>Gambusia holbrooki</i> ). <i>Molecular Ecology</i> , 2016, 25, 1089-1105.                 | 3.9  | 38        |
| 201 | Detecting hybridization using ancient <i>scp</i> DNA. <i>Molecular Ecology</i> , 2016, 25, 2398-2412.  | 3.9  | 37        |
| 202 | Diabolical survival in Death Valley: recent pupfish colonization, gene flow and genetic assimilation in the smallest species range on earth. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2016, 283, 20152334. | 2.6  | 64        |
| 203 | Iron Age and Anglo-Saxon genomes from East England reveal British migration history. <i>Nature Communications</i> , 2016, 7, 10408.  | 12.8 | 144       |
| 204 | Out of Africa and into Asia: Fossil and genetic evidence on modern human origins and dispersals. <i>Quaternary International</i> , 2016, 416, 249-262.   | 1.5  | 29        |
| 205 | Out of southern East Asia: the natural history of domestic dogs across the world. <i>Cell Research</i> , 2016, 26, 21-33.  | 12.0 | 271       |
| 206 | Population Variation Reveals Independent Selection toward Small Body Size in Chinese Debaos Pony. <i>Genome Biology and Evolution</i> , 2016, 8, 42-50.  | 2.5  | 57        |
| 207 | Testing for Ancient Selection Using Cross-population Allele Frequency Differentiation. <i>Genetics</i> , 2016, 202, 733-750.   | 2.9  | 101       |
| 208 | Visualizing spatial population structure with estimated effective migration surfaces. <i>Nature Genetics</i> , 2016, 48, 94-100.   | 21.4 | 445       |
| 209 | <i>R2d2</i> Drives Selfish Sweeps in the House Mouse. <i>Molecular Biology and Evolution</i> , 2016, 33, 1381-1395.  | 8.9  | 55        |
| 210 | Population genomics of divergence among extreme and intermediate color forms in a polymorphic insect. <i>Ecology and Evolution</i> , 2016, 6, 1075-1091.   | 1.9  | 31        |
| 211 | Independent Origins of Yeast Associated with Coffee and Cacao Fermentation. <i>Current Biology</i> , 2016, 26, 965-971.  | 3.9  | 69        |
| 212 | Genomic Characterization of a South American <i>Phytophthora</i> Hybrid Mandates Reassessment of the Geographic Origins of <i>Phytophthora infestans</i> . <i>Molecular Biology and Evolution</i> , 2016, 33, 478-491.             | 8.9  | 48        |
| 213 | Inference and Analysis of Population Structure Using Genetic Data and Network Theory. <i>Genetics</i> , 2016, 202, 1299-1312.  | 2.9  | 38        |
| 214 | Introgression maintains the genetic integrity of the mating-type determining chromosome of the fungus <i>Neurospora tetrasperma</i> . <i>Genome Research</i> , 2016, 26, 486-498.  | 5.5  | 39        |
| 215 | Genetic evidence for an origin of the Armenians from Bronze Age mixing of multiple populations. <i>European Journal of Human Genetics</i> , 2016, 24, 931-936.   | 2.8  | 44        |
| 216 | Admixture, Population Structure, and <i>F</i> -Statistics. <i>Genetics</i> , 2016, 202, 1485-1501.   | 2.9  | 202       |
| 217 | The Kalash Genetic Isolate? The Evidence for Recent Admixture. <i>American Journal of Human Genetics</i> , 2016, 98, 396-397.  | 6.2  | 6         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 218 | Origins of cattle on Chirikof Island, Alaska, elucidated from genome-wide SNP genotypes. <i>Heredity</i> , 2016, 116, 502-505.  | 2.6 | 16        |
| 219 | Genomic Evidence Establishes Anatolia as the Source of the European Neolithic Gene Pool. <i>Current Biology</i> , 2016, 26, 270-275.  | 3.9 | 111       |
| 220 | Indigenous Arabs are descendants of the earliest split from ancient Eurasian populations. <i>Genome Research</i> , 2016, 26, 151-162.   | 5.5 | 89        |
| 221 | Deep History of East Asian Populations Revealed Through Genetic Analysis of the Ainu. <i>Genetics</i> , 2016, 202, 261-272.   | 2.9 | 28        |
| 222 | Coevolution of genes and languages and high levels of population structure among the highland populations of Daghestan. <i>Journal of Human Genetics</i> , 2016, 61, 181-191.   | 2.3 | 27        |
| 223 | Population connectivity and genetic structure of burbot ( <i>Lota lota</i> ) populations in the Wind River Basin, Wyoming. <i>Hydrobiologia</i> , 2016, 765, 329-342.   | 2.0 | 25        |
| 224 | Processes Driving the Adaptive Radiation of a Tropical Tree ( <i>Diospyros</i> , Ebenaceae) in New Caledonia, a Biodiversity Hotspot. <i>Systematic Biology</i> , 2016, 65, 212-227.  | 5.6 | 98        |
| 225 | Island floras as model systems for studies of plant speciation: Prospects and challenges. <i>Journal of Systematics and Evolution</i> , 2017, 55, 1-15.   | 3.1 | 28        |
| 226 | Reconstructing the population history of the largest tribe of India: the Dravidian speaking Gond. <i>European Journal of Human Genetics</i> , 2017, 25, 493-498.  | 2.8 | 12        |
| 227 | Overcoming the dichotomy between open and isolated populations using genomic data from a large European dataset. <i>Scientific Reports</i> , 2017, 7, 41614.  | 3.3 | 15        |
| 228 | A working model of the deep relationships of diverse modern human genetic lineages outside of Africa. <i>Molecular Biology and Evolution</i> , 2017, 34, msw293.  | 8.9 | 55        |
| 229 | Zonkey: A simple, accurate and sensitive pipeline to genetically identify equine F1-hybrids in archaeological assemblages. <i>Journal of Archaeological Science</i> , 2017, 78, 147-157.  | 2.4 | 44        |
| 230 | Human Biological and Psychological Diversity. <i>Evolutionary Psychological Science</i> , 2017, 3, 159-180.   | 1.3 | 32        |
| 231 | Genome-wide Analysis in Brazilians Reveals Highly Differentiated Native American Genome Regions. <i>Molecular Biology and Evolution</i> , 2017, 34, msw249.   | 8.9 | 21        |
| 232 | Multilocus phylogeny of alligator lizards ( <i>Elgaria</i> , Anguidae): Testing mtDNA introgression as the source of discordant molecular phylogenetic hypotheses. <i>Molecular Phylogenetics and Evolution</i> , 2017, 110, 104-121. | 2.7 | 32        |
| 233 | Application of network methods for understanding evolutionary dynamics in discrete habitats. <i>Molecular Ecology</i> , 2017, 26, 2850-2863.  | 3.9 | 15        |
| 234 | The origin of chow chows in the light of the East Asian breeds. <i>BMC Genomics</i> , 2017, 18, 174.  | 2.8 | 8         |
| 235 | The genome landscape of indigenous African cattle. <i>Genome Biology</i> , 2017, 18, 34.  | 8.8 | 211       |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 236 | Population genomics reveals that an anthropophilic population of <i>Aedes aegypti</i> mosquitoes in West Africa recently gave rise to American and Asian populations of this major disease vector. <i>BMC Biology</i> , 2017, 15, 16. | 3.8  | 96        |
| 237 | Wide but not impermeable: Testing the riverine barrier hypothesis for an Amazonian plant species. <i>Molecular Ecology</i> , 2017, 26, 3636-3648.   | 3.9  | 52        |
| 238 | How Do Cold-Adapted Plants Respond to Climatic Cycles? Interglacial Expansion Explains Current Distribution and Genomic Diversity in <i>Primula farinosa</i> L.. <i>Systematic Biology</i> , 2017, 66, 715-736.                       | 5.6  | 26        |
| 239 | Consequences of divergence and introgression for speciation in Andean cloud forest birds. <i>Evolution; International Journal of Organic Evolution</i> , 2017, 71, 1815-1831.   | 2.3  | 33        |
| 240 | Genomic evidence of hybridization between two independent invasions of European green crab ( <i>Carcinus maenas</i> ) in the Northwest Atlantic. <i>Heredity</i> , 2017, 119, 154-165.  | 2.6  | 31        |
| 241 | Patterns of Genome-Wide Diversity and Population Structure in the <i>Drosophila athabasca</i> Species Complex. <i>Molecular Biology and Evolution</i> , 2017, 34, 1912-1923.  | 8.9  | 17        |
| 242 | Phylogenomic analysis of a rapid radiation of misfit fishes (Syngnathiformes) using ultraconserved elements. <i>Molecular Phylogenetics and Evolution</i> , 2017, 113, 33-48.   | 2.7  | 49        |
| 243 | Shedding light on the Imps of Darkness: an integrative taxonomic revision of the Galápagos marine iguanas (genus <i>Amblyrhynchus</i> ). <i>Zoological Journal of the Linnean Society</i> , 2017, 181, 678-710.                       | 2.3  | 25        |
| 244 | Genomic Analyses Reveal the Influence of Geographic Origin, Migration, and Hybridization on Modern Dog Breed Development. <i>Cell Reports</i> , 2017, 19, 697-708.  | 6.4  | 291       |
| 245 | Ancient genomic changes associated with domestication of the horse. <i>Science</i> , 2017, 356, 442-445.  | 12.6 | 185       |
| 246 | Genetic variation architecture of mitochondrial genome reveals the differentiation in Korean landrace and weedy rice. <i>Scientific Reports</i> , 2017, 7, 43327.   | 3.3  | 13        |
| 247 | The last sea nomads of the Indonesian archipelago: genomic origins and dispersal. <i>European Journal of Human Genetics</i> , 2017, 25, 1004-1010.  | 2.8  | 21        |
| 248 | Human ancestry correlates with language and reveals that race is not an objective genomic classifier. <i>Scientific Reports</i> , 2017, 7, 1572.  | 3.3  | 66        |
| 249 | Fast admixture analysis and population tree estimation for SNP and NGS data. <i>Bioinformatics</i> , 2017, 33, 2148-2155.   | 4.1  | 40        |
| 250 | Unraveling the Population History of Indian Siddis. <i>Genome Biology and Evolution</i> , 2017, 9, 1385-1392.   | 2.5  | 2         |
| 251 | Disentangling Timing of Admixture, Patterns of Introgression, and Phenotypic Indicators in a Hybridizing Wolf Population. <i>Molecular Biology and Evolution</i> , 2017, 34, 2324-2339.   | 8.9  | 62        |
| 252 | Isolation by distance and isolation by environment contribute to population differentiation in <i>Protea repens</i> (Proteaceae L.), a widespread South African species. <i>American Journal of Botany</i> , 2017, 104, 674-684.      | 1.7  | 21        |
| 253 | Species boundaries in the human pathogen <i>Paracoccidioides</i> . <i>Fungal Genetics and Biology</i> , 2017, 106, 9-25.  | 2.1  | 228       |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 254 | Adaptive differentiation coincides with local bioclimatic conditions along an elevational cline in populations of a lichen-forming fungus. <i>BMC Evolutionary Biology</i> , 2017, 17, 93.                                     | 3.2  | 39        |
| 255 | Coral hybridization or phenotypic variation? Genomic data reveal gene flow between <i>Porites lobata</i> and <i>P. Compressa</i> . <i>Molecular Phylogenetics and Evolution</i> , 2017, 111, 132-148.                          | 2.7  | 59        |
| 256 | Ancient individuals from the North American Northwest Coast reveal 10,000 years of regional genetic continuity. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4093-4098. | 7.1  | 100       |
| 257 | Asian wild rice is a hybrid swarm with extensive gene flow and feralization from domesticated rice. <i>Genome Research</i> , 2017, 27, 1029-1038.  | 5.5  | 100       |
| 258 | Genomewide <scp>SNP</scp> data reveal cryptic phylogeographic structure and microallopatric divergence in a rapidly adapted clade of cichlids from the Congo River. <i>Molecular Ecology</i> , 2017, 26, 1401-1419.            | 3.9  | 38        |
| 259 | Genomic and phenotypic evidence for an incomplete domestication of South American grain amaranth (<i>Amaranthus caudatus</i>). <i>Molecular Ecology</i> , 2017, 26, 871-886.   | 3.9  | 43        |
| 260 | Human evolution: a tale from ancient genomes. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2017, 372, 20150484.   | 4.0  | 51        |
| 261 | Reconstructing genetic history of Siberian and Northeastern European populations. <i>Genome Research</i> , 2017, 27, 1-14.   | 5.5  | 87        |
| 262 | Estimating mobility using sparse data: Application to human genetic variation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 12213-12218.                                | 7.1  | 37        |
| 263 | PhyloNetworks: A Package for Phylogenetic Networks. <i>Molecular Biology and Evolution</i> , 2017, 34, 3292-3298.  | 8.9  | 250       |
| 264 | Reconstructing Prehistoric African Population Structure. <i>Cell</i> , 2017, 171, 59-71.e21.   | 28.9 | 308       |
| 265 | Genetic Ancestry of Rapanui before and after European Contact. <i>Current Biology</i> , 2017, 27, 3209-3215.e6.  | 3.9  | 25        |
| 266 | 40,000-Year-Old Individual from Asia Provides Insight into Early Population Structure in Eurasia. <i>Current Biology</i> , 2017, 27, 3202-3208.e9.   | 3.9  | 191       |
| 267 | Demographic history and biologically relevant genetic variation of Native Mexicans inferred from whole-genome sequencing. <i>Nature Communications</i> , 2017, 8, 1005.  | 12.8 | 44        |
| 268 | Population admixture in Chinese and European <i>Sus scrofa</i> . <i>Scientific Reports</i> , 2017, 7, 13178.   | 3.3  | 5         |
| 269 | Wild Mouse Gut Microbiota Promotes Host Fitness and Improves Disease Resistance. <i>Cell</i> , 2017, 171, 1015-1028.e13.   | 28.9 | 603       |
| 270 | The Genetic Legacy of Zoroastrianism in Iran and India: Insights into Population Structure, Gene Flow, and Selection. <i>American Journal of Human Genetics</i> , 2017, 101, 353-368.  | 6.2  | 19        |
| 271 | RENT+: an improved method for inferring local genealogical trees from haplotypes with recombination. <i>Bioinformatics</i> , 2017, 33, 1021-1030.  | 4.1  | 22        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 272 | Modeling the Multiple Facets of Speciation-with-Gene-Flow toward Inferring the Divergence History of Lake Whitefish Species Pairs ( <i>Coregonus clupeaformis</i> ). <i>Genome Biology and Evolution</i> , 2017, 9, 2057-2074.                      | 2.5  | 120       |
| 273 | Admixture on the northern front: population genomics of range expansion in the white-footed mouse ( <i>Peromyscus leucopus</i> ) and secondary contact with the deer mouse ( <i>Peromyscus maniculatus</i> ). <i>Heredity</i> , 2017, 119, 447-458. | 2.6  | 27        |
| 274 | Genomic signatures of adaptive introgression from European mouflon into domestic sheep. <i>Scientific Reports</i> , 2017, 7, 7623.  | 3.3  | 92        |
| 275 | Discerning the Origins of the Negritos, First Sundaland People: Deep Divergence and Archaic Admixture. <i>Genome Biology and Evolution</i> , 2017, 9, 2013-2022.  | 2.5  | 54        |
| 276 | Genomic variation across cervid species in respect to the estimation of red deer diversity. <i>Acta Veterinaria</i> , 2017, 67, 43-56.  | 0.5  | 4         |
| 277 | The Discovery of Wild Date Palms in Oman Reveals a Complex Domestication History Involving Centers in the Middle East and Africa. <i>Current Biology</i> , 2017, 27, 2211-2218.e8.  | 3.9  | 63        |
| 278 | Nuclear genomes distinguish cryptic species suggested by their DNA barcodes and ecology. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 8313-8318.   | 7.1  | 89        |
| 279 | Genomic landscape of human diversity across Madagascar. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, E6498-E6506.  | 7.1  | 77        |
| 280 | Genome-scale data reveal that endemic <i>Poecilia</i> populations from small sulphidic springs display no evidence of inbreeding. <i>Molecular Ecology</i> , 2017, 26, 4920-4934.   | 3.9  | 8         |
| 281 | Effective Dispersal of Caribbean Reef Fish is Smaller than Current Spacing Among Marine Protected Areas. <i>Scientific Reports</i> , 2017, 7, 4689.   | 3.3  | 15        |
| 282 | RADseq provides evidence for parallel ecotypic divergence in the autotetraploid <i>Cochlearia officinalis</i> in Northern Norway. <i>Scientific Reports</i> , 2017, 7, 5573.  | 3.3  | 30        |
| 283 | Genomic estimation of complex traits reveals ancient maize adaptation to temperate North America. <i>Science</i> , 2017, 357, 512-515.  | 12.6 | 169       |
| 284 | Genomic analyses suggest parallel ecological divergence in <i>Heliosperma pusillum</i> (Caryophyllaceae). <i>New Phytologist</i> , 2017, 216, 267-278.  | 7.3  | 58        |
| 285 | Isolation and gene flow in a speciation continuum in newts. <i>Molecular Phylogenetics and Evolution</i> , 2017, 116, 1-12.   | 2.7  | 45        |
| 286 | Dissecting the Genetic Basis of Local Adaptation in Soybean. <i>Scientific Reports</i> , 2017, 7, 17195.  | 3.3  | 37        |
| 287 | Genome diversity in the Neolithic Globular Amphorae culture and the spread of Indo-European languages. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2017, 284, 20171540.  | 2.6  | 24        |
| 288 | Rapid neo-sex chromosome evolution and incipient speciation in a major forest pest. <i>Nature Communications</i> , 2017, 8, 1593.   | 12.8 | 59        |
| 289 | Single-gene speciation: Mating and gene flow between mirror-image snails. <i>Evolution Letters</i> , 2017, 1, 282-291.  | 3.3  | 16        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 290 | The Utility of Single Nucleotide Polymorphism (SNP) Data in Phylogenetics. Annual Review of Ecology, Evolution, and Systematics, 2017, 48, 69-84.   | 8.3  | 141       |
| 291 | Tracing the origin and evolution of supergene mimicry in butterflies. Nature Communications, 2017, 8, 1269.   | 12.8 | 36        |
| 292 | Genomic Reconstruction of the History of Native Sheep Reveals the Peopling Patterns of Nomads and the Expansion of Early Pastoralism in East Asia. Molecular Biology and Evolution, 2017, 34, 2380-2395.  | 8.9  | 94        |
| 293 | Genetic structure in the Sherpa and neighboring Nepalese populations. BMC Genomics, 2017, 18, 102.  | 2.8  | 21        |
| 294 | Differentiated demographic histories and local adaptations between Sherpas and Tibetans. Genome Biology, 2017, 18, 115.   | 8.8  | 67        |
| 295 | “Like sugar in milk” reconstructing the genetic history of the Parsi population. Genome Biology, 2017, 18, 110.   | 8.8  | 29        |
| 296 | Enrichment of low-frequency functional variants revealed by whole-genome sequencing of multiple isolated European populations. Nature Communications, 2017, 8, 15927.                                     | 12.8 | 64        |
| 297 | Complex Ancient Genetic Structure and Cultural Transitions in Southern African Populations. Genetics, 2017, 205, 303-316.   | 2.9  | 50        |
| 298 | Genetic origin, admixture and population history of aurochs ( <i>Bos primigenius</i> ) and primitive European cattle. Heredity, 2017, 118, 169-176.   | 2.6  | 80        |
| 299 | Cryptic diversity in the longhorn moth <i>Nemophora degeerella</i> (Lepidoptera: Adelidae) revealed by morphology, DNA barcodes and genome-wide ddRAD-seq data. Systematic Entomology, 2017, 42, 329-346. | 3.9  | 12        |
| 300 | A partial nuclear genome of the Jomons who lived 3000 years ago in Fukushima, Japan. Journal of Human Genetics, 2017, 62, 213-221.  | 2.3  | 58        |
| 301 | genepopedit: a simple and flexible tool for manipulating multilocus molecular data in R. Molecular Ecology Resources, 2017, 17, 12-18.  | 4.8  | 52        |
| 302 | A cryptic mitochondrial DNA link between North European and West African dogs. Journal of Genetics and Genomics, 2017, 44, 163-170.   | 3.9  | 11        |
| 303 | Hybrids and horizontal transfer: introgression allows adaptive allele discovery. Journal of Experimental Botany, 2017, 68, 5453-5470.   | 4.8  | 24        |
| 304 | Genome Sequences Reveal Cryptic Speciation in the Human Pathogen <i>Histoplasma capsulatum</i> . MBio, 2017, 8, .   | 4.1  | 112       |
| 305 | Lateral transfer in Stochastic Dollo models. Annals of Applied Statistics, 2017, 11, .  | 1.1  | 7         |
| 306 | Admixture and Ancestry Inference from Ancient and Modern Samples through Measures of Population Genetic Drift. Human Biology, 2017, 89, 21.   | 0.2  | 30        |
| 307 | Demographic cognitive patterns revealed from human genome. , 2017, , .  |      | 0         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 308 | Genomic Signature of Adaptive Divergence despite Strong Nonadaptive Forces on Edaphic Islands: A Case Study of <i>Primulina juliae</i> . <i>Genome Biology and Evolution</i> , 2017, 9, 3495-3508. | 2.5  | 44        |
| 309 | admixturegraph: an R package for admixture graph manipulation and fitting. <i>Bioinformatics</i> , 2017, 33, 1738-1740.  | 4.1  | 69        |
| 310 | The Complex Demographic History and Evolutionary Origin of the Western Honey Bee, <i>Apis Mellifera</i> . <i>Genome Biology and Evolution</i> , 2017, 9, 457-472.                                  | 2.5  | 71        |
| 311 | Population Structure and Phylogenetic Relationships in a Diverse Panel of <i>Brassica rapa</i> L.. <i>Frontiers in Plant Science</i> , 2017, 8, 321.   | 3.6  | 53        |
| 312 | Whole genome structural analysis of Caribbean hair sheep reveals quantitative link to West African ancestry. <i>PLoS ONE</i> , 2017, 12, e0179021.   | 2.5  | 29        |
| 313 | Genome-wide analysis of the diversity and ancestry of Korean dogs. <i>PLoS ONE</i> , 2017, 12, e0188676.   | 2.5  | 10        |
| 314 | A latitudinal phylogeographic diversity gradient in birds. <i>PLoS Biology</i> , 2017, 15, e2001073.   | 5.6  | 52        |
| 315 | Rearrangement moves on rooted phylogenetic networks. <i>PLoS Computational Biology</i> , 2017, 13, e1005611.   | 3.2  | 15        |
| 316 | Refining the South Asian Origin of the Romani people. <i>BMC Genetics</i> , 2017, 18, 82.  | 2.7  | 26        |
| 317 | Between Lake Baikal and the Baltic Sea: genomic history of the gateway to Europe. <i>BMC Genetics</i> , 2017, 18, 110.   | 2.7  | 34        |
| 318 | Studies of modern Italian dog populations reveal multiple patterns for domestic breed evolution. <i>Ecology and Evolution</i> , 2018, 8, 2911-2925.  | 1.9  | 29        |
| 319 | Ancient genomes revisit the ancestry of domestic and Przewalski's horses. <i>Science</i> , 2018, 360, 111-114.   | 12.6 | 241       |
| 320 | High-dimensional asymptotics of prediction: Ridge regression and classification. <i>Annals of Statistics</i> , 2018, 46, .   | 2.6  | 79        |
| 321 | Inferring Phylogenetic Networks Using PhyloNet. <i>Systematic Biology</i> , 2018, 67, 735-740.   | 5.6  | 242       |
| 322 | Convergent genomic signatures of domestication in sheep and goats. <i>Nature Communications</i> , 2018, 9, 813.  | 12.8 | 220       |
| 323 | Genomic evidence of speciation reversal in ravens. <i>Nature Communications</i> , 2018, 9, 906.  | 12.8 | 105       |
| 324 | Natural selection interacts with recombination to shape the evolution of hybrid genomes. <i>Science</i> , 2018, 360, 656-660.  | 12.6 | 314       |
| 325 | The genome of an ancient Rouran individual reveals an important paternal lineage in the Donghu population. <i>American Journal of Physical Anthropology</i> , 2018, 166, 895-905.                  | 2.1  | 32        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 326 | Diversification of African tree frogs (genus <i>Leptopelis</i> ) in the highlands of Ethiopia. <i>Molecular Ecology</i> , 2018, 27, 2256-2270.   | 3.9  | 14        |
| 327 | The effects of recent changes in breeding preferences on maintaining traditional Dutch chicken genomic diversity. <i>Heredity</i> , 2018, 121, 564-578.  | 2.6  | 29        |
| 328 | Phylogenetic Comparative Methods on Phylogenetic Networks with Reticulations. <i>Systematic Biology</i> , 2018, 67, 800-820.   | 5.6  | 88        |
| 329 | Physiological and Genetic Adaptations to Diving in Sea Nomads. <i>Cell</i> , 2018, 173, 569-580.e15.   | 28.9 | 129       |
| 330 | The predictability of genomic changes underlying a recent host shift in Melissa blue butterflies. <i>Molecular Ecology</i> , 2018, 27, 2651-2666.  | 3.9  | 34        |
| 331 | Coestimating Reticulate Phylogenies and Gene Trees from Multilocus Sequence Data. <i>Systematic Biology</i> , 2018, 67, 439-457.   | 5.6  | 124       |
| 332 | Speciation in the presence of gene flow: population genomics of closely related and diverging <i>Eucalyptus</i> species. <i>Heredity</i> , 2018, 121, 126-141.   | 2.6  | 55        |
| 333 | Hybridization could be a common phenomenon within the highly diverse lizard genus <i>Liolaemus</i> . <i>Journal of Evolutionary Biology</i> , 2018, 31, 893-903.   | 1.7  | 24        |
| 334 | Powerful Inference with the D-Statistic on Low-Coverage Whole-Genome Data. <i>G3: Genes, Genomes, Genetics</i> , 2018, 8, 551-566.   | 1.8  | 71        |
| 335 | Population structure and ancestry of Qinchuan cattle. <i>Animal Genetics</i> , 2018, 49, 246-248.  | 1.7  | 19        |
| 336 | The demographic history of Atlantic salmon ( <i>Salmo salar</i> ) across its distribution range reconstructed from approximate Bayesian computations*. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 1261-1277. | 2.3  | 75        |
| 337 | Sympatric serpentine endemic <i>Monardella</i> (Lamiaceae) species maintain habitat differences despite hybridization. <i>Molecular Ecology</i> , 2018, 27, 2302-2316.   | 3.9  | 15        |
| 338 | Population Genomics Provides Key Insights in Ecology and Evolution. <i>Population Genomics</i> , 2018, , 483-510.  | 0.5  | 28        |
| 339 | Ecology and genomics of an important crop wild relative as a prelude to agricultural innovation. <i>Nature Communications</i> , 2018, 9, 649.  | 12.8 | 142       |
| 340 | Using features of a Creole language to reconstruct population history and cultural evolution: tracing the English origins of Sranan. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170055.  | 4.0  | 4         |
| 341 | Phenotypic and Genetic Structure Support Gene Flow Generating Gene Tree Discordances in an Amazonian Floodplain Endemic Species. <i>Systematic Biology</i> , 2018, 67, 700-718.  | 5.6  | 60        |
| 342 | Genomic structure of the native inhabitants of Peninsular Malaysia and North Borneo suggests complex human population history in Southeast Asia. <i>Human Genetics</i> , 2018, 137, 161-173.   | 3.8  | 20        |
| 343 | A model species for agricultural pest genomics: the genome of the Colorado potato beetle, <i>Leptinotarsa decemlineata</i> (Coleoptera: Chrysomelidae). <i>Scientific Reports</i> , 2018, 8, 1931.   | 3.3  | 215       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 344 | Accumulation of Mutational Load at the Edges of a Species Range. <i>Molecular Biology and Evolution</i> , 2018, 35, 781-791.   | 8.9  | 86        |
| 345 | Genomics of end-Pleistocene population replacement in a small mammal. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2018, 285, 20172624.  | 2.6  | 26        |
| 346 | Assessing the relative impact of historical divergence and inter-group transmission on cultural patterns: a method from evolutionary ecology. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170054. | 4.0  | 7         |
| 347 | Generative inference for cultural evolution. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2018, 373, 20170056.  | 4.0  | 39        |
| 348 | Detecting selection signatures on the X chromosome of the Chinese Debao pony. <i>Journal of Animal Breeding and Genetics</i> , 2018, 135, 84-92.   | 2.0  | 10        |
| 349 | Detecting Polygenic Adaptation in Admixture Graphs. <i>Genetics</i> , 2018, 208, 1565-1584.  | 2.9  | 101       |
| 350 | A Population Phylogenetic View of Mitochondrial Heteroplasmy. <i>Genetics</i> , 2018, 208, 1261-1274.  | 2.9  | 41        |
| 351 | A southern African origin and cryptic structure in the highly mobile plains zebra. <i>Nature Ecology and Evolution</i> , 2018, 2, 491-498.   | 7.8  | 32        |
| 352 | Genome-wide population structure and admixture analysis reveals weak differentiation among Ugandan goat breeds. <i>Animal Genetics</i> , 2018, 49, 59-70.  | 1.7  | 34        |
| 353 | The Evolutionary History of Nebraska Deer Mice: Local Adaptation in the Face of Strong Gene Flow. <i>Molecular Biology and Evolution</i> , 2018, 35, 792-806.  | 8.9  | 76        |
| 354 | Candidate genes involved in the evolution of viviparity: a RAD sequencing experiment in the lizard <i>Zootoca vivipara</i> (Squamata: Lacertidae). <i>Zoological Journal of the Linnean Society</i> , 2018, 183, 196-207.                          | 2.3  | 11        |
| 355 | Whole-genome sequencing reveals the extent of heterozygosity in a preferentially self-fertilizing hermaphroditic vertebrate. <i>Genome</i> , 2018, 61, 241-247.  | 2.0  | 15        |
| 356 | Ancient polymorphisms and divergence hitchhiking contribute to genomic islands of divergence within a poplar species complex. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E236-E243.       | 7.1  | 126       |
| 357 | Genomic basis and evolutionary potential for extreme drought adaptation in <i>Arabidopsis thaliana</i> . <i>Nature Ecology and Evolution</i> , 2018, 2, 352-358.   | 7.8  | 157       |
| 358 | On the decidability of population size histories from finite allele frequency spectra. <i>Theoretical Population Biology</i> , 2018, 120, 42-51.   | 1.1  | 16        |
| 359 | Consequences of multiple mating-system shifts for population and range-wide genetic structure in a coastal dune plant. <i>Molecular Ecology</i> , 2018, 27, 675-693.   | 3.9  | 18        |
| 360 | Terminal Pleistocene Alaskan genome reveals first founding population of Native Americans. <i>Nature</i> , 2018, 553, 203-207.   | 27.8 | 304       |
| 361 | The Comoros Show the Earliest Austronesian Gene Flow into the Swahili Corridor. <i>American Journal of Human Genetics</i> , 2018, 102, 58-68.  | 6.2  | 32        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 362 | Improved Maximum Parsimony Models for Phylogenetic Networks. <i>Systematic Biology</i> , 2018, 67, 518-542.   | 5.6  | 10        |
| 363 | The Gateway from Near into Remote Oceania: New Insights from Genome-Wide Data. <i>Molecular Biology and Evolution</i> , 2018, 35, 871-886.  | 8.9  | 38        |
| 364 | Ancient Genomics of Modern Humans: The First Decade. <i>Annual Review of Genomics and Human Genetics</i> , 2018, 19, 381-404.   | 6.2  | 161       |
| 365 | Inferring parsimonious migration histories for metastatic cancers. <i>Nature Genetics</i> , 2018, 50, 718-726.  | 21.4 | 93        |
| 366 | Patterns of Genetic Coding Variation in a Native American Population before and after European Contact. <i>American Journal of Human Genetics</i> , 2018, 102, 806-815.   | 6.2  | 33        |
| 367 | Genetic Ancestry of Hadza and Sandawe Peoples Reveals Ancient Population Structure in Africa. <i>Genome Biology and Evolution</i> , 2018, 10, 875-882.  | 2.5  | 6         |
| 368 | Mitonuclear discordance in wolf spiders: Genomic evidence for species integrity and introgression. <i>Molecular Ecology</i> , 2018, 27, 1681-1695.  | 3.9  | 55        |
| 369 | Inference on admixture fractions in a mechanistic model of recurrent admixture. <i>Theoretical Population Biology</i> , 2018, 122, 149-157.   | 1.1  | 9         |
| 370 | Genome-Wide Analysis of SNPs Is Consistent with No Domestic Dog Ancestry in the Endangered Mexican Wolf ( <i>Canis lupus baileyi</i> ). <i>Journal of Heredity</i> , 2018, 109, 372-383.                        | 2.4  | 16        |
| 371 | Whole-genome sequences of 89 Chinese sheep suggest role of RXFP2 in the development of unique horn phenotype as response to semi-feralization. <i>GigaScience</i> , 2018, 7, .                                  | 6.4  | 90        |
| 372 | Impacts of the Human Gut Microbiome on Therapeutics. <i>Annual Review of Pharmacology and Toxicology</i> , 2018, 58, 253-270.   | 9.4  | 74        |
| 373 | Phylogenetic Relationships, Breeding Implications, and Cultivation History of Hawaiian Taro ( <i>Colocasia Esculenta</i> ) Through Genome-Wide SNP Genotyping. <i>Journal of Heredity</i> , 2018, 109, 272-282. | 2.4  | 19        |
| 374 | Assessing the Relationship of Ancient and Modern Populations. <i>Genetics</i> , 2018, 208, 383-398.   | 2.9  | 18        |
| 375 | Genome-wide genotyping uncovers genetic profiles and history of the Russian cattle breeds. <i>Heredity</i> , 2018, 120, 125-137.  | 2.6  | 61        |
| 376 | Phylogeny and species diversity of the genus <i>Herichthys</i> (Teleostei: Cichlidae). <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2018, 56, 223-247.                                  | 1.4  | 12        |
| 377 | Genetic diversity and population structure of trifoliate yam ( <i>Dioscorea dumetorum</i> Kunth) in Cameroon revealed by genotyping-by-sequencing (GBS). <i>BMC Plant Biology</i> , 2018, 18, 359.              | 3.6  | 25        |
| 379 | The genetic prehistory of the Andean highlands 7000 years BP though European contact. <i>Science Advances</i> , 2018, 4, eaau4921.  | 10.3 | 115       |
| 380 | Early human dispersals within the Americas. <i>Science</i> , 2018, 362, .   | 12.6 | 230       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 381 | Siberian genetic diversity reveals complex origins of the Samoyedic-speaking populations. <i>American Journal of Human Biology</i> , 2018, 30, e23194.   | 1.6  | 15        |
| 382 | Whole-genome sequences of Malawi cichlids reveal multiple radiations interconnected by gene flow. <i>Nature Ecology and Evolution</i> , 2018, 2, 1940-1955.  | 7.8  | 358       |
| 383 | Genome-wide SNP profiling of worldwide goat populations reveals strong partitioning of diversity and highlights post-domestication migration routes. <i>Genetics Selection Evolution</i> , 2018, 50, 58.                                   | 3.0  | 87        |
| 384 | Range-wide genomic data synthesis reveals transatlantic vicariance and secondary contact in Atlantic cod. <i>Ecology and Evolution</i> , 2018, 8, 12140-12152.   | 1.9  | 7         |
| 385 | Signatures of selection and environmental adaptation across the goat genome post-domestication. <i>Genetics Selection Evolution</i> , 2018, 50, 57.  | 3.0  | 114       |
| 386 | Population genomics of grey wolves and wolf-like canids in North America. <i>PLoS Genetics</i> , 2018, 14, e1007745.   | 3.5  | 54        |
| 387 | Whole-genome sequencing of 175 Mongolians uncovers population-specific genetic architecture and gene flow throughout North and East Asia. <i>Nature Genetics</i> , 2018, 50, 1696-1704.  | 21.4 | 38        |
| 388 | Behavior-dependent <i>cis</i> regulation reveals genes and pathways associated with bower building in cichlid fishes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E11081-E11090.   | 7.1  | 42        |
| 389 | Paleogenomics of Animal Domestication. <i>Population Genomics</i> , 2018, , 225-272.   | 0.5  | 14        |
| 390 | Revealing the impact of the Caucasus region on the genetic legacy of Romani people from genome-wide data. <i>PLoS ONE</i> , 2018, 13, e0202890.  | 2.5  | 5         |
| 391 | Computational Tools for Population Genomics. <i>Population Genomics</i> , 2018, , 127-160.   | 0.5  | 2         |
| 392 | Genomewide <i>scn</i> SNP markers breathe new life into phylogeography and species delimitation for the problematic short-necked turtles (Chelidae: <i>Emydura</i> ) of eastern Australia. <i>Molecular Ecology</i> , 2018, 27, 5195-5213. | 3.9  | 111       |
| 393 | Genetic diversity and population structure of domestic and wild reindeer ( <i>Rangifer tarandus</i> L. 1758): A novel approach using BovineHD BeadChip. <i>PLoS ONE</i> , 2018, 13, e0207944.  | 2.5  | 11        |
| 394 | Recent History of <i>Aedes aegypti</i> : Vector Genomics and Epidemiology Records. <i>BioScience</i> , 2018, 68, 854-860.  | 4.9  | 142       |
| 395 | Genome-wide assessment of genetic diversity and population structure insights into admixture and introgression in Chinese indigenous cattle. <i>BMC Genetics</i> , 2018, 19, 114.  | 2.7  | 37        |
| 396 | Inferring Ancestry and Divergence Events in a Forest Pest Using Low-Density Single-Nucleotide Polymorphisms. <i>Insect Systematics and Diversity</i> , 2018, 2, .  | 1.7  | 6         |
| 397 | Genome re-sequencing reveals the evolutionary history of peach fruit edibility. <i>Nature Communications</i> , 2018, 9, 5404.  | 12.8 | 84        |
| 398 | Population Genetic Diversity and Phylogenetic Characteristics for High-Altitude Adaptive Kham Tibetan Revealed by DNATyperTM 19 Amplification System. <i>Frontiers in Genetics</i> , 2018, 9, 630.   | 2.3  | 17        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 399 | The Genetic Ancestry of Modern Indus Valley Populations from Northwest India. <i>American Journal of Human Genetics</i> , 2018, 103, 918-929.  | 6.2 | 38        |
| 400 | The Muskox Lost a Substantial Part of Its Genetic Diversity on Its Long Road to Greenland. <i>Current Biology</i> , 2018, 28, 4022-4028.e5.  | 3.9 | 32        |
| 401 | Temporal changes in genetic diversity and forage yield of perennial ryegrass in monoculture and in combination with red clover in swards. <i>PLoS ONE</i> , 2018, 13, e0206571.  | 2.5 | 13        |
| 402 | Population Genomics: Advancing Understanding of Nature. <i>Population Genomics</i> , 2018, , 3-79.   | 0.5 | 70        |
| 403 | Population Genomic Analysis of North American Eastern Wolves ( <i>Canis lycaon</i> ) Supports Their Conservation Priority Status. <i>Genes</i> , 2018, 9, 606.   | 2.4 | 32        |
| 404 | Don't throw out the sympatric speciation with the crater lake water: fine-scale investigation of introgression provides equivocal support for causal role of secondary gene flow in one of the clearest examples of sympatric speciation. <i>Evolution Letters</i> , 2018, 2, 524-540. | 3.3 | 35        |
| 405 | Genetic structure and polymorphisms of Gelao ethnicity residing in southwest china revealed by X-chromosomal genetic markers. <i>Scientific Reports</i> , 2018, 8, 14585.  | 3.3 | 19        |
| 406 | The role of gene flow in rapid and repeated evolution of cave-related traits in Mexican tetra, <i>Astyanax mexicanus</i> . <i>Molecular Ecology</i> , 2018, 27, 4397-4416.   | 3.9 | 160       |
| 407 | Transpacific coalescent pathways of coconut rhinoceros beetle biotypes: Resistance to biological control catalyses resurgence of an old pest. <i>Molecular Ecology</i> , 2018, 27, 4459-4474.  | 3.9 | 26        |
| 408 | Technical Advances and Challenges in Genome-Scale Analysis of Ancient DNA. <i>Population Genomics</i> , 2018, , 3-29.  | 0.5 | 2         |
| 409 | Genomic data reject the hypothesis of sympatric ecological speciation in a clade of <i>Desmognathus</i> salamanders. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2378-2393.   | 2.3 | 20        |
| 410 | Genome-wide markers reveal a complex evolutionary history involving divergence and introgression in the Abert's squirrel ( <i>Sciurus aberti</i> ) species group. <i>BMC Evolutionary Biology</i> , 2018, 18, 139.   | 3.2 | 3         |
| 411 | Statistical methods for detecting admixture. <i>Current Opinion in Genetics and Development</i> , 2018, 53, 121-127.   | 3.3 | 9         |
| 412 | RADseq and mate choice assays reveal unidirectional gene flow among three lamprey ecotypes despite weak assortative mating: Insights into the formation and stability of multiple ecotypes in sympatry. <i>Molecular Ecology</i> , 2018, 27, 4572-4590.                                | 3.9 | 20        |
| 413 | Population genomic analyses of the chocolate tree, <i>Theobroma cacao</i> L., provide insights into its domestication process. <i>Communications Biology</i> , 2018, 1, 167.   | 4.4 | 73        |
| 414 | Interspecific Gene Flow Shaped the Evolution of the Genus <i>Canis</i> . <i>Current Biology</i> , 2018, 28, 3441-3449.e5.  | 3.9 | 110       |
| 415 | Human Population Genomics. <i>Computational Biology</i> , 2018, , 467-496.   | 0.2 | 0         |
| 416 | Comparative analysis of swallowtail transcriptomes suggests molecular determinants for speciation and adaptation. <i>Genome</i> , 2018, 61, 843-855.   | 2.0 | 2         |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 417 | GBS-derived SNP catalogue unveiled wide genetic variability and geographical relationships of Italian olive cultivars. <i>Scientific Reports</i> , 2018, 8, 15877.   | 3.3 | 84        |
| 418 | Evaluation of whole exome sequencing as an alternative to BeadChip and whole genome sequencing in human population genetic analysis. <i>BMC Genomics</i> , 2018, 19, 778.  | 2.8 | 11        |
| 419 | Incomplete lineage sorting rather than hybridization explains the inconsistent phylogeny of the wisent. <i>Communications Biology</i> , 2018, 1, 169.  | 4.4 | 84        |
| 420 | Genomic characterization of Algerian Guelmoise cattle and their genetic relationship with other North African populations inferred from SNP genotyping arrays. <i>Livestock Science</i> , 2018, 217, 19-25.                      | 1.6 | 12        |
| 421 | RADseq data reveal ancient, but not pervasive, introgression between Californian tree and scrub oak species ( <i>Quercus</i> sect. <i>Quercus</i> : Fagaceae). <i>Molecular Ecology</i> , 2018, 27, 4556-4571.                   | 3.9 | 33        |
| 422 | Analysis of Genome-Wide Differentiation between Native and Introduced Populations of the Cupped Oysters <i>Crassostrea gigas</i> and <i>Crassostrea angulata</i> . <i>Genome Biology and Evolution</i> , 2018, 10, 2518-2534.    | 2.5 | 52        |
| 423 | New insights into the spatial genetic structure of the Indian riverine buffalo populations. <i>Livestock Science</i> , 2018, 216, 227-232.   | 1.6 | 2         |
| 424 | Genomic analysis reveals genes affecting distinct phenotypes among different Chinese and western pig breeds. <i>Scientific Reports</i> , 2018, 8, 13352.   | 3.3 | 37        |
| 425 | Anthony Edwards, Luca Cavalli-Sforza, and Phylogenies. , 0, , 325-333.   |     | 26        |
| 426 | The Historic Split and Merger of Gene Trees and Species Trees. , 0, , 334-342.   |     | 0         |
| 427 | The Evolution and Population Diversity of Bison in Pleistocene and Holocene Eurasia: Sex Matters. <i>Diversity</i> , 2018, 10, 65.   | 1.7 | 19        |
| 428 | Common lizards break Dollo's law of irreversibility: Genome-wide phylogenomics support a single origin of viviparity and re-evolution of oviparity. <i>Molecular Phylogenetics and Evolution</i> , 2018, 127, 579-588.           | 2.7 | 39        |
| 429 | Autosomal and Mitochondrial Adaptation Following Admixture: A Case Study on the Honeybees of Reunion Island. <i>Genome Biology and Evolution</i> , 2018, 10, 220-238.  | 2.5 | 13        |
| 430 | Pervasive introgression facilitated domestication and adaptation in the <i>Bos</i> species complex. <i>Nature Ecology and Evolution</i> , 2018, 2, 1139-1145.  | 7.8 | 157       |
| 431 | Demographic History and Genetic Adaptation in the Himalayan Region Inferred from Genome-Wide SNP Genotypes of 49 Populations. <i>Molecular Biology and Evolution</i> , 2018, 35, 1916-1933.                                      | 8.9 | 36        |
| 432 | An Ancient DNA Perspective on Horse Evolution. <i>Population Genomics</i> , 2018, , 325-351.   | 0.5 | 6         |
| 433 | Population Genomics of Speciation and Admixture. <i>Population Genomics</i> , 2018, , 613-653.   | 0.5 | 6         |
| 434 | Selection and environmental adaptation along a path to speciation in the Tibetan frog <i>Nanorana parkeri</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5056-E5065. | 7.1 | 49        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 435 | Supervised machine learning reveals introgressed loci in the genomes of <i>Drosophila simulans</i> and <i>D. sechellia</i> . <i>PLoS Genetics</i> , 2018, 14, e1007341.                                | 3.5  | 97        |
| 436 | Urbanization as a facilitator of gene flow in a human health pest. <i>Molecular Ecology</i> , 2018, 27, 3219-3230.   | 3.9  | 26        |
| 437 | The evolutionary history of dogs in the Americas. <i>Science</i> , 2018, 361, 81-85.   | 12.6 | 140       |
| 438 | Ancient goat genomes reveal mosaic domestication in the Fertile Crescent. <i>Science</i> , 2018, 361, 85-88.   | 12.6 | 149       |
| 439 | The prehistoric peopling of Southeast Asia. <i>Science</i> , 2018, 361, 88-92.   | 12.6 | 291       |
| 440 | The evolutionary road from wild moth to domestic silkworm. <i>Nature Ecology and Evolution</i> , 2018, 2, 1268-1279.   | 7.8  | 112       |
| 441 | Whole-genome data reveal the complex history of a diverse ecological community. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6507-E6515.       | 7.1  | 45        |
| 442 | Evolutionary genomic dynamics of Peruvians before, during, and after the Inca Empire. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E6526-E6535. | 7.1  | 115       |
| 443 | Resurrecting Darwin's Niata - anatomical, biomechanical, genetic, and morphometric studies of morphological novelty in cattle. <i>Scientific Reports</i> , 2018, 8, 9129.                              | 3.3  | 12        |
| 444 | Whole-genome analysis of <i>Mustela erminea</i> finds that pulsed hybridization impacts evolution at high latitudes. <i>Communications Biology</i> , 2018, 1, 51.                                      | 4.4  | 24        |
| 445 | Population genomic data reveal extreme geographic subdivision and novel conservation actions for the declining foothill yellow-legged frog. <i>Heredity</i> , 2018, 121, 112-125.                      | 2.6  | 27        |
| 446 | Population Genomics Provide Insights into the Evolution and Adaptation of the Eastern Honey Bee ( <i>Apis cerana</i> ). <i>Molecular Biology and Evolution</i> , 2018, 35, 2260-2271.                  | 8.9  | 61        |
| 447 | Origins and wanderings of the Finnish hunting spitzes. <i>PLoS ONE</i> , 2018, 13, e0199992.   | 2.5  | 3         |
| 448 | Measuring Genetic Differentiation from Pool-seq Data. <i>Genetics</i> , 2018, 210, 315-330.  | 2.9  | 147       |
| 449 | A western Sahara centre of domestication inferred from pearl millet genomes. <i>Nature Ecology and Evolution</i> , 2018, 2, 1377-1380.   | 7.8  | 78        |
| 450 | Population structure in Argentina. <i>PLoS ONE</i> , 2018, 13, e0196325.   | 2.5  | 36        |
| 451 | Adaptive introgression and maintenance of a trispecies hybrid complex in range-edge populations of <i>Populus</i> . <i>Molecular Ecology</i> , 2018, 27, 4820-4838.                                    | 3.9  | 56        |
| 452 | Conservation status and historical relatedness of Italian cattle breeds. <i>Genetics Selection Evolution</i> , 2018, 50, 35.   | 3.0  | 50        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 453 | Genomic Characterisation of the Indigenous Irish Kerry Cattle Breed. <i>Frontiers in Genetics</i> , 2018, 9, 51.   | 2.3  | 33        |
| 454 | New Insights on Water Buffalo Genomic Diversity and Post-Domestication Migration Routes From Medium Density SNP Chip Data. <i>Frontiers in Genetics</i> , 2018, 9, 53.   | 2.3  | 79        |
| 455 | High-density Genotyping reveals Genomic Characterization, Population Structure and Genetic Diversity of Indian Mithun ( <i>Bos frontalis</i> ). <i>Scientific Reports</i> , 2018, 8, 10316.  | 3.3  | 16        |
| 456 | Detecting introgression despite phylogenetic uncertainty: The case of the South American siskins. <i>Molecular Ecology</i> , 2018, 27, 4350-4367.  | 3.9  | 18        |
| 457 | Inferring Continuous and Discrete Population Genetic Structure Across Space. <i>Genetics</i> , 2018, 210, 33-52.   | 2.9  | 221       |
| 458 | Genotyping by sequencing reveals contrasting patterns of population structure, ecologically mediated divergence, and long-distance dispersal in North American palms. <i>Ecology and Evolution</i> , 2018, 8, 5873-5890.   | 1.9  | 17        |
| 459 | Admixture, evolution, and variation in reproductive isolation in the <i>Boechera puberula</i> clade. <i>BMC Evolutionary Biology</i> , 2018, 18, 61.   | 3.2  | 8         |
| 460 | Revealing the selection history of adaptive loci using genome-wide scans for selection: an example from domestic sheep. <i>BMC Genomics</i> , 2018, 19, 71.  | 2.8  | 95        |
| 461 | Phylogeny Estimation by Integration over Isolation with Migration Models. <i>Molecular Biology and Evolution</i> , 2018, 35, 2805-2818.  | 8.9  | 89        |
| 462 | Partial genomic survival of cave bears in living brown bears. <i>Nature Ecology and Evolution</i> , 2018, 2, 1563-1570.  | 7.8  | 132       |
| 463 | Bidirectional adaptive introgression between two ecologically divergent sparrow species. <i>Evolution; International Journal of Organic Evolution</i> , 2018, 72, 2076-2089.   | 2.3  | 30        |
| 464 | Re-analysis of Whole Genome Sequence Data From 279 Ancient Eurasians Reveals Substantial Ancestral Heterogeneity. <i>Frontiers in Genetics</i> , 2018, 9, 268.   | 2.3  | 5         |
| 465 | Genome-wide <i>scn</i> SNP analysis unveils genetic structure and phylogeographic history of snow sheep ( <i>Ovis nivicola</i> ) populations inhabiting the Verkhoyansk Mountains and Momey Ridge (northeastern Siberia). <i>Ecology and Evolution</i> , 2018, 8, 8000-8010. | 1.9  | 9         |
| 466 | Comparing SNP panels and statistical methods for estimating genomic breed composition of individual animals in ten cattle breeds. <i>BMC Genetics</i> , 2018, 19, 56.  | 2.7  | 27        |
| 467 | A tutorial on how not to over-interpret STRUCTURE and ADMIXTURE bar plots. <i>Nature Communications</i> , 2018, 9, 3258.   | 12.8 | 341       |
| 468 | Using Genomic Data to Infer Historic Population Dynamics of Nonmodel Organisms. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2018, 49, 433-456.   | 8.3  | 143       |
| 469 | Human-Mediated Introgression of Haplotypes in a Modern Dairy Cattle Breed. <i>Genetics</i> , 2018, 209, 1305-1317.   | 2.9  | 21        |
| 470 | Whole-genome resequencing reveals world-wide ancestry and adaptive introgression events of domesticated cattle in East Asia. <i>Nature Communications</i> , 2018, 9, 2337.   | 12.8 | 253       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 471 | Genome-wide analyses of the <i>Bemisia tabaci</i> species complex reveal contrasting patterns of admixture and complex demographic histories. <i>PLoS ONE</i> , 2018, 13, e0190555.  | 2.5  | 46        |
| 472 | Nuclear Genetic Analysis of the Red Fox Across its Trans-Pacific Range. <i>Journal of Heredity</i> , 2018, 109, 573-584.   | 2.4  | 7         |
| 473 | Adaptive introgression underlies polymorphic seasonal camouflage in snowshoe hares. <i>Science</i> , 2018, 360, 1355-1358.   | 12.6 | 234       |
| 474 | Genetics and Population Analysis. , 2019, , 363-378.   |      | 0         |
| 475 | Domestication of cattle: Two or three events?. <i>Evolutionary Applications</i> , 2019, 12, 123-136.   | 3.1  | 80        |
| 476 | Phylogenomics of pike cichlids (Cichlidae: Crenicichla) of the <i>C. mandelburgeri</i> species complex: rapid ecological speciation in the Iguaz  River and high endemism in the Middle Paran  basin. <i>Hydrobiologia</i> , 2019, 832, 355-375. | 2.0  | 29        |
| 477 | Inferring the population structure of the Maghreb sheep breeds using a medium-density SNP chip. <i>Animal Genetics</i> , 2019, 50, 526-533.  | 1.7  | 12        |
| 478 | Discovery of Genomic Characteristics and Selection Signatures in Korean Indigenous Goats Through Comparison of 10 Goat Breeds. <i>Frontiers in Genetics</i> , 2019, 10, 699.   | 2.3  | 22        |
| 479 | Genomic data provide new insights on the demographic history and the extent of recent material transfers in Norway spruce. <i>Evolutionary Applications</i> , 2019, 12, 1539-1551.   | 3.1  | 49        |
| 480 | Evidence for sympatric speciation in a Wallacean ancient lake. <i>Evolution; International Journal of Organic Evolution</i> , 2019, 73, 1898-1915.   | 2.3  | 23        |
| 483 | Identifying loci under positive selection in complex population histories. <i>Genome Research</i> , 2019, 29, 1506-1520.   | 5.5  | 36        |
| 484 | Divergence of tropical pitvipers promoted by independent colonization events of dry montane Andean habitats. <i>Journal of Biogeography</i> , 2019, 46, 1826-1840.   | 3.0  | 6         |
| 485 | Genomic analyses suggest adaptive differentiation of northern European native cattle breeds. <i>Evolutionary Applications</i> , 2019, 12, 1096-1113.   | 3.1  | 12        |
| 486 | Admixture between Ancient Lineages, Selection, and the Formation of Sympatric Stickleback Species-Pairs. <i>Molecular Biology and Evolution</i> , 2019, 36, 2481-2497.   | 8.9  | 19        |
| 487 | Comparative transcriptomics reveals the selection patterns of domesticated ramie. <i>Ecology and Evolution</i> , 2019, 9, 7057-7068.   | 1.9  | 3         |
| 488 | Dissecting the Heterogeneous Population Genetic Structure of <i>Candida albicans</i> : Limitations and Constraints of the Multilocus Sequence Typing Scheme. <i>Frontiers in Microbiology</i> , 2019, 10, 1052.                                  | 3.5  | 9         |
| 489 | Genetic architecture and adaptations of Nunavik Inuit. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 16012-16017.  | 7.1  | 14        |
| 490 | QS-Net: Reconstructing Phylogenetic Networks Based on Quartet and Sextet. <i>Frontiers in Genetics</i> , 2019, 10, 607.  | 2.3  | 8         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 491 | Transcriptome and organellar sequencing highlights the complex origin and diversification of allotetraploid <i>Brassica napus</i> . <i>Nature Communications</i> , 2019, 10, 2878.  | 12.8 | 78        |
| 492 | Genome-Wide Single-Nucleotide Polymorphism Data Unveil Admixture of Chinese Indigenous Chicken Breeds with Commercial Breeds. <i>Genome Biology and Evolution</i> , 2019, 11, 1847-1856.  | 2.5  | 24        |
| 493 | EPAS1 Gain-of-Function Mutation Contributes to High-Altitude Adaptation in Tibetan Horses. <i>Molecular Biology and Evolution</i> , 2019, 36, 2591-2603.  | 8.9  | 80        |
| 494 | Refinement of Global Domestic Horse Biogeography Using Historic Landrace Chinese Mongolian Populations. <i>Journal of Heredity</i> , 2019, 110, 769-781.  | 2.4  | 8         |
| 495 | Maternal genomic variability of the wild boar ( <i>Sus scrofa</i> ) reveals the uniqueness of Eastâ€Caucasian and Central Italian populations. <i>Ecology and Evolution</i> , 2019, 9, 9467-9478.                                 | 1.9  | 15        |
| 496 | Deep Learning Approach to Biogeographical Ancestry Inference. <i>Procedia Computer Science</i> , 2019, 159, 552-561.  | 2.0  | 5         |
| 497 | Consequences of marine barriers for genetic diversity of the coralâ€specialist yellowbar angelfish from the Northwestern Indian Ocean. <i>Ecology and Evolution</i> , 2019, 9, 11215-11226.                                       | 1.9  | 19        |
| 498 | Population Genetic Analysis of Modern and Ancient DNA Variations Yields New Insights Into the Formation, Genetic Structure, and Phylogenetic Relationship of Northern Han Chinese. <i>Frontiers in Genetics</i> , 2019, 10, 1045. | 2.3  | 28        |
| 499 | Evolutionary networks from RAD seq loci point to hybrid origins of <i>Medicago carstiensis</i> and <i>Medicago cretacea</i> . <i>American Journal of Botany</i> , 2019, 106, 1219-1228.   | 1.7  | 3         |
| 500 | Network-based hierarchical population structure analysis for large genomic data sets. <i>Genome Research</i> , 2019, 29, 2020-2033.   | 5.5  | 10        |
| 501 | Population genomics and morphological features underlying the adaptive evolution of the eastern honey bee ( <i>Apis cerana</i> ). <i>BMC Genomics</i> , 2019, 20, 869.  | 2.8  | 12        |
| 502 | A Population Genomics Analysis of the Native Irish Galway Sheep Breed. <i>Frontiers in Genetics</i> , 2019, 10, 927.  | 2.3  | 8         |
| 503 | Puma genomes from North and South America provide insights into the genomic consequences of inbreeding. <i>Nature Communications</i> , 2019, 10, 4769.  | 12.8 | 55        |
| 504 | Polygenic selection drives the evolution of convergent transcriptomic landscapes across continents within a Nearctic sister species complex. <i>Molecular Ecology</i> , 2019, 28, 4388-4403.                                      | 3.9  | 38        |
| 505 | Population genomic analyses reveal a highly differentiated and endangered genetic cluster of northern goshawks ( <i>Accipiter gentilis laingi</i> ) in Haida Gwaii. <i>Evolutionary Applications</i> , 2019, 12, 757-772.         | 3.1  | 14        |
| 506 | Genomic approaches to identify hybrids and estimate admixture times in European wildcat populations. <i>Scientific Reports</i> , 2019, 9, 11612.  | 3.3  | 34        |
| 507 | Genomic Approaches Reveal an Endemic Subpopulation of Gray Wolves in Southern China. <i>IScience</i> , 2019, 20, 110-118.   | 4.1  | 6         |
| 508 | The conundrum of species delimitation: a genomic perspective on a mitogenetically super-variable butterfly. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2019, 286, 20191311.                                 | 2.6  | 37        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 509 | Copy Number Variation Mapping and Genomic Variation of Autochthonous and Commercial Turkey Populations. <i>Frontiers in Genetics</i> , 2019, 10, 982.                           | 2.3  | 12        |
| 510 | Population genomics revealed cryptic species within host-specific zombie-ant fungi ( <i>Ophiocordyceps</i> ) Tj ETQq1 1 0,784314 rgBT /Overlock 10 Tf 50 502                    | 2.7  | 18        |
| 511 | The bracteatus pineapple genome and domestication of clonally propagated crops. <i>Nature Genetics</i> , 2019, 51, 1549-1558.   | 21.4 | 60        |
| 512 | Distinct genetic variation and heterogeneity of the Iranian population. <i>PLoS Genetics</i> , 2019, 15, e1008385.  | 3.5  | 34        |
| 513 | Population Genomic Approaches for Weed Science. <i>Plants</i> , 2019, 8, 354.   | 3.5  | 14        |
| 514 | Genomic relatedness and diversity of Swedish native cattle breeds. <i>Genetics Selection Evolution</i> , 2019, 51, 56.  | 3.0  | 31        |
| 515 | Population structure, genetic connectivity, and adaptation in the Olympia oyster ( <i>Ostrea</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 502                                     | 3.1  | 33        |
| 516 | A Vietnamese human genetic variation database. <i>Human Mutation</i> , 2019, 40, 1664-1675.   | 2.5  | 36        |
| 517 | Genome-wide scan reveals genetic divergence and diverse adaptive selection in Chinese local cattle. <i>BMC Genomics</i> , 2019, 20, 494.  | 2.8  | 34        |
| 518 | Hybridization in human evolution: Insights from other organisms. <i>Evolutionary Anthropology</i> , 2019, 28, 189-209.  | 3.4  | 57        |
| 519 | Multispecies hybridization in birds. <i>Avian Research</i> , 2019, 10, .  | 1.2  | 27        |
| 520 | Contemporary loss of migration in monarch butterflies. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14671-14676.         | 7.1  | 41        |
| 521 | Allopatric divergence and secondary contact with gene flow: a recurring theme in rattlesnake speciation. <i>Biological Journal of the Linnean Society</i> , 2019, 128, 149-169. | 1.6  | 25        |
| 522 | Late Pleistocene range expansion of North American topminnows accompanied by admixture and introgression. <i>Journal of Biogeography</i> , 2019, 46, 2126-2140.                 | 3.0  | 10        |
| 523 | Canine transmissible venereal tumor genome reveals ancient introgression from coyotes to pre-contact dogs in North America. <i>Cell Research</i> , 2019, 29, 592-595.           | 12.0 | 7         |
| 524 | Population genomics perspectives on convergent adaptation. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2019, 374, 20180236.                 | 4.0  | 56        |
| 525 | Managing the risk of genetic swamping of a rare and restricted tree. <i>Conservation Genetics</i> , 2019, 20, 1113-1131.  | 1.5  | 21        |
| 526 | Phylogenetic and population structural inference from genomic ancestry maintained in present-day common wheat Chinese landraces. <i>Plant Journal</i> , 2019, 99, 201-215.      | 5.7  | 5         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 527 | Fine-Scale Inference of Ancestry Segments Without Prior Knowledge of Admixing Groups. <i>Genetics</i> , 2019, 212, 869-889.   | 2.9  | 54        |
| 528 | Late Jomon male and female genome sequences from the Funadomari site in Hokkaido, Japan. <i>Anthropological Science</i> , 2019, 127, 83-108.  | 0.4  | 58        |
| 529 | Genome-wide SNP Data Reveal an Overestimation of Species Diversity in a Group of Hawkmoths. <i>Genome Biology and Evolution</i> , 2019, 11, 2136-2150.  | 2.5  | 35        |
| 530 | Evolutionary transcriptomics reveals the origins of olives and the genomic changes associated with their domestication. <i>Plant Journal</i> , 2019, 100, 143-157.  | 5.7  | 64        |
| 531 | Role of ploidy in colonization of alpine habitats in natural populations of <i>Arabidopsis arenosa</i> . <i>Annals of Botany</i> , 2019, 124, 255-268.  | 2.9  | 42        |
| 532 | Speciation with introgression: Phylogeography and systematics of the <i>Ameerega petersi</i> group (Dendrobatidae). <i>Molecular Phylogenetics and Evolution</i> , 2019, 138, 31-42.  | 2.7  | 11        |
| 533 | Genome-wide study on genetic diversity and phylogeny of five species in the genus <i>Cervus</i> . <i>BMC Genomics</i> , 2019, 20, 384.  | 2.8  | 22        |
| 534 | Pleistocene climate changes, and not agricultural spread, accounts for range expansion and admixture in the dominant grassland species <i>Lolium perenne</i> L. <i>Journal of Biogeography</i> , 2019, 46, 1451.                            | 3.0  | 26        |
| 535 | Consequences of breed formation on patterns of genomic diversity and differentiation: the case of highly diverse peripheral Iberian cattle. <i>BMC Genomics</i> , 2019, 20, 334.  | 2.8  | 11        |
| 536 | Evolution of hybridogenetic lineages in <i>Cataglyphis</i> ants. <i>Molecular Ecology</i> , 2019, 28, 3073-3088.  | 3.9  | 6         |
| 537 | Hybridization and rapid differentiation after secondary contact between the native green anole ( <i>Anolis carolinensis</i> ) and the introduced green anole ( <i>Anolis porcatus</i> ). <i>Ecology and Evolution</i> , 2019, 9, 4138-4148. | 1.9  | 7         |
| 538 | Whole genomes and transcriptomes reveal adaptation and domestication of pistachio. <i>Genome Biology</i> , 2019, 20, 79.  | 8.8  | 81        |
| 539 | Investigating the West Eurasian ancestry of Pakistani Hazaras. <i>Journal of Genetics</i> , 2019, 98, 1.  | 0.7  | 3         |
| 540 | Genomic analysis on pygmy hog reveals extensive interbreeding during wild boar expansion. <i>Nature Communications</i> , 2019, 10, 1992.  | 12.8 | 38        |
| 541 | Eggplant Domestication: Pervasive Gene Flow, Feralization, and Transcriptomic Divergence. <i>Molecular Biology and Evolution</i> , 2019, 36, 1359-1372.   | 8.9  | 47        |
| 542 | A Practical Guide to the Study of Distribution Limits. <i>American Naturalist</i> , 2019, 193, 773-785.   | 2.1  | 28        |
| 543 | Model-based demographic inference of introgression history in European whitefish species pairs'. <i>Journal of Evolutionary Biology</i> , 2019, 32, 806-817.  | 1.7  | 27        |
| 544 | Tracking Five Millennia of Horse Management with Extensive Ancient Genome Time Series. <i>Cell</i> , 2019, 177, 1419-1435.e31.  | 28.9 | 195       |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 545 | Advances in Computational Methods for Phylogenetic Networks in the Presence of Hybridization. Computational Biology, 2019, , 317-360.   | 0.2 | 55        |
| 546 | African evolutionary history inferred from whole genome sequence data of 44 indigenous African populations. Genome Biology, 2019, 20, 82.   | 8.8 | 84        |
| 547 | A dispersal of Homo sapiens from southern to eastern Africa immediately preceded the out-of-Africa migration. Scientific Reports, 2019, 9, 4728.  | 3.3 | 49        |
| 548 | Dissecting the Pre-Columbian Genomic Ancestry of Native Americans along the Andes-Amazonia Divide. Molecular Biology and Evolution, 2019, 36, 1254-1269.  | 8.9 | 47        |
| 549 | Genome-wide genotyping uncovers genetic diversity, phylogeny, signatures of selection, and population structure of Chinese Jiangquhai pigs in a global perspective1. Journal of Animal Science, 2019, 97, 1491-1500.                  | 0.5 | 18        |
| 550 | Reticulate evolution in nuclear Middle America causes discordance in the phylogeny of palm vipers (Viperidae: <i>Bothriechis</i> ). Journal of Biogeography, 2019, 46, 833-844.   | 3.0 | 24        |
| 551 | A polyploid admixed origin of beer yeasts derived from European and Asian wine populations. PLoS Biology, 2019, 17, e3000147.   | 5.6 | 58        |
| 552 | The complex geography of domestication of the African rice <i>Oryza glaberrima</i> . PLoS Genetics, 2019, 15, e1007414.   | 3.5 | 30        |
| 554 | Genomics for Genetic Rescue. Population Genomics, 2019, , 437-471.  | 0.5 | 46        |
| 555 | The Origin of a Coastal Indigenous Horse Breed in China Revealed by Genome-Wide SNP Data. Genes, 2019, 10, 241.   | 2.4 | 11        |
| 556 | A tiered approach to genome-wide association analysis for the adherence of hulls to the caryopsis of barley seeds reveals footprints of selection. BMC Plant Biology, 2019, 19, 95.   | 3.6 | 10        |
| 557 | Parallel pattern of differentiation at a genomic island shared between clinal and mosaic hybrid zones in a complex of cryptic seahorse lineages. Evolution; International Journal of Organic Evolution, 2019, 73, 817-835.            | 2.3 | 28        |
| 558 | Molecular Analysis of Evolution and Origins of Cultivated Hawthorn ( <i>Crataegus</i> spp.) and Related Species in China. Frontiers in Plant Science, 2019, 10, 443.  | 3.6 | 21        |
| 559 | The footprint of recent and strong demographic decline in the genomes of Mangalitza pigs. Animal, 2019, 13, 2440-2446.  | 3.3 | 18        |
| 560 | Deciphering the patterns of genetic admixture and diversity in southern European cattle using genome-wide SNPs. Evolutionary Applications, 2019, 12, 951-963.   | 3.1 | 22        |
| 561 | Divergence with gene flow is driven by local adaptation to temperature and soil phosphorus concentration in teosinte subspecies ( <i>Zea mays parviglumis</i> and <i>Zea mays mexicana</i> ). Molecular Ecology, 2019, 28, 2814-2830. | 3.9 | 48        |
| 562 | ddRAD-seq data reveal significant genome-wide population structure and divergent genomic regions that distinguish the mallard and close relatives in North America. Molecular Ecology, 2019, 28, 2594-2609.                           | 3.9 | 37        |
| 563 | Rapid Divergence Followed by Adaptation to Contrasting Ecological Niches of Two Closely Related Columbine Species <i>Aquilegia japonica</i> and <i>A. oxysepala</i> . Genome Biology and Evolution, 2019, 11, 919-930.                | 2.5 | 7         |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 564 | Genome-Wide Characterization of Arabian Peninsula Populations: Shedding Light on the History of a Fundamental Bridge between Continents. <i>Molecular Biology and Evolution</i> , 2019, 36, 575-586.                            | 8.9  | 45        |
| 565 | Deconstructing an infamous extinction crisis: Survival of <i>Partula</i> species on Moorea and Tahiti. <i>Evolutionary Applications</i> , 2019, 12, 1017-1033.  | 3.1  | 8         |
| 566 | A general framework for moment-based analysis of genetic data. <i>Journal of Mathematical Biology</i> , 2019, 78, 1727-1769.  | 1.9  | 4         |
| 567 | New world goat populations are a genetically diverse reservoir for future use. <i>Scientific Reports</i> , 2019, 9, 1476.   | 3.3  | 17        |
| 568 | Inferring the demographic history of Japanese cedar, <i>Cryptomeria japonica</i> , using amplicon sequencing. <i>Heredity</i> , 2019, 123, 371-383.   | 2.6  | 7         |
| 569 | People from Ibiza: an unexpected isolate in the Western Mediterranean. <i>European Journal of Human Genetics</i> , 2019, 27, 941-951.   | 2.8  | 25        |
| 570 | Population Structure and Genetic Diversity among Isolates of <i>Coccidioides posadasii</i> in Venezuela and Surrounding Regions. <i>MBio</i> , 2019, 10, .  | 4.1  | 28        |
| 571 | Multiple modes of convergent adaptation in the spread of glyphosate-resistant <i>Amaranthus tuberculatus</i> . <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 21076-21084. | 7.1  | 98        |
| 572 | Comprehensive genome and transcriptome analyses reveal genetic relationship, selection signature, and transcriptome landscape of small-sized Korean native Jeju horse. <i>Scientific Reports</i> , 2019, 9, 16672.              | 3.3  | 18        |
| 573 | The Local South American Chicken Populations Are a Melting-Pot of Genomic Diversity. <i>Frontiers in Genetics</i> , 2019, 10, 1172.   | 2.3  | 1         |
| 574 | Genome-wide analysis of Cushion willow provides insights into alpine plant divergence in a biodiversity hotspot. <i>Nature Communications</i> , 2019, 10, 5230.   | 12.8 | 75        |
| 575 | Common gardens in teosintes reveal the establishment of a syndrome of adaptation to altitude. <i>PLoS Genetics</i> , 2019, 15, e1008512.  | 3.5  | 22        |
| 576 | A Biogeographic Barrier Test Reveals a Strong Genetic Structure for a Canopy-Emergent Amazon Tree Species. <i>Scientific Reports</i> , 2019, 9, 18602.  | 3.3  | 14        |
| 578 | Comparative genome analyses reveal the unique genetic composition and selection signals underlying the phenotypic characteristics of three Chinese domestic goat breeds. <i>Genetics Selection Evolution</i> , 2019, 51, 70.    | 3.0  | 26        |
| 579 | Eukaryote hybrid genomes. <i>PLoS Genetics</i> , 2019, 15, e1008404.  | 3.5  | 77        |
| 580 | Population Structure and Genetic Diversity of Sheep Breeds in the Kyrgyzstan. <i>Frontiers in Genetics</i> , 2019, 10, 1311.  | 2.3  | 34        |
| 581 | Selection footprints reflect genomic changes associated with breeding efforts in 56 cucumber inbred lines. <i>Horticulture Research</i> , 2019, 6, 127.   | 6.3  | 9         |
| 582 | Global Phylogeographic and Admixture Patterns in Grey Wolves and Genetic Legacy of An Ancient Siberian Lineage. <i>Scientific Reports</i> , 2019, 9, 17328.   | 3.3  | 26        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 583 | Population structure and genetic history of Tibetan Terriers. <i>Genetics Selection Evolution</i> , 2019, 51, 79.   | 3.0 | 5         |
| 584 | Analysis of genome-wide DNA arrays reveals the genomic population structure and diversity in autochthonous Greek goat breeds. <i>PLoS ONE</i> , 2019, 14, e0226179.                                 | 2.5 | 17        |
| 585 | Genetic Diversity and Signatures of Selection in 15 Chinese Indigenous Dog Breeds Revealed by Genome-Wide SNPs. <i>Frontiers in Genetics</i> , 2019, 10, 1174.                                      | 2.3 | 12        |
| 586 | Genetic diversity of laboratory strains and implications for research: The case of <i>Aedes aegypti</i> . <i>PLoS Neglected Tropical Diseases</i> , 2019, 13, e0007930.                             | 3.0 | 33        |
| 587 | Environmental resource deficit may drive the evolution of intraspecific trait variation in invasive plant populations. <i>Oikos</i> , 2019, 128, 171-184.   | 2.7 | 7         |
| 588 | Pair Matcher ( <i>PaM</i> ): fast model-based optimization of treatment/case-control matches. <i>Bioinformatics</i> , 2019, 35, 2243-2250.  | 4.1 | 10        |
| 589 | Whole-Genome Resequencing of a Worldwide Collection of Rapeseed Accessions Reveals the Genetic Basis of Ecotype Divergence. <i>Molecular Plant</i> , 2019, 12, 30-43.                               | 8.3 | 175       |
| 590 | A genomic map of climate adaptation in Mediterranean cattle breeds. <i>Molecular Ecology</i> , 2019, 28, 1009-1029.   | 3.9 | 46        |
| 591 | Diversity of copy number variation in the worldwide goat population. <i>Heredity</i> , 2019, 122, 636-646.  | 2.6 | 42        |
| 592 | The population genomics of multiple tsetse fly ( <i>Glossina fuscipes fuscipes</i> ) admixture zones in Uganda. <i>Molecular Ecology</i> , 2019, 28, 66-85.   | 3.9 | 11        |
| 593 | Genetic diversity and population divergences of an indigenous tree ( <i>Coffea mauritiana</i> ) in Reunion Island: role of climatic and geographical factors. <i>Heredity</i> , 2019, 122, 833-847. | 2.6 | 30        |
| 594 | Parallel plumage colour evolution and introgressive hybridization in wheatears. <i>Journal of Evolutionary Biology</i> , 2019, 32, 100-110.   | 1.7 | 23        |
| 595 | Human Population History Over the Last Two Million Years. , 2019, , 195-236.  |     | 0         |
| 596 | Genotype-free estimation of allele frequencies reduces bias and improves demographic inference from RADSeq data. <i>Molecular Ecology Resources</i> , 2019, 19, 586-596.                            | 4.8 | 33        |
| 597 | The behavioral origins of novelty: did increased aggression lead to scale-eating in pupfishes?. <i>Behavioral Ecology</i> , 2019, 30, 557-569.  | 2.2 | 15        |
| 598 | Genetic diversity analysis of French goat populations reveals selective sweeps involved in their differentiation. <i>Animal Genetics</i> , 2019, 50, 54-63.   | 1.7 | 22        |
| 599 | Comparing inferences derived from microsatellite and RADseq datasets: a case study involving threatened bull trout. <i>Conservation Genetics</i> , 2019, 20, 329-342.                               | 1.5 | 28        |
| 600 | Genome-Wide Variation, Candidate Regions and Genes Associated With Fat Deposition and Tail Morphology in Ethiopian Indigenous Sheep. <i>Frontiers in Genetics</i> , 2018, 9, 699.                   | 2.3 | 56        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 601 | Cross-species hybridization and the origin of North African date palms. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 1651-1658.  | 7.1 | 95        |
| 602 | SNP genotyping elucidates the genetic diversity of Magna Graecia grapevine germplasm and its historical origin and dissemination. <i>BMC Plant Biology</i> , 2019, 19, 7.   | 3.6 | 51        |
| 603 | General theory for stochastic admixture graphs and F-statistics. <i>Theoretical Population Biology</i> , 2019, 125, 56-66.  | 1.1 | 13        |
| 604 | Genomic signatures of introgression between commercial and native bumblebees, <i>Bombus terrestris</i> , in western Iberian Peninsula—Implications for conservation and trade regulation. <i>Evolutionary Applications</i> , 2019, 12, 679-691.                                   | 3.1 | 24        |
| 605 | Inferring introgression using RADseq and <i>DFOIL</i> : Power and pitfalls revealed in a case study of spiny lizards ( <i>Sceloporus</i> ). <i>Molecular Ecology Resources</i> , 2019, 19, 818-837.   | 4.8 | 23        |
| 606 | Population structure of <i>Miscanthus sacchariflorus</i> reveals two major polyploidization events, tetraploid-mediated unidirectional introgression from diploid <i>M. sinensis</i> , and diversity centred around the Yellow Sea. <i>Annals of Botany</i> , 2019, 124, 731-748. | 2.9 | 26        |
| 607 | Phenotypic and life-history diversification in Amazonian frogs despite past introgressions. <i>Molecular Phylogenetics and Evolution</i> , 2019, 130, 169-180.  | 2.7 | 9         |
| 608 | Genomic and mitochondrial evidence of ancient isolations and extreme introgression in the four-lined snake. <i>Environmental Epigenetics</i> , 2020, 66, 99-111.  | 1.8 | 13        |
| 609 | The Genome of the Endangered Dryas Monkey Provides New Insights into the Evolutionary History of the Vervets. <i>Molecular Biology and Evolution</i> , 2020, 37, 183-194.   | 8.9 | 34        |
| 610 | Adaptive introgression as a driver of local adaptation to climate in European white oaks. <i>New Phytologist</i> , 2020, 226, 1171-1182.  | 7.3 | 117       |
| 611 | Phylogenetic Trees and Networks Can Serve as Powerful and Complementary Approaches for Analysis of Genomic Data. <i>Systematic Biology</i> , 2020, 69, 593-601.   | 5.6 | 72        |
| 612 | Population structure and genetic characterization of two native Danish sheep breeds. <i>Acta Agriculturae Scandinavica - Section A: Animal Science</i> , 2020, 69, 53-67.   | 0.2 | 2         |
| 613 | Genomic analyses reveal three independent introductions of the invasive brown rat ( <i>Rattus</i> ) to the Pacific Islands. <i>Evolutionary Applications</i> , 2020, 13, 262-272.   | 2.6 | 12        |
| 614 | Divergent Selection and Primary Gene Flow Shape Incipient Speciation of a Riparian Tree on Hawaii Island. <i>Molecular Biology and Evolution</i> , 2020, 37, 695-710.   | 8.9 | 21        |
| 615 | Twin introductions by independent invader mussel lineages are both associated with recent admixture with a native congener in Australia. <i>Evolutionary Applications</i> , 2020, 13, 515-532.  | 3.1 | 43        |
| 616 | ipyrad: Interactive assembly and analysis of RADseq datasets. <i>Bioinformatics</i> , 2020, 36, 2592-2594.  | 4.1 | 479       |
| 617 | Relationship of Icelandic cattle with Northern and Western European cattle breeds, admixture and population structure. <i>Acta Agriculturae Scandinavica - Section A: Animal Science</i> , 2020, 69, 25-38.   | 0.2 | 6         |
| 618 | Genomic Evidence for Complex Domestication History of the Cultivated Tomato in Latin America. <i>Molecular Biology and Evolution</i> , 2020, 37, 1118-1132.   | 8.9 | 124       |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 619 | Parallel Seed Color Adaptation during Multiple Domestication Attempts of an Ancient New World Grain. <i>Molecular Biology and Evolution</i> , 2020, 37, 1407-1419.  | 8.9 | 47        |
| 620 | Demographic history has shaped the strongly differentiated corkwing wrasse populations in Northern Europe. <i>Molecular Ecology</i> , 2020, 29, 160-171.  | 3.9 | 20        |
| 621 | Sequential Monte Carlo with transformations. <i>Statistics and Computing</i> , 2020, 30, 663-676.   | 1.5 | 7         |
| 622 | Population History and Gene Divergence in Native Mexicans Inferred from 76 Human Exomes. <i>Molecular Biology and Evolution</i> , 2020, 37, 994-1006.   | 8.9 | 43        |
| 623 | A bird's-eye view of Italian genomic variation through whole-genome sequencing. <i>European Journal of Human Genetics</i> , 2020, 28, 435-444.  | 2.8 | 29        |
| 624 | Using Haplotype Information for Conservation Genomics. <i>Trends in Ecology and Evolution</i> , 2020, 35, 245-258.  | 8.7 | 69        |
| 625 | Evidence of linked selection on the Z chromosome of hybridizing hummingbirds*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 725-739.  | 2.3 | 18        |
| 626 | Genetic signature of hybridization between Chinese spot-billed ducks and domesticated ducks. <i>Animal Genetics</i> , 2020, 51, 866-875.  | 1.7 | 6         |
| 627 | Scale-dependent effects of habitat fragmentation on the genetic diversity of <i>Actinidia chinensis</i> populations in China. <i>Horticulture Research</i> , 2020, 7, 172.  | 6.3 | 12        |
| 628 | Low Prevalence of Lactase Persistence in Bronze Age Europe Indicates Ongoing Strong Selection over the Last 3,000 Years. <i>Current Biology</i> , 2020, 30, 4307-4315.e13.  | 3.9 | 54        |
| 629 | Adaptive introgression from maize has facilitated the establishment of teosinte as a noxious weed in Europe. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 25618-25627. | 7.1 | 54        |
| 630 | Whole-exome sequencing reveals a long-term decline in effective population size of red spruce ( <i>Picea rubens</i> ). <i>Evolutionary Applications</i> , 2020, 13, 2190-2205.  | 3.1 | 19        |
| 631 | Testing sex-biased admixture origin of macaque species using autosomal and X-chromosomal genomic sequences. <i>Genome Biology and Evolution</i> , 2021, 13, .   | 2.5 | 14        |
| 632 | Genomic Analyses Reveal Genetic Adaptations to Tropical Climates in Chickens. <i>IScience</i> , 2020, 23, 101644.   | 4.1 | 28        |
| 633 | Testing hypotheses of hybrid origins for two seashore species of <i>Carex</i> section <i>Phacocystis</i> (Cyperaceae). <i>Botanical Journal of the Linnean Society</i> , 2020, 194, 100-117.                                  | 1.6 | 2         |
| 634 | Investigating the genetic characteristics of the Csangos, a traditionally Hungarian speaking ethnic group residing in Romania. <i>Journal of Human Genetics</i> , 2020, 65, 1093-1103.  | 2.3 | 2         |
| 635 | Inference of population admixture network from local gene genealogies: a coalescent-based maximum likelihood approach. <i>Bioinformatics</i> , 2020, 36, i326-i334.   | 4.1 | 6         |
| 636 | The Chromosome-Level Genome Sequence of the Autotetraploid Alfalfa and Resequencing of Core Germplasms Provide Genomic Resources for Alfalfa Research. <i>Molecular Plant</i> , 2020, 13, 1250-1261.                          | 8.3 | 120       |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 637 | The genetic heritage of Alpine local cattle breeds using genomic SNP data. Genetics Selection Evolution, 2020, 52, 40.   | 3.0  | 32        |
| 638 | Genomic, Transcriptomic and Epigenomic Tools to Study the Domestication of Plants and Animals: A Field Guide for Beginners. Frontiers in Genetics, 2020, 11, 742.  | 2.3  | 21        |
| 639 | Genome-wide patterns of differentiation over space and time in the Queensland fruit fly. Scientific Reports, 2020, 10, 10788.  | 3.3  | 16        |
| 640 | Genomic Characterization of the Istrian Shorthaired Hound. Animals, 2020, 10, 2013.  | 2.3  | 2         |
| 641 | Exome Sequencing of Native Populations From the Amazon Reveals Patterns on the Peopling of South America. Frontiers in Genetics, 2020, 11, 548507.   | 2.3  | 10        |
| 642 | Population genomic data in spider mites point to a role for local adaptation in shaping range shifts. Evolutionary Applications, 2020, 13, 2821-2835.  | 3.1  | 13        |
| 643 | Genome-wide scan for selection signatures reveals novel insights into the adaptive capacity in local North African cattle. Scientific Reports, 2020, 10, 19466.  | 3.3  | 24        |
| 644 | Demographic Processes Linked to Genetic Diversity and Positive Selection across a Species' Range. Plant Communications, 2020, 1, 100111.   | 7.7  | 13        |
| 645 | The Tetracentron genome provides insight into the early evolution of eudicots and the formation of vessel elements. Genome Biology, 2020, 21, 291.   | 8.8  | 23        |
| 646 | Genome evolution of blind subterranean mole rats: Adaptive peripatric versus sympatric speciation. Proceedings of the National Academy of Sciences of the United States of America, 2020, 117, 32499-32508.          | 7.1  | 19        |
| 647 | Donkey genomes provide new insights into domestication and selection for coat color. Nature Communications, 2020, 11, 6014.  | 12.8 | 63        |
| 648 | Insights from Population Genomics to Enhance and Sustain Biological Control of Insect Pests. Insects, 2020, 11, 462.   | 2.2  | 19        |
| 649 | The roles of climate, geography and natural selection as drivers of genetic and phenotypic differentiation in a widespread amphibian <i>Hyla annectans</i> (Anura: Hylidae). Molecular Ecology, 2020, 29, 3667-3683. | 3.9  | 20        |
| 650 | Large-scale mutation in the evolution of a gene complex for cryptic coloration. Science, 2020, 369, 460-466.   | 12.6 | 43        |
| 651 | Breeding history and candidate genes responsible for black skin of Xichuan black-bone chicken. BMC Genomics, 2020, 21, 511.  | 2.8  | 32        |
| 652 | Genomic diversity and population structure of the indigenous Greek and Cypriot cattle populations. Genetics Selection Evolution, 2020, 52, 43.   | 3.0  | 15        |
| 653 | Applying $\Delta K$ statistics and admixture graphs: Theory and examples. Molecular Ecology Resources, 2020, 20, 1658-1667.  | 4.8  | 32        |
| 654 | Insight into the Current Genetic Diversity and Population Structure of Domestic Reindeer (Rangifer) Tj ETQq1 1 0.784314 rgBT /Overl  | 2.3  | 9         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 655 | Phylogenomic data reveal reticulation and incongruence among mitochondrial candidate species in Dusky Salamanders ( <i>Desmognathus</i> ). <i>Molecular Phylogenetics and Evolution</i> , 2020, 146, 106751.                                    | 2.7  | 28        |
| 656 | Genome-wide SNPs clarify lineage diversity confused by coloration in coralsnakes of the <i>Micrurus diastema</i> species complex (Serpentes: Elapidae). <i>Molecular Phylogenetics and Evolution</i> , 2020, 147, 106770.                       | 2.7  | 20        |
| 657 | A Genomewide Scan for Genetic Structure and Demographic History of Two Closely Related Species, <i>Rhododendron dauricum</i> and <i>R. mucronulatum</i> ( <i>Rhododendron</i> , Ericaceae). <i>Frontiers in Plant Science</i> , 2020, 11, 1093. | 3.6  | 7         |
| 658 | Population Genomic Analyses of the Sea Urchin <i>Echinometra</i> sp. EZ across an Extreme Environmental Gradient. <i>Genome Biology and Evolution</i> , 2020, 12, 1819-1829.  | 2.5  | 8         |
| 659 | Genomic and transcriptomic analysis unveils population evolution and development of pesticide resistance in fall armyworm <i>Spodoptera frugiperda</i> . <i>Protein and Cell</i> , 2022, 13, 513-531.   | 11.0 | 72        |
| 660 | High-depth African genomes inform human migration and health. <i>Nature</i> , 2020, 586, 741-748.   | 27.8 | 197       |
| 661 | Landscape genomics reveals genetic evidence of local adaptation in a widespread tree, the Chinese wingnut ( <i>Pterocarya stenoptera</i> ). <i>Journal of Systematics and Evolution</i> , 2022, 60, 386-397.                                    | 3.1  | 10        |
| 662 | Population genomics reveals lack of greater white-fronted introgression into the Swedish lesser white-fronted goose. <i>Scientific Reports</i> , 2020, 10, 18347.   | 3.3  | 9         |
| 663 | Genetic signatures of high-altitude adaptation and geographic distribution in Tibetan sheep. <i>Scientific Reports</i> , 2020, 10, 18332.   | 3.3  | 7         |
| 664 | Comparing rates of introgression in parasitic feather lice with differing dispersal capabilities. <i>Communications Biology</i> , 2020, 3, 610.   | 4.4  | 6         |
| 665 | New Guinea highland wild dogs are the original New Guinea singing dogs. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 24369-24376.  | 7.1  | 19        |
| 666 | Genome diversity of Chinese indigenous chicken and the selective signatures in Chinese gamecock chicken. <i>Scientific Reports</i> , 2020, 10, 14532.   | 3.3  | 39        |
| 667 | Whole genome analysis of water buffalo and global cattle breeds highlights convergent signatures of domestication. <i>Nature Communications</i> , 2020, 11, 4739.   | 12.8 | 50        |
| 668 | Miocene diversification of a golden-thread nanmu tree species ( <i>Phoebe zhennan</i> , Lauraceae) around the Sichuan Basin shaped by the East Asian monsoon. <i>Ecology and Evolution</i> , 2020, 10, 10543-10557.                             | 1.9  | 17        |
| 669 | Refining the genetic structure and relationships of European cattle breeds through meta-analysis of worldwide genomic SNP data, focusing on Italian cattle. <i>Scientific Reports</i> , 2020, 10, 14522.  | 3.3  | 19        |
| 670 | Demographic history shaped geographical patterns of deleterious mutation load in a broadly distributed Pacific Salmon. <i>PLoS Genetics</i> , 2020, 16, e1008348.   | 3.5  | 38        |
| 671 | Ancient Jomon genome sequence analysis sheds light on migration patterns of early East Asian populations. <i>Communications Biology</i> , 2020, 3, 437.   | 4.4  | 44        |
| 672 | Dynamics behind disjunct distribution, hotspot-edge refugia, and discordant RADseq/mtDNA variability: insights from the Emei mustache toad. <i>BMC Evolutionary Biology</i> , 2020, 20, 111.  | 3.2  | 3         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 673 | Factor analysis of ancient population genomic samples. <i>Nature Communications</i> , 2020, 11, 4661.   | 12.8 | 28        |
| 674 | The genomic architecture of South African mutton, pelt, dualâ€‘purpose and nondescript sheep breeds relative to global sheep populations. <i>Animal Genetics</i> , 2020, 51, 910-923.                             | 1.7  | 9         |
| 675 | Genetic evidence for the origin of <i>Aedes aegypti</i> , the yellow fever mosquito, in the southwestern Indian Ocean. <i>Molecular Ecology</i> , 2020, 29, 3593-3606.  | 3.9  | 45        |
| 676 | Divergence, gene flow, and the origin of leapfrog geographic distributions: The history of colour pattern variation in <i>Phylllobates</i> poisonâ€‘dart frogs. <i>Molecular Ecology</i> , 2020, 29, 3702-3719.   | 3.9  | 14        |
| 677 | Genome sequencing and population genomics modeling provide insights into the local adaptation of weeping forsythia. <i>Horticulture Research</i> , 2020, 7, 130.  | 6.3  | 33        |
| 678 | Gene reuse facilitates rapid radiation and independent adaptation to diverse habitats in the Asian honeybee. <i>Science Advances</i> , 2020, 6, .   | 10.3 | 42        |
| 679 | Discovery of Genomic Characteristics and Selection Signatures in Southern Chinese Local Cattle. <i>Frontiers in Genetics</i> , 2020, 11, 533052.  | 2.3  | 13        |
| 680 | miquoGraph: fitting admixture graphs using mixed-integer quadratic optimization. <i>Bioinformatics</i> , 2021, 37, 2488-2490.   | 4.1  | 7         |
| 681 | A Causality Perspective of Genomic Breed Composition for Composite Animals. <i>Frontiers in Genetics</i> , 2020, 11, 546052.  | 2.3  | 4         |
| 682 | Genetic adaptation of Tibetan poplar ( <i>Populus szechuanica</i> var. <i>tibetica</i> ) to high altitudes on the Qinghaiâ€‘Tibetan Plateau. <i>Ecology and Evolution</i> , 2020, 10, 10974-10985.                | 1.9  | 4         |
| 683 | Evaluating wildlife translocations using genomics: A bighorn sheep case study. <i>Ecology and Evolution</i> , 2020, 10, 13687-13704.  | 1.9  | 16        |
| 684 | Genomic Characterization of a Set of Iberian Peninsula Bovine Local Breeds at Risk of Extinction: Morenas Gallegas. <i>Animals</i> , 2020, 10, 1956.  | 2.3  | 2         |
| 685 | Genome-wide investigation of a Korean synthetic breed, Woori-Heukdon using the Illumina PorcineSNP60K BeadChip. <i>Genes and Genomics</i> , 2020, 42, 1443-1453.  | 1.4  | 2         |
| 686 | Population genomics reveals repeated signals of adaptive divergence in the Atlantic salmon of northâ€‘eastern Europe. <i>Journal of Evolutionary Biology</i> , 2021, 34, 866-878.                                 | 1.7  | 6         |
| 687 | The story of the lost twins: decoding the genetic identities of the Kumhar and Kurcha populations from the Indian subcontinent. <i>BMC Genetics</i> , 2020, 21, 117.  | 2.7  | 5         |
| 688 | An Out-of-Patagonia migration explains the worldwide diversity and distribution of <i>Saccharomyces eubayanus</i> lineages. <i>PLoS Genetics</i> , 2020, 16, e1008777.  | 3.5  | 34        |
| 689 | Do dental nonmetric traits actually work as proxies for neutral genomic data? Some answers from continentalâ€‘and globalâ€‘level analyses. <i>American Journal of Physical Anthropology</i> , 2020, 172, 347-375. | 2.1  | 29        |
| 690 | Darwinâ€™s Fancy Revised: An Updated Understanding of the Genomic Constitution of Pigeon Breeds. <i>Genome Biology and Evolution</i> , 2020, 12, 136-150.   | 2.5  | 13        |



| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 691 | Genomic footprints of an old affair: Single nucleotide polymorphism data reveal historical hybridization and the subsequent evolution of reproductive barriers in two recently diverged grasshoppers with partly overlapping distributions. <i>Molecular Ecology</i> , 2020, 29, 2254-2268. | 3.9  | 17        |
| 692 | Ancient Hybridization with an Unknown Population Facilitated High-Altitude Adaptation of Canids. <i>Molecular Biology and Evolution</i> , 2020, 37, 2616-2629.  | 8.9  | 46        |
| 693 | Spatial variation in gene flow across a hybrid zone reveals causes of reproductive isolation and asymmetric introgression in wall lizards*. <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1289-1300.   | 2.3  | 23        |
| 694 | Polyploidy breaks speciation barriers in Australian burrowing frogs <i>Neobatrachus</i> . <i>PLoS Genetics</i> , 2020, 16, e1008769.  | 3.5  | 40        |
| 695 | Ancient DNA reveals two paternal lineages C2a1a1b1a/F3830 and C2b1b/F845 in past nomadic peoples distributed on the Mongolian Plateau. <i>American Journal of Physical Anthropology</i> , 2020, 172, 402-411.   | 2.1  | 5         |
| 696 | Ancient DNA indicates human population shifts and admixture in northern and southern China. <i>Science</i> , 2020, 369, 282-288.  | 12.6 | 214       |
| 697 | Coalescent Models of Demographic History: Application to Plant Domestication. <i>Population Genomics</i> , 2020, , 1.   | 0.5  | 0         |
| 698 | Population Genomics of Tomato. <i>Population Genomics</i> , 2020, , 1.  | 0.5  | 0         |
| 699 | On the origin of European sheep as revealed by the diversity of the Balkan breeds and by optimizing population-genetic analysis tools. <i>Genetics Selection Evolution</i> , 2020, 52, 25.  | 3.0  | 58        |
| 700 | The origin of domestication genes in goats. <i>Science Advances</i> , 2020, 6, eaaz5216.  | 10.3 | 86        |
| 701 | Hybridization and introgression between <i>Helicoverpa armigera</i> and <i>H. zea</i> : an adaptational bridge. <i>BMC Evolutionary Biology</i> , 2020, 20, 61.   | 3.2  | 32        |
| 702 | Estimation of Genomic Breed Composition for Purebred and Crossbred Animals Using Sparsely Regularized Admixture Models. <i>Frontiers in Genetics</i> , 2020, 11, 576.   | 2.3  | 8         |
| 703 | Gene flow and rapid differentiation characterize a rapid insular radiation in the southwest Pacific ( <i>Aves: &lt;i&gt;Zosterops&lt;/i&gt;</i> ). <i>Evolution; International Journal of Organic Evolution</i> , 2020, 74, 1788-1803.  | 2.3  | 23        |
| 704 | Evolutionary origins of genomic adaptations in an invasive copepod. <i>Nature Ecology and Evolution</i> , 2020, 4, 1084-1094.   | 7.8  | 59        |
| 705 | Stepping into the past to conserve the future: Archived skin swabs from extant and extirpated populations inform genetic management of an endangered amphibian. <i>Molecular Ecology</i> , 2020, 29, 2598-2611.   | 3.9  | 3         |
| 706 | The role of introgression and ecotypic parallelism in delineating intraspecific conservation units. <i>Molecular Ecology</i> , 2020, 29, 2793-2809.   | 3.9  | 31        |
| 707 | Genetic Structure of a Worldwide Germplasm Collection of <i>Prunus armeniaca</i> L. Reveals Three Major Diffusion Routes for Varieties Coming From the Speciesâ€™ Center of Origin. <i>Frontiers in Plant Science</i> , 2020, 11, 638.  | 3.6  | 36        |
| 708 | An Africa-wide genomic evolution of insecticide resistance in the malaria vector <i>Anopheles funestus</i> involves selective sweeps, copy number variations, gene conversion and transposons. <i>PLoS Genetics</i> , 2020, 16, e1008822.   | 3.5  | 42        |



| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 709 | The relevance of gene flow with wild relatives in understanding the domestication process. Royal Society Open Science, 2020, 7, 191545.  | 2.4  | 18        |
| 710 | VolcanoFinder: Genomic scans for adaptive introgression. PLoS Genetics, 2020, 16, e1008867.  | 3.5  | 62        |
| 711 | Genetic Diversity and Ancestral Study for Korean Native Pigs Using 60K SNP Chip. Animals, 2020, 10, 760.   | 2.3  | 5         |
| 712 | Within-island diversification in a passerine bird. Proceedings of the Royal Society B: Biological Sciences, 2020, 287, 20192999.   | 2.6  | 16        |
| 713 | Inference of natural selection from ancient DNA. Evolution Letters, 2020, 4, 94-108.   | 3.3  | 58        |
| 714 | Population structure of five native sheep breeds of Sweden estimated with high density SNP genotypes. BMC Genetics, 2020, 21, 27.  | 2.7  | 19        |
| 715 | What is ancestry?. PLoS Genetics, 2020, 16, e1008624.  | 3.5  | 91        |
| 716 | Introgression of Eastern Chinese and Southern Chinese haplotypes contributes to the improvement of fertility and immunity in European modern pigs. GigaScience, 2020, 9, .                     | 6.4  | 31        |
| 717 | Diverse genetic mechanisms underlie worldwide convergent rice feralization. Genome Biology, 2020, 21, 70.  | 8.8  | 55        |
| 718 | Animal domestication in the era of ancient genomics. Nature Reviews Genetics, 2020, 21, 449-460.   | 16.3 | 119       |
| 719 | Genome-wide analysis reveals molecular convergence underlying domestication in 7 bird and mammals. BMC Genomics, 2020, 21, 204.  | 2.8  | 12        |
| 720 | Miocene Diversification in the Savannahs Precedes Tetraploid Rainforest Radiation in the African Tree Genus Afzelia (Detarioideae, Fabaceae). Frontiers in Plant Science, 2020, 11, 798.       | 3.6  | 5         |
| 721 | Genomic analysis of the domestication and post-Spanish conquest evolution of the llama and alpaca. Genome Biology, 2020, 21, 159.  | 8.8  | 46        |
| 722 | Native American gene flow into Polynesia predating Easter Island settlement. Nature, 2020, 583, 572-577.   | 27.8 | 64        |
| 723 | Genomic Signatures of Local Adaptation in Clam Shrimp (Eulimnadia texana) from Natural Vernal Pools. Genome Biology and Evolution, 2020, 12, 1194-1206.  | 2.5  | 1         |
| 724 | 863 genomes reveal the origin and domestication of chicken. Cell Research, 2020, 30, 693-701.  | 12.0 | 144       |
| 725 | Arctic-adapted dogs emerged at the Pleistocene–Holocene transition. Science, 2020, 368, 1495-1499.   | 12.6 | 60        |
| 726 | Genome Data Uncover Conservation Status, Historical Relatedness and Candidate Genes Under Selection in Chinese Indigenous Pigs in the Taihu Lake Region. Frontiers in Genetics, 2020, 11, 591. | 2.3  | 17        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 727 | Multi-level patterns of genetic structure and isolation by distance in the widespread plant <i>Mimulus guttatus</i> . <i>Heredity</i> , 2020, 125, 227-239.  | 2.6  | 23        |
| 728 | Fine-scale population genetic structure of Endangered Caspian Sea trout, <i>Salmo caspius</i> : implications for conservation. <i>Hydrobiologia</i> , 2020, 847, 3339-3353.  | 2.0  | 6         |
| 729 | Unearthing the genetic divergence and gene flow of the earthworm <i>Amyntas</i> _YN2017 sp. (Oligochaeta: Megascolecidae) populations based on restriction site-associated DNA sequencing. <i>European Journal of Soil Biology</i> , 2020, 99, 103210. | 3.2  | 3         |
| 730 | Nanopore sequencing-based genome assembly and evolutionary genomics of circum-basmati rice. <i>Genome Biology</i> , 2020, 21, 21.  | 8.8  | 73        |
| 731 | Untangling the Evolution of American Wild Grapes: Admixed Species and How to Find Them. <i>Frontiers in Plant Science</i> , 2019, 10, 1814.  | 3.6  | 16        |
| 732 | An Ancient Baboon Genome Demonstrates Long-Term Population Continuity in Southern Africa. <i>Genome Biology and Evolution</i> , 2020, 12, 407-412.   | 2.5  | 13        |
| 733 | Genetic Diversities and Differentially Selected Regions Between Shandong Indigenous Pig Breeds and Western Pig Breeds. <i>Frontiers in Genetics</i> , 2019, 10, 1351.  | 2.3  | 26        |
| 734 | Genomic evidence for two phylogenetic species and long-term population bottlenecks in red pandas. <i>Science Advances</i> , 2020, 6, eaax5751.   | 10.3 | 86        |
| 735 | Inferring the population history of Tai-Kadai-speaking people and southernmost Han Chinese on Hainan Island by genome-wide array genotyping. <i>European Journal of Human Genetics</i> , 2020, 28, 1111-1123.  | 2.8  | 49        |
| 736 | Beyond broad strokes: sociocultural insights from the study of ancient genomes. <i>Nature Reviews Genetics</i> , 2020, 21, 355-366.  | 16.3 | 50        |
| 737 | Sympatric speciation of wild emmer wheat driven by ecology and chromosomal rearrangements. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 5955-5963.  | 7.1  | 39        |
| 738 | Understanding divergent domestication traits from the whole-genome sequencing of swamp- and river-buffalo populations. <i>National Science Review</i> , 2020, 7, 686-701.  | 9.5  | 43        |
| 739 | Genomic analyses reveal distinct genetic architectures and selective pressures in buffaloes. <i>GigaScience</i> , 2020, 9, .   | 6.4  | 18        |
| 740 | Speciation in North American <i>Junonia</i> from a genomic perspective. <i>Systematic Entomology</i> , 2020, 45, 803-837.  | 3.9  | 11        |
| 741 | The wild species genome ancestry of domestic chickens. <i>BMC Biology</i> , 2020, 18, 13.  | 3.8  | 61        |
| 742 | Whole-genome sequencing of 128 camels across Asia reveals origin and migration of domestic Bactrian camels. <i>Communications Biology</i> , 2020, 3, 1.  | 4.4  | 809       |
| 743 | Divergent northern and southern populations and demographic history of the pearl oyster in the western Pacific revealed with genomic SNPs. <i>Evolutionary Applications</i> , 2020, 13, 837-853.   | 3.1  | 24        |
| 744 | Heterogeneity in the distribution of 159 drug-response related SNPs in world populations and their genetic relatedness. <i>PLoS ONE</i> , 2020, 15, e0228000.  | 2.5  | 20        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 745 | The evolution of sexual signaling is linked to odorant receptor tuning in perfume-collecting orchid bees. <i>Nature Communications</i> , 2020, 11, 244.   | 12.8 | 35        |
| 746 | Genomic insight into the origins and dispersal of the Brazilian coastal natives. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 2372-2377.   | 7.1  | 27        |
| 747 | Impact of past climate warming on genomic diversity and demographic history of collared lemmings across the Eurasian Arctic. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 3026-3033.                   | 7.1  | 19        |
| 748 | Genomic patterns in the widespread Eurasian lynx shaped by Late Quaternary climatic fluctuations and anthropogenic impacts. <i>Molecular Ecology</i> , 2020, 29, 812-828.   | 3.9  | 42        |
| 749 | Population Genomics in <i>Rhamdia quelen</i> (Heptapteridae, Siluriformes) Reveals Deep Divergence and Adaptation in the Neotropical Region. <i>Genes</i> , 2020, 11, 109.  | 2.4  | 4         |
| 750 | Genomic regions under selection in the feralization of the dingoes. <i>Nature Communications</i> , 2020, 11, 671.   | 12.8 | 49        |
| 751 | The Reference Genome of Tea Plant and Resequencing of 81 Diverse Accessions Provide Insights into Its Genome Evolution and Adaptation. <i>Molecular Plant</i> , 2020, 13, 1013-1026.  | 8.3  | 257       |
| 752 | Extensive Ethnolinguistic Diversity in Vietnam Reflects Multiple Sources of Genetic Diversity. <i>Molecular Biology and Evolution</i> , 2020, 37, 2503-2519.  | 8.9  | 70        |
| 753 | Genetic differentiation and intrinsic genomic features explain variation in recombination hotspots among cocoa tree populations. <i>BMC Genomics</i> , 2020, 21, 332.   | 2.8  | 14        |
| 754 | Speciation Associated with Shifts in Migratory Behavior in an Avian Radiation. <i>Current Biology</i> , 2020, 30, 1312-1321.e6.   | 3.9  | 45        |
| 755 | Dimensionality reduction reveals fine-scale structure in the Japanese population with consequences for polygenic risk prediction. <i>Nature Communications</i> , 2020, 11, 1569.  | 12.8 | 58        |
| 756 | High genomic diversity in the bank vole at the northern apex of a range expansion: The role of multiple colonizations and endâ€‘glacial refugia. <i>Molecular Ecology</i> , 2020, 29, 1730-1744.  | 3.9  | 27        |
| 757 | Highâ€‘density genetic variation maps reveal the correlation between asymmetric interspecific introgressions and improvement of agronomic traits in Upland and Pima cotton varieties developed in Xinjiang, China. <i>Plant Journal</i> , 2020, 103, 677-689. | 5.7  | 22        |
| 758 | Quaternary climate changes as speciation drivers in the Amazon floodplains. <i>Science Advances</i> , 2020, 6, eaax4718.  | 10.3 | 55        |
| 759 | Shifting ecosystem connectivity during the Pleistocene drove diversification and geneâ€‘flow in a species complex of Neotropical birds (Tityridae: <i>Pachyramphus</i> ). <i>Journal of Biogeography</i> , 2020, 47, 1714-1726.                               | 3.0  | 7         |
| 760 | Genotypingâ€‘byâ€‘sequencing and ecological niche modeling illuminate phylogeography, admixture, and Pleistocene range dynamics in quaking aspen ( <i>Populus tremuloides</i> ). <i>Ecology and Evolution</i> , 2020, 10, 4609-4629.                          | 1.9  | 13        |
| 761 | Genomic diversity of the human pathogen <i>Paracoccidioides</i> across the South American continent. <i>Fungal Genetics and Biology</i> , 2020, 140, 103395.  | 2.1  | 33        |
| 762 | A Whole-Genome Scan for Association with Invasion Success in the Fruit Fly <i>Drosophila suzukii</i> Using Contrasts of Allele Frequencies Corrected for Population Structure. <i>Molecular Biology and Evolution</i> , 2020, 37, 2369-2385.                  | 8.9  | 57        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 763 | Parallelism in eco-morphology and gene expression despite variable evolutionary and genomic backgrounds in a Holarctic fish. <i>PLoS Genetics</i> , 2020, 16, e1008658.                                       | 3.5 | 73        |
| 764 | A genetically unique Chinese cattle population shows evidence of common ancestry with wild species when analysed with a reduced ascertainment bias SNP panel. <i>PLoS ONE</i> , 2020, 15, e0231162.           | 2.5 | 8         |
| 765 | Close genetic relationship between central Thai and Mon people in Thailand revealed by autosomal microsatellites. <i>International Journal of Legal Medicine</i> , 2021, 135, 445-448.                        | 2.2 | 6         |
| 766 | Insights into the aridification history of Central Asian Mountains and international conservation strategy from the endangered wild apple tree. <i>Journal of Biogeography</i> , 2021, 48, 332-344.           | 3.0 | 11        |
| 767 | Elevated rates of positive selection drive the evolution of pestiferousness in the Colorado potato beetle ( <i>Leptinotarsa decemlineata</i> , Say). <i>Molecular Ecology</i> , 2021, 30, 237-254.            | 3.9 | 16        |
| 768 | Fine-scale genetic structure of Tujia and central Han Chinese revealing massive genetic admixture under language borrowing. <i>Journal of Systematics and Evolution</i> , 2021, 59, 1-20.                     | 3.1 | 31        |
| 769 | The Origins of Coca: Museum Genomics Reveals Multiple Independent Domestications from Progenitor <i>Erythroxylum gracilipes</i> . <i>Systematic Biology</i> , 2021, 70, 1-13.                                 | 5.6 | 10        |
| 770 | Dsuite â€œFast <i>D</i>â€œ statistics and related admixture evidence from VCF files. <i>Molecular Ecology Resources</i> , 2021, 21, 584-595.  | 4.8 | 356       |
| 771 | Genomic Adaptations to Salinity Resist Gene Flow in the Evolution of Floridian Watersnakes. <i>Molecular Biology and Evolution</i> , 2021, 38, 745-760.   | 8.9 | 11        |
| 772 | Repeated hybridization increased diversity in the door snail complex <i>Charpentieria itala</i> in the Southern Alps. <i>Molecular Phylogenetics and Evolution</i> , 2021, 155, 106982.                       | 2.7 | 6         |
| 773 | Vicariance followed by secondary gene flow in a young gazelle species complex. <i>Molecular Ecology</i> , 2021, 30, 528-544.  | 3.9 | 11        |
| 774 | Genomic variation patterns of subspecies defined by phenotypic criteria: Analyses of the mangrove species complex, <i>Avicennia marina</i> . <i>Journal of Systematics and Evolution</i> , 2022, 60, 835-847. | 3.1 | 4         |
| 775 | A population genomic unveiling of a new cryptic mosquito taxon within the malaria-transmitting <i>Anopheles gambiae</i> complex. <i>Molecular Ecology</i> , 2021, 30, 775-790.                                | 3.9 | 16        |
| 776 | Parallelism in gene expression between foothill and alpine ecotypes in <i>Arabidopsis arenosa</i> . <i>Plant Journal</i> , 2021, 105, 1211-1224.  | 5.7 | 14        |
| 777 | The Legacy of Recurrent Introgression during the Radiation of Hares. <i>Systematic Biology</i> , 2021, 70, 593-607.   | 5.6 | 47        |
| 778 | Tracing the Genetic Legacy of the Tibetan Empire in the Balti. <i>Molecular Biology and Evolution</i> , 2021, 38, 1529-1536.  | 8.9 | 13        |
| 779 | Whole-Genome Resequencing Reveals Adaptation Prior to the Divergence of Buffalo Subspecies. <i>Genome Biology and Evolution</i> , 2021, 13, .   | 2.5 | 4         |
| 780 | Evidence for Two Main Domestication Trajectories in <i>Saccharomyces cerevisiae</i> Linked to Distinct Bread-Making Processes. <i>Current Biology</i> , 2021, 31, 722-732.e5.                                 | 3.9 | 43        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 781 | The tip of the iceberg: Genome wide marker analysis reveals hidden hybridization during invasion. <i>Molecular Ecology</i> , 2021, 30, 810-825.  | 3.9  | 3         |
| 782 | Fine-scale north-to-south genetic admixture profile in Shaanxi Han Chinese revealed by genome-wide demographic history reconstruction. <i>Journal of Systematics and Evolution</i> , 2022, 60, 955-972.                            | 3.1  | 26        |
| 783 | Looks can be deceiving: speciation dynamics of co-distributed <i>Angophora</i> (Myrtaceae) species in a varying landscape. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 310-329.                       | 2.3  | 9         |
| 784 | The scales of coevolution: comparative phylogeography and genetic demography of a locally adapted venomous predator and its prey. <i>Biological Journal of the Linnean Society</i> , 2021, 132, 297-317.                           | 1.6  | 8         |
| 785 | Global drivers of recent diversification in a marine species complex. <i>Molecular Ecology</i> , 2021, 30, 1223-1236.  | 3.9  | 7         |
| 786 | A genetic history of the pre-contact Caribbean. <i>Nature</i> , 2021, 590, 103-110.  | 27.8 | 67        |
| 787 | Selection and introgression facilitated the adaptation of Chinese native endangered cattle in extreme environments. <i>Evolutionary Applications</i> , 2021, 14, 860-873.  | 3.1  | 11        |
| 788 | Genomes of Pleistocene Siberian Wolves Uncover Multiple Extinct Wolf Lineages. <i>Current Biology</i> , 2021, 31, 198-206.e8.  | 3.9  | 26        |
| 789 | Whole-genome SNP markers reveal conservation status, signatures of selection, and introgression in Chinese Laiwu pigs. <i>Evolutionary Applications</i> , 2021, 14, 383-398.   | 3.1  | 21        |
| 790 | Ecological Load and Balancing Selection in Circumboreal Barnacles. <i>Molecular Biology and Evolution</i> , 2021, 38, 676-685.   | 8.9  | 11        |
| 791 | Historical Introgression from Wild Relatives Enhanced Climatic Adaptation and Resistance to Pneumonia in Sheep. <i>Molecular Biology and Evolution</i> , 2021, 38, 838-855.  | 8.9  | 44        |
| 792 | Ethiopian indigenous goats offer insights into past and recent demographic dynamics and local adaptation in sub-Saharan African goats. <i>Evolutionary Applications</i> , 2021, 14, 1716-1731.                                     | 3.1  | 6         |
| 793 | The thin red line between species—Genomic differentiation of <i>Gymnosoma</i> Meigen, a taxonomically challenging genus of parasitoid flies (Diptera: Tachinidae). <i>Systematic Entomology</i> , 2021, 46, 96-110.                | 3.9  | 4         |
| 794 | Timing strains of the marine insect <i>Clunio marinus</i> diverged and persist with gene flow. <i>Molecular Ecology</i> , 2021, 30, 1264-1280.   | 3.9  | 16        |
| 796 | Almond diversity and homozygosity define structure, kinship, inbreeding, and linkage disequilibrium in cultivated germplasm, and reveal genomic associations with nut and seed weight. <i>Horticulture Research</i> , 2021, 8, 15. | 6.3  | 16        |
| 797 | Population Dynamics and Structural Effects at Short and Long Range Support the Hypothesis of the Selective Advantage of the G614 SARS-CoV-2 Spike Variant. <i>Molecular Biology and Evolution</i> , 2021, 38, 1966-1979.           | 8.9  | 23        |
| 798 | Population structure of indigenous inhabitants of Arabia. <i>PLoS Genetics</i> , 2021, 17, e1009210.   | 3.5  | 14        |
| 799 | Patterns of genetic variation in a prairie wildflower, <i>Silphium integrifolium</i> , suggest a non-prairie origin and locally adaptive variation. <i>American Journal of Botany</i> , 2021, 108, 145-158.                        | 1.7  | 9         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 800 | Deconvolving Human Evolutionary History: Using Network-Based Approaches to Better Understand Our Past. , 2021, , 105-110.   |     | 0         |
| 801 | Unraveling the Complex Hybrid Ancestry and Domestication History of Cultivated Strawberry. <i>Molecular Biology and Evolution</i> , 2021, 38, 2285-2305.  | 8.9 | 48        |
| 802 | Genome-wide SNP data of Izumo and Makurazaki populations support inner-dual structure model for origin of Yamato people. <i>Journal of Human Genetics</i> , 2021, 66, 681-687.  | 2.3 | 7         |
| 803 | Estimating FST and kinship for arbitrary population structures. <i>PLoS Genetics</i> , 2021, 17, e1009241.  | 3.5 | 53        |
| 804 | Colonization and genetic diversification processes of <i>Leishmania infantum</i> in the Americas. <i>Communications Biology</i> , 2021, 4, 139.   | 4.4 | 32        |
| 806 | Ancient genomes from the initial Jomon period: new insights into the genetic history of the Japanese archipelago. <i>Anthropological Science</i> , 2021, 129, 13-22.  | 0.4 | 6         |
| 807 | <i>OptM</i>: estimating the optimal number of migration edges on population trees using <i>Treemix</i>. <i>Biology Methods and Protocols</i> , 2021, 6, bpab017.  | 2.2 | 116       |
| 808 | Whole-genome resequencing of Japanese whiting (<i>Sillago japonica</i>) provide insights into local adaptations. <i>Zoological Research</i> , 2021, 42, 548-561.  | 2.1 | 5         |
| 809 | Genetic diversity and phylogenetic relationship of nine sheep populations based on microsatellite markers. <i>Archives Animal Breeding</i> , 2021, 64, 7-16.  | 1.4 | 7         |
| 811 | Exploring the History of Philippine Astronomy: Catholics, Comets, Eclipses and Ethnoastronomy. <i>Historical &amp; Cultural Astronomy</i> , 2021, , 37-115.   | 0.1 | 4         |
| 812 | Population genomics reveal rapid genetic differentiation in a recently invasive population of <i>Rattus norvegicus</i> . <i>Frontiers in Zoology</i> , 2021, 18, 6.   | 2.0 | 8         |
| 813 | Assessing the performance of qpAdm: a statistical tool for studying population admixture. <i>Genetics</i> , 2021, 217, .  | 2.9 | 84        |
| 814 | Conservation priorities in an endangered estuarine seahorse are informed by demographic history. <i>Scientific Reports</i> , 2021, 11, 4205.  | 3.3 | 1         |
| 815 | Complex genetic admixture histories reconstructed with Approximate Bayesian Computation. <i>Molecular Ecology Resources</i> , 2021, 21, 1098-1117.  | 4.8 | 13        |
| 816 | Later Stone Age human hair from Vaalkrans Shelter, Cape Floristic Region of South Africa, reveals genetic affinity to Khoe groups. <i>American Journal of Physical Anthropology</i> , 2021, 174, 701-713.                           | 2.1 | 3         |
| 817 | Ancient and recent introgression shape the evolutionary history of pollinator adaptation and speciation in a model monkeyflower radiation ( <i>Mimulus</i> section <i>Erythranthe</i> ). <i>PLoS Genetics</i> , 2021, 17, e1009095. | 3.5 | 56        |
| 819 | Population Transcriptomics Reveals Gene Flow and Introgression Between Two Non-sister Alpine Gentians. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .   | 2.2 | 2         |
| 820 | Combined Low-/High-Density Modern and Ancient Genome-Wide Data Document Genomic Admixture History of High-Altitude East Asians. <i>Frontiers in Genetics</i> , 2021, 12, 582357.  | 2.3 | 13        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 821 | Genetic history of Calabrian Greeks reveals ancient events and long term isolation in the Aspromonte area of Southern Italy. <i>Scientific Reports</i> , 2021, 11, 3045.  | 3.3  | 9         |
| 822 | Genomic Characterization of the Three Balkan Livestock Guardian Dogs. <i>Sustainability</i> , 2021, 13, 2289.   | 3.2  | 4         |
| 823 | Genomic variation, population history and within-archipelago adaptation between island bird populations. <i>Royal Society Open Science</i> , 2021, 8, 201146.   | 2.4  | 9         |
| 824 | Genetic diversity of maize landraces from the South-West of France. <i>PLoS ONE</i> , 2021, 16, e0238334.   | 2.5  | 7         |
| 825 | Evolutionary history and genetic connectivity across highly fragmented populations of an endangered daisy. <i>Heredity</i> , 2021, 126, 846-858.  | 2.6  | 6         |
| 827 | Evolution at two time frames: ancient structural variants involved in post-glacial divergence of the European plaice ( <i>Pleuronectes platessa</i> ). <i>Heredity</i> , 2021, 126, 668-683.                            | 2.6  | 15        |
| 828 | The genomics of ecological flexibility, large brains, and long lives in capuchin monkeys revealed with fecalFACS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, . | 7.1  | 34        |
| 829 | Comprehensive genotyping of a Brazilian cassava ( <i>Manihot esculenta</i> Crantz) germplasm bank: insights into diversification and domestication. <i>Theoretical and Applied Genetics</i> , 2021, 134, 1343-1362.     | 3.6  | 15        |
| 830 | Genomic evidence supports the introgression between two sympatric stickleback species inhabiting the White Sea basin. <i>Heliyon</i> , 2021, 7, e06160.   | 3.2  | 4         |
| 831 | High-depth resequencing of 312 accessions reveals the local adaptation of foxtail millet. <i>Theoretical and Applied Genetics</i> , 2021, 134, 1303-1317.   | 3.6  | 16        |
| 833 | Mating system evolution and genetic structure of diploid sexual populations of <i>Cyrtomium falcatum</i> in Japan. <i>Scientific Reports</i> , 2021, 11, 3124.  | 3.3  | 0         |
| 834 | Genomic landscape of geographically structured colour polymorphism in a temperate marine fish. <i>Molecular Ecology</i> , 2021, 30, 1281-1296.  | 3.9  | 6         |
| 835 | Molecular phylogeography reveals two geographically and temporally separated floristic exchange tracks between Southeast Asia and northern Australia. <i>Journal of Biogeography</i> , 2021, 48, 1213-1227.             | 3.0  | 11        |
| 836 | Million-year-old DNA sheds light on the genomic history of mammoths. <i>Nature</i> , 2021, 591, 265-269.  | 27.8 | 179       |
| 838 | Insights into the demographic history of Asia from common ancestry and admixture in the genomic landscape of present-day Austroasiatic speakers. <i>BMC Biology</i> , 2021, 19, 61.                                     | 3.8  | 8         |
| 839 | Genetic and morphological differentiation in <i>Washingtonia</i> (Arecaceae): solving a century-old palm mystery. <i>Botanical Journal of the Linnean Society</i> , 2021, 196, 506-523.                                 | 1.6  | 3         |
| 840 | The population genomics of repeated freshwater colonizations by Gulf pipefish. <i>Molecular Ecology</i> , 2021, 30, 1672-1687.  | 3.9  | 4         |
| 841 | Extensive Genome-Wide Phylogenetic Discordance Is Due to Incomplete Lineage Sorting and Not Ongoing Introgression in a Rapidly Radiated Bryophyte Genus. <i>Molecular Biology and Evolution</i> , 2021, 38, 2750-2766.  | 8.9  | 54        |



| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 842 | Not that clean: Aquaculture-mediated translocation of cleaner fish has led to hybridization on the northern edge of the species' range. <i>Evolutionary Applications</i> , 2021, 14, 1572-1587.                    | 3.1 | 10        |
| 843 | Large Genetic Diversity and Strong Positive Selection in F-Box and GPCR Genes among the Wild Isolates of <i>Caenorhabditis elegans</i> . <i>Genome Biology and Evolution</i> , 2021, 13, .                         | 2.5 | 13        |
| 844 | Assessing the genetic background and genomic relatedness of red cattle populations originating from Northern Europe. <i>Genetics Selection Evolution</i> , 2021, 53, 23.   | 3.0 | 15        |
| 845 | Elucidation of Japanese pepper ( <i>Zanthoxylum piperitum</i> De Candolle) domestication using RAD-Seq. <i>Scientific Reports</i> , 2021, 11, 6464.  | 3.3 | 7         |
| 846 | The evolutionary dynamics of biological invasions: A multi-approach perspective. <i>Evolutionary Applications</i> , 2021, 14, 1463-1484.   | 3.1 | 48        |
| 847 | Genetic variation in aneuploidy prevalence and tolerance across <i>Saccharomyces cerevisiae</i> lineages. <i>Genetics</i> , 2021, 217, .   | 2.9 | 25        |
| 848 | The choices we make and the impacts they have: Machine learning and species delimitation in North American box turtles ( <i>Terrapene</i> spp.). <i>Molecular Ecology Resources</i> , 2021, 21, 2801-2817.         | 4.8 | 8         |
| 849 | Whole-genome resequencing reveals persistence of forest-associated mammals in Late Pleistocene refugia along North America's North Pacific Coast. <i>Journal of Biogeography</i> , 2021, 48, 1153-1169.            | 3.0 | 7         |
| 850 | Genomic consequences of human-mediated translocations in margin populations of an endangered amphibian. <i>Evolutionary Applications</i> , 2021, 14, 1623-1634.  | 3.1 | 2         |
| 851 | Deep genetic affinity between coastal Pacific and Amazonian natives evidenced by Australasian ancestry. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .      | 7.1 | 21        |
| 852 | Demographic History, Adaptation, and NRAP Convergent Evolution at Amino Acid Residue 100 in the World Northernmost Cattle from Siberia. <i>Molecular Biology and Evolution</i> , 2021, 38, 3093-3110.              | 8.9 | 27        |
| 853 | Novelty and Convergence in Adaptation to Whole Genome Duplication. <i>Molecular Biology and Evolution</i> , 2021, 38, 3910-3924.   | 8.9 | 22        |
| 855 | Whole genome genotyping reveals discrete genetic diversity in north-east Atlantic maerl beds. <i>Evolutionary Applications</i> , 2021, 14, 1558-1571.  | 3.1 | 3         |
| 856 | Demographic consequences of dispersal-related trait shift in two recently diverged taxa of montane grasshoppers*. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 1998-2013.              | 2.3 | 7         |
| 857 | Complex histories of gene flow and a mitochondrial capture event in a nonsister pair of birds. <i>Molecular Ecology</i> , 2021, 30, 2087-2103.   | 3.9 | 25        |
| 858 | Tracing the origins of hybrids through history: monstrous cultivars and Napoleon Bonaparte's exiled paper daisies (Asteraceae; Gnaphalieae). <i>Botanical Journal of the Linnean Society</i> , 2021, 197, 277-289. | 1.6 | 1         |
| 859 | Evidence for ephemeral ring species formation during the diversification history of western fence lizards ( <i>Sceloporus occidentalis</i> ). <i>Molecular Ecology</i> , 2022, 31, 620-631.                        | 3.9 | 17        |
| 861 | Genetic analysis of 32 InDels in four ethnic minorities from Chinese Xinjiang. <i>PLoS ONE</i> , 2021, 16, e0250206.   | 2.5 | 2         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 862 | Population genomic evidence of <i>Plasmodium vivax</i> Southeast Asian origin. Science Advances, 2021, 7, .   | 10.3 | 21        |
| 863 | Genomic insights into the origin, domestication and genetic basis of agronomic traits of castor bean. Genome Biology, 2021, 22, 113.  | 8.8  | 32        |
| 864 | Episodes of gene flow and selection during the evolutionary history of domesticated barley. BMC Genomics, 2021, 22, 227.  | 2.8  | 12        |
| 865 | Analysis of whole-genome re-sequencing data of ducks reveals a diverse demographic history and extensive gene flow between Southeast/South Asian and Chinese populations. Genetics Selection Evolution, 2021, 53, 35. | 3.0  | 5         |
| 866 | The distinct morphological phenotypes of Southeast Asian aborigines are shaped by novel mechanisms for adaptation to tropical rainforests. National Science Review, 2022, 9, nwab072.                                 | 9.5  | 3         |
| 870 | Whole-genome resequencing of 445 <i>Lactuca</i> accessions reveals the domestication history of cultivated lettuce. Nature Genetics, 2021, 53, 752-760.   | 21.4 | 64        |
| 871 | Genetic diversity analysis of Chinese plum ( <i>Prunus salicina</i> L.) based on whole-genome resequencing. Tree Genetics and Genomes, 2021, 17, 1.   | 1.6  | 12        |
| 872 | Archaeogenomic distinctiveness of the Isthmo-Colombian area. Cell, 2021, 184, 1706-1723.e24.  | 28.9 | 30        |
| 875 | Reconstructing the Human Genetic History of Mainland Southeast Asia: Insights from Genome-Wide Data from Thailand and Laos. Molecular Biology and Evolution, 2021, 38, 3459-3477.                                     | 8.9  | 49        |
| 876 | Back to the Origins: Background and Perspectives of Grapevine Domestication. International Journal of Molecular Sciences, 2021, 22, 4518.   | 4.1  | 24        |
| 877 | On species delimitation, hybridization and population structure of cassava whitefly in Africa. Scientific Reports, 2021, 11, 7923.  | 3.3  | 9         |
| 878 | Genomic inbreeding and population structure of northern pike ( <i>Esox lucius</i> ) in Xinjiang, China. Ecology and Evolution, 2021, 11, 5657-5668.   | 1.9  | 3         |
| 879 | <i>Brassica rapa</i> Domestication: Untangling Wild and Feral Forms and Convergence of Crop Morphotypes. Molecular Biology and Evolution, 2021, 38, 3358-3372.  | 8.9  | 30        |
| 880 | Phylogeographic history of Japanese macaques. Journal of Biogeography, 2021, 48, 1420-1431.   | 3.0  | 12        |
| 882 | Demographic history and local adaptation of <i>Myriopholis dioica</i> (Asteraceae) provide insight on plant evolution in northern China flora. Ecology and Evolution, 2021, 11, 8000-8013.                            | 1.9  | 8         |
| 883 | Genomic evidence supports an independent history of Levantine and Eurasian grapevines. Plants People Planet, 2021, 3, 414-427.  | 3.3  | 13        |
| 884 | Continent-wide genomic signatures of adaptation to urbanisation in a songbird across Europe. Nature Communications, 2021, 12, 2983.   | 12.8 | 34        |
| 885 | Rapid Parallel Adaptation to Anthropogenic Heavy Metal Pollution. Molecular Biology and Evolution, 2021, 38, 3724-3736.   | 8.9  | 19        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 886 | Genomic basis of parallel adaptation varies with divergence in <i>Arabidopsis</i> and its relatives. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .        | 7.1  | 61        |
| 887 | The demographic and ecological factors shaping diversification among rare <i>Astragalus</i> species. <i>Diversity and Distributions</i> , 2021, 27, 1407-1421.  | 4.1  | 11        |
| 890 | The Pop-Gen Pipeline Platform: A Software Platform for Population Genomic Analyses. <i>Molecular Biology and Evolution</i> , 2021, 38, 3478-3485.   | 8.9  | 10        |
| 891 | Rampant Genome-Wide Admixture across the <i>Heliconius</i> Radiation. <i>Genome Biology and Evolution</i> , 2021, 13, .   | 2.5  | 31        |
| 892 | Introgression and Species Delimitation in the Longear Sunfish <i>Lepomis megalotis</i> (Teleostei: Cyprinidae). <i>Evolution</i> , 2021, 75, 1075-1086.   | 9.6  | 20        |
| 893 | A dynamic history of admixture from Mediterranean and Carpathian glacial refugia drives genomic diversity in the bank vole. <i>Ecology and Evolution</i> , 2021, 11, 8215-8225.                                   | 1.9  | 9         |
| 896 | Invasion and rapid adaptation of guppies ( <i>Poecilia reticulata</i> ) across the Hawaiian Archipelago. <i>Evolutionary Applications</i> , 2021, 14, 1747-1761.  | 3.1  | 6         |
| 897 | Genetic diversity and evolutionary patterns of <i>Taraxacum kok-saghyz</i> Rodin. <i>Ecology and Evolution</i> , 2021, 11, 7917-7926.   | 1.9  | 7         |
| 898 | Speciation along a latitudinal gradient: The origin of the Neotropical cycad sister pair <i>Dioon sonorense</i> and <i>D. vovidesii</i> (Zamiaceae). <i>Ecology and Evolution</i> , 2021, 11, 6962-6976.          | 1.9  | 5         |
| 899 | Introgression, admixture, and selection facilitate genetic adaptation to high-altitude environments in cattle. <i>Genomics</i> , 2021, 113, 1491-1503.  | 2.9  | 10        |
| 900 | The Genomic Signature of Allopatric Speciation in a Songbird Is Shaped by Genome Architecture (Aves: <i>Turdus migratorius</i> ). <i>Evolution</i> , 2021, 75, 1075-1086.   | 2.5  | 10        |
| 901 | Genomic Analyses Unveil Helmeted Guinea Fowl ( <i>Numida meleagris</i> ) Domestication in West Africa. <i>Genome Biology and Evolution</i> , 2021, 13, .  | 2.5  | 6         |
| 902 | Origin and population structure of Brazilian hair sheep breeds. <i>Animal Genetics</i> , 2021, 52, 492-504.   | 1.7  | 12        |
| 903 | Genomic Analysis Reveals Human-Mediated Introgression From European Commercial Pigs to Henan Indigenous Pigs. <i>Frontiers in Genetics</i> , 2021, 12, 705803.  | 2.3  | 1         |
| 905 | Significant East Asian Affinity of the Sichuan Hui Genomic Structure Suggests the Predominance of the Cultural Diffusion Model in the Genetic Formation Process. <i>Frontiers in Genetics</i> , 2021, 12, 626710. | 2.3  | 17        |
| 906 | The deep population history of northern East Asia from the Late Pleistocene to the Holocene. <i>Cell</i> , 2021, 184, 3256-3266.e13.  | 28.9 | 83        |
| 907 | The wall lizards of the Balkan peninsula: Tackling questions at the interface of phylogenomics and population genomics. <i>Molecular Phylogenetics and Evolution</i> , 2021, 159, 107121.                         | 2.7  | 6         |
| 908 | Genome-wide SNP analysis clearly distinguished the Belarusian Red cattle from other European cattle breeds. <i>Animal Genetics</i> , 2021, 52, 720-724.   | 1.7  | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 909 | Genetic diversity and effective population sizes of thirteen Indian cattle breeds. <i>Genetics Selection Evolution</i> , 2021, 53, 47.   | 3.0 | 18        |
| 911 | Museomics Dissects the Genetic Basis for Adaptive Seasonal Coloration in the Least Weasel. <i>Molecular Biology and Evolution</i> , 2021, 38, 4388-4402.   | 8.9 | 8         |
| 914 | Genomic, karyological and morphological changes of South American garlands ( <i>Ipheion</i> ) provide insights into mechanisms of speciation in the Pampean region. <i>Molecular Ecology</i> , 2021, 30, 3716-3729.      | 3.9 | 3         |
| 915 | Genomic analyses overturn two long-standing homoploid hybrid speciation hypotheses. <i>Evolution; International Journal of Organic Evolution</i> , 2021, 75, 1699-1710.  | 2.3 | 5         |
| 916 | The genomic origin of Zana of Abkhazia. <i>Genetics &amp; Genomics Next</i> , 2021, 2, e10051.   | 1.5 | 0         |
| 918 | Population matched (pm) germline allelic variants of immunoglobulin (IG) loci: Relevance in infectious diseases and vaccination studies in human populations. <i>Genes and Immunity</i> , 2021, 22, 172-186.             | 4.1 | 14        |
| 919 | On the origin and diversification of Podolian cattle breeds: testing scenarios of European colonization using genome-wide SNP data. <i>Genetics Selection Evolution</i> , 2021, 53, 48.                                  | 3.0 | 18        |
| 920 | Genotyping-by-sequencing resolves relationships in Polygonaceae tribe Eriogoneae. <i>Taxon</i> , 2021, 70, 826-841.  | 0.7 | 2         |
| 921 | An overview of current population genomics methods for the analysis of whole-genome resequencing data in eukaryotes. <i>Molecular Ecology</i> , 2021, 30, 6036-6071.   | 3.9 | 38        |
| 922 | Introgression shapes fruit color convergence in invasive Galápagos tomato. <i>ELife</i> , 2021, 10, .  | 6.0 | 8         |
| 923 | Standing variation rather than recent adaptive introgression probably underlies differentiation of the <i>Helianthus annuus</i> subspecies of <i>Helianthus annuus</i> . <i>Molecular Ecology</i> , 2021, 30, 6229-6245. | 3.9 | 13        |
| 924 | Ancestral transoceanic colonization and recent population reduction in a nonannual killifish from the Seychelles archipelago. <i>Molecular Ecology</i> , 2021, 30, 3610-3623.  | 3.9 | 9         |
| 926 | Divergence and introgression in small apes, the genus <i>Hylobates</i> , revealed by reduced representation sequencing. <i>Heredity</i> , 2021, 127, 312-322.  | 2.6 | 5         |
| 927 | The Evolutionary History of Wild, Domesticated, and Feral <i>Brassica oleracea</i> (Brassicaceae). <i>Molecular Biology and Evolution</i> , 2021, 38, 4419-4434.   | 8.9 | 49        |
| 928 | Genomic methods reveal independent demographic histories despite strong morphological conservatism in fish species. <i>Heredity</i> , 2021, 127, 323-333.  | 2.6 | 2         |
| 929 | Assessing the predictive taxonomic power of the bony labyrinth 3D shape in horses, donkeys and their F1-hybrids. <i>Journal of Archaeological Science</i> , 2021, 131, 105383.   | 2.4 | 8         |
| 930 | Genome Analysis Traces Regional Dispersal of Rice in Taiwan and Southeast Asia. <i>Molecular Biology and Evolution</i> , 2021, 38, 4832-4846.  | 8.9 | 16        |
| 931 | Highly Replicated Evolution of Parapatric Ecotypes. <i>Molecular Biology and Evolution</i> , 2021, 38, 4805-4821.  | 8.9 | 17        |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 932 | Complex population structure of the Atlantic puffin revealed by whole genome analyses. Communications Biology, 2021, 4, 922.   | 4.4  | 14        |
| 933 | Comparative Study of the Genetic Diversity of Local Steppe Cattle Breeds from Russia, Kazakhstan and Kyrgyzstan by Microsatellite Analysis of Museum and Modern Samples. Diversity, 2021, 13, 351. | 1.7  | 6         |
| 934 | Genome of <i>PeÅŸtera Muierii</i> skull shows high diversity and low mutational load in pre-glacial Europe. Current Biology, 2021, 31, 2973-2983.e9.   | 3.9  | 18        |
| 935 | Exceptional ancient DNA preservation and fibre remains of a Sasanian saltmine sheep mummy in ChehrĀbĀd, Iran. Biology Letters, 2021, 17, 20210222.   | 2.3  | 7         |
| 936 | Fast and flexible estimation of effective migration surfaces. ELife, 2021, 10, .   | 6.0  | 28        |
| 937 | Non-adaptive evolutionary processes governed the diversification of a temperate conifer lineage after its migration into the tropics. Molecular Phylogenetics and Evolution, 2021, 160, 107125.    | 2.7  | 9         |
| 938 | Molecular genetic survey and forensic characterization of Chinese Mongolians via the 47 autosomal insertion/deletion marker. Genomics, 2021, 113, 2199-2210.                                       | 2.9  | 8         |
| 940 | Human population history at the crossroads of East and Southeast Asia since 11,000 years ago. Cell, 2021, 184, 3829-3841.e21.  | 28.9 | 78        |
| 942 | Local climate adaptation and gene flow in the native range of two co-occurring fruit moths with contrasting invasiveness. Molecular Ecology, 2021, 30, 4204-4219.                                  | 3.9  | 12        |
| 943 | Advancing admixture graph estimation via maximum likelihood network orientation. Bioinformatics, 2021, 37, i142-i150.  | 4.1  | 21        |
| 944 | Genome Divergence and Dynamics in the Thin-Tailed Desert Sheep From Sudan. Frontiers in Genetics, 2021, 12, 659507.  | 2.3  | 5         |
| 946 | Insights into the effect of human civilization on <i>Malus</i> evolution and domestication. Plant Biotechnology Journal, 2021, 19, 2206-2220.  | 8.3  | 23        |
| 948 | Human-Mediated Admixture and Selection Shape the Diversity on the Modern Swine ( <i>Sus scrofa</i> ) Y Chromosomes. Molecular Biology and Evolution, 2021, 38, 5051-5065.                          | 8.9  | 9         |
| 949 | Papua New Guinean Genomes Reveal the Complex Settlement of North Sahul. Molecular Biology and Evolution, 2021, 38, 5107-5121.  | 8.9  | 11        |
| 950 | The genetic structure of the Turkish population reveals high levels of variation and admixture. Proceedings of the National Academy of Sciences of the United States of America, 2021, 118, .      | 7.1  | 42        |
| 951 | Genome-Wide Evidence for Complex Hybridization and Demographic History in a Group of <i>Cycas</i> From China. Frontiers in Genetics, 2021, 12, 717200.   | 2.3  | 10        |
| 952 | A fast likelihood approach for estimation of large phylogenies from continuous trait data. Molecular Phylogenetics and Evolution, 2021, 161, 107142.   | 2.7  | 2         |
| 953 | A transposon-mediated reciprocal translocation promotes environmental adaptation but compromises domesticability of wild soybeans. New Phytologist, 2021, 232, 1765-1777.                          | 7.3  | 5         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 954 | Fine-Scale Genetic Structure and Natural Selection Signatures of Southwestern Hans Inferred From Patterns of Genome-Wide Allele, Haplotype, and Haplogroup Lineages. <i>Frontiers in Genetics</i> , 2021, 12, 727821.     | 2.3  | 15        |
| 955 | Integrated Bayesian Approaches Shed Light on the Dissemination Routes of the Eurasian Grapevine Germplasm. <i>Frontiers in Plant Science</i> , 2021, 12, 692661.  | 3.6  | 9         |
| 956 | Dissecting the genetic history of the Roman Catholic populations of West Coast India. <i>Human Genetics</i> , 2021, 140, 1487-1498.   | 3.8  | 4         |
| 957 | Ancient divergence of Indian and Tibetan wolves revealed by recombination-aware phylogenomics. <i>Molecular Ecology</i> , 2021, 30, 6687-6700.  | 3.9  | 26        |
| 959 | Phylogenomics reveals ancient and contemporary gene flow contributing to the evolutionary history of sea ducks (Tribe Mergini). <i>Molecular Phylogenetics and Evolution</i> , 2021, 161, 107164.                         | 2.7  | 9         |
| 960 | Genomic footprints of Quaternary colonization and population expansion in the Patagonian Fuegian region rules out a separate southern refugium in Tierra del Fuego. <i>Journal of Biogeography</i> , 2021, 48, 2656-2670. | 3.0  | 7         |
| 961 | Genomic analyses reveal distinct genetic architectures and selective pressures in Chinese donkeys. <i>Journal of Genetics and Genomics</i> , 2021, 48, 737-745.   | 3.9  | 16        |
| 962 | Phylogenomic analyses reveal a history of hybridisation and introgression between <i>Sophora</i> sect. <i>Edwardsia</i> (Fabaceae) species in New Zealand. <i>New Zealand Journal of Botany</i> , 2022, 60, 113-133.      | 1.1  | 7         |
| 963 | Genomic introgression from a distant congener in the Levant fritillary butterfly, <i>Melitaea acentria</i> . <i>Molecular Ecology</i> , 2021, 30, 4819-4832.  | 3.9  | 7         |
| 965 | A beginner's guide to low-coverage whole genome sequencing for population genomics. <i>Molecular Ecology</i> , 2021, 30, 5966-5993.   | 3.9  | 119       |
| 966 | Genome of a middle Holocene hunter-gatherer from Wallacea. <i>Nature</i> , 2021, 596, 543-547.  | 27.8 | 35        |
| 967 | Megabase-scale presence-absence variation with <i>Tripsacum</i> origin was under selection during maize domestication and adaptation. <i>Genome Biology</i> , 2021, 22, 237.  | 8.8  | 21        |
| 968 | Demographic History of the Brown Bear ( <i>Ursus arctos</i> ) on Hokkaido Island, Japan, Based on Whole-Genomic Sequence Analysis. <i>Genome Biology and Evolution</i> , 2021, 13, .                                      | 2.5  | 10        |
| 969 | Whole-Genome Sequencing of a 900-Year-Old Human Skeleton Supports Two Past Migration Events from the Russian Far East to Northern Japan. <i>Genome Biology and Evolution</i> , 2021, 13, .                                | 2.5  | 2         |
| 970 | Genome-Wide SNP Discovery and Population Genetic Analysis of <i>Mesocentrotus nudus</i> in China Seas. <i>Frontiers in Genetics</i> , 2021, 12, 717764.   | 2.3  | 5         |
| 971 | Parallel adaptation in autopolyploid <i>Arabidopsis arenosa</i> is dominated by repeated recruitment of shared alleles. <i>Nature Communications</i> , 2021, 12, 4979.  | 12.8 | 22        |
| 972 | Genomic basis of deep-water adaptation in Arctic Charr ( <i>Salvelinus alpinus</i> ) morphs. <i>Molecular Ecology</i> , 2021, 30, 4415-4432.  | 3.9  | 13        |
| 973 | Genomic data and multi-species demographic modelling uncover past hybridization between currently allopatric freshwater species. <i>Heredity</i> , 2021, 127, 401-412.  | 2.6  | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 974 | Species divergence and repeated ancient hybridization in a Sulawesi lake system. <i>Journal of Evolutionary Biology</i> , 2021, 34, 1767-1780.   | 1.7  | 13        |
| 975 | Identification of putative key genes for thermal adaptation in the Japanese mantis shrimp ( <i>Oratosquilla</i> ) Tj ETQq1 1 0.784314 rgBT /Ove<br>Genomics and Proteomics, 2021, 39, 100828.                                      | 1.0  | 1         |
| 976 | Chromosome-scale genome assembly and population genomics provide insights into the adaptation, domestication, and flavonoid metabolism of Chinese plum. <i>Plant Journal</i> , 2021, 108, 1174-1192.                               | 5.7  | 16        |
| 978 | Whole genome sequences from non-invasively collected caribou faecal samples. <i>Conservation Genetics Resources</i> , 2022, 14, 53-68.   | 0.8  | 8         |
| 980 | A genomic perspective on an old question: <i>Salmo</i> trouts or <i>Salmo trutta</i> (Teleostei: Salmonidae)?. <i>Molecular Phylogenetics and Evolution</i> , 2021, 162, 107204.   | 2.7  | 33        |
| 981 | Population Structure, Genetic Connectivity, and Signatures of Local Adaptation of the Giant Black Tiger Shrimp ( <i>Penaeus monodon</i> ) throughout the Indo-Pacific Region. <i>Genome Biology and Evolution</i> , 2021, 13, .    | 2.5  | 4         |
| 982 | Genomic Evidence for Rare Hybridization and Large Demographic Changes in the Evolutionary Histories of Four North American Dove Species. <i>Animals</i> , 2021, 11, 2677.  | 2.3  | 8         |
| 983 | Population structure of chum salmon and selection on the markers collected for stock identification. <i>Ecology and Evolution</i> , 2021, 11, 13972-13985.   | 1.9  | 7         |
| 984 | Cytosuclear discordance in the crowned-sparrows, <i>Zonotrichia atricapilla</i> and <i>Zonotrichia leucophrys</i> . <i>Molecular Phylogenetics and Evolution</i> , 2021, 162, 107216.  | 2.7  | 7         |
| 986 | Understanding population structure in an evolutionary context: population-specific <i>F<sub>ST</sub></i> and pairwise <i>F<sub>ST</sub></i> . <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .                                    | 1.8  | 18        |
| 988 | Hidden Historical Habitat-Linked Population Divergence and Contemporary Gene Flow of a Deep-Sea Patellogastropod Limpet. <i>Molecular Biology and Evolution</i> , 2021, 38, 5640-5654.   | 8.9  | 12        |
| 989 | Genomic insights into the origin, domestication and diversification of <i>Brassica juncea</i> . <i>Nature Genetics</i> , 2021, 53, 1392-1402.  | 21.4 | 66        |
| 990 | The details are in the genome-wide SNPs: Fine scale evolution of the Malaysian weedy rice. <i>Plant Science</i> , 2021, 310, 110985.   | 3.6  | 1         |
| 992 | Population dynamics of caribou shaped by glacial cycles before the last glacial maximum. <i>Molecular Ecology</i> , 2021, 30, 6121-6143.   | 3.9  | 19        |
| 993 | Ancient genomics reveals tripartite origins of Japanese populations. <i>Science Advances</i> , 2021, 7, eabh2419.  | 10.3 | 24        |
| 995 | New perspective on the genetic structure and habitat adaptation of <i>Pampus minor</i> off the coast of China based on RAD-seq. <i>Comparative Biochemistry and Physiology Part D: Genomics and Proteomics</i> , 2021, 39, 100865. | 1.0  | 2         |
| 996 | Indigenous Ancestry and Admixture in the Uruguayan Population. <i>Frontiers in Genetics</i> , 2021, 12, 733195.  | 2.3  | 6         |
| 997 | Genomic analysis unveils mechanisms of northward invasion and signatures of plateau adaptation in the Asian house rat. <i>Molecular Ecology</i> , 2021, 30, 6596-6610.   | 3.9  | 10        |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 998  | Whole genome sequencing reveals a complex introgression history and the basis of adaptation to subarctic climate in wild sheep. <i>Molecular Ecology</i> , 2021, 30, 6701-6717.   | 3.9  | 12        |
| 999  | Multiple Sources of Introduction of North American <i>Arabidopsis thaliana</i> from across Eurasia. <i>Molecular Biology and Evolution</i> , 2021, 38, 5328-5344.   | 8.9  | 6         |
| 1000 | Peopling History of the Tibetan Plateau and Multiple Waves of Admixture of Tibetans Inferred From Both Ancient and Modern Genome-Wide Data. <i>Frontiers in Genetics</i> , 2021, 12, 725243.  | 2.3  | 27        |
| 1001 | The Effect of Population Structure on Murine Genome-Wide Association Studies. <i>Frontiers in Genetics</i> , 2021, 12, 745361.  | 2.3  | 7         |
| 1002 | Revealing the coexistence of differentiation and communication in an endemic hare, <i>Lepus yarkandensis</i> (Mammalia, Leporidae) using specific-length amplified fragment sequencing. <i>Frontiers in Zoology</i> , 2021, 18, 50. | 2.0  | 2         |
| 1003 | Paths and timings of the peopling of Polynesia inferred from genomic networks. <i>Nature</i> , 2021, 597, 522-526.  | 27.8 | 31        |
| 1004 | Incursions of divergent genotypes, evolution of virulence and host jumps shape a continental clonal population of the stripe rust pathogen <i>Puccinia striiformis</i> . <i>Molecular Ecology</i> , 2021, 30, 6566-6584.            | 3.9  | 19        |
| 1005 | Genomic Insight Into the Population Admixture History of Tungusic-Speaking Manchu People in Northeast China. <i>Frontiers in Genetics</i> , 2021, 12, 754492.   | 2.3  | 12        |
| 1006 | Whole-genome resequencing reveals genetic structure and introgression in Pudong White pigs. <i>Animal</i> , 2021, 15, 100354.   | 3.3  | 10        |
| 1007 | Analysis of selection signatures reveals important insights into the adaptability of high-altitude Indian sheep breed Changthangi. <i>Gene</i> , 2021, 799, 145809.   | 2.2  | 9         |
| 1008 | Introgression is widespread in the radiation of carnivorous <i>Nepenthes</i> pitcher plants. <i>Molecular Phylogenetics and Evolution</i> , 2021, 163, 107214.  | 2.7  | 8         |
| 1009 | UCE Phylogenomics, detection of a putative hybrid population, and one older mitogenomic node age of <i>Batrachuperus</i> salamanders. <i>Molecular Phylogenetics and Evolution</i> , 2021, 163, 107239.                             | 2.7  | 0         |
| 1010 | Genome-wide DNA arrays profiling unravels the genetic structure of Iranian sheep and pattern of admixture with worldwide coarse-wool sheep breeds. <i>Genomics</i> , 2021, 113, 3501-3511.  | 2.9  | 2         |
| 1011 | Plotting for change: an analytical framework to aid decisions on which lineages are candidate species in phylogenomic species discovery. <i>Biological Journal of the Linnean Society</i> , 2022, 135, 117-137.                     | 1.6  | 11        |
| 1015 | Genomics Reveals the Origins of Historical Specimens. <i>Molecular Biology and Evolution</i> , 2021, 38, 2166-2176.   | 8.9  | 24        |
| 1016 | Human population dynamics and <i>Yersinia pestis</i> in ancient northeast Asia. <i>Science Advances</i> , 2021, 7, .  | 10.3 | 32        |
| 1017 | Evolutionary Genomics and the Domestication of Grapes. <i>Compendium of Plant Genomes</i> , 2019, , 39-55.  | 0.5  | 17        |
| 1018 | Evolution of Humans and by Humans. , 2015, , 21-36.   |      | 7         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1019 | A Genomic Investigation of the Malagasy Confirms the Highlandâ€“Coastal Divide, and the Lack of Middle Eastern Gene Flow. , 2016, , 231-254.  |     | 1         |
| 1020 | Rapid niche expansion by selection on functional genomic variation after ecosystem recovery. <i>Nature Ecology and Evolution</i> , 2019, 3, 77-86.  | 7.8 | 30        |
| 1021 | Genomic analysis of the natural history of attention-deficit/hyperactivity disorder using Neanderthal and ancient <i>Homo sapiens</i> samples. <i>Scientific Reports</i> , 2020, 10, 8622.                | 3.3 | 18        |
| 1022 | Reconciling material cultures in archaeology with genetic data requires robust cultural evolutionary taxonomies. <i>Palgrave Communications</i> , 2019, 5, .  | 4.7 | 30        |
| 1023 | Ancient DNA from Guam and the peopling of the Pacific. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .  | 7.1 | 25        |
| 1024 | Evidence of Austronesian Genetic Lineages in East Africa and South Arabia: Complex Dispersal from Madagascar and Southeast Asia. <i>Genome Biology and Evolution</i> , 2019, 11, 748-758.                 | 2.5 | 15        |
| 1025 | Reconstructing the Evolutionary History of Chromosomal Races on Islands: A Genome-Wide Analysis of Natural House Mouse Populations. <i>Molecular Biology and Evolution</i> , 2020, 37, 2825-2837.         | 8.9 | 13        |
| 1026 | Phylogenomic Discordance in the Eared Seals is best explained by Incomplete Lineage Sorting following Explosive Radiation in the Southern Hemisphere. <i>Systematic Biology</i> , 2021, 70, 786-802.      | 5.6 | 25        |
| 1027 | The speciation and hybridization history of the genus <i>Salmonella</i> . <i>Microbial Genomics</i> , 2019, 5, .  | 2.0 | 13        |
| 1108 | A Genome Scan for Genes Underlying Microgeographic-Scale Local Adaptation in a Wild <i>Arabidopsis</i> Species. <i>PLoS Genetics</i> , 2015, 11, e1005361.  | 3.5 | 63        |
| 1109 | A Spatial Framework for Understanding Population Structure and Admixture. <i>PLoS Genetics</i> , 2016, 12, e1005703.  | 3.5 | 109       |
| 1110 | The time and place of European admixture in Ashkenazi Jewish history. <i>PLoS Genetics</i> , 2017, 13, e1006644.  | 3.5 | 25        |
| 1111 | Independent introductions and admixtures have contributed to adaptation of European maize and its American counterparts. <i>PLoS Genetics</i> , 2017, 13, e1006666.                                       | 3.5 | 73        |
| 1112 | Two extended haplotype blocks are associated with adaptation to high altitude habitats in East African honey bees. <i>PLoS Genetics</i> , 2017, 13, e1006792.   | 3.5 | 70        |
| 1113 | Adaptive introgression from distant Caribbean islands contributed to the diversification of a microendemic adaptive radiation of trophic specialist pupfishes. <i>PLoS Genetics</i> , 2017, 13, e1006919. | 3.5 | 81        |
| 1114 | Fine scale mapping of genomic introgressions within the <i>Drosophila yakuba</i> clade. <i>PLoS Genetics</i> , 2017, 13, e1006971.  | 3.5 | 90        |
| 1115 | Inferring sex-specific demographic history from SNP data. <i>PLoS Genetics</i> , 2018, 14, e1007191.  | 3.5 | 26        |
| 1116 | A High Throughput Genotyping Approach Reveals Distinctive Autosomal Genetic Signatures for European and Near Eastern Wild Boar. <i>PLoS ONE</i> , 2013, 8, e55891.  | 2.5 | 27        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1117 | The Andean Adaptive Toolkit to Counteract High Altitude Maladaptation: Genome-Wide and Phenotypic Analysis of the Collas. PLoS ONE, 2014, 9, e93314.                                   | 2.5 | 55        |
| 1118 | Population Genomics Reveals Seahorses ( <i>Hippocampus erectus</i> ) of the Western Mid-Atlantic Coast to Be Residents Rather than Vagrants. PLoS ONE, 2015, 10, e0116219.             | 2.5 | 45        |
| 1119 | Recovery of Native Genetic Background in Admixed Populations Using Haplotypes, Phenotypes, and Pedigree Information “Using Cika Cattle as a Case Breed. PLoS ONE, 2015, 10, e0123253.  | 2.5 | 19        |
| 1120 | Demographic History of Indigenous Populations in Mesoamerica Based on mtDNA Sequence Data. PLoS ONE, 2015, 10, e0131791.   | 2.5 | 29        |
| 1121 | Deciphering the Molecular Variations of Pine Wood Nematode <i>Bursaphelenchus xylophilus</i> with Different Virulence. PLoS ONE, 2016, 11, e0156040.                                   | 2.5 | 37        |
| 1122 | Estimation of linkage disequilibrium and analysis of genetic diversity in Korean chicken lines. PLoS ONE, 2018, 13, e0192063.  | 2.5 | 20        |
| 1123 | Comparison of burbot populations across adjacent native and introduced ranges. Aquatic Invasions, 2017, 12, 251-262.   | 1.6 | 1         |
| 1124 | Analysis of cross-population differentiation between Thoroughbred and Jeju horses. Asian-Australasian Journal of Animal Sciences, 2018, 31, 1110-1118.                                 | 2.4 | 5         |
| 1125 | Deep sampling of Hawaiian <i>Caenorhabditis elegans</i> reveals high genetic diversity and admixture with global populations. ELife, 2019, 8, .  | 6.0 | 88        |
| 1126 | A variant-centric perspective on geographic patterns of human allele frequency variation. ELife, 2020, 9, .  | 6.0 | 33        |
| 1127 | Genetic flow among olive populations within the Mediterranean basin. PeerJ, 2018, 6, e5260.  | 2.0 | 49        |
| 1128 | Phylogenomic analyses confirm a novel invasive North American <i>Corbicula</i> (Bivalvia: Cyrenidae) lineage. PeerJ, 2019, 7, e7484.   | 2.0 | 20        |
| 1129 | <i>VCF2PopTree</i> : a client-side software to construct population phylogeny from genome-wide SNPs. PeerJ, 2019, 7, e8213.  | 2.0 | 22        |
| 1130 | Phylogenetic Networks: A Review of Methods to Display Evolutionary History. Annual Research & Review in Biology, 2014, 4, 1518-1543.   | 0.4 | 42        |
| 1131 | Agroecological Heritage: Elucidating the Place of Cycads in Indigenous Mesoamerican Epistemologies. , 2021, , 35-53.   |     | 1         |
| 1132 | Genome-wide diversity of Pagliarola sheep residual population and its conservation implication. Italian Journal of Animal Science, 2021, 20, 1695-1705.                                | 1.9 | 7         |
| 1133 | FrAnTK: a Frequency-based Analysis ToolKit for efficient exploration of allele sharing patterns in present-day and ancient genomic datasets. G3: Genes, Genomes, Genetics, 2022, 12, . | 1.8 | 0         |
| 1134 | The Evolutionary History of New Zealand <i>Deschampsia</i> Is Marked by Long-Distance Dispersal, Endemism, and Hybridization. Biology, 2021, 10, 1001.                                 | 2.8 | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1137 | Complex introgression among three diverged largemouth bass lineages. <i>Evolutionary Applications</i> , 2021, 14, 2815-2830.   | 3.1  | 5         |
| 1138 | Whole-genome resequencing confirms reproductive isolation between sympatric demes of brown trout ( <i>Salmo trutta</i> ) detected with allozymes. <i>Molecular Ecology</i> , 2022, 31, 498-511.                                  | 3.9  | 10        |
| 1139 | Comparative Signatures of Selection Analyses Identify Loci Under Positive Selection in the Murrah Buffalo of India. <i>Frontiers in Genetics</i> , 2021, 12, 673697.   | 2.3  | 8         |
| 1140 | Evolutionary history and pan-genome dynamics of strawberry ( <i>Fragaria</i> spp.). <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .  | 7.1  | 43        |
| 1141 | Detecting Selection in Multiple Populations by Modeling Ancestral Admixture Components. <i>Molecular Biology and Evolution</i> , 2022, 39, .   | 8.9  | 24        |
| 1142 | Genomic inferences in a thermophilous grasshopper provide insights into the biogeographic connections between northern African and southern European arid-dwelling faunas. <i>Journal of Biogeography</i> , 2022, 49, 1696-1710. | 3.0  | 2         |
| 1143 | Thousands of Qatari genomes inform human migration history and improve imputation of Arab haplotypes. <i>Nature Communications</i> , 2021, 12, 5929.   | 12.8 | 18        |
| 1144 | Relict inland mangrove ecosystem reveals Last Interglacial sea levels. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .   | 7.1  | 7         |
| 1145 | Frequent germplasm exchanges drive the high genetic diversity of Chinese-cultivated common apricot germplasm. <i>Horticulture Research</i> , 2021, 8, 215.   | 6.3  | 16        |
| 1147 | Complex and divergent histories gave rise to genome-wide divergence patterns amongst European whitefish ( <i>Coregonus lavaretus</i> ). <i>Journal of Evolutionary Biology</i> , 2021, 34, 1954-1969.                            | 1.7  | 6         |
| 1148 | Diversification, spread, and admixture of octoploid strawberry in the Western Hemisphere. <i>American Journal of Botany</i> , 2021, 108, 2269-2281.  | 1.7  | 8         |
| 1150 | Population genomics of <i>Drosophila suzukii</i> reveal longitudinal population structure and signals of migrations in and out of the continental United States. <i>G3: Genes, Genomes, Genetics</i> , 2021, 11, .               | 1.8  | 19        |
| 1151 | Revisiting the demographic history of Central African populations from a genetic perspective. , 0, , 1-29.   |      | 1         |
| 1152 | Parallel introgression, not recurrent emergence, explains apparent elevational ecotypes of polyploid Himalayan snowtrout. <i>Royal Society Open Science</i> , 2021, 8, 210727.   | 2.4  | 3         |
| 1153 | Unexpected post-glacial colonisation route explains the white colour of barn owls ( <i>Tyto alba</i> ) from the British Isles. <i>Molecular Ecology</i> , 2022, 31, 482-497.   | 3.9  | 11        |
| 1154 | Geographical isolation versus dispersal: Relictual alpine grasshoppers support a model of interglacial diversification with limited hybridization. <i>Molecular Ecology</i> , 2022, 31, 296-312.                                 | 3.9  | 14        |
| 1155 | Genome-Wide Investigation of the Multiple Origins Hypothesis for Deep-Spawning Kokanee Salmon ( <i>Oncorhynchus nerka</i> ) across its Pan-Pacific Distribution. <i>Journal of Heredity</i> , 2021, 112, 602-613.                | 2.4  | 1         |
| 1156 | Migration without interbreeding: Evolutionary history of a highly selfing Mediterranean grass inferred from whole genomes. <i>Molecular Ecology</i> , 2022, 31, 70-85.   | 3.9  | 12        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1157 | The genomic landscape of Mexican Indigenous populations brings insights into the peopling of the Americas. <i>Nature Communications</i> , 2021, 12, 5942.   | 12.8 | 28        |
| 1163 | Populations in Statistical Genetic Modelling and Inference. , 2015, , 108-130.  |      | 2         |
| 1200 | Phylogenetic Insights into the History of Tunisian and Iberian Cattle Using the Illumina BovineSNP50 BeadChip. <i>Advances in Science, Technology and Innovation</i> , 2018, , 1197-1199.                                     | 0.4  | 0         |
| 1201 | Sexual Recombination and Selection During Domestication of Clonally Propagated Pineapple. <i>SSRN Electronic Journal</i> , 0, , .   | 0.4  | 1         |
| 1217 | Applications of Supercomputers in Population Genetics. , 2019, , 693-719.   |      | 0         |
| 1230 | Mitochondrial DNA Polymorphisms of the Saisiyat Indigenous Group of Taiwan, Search for a Negrito Signature. <i>Edelweiss Journal of Biomedical Research and Review</i> , 2019, , 12-18.                                       | 0.6  | 2         |
| 1249 | Whole-exome analysis in Tunisian Imazighen and Arabs shows the impact of demography in functional variation. <i>Scientific Reports</i> , 2021, 11, 21125.   | 3.3  | 4         |
| 1250 | Selection on ancestral genetic variation fuels repeated ecotype formation in bottlenose dolphins. <i>Science Advances</i> , 2021, 7, eabg1245.  | 10.3 | 27        |
| 1251 | Genome and systems biology of <i>Melilotus albus</i> provides insights into coumarins biosynthesis. <i>Plant Biotechnology Journal</i> , 2022, 20, 592-609.   | 8.3  | 24        |
| 1255 | Introduction to Population Genomics Methods. <i>Methods in Molecular Biology</i> , 2021, 2222, 287-324.   | 0.9  | 0         |
| 1257 | Neutral and adaptive genomic variation in hybrid zones of two ecologically diverged <i>Petunia</i> species (Solanaceae). <i>Botanical Journal of the Linnean Society</i> , 2021, 196, 100-122.                                | 1.6  | 10        |
| 1258 | Genetic ancestry, admixture, and population structure in rural Dominica. <i>PLoS ONE</i> , 2021, 16, e0258735.  | 2.5  | 19        |
| 1260 | Identification of Wolf-Dog Hybrids in Europe – An Overview of Genetic Studies. <i>Frontiers in Ecology and Evolution</i> , 2021, 9, .   | 2.2  | 7         |
| 1263 | Applications of Supercomputers in Population Genetics. <i>Advances in Systems Analysis, Software Engineering, and High Performance Computing Book Series</i> , 0, , 176-200.  | 0.5  | 0         |
| 1270 | An insight into the evolutionary history of Indonesian cattle assessed by whole genome data analysis. <i>PLoS ONE</i> , 2020, 15, e0241038.   | 2.5  | 8         |
| 1271 | PREMIX: PRivacy-preserving EstiMation of Individual admixture. <i>AMIA ... Annual Symposium proceedings</i> , 2016, 2016, 1747-1755.  | 0.2  | 11        |
| 1272 | Population Histories and Genomic Diversity of South American Natives. <i>Molecular Biology and Evolution</i> , 2022, 39, .  | 8.9  | 10        |
| 1273 | Genomic history and forensic characteristics of Sherpa highlanders on the Tibetan Plateau inferred from high-resolution InDel panel and genome-wide SNPs. <i>Forensic Science International: Genetics</i> , 2022, 56, 102633. | 3.1  | 13        |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1274 | Diversity, Dispersal and Mode of Reproduction of <i>Amanita exitialis</i> in Southern China. <i>Genes</i> , 2021, 12, 1907.  | 2.4 | 3         |
| 1275 | Chromosome-level de novo genome assembly and whole-genome resequencing of the threatened species <i>Acanthochlamys bracteata</i> (Velloziaceae) provide insights into alpine plant divergence in a biodiversity hotspot. <i>Molecular Ecology Resources</i> , 2022, 22, 1582-1595.   | 4.8 | 5         |
| 1276 | Statistics estimation and admixture graph construction with PoolSeq or allele count data using the R package <i>poolstat</i> . <i>Molecular Ecology Resources</i> , 2022, 22, 1394-1416.   | 4.8 | 32        |
| 1277 | Chromosome-level genome and population genomic analysis provide insights into the evolution and environmental adaptation of Jinjiang oyster <i>Crassostrea ariakensis</i> . <i>Molecular Ecology Resources</i> , 2022, 22, 1529-1544.  | 4.8 | 16        |
| 1278 | Chromosome-Scale Reference Genome of <i>Amphicarpaea edgeworthii</i> : A New Resource for Amphicarpic Plants Research and Complex Flowering Pattern. <i>Frontiers in Plant Science</i> , 2021, 12, 770660.   | 3.6 | 3         |
| 1280 | History, demography and genetic status of Balkan and Caucasian <i>Lynx lynx</i> (Linnaeus, 1758) populations revealed by genome-wide variation. <i>Diversity and Distributions</i> , 2022, 28, 65-82.  | 4.1 | 9         |
| 1281 | Whole-genome sequence analysis unveils different origins of European and Asiatic mouflon and domestication-related genes in sheep. <i>Communications Biology</i> , 2021, 4, 1307.  | 4.4 | 38        |
| 1282 | Diversification and post-glacial range expansion of giant North American camel spiders in genus <i>Eremocosta</i> (Solifugae: Eremobatidae). <i>Scientific Reports</i> , 2021, 11, 22093.  | 3.3 | 7         |
| 1283 | Inferring the population structure and admixture history of three Hmong-Mien-speaking Miao tribes from southwest China based on genome-wide SNP genotyping. <i>Annals of Human Biology</i> , 2021, 48, 418-429.  | 1.0 | 8         |
| 1284 | Fine-grained habitat-associated genetic connectivity in an admixed population of mussels in the small isolated Kerguelen Islands. , 0, 1, .  |     | 1         |
| 1285 | Population differentiation and epidemic tracking of <i>Bursaphelenchus xylophilus</i> in China based on chromosome-level assembly and whole-genome sequencing data. <i>Pest Management Science</i> , 2022, 78, 1213-1226.  | 3.4 | 11        |
| 1288 | First evidence of post-glacial contraction of Alpine endemics: Insights from <i>Berardia subacaulis</i> in the European Alps. <i>Journal of Biogeography</i> , 2022, 49, 79-93.  | 3.0 | 6         |
| 1290 | Parallel evolution of a new sympatric species pair of <i>Crenicichla</i> (Teleostei: Cichlidae) from Misiones, Argentina with a review of biogeography and mitonuclear discordance in the <i>C. mandelburgeri</i> species complex. <i>Journal of Zoological Systematics and Evolutionary Research</i> , 2021, 59, 2134-2149. | 1.4 | 4         |
| 1291 | Population genomics of free-ranging Great Plains white-tailed and mule deer reflects a long history of interspecific hybridization. <i>Evolutionary Applications</i> , 2022, 15, 111-131.  | 3.1 | 10        |
| 1292 | Extensive ethnolinguistic diversity at the crossroads of North China and South Siberia reflects multiple sources of genetic diversity. <i>Journal of Systematics and Evolution</i> , 2023, 61, 230-250.  | 3.1 | 15        |
| 1293 | The evolutionary pathways for local adaptation in mountain hares. <i>Molecular Ecology</i> , 2022, 31, 1487-1503.  | 3.9 | 8         |
| 1294 | Genomic footprints of sorghum domestication and breeding selection for multiple end uses. <i>Molecular Plant</i> , 2022, 15, 537-551.  | 8.3 | 15        |
| 1295 | Northern gene flow into southeastern East Asians inferred from genome-wide array genotyping. <i>Journal of Systematics and Evolution</i> , 2023, 61, 179-197.  | 3.1 | 9         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1296 | The impact of prehistoric human dispersals on the presence of tobacco-related oral cancer in Northeast India. <i>Gene</i> , 2022, 813, 146098.   | 2.2  | 1         |
| 1297 | Genome sequencing and population resequencing provide insights into the genetic basis of domestication and diversity of vegetable soybean. <i>Horticulture Research</i> , 2022, 9, .                           | 6.3  | 10        |
| 1298 | Origin and expansion of the world's most widespread pinniped: Range-wide population genomics of the harbour seal ( <i>Phoca vitulina</i> ). <i>Molecular Ecology</i> , 2022, 31, 1682-1699.                    | 3.9  | 9         |
| 1299 | The genetic identity of the earliest human-made hybrid animals, the kungas of Syro-Mesopotamia. <i>Science Advances</i> , 2022, 8, eabm0218.   | 10.3 | 14        |
| 1300 | Signatures of selection in recently domesticated macadamia. <i>Nature Communications</i> , 2022, 13, 242.  | 12.8 | 14        |
| 1301 | A genetic history of migration, diversification, and admixture in Asia. , 0, , 1-32.   |      | 3         |
| 1302 | Genomic Insights Into the Population History and Biological Adaptation of Southwestern Chinese Hmong Mien People. <i>Frontiers in Genetics</i> , 2021, 12, 815160.   | 2.3  | 18        |
| 1303 | Transcriptome and Metabolite Insights into Domestication Process of Cultivated Barley in China. <i>Plants</i> , 2022, 11, 209.   | 3.5  | 3         |
| 1304 | Signatures of selection underpinning rapid coral adaptation to the world's warmest reefs. <i>Science Advances</i> , 2022, 8, eabl7287.   | 10.3 | 28        |
| 1305 | A deep learning framework for characterization of genotype data. <i>G3: Genes, Genomes, Genetics</i> , 2022, 12, .   | 1.8  | 12        |
| 1306 | The SNP-Based Profiling of Montecristo Feral Goat Populations Reveals a History of Isolation, Bottlenecks, and the Effects of Management. <i>Genes</i> , 2022, 13, 213.  | 2.4  | 7         |
| 1307 | Genomic survey of edible cockle ( <i>Cerastoderma edule</i> ) in the Northeast Atlantic: A baseline for sustainable management of its wild resources. <i>Evolutionary Applications</i> , 2022, 15, 262-285.    | 3.1  | 13        |
| 1308 | Genomic analyses reveal range-wide devastation of sea otter populations. <i>Molecular Ecology</i> , 2023, 32, 281-298.   | 3.9  | 12        |
| 1309 | Genome-wide sequence data show no evidence of hybridization and introgression among pollinator wasps associated with a community of Panamanian strangler figs. <i>Molecular Ecology</i> , 2022, 31, 2106-2123. | 3.9  | 6         |
| 1310 | Population genomics provides insights into the evolution and adaptation of tree shrews ( <i>Tupaia</i> ) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5   | 2.6  | 2         |
| 1312 | <i>Crataegus bretschneideri</i> (Rosaceae), a separate species endemic to northeast China. <i>Nordic Journal of Botany</i> , 0, , .  | 0.5  | 0         |
| 1313 | First Glimpse on Spring Starflower Domestication. <i>Genes</i> , 2022, 13, 243.  | 2.4  | 2         |
| 1314 | ddRAD-seq reveals the genetic structure and detects signals of selection in Italian brown trout. <i>Genetics Selection Evolution</i> , 2022, 54, 8.  | 3.0  | 8         |



| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1316 | Local adaptation of life cycles in a butterfly is associated with variation in several circadian clock genes. <i>Molecular Ecology</i> , 2022, 31, 1461-1475.   | 3.9  | 8         |
| 1317 | Population Genomics of <i>Megalobrama</i> Provides Insights into Evolutionary History and Dietary Adaptation. <i>Biology</i> , 2022, 11, 186.   | 2.8  | 3         |
| 1318 | Genome-wide patterns of genetic diversity, population structure and demographic history in <i>Leptospermum scoparium</i> growing on indigenous Māori land. <i>Horticulture Research</i> , 2022, 9, .  | 6.3  | 10        |
| 1319 | Evidence for niche conservatism in alpine beetles under a climate-driven species pump model. <i>Journal of Biogeography</i> , 2022, 49, 364-377.  | 3.0  | 9         |
| 1320 | The genomic history of southwestern Chinese populations demonstrated massive population migration and admixture among proto-Hmong-Mien speakers and incoming migrants. <i>Molecular Genetics and Genomics</i> , 2022, 297, 241-262.   | 2.1  | 10        |
| 1321 | Genome Sequencing of a Gray Wolf from Peninsular India Provides New Insights into the Evolution and Hybridization of Gray Wolves. <i>Genome Biology and Evolution</i> , 2022, 14, .   | 2.5  | 5         |
| 1322 | Genome-wide diversity loss in reintroduced Eurasian lynx populations urges immediate conservation management. <i>Biological Conservation</i> , 2022, 266, 109442.   | 4.1  | 18        |
| 1323 | Hybridization underlies localized trait evolution in cavefish. <i>IScience</i> , 2022, 25, 103778.  | 4.1  | 17        |
| 1324 | Global flyway evolution in red knots <i>Calidris canutus</i> and genetic evidence for a Nearctic refugium. <i>Molecular Ecology</i> , 2022, 31, 2124-2139.  | 3.9  | 7         |
| 1326 | Conflicting nuclear and mitogenome phylogenies reveal ancient mitochondrial replacement between two North American species of collared lemmings ( <i>Dicrostonyx groenlandicus</i> , <i>D. hudsonius</i> ). <i>Molecular Phylogenetics and Evolution</i> , 2022, 168, 107399. | 2.7  | 4         |
| 1327 | Ghost Lineages Highly Influence the Interpretation of Introgression Tests. <i>Systematic Biology</i> , 2022, 71, 1147-1158.   | 5.6  | 49        |
| 1328 | Fine-Scale Genetic Structure in the United Arab Emirates Reflects Endogamous and Consanguineous Culture, Population History, and Geography. <i>Molecular Biology and Evolution</i> , 2022, 39, .  | 8.9  | 3         |
| 1329 | Long evolutionary history of an emerging fungal pathogen of diverse tree species in eastern Asia, Australia and the Pacific Islands. <i>Molecular Ecology</i> , 2022, 31, 2013-2031.  | 3.9  | 3         |
| 1331 | Unveiling the Genetic History of the Maniq, a Primary Hunter-Gatherer Society. <i>Genome Biology and Evolution</i> , 2022, 14, .  | 2.5  | 5         |
| 1332 | Genomic analysis of a parasite invasion: Colonization of the Americas by the blood fluke <i>Schistosoma mansoni</i> . <i>Molecular Ecology</i> , 2022, 31, 2242-2263.   | 3.9  | 11        |
| 1333 | Genomic consequences of colonisation, migration and genetic drift in barn owl insular populations of the eastern Mediterranean. <i>Molecular Ecology</i> , 2022, 31, 1375-1388.   | 3.9  | 5         |
| 1334 | Chloroplast and Nuclear Genetic Diversity Explain the Limited Distribution of Endangered and Endemic <i>Thuja sutchuenensis</i> in China. <i>Frontiers in Genetics</i> , 2021, 12, 801229.  | 2.3  | 8         |
| 1335 | The genomes of 204 <i>Vitis vinifera</i> accessions reveal the origin of European wine grapes. <i>Nature Communications</i> , 2021, 12, 7240.   | 12.8 | 39        |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1336 | Investigating the West Eurasian ancestry of Pakistani Hazaras. <i>Journal of Genetics</i> , 2019, 98, .   | 0.7  | 2         |
| 1337 | Haplotype analyses reveal novel insights into tomato history and domestication driven by long-distance migrations and latitudinal adaptations. <i>Horticulture Research</i> , 2022, 9, .                                  | 6.3  | 13        |
| 1338 | Genetics and Material Culture Support Repeated Expansions into Paleolithic Eurasia from a Population Hub Out of Africa. <i>Genome Biology and Evolution</i> , 2022, 14, .   | 2.5  | 15        |
| 1339 | Deep ancestry of collapsing networks of nomadic hunter-gatherers in Borneo. <i>Evolutionary Human Sciences</i> , 2022, 4, .   | 1.7  | 3         |
| 1340 | Reconstructing the genetic admixture history of Tai-Kadai and Sinitic people: Insights from genome-wide SNP data from South China. <i>Journal of Systematics and Evolution</i> , 2023, 61, 157-178.                       | 3.1  | 9         |
| 1341 | Revealing the Genetic Structure and Differentiation in Endangered <i>Pinus bungeana</i> by Genome-Wide SNP Markers. <i>Forests</i> , 2022, 13, 326.   | 2.1  | 5         |
| 1342 | Resilience to Historical Human Manipulations in the Genomic Variation of Italian Wild Boar Populations. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .   | 2.2  | 6         |
| 1343 | A unified genealogy of modern and ancient genomes. <i>Science</i> , 2022, 375, eabi8264.  | 12.6 | 59        |
| 1344 | Host-Species Variation and Environment Influence Endophyte Symbiosis and Mycotoxin Levels in Chinese <i>Oxytropis</i> Species. <i>Toxins</i> , 2022, 14, 181.   | 3.4  | 5         |
| 1345 | Long-term translocation explains population genetic structure of a recreationally fished iconic species in Japan: Combining current knowledge with reanalysis. <i>Aquaculture, Fish and Fisheries</i> , 2022, 2, 130-145. | 1.0  | 3         |
| 1348 | Genomic insights into longan evolution from a chromosome-level genome assembly and population genomics of longan accessions. <i>Horticulture Research</i> , 2022, 9, .  | 6.3  | 14        |
| 1349 | Fine-Scale Population Admixture Landscape of Tai-Kadai-Speaking Maonan in Southwest China Inferred From Genome-Wide SNP Data. <i>Frontiers in Genetics</i> , 2022, 13, 815285.  | 2.3  | 10        |
| 1350 | Genomic variation reveals demographic history and biological adaptation of the ancient relictual, lotus ( <i>Nelumbo</i> Adans.). <i>Horticulture Research</i> , 2022, 9, .   | 6.3  | 11        |
| 1351 | Revisiting the Domestication Process of African <i>Vigna</i> Species (Fabaceae): Background, Perspectives and Challenges. <i>Plants</i> , 2022, 11, 532.  | 3.5  | 5         |
| 1352 | The Complete Chloroplast Genomes of <i>Primula obconica</i> Provide Insight That Neither Species nor Natural Section Represent Monophyletic Taxa in <i>Primula</i> (Primulaceae). <i>Genes</i> , 2022, 13, 567.           | 2.4  | 5         |
| 1353 | Extensive sampling of <i>Saccharomyces cerevisiae</i> in Taiwan reveals ecology and evolution of predomesticated lineages. <i>Genome Research</i> , 2022, , .   | 5.5  | 13        |
| 1355 | Patterns of genomic divergence in sympatric and allopatric speciation of three <i>Mihoutao</i> ( <i>Actinidia</i> ) species. <i>Horticulture Research</i> , 2022, 9, uhac054.   | 6.3  | 5         |
| 1356 | The Genomics and Population Genomics of the Light Brown Apple Moth, <i>Epiphyas postvittana</i> , an Invasive Tortricid Pest of Horticulture. <i>Insects</i> , 2022, 13, 264.   | 2.2  | 5         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1357 | Genomics and ecological modelling clarify species integrity in a confusing group of butterflies. <i>Molecular Ecology</i> , 2022, 31, 2400-2417.   | 3.9 | 6         |
| 1358 | Hybridization fuelled diversification in <i>Spialia</i> butterflies. <i>Molecular Ecology</i> , 2022, , .  | 3.9 | 6         |
| 1359 | Deep genome-wide phylogeographic structure indicates cryptic diversity in the Middle Spotted Woodpecker ( <i>Dendrocoptes medius</i> ). <i>Ibis</i> , 2022, 164, 719-734.  | 1.9 | 0         |
| 1360 | Parthenogenesis in <i>Darevskia</i> lizards: A rare outcome of common hybridization, not a common outcome of rare hybridization. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 899-914.               | 2.3 | 7         |
| 1362 | Variation in intraspecific demography drives localised concordance but species-wide discordance in response to past climatic change. <i>Bmc Ecology and Evolution</i> , 2022, 22, 35.  | 1.6 | 2         |
| 1364 | Aridification-driven evolution of a migratory fish revealed by niche modelling and coalescence simulations. <i>Journal of Biogeography</i> , 0, , .  | 3.0 | 1         |
| 1365 | Introgressive hybridisation between domestic pigs ( <i>Sus scrofa domesticus</i> ) and endemic Corsican wild boars ( <i>S. s. meridionalis</i> ): effects of human-mediated interventions. <i>Heredity</i> , 2022, 128, 279-290. | 2.6 | 3         |
| 1366 | Unraveling genetic admixture in the Indian crossbred cattle by different approaches using Bovine 50K BeadChip. <i>Tropical Animal Health and Production</i> , 2022, 54, 135.   | 1.4 | 6         |
| 1367 | Origin and Diversification of the Saguaro Cactus ( <i>Carnegiea gigantea</i> ): A Within-Species Phylogenomic Analysis. <i>Systematic Biology</i> , 2022, 71, 1178-1194.   | 5.6 | 3         |
| 1368 | The spinach YY genome reveals sex chromosome evolution, domestication, and introgression history of the species. <i>Genome Biology</i> , 2022, 23, 75.   | 8.8 | 15        |
| 1370 | Exploratory analysis of multi-trait coadaptations in light of population history. <i>Ecology and Evolution</i> , 2022, 12, e8755.  | 1.9 | 1         |
| 1371 | The genomic formation of Tanka people, an isolated "gypsies in water" in the coastal region of Southeast China. <i>American Journal of Biological Anthropology</i> , 2022, 178, 154-170.   | 1.1 | 4         |
| 1372 | Fine-scale genome-wide signature of Pleistocene glaciation in <i>Thitarodes</i> moths (Lepidoptera: Tj ETQq0 0 0 rgBT /Overlock 1 2023, 32, 2695-2714.   | 3.9 | 6         |
| 1373 | Subtle limits to connectivity revealed by outlier loci within two divergent metapopulations of the deep-sea hydrothermal gastropod <i>Ipremeria nautilei</i> . <i>Molecular Ecology</i> , 2022, 31, 2796-2813.                   | 3.9 | 7         |
| 1374 | The influence of native populations' genetic history on the reconstruction of invasion routes: the case of a highly invasive aquatic species. <i>Biological Invasions</i> , 2022, 24, 2399-2420.                                 | 2.4 | 4         |
| 1375 | Genetic structure and domestication footprints of the tusk, coat color, and ear morphology in East Chinese pigs. <i>Journal of Genetics and Genomics</i> , 2022, 49, 1053-1063.  | 3.9 | 6         |
| 1376 | Population genomics supports multiple hybrid zone origins of socially hybridogenetic lineages of <i>Pogonomyrmex</i> harvester ants. <i>Evolution; International Journal of Organic Evolution</i> , 2022, 76, 1016-1032.         | 2.3 | 4         |
| 1377 | The tangled evolutionary history of a long-debated Mesoamerican taxon: The Velazquez Woodpecker ( <i>Melanerpes santacruzi</i> , Aves: Picidae). <i>Molecular Phylogenetics and Evolution</i> , 2022, 170, 107445.               | 2.7 | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1378 | The uplift of the Hengduan Mountains contributed to the speciation of three <i>Rhododendron</i> species. <i>Global Ecology and Conservation</i> , 2022, 35, e02085.   | 2.1  | 3         |
| 1379 | Genomic Insights Into the Genetic Structure and Natural Selection of Mongolians. <i>Frontiers in Genetics</i> , 2021, 12, 735786.   | 2.3  | 5         |
| 1381 | Fine-scale population structure and demographic history of British Pakistanis. <i>Nature Communications</i> , 2021, 12, 7189.   | 12.8 | 21        |
| 1382 | Species boundaries in the messy middle—A genome-scale validation of species delimitation in a recently diverged lineage of coastal fog desert lichen fungi. <i>Ecology and Evolution</i> , 2021, 11, 18615-18632. | 1.9  | 6         |
| 1383 | Limited Introgression between Rock-Wallabies with Extensive Chromosomal Rearrangements. <i>Molecular Biology and Evolution</i> , 2022, 39, .  | 8.9  | 17        |
| 1385 | Evolutionary footprints of a cold relic in a rapidly warming world. <i>ELife</i> , 2021, 10, .  | 6.0  | 5         |
| 1386 | Copy number variants in genomes of local sheep breeds from Russia. <i>Animal Genetics</i> , 2022, 53, 119-132.  | 1.7  | 8         |
| 1387 | Thrice out of Asia and the adaptive radiation of the western honey bee. <i>Science Advances</i> , 2021, 7, eabj2151.  | 10.3 | 33        |
| 1388 | Landscape and Climatic Variations Shaped Secondary Contacts amid Barn Owls of the Western Palearctic. <i>Molecular Biology and Evolution</i> , 2022, 39, .  | 8.9  | 10        |
| 1390 | Demographic history and identification of threats revealed by population genomic analysis provide insights into conservation for an endangered maple. <i>Molecular Ecology</i> , 2022, 31, 767-779.               | 3.9  | 18        |
| 1391 | Genomic insights on the contribution of introgressions from Xian/Indica to the genetic improvement of Geng/Japonica rice cultivars. <i>Plant Communications</i> , 2022, 3, 100325.                                | 7.7  | 8         |
| 1393 | Genomic variation in baboons from central Mozambique unveils complex evolutionary relationships with other <i>Papio</i> species. <i>Bmc Ecology and Evolution</i> , 2022, 22, 44.                                 | 1.6  | 5         |
| 1394 | Genome-wide investigations reveal the population structure and selection signatures of Nigerian cattle adaptation in the sub-Saharan tropics. <i>BMC Genomics</i> , 2022, 23, 306.                                | 2.8  | 4         |
| 1395 | The genomic prehistory of the Indigenous peoples of Uruguay. , 2022, 1, .   |      | 7         |
| 1397 | Genomic evaluation of hybridization in historic and modern North American Bison ( <i>Bison bison</i> ). <i>Scientific Reports</i> , 2022, 12, 6397.   | 3.3  | 17        |
| 1516 | River network rearrangements promote speciation in lowland Amazonian birds. <i>Science Advances</i> , 2022, 8, eabn1099.  | 10.3 | 18        |
| 1517 | Cryptic speciation shapes the biogeographic history of a northern distributed moss. <i>Botanical Journal of the Linnean Society</i> , 2023, 201, 114-134.   | 1.6  | 2         |
| 1518 | The evolutionary relationship between bere barley and other types of cultivated barley. <i>Genetic Resources and Crop Evolution</i> , 2022, 69, 2361-2381.  | 1.6  | 4         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1520 | Nuclear phylogeography reveals strong impacts of gene flow in big brown bats. <i>Journal of Biogeography</i> , 2022, 49, 1061-1074.   | 3.0  | 3         |
| 1522 | Patagonian sheepdog: Genomic analyses trace the footprints of extinct UK herding dogs to South America. <i>PLoS Genetics</i> , 2022, 18, e1010160.  | 3.5  | 2         |
| 1523 | Genotyping-by-Sequencing Reveals the Impact of Restocking on Wild Common Carp Populations of the Southern Caspian Basin. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .  | 2.2  | 1         |
| 1524 | Paleogenomics reveals independent and hybrid origins of two morphologically distinct wolf lineages endemic to Japan. <i>Current Biology</i> , 2022, 32, 2494-2504.e5.   | 3.9  | 5         |
| 1525 | Rapid diversification of the Variable Seedeater superspecies complex despite widespread gene flow. <i>Molecular Phylogenetics and Evolution</i> , 2022, 173, 107510.  | 2.7  | 3         |
| 1526 | North Asian population relationships in a global context. <i>Scientific Reports</i> , 2022, 12, 7214.   | 3.3  | 3         |
| 1527 | Genomic insights into recent species divergence in <i>Nicotiana benthamiana</i> and natural variation in <i>Rdr1</i> gene controlling viral susceptibility. <i>Plant Journal</i> , 2022, 111, 7-18.   | 5.7  | 9         |
| 1528 | The East Asian wild apples, <i>Malus baccata</i> (L.) Borkh and <i>Malus hupehensis</i> (Pamp.) Rehder., are additional contributors to the genomes of cultivated European and Chinese varieties. <i>Molecular Ecology</i> , 2023, 32, 5125-5139. | 3.9  | 3         |
| 1529 | Resolving the phylogenetic relationship among recently diverged members of the rockfish subgenus <i>Sebastosomus</i> . <i>Molecular Phylogenetics and Evolution</i> , 2022, 173, 107515.  | 2.7  | 2         |
| 1530 | Combining Species Delimitation, Species Trees, and Tests for Gene Flow Clarifies Complex Speciation in Scrub-Jays. <i>Systematic Biology</i> , 2022, 71, 1453-1470.   | 5.6  | 14        |
| 1531 | Early stages of speciation with gene flow in the <i>Amazilia</i> Hummingbird ( <i>Amazilis amazilia</i> ) subspecies complex of Western South America. <i>Ecology and Evolution</i> , 2022, 12, e8895.  | 1.9  | 1         |
| 1532 | Extracting hierarchical features of cultural variation using network-based clustering. <i>Evolutionary Human Sciences</i> , 2022, 4, .  | 1.7  | 2         |
| 1533 | Palaeogenomic analysis of black rat ( <i>Rattus rattus</i> ) reveals multiple European introductions associated with human economic history. <i>Nature Communications</i> , 2022, 13, 2399.   | 12.8 | 12        |
| 1534 | Radiocarbon and genomic evidence for the survival of <i>Equus Sussemionus</i> until the late Holocene. <i>ELife</i> , 2022, 11, .   | 6.0  | 6         |
| 1535 | Genomic selection and genetic architecture of agronomic traits during modern rapeseed breeding. <i>Nature Genetics</i> , 2022, 54, 694-704.   | 21.4 | 55        |
| 1536 | Hybrid enrichment of adaptive variation revealed by genotype–environment associations in montane sedges. <i>Molecular Ecology</i> , 2022, 31, 3722-3737.  | 3.9  | 7         |
| 1537 | Genetic Admixture History and Forensic Characteristics of Guizhou Sui People Inferred From Autosomal Insertion/Deletion and Genome-Wide Single-Nucleotide Polymorphisms. <i>Frontiers in Ecology and Evolution</i> , 2022, 10, .                  | 2.2  | 2         |
| 1538 | Insights into AIM-InDel diversities in Yunnan Miao and Hani ethnic groups of China for forensic and population genetic purposes. <i>Hereditas</i> , 2022, 159, 22.  | 1.4  | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1539 | Checking the checkered taxonomy of Plötz's checkered skippers (Hesperiidae: Pyrgini).. The Taxonomic Report of the International Lepidoptera Survey, 2022, 10, .                                     | 2.0  | 0         |
| 1540 | Estimation of the covariance structure from SNP allele frequencies. Statistical Applications in Genetics and Molecular Biology, 2022, 21, .  | 0.6  | 1         |
| 1542 | Genomic analyses of 10,376 individuals in the Westlake BioBank for Chinese (WBBC) pilot project. Nature Communications, 2022, 13, .  | 12.8 | 41        |
| 1543 | Evolutionary Conservation Genomics Reveals Recent Speciation and Local Adaptation in Threatened Takins. Molecular Biology and Evolution, 2022, 39, .   | 8.9  | 7         |
| 1544 | Sympatric genetic divergence between early- and late-season weedy rice populations. New Phytologist, 0, .  | 7.3  | 0         |
| 1545 | Whole-Genome Analysis Deciphers Population Structure and Genetic Introgression Among Bovine Species. Frontiers in Genetics, 0, 13, .   | 2.3  | 0         |
| 1546 | Population dynamics and genetic connectivity in recent chimpanzee history. Cell Genomics, 2022, 2, 100133.   | 6.5  | 18        |
| 1547 | A Search for Eurasian Sheep Relationships: Genomic Assessment of the Autochthonous Sheep Breeds in Russia and the Persian Plateau. Diversity, 2022, 14, 445.   | 1.7  | 1         |
| 1548 | Whole-genome resequencing of the wheat A subgenome progenitor <i>Triticum urartu</i> provides insights into its demographic history and geographic adaptation. Plant Communications, 2022, , 100345. | 7.7  | 1         |
| 1550 | Travel Tales of a Worldwide Weed: Genomic Signatures of <i>Plantago major</i> L. Reveal Distinct Genotypic Groups With Links to Colonial Trade Routes. Frontiers in Plant Science, 0, 13, .          | 3.6  | 4         |
| 1551 | Genome-wide footprints in the carob tree ( <i>Ceratonia siliqua</i> ) unveil a new domestication pattern of a fruit tree in the Mediterranean. Molecular Ecology, 2022, 31, 4095-4111.               | 3.9  | 8         |
| 1552 | Population structure of 3907 worldwide pigs and the introgression of Chinese indigenous pigs by European pigs. Animal Genetics, 2022, 53, 599-612.   | 1.7  | 2         |
| 1553 | Phylogenomics and species delimitation of the economically important Black Basses ( <i>Micropterus</i> ). Scientific Reports, 2022, 12, .  | 3.3  | 18        |
| 1554 | The genomic signature of wild-to-crop introgression during the domestication of scarlet runner bean ( <i>Phaseolus coccineus</i> L.). Evolution Letters, 2022, 6, 295-307.                           | 3.3  | 1         |
| 1555 | Genomic Insights Into the Unique Demographic History and Genetic Structure of Five Hmong-Mien-Speaking Miao and Yao Populations in Southwest China. Frontiers in Ecology and Evolution, 0, 10, .     | 2.2  | 8         |
| 1556 | Reconstructing the history of founder events using genome-wide patterns of allele sharing across individuals. PLoS Genetics, 2022, 18, e1010243.   | 3.5  | 24        |
| 1557 | African mitochondrial haplogroup L7: a 100,000-year-old maternal human lineage discovered through reassessment and new sequencing. Scientific Reports, 2022, 12, .                                   | 3.3  | 4         |
| 1558 | Position of Hungarian Merino among other Merinos, within-breed genetic similarity network and markers associated with daily weight gain. Animal Bioscience, 2023, 36, 10-18.                         | 2.0  | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1559 | Insights into bear evolution from a Pleistocene polar bear genome. Proceedings of the National Academy of Sciences of the United States of America, 2022, 119, .                                       | 7.1  | 11        |
| 1560 | Phylogeographical Pattern and Population Evolution History of Indigenous <i>Elymus sibiricus</i> L. on Qinghai-Tibetan Plateau. Frontiers in Plant Science, 0, 13, .                                   | 3.6  | 1         |
| 1561 | Complex population structure and haplotype patterns in the Western European honey bee from sequencing a large panel of haploid drones. Molecular Ecology Resources, 2022, 22, 3068-3086.               | 4.8  | 9         |
| 1564 | Population structure and inbreeding in wild house mice ( <i>Mus musculus</i> ) at different geographic scales. Heredity, 2022, 129, 183-194.   | 2.6  | 12        |
| 1566 | Exploring the relationships between genetic, linguistic and geographic distances in Bantu-speaking populations. American Journal of Biological Anthropology, 2022, 179, 104-117.                       | 1.1  | 3         |
| 1567 | Deep structure, long-distance migration and admixture in the colour polymorphic land snail <i>Cepaea nemoralis</i> . Journal of Evolutionary Biology, 2022, 35, 1110-1125.                             | 1.7  | 1         |
| 1568 | Genome-wide signatures of synergistic epistasis during parallel adaptation in a Baltic Sea copepod. Nature Communications, 2022, 13, .   | 12.8 | 10        |
| 1569 | Genomic dynamics of brown trout populations released to a novel environment. Ecology and Evolution, 2022, 12, .  | 1.9  | 2         |
| 1570 | Multi-omics analyses of 398 foxtail millet accessions reveal genomic regions associated with domestication, metabolite traits, and anti-inflammatory effects. Molecular Plant, 2022, 15, 1367-1383.    | 8.3  | 30        |
| 1571 | Limited domestic introgression in a final refuge of the wild pigeon. IScience, 2022, 25, 104620.   | 4.1  | 11        |
| 1572 | Evolutionary patterns of plastome resolve multiple origins of the Ns-containing polyploid species in Triticeae. Molecular Phylogenetics and Evolution, 2022, 175, 107591.                              | 2.7  | 1         |
| 1573 | Whole-genome phylogeography of the blue-faced honeyeater ( <i>Entomyzon cyanotis</i> ) and discovery and characterization of a <i>neo-Z</i> chromosome. Molecular Ecology, 2023, 32, 1248-1270.        | 3.9  | 4         |
| 1574 | Genomic signatures for drylands adaptation at gene-rich regions in African zebu cattle. Genomics, 2022, 114, 110423.   | 2.9  | 6         |
| 1575 | <i>ddRAD-Seq</i> reveals evolutionary insights into population differentiation and the cryptic phylogeography of <i>Hyporhamphus intermedius</i> in Mainland China. Ecology and Evolution, 2022, 12, . | 1.9  | 1         |
| 1576 | Genetic parallelism between European flat oyster populations at the edge of their natural range. Evolutionary Applications, 0, .   | 3.1  | 2         |
| 1577 | Whole-Genomic Studies of the Population Structure of Russian Local Black-Pied Breeds. Russian Journal of Genetics, 2022, 58, 804-813.  | 0.6  | 1         |
| 1578 | Warthog Genomes Resolve an Evolutionary Conundrum and Reveal Introgression of Disease Resistance Genes. Molecular Biology and Evolution, 2022, 39, .   | 8.9  | 11        |
| 1579 | Estimating the timing of multiple admixture events using 3-locus linkage disequilibrium. PLoS Genetics, 2022, 18, e1010281.  | 3.5  | 3         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1580 | Population genomics reveal multiple introductions and admixture of <i>Sonchus oleraceus</i> in Australia. <i>Diversity and Distributions</i> , 2022, 28, 1951-1965.  | 4.1  | 3         |
| 1581 | Evolutionary processes in an undescribed eucalypt: implications for the translocation of a critically endangered species. <i>Annals of Botany</i> , 2022, 130, 491-508.  | 2.9  | 3         |
| 1582 | High-Density Genomic Characterization of Native Croatian Sheep Breeds. <i>Frontiers in Genetics</i> , 0, 13, .   | 2.3  | 5         |
| 1583 | A Late Pleistocene human genome from Southwest China. <i>Current Biology</i> , 2022, 32, 3095-3109.e5.   | 3.9  | 6         |
| 1584 | Ancient Admixture in Freshwater Halfbeaks of the Genus <i>Nomorhamphus</i> in Southeast Sulawesi. <i>Zoological Science</i> , 2022, 39, .  | 0.7  | 0         |
| 1586 | Sequence Capture From Historical Museum Specimens: Maximizing Value for Population and Phylogenomic Studies. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .  | 2.2  | 10        |
| 1587 | Genetic evidence of tri-genealogy hypothesis on the origin of ethnic minorities in Yunnan. <i>BMC Biology</i> , 2022, 20, .  | 3.8  | 5         |
| 1589 | Range expansion and contraction of <i>Tillandsia landbeckii</i> lomas in the hyperarid Chilean Atacama Desert indicates ancient introgression and gene flow. <i>Perspectives in Plant Ecology, Evolution and Systematics</i> , 2022, 56, 125689. | 2.7  | 2         |
| 1590 | Whole genome analyses reveal novel genes associated with chicken adaptation to tropical and frigid environments. <i>Journal of Advanced Research</i> , 2023, 47, 13-25.  | 9.5  | 25        |
| 1591 | Population genomics of ancient and modern <i>Trichuris trichiura</i> . <i>Nature Communications</i> , 2022, 13, .  | 12.8 | 10        |
| 1592 | Global genomic analyses of wheat powdery mildew reveal association of pathogen spread with historical human migration and trade. <i>Nature Communications</i> , 2022, 13, .  | 12.8 | 19        |
| 1593 | Polygenic adaptation contributes to the invasive success of the Colorado potato beetle. <i>Molecular Ecology</i> , 0, , .  | 3.9  | 5         |
| 1594 | Sequence analyses of Malaysian Indigenous communities reveal historical admixture between Hoabinhian hunter-gatherers and Neolithic farmers. <i>Scientific Reports</i> , 2022, 12, .   | 3.3  | 1         |
| 1595 | Genome-wide signatures of the geographic expansion and breeding of soybean. <i>Science China Life Sciences</i> , 2023, 66, 350-365.  | 4.9  | 19        |
| 1596 | RADseq data reveal a lack of admixture in a mouse lemur contact zone contrary to previous microsatellite results. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .  | 2.6  | 6         |
| 1597 | The evolution and diversification of oakleaf butterflies. <i>Cell</i> , 2022, 185, 3138-3152.e20.  | 28.9 | 22        |
| 1598 | Assessing Human Genome-wide Variation in the Massim Region of Papua New Guinea and Implications for the Kula Trading Tradition. <i>Molecular Biology and Evolution</i> , 2022, 39, .   | 8.9  | 0         |
| 1599 | Genomic signatures and evolutionary history of the endangered blue-crowned laughingthrush and other <i>Garrulax</i> species. <i>BMC Biology</i> , 2022, 20, .  | 3.8  | 1         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1600 | Phylogenetic relationships and migration patterns of the <i>Fargesia spathacea</i> complex inferred from genomic data. <i>Plant Systematics and Evolution</i> , 2022, 308, .                          | 0.9  | 0         |
| 1601 | Genomic analysis of the rare British Lop pig and identification of distinctive genomic markers. <i>PLoS ONE</i> , 2022, 17, e0271053.   | 2.5  | 2         |
| 1602 | Jackfruit genome and population genomics provide insights into fruit evolution and domestication history in China. <i>Horticulture Research</i> , 2022, 9, .  | 6.3  | 5         |
| 1603 | Genomic insights into the conservation and population genetics of two Chinese native goat breeds. <i>Journal of Animal Science</i> , 2022, 100, .   | 0.5  | 1         |
| 1604 | Genetic Variation in <i>Schizothorax kozlovi</i> Nikolsky in the Upper Reaches of the Chinese Yangtze River Based on Genotyping for Simplified Genome Sequencing. <i>Animals</i> , 2022, 12, 2181.    | 2.3  | 2         |
| 1606 | Population genomics reveal deep divergence and strong geographical structure in gentians in the Hengduan Mountains. <i>Frontiers in Plant Science</i> , 0, 13, .                                      | 3.6  | 3         |
| 1607 | Genetic drift drives rapid speciation of an Arctic insular endemic shrew ( <i>Sorex pribilofensis</i> ). <i>Molecular Ecology</i> , 2022, 31, 5231-5248.  | 3.9  | 4         |
| 1608 | Conservation Significance of the Rare and Endangered Tree Species, <i>Trigonobalanus doichangensis</i> (Fagaceae). <i>Diversity</i> , 2022, 14, 666.  | 1.7  | 8         |
| 1609 | Perspectives in plant evolutionary genetics: A field guide in 15 “easy steps” to modern tools in evolutionary genetics and genomics. <i>Botanical Sciences</i> , 0, 100, .                            | 0.8  | 2         |
| 1611 | A single introduction of wild rabbits triggered the biological invasion of Australia. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .           | 7.1  | 12        |
| 1612 | Extensive genome introgression between domestic ferret and European polecat during population recovery in Great Britain. <i>Journal of Heredity</i> , 2022, 113, 500-515.                             | 2.4  | 2         |
| 1613 | Genomic investigation of the Chinese alligator reveals wildâ€œextinct genetic diversity and genomic consequences of their continuous decline. <i>Molecular Ecology Resources</i> , 2023, 23, 294-311. | 4.8  | 4         |
| 1614 | Whole-Genome Sequencing Reveals the Genomic Characteristics and Selection Signatures of Hainan Black Goat. <i>Genes</i> , 2022, 13, 1539.   | 2.4  | 3         |
| 1615 | Chromosome-level Genomes Reveal the Genetic Basis of Descending Dysploidy and Sex Determination in <i>Morus</i> Plants. <i>Genomics, Proteomics and Bioinformatics</i> , 2022, 20, 1119-1137.         | 6.9  | 6         |
| 1618 | The Anglo-Saxon migration and the formation of the early English gene pool. <i>Nature</i> , 2022, 610, 112-119.   | 27.8 | 33        |
| 1619 | Genetic substructure of Guizhou Tai-Kadai-speaking people inferred from genome-wide single nucleotide polymorphisms data. <i>Frontiers in Ecology and Evolution</i> , 0, 10, .                        | 2.2  | 3         |
| 1620 | The genomic history and global expansion of domestic donkeys. <i>Science</i> , 2022, 377, 1172-1180.  | 12.6 | 17        |
| 1621 | Origin of the Bunun Indigenous People of Taiwan, a Review of Published Material Using Y-Chromosome and Mitochondrial DNA Gene Systems. <i>Dna</i> , 2022, 2, 185-201.                                 | 1.3  | 1         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1622 | A turn in species conservation for hairpin banksias: demonstration of oversplitting leads to better management of diversity. American Journal of Botany, 2022, 109, 1652-1671.                               | 1.7  | 5         |
| 1623 | Whole-genome resequencing reveals signature of local adaptation and divergence in wild soybean. Evolutionary Applications, 2022, 15, 1820-1833.  | 3.1  | 10        |
| 1624 | Genomic evidence reveals intraspecific divergence of the hot-spring snake ( <i>Thermophis baileyi</i> ), an endangered reptile endemic to the Qinghai-Tibet plateau. Molecular Ecology, 2023, 32, 1335-1350. | 3.9  | 6         |
| 1625 | The genetic architecture of phenotypic diversity in the Betta fish ( <i>Betta splendens</i> ). Science Advances, 2022, 8, .  | 10.3 | 10        |
| 1626 | Genetic characterization of two North Italian villages: A story of isolation, ancient admixture, and genetic drift. American Journal of Biological Anthropology, 0, , .                                      | 1.1  | 0         |
| 1628 | Population genomics reveals moderate genetic differentiation between populations of endangered Forest Musk Deer located in Shaanxi and Sichuan. BMC Genomics, 2022, 23, .                                    | 2.8  | 2         |
| 1631 | Whole-genome resequencing reveals the origin of tea in Lincang. Frontiers in Plant Science, 0, 13, .   | 3.6  | 2         |
| 1632 | Genomic and geographic diversification of a "great-speciator" ( <i>Rhipidura rufifrons</i> ). Auk, 0, , .  | 1.4  | 9         |
| 1633 | Genomic basis of insularity and ecological divergence in barn owls ( <i>Tyto alba</i> ) of the Canary Islands. Heredity, 2022, 129, 281-294.   | 2.6  | 3         |
| 1634 | A novel lineage of the Capra genus discovered in the Taurus Mountains of Turkey using ancient genomics. ELife, 0, 11, .  | 6.0  | 1         |
| 1635 | Evolutionary dynamics inform management interventions of a hanging garden obligate, <i>Carex specuicola</i> . Frontiers in Conservation Science, 0, 3, .   | 1.9  | 0         |
| 1636 | Clustering of Juvenile Canavan disease in an Indian community due to population bottleneck and isolation: genomic signatures of a founder event. European Journal of Human Genetics, 2023, 31, 73-80.        | 2.8  | 1         |
| 1637 | Unraveling the hierarchical genetic structure of tea green leafhopper, <i>Matsumurasca onukii</i> , in East Asia based on SSRs and SNPs. Ecology and Evolution, 2022, 12, .                                  | 1.9  | 3         |
| 1638 | Breeding system and geospatial variation shape the population genetics of <i>Triodanis perfoliata</i> . Ecology and Evolution, 2022, 12, .   | 1.9  | 1         |
| 1641 | The ancestral origin of the critically endangered Quadricorna sheep as revealed by genome-wide analysis. PLoS ONE, 2022, 17, e0275989.   | 2.5  | 2         |
| 1642 | Population genomics of an icefish reveals mechanisms of glacier-driven adaptive radiation in Antarctic notothenioids. BMC Biology, 2022, 20, .   | 3.8  | 5         |
| 1643 | Genomic Tools for the Characterization of Local Animal Genetic Resources: Application in Mascaruna Goat. Animals, 2022, 12, 2840.  | 2.3  | 4         |
| 1645 | Microevolutionary mechanism of high-altitude adaptation in Tibetan chicken populations from an elevation gradient. Evolutionary Applications, 2022, 15, 2100-2112.   | 3.1  | 3         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1646 | The Chromosome-level genome of <i>Aesculus wilsonii</i> provides new insights into terpenoid biosynthesis and <i>Aesculus</i> evolution. <i>Frontiers in Plant Science</i> , 0, 13, .   | 3.6  | 1         |
| 1647 | Contrasting levels of hybridization across the two contact zones between two hedgehog species revealed by genome-wide SNP data. <i>Heredity</i> , 2022, 129, 305-315.   | 2.6  | 3         |
| 1649 | Phylogeographic structure of <i>Heteroplexis</i> (Asteraceae), an endangered endemic genus in the limestone karst regions of southern China. <i>Frontiers in Plant Science</i> , 0, 13, .   | 3.6  | 3         |
| 1650 | Multiple migrations from East Asia led to linguistic transformation in NorthEast India and mainland Southeast Asia. <i>Frontiers in Genetics</i> , 0, 13, .   | 2.3  | 2         |
| 1652 | Genomic Data Clarify <i>Aquarana</i> Systematics and Reveal Isolation-by-Distance Dominates Phylogeography of the Wide-Ranging Frog <i>Rana clamitans</i> . <i>Ichthyology and Herpetology</i> , 2022, 110, .                     | 0.8  | 0         |
| 1654 | Genomic insights into the genetic structure and population history of Mongolians in Liaoning Province. <i>Frontiers in Genetics</i> , 0, 13, .  | 2.3  | 1         |
| 1655 | Out of the Qinghai-Tibet plateau: Genomic biogeography of the alpine monospecific genus <i>Megadenia</i> (Biscutelleae, Brassicaceae). <i>Molecular Ecology</i> , 2023, 32, 492-503.  | 3.9  | 1         |
| 1656 | Genetics of randomly bred cats support the cradle of cat domestication being in the Near East. <i>Heredity</i> , 2022, 129, 346-355.  | 2.6  | 8         |
| 1657 | Genomic evidence for ancient human migration routes along South America's Atlantic coast. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2022, 289, .   | 2.6  | 5         |
| 1658 | Sympatry of genetically distinct Atlantic Puffins ( <i>Fratercula arctica</i> ) in the High Arctic. <i>Ibis</i> , 2023, 165, 1022-1030.   | 1.9  | 1         |
| 1659 | Development of a global SNP resource for diversity, provenance, and parentage analyses on the Indo-Pacific giant black tiger shrimp ( <i>Penaeus monodon</i> ). <i>Aquaculture</i> , 2023, 563, 738890.                           | 3.5  | 2         |
| 1660 | Genomic analysis of indigenous goats in Southwest Asia reveals evidence of ancient adaptive introgression related to desert climate. <i>Zoological Research</i> , 2023, 44, 20-29.  | 2.1  | 2         |
| 1661 | Variations in genetic diversity in cultivated <i>Pistacia chinensis</i> . <i>Frontiers in Plant Science</i> , 0, 13, .  | 3.6  | 1         |
| 1663 | Genotyping-by-sequencing for biogeography. <i>Journal of Biogeography</i> , 2023, 50, 262-281.  | 3.0  | 5         |
| 1664 | Pervasive Introgression During Rapid Diversification of the European Mountain Genus <i>Soldanella</i> (L.) (Primulaceae). <i>Systematic Biology</i> , 2023, 72, 491-504.  | 5.6  | 5         |
| 1665 | Repeated out-of-Africa expansions of <i>Helicobacter pylori</i> driven by replacement of deleterious mutations. <i>Nature Communications</i> , 2022, 13, .  | 12.8 | 5         |
| 1666 | The pan-genome of <i>Aspergillus fumigatus</i> provides a high-resolution view of its population structure revealing high levels of lineage-specific diversity driven by recombination. <i>PLoS Biology</i> , 2022, 20, e3001890. | 5.6  | 21        |
| 1667 | Contribution bias of parental genomes to the hybrid lineages of black Amur bream and topmouth culter revealed by low-coverage whole-genome sequencing. <i>Gene</i> , 2023, 852, 147058.   | 2.2  | 3         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1668 | The influence of genetic structure on phenotypic diversity in the Australian mango ( <i>Mangifera indica</i> ) gene pool. <i>Scientific Reports</i> , 2022, 12, .  | 3.3  | 1         |
| 1671 | Genomic analysis of emmer wheat shows a complex history with two distinct domestic groups and evidence of differential hybridization with wild emmer from the western Fertile Crescent. <i>Vegetation History and Archaeobotany</i> , 0, , .           | 2.1  | 2         |
| 1672 | Insights into the domestication of avocado and potential genetic contributors to heterodichogamy. <i>G3: Genes, Genomes, Genetics</i> , 2023, 13, .  | 1.8  | 2         |
| 1673 | Population genetics analysis of Tolai hares ( <i>Lepus tolai</i> ) in Xinjiang, China using genome-wide SNPs from SLAF-seq and mitochondrial markers. <i>Frontiers in Genetics</i> , 0, 13, .  | 2.3  | 3         |
| 1675 | The demographic history of house mice ( <i>Mus musculus domesticus</i> ) in eastern North America. <i>G3: Genes, Genomes, Genetics</i> , 2023, 13, .   | 1.8  | 8         |
| 1677 | Genomic differentiation with isolation by distance along a latitudinal gradient in the spotted treefrog <i>Polypedates megacephalus</i> . <i>Integrative Zoology</i> , 2023, 18, 569-580.  | 2.6  | 0         |
| 1678 | Whole-Genome Sequence Analysis Reveals the Origin of the Chakouyi Horse. <i>Genes</i> , 2022, 13, 2411.  | 2.4  | 2         |
| 1679 | Domestication and selection footprints in Persian walnuts ( <i>Juglans regia</i> ). <i>PLoS Genetics</i> , 2022, 18, e1010513.   | 3.5  | 3         |
| 1680 | Recent speciation associated with range expansion and a shift to self-fertilization in North American <i>Arabidopsis</i> . <i>Nature Communications</i> , 2022, 13, .  | 12.8 | 4         |
| 1681 | Taxonomic assessment of two wild house mouse subspecies using whole-genome sequencing. <i>Scientific Reports</i> , 2022, 12, .   | 3.3  | 2         |
| 1682 | Genetic structure of <i>Spirometra mansonii</i> (Cestoda: Diphylobothriidae) populations in China revealed by a Target SSR-seq method. <i>Parasites and Vectors</i> , 2022, 15, .  | 2.5  | 3         |
| 1684 | The evolutionary process of invasion in the fall armyworm ( <i>Spodoptera frugiperda</i> ). <i>Scientific Reports</i> , 2022, 12, .  | 3.3  | 11        |
| 1685 | Demographic model and biological adaptation inferred from the genome-wide single nucleotide polymorphism data reveal tripartite origins of southernmost Chinese <i>Homo</i> . <i>American Journal of Biological Anthropology</i> , 2023, 180, 488-505. | 1.1  | 1         |
| 1686 | Historical dispersal and host-switching formed the evolutionary history of a globally distributed multi-host parasite – The <i>Ligula intestinalis</i> species complex. <i>Molecular Phylogenetics and Evolution</i> , 2023, 180, 107677.              | 2.7  | 6         |
| 1687 | Testing hypotheses of hybrid taxon formation in the shrubby beardtongues ( <i>Penstemon</i> subgenus <i>Dasanthera</i> ). <i>American Journal of Botany</i> , 2023, 110, .   | 1.7  | 4         |
| 1688 | Gene flow assessment helps to distinguish strong genomic structure from speciation in an Iberian ant-eating spider. <i>Molecular Phylogenetics and Evolution</i> , 2022, , 107682.   | 2.7  | 0         |
| 1689 | Speciation without gene flow in hybridizing deer. <i>Molecular Ecology</i> , 2023, 32, 1117-1132.  | 3.9  | 4         |
| 1690 | Genomic Consequences of and Demographic Response to Pervasive Hybridization Over Time in Climate-Sensitive Pikas. <i>Molecular Biology and Evolution</i> , 2023, 40, .   | 8.9  | 4         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1691 | Conservation Genetics. , 2024, , 506-522.  |      | 0         |
| 1693 | Range-wide population genomics of the spongy moth, <i>Lymantria dispar</i> (Erebidae): Implications for biosurveillance, subspecies classification and phylogeography of a destructive moth. Evolutionary Applications, 2023, 16, 638-656. | 3.1  | 2         |
| 1694 | Resequencing of 410 Sesame Accessions Identifies SINST1 as the Major Underlying Gene for Lignans Variation. International Journal of Molecular Sciences, 2023, 24, 1055.   | 4.1  | 5         |
| 1695 | Forensic efficiencies of individual identification, kinship testing and ancestral inference in three Yunnan groups based on a self-developed multiple DIP panel. Frontiers in Genetics, 0, 13, .   | 2.3  | 1         |
| 1696 | Genomic diversity and relationship analyses of endangered German Black Pied cattle (DSN) to 68 other taurine breeds based on whole-genome sequencing. Frontiers in Genetics, 0, 13, .  | 2.3  | 8         |
| 1697 | Large-Scale Chromosomal Changes Lead to Genome-Level Expression Alterations, Environmental Adaptation, and Speciation in the Gayal ( <i>Bos frontalis</i> ). Molecular Biology and Evolution, 2023, 40, .                                  | 8.9  | 5         |
| 1698 | Re-evaluating Homoploid Reticulate Evolution in <i>Helianthus</i> Sunflowers. Molecular Biology and Evolution, 2023, 40, .   | 8.9  | 9         |
| 1699 | Genome-wide assessment of the population structure and genetic diversity of four Portuguese native sheep breeds. Frontiers in Genetics, 0, 14, .   | 2.3  | 3         |
| 1700 | Colonialism in South Africa leaves a lasting legacy of reduced genetic diversity in Cape buffalo. Molecular Ecology, 2023, 32, 1860-1874.  | 3.9  | 5         |
| 1701 | Phylogeography within the <i>Peromyscus maniculatus</i> species group: Understanding past distribution of genetic diversity and areas of refugia in western North America. Molecular Phylogenetics and Evolution, 2023, 180, 107701.       | 2.7  | 1         |
| 1703 | Genomic footprints of Kam Sweet Rice domestication indicate possible migration routes of the Dong people in China and provide resources for future rice breeding. Molecular Plant, 2023, 16, 415-431.                                      | 8.3  | 4         |
| 1704 | Population Genomic Analysis of Diploid-Autopolyploid Species. Methods in Molecular Biology, 2023, , 297-324.   | 0.9  | 1         |
| 1705 | Genome-wide allele and haplotype-sharing patterns suggested one unique Hmong-Mein-related lineage and biological adaptation history in Southwest China. Human Genomics, 2023, 17, .  | 2.9  | 6         |
| 1708 | Natural hybridization reduces vulnerability to climate change. Nature Climate Change, 0, , .   | 18.8 | 14        |
| 1709 | Fast and accurate joint inference of coancestry parameters for populations and/or individuals. PLoS Genetics, 2023, 19, e1010054.  | 3.5  | 2         |
| 1710 | Pollinator and host sharing lead to hybridization and introgression in Panamanian free-standing figs, but not in their pollinator wasps. Ecology and Evolution, 2023, 13, .  | 1.9  | 4         |
| 1711 | Exploring the Italian equine gene pool via high-throughput genotyping. Frontiers in Genetics, 0, 14, .   | 2.3  | 2         |
| 1713 | Polygenic adaptation from standing genetic variation allows rapid ecotype formation. ELife, 0, 12, .   | 6.0  | 4         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1714 | The hybridization origin of the Chinese endemic herb genus <i>Notopterygium</i> (Apiaceae): Evidence from population genomics and ecological niche analysis. <i>Molecular Phylogenetics and Evolution</i> , 2023, 182, 107736.                                    | 2.7 | 1         |
| 1715 | Diversification and introgression in four chromosomal taxa of the Pearson's horseshoe bat ( <i>Rhinolophus pearsoni</i> ) group. <i>Molecular Phylogenetics and Evolution</i> , 2023, 183, 107784.  | 2.7 | 0         |
| 1716 | Deep genome-wide divergences among species in White Cloud Mountain minnow <i>Tanichthys albonubes</i> (Cypriniformes: Tanichthyidae) complex: Conservation and species management implications. <i>Molecular Phylogenetics and Evolution</i> , 2023, 182, 107734. | 2.7 | 1         |
| 1718 | Genomic evidence for adaptation to tuberculosis in the Andes before European contact. <i>IScience</i> , 2023, 26, 106034.   | 4.1 | 3         |
| 1719 | Life on a beach leads to phenotypic divergence despite gene flow for an island lizard. <i>Communications Biology</i> , 2023, 6, .   | 4.4 | 1         |
| 1720 | Range-wide whole-genome resequencing of the brown bear reveals drivers of intraspecies divergence. <i>Communications Biology</i> , 2023, 6, .   | 4.4 | 4         |
| 1721 | Tracking population structure and phenology through time using ancient genomes from waterlogged white oak wood. <i>Molecular Ecology</i> , 2024, 33, .  | 3.9 | 4         |
| 1722 | Bayesian inference of admixture graphs on Native American and Arctic populations. <i>PLoS Genetics</i> , 2023, 19, e1010410.  | 3.5 | 9         |
| 1723 | Origins, timing and introgression of domestic geese revealed by whole genome data. <i>Journal of Animal Science and Biotechnology</i> , 2023, 14, .   | 5.3 | 6         |
| 1725 | Selection Maintains the Phenotypic Divergence of Cave and Surface Fish. <i>American Naturalist</i> , 0, , .   | 2.1 | 2         |
| 1726 | Population Structure, Demographic History, and Adaptation of Giant Honeybees in China Revealed by Population Genomic Data. <i>Genome Biology and Evolution</i> , 2023, 15, .  | 2.5 | 1         |
| 1727 | The idiosyncratic genome of Korean long-tailed chicken as a valuable genetic resource. <i>IScience</i> , 2023, 26, 106236.  | 4.1 | 0         |
| 1728 | Genome-Wide Genetic Structure of Henan Indigenous Chicken Breeds. <i>Animals</i> , 2023, 13, 753.   | 2.3 | 2         |
| 1729 | The genetic structure and admixture of Manchus and Koreans in northeast China. <i>Annals of Human Biology</i> , 2023, 50, 161-171.  | 1.0 | 1         |
| 1730 | Population genomics and phylogeography of four Australasian waterfowl. <i>Emu</i> , 0, , 1-13.  | 0.6 | 0         |
| 1731 | The genomic and epigenetic footprint of local adaptation to variable climates in kiwifruit. <i>Horticulture Research</i> , 2023, 10, .  | 6.3 | 3         |
| 1732 | Genomics reveals the role of admixture in the evolution of structure among sperm whale populations within the Mediterranean Sea. <i>Molecular Ecology</i> , 2023, 32, 2715-2731.  | 3.9 | 2         |
| 1733 | Long divergent haplotypes introgressed from wild sheep are associated with distinct morphological and adaptive characteristics in domestic sheep. <i>PLoS Genetics</i> , 2023, 19, e1010615.  | 3.5 | 10        |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1734 | A thousand-genome panel retraces the global spread and adaptation of a major fungal crop pathogen. <i>Nature Communications</i> , 2023, 14, .  | 12.8 | 22        |
| 1736 | Traces of Introgression from cAus into Tropical Japonica Observed in African Upland Rice Varieties. <i>Rice</i> , 2023, 16, .  | 4.0  | 1         |
| 1737 | Whole-genome sequencing reveals a complex African population demographic history and signatures of local adaptation. <i>Cell</i> , 2023, 186, 923-939.e14.   | 28.9 | 34        |
| 1738 | Dual domestications and origin of traits in grapevine evolution. <i>Science</i> , 2023, 379, 892-901.  | 12.6 | 60        |
| 1739 | The enormous repetitive Antarctic krill genome reveals environmental adaptations and population insights. <i>Cell</i> , 2023, 186, 1279-1294.e19.  | 28.9 | 23        |
| 1740 | Comparative Genomic and Transcriptomic Analyses Reveal the Impacts of Genetic Admixture in Kazaks, Uyghurs, and Huis. <i>Molecular Biology and Evolution</i> , 2023, 40, .   | 8.9  | 4         |
| 1741 | Phylogeography of Solomon Islands blossom bats reflects oceanic divides and Pleistocene connections. <i>Journal of Biogeography</i> , 2023, 50, 920-931.   | 3.0  | 1         |
| 1742 | Genomic and evolutionary relationships among wild and cultivated blueberry species. <i>BMC Plant Biology</i> , 2023, 23, .   | 3.6  | 3         |
| 1743 | Dating the origin and spread of specialization on human hosts in <i>Aedes aegypti</i> mosquitoes. <i>ELife</i> , 0, 12, .  | 6.0  | 15        |
| 1744 | Population genomics and conservation management of the threatened black-footed tree-rat ( <i>Mesembriomys gouldii</i> ) in northern Australia. <i>Heredity</i> , 2023, 130, 278-288.                               | 2.6  | 4         |
| 1746 | Genomic clines across the species boundary between a hybrid pine and its progenitor in the eastern Tibetan Plateau. <i>Plant Communications</i> , 2023, , 100574.  | 7.7  | 1         |
| 1747 | Geographic-genomic and geographic-phenotypic differentiation of the <i>Aquilegia viridiflora</i> complex. <i>Horticulture Research</i> , 0, , .  | 6.3  | 0         |
| 1749 | Population Structure and Genetic Diversity Analysis of “Yufen” Line Chickens Using Whole-Genome Resequencing. <i>Life</i> , 2023, 13, 793.   | 2.4  | 3         |
| 1750 | Conservation prioritisation through genomic reconstruction of demographic histories applied to two endangered suids in the Malay Archipelago. <i>Diversity and Distributions</i> , 2023, 29, 713-726.              | 4.1  | 0         |
| 1751 | Human genetic history on the Tibetan Plateau in the past 5100 years. <i>Science Advances</i> , 2023, 9, .  | 10.3 | 17        |
| 1752 | Evolution of the rice blast pathogen on spatially structured rice landraces maintains multiple generalist fungal lineages. <i>Molecular Ecology</i> , 2023, 32, 2519-2533.   | 3.9  | 4         |
| 1753 | Phylogenetic Analysis of Allotetraploid Species Using Polarized Genomic Sequences. <i>Systematic Biology</i> , 0, , .  | 5.6  | 1         |
| 1756 | Integration of Selection Signatures and Protein Interactions Reveals NR6A1, PAPP2, and PIK3C2B as the Promising Candidate Genes Underlying the Characteristics of Licha Black Pig. <i>Biology</i> , 2023, 12, 500. | 2.8  | 2         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1757 | Comprehensive evaluations of individual discrimination, kinship analysis, genetic relationship exploration and biogeographic origin prediction in Chinese Dongxiang group by a 60-plex DIP panel. <i>Hereditas</i> , 2023, 160, .                                   | 1.4  | 1         |
| 1758 | Genome-wide analysis emancipates genomic diversity and signature of selection in Altay white-headed cattle of Xinjiang, China. <i>Frontiers in Genetics</i> , 0, 14, .  | 2.3  | 1         |
| 1759 | Frequencies of variants in genes associated with dyslipidemias identified in Costa Rican genomes. <i>Frontiers in Genetics</i> , 0, 14, .   | 2.3  | 0         |
| 1760 | Genome-wide single nucleotide polymorphisms reveal recurrent waves of speciation in niche-pockets, in Europe's most venomous snake. <i>Molecular Ecology</i> , 2023, 32, 3624-3640.   | 3.9  | 3         |
| 1761 | Genomic insights of evolutionary divergence and life histories innovations in Antarctic brittle stars. <i>Molecular Ecology</i> , 0, , .  | 3.9  | 1         |
| 1762 | A comprehensive analysis of the genetic diversity and environmental adaptability in worldwide Merino and Merino-derived sheep breeds. <i>Genetics Selection Evolution</i> , 2023, 55, .   | 3.0  | 4         |
| 1763 | High-density single nucleotide polymorphism markers reveal the population structure of 2 local chicken genetic resources. <i>Poultry Science</i> , 2023, 102, 102692.   | 3.4  | 0         |
| 1764 | Population Genomic Evidence of Adaptive Response during the Invasion History of <i>Plasmodium falciparum</i> in the Americas. <i>Molecular Biology and Evolution</i> , 2023, 40, .  | 8.9  | 2         |
| 1766 | On the limits of fitting complex models of population history to f-statistics. <i>ELife</i> , 0, 12, .  | 6.0  | 35        |
| 1767 | Genome assembly and population sequencing reveal three populations and signatures of insecticide resistance of <i>Tuta absoluta</i> in Latin America. <i>Genome Biology and Evolution</i> , 0, , .  | 2.5  | 0         |
| 1768 | Domestication and lowland adaptation of coastal preceramic maize from Paredones, Peru. <i>ELife</i> , 0, 12, .  | 6.0  | 4         |
| 1769 | Genetic consequence of widespread plantations of <i>Cryptomeria japonica</i> var. <i>sinensis</i> in Southern China: implications for afforestation strategies under climate change. <i>Tree Genetics and Genomes</i> , 2023, 19, .                                 | 1.6  | 0         |
| 1770 | Population genomic analysis provides evidence of the past success and future potential of South China tiger captive conservation. <i>BMC Biology</i> , 2023, 21, .  | 3.8  | 3         |
| 1772 | Prehistoric human migration between Sundaland and South Asia was driven by sea-level rise. <i>Communications Biology</i> , 2023, 6, .   | 4.4  | 5         |
| 1773 | Environment as a limiting factor of the historical global spread of mungbean. <i>ELife</i> , 0, 12, .   | 6.0  | 4         |
| 1774 | Speciation of rock-dwelling snail species: Disjunct ranges and mosaic patterns reveal the importance of long-distance dispersal in <i>Chilostoma</i> (Cingulifera) in the European Southern Alps. <i>Molecular Phylogenetics and Evolution</i> , 2023, 184, 107788. | 2.7  | 0         |
| 1775 | Extensive intra- and inter-genetic admixture of Chinese gamecock and other indigenous chicken breeds revealed by genomic data. <i>Poultry Science</i> , 2023, 102, 102766.  | 3.4  | 3         |
| 1776 | Genomic evidence for homoploid hybrid speciation in a marine mammal apex predator. <i>Science Advances</i> , 2023, 9, .   | 10.3 | 5         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1777 | Resequencing of <i>Rosa rugosa</i> accessions revealed the history of population dynamics, breed origin, and domestication pathways. <i>BMC Plant Biology</i> , 2023, 23, .  | 3.6  | 1         |
| 1778 | Genome diversity and highland-adaptative variation in Tibet barley landrace population of China. <i>Frontiers in Plant Science</i> , 0, 14, .  | 3.6  | 1         |
| 1779 | Historical Routes for Diversification of Domesticated Chickpea Inferred from Landrace Genomics. <i>Molecular Biology and Evolution</i> , 2023, 40, .   | 8.9  | 2         |
| 1780 | Gene flow drives genomic diversity in Asian Pikas distributed along the core and rangeâ€edge habitats in the Himalayas. <i>Ecology and Evolution</i> , 2023, 13, .   | 1.9  | 0         |
| 1781 | Origin and population structure of native dog breeds in the Korean peninsula and East Asia. <i>IScience</i> , 2023, 26, 106982.  | 4.1  | 0         |
| 1782 | Range-wide population genomics of common seadragons shows secondary contact over a former barrier and insights on illegal capture. <i>BMC Biology</i> , 2023, 21, .  | 3.8  | 1         |
| 1783 | Genetic admixture of Chinese Tajik people inferred from genomeâ€wide array genotyping and mitochondrial genome sequencing. <i>Journal of Systematics and Evolution</i> , 2024, 62, 181-192.                                    | 3.1  | 1         |
| 1784 | Inferring historical introgression with deep learning. <i>Systematic Biology</i> , 0, , .  | 5.6  | 1         |
| 1786 | Deep genome skimming reveals the hybrid origin of <i>Pseudosasa gracilis</i> (Poaceae: Bambusoideae). <i>Plant Diversity</i> , 2023, , .   | 3.7  | 1         |
| 1787 | Drivers of genomic landscapes of differentiation across a <i>Populus</i> divergence gradient. <i>Molecular Ecology</i> , 2023, 32, 4348-4361.  | 3.9  | 2         |
| 1788 | A graph-based genome and pan-genome variation of the model plant <i>Setaria</i> . <i>Nature Genetics</i> , 2023, 55, 1232-1242.  | 21.4 | 28        |
| 1789 | Testing for adaptive changes linked to range expansion following a single introduction of the fall webworm. <i>Molecular Ecology</i> , 0, , .  | 3.9  | 0         |
| 1791 | North African fox genomes show signatures of repeated introgression and adaptation to life in deserts. <i>Nature Ecology and Evolution</i> , 2023, 7, 1267-1286.   | 7.8  | 8         |
| 1792 | Inferring the population history of Kyrgyz in Xinjiang, Northwest China from genomeâ€wide array genotyping. <i>American Journal of Biological Anthropology</i> , 0, , .  | 1.1  | 0         |
| 1794 | Genomic evidence reveals high genetic diversity in a narrowly distributed species and natural hybridization risk with a widespread species in the genus <i>Geodorum</i> . <i>BMC Plant Biology</i> , 2023, 23, .               | 3.6  | 2         |
| 1795 | Genomic data provide a robust phylogeny backbone for <i>Rhodiola</i> L. (Crassulaceae) and reveal extensive reticulate evolution during its rapid radiation. <i>Molecular Phylogenetics and Evolution</i> , 2023, 186, 107863. | 2.7  | 1         |
| 1797 | Global patterns of genomic and phenotypic variation in the invasive harlequin ladybird. <i>BMC Biology</i> , 2023, 21, .   | 3.8  | 4         |
| 1798 | Genomic conservation of crop wild relatives: A case study of citrus. <i>PLoS Genetics</i> , 2023, 19, e1010811.  | 3.5  | 2         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1799 | The importance of cryptic diversity in the conservation of wide-ranging species: The red-footed tortoise <i>Chelonoidis carbonarius</i> in Colombia. <i>Molecular Ecology</i> , 0, , .                         | 3.9  | 0         |
| 1800 | Genome-wide population structure, homozygosity, and heterozygosity patterns of Nero Siciliano pig in the framework of Italian and cosmopolitan breeds. <i>Animal Genetics</i> , 2023, 54, 591-605.             | 1.7  | 0         |
| 1801 | Multiple colonizations and hybridization of a freshwater fish group on a satellite island of Sulawesi. <i>Molecular Phylogenetics and Evolution</i> , 2023, 184, 107804.                                       | 2.7  | 1         |
| 1802 | Exploration of the ancestral inference effectiveness of 126 AI-SNPs and the genetic feature of Inner Mongolian Manchu group. <i>Gene</i> , 2023, 873, 147456.  | 2.2  | 0         |
| 1803 | Selection-driven trait loss in independently evolved cavefish populations. <i>Nature Communications</i> , 2023, 14, .  | 12.8 | 16        |
| 1804 | Genomic insights into the postintroduction failure of the Asian icefish <i>Protosalanx chinensis</i> in China. <i>Molecular Ecology</i> , 2023, 32, 3942-3959.   | 3.9  | 1         |
| 1805 | Whole genome scanning of a Mediterranean basin hotspot collection provides new insights into olive tree biodiversity and biology. <i>Plant Journal</i> , 2023, 116, 303-319.                                   | 5.7  | 4         |
| 1806 | The origin and dispersal of <i>Firmiana danxiaensis</i> among isolated specific landscapes. <i>Journal of Systematics and Evolution</i> , 2024, 62, 102-119.   | 3.1  | 2         |
| 1807 | Genomics reveal the origins and current structure of a genetically depauperate freshwater species in its introduced Alaskan range. <i>Evolutionary Applications</i> , 2023, 16, 1119-1134.                     | 3.1  | 1         |
| 1808 | Demographic history and genomic consequences of 10,000 generations of isolation in a wild mammal. <i>Current Biology</i> , 2023, 33, 2051-2062.e4.   | 3.9  | 2         |
| 1810 | Genetic diversity, population genetic structure and gene flow in the rare and endangered wild plant <i>Cypripedium macranthos</i> revealed by genotyping-by-sequencing. <i>BMC Plant Biology</i> , 2023, 23, . | 3.6  | 2         |
| 1811 | Confronting historical legacies of biological anthropology in South Africa—Restitution, redress and community-centered science: The Sutherland Nine. <i>PLoS ONE</i> , 2023, 18, e0284785.                     | 2.5  | 4         |
| 1813 | Population genetic assessment of <i>Viburnum japonicum</i> in China using ddRAD-seq. <i>Frontiers in Genetics</i> , 0, 14, .   | 2.3  | 1         |
| 1814 | Extensive genetic admixture between Tai-Kadai-speaking people and their neighbours in the northeastern region of the Yungui Plateau inferred from genome-wide variations. <i>BMC Genomics</i> , 2023, 24, .    | 2.8  | 2         |
| 1815 | Genetic differentiation following recent domestication events: A study of farmed Nile tilapia ( <i>Oreochromis niloticus</i> ) populations. <i>Evolutionary Applications</i> , 2023, 16, 1220-1235.            | 3.1  | 0         |
| 1817 | Introgression between highly divergent fungal sister species. <i>Journal of Evolutionary Biology</i> , 2023, 36, 1133-1149.  | 1.7  | 0         |
| 1819 | Speciation patterns of related species under the hybrid zone: A case study of three sclerophyllous oaks in the east Himalaya—Hengduan Mountains. <i>Molecular Ecology</i> , 2023, 32, 4610-4626.               | 3.9  | 1         |
| 1820 | Inferring human neutral genetic variation from craniodental phenotypes. , 2023, 2, .   |      | 1         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1822 | Estimating admixture pedigrees of recent hybrids without a contiguous reference genome. <i>Molecular Ecology Resources</i> , 2023, 23, 1604-1619.   | 4.8 | 1         |
| 1823 | Invasion genomics uncover complex introduction patterns of the globally invasive whitefly, <i>Bemisia tabaci</i> MED. <i>Diversity and Distributions</i> , 2023, 29, 1172-1189.   | 4.1 | 2         |
| 1824 | Whole-genome Analyses Reveal Past Population Fluctuations and Low Genetic Diversities of the North Pacific Albatrosses. <i>Molecular Biology and Evolution</i> , 2023, 40, .  | 8.9 | 2         |
| 1826 | Disparate genetic divergence patterns in three corals across a pan-Pacific environmental gradient highlight species-specific adaptation. , 2023, 2, .   |     | 5         |
| 1827 | The extinct Sicilian wolf shows a complex history of isolation and admixture with ancient dogs. <i>IScience</i> , 2023, 26, 107307.   | 4.1 | 2         |
| 1828 | Single nucleotide polymorphism analysis in <i>Leptospermum scoparium</i> (Myrtaceae) supports two highly differentiated endemic species in Aotearoa New Zealand and Australia. <i>Tree Genetics and Genomes</i> , 2023, 19, .               | 1.6 | 2         |
| 1829 | Genomic analyses reveal three phylogenetic species and their evolutionary histories in the big-headed turtle. <i>IScience</i> , 2023, 26, 107343.   | 4.1 | 1         |
| 1830 | Chromosome-level genome assembly and population genomic analysis reveal evolution and local adaptation in common hairfin anchovy ( <i>Setipinna tenuifilis</i> ). <i>Molecular Ecology</i> , 0, , .   | 3.9 | 0         |
| 1831 | Hybrid Skipper Butterfly Characterized by Facies, Genitalia, and Genomes (Lepidoptera: Hesperiidae: Tj ETQq0 0 0 rgBT /Overlock 10 Tf   | 0.2 | 0         |
| 1832 | Demographic history of Ryukyu islanders at the southern part of the Japanese Archipelago inferred from whole-genome resequencing data. <i>Journal of Human Genetics</i> , 0, , .  | 2.3 | 0         |
| 1833 | Subtle Introgression Footprints at the End of the Speciation Continuum in a Clade of <i>Heliconius</i> Butterflies. <i>Molecular Biology and Evolution</i> , 2023, 40, .  | 8.9 | 2         |
| 1834 | Whole-genome analyses reveal the genomic diversity and selection signatures of Hainan cattle. <i>Livestock Science</i> , 2023, 275, 105311.   | 1.6 | 2         |
| 1835 | Mitonuclear discordance results from incomplete lineage sorting, with no detectable evidence for gene flow, in a rapid radiation of <i>Todiramphus</i> kingfishers. <i>Molecular Ecology</i> , 2023, 32, 4844-4862.                         | 3.9 | 4         |
| 1836 | Molecular genetics and quantitative traits divergence among populations of <i>Eothenomys miletus</i> from Hengduan Mountain region. <i>Ecology and Evolution</i> , 2023, 13, .  | 1.9 | 0         |
| 1837 | Conservation implications of elucidating the Korean wolf taxonomic ambiguity through whole-genome sequencing. <i>Ecology and Evolution</i> , 2023, 13, .  | 1.9 | 0         |
| 1838 | Climate has contributed to population diversification of <i>Daphnia galeata</i> across Eurasia. <i>Molecular Ecology</i> , 0, , .   | 3.9 | 0         |
| 1839 | Variable rates of hybridization among contact zones between a pair of topminnow species, <i>Fundulus notatus</i> and <i>F. olivaceus</i> . <i>Ecology and Evolution</i> , 2023, 13, .   | 1.9 | 0         |
| 1840 | Determination of the genetic diversity and population structure of <i>Vaccinium uliginosum</i> in Northeast China based on the chloroplast matK gene and EST-SSRseq molecular markers. <i>Genetic Resources and Crop Evolution</i> , 0, , . | 1.6 | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1843 | Phylogenetic analysis reveals multiple origins of Chinese gamecocks. Poultry Science, 2023, 102, 103068.   | 3.4  | 0         |
| 1844 | Limited population genetic structure in the littoral gastropod Nerita tessellata (Neritimorpha,) Tj ETQq1 1 0.784314 rgBT /Overlock 10 T and Ecology, 2023, 568, 151942.                                 | 1.5  | 1         |
| 1845 | Global genomic signature reveals the evolution of fall armyworm in the Eastern hemisphere. Molecular Ecology, 2023, 32, 5463-5478.   | 3.9  | 7         |
| 1848 | Fatty acid metabolism decreased while sexual selection increased in brown rats spreading south. IScience, 2023, 26, 107742.  | 4.1  | 0         |
| 1849 | Genomic signatures of ecological divergence between savanna and forest populations of a neotropical tree. Annals of Botany, 0, , .   | 2.9  | 0         |
| 1850 | Whole-genome sequencing reveals adaptations of hairy-footed jerboas (Dipus, Dipodidae) to diverse desert environments. BMC Biology, 2023, 21, .  | 3.8  | 1         |
| 1851 | Whole-genome sequencing of diverse wheat accessions uncovers genetic changes during modern breeding in China and the United States. Plant Cell, 2023, 35, 4199-4216.                                     | 6.6  | 2         |
| 1852 | Ancient DNA reveals genetic admixture in China during tiger evolution. Nature Ecology and Evolution, 2023, 7, 1914-1929.   | 7.8  | 3         |
| 1854 | Analysis of &gt;3400 worldwide eggplant accessions reveals twoÂindependent domestication events and multiple migrationÂ€diversification routes. Plant Journal, 2023, 116, 1667-1680.                     | 5.7  | 0         |
| 1855 | Landscape genomics reveals adaptive divergence of indigenous sheep in different ecological environments of Xinjiang, China. Science of the Total Environment, 2023, 904, 166698.                         | 8.0  | 0         |
| 1856 | Interploidy Introgression Shaped Adaptation during the Origin and Domestication History of <i>Brassica napus</i>. Molecular Biology and Evolution, 2023, 40, .   | 8.9  | 2         |
| 1857 | Genomic tools for comparative conservation genetics among three recently diverged stag beetles (<i>Lucanus</i>, <scp>Lucanidae</scp>). Insect Conservation and Diversity, 2023, 16, 853-869.             | 3.0  | 1         |
| 1858 | Genomes of cultivated and wild Capsicum species provide insights into pepper domestication and population differentiation. Nature Communications, 2023, 14, .  | 12.8 | 9         |
| 1859 | Genomic analysis of geographical structure and diversity in the capercaillie (Tetrao urogallus). Conservation Genetics, 2024, 25, 277-290.   | 1.5  | 1         |
| 1860 | Einkorn genomics sheds light on history of the oldest domesticated wheat. Nature, 2023, 620, 830-838.  | 27.8 | 18        |
| 1861 | GenomeÂ€wide diversity evaluation and core germplasm extraction in ex situ conservation: A case of golden <i>Camellia tunghinensis</i>. Evolutionary Applications, 2023, 16, 1519-1530.                  | 3.1  | 3         |
| 1862 | Genomic and environmental insights and conservation challenges for two hybridizing iconic crocodile species across Mexico: <i>Crocodylus acutus</i> and <i>C. moreletii</i>. Animal Conservation, 0, , . | 2.9  | 0         |
| 1863 | Allele surfing causes maladaptation in a Pacific salmon of conservation concern. PLoS Genetics, 2023, 19, e1010918.  | 3.5  | 0         |

| #    | ARTICLE   | IF  | CITATIONS |
|------|---|-----|-----------|
| 1864 | The meaning of wild: Genetic and adaptive consequences from large-scale releases of domestic mallards. <i>Communications Biology</i> , 2023, 6, .   | 4.4 | 3         |
| 1865 | Population genomics identifies genetic signatures of carrot domestication and improvement and uncovers the origin of high-carotenoid orange carrots. <i>Nature Plants</i> , 2023, 9, 1643-1658.                             | 9.3 | 1         |
| 1866 | Genome-wide genetic variation and population structure of native and cosmopolitan cattle breeds reared in Türkiye. <i>Animal Biotechnology</i> , 0, , 1-10.   | 1.5 | 2         |
| 1867 | Potential selection for lipid kinase activity and spermatogenesis in Henan native pig breeds and growth shaping by introgression of European genes. <i>Genetics Selection Evolution</i> , 2023, 55, .                       | 3.0 | 0         |
| 1868 | Evolutionary history and seascape genomics of Harbour porpoises ( <i>Phocoena phocoena</i> ) across environmental gradients in the North Atlantic and adjacent waters. <i>Molecular Ecology Resources</i> , 0, , .          | 4.8 | 2         |
| 1869 | The complex genetic landscape of southwestern Chinese populations contributed to their extensive ethnolinguistic diversity. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .  | 2.2 | 0         |
| 1870 | Modeling of African population history using f-statistics is biased when applying all previously proposed SNP ascertainment schemes. <i>PLoS Genetics</i> , 2023, 19, e1010931.   | 3.5 | 4         |
| 1871 | Whole-genome sequencing revealed genetic diversity, structure and patterns of selection in Guizhou indigenous chickens. <i>BMC Genomics</i> , 2023, 24, .   | 2.8 | 0         |
| 1872 | Evolutionary response of cold-adapted chasmophytic plants to Quaternary climatic oscillations in the Mountains of Central Asia (a world hotspot of biodiversity). <i>Diversity and Distributions</i> , 2023, 29, 1458-1477. | 4.1 | 2         |
| 1873 | Whole-genome resequencing reveals genetic diversity and selection signals in warm temperate and subtropical <i>Sillago sinica</i> populations. <i>BMC Genomics</i> , 2023, 24, .  | 2.8 | 0         |
| 1874 | Reticulate evolution of the tertiary relict <i>Osmanthus</i> . <i>Plant Journal</i> , 0, , .  | 5.7 | 0         |
| 1875 | Genomic analysis provides insights into the westward expansion of domesticated peaches in China. <i>Horticultural Plant Journal</i> , 2024, 10, 367-375.  | 5.0 | 0         |
| 1878 | Parallel evolution in <i>Crassostrea</i> oysters along the latitudinal gradient is associated with variation in multiple genes involved in adipogenesis. <i>Molecular Ecology</i> , 2023, 32, 5276-5287.                    | 3.9 | 2         |
| 1879 | Evaluation of population structure inferred by principal component analysis or the admixture model. <i>Genetics</i> , 2023, 225, .  | 2.9 | 0         |
| 1881 | Multiple paternally inherited chloroplast capture events associated with <i>Taxus</i> speciation in the Hengduan Mountains. <i>Molecular Phylogenetics and Evolution</i> , 2023, 189, 107915.                               | 2.7 | 1         |
| 1882 | Demographic reconstruction of the Western sheep expansion from whole-genome sequences. <i>G3: Genes, Genomes, Genetics</i> , 2023, 13, .  | 1.8 | 1         |
| 1883 | Summary tests of introgression are highly sensitive to rate variation across lineages. <i>Systematic Biology</i> , 0, , .   | 5.6 | 0         |
| 1884 | Strong postmating reproductive isolation in <i>Mimulus</i> section <i>Eunanus</i> . <i>Journal of Evolutionary Biology</i> , 2023, 36, 1393-1410.   | 1.7 | 1         |



| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1885 | Genetic Origins and Adaptive Evolution of the Deng People on the Tibetan Plateau. <i>Molecular Biology and Evolution</i> , 2023, 40, .   | 8.9  | 0         |
| 1891 | Where to draw the boundaries? Using landscape genomics to disentangle the scribbly gum species complex. <i>American Journal of Botany</i> , 0, , .   | 1.7  | 0         |
| 1892 | Divergence in <i>Elymus sibiricus</i> is related to geography and climate oscillation: A new look from panâ€œchloroplast genome data. <i>Journal of Systematics and Evolution</i> , 0, , .   | 3.1  | 0         |
| 1893 | Comprehensive evaluation of germplasm resources of nine <i>Macrobrachium rosenbergii</i> strains in China. <i>Aquaculture Reports</i> , 2023, 33, 101755.  | 1.7  | 0         |
| 1897 | Climate-driven past and present interspecies gene flow may have contributed to shape microscale adaptation capacity in <i>Tillandsia lomas</i> in hyperarid south American desert systems. <i>Global and Planetary Change</i> , 2023, 230, 104258. | 3.5  | 1         |
| 1898 | Review: Computational analysis of human skeletal remains in ancient DNA and forensic genetics. <i>IScience</i> , 2023, 26, 108066.   | 4.1  | 0         |
| 1899 | Widespread incomplete lineage sorting and introgression shaped adaptive radiation in the <i>Gossypium</i> genus. <i>Plant Communications</i> , 2024, 5, 100728.  | 7.7  | 0         |
| 1900 | The population bottleneck of the Iberian wolf impacted genetic diversity but not admixture with domestic dogs: A temporal genomic approach. <i>Molecular Ecology</i> , 2023, 32, 5986-5999.  | 3.9  | 2         |
| 1902 | Hybridization of Atlantic puffins in the Arctic coincides with 20th-century climate change. <i>Science Advances</i> , 2023, 9, .   | 10.3 | 0         |
| 1903 | Distinguished biological adaptation architecture aggravated population differentiation of Tibeto-Burman-speaking people. <i>Journal of Genetics and Genomics</i> , 2023, , .   | 3.9  | 1         |
| 1904 | The genomic response to urbanization in the damselfly <i>Ischnura elegans</i> . <i>Evolutionary Applications</i> , 2023, 16, 1805-1818.  | 3.1  | 0         |
| 1905 | Reconstructing the complex colonisation histories of lizards across Mediterranean archipelagos. <i>Journal of Biogeography</i> , 2024, 51, 157-172.  | 3.0  | 1         |
| 1906 | Genomic analysis reveals limited hybridization among three giraffe species in Kenya. <i>BMC Biology</i> , 2023, 21, .  | 3.8  | 2         |
| 1907 | Chromosome-level genome assembly and population genomic analysis provide novel insights into the immunity and evolution of <i>Sogatella furcifera</i> . <i>Genomics</i> , 2023, , 110729.  | 2.9  | 0         |
| 1908 | Evolutionary history of <i>Magnolia</i> sect. <i>Talauma</i> (Magnoliaceae) in Cuba. <i>Biological Journal of the Linnean Society</i> , 0, , .   | 1.6  | 1         |
| 1909 | Benefits of outcrossing and their implications for genetic management of an endangered species with mixedâ€œmating system. <i>Restoration Ecology</i> , 2024, 32, .  | 2.9  | 1         |
| 1910 | Full-scale genetic pattern and environmental association of <i>Actinidia chinensis</i> populations across ten mountain systems in China, and its significance for conservation. <i>Tree Genetics and Genomes</i> , 2023, 19, .                     | 1.6  | 0         |
| 1911 | Population structure of wild soybean ( <i>Glycine soja</i> ) based on SLAF-seq have implications for its conservation. <i>PeerJ</i> , 0, 11, e16415.   | 2.0  | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1912 | Genetic diversity and historical demography of underutilised goat breeds in North-Western Europe. Scientific Reports, 2023, 13, .  | 3.3  | 1         |
| 1913 | Population genomics of the muskox' resilience in the near absence of genetic variation. Molecular Ecology, 2024, 33, .   | 3.9  | 1         |
| 1914 | The genetic legacy of the expansion of Bantu-speaking peoples in Africa. Nature, 2024, 625, 540-547.   | 27.8 | 2         |
| 1915 | Unidirectional transatlantic gene flow and a mixed spawning area shape the genetic connectivity of Atlantic bluefin tuna. Molecular Ecology, 0, , .  | 3.9  | 1         |
| 1916 | Global genetic diversity, introgression, and evolutionary adaptation of indicine cattle revealed by whole genome sequencing. Nature Communications, 2023, 14, .                            | 12.8 | 1         |
| 1917 | Whole-genome SNP genotyping unveils ancestral and recent introgression in wild and domestic goats. Molecular Ecology, 0, , .   | 3.9  | 0         |
| 1918 | Deep ancestry of Bornean hunter-gatherers supports long-term local ancestry dynamics. Cell Reports, 2023, 42, 113346.  | 6.4  | 1         |
| 1919 | A test of genetic divergence of a bird existing in the Sichuan Basin and its surrounding mountain ranges. Avian Research, 2023, 14, 100144.  | 1.2  | 0         |
| 1923 | Population genomics provides insights into the genetic diversity and adaptation of the <i>Pieris rapae</i> in China. PLoS ONE, 2023, 18, e0294521.   | 2.5  | 0         |
| 1925 | Genomic and phenotypic characterization of finger millet indicates a complex diversification history. Plant Genome, 0, , .   | 2.8  | 0         |
| 1926 | Inference of Admixture Origins in Indigenous African Cattle. Molecular Biology and Evolution, 2023, 40, .  | 8.9  | 0         |
| 1928 | A multidisciplinary overview on the Tupi-speaking people expansion. American Journal of Biological Anthropology, 0, , .  | 1.1  | 0         |
| 1929 | Targeted sequencing of high-density SNPs provides an enhanced tool for forensic applications and genetic landscape exploration in Chinese Korean ethnic group. Human Genomics, 2023, 17, . | 2.9  | 0         |
| 1930 | Heterogeneous patterns of heterozygosity loss in isolated populations of the threatened eastern barred bandicoot ( <i>Perameles gunnii</i> ). Molecular Ecology, 0, , .                    | 3.9  | 0         |
| 1931 | Genomic characterization and diversity of indigenous goat breeds from Croatia. Livestock Science, 2024, 279, 105388.   | 1.6  | 0         |
| 1932 | Wild and cultivated olive tree genetic diversity in Greece: a diverse resource in danger of erosion. Frontiers in Genetics, 0, 14, .   | 2.3  | 0         |
| 1933 | Exploring the mechanism of artificial selection signature in Chinese indigenous pigs by leveraging multiple bioinformatics database tools. BMC Genomics, 2023, 24, .                       | 2.8  | 0         |
| 1934 | Using two self-developed InDel panels to explore forensic feature and population genetic structure in the Hui group. Genomics, 2023, , 110756.   | 2.9  | 0         |

| #    | ARTICLE   | IF   | CITATIONS |
|------|---|------|-----------|
| 1935 | Genetic Affinities and Adaptation of the South-West Coast Populations of India. <i>Genome Biology and Evolution</i> , 2023, 15, .   | 2.5  | 1         |
| 1936 | <i>Populus cathayana</i> genome and population resequencing provide insights into its evolution and adaptation. <i>Horticulture Research</i> , 0, , .   | 6.3  | 0         |
| 1937 | Dispersal from the Qinghai-Tibet plateau by a high-altitude butterfly is associated with rapid expansion and reorganization of its genome. <i>Nature Communications</i> , 2023, 14, .   | 12.8 | 0         |
| 1940 | slendr: a framework for spatio-temporal population genomic simulations on geographic landscapes. , 0, 3, .  |      | 1         |
| 1941 | Diversity and dissemination of viruses in pathogenic protozoa. <i>Nature Communications</i> , 2023, 14, .   | 12.8 | 0         |
| 1942 | Genomic evidence for West Antarctic Ice Sheet collapse during the Last Interglacial. <i>Science</i> , 2023, 382, 1384-1389.   | 12.6 | 2         |
| 1943 | Alpine Extremophytes in Evolutionary Turmoil: Complex Diversification Patterns and Demographic Responses of a Halophilic Grass in a Central Asian Biodiversity Hotspot. <i>Systematic Biology</i> , 0, , .                          | 5.6  | 1         |
| 1944 | Seascapes Shaped the Local Adaptation and Population Structure of South China Coast Yellowfin Seabream ( <i>Acanthopagrus latus</i> ). <i>Marine Biotechnology</i> , 2024, 26, 60-73.   | 2.4  | 0         |
| 1946 | Genomic evidence for climate-linked diversity loss and increased vulnerability of wild barley spanning 28â€‘years of climate warming. <i>Science of the Total Environment</i> , 2023, , 169679.                                     | 8.0  | 1         |
| 1947 | An inbreeding perspective on the effectiveness of wildlife population defragmentation measures â€‘ a case study on wild boar ( <i>Sus scrofa</i> ) of Veluwe, The Netherlands. <i>Frontiers in Ecology and Evolution</i> , 0, 11, . | 2.2  | 0         |
| 1948 | A graph-based pan-genome of <i>Brassica oleracea</i> provides new insights into its domestication and morphotype diversification. <i>Plant Communications</i> , 2024, 5, 100791.  | 7.7  | 0         |
| 1949 | African bushpigs exhibit porous species boundaries and appeared in Madagascar concurrently with human arrival. <i>Nature Communications</i> , 2024, 15, .   | 12.8 | 1         |
| 1950 | The demographic history and adaptation of Canarian goat breeds to environmental conditions through the use of genome-wide SNP data. <i>Genetics Selection Evolution</i> , 2024, 56, .   | 3.0  | 0         |
| 1951 | Integrated analysis strategy of genome-wide functional gene mining reveals DKK2 gene underlying meat quality in Shaziling synthesized pigs. <i>BMC Genomics</i> , 2024, 25, .   | 2.8  | 1         |
| 1953 | Revealing genetic diversity, population structure, and selection signatures of the Pacific oyster in Dalian by whole-genome resequencing. <i>Frontiers in Ecology and Evolution</i> , 0, 11, .                                      | 2.2  | 0         |
| 1954 | Rapid diversification of grey mangroves ( <i>Avicennia marina</i> ) driven by geographic isolation and extreme environmental conditions in the Arabian Peninsula. <i>Molecular Ecology</i> , 2024, 33, .                            | 3.9  | 0         |
| 1955 | Assessing genomeâ€‘wide adaptations associated with range expansion in the pink rice borer, <i>Sesamia inferens</i> . <i>Insect Science</i> , 0, , .  | 3.0  | 0         |
| 1956 | Genomic and phenotypic signatures provide insights into the wide adaptation of a global plant invader. <i>Plant Communications</i> , 2024, 5, 100820.   | 7.7  | 0         |

| #    | ARTICLE  | IF   | CITATIONS |
|------|--|------|-----------|
| 1957 | Ice age land bridges to continental islands: Repeated migration of the forest-dwelling sable in northeastern Asia. <i>Journal of Biogeography</i> , 2024, 51, 924-939.   | 3.0  | 0         |
| 1958 | Divergent Selection in Low Recombination Regions Shapes the Genomic Islands in Two Incipient Shorebird Species. <i>Molecular Biology and Evolution</i> , 2024, 41, .   | 8.9  | 0         |
| 1959 | Genomic evidence of genuine wild versus admixed olive populations evolving in the same natural environments in western Mediterranean Basin. <i>PLoS ONE</i> , 2024, 19, e0295043.                              | 2.5  | 0         |
| 1960 | Genomic insights into differentiation and adaptation of <i>Amorphophallus yunnanensis</i> in the mountainous region of Southwest China. <i>Ecology and Evolution</i> , 2024, 14, .                             | 1.9  | 0         |
| 1961 | Differentiated genomic footprints suggest isolation and long-distance migration of Hmong-Mien populations. <i>BMC Biology</i> , 2024, 22, .  | 3.8  | 0         |
| 1962 | Exploring coral speciation: Multiple sympatric <i>Stylophora pistillata</i> taxa along a divergence continuum on the Great Barrier Reef. <i>Evolutionary Applications</i> , 2024, 17, .                        | 3.1  | 0         |
| 1963 | Transposon dynamics in the emerging oilseed crop <i>Thlaspi arvense</i> . <i>PLoS Genetics</i> , 2024, 20, e1011141.   | 3.5  | 0         |
| 1964 | Whole genome sequencing reveals stepping-stone dispersal buffered against founder effects in a range expanding seabird. <i>Molecular Ecology</i> , 2024, 33, .   | 3.9  | 0         |
| 1965 | Genetic consequences of Last Glacial-Holocene changes in snowfall regime in <i>Arnica montana</i> populations: A plant confined to heavy-snow areas of Japan. <i>American Journal of Botany</i> , 2024, 111, . | 1.7  | 0         |
| 1966 | Population structure and adaptability analysis of <i>Schizothorax sinensis</i> based on whole-genome resequencing. <i>BMC Genomics</i> , 2024, 25, .   | 2.8  | 0         |
| 1967 | Paleogenomic insights into cooperation in the ancient Andes from positive selection on oxytocin pathway genes. <i>Genes, Brain and Behavior</i> , 2024, 23, .  | 2.2  | 0         |
| 1969 | Phylogenomics of American pika ( <i>Ochotona princeps</i> ) lineage diversification. <i>Molecular Phylogenetics and Evolution</i> , 2024, 193, 108030.   | 2.7  | 0         |
| 1970 | Identification of genomic characteristics and selective signals in Guizhou black goat. <i>BMC Genomics</i> , 2024, 25, .   | 2.8  | 0         |
| 1971 | New perspectives on the genetic structure of dotted gizzard shad ( <i>Konosirus punctatus</i> ) based on RAD-seq. <i>Marine Life Science and Technology</i> , 2024, 6, 50-67.                                  | 4.6  | 0         |
| 1972 | Remnant kenngoor ( <i>Phascogale calura</i> ) retain genetic connectivity and genetic diversity in a highly fragmented landscape. <i>Conservation Genetics</i> , 0, .  | 1.5  | 0         |
| 1973 | Integrating cryptic diversity into coral evolution, symbiosis and conservation. <i>Nature Ecology and Evolution</i> , 2024, 8, 622-636.  | 7.8  | 0         |
| 1974 | Whole-genome resequencing provides insights into the diversity and adaptation to desert environment in Xinjiang Mongolian cattle. <i>BMC Genomics</i> , 2024, 25, .  | 2.8  | 0         |
| 1975 | A genomic variation map provides insights into peanut diversity in China and associations with 28 agronomic traits. <i>Nature Genetics</i> , 2024, 56, 530-540.  | 21.4 | 0         |

|      |   | CITATION REPORT |           |
|------|---|-----------------|-----------|
| #    | ARTICLE   | IF              | CITATIONS |
| 1976 | Population genomics of <i>Agrotis segetum</i> provide insights into the local adaptive evolution of agricultural pests. <i>BMC Biology</i> , 2024, 22, .  | 3.8             | 0         |
| 1977 | Phylogeography of <i>Pterocarya hupehensis</i> reveals the evolutionary patterns of a Cenozoic relict tree around the Sichuan Basin. <i>Forestry Research</i> , 2024, 4, 0-0.   | 1.1             | 0         |
| 1978 | Porous borders at the wild-crop interface promote weed adaptation in Southeast Asia. <i>Nature Communications</i> , 2024, 15, .   | 12.8            | 0         |
| 1979 | Japanese wolves are most closely related to dogs and share DNA with East Eurasian dogs. <i>Nature Communications</i> , 2024, 15, .  | 12.8            | 0         |
| 1980 | Phylogeography and demographic history of macaques, fascicularis species group, in East Asia: Inferred from multiple genomic markers. <i>Molecular Phylogenetics and Evolution</i> , 2024, 194, 108042.                       | 2.7             | 0         |
| 1981 | Evolutionary relationships, hybridization and diversification under domestication of the locoto chile ( <i>Capsicum pubescens</i> ) and its wild relatives. <i>Frontiers in Plant Science</i> , 0, 15, .                      | 3.6             | 0         |
| 1982 | Hybridization and introgression events in cooccurring populations of closely related grasses (Poaceae: Stipa) in high mountain steppes of Central Asia. <i>PLoS ONE</i> , 2024, 19, e0298760.                                 | 2.5             | 0         |
| 1983 | Genetic formation of Sui populations in southwest China. <i>Journal of Systematics and Evolution</i> , 0, , .   | 3.1             | 0         |
| 1984 | Integrative approach for landscape demography analysis of Plakad-Pa Pak-Tawan-Ok (Betta) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 427 T efforts. <i>Global Ecology and Conservation</i> , 2024, 51, e02870.                       | 2.1             | 0         |
| 1985 | The opposed forces of differentiation and admixture across glacial cycles in the butterfly <i>Aglais urticae</i> . <i>Molecular Ecology</i> , 2024, 33, .   | 3.9             | 0         |
| 1986 | Limited interspecific gene flow in the evolutionary history of the icefish genus <i>Chionodraco</i> . <i>ICES Journal of Marine Science</i> , 0, , .  | 2.5             | 0         |
| 1987 | Speciation across biomes: Rapid diversification with reproductive isolation in the Australian delicate mice. <i>Molecular Ecology</i> , 2024, 33, .   | 3.9             | 0         |
| 1988 | Differentiated adaptative genetic architecture and language-related demographical history in South China inferred from 619 genomes from 56 populations. <i>BMC Biology</i> , 2024, 22, .                                      | 3.8             | 0         |
| 1989 | Invasive fall armyworms are corn strain. <i>Scientific Reports</i> , 2024, 14, .  | 3.3             | 0         |
| 1990 | Transcriptome data analysis provides insights into the conservation of <i>Michelia lacei</i> , a plant species with extremely small populations distributed in Yunnan province, China. <i>BMC Plant Biology</i> , 2024, 24, . | 3.6             | 0         |
| 1991 | A population genomics analysis of the Aotearoa New Zealand endemic rewarewa tree ( <i>Knightia</i> ) Tj ETQq1 1 0.784314 rgBT /QOverlock 10 Tf 50 427 T   |                 |           |
| 1992 | Genetic diversity, population structure and origin of the native goats in Central Laos. <i>Journal of Animal Breeding and Genetics</i> , 0, , .   | 2.0             | 0         |
| 1993 | Recombination, admixture and genome instability shape the genomic landscape of <i>Saccharomyces cerevisiae</i> derived from spontaneous grape ferments. <i>PLoS Genetics</i> , 2024, 20, e1011223.                            | 3.5             | 0         |

| #    | ARTICLE  | IF  | CITATIONS |
|------|--|-----|-----------|
| 1994 | Evolutionary radiation of the Eurasian <i>Pinus</i> species under pervasive gene flow. New Phytologist, 2024, 242, 2353-2368.                                    | 7.3 | 0         |
| 1995 | Giraffe lineages are shaped by major ancient admixture events. Current Biology, 2024, 34, 1576-1586.e5.  | 3.9 | 0         |
| 1996 | Genomic and pangenomic analyses provide insights into the population history and genomic diversification of bottle gourd. New Phytologist, 2024, 242, 2285-2300. | 7.3 | 0         |