

CITATION REPORT

List of articles citing

ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevation

DOI: 10.1093/eurheartj/ehs215
European Heart Journal, 2012, 33, 2569-619.

Source: <https://exaly.com/paper-pdf/52538183/citation-report.pdf>

Version: 2024-04-23

This report has been generated based on the citations recorded by exaly.com for the above article. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

#	Paper	IF	Citations
2233	Research-Based Practice in Critical Care. 1994 , 5, 101-101		1
2232	In vitro splicing deficiency induced by a C to T mutation at position -3 in the intron 10 acceptor site of the phenylalanine hydroxylase gene in a patient with phenylketonuria. 1995 , 270, 20370-5		19
2231	Sequential proteome alterations during genesis and progression of colon cancer. 2004 , 61, 1246-55		65
2230	The trefoil protein TFF1 is bound to MUC5AC in human gastric mucosa. 2004 , 61, 1946-54		63
2229	Role of nitric oxide in the functional response to ischemia-reperfusion of heart mitochondria from hyperthyroid rats. 2004 , 61, 2244-52		18
2228	Proteins interacting with the 26S proteasome. 2004 , 61, 1589-95		32
2227	Ubiquitin-free routes into the proteasome. 2004 , 61, 1596-600		82
2226	Evidence for a novel racemization process of an asparaginy residue in mouse lysozyme under physiological conditions. 2005 , 62, 199-205		7
2225	Confocal microscopy and biochemical analysis reveal spatial and functional separation between anandamide uptake and hydrolysis in human keratinocytes. 2005 , 62, 386-95		53
2224	Familial hypobetalipoproteinemia: genetics and metabolism. 2005 , 62, 1372-8		123
2223	Phagocytosis of apoptotic cells: a matter of balance. 2005 , 62, 1532-46		41
2222	Restructuring the Automotive Industry in the English West Midlands. 2005 , 20, 249-265		12
2221	Heat and risk of myocardial infarction: hourly level case-crossover analysis of MINAP database. 2012 , 345, e8050		63
2220	Working together in cardiovascular prevention: the common mission of the European Heart Journal and the European Journal of Preventive Cardiology. 2012 , 19, 1217-26		4
2219	Neue Thrombozytenaggregationshemmung bei Patienten mit akutem Koronarsyndrom â Umbruch einer langjurigen antithrombozyten Praxis. 2012 , 41, 604-608		
2218	Primary coronary angioplasty for ST-Elevation Myocardial Infarction in Qatar: First nationwide program. 2012 , 2012, 43-55		5
2217	Clinical features of myocardial infarction and myocarditis in young adults: a retrospective study. 2012 , 2,		6

2216	Simple aspiration in acute myocardial infarction: too simple to be true?. <i>European Heart Journal</i> , 2012 , 33, 3005-7	9.5	14
2215	Impact of Inter-hospital Transfer on the Outcomes of Primary Percutaneous Coronary Intervention. 2012 , 20, 361-366		1
2214	A randomized multicenter comparison of hybrid sirolimus-eluting stents with bioresorbable polymer versus everolimus-eluting stents with durable polymer in total coronary occlusion: rationale and design of the Primary Stenting of Occluded Native Coronary Arteries IV study. 2012 , 13, 240		9
2213	Ticagrelor: molecular discovery to clinical evidence: ticagrelor: a novel antiplatelet agent. 2012 , 64, 497-502		7
2212	Summary of the 2012 ESC Guidelines for the management of acute myocardial infarction in patients presenting with ST-segment elevations. Prepared by the Czech Society of Cardiology. 2012 , 54, e273-e289		7
2211	Coronary artery ectasia. 2013 , 55, e242-e247		18
2210	Diagnostic ECG du syndrome coronarien aigu. 2013 , 3, 79-88		2
2209	Short term cost effectiveness of a regional myocardial infarction network. 2013 , 3, 10		4
2208	Radial primary angioplasty: the gold standard treatment for STEMI patients. 2013 , 6, 707-8		2
2207	Síndrome coronario agudo sin elevaci3n del segmento ST. 2013 , 11, 2240-2247		
2206	Infarto agudo de miocardio con elevaci3n del segmento ST. SCACEST. 2013 , 11, 2248-2255		
2205	Protocolo diagn3stico del dolor tor3cico agudo en Urgencias. 2013 , 11, 2263-2266		
2204	Protocolo de seguimiento de un paciente con un infarto agudo de miocardio. 2013 , 11, 2271-2274		
2203	Protocolo terapéutico hospitalario del infarto de miocardio. 2013 , 11, 2275-2278		
2202	Optimizing the use of anticoagulants (heparins and oral anticoagulants) in the elderly. 2013 , 30, 687-99		16
2201	The adequacy of myocardial revascularization in patients with multivessel coronary artery disease. 2013 , 168, 1748-57		28
2200	Optimal duration of dual antiplatelet therapy after drug-eluting stent implantation. 2013 , 106, 271-3		2
2199	Effect of private insurance incentive policy reforms on trends in coronary revascularisation procedures in the private and public health sectors in Western Australia: a cohort study. 2013 , 13, 280		2

2198	Rationale and design of the on-treatment PLAtelet Reactivity-Guided Therapy Modification FOR ST-Segment Elevation Myocardial Infarction (PLATFORM) randomized trial. 2013 , 26, 221-7	2
2197	New developments in parenteral anticoagulation for arterial and venous thromboembolism. 2013 , 26, 203-13	8
2196	Platelet function testing and tailored antiplatelet therapy. 2013 , 6, 316-28	29
2195	Pharmaco-mechanic antithrombotic strategies to reperfusion of the infarct-related artery in patients with ST-elevation acute myocardial infarctions. 2013 , 6, 378-87	6
2194	The challenge of antiplatelet therapy in patients with atrial fibrillation and heart failure. 2013 , 6, 388-97	5
2193	Outcomes, health costs and use of antiplatelet agents in 7,082 patients admitted for an acute coronary syndrome occurring in a large community setting. 2013 , 27, 333-40	5
2192	Timely and optimal treatment of patients with STEMI. 2013 , 10, 41-8	45
2191	Evaluation of crushed ticagrelor tablet doses: recovery following crushing and naso-gastric tube passage ex vivo. 2013 , 13, 153-7	16
2190	Evidence-based treatments for STEMI: are we doing enough?. 2013 , 382, 576-9	3
2189	Future treatment strategies in ST-segment elevation myocardial infarction. 2013 , 382, 644-57	48
2188	What is the optimum adjunctive reperfusion strategy for primary percutaneous coronary intervention?. 2013 , 382, 633-43	15
2187	Reperfusion therapy for STEMI: is there still a role for thrombolysis in the era of primary percutaneous coronary intervention?. 2013 , 382, 624-32	48
2186	Mobile left ventricular thrombus in left ventricular dysfunction: case report and review of literature. 2013 , 102, 479-84	18
2185	Thrombin receptor antagonism in antiplatelet therapy. 2013 , 2, 57-68	10
2184	Management of STEMI. 2013 , 1, 29-36	
2183	Randomized trial of preventive angioplasty in myocardial infarction. 2013 , 369, 1115-23	657
2182	Unmet aspirations--where to now for catheter thrombectomy?. 2013 , 369, 1649-50	7
2181	Effect of cangrelor on periprocedural outcomes in percutaneous coronary interventions: a pooled analysis of patient-level data. 2013 , 382, 1981-92	234

2180	[The chronic critically ill patient from the cardiologist's perspective]. 2013 , 108, 267-78	5
2179	[Chest pains in emergency admission. Diagnostics and treatment]. 2013 , 108, 7-18	1
2178	Recent insights into the treatment of stable CAD : FFR-guided PCI vs. medical therapy. 2013 , 38, 376-81	2
2177	Prasugrel versus ticagrelor in acute coronary syndrome: a randomized comparison. 2013 , 170, e21-2	23
2176	An evaluation of composite indicators of hospital acute myocardial infarction care: a study of 136,392 patients from the Myocardial Ischaemia National Audit Project. 2013 , 170, 81-7	14
2175	Effect on door-to-balloon time of immediate transradial percutaneous coronary intervention on culprit lesion in ST-elevation myocardial infarction compared to diagnostic angiography followed by primary percutaneous coronary intervention. 2013 , 111, 836-40	16
2174	Comparison of hospital mortality during ST-segment elevation myocardial infarction in the era of reperfusion therapy in women versus men and in older versus younger patients. 2013 , 111, 1708-13	6
2173	Intramyocardial autologous cell engraftment in patients with ischaemic heart failure: a meta-analysis of randomised controlled trials. 2013 , 22, 887-94	18
2172	Improving outcomes after acute coronary syndrome with rehabilitation and secondary prevention. 2013 , 35, 1076-81	13
2171	Integration of a local into a regional primary angioplasty action plan (the Catalan Codi Infart network) reduces time to reperfusion. 2013 , 168, 4354-7	10
2170	Thrombus aspiration in elderly STEMI patients: a single center experience. 2013 , 168, 3097-9	5
2169	[Reperfusion delays in acute coronary syndromes with ST segment elevation (STEMI) depending on prehospital care]. 2013 , 62, 287-92	1
2168	High-risk ECG patterns in ACS--need for guideline revision. 2013 , 46, 535-9	13
2167	Current evidence and future perspectives on n-3 PUFAs. 2013 , 170, S3-7	21
2166	Glycoprotein IIb-IIIa inhibitors - do we still need them?. 2013 , 65, 260-3	4
2165	Acute coronary syndromes: Bypassing the emergency department to treat STEMI. 2013 , 10, 491-2	
2164	Predictors of bleeding in acute coronary syndromes with clopidogrel and prasugrel. 2013 , 31, 1287	4
2163	Personalized antiplatelet therapy: the wrong approach?. 2013 , 106, 481-6	3

2162	Protocols of antithrombotic therapy in a University Cardiocenter. 2013 , 55, e201-e206	3
2161	[Comparison between European Society of Cardiology (ESC) and American College of Cardiology/American Heart Association (ACC/AHA) guidelines for initial management of ST-elevation myocardial infarction (STEMI)]. 2013 , 62, 265-8	1
2160	Combination of a new oral anticoagulant, aspirin and clopidogrel after acute coronary syndrome: new therapeutic standard?. 2013 , 8, 673-80	10
2159	The left bundle-branch block puzzle in the 2013 ST-elevation myocardial infarction guideline: from falsely declaring emergency to denying reperfusion in a high-risk population. Are the Sgarbossa Criteria ready for prime time?. 2013 , 166, 409-13	45
2158	Pharmacologic reperfusion therapy with indigenous tenecteplase in 15,222 patients with ST elevation myocardial infarction - the Indian Registry. 2013 , 65, 436-41	7
2157	ST segment elevations: always a marker of acute myocardial infarction?. 2013 , 65, 412-23	30
2156	Effect of early metoprolol on infarct size in ST-segment-elevation myocardial infarction patients undergoing primary percutaneous coronary intervention: the Effect of Metoprolol in Cardioprotection During an Acute Myocardial Infarction (METOCARD-CNIC) trial. 2013 , 128, 1495-503	249
2155	Postconditioning attenuates no-reflow in STEMI patients. 2013 , 108, 383	65
2154	Postconditioning in patients treated with primary percutaneous coronary intervention: an updated meta-analysis. 2013 , 82, E662-71	6
2153	Adenosine and verapamil for no-reflow during primary percutaneous coronary intervention in people with acute myocardial infarction. 2013 , CD009503	15
2152	Open-label, randomized, placebo-controlled evaluation of intracoronary adenosine or nitroprusside after thrombus aspiration during primary percutaneous coronary intervention for the prevention of microvascular obstruction in acute myocardial infarction: the REOPEN-AMI study (Intracoronary Nitroprusside Versus Adenosine in Acute Myocardial Infarction). 2013 , 6, 580-9	74
2151	[Myocardial infarction. New universal definition and its implementation in clinical practice]. 2013 , 38, 821-7	4
2150	Ticagrelor: the first novel reversible P2Y(12) inhibitor. 2013 , 14, 237-45	13
2149	Expert position paper on the use of proton pump inhibitors in patients with cardiovascular disease and antithrombotic therapy. <i>European Heart Journal</i> , 2013 , 34, 1708-13, 1713a-1713b	9.5 117
2148	Pitfalls in diagnosing ST elevation among patients with acute myocardial infarction. 2013 , 46, 653-9	12
2147	Bivalirudin started during emergency transport for primary PCI. 2013 , 369, 2207-17	372
2146	The outcome of intra-aortic balloon pump support in acute myocardial infarction complicated by cardiogenic shock according to the type of revascularization: a comprehensive meta-analysis. 2013 , 165, 679-92	40
2145	Fibrillation atriale et infarctus du myocarde : un risque accru de mortalité 2013 , 5, 114-118	

2144	Intra-aortic balloon counterpulsation in acute myocardial infarction: old and emerging indications. 2013 , 21, 554-60		9
2143	ESC Guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD: the Task Force on diabetes, pre-diabetes, and cardiovascular diseases of the European Society of Cardiology (ESC) and developed in collaboration with the European Association for the Study of Diabetes (EASD). <i>European Heart Journal</i> , 2013 , 34, 3035-87	9.5	1444
2142	Myocardial reperfusion injury: looking beyond primary PCI. <i>European Heart Journal</i> , 2013 , 34, 1714-22	9.5	252
2141	Do clinical factors explain persistent sex disparities in the use of acute reperfusion therapy in STEMI in Sweden and Canada?. 2013 , 2, 350-8		21
2140	Ventricular septal rupture with hemodynamically important left-to-right shunt, right ventricular myocardial infarction, transient type III atrioventricular block and the development of left ventricular aneurysm as a complication of sub-acute myocardial infarction of the bottom wall		
2139	Design and methods of European Ambulance Acute Coronary Syndrome Angiography Trial (EUROMAX): an international randomized open-label ambulance trial of bivalirudin versus standard-of-care anticoagulation in patients with acute ST-segment-elevation myocardial infarction		12
2138	Acceso radial frente a femoral después de una intervención coronaria percutánea en infarto agudo de miocardio con elevación del segmento ST. Resultados de mortalidad a 30 días y a 1 año. 2013 , 66, 871-878		8
2137	[GeCAS registry. Sense and purpose of a carotid percutaneous transluminal angioplasty register in the era of obligatory quality assurance]. 2013 , 38, 724-8		3
2136	Effects and costs of home-based training with telemonitoring guidance in low to moderate risk patients entering cardiac rehabilitation: The FIT@Home study. 2013 , 13, 82		25
2135	The first year of the Venlo percutaneous coronary intervention program: procedural and 6-month clinical outcomes. 2013 , 21, 449-55		5
2134	Recurrent intraventricular thrombus six months after ST-elevation myocardial infarction in a diabetic man: a case report. 2013 , 6, 348		3
2133	Outcomes following percutaneous coronary intervention and coronary artery bypass grafting surgery in Chinese, South Asian and White patients with acute myocardial infarction: administrative data analysis. 2013 , 13, 121		24
2132	[Management of acute myocardial infarction with ST-segment elevation: Update 2013]. 2013 , 38, 889-98; quiz 899		
2131	High admission glucose levels increase Fas apoptosis and mortality in patients with acute ST-elevation myocardial infarction: a prospective cohort study. 2013 , 12, 171		14
2130	Dialogue Plus: Management of cardiovascular risk in hyperglycaemic/diabetic patients at hospital discharge. 2013 , 50, 989-98		2
2129	Optimizing reperfusion in patients with STEMI: a critical evaluation of pharmacologic and non-pharmacologic strategies. 2013 , 13, 399-406		
2128	Ethnic differences in the occurrence of acute coronary syndrome: results of the Malaysian National Cardiovascular Disease (NCVD) Database Registry (March 2006 - February 2010). 2013 , 13, 97		26
2127	Ticagrelor: a review of its cost effectiveness in the management of acute coronary syndromes. 2013 , 29, 379-386		3

2126	Is the intra-aortic balloon pump leaking?. 2013 , 382, 1616-7		5
2125	Intra-aortic balloon counterpulsation in acute myocardial infarction complicated by cardiogenic shock (IABP-SHOCK II): final 12 month results of a randomised, open-label trial. 2013 , 382, 1638-45		587
2124	The Metabolic Syndrome. 2013 ,		6
2123	Management of cardiovascular disease in haemophilia. 2013 , 132, 8-14		18
2122	Current applications of cardiac troponin T for the diagnosis of myocardial damage. 2013 , 61, 33-65		12
2121	Supporting clinical guidelines using DL-temporal reasoning. 2013 ,		
2120	Glycoprotein IIb/III inhibition during acute percutaneous coronary intervention: tool or talisman?. 2013 , 26, 340-2		
2119	Secondary prevention of MI: current approaches to treatment. 2013 , 24, 23-29		
2118	Clinical review: bleeding - a notable complication of treatment in patients with acute coronary syndromes: incidence, predictors, classification, impact on prognosis, and management. 2013 , 17, 239		5
2117	Inflammation and coagulation in atherosclerosis. 2013 , 33, 269-82		34
2116	Assessing post-treatment platelet reactivity: a focus on patient selection and setting. 2013 , 11, 1557-66		1
2115	Comments on the ESC Guidelines for the Management of Acute Myocardial Infarction in Patients Presenting With ST-Segment Elevation. 2013 , 66, 5-11		1
2114	The Year in Cardiology 2012: acute coronary syndromes. <i>European Heart Journal</i> , 2013 , 34, 422-6	9.5	9
2113	Low-dose anticoagulation for secondary prevention in acute coronary syndrome. 2013 , 111, 618-26		9
2112	How Should We Treat Multi-Vessel Disease in STEMI Patients?. 2013 , 15, 129-36		1
2111	Consensus du GACI (Groupe athlisme et cardiologie interventionnelle) sur la prise en charge interventionnelle des syndromes coronaires aigus avec sus-d'calage persistant du segment ST en France. 2013 , 2013, 42-45		
2110	Comment prendre en charge une femme enceinte atteinte d'une coronaropathie ?. 2013 , 17, 174-179		1
2109	Impact of thrombus aspiration during primary percutaneous coronary intervention in cardiogenic shock complicating ST-segment elevation myocardial infarction. 2013 , 14, 307-10		5

2108 New predictors of mortality in the acute coronary syndromes. **2013**, 31, 1286-7

2107 Sex-related effectiveness of bivalirudin versus abciximab and heparin in non-ST-segment elevation myocardial infarction. **2013**, 165, 537-43 12

2106 Diagnostic utility of cardiac magnetic resonance imaging in STEMI survivors after emergency PCI. **2013**, 168, 2933-4

2105 Management of a 112-year-old patient with STEMI: A case-based short literature review. **2013**, 4, 112-114

2104 Comparison of C-reactive protein and fibrinogen levels in patients having anterior wall ST-Segment elevation myocardial infarction with versus without left ventricular thrombus (from a primary percutaneous coronary intervention cohort). **2013**, 112, 57-60 13

2103 Czech contributions to European cardiology – the European Heart Journal’s perspective. **2013**, 55, e1-e5 0

2102 Protocolo terapéutico en los síndromes coronarios agudos en Urgencias. **2013**, 11, 2267-2270

2101 The Optimal Duration of Dual Combination Antiplatelet Therapy After Stent Implantation and Perioperative Management Issues. **2013**, 2, 585-594

2100 Stress perfusion-fibrosis cardiac magnetic resonance detects early heart involvement in young asymptomatic, homozygous familial hyperlipidemia with normal routine non-invasive evaluation. **2013**, 168, 4570-2 1

2099 Patency of infarct-related artery and platelet reactivity in patients with ST-segment elevation myocardial infarction. **2013**, 55, e126-e130 0

2098 STEMI - The importance of balance between antithrombotic treatment and bleeding risk. **2013**, 55, e135-e146 1

2097 Disease burden attributable to major risk factors in Western European countries: the challenge of controlling cardiovascular risk factors. **2013**, 66, 591-3 1

2096 Acute coronary syndromes with ongoing myocardial ischemia (ACS with OMI) versus acute coronary syndromes without ongoing ischemia (ACS without OMI). The new classification of acute coronary syndromes should replace old classification based on ST segment elevation presence or absence-Expert consensus statement of the Czech Society of Cardiology. **2013**, 55, e225-e227 6

2095 Retrospective analysis towards diagnosis and treatment status of acute myocardial infarction patients in Binhai Community. **2013**, 2, 236-239

2094 [Cardiac rehabilitation after myocardial infarction: an invaluable intervention that is little used in Portugal]. **2013**, 32, 201-3

2093 Role of thrombolysis in reperfusion therapy for management of AMI: Indian scenario. **2013**, 65, 566-85 10

2092 Prehospital thrombolysis expansion may raise the rate of its inappropriate administration in ST-elevation acute myocardial infarction induced by aortic dissection. **2013**, 31, 628-9 5

2091 Comments on the ESC Guidelines for the Management of Acute Myocardial Infarction in Patients Presenting With ST-Segment Elevation. **2013**, 66, 5-11 34

2090	Triple Antiplatelet Therapy and Combinations with Oral Anticoagulants After Stent Implantation. 2013 , 2, 595-606	
2089	Current role of glycoprotein IIb/IIIa receptor inhibitors in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention after pretreatment with loading dose thienopyridines. 2013 , 167, 608-13	3
2088	[Prehospital treatment with bivalirudin in acute myocardial infarction referred for primary angioplasty. About 152 consecutive patients study]. 2013 , 62, 227-32	0
2087	Long-term outcomes among older patients with non-ST-segment elevation myocardial infarction complicated by cardiogenic shock. 2013 , 166, 298-305	16
2086	Pre-hospital diagnosis and transfer of patients with acute myocardial infarction--a decade long experience from one of Europe's largest STEMI networks. 2013 , 46, 546-52	24
2085	Gender comparisons in cardiogenic shock during ST elevation myocardial infarction treated by primary percutaneous coronary intervention. 2013 , 112, 636-41	29
2084	La carga de enfermedad atribuible a los principales factores de riesgo en los países de Europa occidental: el reto de controlar los factores de riesgo cardiovascular. 2013 , 66, 591-593	2
2083	Symptom-to-needle times in ST-segment elevation myocardial infarction: shortest route to a primary coronary intervention facility. 2013 , 106, 162-8	4
2082	Update on platelet glycoprotein IIb/IIIa inhibitors: recommendations for clinical practice. 2013 , 7, 197-213	44
2081	New antiplatelet agents for cardiovascular disease. 2013 , 185, 1405-11	6
2080	Unusual papillary muscle rupture occurring over two weeks after myocardial infarction associated with late reperfusion of infarct-related artery. 2013 , 167, e109-10	1
2079	Platelet inhibition by abciximab bolus-only administration and oral ADP receptor antagonist loading in acute coronary syndrome patients: the blocking and bridging strategy. 2013 , 132, e36-41	15
2078	Difference vectors to describe dynamics of the ST segment and the ventricular gradient in acute ischemia. 2013 , 46, 302-11	14
2077	Combination Antithrombotic Management of STEMI with Pharmacoinvasive Strategy, Primary PCI, or Rescue PCI. 2013 , 2, 573-583	
2076	Syndrome coronarien aigu du sujet âgé. 2013 , 2013, 37-40	
2075	A prospective regional registry of ST-elevation myocardial infarction in Central Romania: impact of the Stent for Life Initiative recommendations on patient outcomes. 2013 , 166, 457-65	16
2074	Implementation of contemporary oral antiplatelet treatment guidelines in patients with acute coronary syndrome undergoing percutaneous coronary intervention: a report from the GReek AntiPlatelet rEgistry (GRAPE). 2013 , 168, 5329-35	26
2073	Ticagrelor or prasugrel for pre-hospital protocols in STEMI?. 2013 , 168, 4566-7	6

2072	Telecardiología: pasado, presente y futuro. 2013 , 66, 212-218	14
2071	[Place for "Chest Pain Unit" in France. Emergency physicians point of view]. 2013 , 42, 1039-41	
2070	Aspirin inhibits release of platelet-derived sphingosine-1-phosphate in acute myocardial infarction. 2013 , 170, e23-4	14
2069	The use of revascularization strategies in patients with acute coronary syndromes admitted to hospitals without catheterization facilities: Results from the ALERT-CZ registry. 2013 , 55, e207-e211	7
2068	Safety of subcutaneous enoxaparin as ancillary therapy in STEMI patients receiving fibrinolysis. 2013 , 168, 1582	
2067	Antiplatelet effect of thienopyridine (clopidogrel or prasugrel) pretreatment in patients undergoing primary percutaneous intervention for ST elevation myocardial infarction. 2013 , 112, 1551-6	15
2066	Troponin elevation in aortic dissection patients may be due to takotsubo cardiomyopathy: aortic dissection vs takotsubo cardiomyopathy. 2013 , 31, 749-50	4
2065	Peak and fixed-time high-sensitive troponin for prediction of infarct size, impaired left ventricular function, and adverse outcomes in patients with first ST-segment elevation myocardial infarction receiving percutaneous coronary intervention. 2013 , 111, 1387-93	31
2064	Cardiac arrest and cardiogenic shock--should we stay cool at all times?. 2013 , 84, 269-70	
2063	Clinical utility and prognostic value of appropriateness criteria in stress echocardiography for the evaluation of valvular heart disease. 2013 , 6, 987-92	10
2062	Radial vs femoral access after percutaneous coronary intervention for ST-segment elevation myocardial infarction. Thirty-day and one-year mortality results. 2013 , 66, 871-8	3
2061	Central venous oxygen saturation (ScVO2) facilitates the weaning of intra-aortic balloon pump in acute heart failure related to acute myocardial infarction. 2013 , 168, 4568-70	8
2060	Antithrombotic therapy in patients after valve surgery with special attention to the combination of anticoagulant and antiplatelet therapy. 2013 , 55, e164-e169	3
2059	Results of intra-aortic balloon counterpulsation in patients with st-elevation myocardial infarction with cardiogenic shock undergoing percutaneous coronary intervention: is there a benefit?. 2013 , 66, 590-1	
2058	Cardiac rehabilitation after myocardial infarction: An invaluable intervention that is little used in Portugal. 2013 , 32, 201-203	
2057	Microvascular obstruction in the right ventricle in reperfused anterior myocardial infarction. Macroscopic and pathologic evidence in a swine model. 2013 , 132, 592-8	9
2056	Recent temporal trends for first-time hospitalization for acute myocardial infarction. Treatment patterns and clinical outcome in a large cohort study. 2013 , 166, 846-54	8
2055	Acceptable transfer delay to primary PCI vs on-site fibrinolysis for STEMI--can ECG parameters help clinical judgment?. 2013 , 167, 2366-8	6

2054	Predictors of myocardial infarction after an acute coronary syndrome with clopidogrel and prasugrel. 2013 , 31, 1287-8	
2053	Classification of myocardial infarction and unstable angina: a re-assessment. 2013 , 167, 2387-90	25
2052	Old wine in new bottle: utility of contrast-enhanced point-of-care echocardiogram in the ED. 2013 , 31, 1288-9	
2051	Mineralocorticoid receptor antagonist use in eligible patients following acute myocardial infarction: real world data from the Acute Coronary Syndrome Israeli Surveys: 2004-2010. 2013 , 168, 3971-6	5
2050	Update: Innovation in cardiology (II). Telecardiology: past, present and future. 2013 , 66, 212-8	5
2049	Changes in reperfusion strategy over time for ST segment elevation myocardial infarction in the Greater Paris Area: results from the e-MUST Registry. 2013 , 168, 5149-55	7
2048	Should furosemide be avoided in acute right ventricular myocardial infarction?. 2013 , 62, 95-100	1
2047	Complicaciones del infarto de miocardio. Medidas terapéuticas. 2013 , 11, 2256-2262	
2046	How to manage hyperglycemia in an acute coronary syndrome patient. 2013 , 15, 93-103	2
2045	Is There Still a Role for Fibrinolysis in ST-Elevation Myocardial Infarction?. 2013 , 15, 41-60	1
2044	An update on drug-eluting stents. 2013 , 15, 61-78	2
2043	Cardiorenal syndrome in critical care: the acute cardiorenal and renocardiac syndromes. 2013 , 20, 56-66	46
2042	Cost analysis of bivalirudin versus reference anticoagulants without GP IIb/IIIa inhibitors in patients undergoing percutaneous coronary intervention for acute coronary syndrome in routine clinical practice. Pompidou registry. 2013 , 62, 89-94	1
2041	Population trends in percutaneous coronary intervention: 20-year results from the SCAAR (Swedish Coronary Angiography and Angioplasty Registry). 2013 , 61, 1222-30	107
2040	Effects of pre-hospital clopidogrel administration on early and late residual platelet reactivity in ST-segment elevation myocardial infarction patients undergoing primary intervention. 2013 , 11, 192-4	17
2039	Enhancing the efficacy of delivering reperfusion therapy: a European and North American experience with ST-segment elevation myocardial infarction networks. 2013 , 165, 123-32	24
2038	Comparison of prasugrel and ticagrelor loading doses in ST-segment elevation myocardial infarction patients: RAPID (Rapid Activity of Platelet Inhibitor Drugs) primary PCI study. 2013 , 61, 1601-6	347
2037	Safety and efficacy of intense antithrombotic treatment and percutaneous coronary intervention deferral in patients with large intracoronary thrombus. 2013 , 111, 1745-50	9

2036	Safety of new oral anticoagulants with dual antiplatelet therapy in patients with acute coronary syndromes. 2013 , 47, 573-7	7
2035	Fibrinolysis or primary PCI in ST-segment elevation myocardial infarction. 2013 , 368, 1379-87	448
2034	Dual antiplatelet therapy in patients with diabetes mellitus: special considerations. 2013 , 11, 307-17	6
2033	Effect of new method of intracoronary adenosine injection during primary percutaneous coronary intervention on microvascular reperfusion injury - clinical outcome and 1-year follow-up. 2013 , 124, 199-206	4
2032	Ticagrelor: the silence of the platelets. 2013 , 14, 151-3	2
2031	The Indication for Antithrombotic Primary Prophylaxis and Treatment in Case of Thromboembolic Complications in Patients with Metabolic Syndrome. 2013 , 155-164	
2030	Rivaroxaban: a novel oral anticoagulant for the prevention and treatment of several thrombosis-mediated conditions. 2013 , 1291, 42-55	16
2029	Will future troponin measurement overrule the ECG as the primary diagnostic tool in patients with acute coronary syndrome?. 2013 , 46, 312-7	8
2028	Heart rate: a global target for cardiovascular disease and therapy along the cardiovascular disease continuum. 2013 , 62, 183-7	39
2027	Rosuvastatin calcium in acute coronary syndromes. 2013 , 14, 1215-27	9
2026	MicroRNAs as biomarkers for ischemic heart disease. 2013 , 6, 458-70	20
2025	What is the optimal cardioprotective treatment of reperfusion injury?. 2013 , 125, 131-2	
2024	Oral anticoagulation and antiplatelets in atrial fibrillation patients after myocardial infarction and coronary intervention. 2013 , 62, 981-9	265
2023	Viewpoint: mismatch between the European and American guidelines on oral antiplatelet P2Y12 inhibitors after acute coronary syndromes. 2013 , 110, 5-10	7
2022	Nuevos antiagregantes plaquetarios en síndrome coronario agudo. 2013 , 20, 154-160	
2021	Helicopter emergency medical services (HEMS) response to out-of-hospital cardiac arrest. 2013 , 21, 1	33
2020	ACS network-based implementation of therapeutic hypothermia for the treatment of comatose out-of-hospital cardiac arrest survivors improves clinical outcomes: the first European experience. 2013 , 21, 22	15
2019	Efficacy and limitations of a STEMI network: 3 years of experience within the myocardial infarction network of the region of Augsburg - HERA. 2013 , 102, 905-14	7

2018	Neue Definition des Herzinfarkts. 2013 , 16, 10-15		0
2017	Aktuelle Leitlinienempfehlungen zur Logistik der Versorgung von Patienten mit akutem ST-Streckenhebungsmiokardinfarkt. 2013 , 16, 16-21		2
2016	Stellenwert der Lyse im Rettungswesen. 2013 , 16, 559-574		1
2015	Resultados del uso del balón de contrapulsación en el shock cardiogénico secundario a infarto agudo de miocardio sometido a revascularización coronaria percutánea: ¿hay beneficio?. 2013 , 66, 590-591		3
2014	Standard operating procedures zur Diagnostik und Therapie des akuten Aortensyndroms. 2013 , 7, 326-345		6
2013	No-reflow reversibility: a study based on serial assessment of multiple biomarkers. 2013 , 6, 798-807		8
2012	Head-to-head comparison of 1 week versus 6 months CMR-derived infarct size for prediction of late events after STEMI. 2013 , 29, 1499-509		7
2011	The comparison in reduction of QT dispersion after primary percutaneous coronary intervention according to existence of thrombectomy in ST-segment elevation myocardial infarction. 2013 , 36, 276-9		3
2010	Long-term care and prevention. 2013 , 98-115		
2009	Effect of the CYP3A inhibitors, diltiazem and ketoconazole, on ticagrelor pharmacokinetics in healthy volunteers. 2013 , 2, 30-9		26
2008	2012 ESC STEMI guidelines and reperfusion therapy: Evidence base ignored, threatening optimal patient management. 2013 , 99, 1154-6		14
2007	2012 ESC STEMI guidelines and reperfusion therapy: Evidence-based recommendations, ensuring optimal patient management. 2013 , 99, 1156-7		51
2006	Strategic target temperature management in myocardial infarction--a feasibility trial. 2013 , 99, 1663-7		13
2005	Interhospital transfer due to failed prehospital diagnosis for primary percutaneous coronary intervention: an observational study on incidence, predictors, and clinical impact. 2013 , 2, 166-75		24
2004	Symptoms and diagnosis of myocardial infarction. 2013 , 48-59		
2003	All-cause mortality in 272,186 patients hospitalized with incident atrial fibrillation 1995-2008: a Swedish nationwide long-term case-control study. <i>European Heart Journal</i> , 2013 , 34, 1061-7	9.5	260
2002	Any room left for new antiplatelet agents in acute coronary syndrome?. <i>European Heart Journal</i> , 2013 , 34, 1699-701	9.5	1
2001	Is myocardial revascularization safe in trainees' hands?. <i>European Heart Journal</i> , 2013 , 34, 2859-61	9.5	5

2000	Persisting gender differences and attenuating age differences in cardiovascular drug use for prevention and treatment of coronary heart disease, 1998-2010. <i>European Heart Journal</i> , 2013 , 34, 3198-205	9.5	81
1999	Notfallbehandlung bei akutem Koronarsyndrom unter dem Blickwinkel der aktuellen STEMI-Leitlinien. 2013 , 8, 269-283		
1998	ESC core curriculum for the general cardiologist (2013). <i>European Heart Journal</i> , 2013 , 34, 2381-411	9.5	56
1997	The clinical and economic impact of bivalirudin for percutaneous coronary intervention. 2013 , 13, 699-706		
1996	Prehospital treatment of ST-segment elevated myocardial infarction patients. 2013 , 9, 229-41		4
1995	Neueste Daten und praktische Erfahrungen mit neuen oralen Antikoagulantien (NOAK) - Welche Patientenkollektive profitieren besonders?. 2013 , 42, 9-14		1
1994	Akuter Myokardinfarkt - Was empfehlen die neuen ESC-Leitlinien?. 2013 , 42, 122-124		
1993	Intervention beim akuten Koronarsyndrom. 2013 , 2, 220-224		
1992	[Treatment of ST-segment elevation acute myocardial infarction in hospitals with and without cardiac catheterization laboratory]. 2013 , 138, 1935-40		4
1991	International comparison of treatment and long-term outcomes for acute myocardial infarction in the elderly: Minneapolis/St. Paul, MN, USA and Goteborg, Sweden. <i>European Heart Journal</i> , 2013 , 34, 3191-7	9.5	27
1990	The Use of Intra-aortic Balloon Pump in a Real-World Setting: A Comparison between Survivors and Nonsurvivors from Acute Coronary Syndrome Treated with IABP. The Jakarta Acute Coronary Syndrome Registry. 2013 , 22, 213-22		4
1989	[Treatment of cardiogenic shock: what is proven?]. 2013 , 138, 1960-5		4
1988	[Monitoring of coagulation during treatment with direct oral anticoagulants]. 2013 , 138, 1997-2000		
1987	Antiplatelet therapy strategies after percutaneous coronary intervention in patients needing oral anticoagulation. 2013 , 9, 759-62		
1986	Cost-effectiveness of ticagrelor in acute coronary syndromes. 2013 , 13, 9-18		1
1985	Coronary artery disease. Are β-blockers truly helpful in patients with CAD?. 2013 , 10, 11-2		9
1984	In-hospital and Six-Month Antithrombotic Therapy after Primary Percutaneous Coronary Intervention: Analysis of Acute Coronary Care Evaluation of Practice (ACCEPT) Registry. 2013 , 21, 30-35		
1983	ST-Segment Resolution after Primary Percutaneous Coronary Intervention: Characteristics, Predictors of Failure, and Impact on Mortality. 2013 , 21, 227-233		0

- 1982 A novel prehospital electrocardiogram score predicts myocardial salvage in patients with ST-segment elevation myocardial infarction evaluated by cardiac magnetic resonance. **2013**, 126, 97-106 14
- 1981 Association between angiotensin II type 1 receptor polymorphism and sudden cardiac death in myocardial infarction. **2013**, 35, 287-93 6
- 1980 [A deceptive gut feeling]. **2013**, 102, 933-6
- 1979 [The brain as master of the heart]. **2013**, 102, 415-9
- 1978 P2Y12 Receptor Inhibitors in Acute Coronary Syndromes: What Is New on the Horizon?. **2013**, 2013, 195456 5
- 1977 Obstructive sleep apnea and coronary artery disease: from pathophysiology to clinical implications. **2013**, 2013, 768064 32
- 1976 Too late, or not too late: that is the question. **2013**, 61, 694-5
- 1975 Electrocardiographic signs of acute myocardial infarction in left bundle branch block. **2013**, 66, 503-6
- 1974 High-dose, but not low-dose, aspirin impairs anticontractile effect of ticagrelor following ADP stimulation in rat tail artery smooth muscle cells. **2013**, 2013, 928271 9
- 1973 New oral anticoagulants in addition to single or dual antiplatelet therapy after an acute coronary syndrome: a systematic review and meta-analysis. *European Heart Journal*, **2013**, 34, 1670-80 9.5 151
- 1972 Euro Heart Survey 2009 Snapshot: regional variations in presentation and management of patients with AMI in 47 countries. **2013**, 2, 359-70 57
- 1971 Optimal in-hospital and discharge medical therapy in acute coronary syndromes in Kerala: results from the Kerala acute coronary syndrome registry. **2013**, 6, 436-43 34
- 1970 Independent predictors of bleeding complications in patients undergoing PCI with concomitant treatment with bivalirudin in clinical practice results from the ImproveR registry. **2013**, 62, 507-11 3
- 1969 Protection by atorvastatin pretreatment in patients undergoing primary percutaneous coronary intervention is associated with the lower levels of oxygen free radicals. **2013**, 62, 320-4 10
- 1968 Intra-Aortic Balloon Pump (IABP) in cardiogenic shock. **2013**, 19, 404-9 5
- 1967 The role of clopidogrel in the management of ischemic heart disease. **2013**, 28, 381-8
- 1966 Should β blockers still be routine after myocardial infarction?. **2013**, 28, 399-404 7
- 1965 Emergency department bypass for ST-Segment-elevation myocardial infarction patients identified with a prehospital electrocardiogram: a report from the American Heart Association Mission: Lifeline program. **2013**, 128, 352-9 76

1964	"I'm not just a heart, I'm a whole person here": a qualitative study to improve sexual outcomes in women with myocardial infarction. 2013 , 2, e000199	32
1963	Diagnosis and management of ischemic heart disease. 2013 , 39, 202-13	42
1962	High incidence of acute coronary occlusion in patients without protocol positive ST segment elevation referred to an open access primary angioplasty programme. 2013 , 89, 376-81	4
1961	Acute right ventricular failure caused by concomitant coronary and pulmonary embolism: successful treatment with endovascular coronary and pulmonary thrombectomy. 2013 , 2, 131-6	13
1960	Extracellular matrix turnover biomarkers predict long-term left ventricular remodeling after myocardial infarction: insights from the REVE-2 study. 2013 , 6, 1199-205	27
1959	Early discharge after primary percutaneous coronary intervention for ST-elevation myocardial infarction. 2013 , 2, 262-9	42
1958	Outcome up to one year following different reperfusion strategies in acute ST-segment elevation myocardial infarction: the Helsinki-Uusimaa Hospital District registry of ST-Elevation Acute Myocardial Infarction (HUS-STEMI). 2013 , 2, 371-8	6
1957	The association between galectin-3 and clinical parameters in patients with first acute myocardial infarction treated with primary percutaneous coronary angioplasty. 2013 , 20, 577-82	37
1956	Perceived risk of ischemic and bleeding events in acute coronary syndromes. 2013 , 6, 299-308	55
1955	Recovery of left ventricular function and sleep apnoea after acute myocardial infarction. 2013 , 42, 293-4	4
1954	Evidenced-based antithrombotic therapy for acute coronary syndromes. 2013 , 62, 709-10	
1953	Genetic and nongenetic factors influencing the response to clopidogrel. 2013 , 14 Suppl 1, S1-7	16
1952	A response to a misrepresentation of the STEMI guidelines: the response. 2013 , 99, 1787-8	3
1951	Novel antiplatelet agent use for acute coronary syndrome in the emergency department: a review. 2013 , 2013, 127270	5
1950	Culture of the aspirated coronary thromboembolus specimen: a peculiar diagnostic method for infective endocarditis. 2013 , 2013, 607393	0
1949	Guidelines-based treatment of anaemic STEMI patients: practice patterns and effects on in-hospital mortality: a retrospective analysis from the NCDR. 2013 , 2, 35-43	10
1948	Diagnosis and outcome in a prehospital cohort of patients with bundle branch block and suspected acute myocardial infarction. 2013 , 2, 176-81	7
1947	Spontaneous and procedural plaque embolisation in native coronary arteries: pathophysiology, diagnosis, and prevention. 2013 , 2013, 364247	9

1946	Outcomes with various drug-eluting or bare metal stents in patients with ST-segment-elevation myocardial infarction: a mixed treatment comparison analysis of trial level data from 34 068 patient-years of follow-up from randomized trials. 2013 , 6, 378-90	63
1945	Influence of feeding and intracoronary dose on insulin-mediated relative akt phosphorylation in the porcine myocardium. 2013 , 31, e125-32	2
1944	Oxygen therapy for acute myocardial infarction. 2013 , CD007160	24
1943	Safety of intravenous ivabradine in acute ST-segment elevation myocardial infarction patients treated with primary percutaneous coronary intervention: a randomized, placebo-controlled, double-blind, pilot study. 2013 , 2, 270-9	29
1942	Thrombus management in the catheterisation laboratory in the setting of primary percutaneous coronary intervention: what is the current evidence?. 2013 , 99, 279-84	4
1941	Cangrelor: a review on pharmacology and clinical trial development. 2013 , 11, 1279-91	43
1940	Ticagrelor for acute coronary syndromes. 2013 , 11, 1473-84	0
1939	Current interventional coronary applications of excimer laser. 2013 , 10, 541-9	10
1938	Postconditioning the heart of ST-elevation myocardial infarction patients. 2013 , 77, 1123-30	7
1937	Research Highlights: Highlights from the latest articles in the radial approach in ST-elevation myocardial infarction. 2013 , 5, 249-252	
1936	Effect of statin pretreatment on myocardial perfusion in patients undergoing primary percutaneous coronary intervention: a systematic review and meta-analysis. 2013 , 36, E17-24	6
1935	Out-of-hours primary percutaneous coronary intervention for ST-elevation myocardial infarction is not associated with excess mortality: a study of 3347 patients treated in an integrated cardiac network. 2013 , 3,	20
1934	Strategies TO reduce time delays in patients with AcuTe coronary heart disease treated with primary PCI--the STOP WATCH study: a multistage action research project. 2013 , 3, e003493	9
1933	Parenteral anticoagulants in heart disease: current status and perspectives (Section II). Position paper of the ESC Working Group on Thrombosis-Task Force on Anticoagulants in Heart Disease. 2013 , 109, 769-86	31
1932	Differences between ACC/AHA and ESC Guidelines on antiplatelet therapy in patients with acute coronary syndromes. 2013 , 110, 11-3	11
1931	Exercise-induced acute coronary syndrome in a 24-year-old man with massive cannabis consumption. 2013 , 68, 425-8	16
1930	Association of serum angiotensin-converting enzyme-1, angiotensin-converting enzyme-2 and angiotensin-converting enzyme-2 to angiotensin-converting enzyme-1 ratio with heart failure in patients with acute myocardial infarction. 2013 , 5, 937-941	19
1929	Beyond Culprit Vessel Recanalization in Myocardial Infarction with ST-Segment Elevation. 2013 , 21, 211-212	

1928	Changes in the Population Profile and Outcomes of Percutaneous Coronary Intervention in the Angiocardio Registry. 2013 , 21, 258-264	
1927	Personalized antiplatelet therapy in acute coronary syndromes: a dead-end street or a future scenario?. 2013 , 5, 601-604	
1926	Identifying and treating COPD in cardiac patients. 2013 , 144, 723-726	3
1925	Research Highlights: Highlights from the latest articles in antithrombotic and myocardial revascularization strategies in coronary artery disease. 2013 , 5, 253-255	
1924	[Short and long term prognosis of patients with myocardial infarction. Hungarian Myocardial Infarction Registry]. 2013 , 154, 1297-302	7
1923	Correlation between serum high-mobility group box-1 levels and high-sensitivity C-reactive protein and troponin I in patients with coronary artery disease. 2013 , 6, 121-124	21
1922	Enhanced active metabolite generation and platelet inhibition with prasugrel compared to clopidogrel regardless of genotype in thienopyridine metabolic pathways. 2013 , 110, 1223-31	12
1921	High platelet reactivity--the challenge of prolonged anticoagulation therapy after ACS. 2013 , 109, 799-807	5
1920	Impact of aspirin dose on adenosine diphosphate-mediated platelet activities. Results of an in vitro pilot investigation. 2013 , 110, 777-84	6
1919	Discharge after primary angioplasty at 24 h: feasible and safe or a step too far?. 2013 , 125, 176-9	3
1918	Evidence-based Management of Cardiogenic Shock After Acute Myocardial Infarction. 2013 , 8, 73-80	5
1917	Prognostic value of post-procedural aPTT in patients with ST-elevation myocardial infarction treated with primary PCI. 2013 , 109, 961-70	11
1916	Clinical significance of histological features of thrombi in patients with myocardial infarction. 2013 , 101, 502-10	
1915	Farmacoterapia antitrombótica intra-hospitalar e aos seis meses após intervenção coronária percutânea primária: Análise do Registro da Prática Clínica em Síndrome Coronária Aguda (ACCEPT). 2013 , 21, 30-35	
1914	Relative efficacy of bivalirudin versus heparin monotherapy in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention: a network meta-analysis. 2013 , 4, 129-40	2
1913	New oral anticoagulants - will they be used with antiplatelet drugs in patients with atrial fibrillation after acute coronary syndrome?. 2013 , 9, 348-52	1
1912	THROMBOLYSIS OR PRIMARY PCI FOR MYOCARDIAL INFARCTION WITH ST-SEGMENT ELEVATION? THE STREAM TRIAL (STRATEGIC REPERFUSION EARLY AFTER MYOCARDIAL INFARCTION). 2013 , 9, 640-649	1
1911	Acute coronary syndrome in a 100-year-old woman treated successfully with primary percutaneous coronary angioplasty. 2013 , 9, 179-83	

1910	Prognosis of In-Hospital Myocardial Infarction Course for Diabetic and Nondiabetic Patients Using a Noninvasive Evaluation of Hemodynamics and Heart Rate Variability. 2013 , 49, 42	0
1909	[Management strategies and choice of antithrombotic treatment in patients admitted with acute coronary syndrome--executive summary for clinical practice. Consensus Document of the Regional Chapters of the Italian National Association of Hospital Cardiologists (ANMCO) and of the Italian Society of Emergency Medicine (SIMEU)]. 2013 , 80, 7-16	
1908	The use of drug-eluting stents in acute myocardial infarction - is the battle coming to an end? From despair to acceptance. 2013 , 9, 50-4	4
1907	Letter by Elshazly Regarding Article "Primary Coronary Angioplasty for ST-Elevation Myocardial Infarction (STEMI) in Qatar: First Nationwide Program". 2013 , 2013, 80-1	10
1906	Inter-hospital variation in length of hospital stay after ST-elevation myocardial infarction: results from the Belgian STEMI registry. 2013 , 68, 235-9	5
1905	High-maintenance-dose clopidogrel in patients undergoing percutaneous coronary intervention: a systematic review and meta-analysis. 2013 , 8, e78549	6
1904	Incidence and predictors of radial artery occlusion associated transradial catheterization. 2013 , 10, 1715-9	15
1903	Advances in antiplatelet technologies to improve cardiovascular disease morbidity and mortality: a review of ticagrelor. 2013 , 5, 67-83	3
1902	Open access integrated therapeutic and diagnostic platforms for personalized cardiovascular medicine. 2013 , 3, 203-37	12
1901	Small Changes in Cardiac Troponin Levels Are Common in Patients with Myocardial Infarction: Diagnostic Implications. 2013 , 2013, 1-5	1
1900	Antithrombotic Therapy in Patients with Acute Coronary Syndromes: Biological Markers and Personalized Medicine. 2013 , 2013, 1-4	
1899	Acute coronary syndrome care across Australia and New Zealand: the SNAPSHOT ACS study. 2013 , 199, 185-91	110
1898	Clinical investigation of transradial access for emergent percutaneous coronary intervention in patients with acute myocardial infarction. 2013 , 8, 1139-42	4
1897	Resolu do segmento ST ap interven coronria percutnea primria: caractersticas, preditores de insucesso e impacto na mortalidade. 2013 , 21, 227-233	2
1896	Ischemic heart disease in the emergency room: state of the art, innovation and research. 2013 , 9, 7	
1895	Is There Still a Role for Glycoprotein IIb/IIIa Antagonists in Acute Coronary Syndromes?. 2013 , 4, 1-7	3
1894	One-Year Clinical Outcomes among Patients with Metabolic Syndrome and Acute Myocardial Infarction. 2013 , 43, 519-26	8
1893	Treatment of Coronary Artery Bypass Graft Failure. 2013 ,	3

1892	Listening to the head and not the heart: subarachnoid haemorrhage associated with severe acute left ventricular failure. 2013 , 2013,	2
1891	[Incidence of myocardial infarction in Hungary. Population study in five districts of Budapest and Szabolcs-Szatmár-Bereg county]. 2013 , 154, 1106-10	1
1890	THE SIGNIFICANCE OF PHARMACOGENETIC CYP2C19 TESTING FOR PERSONALIZATION OF THE ANTIPLATELET THERAPY IN CARDIOLOGY PRACTICE. 2013 , 9, 404-408	2
1889	Newer non-vitamin K-antagonist direct oral anticoagulants in acute coronary syndromes. 2013 , 7, 22	
1888	Is the time between onset of pain and restoration of patency of infarct-related artery shortened in patients with myocardial infarction? The effects of the Kielce Region System for Optimal Management of Acute Myocardial Infarction. 2014 , 3, 135-140	
1887	Early ambulance initiation versus in-hospital initiation of high dose clopidogrel in ST-segment elevation myocardial infarction. 2014 , 112, 606-13	7
1886	Abciximab in the management of acute myocardial infarction with ST-segment elevation: evidence-based treatment, current clinical use, and future perspectives. 2014 , 10, 567-76	10
1885	Rivaroxaban in patients with a recent acute coronary syndrome event: integration of trial findings into clinical practice. 2014 , 10, 291-302	1
1884	Meta-analysis of randomized trials on access site selection for percutaneous coronary intervention in ST-segment elevation myocardial infarction. 2014 , 10, 203-12	11
1883	Quality of care after acute coronary syndromes in a prospective cohort with reasons for non-prescription of recommended medications. 2014 , 9, e93147	25
1882	System dynamics modeling in the evaluation of delays of care in ST-segment elevation myocardial infarction patients within a tiered health system. 2014 , 9, e103577	16
1881	Impact of ECG findings and process-of-care characteristics on the likelihood of not receiving reperfusion therapy in patients with ST-elevation myocardial infarction: results of a field evaluation. 2014 , 9, e104874	6
1880	Likelihood and predictors of ST-elevation in patients hospitalized for myocardial infarction. 2014 , 9, e108440	5
1879	The impact of SYNTAX score of non-infarct-related artery on long-term outcome among patients with acute ST segment elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2014 , 9, e109828	3
1878	Pharmacotherapy in the cardiac catheterization laboratory: evolution and recent developments. 2014 , 10, 885-900	1
1877	Efficacy of combination treatment with intracoronary abciximab and aspiration thrombectomy on myocardial perfusion in patients with ST-segment elevation myocardial infarction undergoing primary coronary stenting. 2014 , 55, 606-16	18
1876	Mechanical circulatory support in cardiogenic shock - what every interventional cardiologist should know. 2014 , 10, 195-200	5
1875	There's life in the old dog yet: clopidogrel competing with prasugrel and ticagrelor for treatment of ACS patients. 2014 , 112, 10-1	1

- 1874 Utilisation of novel anti-platelet agents: evidence, guidelines and proven patients' value. **2014**, 112, 12-4 4
- 1873 Postconditioning in ST-elevation myocardial infarction: a systematic review, critical appraisal, and meta-analysis of randomized clinical trials. **2014**, 10, 477-91 15
- 1872 The elusive disconnection between mortality and early stent thrombosis: observations from the CHAMPION-PHOENIX trial. **2014**, 111, 8-9
- 1871 Lower loading dose of prasugrel compared with conventional loading doses of clopidogrel and prasugrel in Korean patients undergoing elective coronary angiography: a randomized controlled study evaluating pharmacodynamic efficacy. **2014**, 44, 386-93 8
- 1870 Southern Saskatchewan Ticagrelor Registry experience. **2014**, 8, 1427-35 8
- 1869 Glibenclamide (glyburide) delay electrocardiographic ST-segment elevation in a diabetic patient with acute myocardial infarction. **2014**, 2,
- 1868 Impact of intra-aortic balloon pump on long-term mortality of unselected patients with ST-segment elevation myocardial infarction complicated by cardiogenic shock. **2014**, 10, 175-80 6
- 1867 Cardioprotective Effects of Oral Trimetazidine in Diabetic Patients With Anterior Wall Myocardial Infarction Treated with Thrombolysis. **2014**, 5, 58-67 6
- 1866 Suboptimal use of gastroprotective medication in elderly antiplatelet users. **2014**, 115, 643-8
- 1865 EVOLUTION OF THROMBOLYTIC THERAPY IN THE TREATMENT OF MYOCARDIAL INFARCTION. **2014**, 10, 554-558 2
- 1864 CONCOMITANT ADMINISTRATION OF CLOPIDOGREL AND PROTON PUMP INHIBITORS: ARE THERE ANY OPEN QUESTIONS LEFT TODAY?. **2014**, 10, 665-671
- 1863 Modern challenges in acute coronary syndrome. **2014**, 201, S86-7
- 1862 âBuddenbrook syndromeâ Toothache and its serious consequences. **2014**, 2,
- 1861 Significance of antiplatelet therapy in emergency myocardial infarction treatment. **2014**, 10, 32-9 5
- 1860 Optimising pharmacotherapy for secondary prevention of non-invasively managed acute coronary syndrome. **2014**, 201, S100-5 1
- 1859 P2Y12-receptor-inhibiting antiplatelet strategies in acute coronary syndromes. **2014**, 34, 20-8 3
- 1858 Fibrinolytic treatment of ST-elevation myocardial infarction. Update 2014. **2014**, 34, 47-53 4
- 1857 11.2 Koronare Herzkrankheit. **2014**,

1856	Indicadores de calidad en la atención de pacientes con infarto agudo de miocardio. 2014 , 21, 301-307	1
1855	Aspiration thrombectomy: Just another piece of the puzzle –Intuitive, but not sufficient. 2014 , 33, 761-764	2
1854	Efficacy and safety of tirofiban-supported primary percutaneous coronary intervention in patients pretreated with 600 mg clopidogrel: results of propensity analysis using the Clinical Center of Serbia STEMI Register. 2014 , 3, 56-66	15
1853	Novel biomarkers in the diagnosis of acute coronary syndromes: the role of circulating miRNAs. 2014 , 12, 1119-24	10
1852	Presentación y discusión de tres casos clínicos. 2014 , 14, 45-51	
1851	[Dual platelet inhibitors in intensive care units]. 2014 , 109, 429-36	2
1850	ANMCO/SICI-GISE paper on antiplatelet therapy in acute coronary syndrome. 2014 , 16, C2-C28	2
1849	Letter by Maier et al regarding article, "Emergency department bypass for ST-segment-elevation myocardial infarction patients identified with a prehospital electrocardiogram: a report from the American Heart Association Mission: Lifeline Program". 2014 , 129, e371	
1848	[Procedural aspects in primary PCI: arterial access, stent selection, thrombectomy and treatment of non-culprit lesions]. 2014 , 39, 685-91	
1847	Surgical versus percutaneous revascularization in patients with multivessel coronary artery disease. 2014 , 16, 461	1
1846	[Percutaneous mechanical circulatory support: options and importance]. 2014 , 55, 1267-77	
1845	Trends in treatment delays for patients with acute ST-elevation myocardial infarction treated with primary percutaneous coronary intervention. 2014 , 14, 115	9
1844	Surgical revascularisation of the acute coronary artery syndrome. 2014 , 12, 393-402	4
1843	Propensity-matched analysis of the effect of preoperative intraaortic balloon pump in coronary artery bypass grafting after recent acute myocardial infarction on postoperative outcomes. 2014 , 18, 531	14
1842	Statin initiation and treatment non-adherence following a first acute myocardial infarction in patients with inflammatory rheumatic disease versus the general population. 2014 , 16, 443	3
1841	Close, but not close enough. 2014 , 22, 510-2	
1840	Rasche Diagnose ist erstes Gebot. 2014 , 11, 18-19	
1839	Resolution of left ventricular thrombus by rivaroxaban. 2014 , 10, 333-6	26

1838	Indexing aortic valve area by body surface area increases the prevalence of severe aortic stenosis. 2014 , 100, 28-33		40
1837	Delay from first medical contact to primary PCI and all-cause mortality: a nationwide study of patients with ST-elevation myocardial infarction. 2014 , 3, e000486		45
1836	Hospital performance based on treatment delays: comparison of ranking methods. 2014 , 23, 73-7		14
1835	Importance of coronary artery disease in sudden cardiac death. 2014 , 3, e001339		2
1834	Beware the normal angiogram. 2014 , 14, 323-4		
1833	Genotype- and phenotype-directed antiplatelet therapy selection in patients with acute coronary syndromes. 2014 , 12, 1289-303		3
1832	The EHJ: the first years and the future. <i>European Heart Journal</i> , 2014 , 35, 3399-407	9.5	2
1831	Time to treatment-door-to-balloon time is not everything. 2014 , 39, 672-6		3
1830	Thrombus aspiration for reperfusion in myocardial infarction: Predictors and clinical impact of ineffectiveness. 2014 , 33, 753-760		
1829	Role of the ECG in initial acute coronary syndrome triage: primary PCI regardless presence of ST elevation or of non-ST elevation. 2014 , 22, 484-90		13
1828	An analysis of TRITON-TIMI 38, based on the 12 month recommended length of therapy in the European label for prasugrel. 2014 , 30, 2193-205		6
1827	Genetics of response to antiplatelet therapy. 2014 , 124, 123-53		8
1826	The clinical challenge of preventing sudden cardiac death immediately after acute ST-elevation myocardial infarction. 2014 , 12, 1427-37		4
1825	Sexual activity and counseling in the first month after acute myocardial infarction among younger adults in the United States and Spain: a prospective, observational study. 2014 , 130, 2302-9		31
1824	Effect of ischemic postconditioning on infarct size in patients with ST-elevation myocardial infarction treated by primary PCI results of the POSTEMI (POstconditioning in ST-Elevation Myocardial Infarction) randomized trial. 2014 , 3, e000679		65
1823	Traditional formula, modern application: chinese medicine formula sini tang improves early ventricular remodeling and cardiac function after myocardial infarction in rats. 2014 , 2014, 141938		13
1822	Resuscitated cardiac arrest and prognosis following myocardial infarction. 2014 , 100, 1125-32		15
1821	Does the Inhibition of the Final Common Pathway of Platelet Aggregation Reduce the No-Reflow Phenomenon During Primary Percutaneous Coronary Intervention? Tirofiban no Infarto Agudo do miocárdio e a nβ Reperfusβ (TIARA). 2014 , 22, 81-86		1

1820	SCAI/ACC/AHA expert consensus document: 2014 update on percutaneous coronary intervention without on-site surgical backup. 2014 , 129, 2610-26		15
1819	Use of proton pump inhibitors and the risk of coronary events in new users of low-dose acetylsalicylic acid in UK primary care. 2014 , 111, 131-9		8
1818	Anti-inflammatory effects of the chinese herbal formula sini tang in myocardial infarction rats. 2014 , 2014, 309378		16
1817	Time of symptom onset and value of myocardial blush and infarct size on prognosis in patients with ST-elevation myocardial infarction. 2014 , 31, 797-806		9
1816	Cardiac regeneration and cellular therapy: is there a benefit of exercise?. 2014 , 35, 181-90		6
1815	Favourable 5-year postdischarge survival of comatose patients resuscitated from out-of-hospital cardiac arrest, managed with immediate coronary angiogram on admission. 2014 , 3, 183-91		27
1814	Acute myocardial infarction complicated by shock: outcome analysis based on initial electrocardiogram. 2014 , 48, 13-9		5
1813	Omega-3 index and cardiovascular health. 2014 , 6, 799-814		93
1812	The missing aortic prosthesis: an unusual case of pseudo-aortic regurgitation. 2014 , 15, 132		
1811	The relationship between markers of extracellular cardiac matrix turnover: infarct healing and left ventricular remodelling following primary PCI in patients with first-time STEMI. <i>European Heart Journal</i> , 2014 , 35, 395-402	9.5	21
1810	Biomarkers, genomics, telemetry, computational biology, and zebrafish: will one of these solve the problems of post-myocardial infarction heart failure?. <i>European Heart Journal</i> , 2014 , 35, 57-8	9.5	5
1809	No post-conditioning in the human heart with thrombolysis in myocardial infarction flow 2-3 on admission. <i>European Heart Journal</i> , 2014 , 35, 1675-82	9.5	38
1808	Cardiologist service volume, percutaneous coronary intervention and hospital level in relation to medical costs and mortality in patients with acute myocardial infarction: a nationwide study. 2014 , 107, 557-64		6
1807	Rural health care: problems and solutions. 2014 , 75, 546-7		
1806	Effects of prehospital 12-lead ECG on processes of care and mortality in acute coronary syndrome: a linked cohort study from the Myocardial Ischaemia National Audit Project. 2014 , 100, 944-50		75
1805	Prescription of secondary prevention medications, lifestyle advice, and referral to rehabilitation among acute coronary syndrome inpatients: results from a large prospective audit in Australia and New Zealand. 2014 , 100, 1281-8		63
1804	Interaction between access choice and pharmacotherapy for coronary intervention: the results of a UK survey. 2014 , 1, e000094		2
1803	Is 6-month GRACE risk score a useful tool to predict stroke after an acute coronary syndrome?. 2014 , 1, e000123		7

1802	A prospective, observational, multicentre study comparing tenecteplase facilitated PCI versus primary PCI in Indian patients with STEMI (STEPP-AMI). 2014 , 1, e000133		16
1801	The Year in Cardiology 2013: coronary intervention. <i>European Heart Journal</i> , 2014 , 35, 313-20	9.5	11
1800	Perspectives: How to evaluate healthcare systems in primary angioplasty. 2014 , 16, A45-A47		1
1799	Culprit vessel only vs immediate complete revascularization in patients with acute ST-segment elevation myocardial infarction: systematic review and meta-analysis. 2014 , 37, 765-72		18
1798	Prehospital activation of cardiac catheterization teams in ST-segment elevation myocardial infarction. 2014 , 33, 545-53		
1797	The prevalence and outcomes of transradial percutaneous coronary intervention for acute coronary syndrome. Analysis from the single-centre ISACS-TC Registry (International Survey of Acute Coronary Syndrome in Transitional Countries) (2010-12). 2014 , 16, A33-A41		3
1796	Clinical profile of patients with no-reperfusion therapy in Bosnia and Herzegovina and Serbia. 2014 , 16, A67-A73		
1795	A 16 year old boy with chest pain. 2014 , 349, g6172		
1794	Thrombus aspiration during myocardial infarction. 2014 , 370, 675-6		11
1793	[Cardiogenic shock]. 2014 , 139, 2513-6		0
1792	[Differentiated antiplatelet therapy for acute coronary syndromes]. 2014 , 139, 152-8		2
1791	A signature of circulating microRNAs differentiates takotsubo cardiomyopathy from acute myocardial infarction. <i>European Heart Journal</i> , 2014 , 35, 999-1006	9.5	164
1790	Kosten der Versorgung von Patienten mit akutem Koronarsyndrom in Deutschland. 2014 , 19, 224-228		1
1789	Therapie der akuten Herzinsuffizienz â klinischer Fokus. 2014 , 9, 231-246		
1788	Is Radial Access and Transradial Cardiac Catheterization Feasible without the Use of Any Vasodilator?. 2014 , 23, 41-6		6
1787	Leitsymptom akute Atemnot â klinischer Fokus. 2014 , 9, 275-290		
1786	[Antithrombotic treatment in acute coronary syndrome]. 2014 , 139 Suppl 1, S17-22		
1785	Impact of Timing of Eptifibatide Administration on Preprocedural Infarct-Related Artery Patency in Acute STEMI Patients Undergoing Primary PCI. 2014 , 23, 207-14		

1784	A Randomized Comparison between Everolimus-Eluting Stent and Cobalt Chromium Stent in Patients with Acute ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention Using Routine Intravenous Eptifibatide: The X-MAN (Xience vs. Multi-Link Stent in Acute Myocardial Infarction) Trial, A Pilot Study. 2014 , 23, 93-100		
1783	[Acute coronary syndrome: intensive care management]. 2014 , 139, 1220-3		1
1782	Individualized cardiovascular risk assessment by cardiovascular magnetic resonance. 2014 , 10, 273-89		19
1781	Complement factor concentrations in patients with acute myocardial infarction: time course and ability to predict left ventricular dysfunction. 2014 , 8, 247-58		1
1780	Percutaneous coronary intervention in women: should management be different?. 2014 , 6, 527-536		1
1779	Thrombus aspiration for reperfusion in myocardial infarction: Predictors and clinical impact of ineffectiveness. 2014 , 33, 753-60		4
1778	Aspiration thrombectomy: Just another piece of the puzzle - intuitive, but not sufficient. 2014 , 33, 761-4		
1777	An update on primary findings and new designs in biotherapy studies for acute myocardial infarction. 2014 , 10, 781-8		1
1776	Total revascularization of coronary disease at the time of primary percutaneous coronary intervention. 2014 , 10, 451-5		1
1775	Expert position paper on the role of platelet function testing in patients undergoing percutaneous coronary intervention. <i>European Heart Journal</i> , 2014 , 35, 209-15	9.5	190
1774	Impact of the Japan earthquake disaster with massive Tsunami on emergency coronary intervention and in-hospital mortality in patients with acute ST-elevation myocardial infarction. 2014 , 3, 195-203		15
1773	Sex differences in the non-invasive risk stratification and prognosis after myocardial infarction. 2014 , 47, 874-80		8
1772	Cochrane Corner: What is the clinical impact of oxygen therapy for acute myocardial infarction? Evaluation of a Cochrane systematic review. 2014 , 33, 641-3		3
1771	Left apical aneurysm in a patient with severe aortic valve stenosis. 2014 , 3, 9-12		0
1770	Notfallbehandlung bei akutem Koronarsyndrom unter dem Blickwinkel der aktuellen STEMI-Leitlinien. 2014 , 10, 195-209		
1769	[Myocardial infarction and cardiogenic shock]. 2014 , 139 Suppl 1, S31-5		0
1768	[Bradycardic arrhythmias]. 2014 , 139, 381-6		1
1767	Bivalirudin use and one-month outcome in the context of contemporary antiplatelet treatment: insights from the Greek Antiplatelet Registry. 2014 , 32, 120-6		3

1766	[Clinical pharmacology of current antiplatelet drugs]. 2014 , 39, 790-7	4
1765	Cangrelor: an emerging therapeutic option for patients with coronary artery disease. 2014 , 30, 813-28	24
1764	[Chest pain units or chest pain algorithm?]. 2014 , 109, 495-503	2
1763	Bivalirudin use in patients undergoing percutaneous coronary intervention for acute myocardial infarction. Insights from the prospective, multi-centre EUROVISION registry. 2014 , 16, 127-31	1
1762	2014 ESC/EACTS Guidelines on myocardial revascularization: the Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS). Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). 2014 , 46, 517-92	588
1761	Effects of home-based training with telemonitoring guidance in low to moderate risk patients entering cardiac rehabilitation: short-term results of the FIT@Home study. 2014 , 21, 26-31	61
1760	Velocity ratio predicts outcomes in patients with low gradient severe aortic stenosis and preserved EF. 2014 , 100, 1946-53	33
1759	Aortic counterpulsation in cardiogenic shock during acute myocardial infarction. 2014 , 12, 913-7	5
1758	Oral anticoagulant use in addition to antiplatelet therapy for secondary prevention in acute coronary syndrome: current perspectives. 2014 , 12, 963-76	
1757	Age and sex inequalities in the prescription of evidence-based pharmacological therapy following an acute coronary syndrome in Portugal: the EURHOBOP study. 2014 , 21, 1401-8	21
1756	Nationwide trends in development of heart failure and mortality after first-time myocardial infarction 1997-2010: A Danish cohort study. 2014 , 25, 731-8	26
1755	Borderline trend towards long-term mortality benefit from drug eluting stents implantation in ST-elevation myocardial infarction patients in Poland-data from NRDES registry. 2014 , 83, 436-42	9
1754	Actualit� en mdecine d�urgence. 2014 , 4, 419-423	
1753	ECG diagnosis and classification of acute coronary syndromes. 2014 , 19, 4-14	40
1752	New antithrombotics for secondary prevention of acute coronary syndrome. 2014 , 37, 178-87	15
1751	Anticoagulants for secondary prevention after acute myocardial infarction: lessons from the past decade. 2014 , 28, 353-63	9
1750	miRNAs as biomarkers of myocardial infarction: a step forward towards personalized medicine?. 2014 , 20, 716-25	71
1749	Educational inequalities in 28 day and 1-year mortality after hospitalisation for incident acute myocardial infarction--a nationwide cohort study. 2014 , 177, 874-80	16

1748	Inflammation revisited: inflammation versus resolution of inflammation following myocardial infarction. 2014 , 109, 444		120
1747	Grupo de Trabajo Conjunto sobre cirugía no cardíaca: Evaluación y manejo cardiovascular de la Sociedad Europea de Cardiología (ESC) y la European Society of Anesthesiology (ESA). 2014 , 67, 1052.e1-1052.e43		3
1746	Impact of health care system delay in patients with ST-elevation myocardial infarction on return to labor market and work retirement. 2014 , 114, 1810-6		19
1745	Design and rationale for the Minimizing Adverse haemorrhagic events by TRansradial access site and systemic Implementation of angioX program. 2014 , 168, 838-45.e6		38
1744	Clinical features, risk factors, and treatment experience: a review of 74 patients with ST-segment elevation myocardial infarction complicated by ventricular fibrillation. 2014 , 47, 729-35		3
1743	Impact of direct stenting on outcome of patients with ST-elevation myocardial infarction transferred for primary percutaneous coronary intervention (from the EUROTRANSFER registry). 2014 , 84, 925-31		21
1742	The obesity paradox in acute coronary syndrome: a meta-analysis. 2014 , 29, 801-12		129
1741	The randomized physiologic assessment of thrombus aspiration in patients with acute ST-segment elevation myocardial infarction trial (PATA STEMI): study rationale and design. 2014 , 27, 341-7		4
1740	Use of left ventricular support devices during acute coronary syndrome and percutaneous coronary intervention. 2014 , 16, 544		6
1739	2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). <i>European Heart Journal</i> . 2014 , 35, 2383-431	9.5	849
1738	Prognostic impact of atrial fibrillation in acute coronary syndromes: results from the ARIAM registry. 2014 , 3, 141-8		31
1737	Impact of aspirin and statins on long-term survival in patients hospitalized with acute myocardial infarction complicated by heart failure: an analysis of 1706 patients. 2014 , 16, 95-102		6
1736	Temporary internal pacing. 2014 , 38, 575-579		1
1735	Inching closer to a solution: sorting out the optimal strategy for STEMI patients with multi-vessel coronary artery disease. 2014 , 30, 1501-2		
1734	Impact of reperfusion strategy on aborted myocardial infarction: insights from a large Canadian ST-Elevation Myocardial Infarction Clinical Registry. 2014 , 30, 1570-5		10
1733	Multi-vessel versus culprit-vessel and staged percutaneous coronary intervention in STEMI patients with multivessel disease: a meta-analysis of randomized controlled trials. 2014 , 15, 408-13		17
1732	Duración del tratamiento antiagregante en el síndrome coronario agudo. 2014 , 14, 32-37		
1731	Optimizemos el uso de los nuevos antiagregantes orales. Propuesta de protocolos comunes en el síndrome coronario agudo. 2014 , 14, 38-44		

1730	Optimizaci3n de la antiagregaci3n en el infarto agudo de miocardio con elevaci3n del segmento ST. 2014 , 14, 24-31		1
1729	¿Por qu3debemos estratificar el riesgo hemorr3gico junto con el isqu3mico en el s3ndrome coronario agudo?. 2014 , 14, 10-17		
1728	Role of oral factor Xa inhibitors after acute coronary syndrome. 2014 , 129, 224-32		6
1727	Anticoagulant therapy during primary percutaneous coronary intervention for acute myocardial infarction: a meta-analysis of randomized trials in the era of stents and P2Y12 inhibitors. 2014 , 349, g6419		36
1726	Management of patients with ST-segment elevation or non-ST-segment elevation acute coronary syndromes in cardiac rehabilitation centers. 2014 , 37, 213-21		11
1725	Angiotensin receptor blocker in patients with ST segment elevation myocardial infarction with preserved left ventricular systolic function: prospective cohort study. 2014 , 349, g6650		22
1724	[Antiplatelet therapy in acute coronary syndrome. Prehospital phase: nothing, aspirin or what?]. 2014 , 39, 803-7		
1723	2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, e344-426		754
1722	Heart failure: the epidemic of the new century. <i>European Heart Journal</i> , 2014 , 35, 3389-90	9.5	2
1721	Hypercoagulation assessed by thromboelastography is neither related to infarct size nor to clinical outcome after primary percutaneous coronary intervention. 2014 , 20, 825-31		1
1720	Bivalirudin or heparin in primary angioplasty performed through the transradial approach: results from a multicentre registry. 2014 , 3, 268-74		6
1719	Serum tryptase: a new biomarker in patients with acute coronary syndrome?. 2014 , 164, 97-105		16
1718	Association between left ventricular global longitudinal strain and adverse left ventricular dilatation after ST-segment-elevation myocardial infarction. 2014 , 7, 74-81		38
1717	The clinical burden of type 2 diabetes in patients with acute coronary syndromes: prognosis and implications for short- and long-term management. 2014 , 11, 395-409		11
1716	Administration of a loading dose has no additive effect on platelet aggregation during the switch from ongoing clopidogrel treatment to ticagrelor in patients with acute coronary syndrome. 2014 , 7, 104-12		26
1715	Relationship between acute strain pattern and recovery in tako-tsubo cardiomyopathy and acute anterior myocardial infarction: a comparative study using two-dimensional longitudinal strain. 2014 , 30, 1491-500		11
1714	Transfer of patients with ST-elevation myocardial infarction for primary percutaneous coronary intervention: a province-wide evaluation of "door-in to door-out" delays at the first hospital. 2014 , 129, 2653-60		25
1713	Impact of prior chronic statin therapy and high-intensity statin therapy at discharge on circulating endothelial progenitor cell levels in patients with acute myocardial infarction: a prospective observational study. 2014 , 70, 1181-93		4

1712	Early discharge after primary percutaneous coronary intervention: the added value of N-terminal pro-brain natriuretic peptide to the Zwolle Risk Score. 2014 , 3, e001089	23
1711	Coronary flow of the infarct artery assessed by transthoracic Doppler after primary percutaneous coronary intervention predicts final infarct size. 2014 , 30, 1509-18	4
1710	Search and rescue helicopter-assisted transfer of ST-elevation myocardial infarction patients from an island in the Baltic Sea: results from over 100 rescue missions. 2014 , 31, 920-5	5
1709	Chronic treatment with ticagrelor limits myocardial infarct size: an adenosine and cyclooxygenase-2-dependent effect. 2014 , 34, 2078-85	94
1708	Patients with stable coronary artery disease receiving chronic statin treatment who are undergoing noncardiac emergency surgery benefit from acute atorvastatin reload. 2014 , 128, 285-92	10
1707	A pharmacodynamic comparison of 5 anti-platelet protocols in patients with ST-elevation myocardial infarction undergoing primary PCI. 2014 , 14, 189	16
1706	The value of signs, symptoms and plasma heart-type fatty acid-binding protein (H-FABP) in evaluating patients presenting with symptoms possibly matching acute coronary syndrome: background and methods of a diagnostic study in primary care. 2014 , 15, 203	11
1705	Recent advances in antithrombotic treatment for acute coronary syndromes. 2014 , 7, 507-21	4
1704	Intra-aortic balloon pump (IABP) counterpulsation improves cerebral perfusion in patients with decreased left ventricular function. 2014 , 29, 511-6	22
1703	Atorvastatin post-conditioning attenuates myocardial ischemia reperfusion injury via inhibiting endoplasmic reticulum stress-related apoptosis. 2014 , 42, 365-71	31
1702	Should P2Y12 inhibitors be given for 12 months in acute coronary syndrome?. 2014 , 29, 301-6	1
1701	Presentation of a quality management program in off-pump coronary bypass surgery. 2014 , 9, 317-21	
1700	Intra-aortic balloon pump: indications, efficacy, guidelines and future directions. 2014 , 29, 285-92	23
1699	Can the T-peak to T-end interval be a predictor of mortality in patients with ST-elevation myocardial infarction?. 2014 , 25, 399-404	21
1698	The experience of an information system for nursing practice: the importance of nursing records in the management of a care plan. 2014 , 32, 322-32	8
1697	2014 ESC/ESA Guidelines on non-cardiac surgery: cardiovascular assessment and management: The Joint Task Force on non-cardiac surgery: cardiovascular assessment and management of the European Society of Cardiology (ESC) and the European Society of Anaesthesiology (ESA). 2014 , 31, 517-73	242
1696	Prognostic role of aldosterone in patients with acute coronary syndrome: short and medium term follow-up. 2014 , 15, 27-32	5
1695	Inverse correlation between cardiac injury and cardiac anxiety: a potential role for communication. 2014 , 29, 448-53	7

1694	Rise and fall of glycoprotein IIb-IIIa inhibitors in ST-segment elevation myocardial infarction. 2014 , 100, 823-4		5
1693	Management of acute coronary syndrome in the hospital: a focus on ACCF/AHA guideline updates to oral antiplatelet therapy. 2014 , 42, 33-47		4
1692	ESC guidelines on diabetes, pre-diabetes, and cardiovascular diseases developed in collaboration with the EASD - summary. 2014 , 11, 133-73		137
1691	Anticoagulation during and after acute coronary syndrome. 2014 , 34, 72-7		10
1690	Spontaneous coronary artery dissection: revascularization versus conservative therapy. 2014 , 7, 777-86		352
1689	2014 AHA/ACC guideline for the management of patients with non-ST-elevation acute coronary syndromes: executive summary: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 130, 2354-94		696
1688	Comorbidities in patients with acute coronary syndrome: rare and negligible in trials but common and crucial in the real world. 2014 , 100, 268-70		10
1687	Seeking actual benchmarks in acute coronary syndromes for European countries: insights from the EURHOBOP registry. 2014 , 100, 1147-8		2
1686	The association between older age and receipt of care and outcomes in patients with acute coronary syndromes: a cohort study of the Myocardial Ischaemia National Audit Project (MINAP). <i>European Heart Journal</i> , 2014 , 35, 1551-8	9.5	99
1685	[Treatment of cardiogenic shock complicating acute myocardial infarction]. 2014 , 39, 702-10		1
1684	[Antiplatelet therapy and anticoagulation in acute coronary syndrome: current evidence]. 2014 , 39, 692-701		0
1683	[Risk consideration for peridural catheter removal in acute coronary syndrome. Epidural hematoma versus stent thrombosis]. 2014 , 63, 651-5		5
1682	The challenges of autologous cell therapy: systemic anti-thrombotic therapies interfering with serum coagulation may disable autologous serum-containing cell products for therapeutical use. 2014 , 7, 644-50		3
1681	Invasive measurement of coronary microvascular resistance in patients with acute myocardial infarction treated by primary PCI. 2014 , 100, 13-20		16
1680	G-CSF treatment for STEMI: final 3-year follow-up of the randomised placebo-controlled STEM-AMI trial. 2014 , 100, 574-81		14
1679	Reperfusion therapy for ST elevation acute myocardial infarction 2010/2011: current status in 37 ESC countries. <i>European Heart Journal</i> , 2014 , 35, 1957-70	9.5	193
1678	Preventive PCI versus culprit lesion stenting during primary PCI in acute STEMI: a systematic review and meta-analysis. 2014 , 1, e000012		9
1677	Impact of d-Dimers on the Differential Diagnosis of Acute Chest Pain: Current Aspects Besides the Widely Known. 2014 , 8, 1-4		5

1676	The Value of Simplified Selvester QRS Scoring System in Predicting ST-segment Resolution after Thrombolysis in Patients with Acute Myocardial Infarction. 2014 , 3,	
1675	STREAM and FAST-MI - Pharmacoinvasive therapy: A continued role for fibrinolysis in the primary PCI era. 2014 , 2014, 56-60	5
1674	HEAT-PPCI: A clear and welcome win for heparin. 2014 , 2014, 40-4	1
1673	Biodegradable polymer Biolimus-eluting stent (Nobori®) for the treatment of coronary artery lesions: review of concept and clinical results. 2014 , 7, 35-43	4
1672	Dipyridamole Stress Echocardiography Does Not Trigger Release of Highly-Sensitive Troponin I and T. 2014 , 33, 376-383	0
1671	Validity of Charlson Comorbidity Index in patients hospitalised with acute coronary syndrome. Insights from the nationwide AMIS Plus registry 2002-2012. 2014 , 100, 288-94	146
1670	Emotions delay care-seeking in patients with an acute myocardial infarction. 2014 , 13, 41-7	16
1669	PKC-mediated toxicity of elevated glucose concentration on cardiomyocyte function. 2014 , 307, H587-97	8
1668	Exercise and cardiovascular diseases. 2014 , 39, 147-53	14
1667	Inhibition of inflammation mediates the protective effect of atorvastatin reload in patients with coronary artery disease undergoing noncardiac emergency surgery. 2014 , 25, 678-84	5
1666	Effects of a standard operating procedure on prehospital emergency care of patients presenting with symptoms of the acute coronary syndrome. 2014 , 21, 236-9	7
1665	Efficacy of prophylactic intra-aortic balloon pump therapy in chronic heart failure patients undergoing cardiac surgery. 2014 , 38, 967-72	7
1664	Switching from femoral to routine radial access site for ST-elevation myocardial infarction: a single center experience. 2014 , 27, 591-9	3
1663	Genetics of platelet inhibitor treatment. 2014 , 77, 642-53	30
1662	Time to angiographic reperfusion and clinical outcome after acute ischaemic stroke: an analysis of data from the Interventional Management of Stroke (IMS III) phase 3 trial. 2014 , 13, 567-74	297
1661	Safety and effectiveness of the association ezetimibe-statin (E-S) versus high dose rosuvastatin after acute coronary syndrome: the SAFE-ES study. 2014 , 63, 222-7	7
1660	Thrombus age, clinical presentation, and reperfusion grade in myocardial infarction. 2014 , 23, 126-30	12
1659	T wave inversions in leads with ST elevations in patients with acute anterior ST elevation myocardial infarction is associated with patency of the infarct related artery. 2014 , 47, 472-7	9

1658	We have compelling indications for antihypertensives, but not for parenteral anticoagulants. 2014 , 46, e101-2	
1657	Multivessel approach in ST-elevation myocardial infarction: Impact on in-hospital morbidity and mortality. 2014 , 33, 67-73	11
1656	Aspiration thrombectomy in patients with ST elevation myocardial infarction undergoing primary percutaneous coronary intervention (from the Acute Coronary Syndrome Israeli Survey 2010). 2014 , 113, 809-14	2
1655	Spontaneous omental bleeding in the setting of dual anti-platelet therapy with ticagrelor. 2014 , 23, e115-7	10
1654	Association of myeloperoxidase with total and cardiovascular mortality in individuals undergoing coronary angiography--the LURIC study. 2014 , 174, 96-105	21
1653	[Acute coronary syndrome in nonagenarians: clinical evolution and validation of the main risk scores]. 2014 , 49, 5-9	4
1652	Long-term benefit of early pre-reperfusion metoprolol administration in patients with acute myocardial infarction: results from the METOCARD-CNIC trial (Effect of Metoprolol in Cardioprotection During an Acute Myocardial Infarction). 2014 , 63, 2356-62	125
1651	Impact of point-of-care testing for CYP2C19 on platelet inhibition in patients with acute coronary syndrome and early dual antiplatelet therapy in the emergency setting. 2014 , 134, 105-10	25
1650	Stent thrombosis after aggressive post resuscitation care: the beginning or the end?. 2014 , 85, 711-3	3
1649	Comparison of 5-year survival after acute myocardial infarction using angiotensin-converting enzyme inhibitor versus angiotensin II receptor blocker. 2014 , 114, 1-8	25
1648	Acute coronary syndrome with a totally occluded culprit artery: relation of the ST injury vector with ST-elevation and non-ST elevation ECGs. 2014 , 47, 183-90	13
1647	Results of primary percutaneous coronary intervention in patients ≥5 years treated by the transradial approach. 2014 , 113, 452-6	13
1646	Directionality and proportionality of the ST and ventricular gradient difference vectors during acute ischemia. 2014 , 47, 500-4	5
1645	Delay in reperfusion with transradial percutaneous coronary intervention for ST-elevation myocardial infarction: Might some delays be acceptable?. 2014 , 168, 103-9	16
1644	The stability of myocardial area at risk estimated electrocardiographically in patients with ST elevation myocardial infarction. 2014 , 47, 540-5	4
1643	Actualizaci3n en cardiolog3a intervencionista 2013. 2014 , 67, 305-311	9
1642	CYP2C19 genotype-guided antiplatelet therapy in ST-segment elevation myocardial infarction patients-Rationale and design of the Patient Outcome after primary PCI (POPular) Genetics study. 2014 , 168, 16-22.e1	59
1641	Direct oral anticoagulants in acute coronary syndrome. 2014 , 51, 147-51	3

1640	All for one, one for all: Remote telemedicine hub pre-hospital triage for public Emergency Medical Service 1-1-8 in a regional network for primary PCI in Apulia, Italy. 2014 , 3, 9-15	14
1639	Comprehensive analysis of intravascular ultrasound and angiographic morphology of culprit lesions between ST-segment elevation myocardial infarction and non-ST-segment elevation acute coronary syndrome. 2014 , 171, 423-30	10
1638	Coronary Microvascular Dysfunction. 2014 ,	16
1637	High on-treatment platelet reactivity in peripheral endovascular procedures. 2014 , 37, 559-71	3
1636	Introduction of new oral antiplatelet drugs in myocardial infarction hospital network: initial experience. 2014 , 37, 243-5	2
1635	Use of drug-eluting stents in acute myocardial infarction with persistent ST-segment elevation: results of the ALKK PCI-registry. 2014 , 103, 373-80	9
1634	Current discharge management of acute coronary syndromes: data from the Rijnmond Collective Cardiology Research (CCR) study. 2014 , 22, 20-7	8
1633	Differences in the clinical effects of angiotensin-converting enzyme inhibitors and Angiotensin receptor blockers: a critical review of the evidence. 2014 , 14, 167-73	29
1632	The previous use of digoxin does not worsen early outcome of acute coronary syndromes: an analysis of the ARIAM Registry. 2014 , 9, 759-65	9
1631	A clinical and pharmacologic assessment of once-daily versus twice-daily dosing for rivaroxaban. 2014 , 38, 137-49	23
1630	Chronic metformin treatment is associated with reduced myocardial infarct size in diabetic patients with ST-segment elevation myocardial infarction. 2014 , 28, 163-71	41
1629	Use of the recommended drug combination for secondary prevention after a first occurrence of acute coronary syndrome in France. 2014 , 70, 429-36	29
1628	Fibrinolytic therapy in patients with ST-elevation myocardial infarction. 2014 , 12, 201-15	4
1627	Multiscale computational analysis of the bioelectric consequences of myocardial ischaemia and infarction. 2014 , 16, 405-15	17
1626	A randomized trial of deferred stenting versus immediate stenting to prevent no- or slow-reflow in acute ST-segment elevation myocardial infarction (DEFER-STEMI). 2014 , 63, 2088-2098	146
1625	A mismatch index based on the difference between measured left ventricular ejection fraction and that estimated by infarct size at three months following reperfused acute myocardial infarction. 2014 , 47, 191-6	2
1624	Impact of new oral or intravenous P2Y12 inhibitors and clopidogrel on major ischemic and bleeding events in patients with coronary artery disease: a meta-analysis of randomized trials. 2014 , 233, 568-578	19
1623	Anti-inflammatory strategies for ventricular remodeling following ST-segment elevation acute myocardial infarction. 2014 , 63, 1593-603	177

1622	High rates of prasugrel and ticagrelor non-responder in patients treated with therapeutic hypothermia after cardiac arrest. 2014 , 85, 649-56	86
1621	Incidence and predictors of early left ventricular thrombus after ST-elevation myocardial infarction in the contemporary era of primary percutaneous coronary intervention. 2014 , 113, 1111-6	86
1620	Prise en charge du choc cardiogénique d'origine ischémique : mise au point. 2014 , 23, 185-194	
1619	Bridge with intravenous antiplatelet therapy during temporary withdrawal of oral agents for surgical procedures: a systematic review. 2014 , 9, 225-35	14
1618	Obstacles and alternative options for cardiac rehabilitation in Nanjing, China: an exploratory study. 2014 , 14, 20	14
1617	Akutversorgung des akuten Myokardinfarktes. 2014 , 8, 72-77	2
1616	Empfehlungen zur Notfallechokardiographie. 2014 , 8, 45-64	7
1615	Rivaroxaban: a review of its use in acute coronary syndromes. 2014 , 74, 451-64	8
1614	Impact of renal insufficiency on mortality in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. 2014 , 14, 15	11
1613	Scientific foundation and possible implications for practice of the Minimizing Adverse Haemorrhagic Events by Transradial Access Site and Systemic Implementation of AngioX (MATRIX) trial. 2014 , 7, 101-11	38
1612	Randomized comparison of ticagrelor versus prasugrel in patients with acute coronary syndrome and planned invasive strategy--design and rationale of the intracoronary Stenting and Antithrombotic Regimen: Rapid Early Action for Coronary Treatment (ISAR-REACT) 5 trial. 2014 , 7, 91-100	73
1611	Antiplatelet therapy: targeting the TxA2 pathway. 2014 , 7, 29-38	50
1610	A systematic review of the quality of economic models comparing thrombosis inhibitors in patients with acute coronary syndrome undergoing percutaneous coronary intervention. 2014 , 32, 377-93	4
1609	Ischemic and non-ischemic dilated cardiomyopathy. 2014 , 9, 15-20	5
1608	[Differential therapy in coronary heart disease]. 2014 , 39, 178-85	0
1607	Short-term outcome of patients with ST-segment elevation myocardial infarction (STEMI) treated with an everolimus-eluting bioresorbable vascular scaffold. 2014 , 103, 141-8	46
1606	Preprocedural TIMI flow and infarct size in STEMI undergoing primary angioplasty. 2014 , 38, 81-6	7
1605	Percutaneous closure of postinfarction ventricular septal defect: in-hospital outcomes and long-term follow-up of UK experience. 2014 , 129, 2395-402	60

1604	Twenty years of ECG grading of the severity of ischemia. 2014 , 47, 546-55		19
1603	Optimizing P2Y12 receptor inhibition in patients with acute coronary syndrome on the basis of platelet function testing: impact of prasugrel and high-dose clopidogrel. 2014 , 63, 1061-70		75
1602	Joint British Societies' consensus recommendations for the prevention of cardiovascular disease (JBS3). 2014 , 100 Suppl 2, ii1-ii67		340
1601	Coronary artery disease concomitant with chronic obstructive pulmonary disease. 2014 , 44, 93-102		43
1600	Difficult ECGs in STEMI: lessons learned from serial sampling of pre- and in-hospital ECGs. 2014 , 47, 448-58		24
1599	Intra-aortic balloon counterpulsation - basic principles and clinical evidence. 2014 , 60, 52-6		22
1598	Accuracy of dedicated risk scores in patients undergoing primary percutaneous coronary intervention in daily clinical practice. 2014 , 30, 125-31		10
1597	Renin-angiotensin system antagonists and clinical outcomes in stable coronary artery disease without heart failure. <i>European Heart Journal</i> , 2014 , 35, 1760-8	9.5	21
1596	Enhancement of myocardial function and reduction of injury with levosimendan after percutaneous coronary intervention for acute myocardial infarction: a pilot study. 2014 , 128, 202-8		12
1595	Acute coronary syndrome management in older adults: guidelines, temporal changes and challenges. 2014 , 43, 450-5		42
1594	The use of platelet function testing in PCI and CABG patients. 2014 , 28, 109-21		14
1593	Unanswered questions in patients with concurrent atrial fibrillation and acute coronary syndrome. 2014 , 113, 888-96		7
1592	Management of antiplatelet and anticoagulant therapy in patients with atrial fibrillation in the setting of acute coronary syndromes or percutaneous coronary interventions. 2014 , 7, 113-24		54
1591	The prognostic value of bleeding academic research consortium (BARC)-defined bleeding complications in ST-segment elevation myocardial infarction: a comparison with the TIMI (Thrombolysis In Myocardial Infarction), GUSTO (Global Utilization of Streptokinase and Tissue Plasminogen Activator for Occluded Coronary Arteries), and ISTH (International Society on Thrombosis and Haemostasis) bleeding classifications. 2014 , 63, 1866-75		69
1590	Fatal bleedings with prasugrel as part of triple antithrombotic therapy. 2014 , 67, 225-6		
1589	ST-segment elevation myocardial infarction treated by radial or femoral approach in a multicenter randomized clinical trial: the STEMI-RADIAL trial. 2014 , 63, 964-72		251
1588	DETermination of the role of OXYgen in suspected Acute Myocardial Infarction trial. 2014 , 167, 322-8		43
1587	Revista Española de Cardiología en la lite de las revistas médicas nacionales. 2014 , 67, 232-240		2

1586	SCAI/ACC/AHA Expert Consensus Document: 2014 update on percutaneous coronary intervention without on-site surgical backup. 2014 , 63, 2624-2641	18
1585	Early diastolic strain rate in relation to systolic and diastolic function and prognosis in acute myocardial infarction: a two-dimensional speckle-tracking study. <i>European Heart Journal</i> , 2014 , 35, 648-56 ⁵	90
1584	Guía de práctica clínica de la ESC sobre diabetes, prediabetes y enfermedad cardiovascular, en colaboración con la European Association for the Study of Diabetes. 2014 , 67, 136.e1-136.e56	8
1583	Comparison of prasugrel and bivalirudin vs clopidogrel and heparin in patients with ST-segment elevation myocardial infarction: Design and rationale of the Bavarian Reperfusion Alternatives Evaluation (BRAVE) 4 trial. 2014 , 37, 270-6	15
1582	Counterpulsation: a concept with a remarkable past, an established present and a challenging future. 2014 , 172, 318-25	17
1581	New antiplatelet agents in the treatment of acute coronary syndromes. 2014 , 107, 178-87	11
1580	ECMO-Extracorporeal Life Support in Adults. 2014 ,	15
1579	Expression of leukocyte adhesion-related glycosyltransferase genes in acute coronary syndrome patients. 2014 , 63, 629-36	2
1578	International differences in acute coronary syndrome patients' baseline characteristics, clinical management and outcomes in Western Europe: the EURHOBOP study. 2014 , 100, 1201-7	44
1577	Management of acute coronary syndrome in patients with non-valvular atrial fibrillation: results of the European Heart Rhythm Association Survey. 2014 , 16, 293-8	30
1576	The current and future role of the novel oral anticoagulants--indications beyond atrial fibrillation. 2014 , 23, 2-9	2
1575	Causes of early stent thrombosis in patients presenting with acute coronary syndrome: an ex vivo human autopsy study. 2014 , 63, 2510-2520	82
1574	Comparison of double (360 mg) ticagrelor loading dose with standard (60 mg) prasugrel loading dose in ST-elevation myocardial infarction patients: the Rapid Activity of Platelet Inhibitor Drugs (RAPID) primary PCI 2 study. 2014 , 167, 909-14	43
1573	Direct stenting is an independent predictor of improved survival in patients undergoing primary percutaneous coronary intervention for ST elevation myocardial infarction. 2014 , 3, 340-6	17
1572	Diagnostic performance of standard electrocardiogram for prediction of infarct related artery and site of coronary occlusion in unselected STEMI patients undergoing primary percutaneous coronary intervention. 2014 , 3, 326-39	11
1571	Complete vs culprit-only revascularization for patients with multivessel disease undergoing primary percutaneous coronary intervention for ST-segment elevation myocardial infarction: a systematic review and meta-analysis. 2014 , 167, 1-14.e2	107
1570	Non-acute myocardial infarction-related causes of elevated high-sensitive troponin T in the emergency room: a cross-sectional analysis. 2014 , 9, 335-9	34
1569	Usefulness of T wave inversion in leads with ST elevation on the presenting electrocardiogram to predict spontaneous reperfusion in patients with anterior ST elevation acute myocardial infarction. 2014 , 113, 270-4	11

1568	Review of the accumulated PLATO documentation supports reliable and consistent superiority of ticagrelor over clopidogrel in patients with acute coronary syndrome: Commentary on: DiNicolantonio JJ, Tomek A, Inactivations, deletions, non-adjudications, and downgrades of clinical endpoints on ticagrelor: serious concerns over the reliability of the PLATO trial, International		8
1567	Duration of dual antiplatelet treatment with clopidogrel and aspirin in patients with acute coronary syndrome. <i>European Heart Journal</i> , 2014 , 35, 969-78	9.5	39
1566	Early short-term doxycycline therapy in patients with acute myocardial infarction and left ventricular dysfunction to prevent the ominous progression to adverse remodelling: the TIPTOP trial. <i>European Heart Journal</i> , 2014 , 35, 184-91	9.5	77
1565	Evolving pattern of platelet P2Y12 inhibition in patients with acute coronary syndromes. 2014 , 25, 416-22		13
1564	Effect of an optimized treatment with insulin on platelet reactivity after discharge in patients with an acute coronary syndrome and hyperglycemia. 2014 , 67, 22-7		1
1563	Pharmacological Treatment of Acute Coronary Syndromes. 2014 ,		1
1562	Long-term clinical efficacy and safety of adding cilostazol to dual antiplatelet therapy for patients undergoing PCI: a meta-analysis of randomized trials with adjusted indirect comparisons. 2014 , 30, 37-49		15
1561	Comparison of peri-procedural platelet inhibition with prasugrel versus adjunctive cilostazol to dual anti-platelet therapy in patients with ST segment elevation myocardial infarction. 2014 , 63, 99-105		8
1560	Triple antithrombotic therapy in cardiac patients: more questions than answers. <i>European Heart Journal</i> , 2014 , 35, 216-23	9.5	31
1559	The year in acute coronary syndrome. 2014 , 63, 201-14		13
1558	Atrial fibrillation and prior MI: searching for balance in ischaemic and bleeding events in patients treated with factor-specific anticoagulants. <i>European Heart Journal</i> , 2014 , 35, 207-8	9.5	
1557	Prise en charge en 2014 des syndromes coronaires aigus avec sus-d'calage du segment ST. 2014 , 23, 176-184		
1556	Presentation and revascularization patterns of patients admitted for acute coronary syndromes in France between 2004 and 2008 (from the National Observational Study of Diagnostic and Interventional Cardiac Catheterization [ONACI]). 2014 , 113, 243-8		7
1555	Mechanical circulatory support in cardiogenic shock. <i>European Heart Journal</i> , 2014 , 35, 156-67	9.5	309
1554	First report of a subacute stent thrombosis in a prasugrel resistant patient successfully managed with ticagrelor. 2014 , 25, 636-8		9
1553	Culprit vessel versus multivessel intervention at the time of primary percutaneous coronary intervention in patients with ST-segment-elevation myocardial infarction and multivessel disease: real-world analysis of 3984 patients in London. 2014 , 7, 936-43		30
1552	Cochrane Corner: What is the clinical impact of oxygen therapy for acute myocardial infarction? Evaluation of a Cochrane systematic review. 2014 , 33, 641-643		2
1551	Percutaneous coronary intervention of culprit and non-culprit coronary arteries in acute ST-elevation MI may improve outcomes. 2014 , 19, 96		

1550	Le choc cardiogénique de l'infarctus du myocarde. 2014 , 18, 307-317		
1549	Prehospital telemedicine electrocardiogram triage for a regional public emergency medical service: is it worth it? A preliminary cost analysis. 2014 , 37, 140-5	30	
1548	STEMI and multivessel disease: How should we treat?. 2014 , 56, e527-e528		
1547	Effect of coronary thrombus aspiration during primary percutaneous coronary intervention on one-year survival (from the FAST-MI 2010 registry). 2014 , 114, 1651-7	8	
1546	Pre-angiography total ST-segment resolution is not a reliable predictor of an open infarct-related artery. 2014 , 25, 826-30	1	
1545	[Antiplatelet therapy after acute coronary syndrome. Therapeutic strategies and treatment duration]. 2014 , 39, 808-13		
1544	Prise en charge du choc cardiogénique chez l'adulte. 2014 , 23, 548-557	3	
1543	Pharmacogenomics of oral antiplatelet drugs. 2014 , 15, 509-28	9	
1542	Role of phenotypic and genetic testing in managing clopidogrel therapy. 2014 , 124, 689-99	26	
1541	Routine invasive management early after fibrinolysis: relationship between baseline risk and treatment effects in a pooled patient-level analysis of 7 randomized controlled trials. 2014 , 168, 757-65	4	
1540	Coronary thrombus composition: links with inflammation, platelet and endothelial markers. 2014 , 237, 555-61	54	
1539	How can we optimize the processes of care for acute coronary syndromes to improve outcomes?. 2014 , 168, 622-31	12	
1538	[Reperfusion in ST elevation myocardial infarction. From the guidelines to practice]. 2014 , 63, 312-20	1	
1537	Efficacy of an Embolic Protection Stent as a Function of Delay to Reperfusion in ST-Segment Elevation Myocardial Infarction (from the MASTER Trial). 2014 , 114, 1485-9	4	
1536	Relationship between ABCB1 polymorphisms, thromboelastography and risk of bleeding events in clopidogrel-treated patients with ST-elevation myocardial infarction. 2014 , 134, 970-5	18	
1535	Determinants of right ventricular remodeling following ST-segment elevation myocardial infarction. 2014 , 114, 1490-6	7	
1534	Le syndrome coronarien aigu des populations fragiles. 2014 , 2014, 31-36		
1533	Bivalirudin is superior to heparins alone with bailout GP IIb/IIIa inhibitors in patients with ST-segment elevation myocardial infarction transported emergently for primary percutaneous coronary intervention: a pre-specified analysis from the EUROMAX trial. <i>European Heart Journal</i> , 2014 , 35, 2160-7	9.5	67

1532	Short- and long-term cause of death in patients treated with primary PCI for STEMI. 2014 , 64, 2101-8	221
1531	New arginine substituted derivative of poly(allylamine hydrochloride) for heparin reversal. 2014 , 5, 489	12
1530	Early 'in-lab' use of levosimendan in patients with cardiogenic shock unsuitable for intra-aortic balloon pump counterpulsation. 2014 , 8, 28-31	0
1529	Patient characteristics associated with self-presentation, treatment delay and survival following primary percutaneous coronary intervention. 2014 , 3, 214-22	16
1528	Rhythm not ST elevation may be the key for post-resuscitation therapeutic success. 2014 , 85, 1311-2	
1527	Managing antithrombotic therapy in patients with both atrial fibrillation and coronary heart disease. 2014 , 36, 1176-81	5
1526	Tirofiban. 2014 , 131-141	
1525	Dual Antiplatelet Therapy Prior to Percutaneous Coronary Intervention. 2014 , 207-219	
1524	Transportation to primary percutaneous coronary intervention, compared with on-site fibrinolysis, is a strong independent predictor of functional status after myocardial infarction: 5-year follow-up of the PRAGUE-2 trial. 2014 , 3, 105-9	1
1523	Comprehensive prognosis assessment by CMR imaging after ST-segment elevation myocardial infarction. 2014 , 64, 1217-26	238
1522	Comparison of risk of acute kidney injury after primary percutaneous coronary interventions with the transradial approach versus the transfemoral approach (from the PRIPITENA urban registry). 2014 , 114, 820-5	35
1521	Postprocedural anticoagulation for specific therapeutic indications after revascularization for ST-segment elevation myocardial infarction (from the Harmonizing Outcomes with Revascularization and Stents in Acute Myocardial Infarction Trial). 2014 , 114, 1322-8	3
1520	Acute heart failure with and without concomitant acute coronary syndromes: patient characteristics, management, and survival. 2014 , 20, 723-730	23
1519	Benefit of clopidogrel therapy in patients with myocardial infarction and chronic kidney disease-a Danish nation-wide cohort study. 2014 , 3,	4
1518	Out-of-hospital versus in-hospital Takotsubo cardiomyopathy: analysis of 3719 patients in the Diagnosis Procedure Combination database in Japan. 2014 , 176, 413-7	67
1517	Relative performance of three formulas to assess renal function at predicting in-hospital hemorrhagic complications in an acute coronary syndrome population. What does the new CKD-EPI formula provide?. 2014 , 3, 237-45	11
1516	The "dual-pathway" strategy after acute coronary syndrome: rivaroxaban and antiplatelet agents in the ATLAS ACS 2-TIMI 51 trial. 2014 , 32, 224-32	8
1515	2014 AHA/ACC Guideline for the Management of Patients With Non-âST-Elevation Acute Coronary Syndromes: Executive Summary: A Report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 64, 2645-2687	132

1514	Patterns in the use of low-dose acetylsalicylic acid and other therapies following upper gastrointestinal bleeding. 2014 , 14, 443-50	5
1513	Mechanical circulatory support. 2014 , 32, 851-69	7
1512	Prehospital activation of cardiac catheterization teams in ST-segment elevation myocardial infarction. 2014 , 33, 545-553	
1511	Positive clinical response to clopidogrel is independent of paraoxonase 1 Q192R and CYP2C19 genetic variants. 2014 , 54, 843-9	4
1510	Unfractionated heparin versus bivalirudin in primary percutaneous coronary intervention (HEAT-PPCI): an open-label, single centre, randomised controlled trial. 2014 , 384, 1849-1858	388
1509	Prasugrel versus clopidogrel in patients with ST-segment elevation myocardial infarction according to timing of percutaneous coronary intervention: a TRITON-TIMI 38 subgroup analysis (Trial to Assess Improvement in Therapeutic Outcomes by Optimizing Platelet Inhibition with Prasugrel-Thrombolysis in Myocardial Infarction 38). 2014 , 7, 601-12	36
1508	Adjusting parameters of aortic valve stenosis severity by body size. 2014 , 100, 1024-30	18
1507	Pre-hospital electrocardiogram triage with tele-cardiology support is associated with shorter time-to-balloon and higher rates of timely reperfusion even in rural areas: data from the Bari-Barletta/Andria/Trani public emergency medical service 118 registry on primary angioplasty in ST-elevation myocardial infarction. 2014 , 3, 204-13	36
1506	Effect of aspiration thrombectomy on microvascular obstruction in NSTEMI patients: the TATORT-NSTEMI trial. 2014 , 64, 1117-24	60
1505	Association of upstream clopidogrel administration and myocardial reperfusion assessed by cardiac magnetic resonance imaging in patients with ST-elevation myocardial infarction. 2014 , 3, 110-7	15
1504	Vasodilator-Stimulated Phosphoprotein (VASP) Assay. 2014 , 58-64	
1503	Stent for Life in Portugal: This initiative is here to stay. 2014 , 33, 363-70	45
1502	Reply: The importance of genotype variation beyond different antiplatelet therapy in nonresponder patients. 2014 , 64, 334	
1501	Stent thrombosis in new-generation drug-eluting stents in patients with STEMI undergoing primary PCI: a report from SCAAR. 2014 , 64, 16-24	89
1500	The importance of genotype variation beyond different antiplatelet therapy in nonresponder patients. 2014 , 64, 333-4	
1499	Limitaciones de los programas regionales de angioplastia coronaria primaria: ¿la estrategia farmacoinvasiva todav�a es una alternativa?. 2014 , 67, 659-665	4
1498	Weaknesses in regional primary coronary angioplasty programs: is there still a role for a pharmaco-invasive approach?. 2014 , 67, 659-65	1
1497	Effectiveness of switching 'low responders' to prasugrel to ticagrelor after acute coronary syndrome. 2014 , 176, 1184-5	9

1496	ST-segment-elevation myocardial infarction patients randomized to a pharmaco-invasive strategy or primary percutaneous coronary intervention: Strategic Reperfusion Early After Myocardial Infarction (STREAM) 1-year mortality follow-up. 2014 , 130, 1139-45		58
1495	Mechanisms of atherothrombosis and vascular response to primary percutaneous coronary intervention in women versus men with acute myocardial infarction: results of the OCTAVIA study. 2014 , 7, 958-68		64
1494	The history of coronary reperfusion. <i>European Heart Journal</i> , 2014 , 35, 2510-5	9.5	36
1493	2014 ESC/EACTS Guidelines on myocardial revascularization: The Task Force on Myocardial Revascularization of the European Society of Cardiology (ESC) and the European Association for Cardio-Thoracic Surgery (EACTS) Developed with the special contribution of the European Association of Percutaneous Cardiovascular Interventions (EAPCI). <i>European Heart Journal</i> , 2014 , 35, 2556-76	9.5	3467
1492	ST elevation myocardial infarction and multi-vessel coronary artery disease: complete or incomplete revascularisation?. 2014 , 56, e291-e296		
1491	Arterial stiffness in obese populations: is it reduced by aerobic training?. 2014 , 176, 280-1		5
1490	No misrepresentation of vital status follow-up in PLATO: predefined analyses guarantee the integrity of the benefits of ticagrelor over clopidogrel in the PLATO trial: Commentary on: DiNicolantonio JJ, Tomek A, Misrepresentation of vital status follow-up: challenging the integrity of the PLATO trial and the claimed mortality benefit of ticagrelor versus clopidogrel, <i>International Journal of Cardiology</i> , 2013 Serebrany VJ. Discrepancies in the primary PLATO trial publication and the FDA reviews, <i>International</i> . 2014 , 176, 300-2		4
1489	Stent for Life in Portugal: This initiative is here to stay. 2014 , 33, 363-370		40
1488	Particularities in coronary revascularization in elderly patients presenting with ST segment elevation acute myocardial infarction (STEMI). 2014 , 56, e342-e347		1
1487	Temporal trends in all-cause mortality of smokers versus non-smokers hospitalized with ST-segment elevation myocardial infarction. 2014 , 176, 171-6		19
1486	Two-year survival of STEMI patients in Slovakia. An analysis of the SLOVak registry of Acute Coronary Syndromes (SLOVAKS). 2014 , 56, e297-e303		1
1485	Acute coronary syndromes: Treatment for low-risk patients with STEMI--challenges remain. 2014 , 11, 440-2		
1484	The quality of laboratory aspects of troponin testing in clinical practice guidelines and consensus documents needs to be improved. 2014 , 437, 58-61		6
1483	Impact of delay to reperfusion on reperfusion success, infarct size, and clinical outcomes in patients with ST-segment elevation myocardial infarction: the INFUSE-AMI Trial (INFUSE-Anterior Myocardial Infarction). 2014 , 7, 733-40		38
1482	Frequent and possibly inappropriate use of combination therapy with an oral anticoagulant and antiplatelet agents in patients with atrial fibrillation in Europe. 2014 , 100, 1625-35		20
1481	Endothelial progenitor cells in diabetic patients with myocardial infarction - can statins improve their function?. 2014 , 741, 25-36		9
1480	Lack of association between dual antiplatelet therapy use and stent thrombosis between 1 and 12 months following resolute zotarolimus-eluting stent implantation. <i>European Heart Journal</i> , 2014 , 35, 1949-56	9.5	95
1479	Cannabis use: signal of increasing risk of serious cardiovascular disorders. 2014 , 3, e000638		145

1478	Infarktbedingter kardiogener Schock. 2014 , 8, 302-312		5
1477	Monitoring guideline adherence in the management of acute coronary syndrome in hospitals: design of a multicentre study. 2014 , 22, 346-53		10
1476	Do gender differences in primary PCI mortality represent a different adherence to guideline recommended therapy? a multicenter observation. 2014 , 14, 71		21
1475	Prognosis after ST-elevation myocardial infarction: a study on cardiac magnetic resonance imaging versus clinical routine. 2014 , 15, 249		33
1474	Lessons from primary PCI practice for the next decade. 2014 , 100, 1667-72		5
1473	Antithrombotic triple therapy and coagulation activation at the site of thrombus formation: a randomized trial in healthy subjects. 2014 , 12, 1850-60		8
1472	"Are you sure it's about 'age'?". 2014 , 40, 114-6		6
1471	Prasugrel but not high dose clopidogrel overcomes the lansoprazole neutralizing effect of P2Y12 inhibition: Results of the randomized DOSAPI study. 2014 , 70, 1049-57		9
1470	Effect of radial-to-femoral access crossover on adverse outcomes in primary percutaneous coronary intervention. 2014 , 114, 1165-73		12
1469	Evolution from fibrinolytic therapy to a fibrinolytic strategy for patients with ST-segment-elevation myocardial infarction. 2014 , 130, 1133-5		8
1468	Durè de la bithèrapie antiplaquettaire aprè mise en place d'un stent actif. 2014 , 2014, 15-18		
1467	Management of antithrombotic therapy in atrial fibrillation patients presenting with acute coronary syndrome and/or undergoing percutaneous coronary or valve interventions: a joint consensus document of the European Society of Cardiology Working Group on Thrombosis, European Heart Rhythm Association (EHRA), European Association of Percutaneous Cardiovascular Interventions (EAPCI) and Asia-Pacific Heart Rhythm So. 2014 , 35, 3155-79	9.5	413
1466	Combined anticoagulation and antiplatelet therapy in AF patients: why do we not follow by the guidelines?. 2014 , 100, 1565-6		0
1465	2014 AHA/ACC Guideline for the Management of Patients with Non-ST-Elevation Acute Coronary Syndromes: a report of the American College of Cardiology/American Heart Association Task Force on Practice Guidelines. 2014 , 64, e139-e228		1822
1464	[New options in the treatment of acute heart failure]. 2014 , 55, 655-62		3
1463	Prognostic implications of left ventricular regional function heterogeneity assessed with two-dimensional speckle tracking in patients with ST-segment elevation myocardial infarction and depressed left ventricular ejection fraction. 2014 , 29, 619-28		5
1462	Long-term survival in patients with different combinations of evidence-based medications after incident acute myocardial infarction: results from the MONICA/KORA Myocardial Infarction Registry. 2014 , 103, 655-64		12
1461	Akute Herzinsuffizienz. 2014 , 17, 287-292		1

1460	Prognostic impact of chronic total occlusion in a nonculprit artery in patients with acute myocardial infarction undergoing primary angioplasty. 2014 , 67, 359-66		4
1459	High on clopidogrel treatment platelet reactivity is frequent in acute and rare in elective stenting and can be functionally overcome by switch of therapy. 2014 , 133, 257-64		8
1458	Usefulness of the QRS-T angle to improve long-term risk stratification of patients with acute myocardial infarction and depressed left ventricular ejection fraction. 2014 , 113, 1312-9		27
1457	Role of three-dimensional echocardiography in structural complications after acute myocardial infarction. 2014 , 31, E169-73		4
1456	Mechanisms, pathophysiology, and clinical aspects of incomplete stent apposition. 2014 , 63, 1355-67		90
1455	Update on interventional cardiology 2013. 2014 , 67, 305-11		
1454	Revista Española de Cardiología: a Leading National Journal. 2014 , 67, 232-240		1
1453	Early eplerenone treatment in patients with acute ST-elevation myocardial infarction without heart failure: the Randomized Double-Blind Reminder Study. <i>European Heart Journal</i> , 2014 , 35, 2295-302	9.5	100
1452	Reperfusion strategies in acute coronary syndromes. 2014 , 114, 1918-28		64
1451	The organization, function, and outcomes of ST-elevation myocardial infarction networks worldwide: current state, unmet needs and future directions. <i>European Heart Journal</i> , 2014 , 35, 1526-32	9.5	49
1450	Outcomes of a pharmacoinvasive strategy for successful versus failed fibrinolysis and primary percutaneous intervention in acute myocardial infarction (from the STRategic Reperfusion Early After Myocardial Infarction [STREAM] study). 2014 , 114, 811-9		22
1449	Aspirin therapy in primary cardiovascular disease prevention: a position paper of the European Society of Cardiology working group on thrombosis. 2014 , 64, 319-27		123
1448	Influence of gender on the risk of death and adverse events in patients with acute myocardial infarction undergoing pharmacoinvasive strategy. 2014 , 38, 510-6		9
1447	Serial clopidogrel dose adjustment after platelet function testing improves outcome of acute coronary syndrome patients undergoing percutaneous coronary intervention with high on-treatment platelet reactivity. 2014 , 38, 459-69		14
1446	Acute revascularization in ST-segment-elevation myocardial infarction. 2014 , 16, 412		1
1445	Thrombus aspiration in primary angioplasty for ST-segment elevation myocardial infarction. 2014 , 16, 431		7
1444	Therapy in ST-elevation myocardial infarction: reperfusion strategies, pharmacology and stent selection. 2014 , 16, 302		1
1443	Evaluating the optimal timing of revascularisation in patients with transient ST-segment elevation myocardial infarction: rationale and design of the TRANSIENT Trial. 2014 , 7, 590-6		10

1442	Guidelines in review: 2013 ACCF/AHA Guideline for the Management of ST-Elevation Myocardial Infarction. 2014 , 21, 190-1	13
1441	Recommandations de la Société européenne de cardiologie pour la prise en charge des patients présentant un syndrome coronaire aigu sans sus-décalage du segment ST. 2014 , 4, 56-64	
1440	Defining the role of trimetazidine in the treatment of cardiovascular disorders: some insights on its role in heart failure and peripheral artery disease. 2014 , 74, 971-80	32
1439	Acute insulin resistance in ST-segment elevation myocardial infarction in non-diabetic patients is associated with incomplete myocardial reperfusion and impaired coronary microcirculatory function. 2014 , 13, 73	23
1438	Prevalence and extent of infarct and microvascular obstruction following different reperfusion therapies in ST-elevation myocardial infarction. 2014 , 16, 38	27
1437	Impact of completeness of revascularization by coronary intervention on exercise capacity early after acute ST-elevation myocardial infarction. 2014 , 9, 50	4
1436	Hypoxia, haemorrhage and hypotension: the interface between emergency medicine and intensive care medicine. 2014 , 31, 513-7	
1435	Acute myocardial infarction. 2014 , 30, 341-64	8
1434	Five-year survival in patients with ST-segment-elevation myocardial infarction according to modalities of reperfusion therapy: the French Registry on Acute ST-Elevation and Non-ST-Elevation Myocardial Infarction (FAST-MI) 2005 Cohort. 2014 , 129, 1629-36	88
1433	Técnicas de imagen en la evaluación de la función y cicatriz tras el infarto. 2014 , 67, 754-764	7
1432	Core Knowledge in Critical Care Medicine. 2014 ,	
1431	Top 10 cardiovascular therapies and interventions for the next decade. 2014 , 11, 671-83	29
1430	Prognostic value of microvascular obstruction and infarct size, as measured by CMR in STEMI patients. 2014 , 7, 930-9	195
1429	Long-term outcome in patients with ST segment elevation myocardial infarction and multivessel disease treated with culprit-only, immediate, or staged multivessel percutaneous revascularization strategies: Insights from the REAL registry. 2014 , 84, 912-22	37
1428	Differences in ST-elevation and T-wave amplitudes do not reliably differentiate takotsubo cardiomyopathy from acute anterior myocardial infarction. 2014 , 47, 692-9	31
1427	Management of outpatients in France with stable coronary artery disease. Findings from the prospective observational Longitudinal Registry of patients with stable coronary artery disease (CLARIFY) registry. 2014 , 107, 452-61	9
1426	The role of the ECG in diagnosis, risk estimation, and catheterization laboratory activation in patients with acute coronary syndromes: a consensus document. 2014 , 19, 412-25	30
1425	Ventricular septal rupture complicating acute myocardial infarction: a contemporary review. <i>European Heart Journal</i> , 2014 , 35, 2060-8	9.5 135

1424 Simplifying the medical prevention of cardiovascular disease. **2014**, 42, 491-494

1423 Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. **2014**, 16, 1655-73 77

1422 SCAI/ACC/AHA Expert Consensus Document: 2014 Update on Percutaneous Coronary Intervention Without On-Site Surgical Backup. **2014**, 84, 169-87 18

1421 Body mass index has no impact on platelet inhibition induced by ticagrelor after acute coronary syndrome, conversely to prasugrel. **2014**, 176, 1200-2 15

1420 Antiplatelet and anticoagulation agents in acute coronary syndromes: what is the current status and what does the future hold?. **2014**, 168, 611-21 29

1419 Ticagrelor. **2014**, 193-197

1418 Residual platelet reactivity and outcomes with 5 mg prasugrel therapy in elderly patients undergoing percutaneous coronary intervention. **2014**, 176, 874-7 7

1417 Prasugrel. **2014**, 166-172

1416 Prasugrel plus bivalirudin vs. clopidogrel plus heparin in patients with ST-segment elevation myocardial infarction. *European Heart Journal*, **2014**, 35, 2285-94 9.5 79

1415 Primary PCI: should we stent every single culprit artery?. **2014**, 3, 126-31 1

1414 Mortality in intra-aortic balloon pump therapy in patients with ST elevation myocardial infarction and cardiogenic shock: data from nationwide inpatient sample. **2014**, 176, 279-80 3

1413 Imaging techniques in the evaluation of post-infarction function and scar. **2014**, 67, 754-64 2

1412 The need to identify new P2Y₁₂ receptor inhibitors in the management and prevention of arterial thrombosis. **2014**, 134, 533-4 2

1411 Recurrent myocardial infarction after primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. **2014**, 113, 229-35 16

1410 Beneficial metabolic effects of insulin infusion may be jeopardized by volume overload. **2014**, 32, 383-4 2

1409 Mineralocorticoid receptor antagonist in heart failure: Past, present and future perspectives. **2014**, 3, 6-14 9

1408 The incidence and outcomes of acute coronary syndromes in a central European country: results of the CZECH-2 registry. **2014**, 173, 204-8 25

1407 Roles of collateral arterial flow and ischemic preconditioning in protection of acutely ischemic myocardium. **2014**, 47, 491-9 11

1406	Temporary internal pacing. 2014 , 38, 575-9	3
1405	Acute multivessel revascularization improves 1-year outcome in ST-elevation myocardial infarction: a nationwide study cohort from the AMIS Plus registry. 2014 , 172, 76-81	31
1404	[New antiplatelet drugs in coronary artery disease]. 2014 , 143, 508-14	4
1403	With age comes wisdom: is this true for platelets?. 2014 , 63, 518-9	2
1402	Feasibility of transradial coronary intervention in patients with cardiac arrest caused by acute coronary syndrome. 2014 , 172, e255-7	1
1401	Cardiac biomarkers in Takotsubo cardiomyopathy. 2014 , 174, 798-801	12
1400	[Antiplatelet therapy: resistance to traditional antiaggregation drugs and role of new antiplatelet agents]. 2014 , 143, 222-9	2
1399	Acute management of ST-elevation myocardial infarction in a tertiary hospital in Kenya: Are we complying with practice guidelines?. 2014 , 4, 104-108	6
1398	Platelet aggregation inhibition by Eptifibatid versus high dose Tirofiban during primary percutaneous interventions. 2014 , 66, 241-250	3
1397	Impact of new P2Y12 blockers on platelet reactivity and clinical outcomes after acute coronary syndrome: Insight from a large single center registry. 2014 , 4, 188-192	3
1396	Gestione delle sindromi coronariche acute nelle prime 48 ore. 2014 , 19, 1-13	
1395	Acute aortic dissection debut as STEMI: A case report. 2014 , 4, 182-185	
1394	Effect of patient sex on triage for ischaemic heart disease and treatment onset times: A retrospective analysis of Australian emergency department data. 2014 , 22, 88-93	14
1393	How to manage prasugrel and ticagrelor in daily practice. 2014 , 25, 213-20	9
1392	Feasibility of an automated quantitative computed tomography angiography-derived risk score for risk stratification of patients with suspected coronary artery disease. 2014 , 113, 1947-55	19
1391	Valor pronóstico de la oclusión total crítica de una arteria no responsable en el infarto agudo de miocardio tratado con angioplastia primaria. 2014 , 67, 359-366	2
1390	Manejo de los síndromes coronarios agudos en las primeras 48 horas. 2014 , 40, 1-14	
1389	Efficacy of pre-hospital use of glycoprotein IIb/IIIa inhibitors in ST-segment elevation myocardial infarction before mechanical reperfusion in a rapid-transfer network (from the Acute Myocardial Infarction Registry of Brittany). 2014 , 114, 214-23	2

1388	Bivalirudin in percutaneous coronary intervention: the EUROpean BiVallrudin UtiliSatIOn in Practice (EUROVISION) Registry. 2014 , 173, 290-4	8
1387	Imaging QRS complex and ST segment in myocardial infarction. 2014 , 47, 438-47	5
1386	Guía de Práctica Clínica de la ESC 2013 sobre diagnóstico y tratamiento de la cardiopatía isquémica estable. 2014 , 67, 135.e1-135.e81	9
1385	Efecto del tratamiento optimizado con insulina en la reactividad plaquetaria tras el alta de pacientes hiperglicémicos con síndrome coronario agudo. 2014 , 67, 22-27	9
1384	Hemorragias mortales relacionadas con un tratamiento antitrombótico triple que incluye prasugrel. 2014 , 67, 225-226	2
1383	Optical coherence tomography following percutaneous coronary intervention with Excimer laser coronary atherectomy. 2014 , 15, 29-34	15
1382	Female gender and contrast-induced nephropathy in primary percutaneous intervention for ST-segment elevation myocardial infarction. 2014 , 174, 37-42	23
1381	Amsterdam Investigator-initiated Absorb strategy all-comers trial (AIDA trial): a clinical evaluation comparing the efficacy and performance of ABSORB everolimus-eluting bioresorbable vascular scaffold strategy vs the XIENCE family (XIENCE PRIME or XIENCE Xpedition) everolimus-eluting coronary stent strategy in the treatment of coronary lesions in consecutive all-comers: rationale	36
1380	Transtelephonic electrocardiography in the management of patients with acute coronary syndrome. 2014 , 47, 294-9	5
1379	Is off-pump coronary artery bypass grafting superior to drug-eluting stents for the treatment of coronary artery disease? A meta-analysis of randomized and nonrandomized studies. 2014 , 174, 640-53	3
1378	[ST segment elevation myocardial infarction: what is the best timing for revascularization of non-culprit lesions?]. 2014 , 63, 262-4	
1377	Pre-hospital evaluation of electrocardiographic grade 3 ischemia predicts infarct progression and final infarct size in ST elevation myocardial infarction patients treated with primary percutaneous coronary intervention. 2014 , 47, 556-65	9
1376	A randomized controlled trial of platelet activity before and after cessation of clopidogrel therapy in patients with stable cardiovascular disease. 2014 , 63, 233-9	15
1375	Reperfusion correlates and clinical outcomes of right ventricular dysfunction in patients with inferior ST-segment elevation myocardial infarction undergoing percutaneous coronary intervention. 2014 , 114, 243-9	8
1374	Relation of ST-segment elevation before and after percutaneous transluminal coronary angioplasty to left ventricular area at risk, myocardial infarct size, and systolic function. 2014 , 113, 593-600	14
1373	Reperfusion strategy for simultaneous ST-segment elevation myocardial infarction and acute ischemic stroke within a time window. 2014 , 32, 1157.e1-4	10
1372	Stent thrombosis: an increased adverse event after angioplasty following resuscitated cardiac arrest. 2014 , 85, 769-73	54
1371	Reprint of "Intra-aortic balloon counterpulsation--basic principles and clinical evidence". 2014 , 61, 30-4	3

1370	Dehydration and serum hyperosmolarity as new predictors of mortality after acute coronary syndrome. 2014 , 172, e472-4		7
1369	Models for evaluating the pharmacokinetics and pharmacodynamics for β -blockers. 2014 , 10, 525-41		4
1368	Nonantithrombotic medical options in acute coronary syndromes: old agents and new lines on the horizon. 2014 , 114, 1944-58		13
1367	Front-loading with clopidogrel plus aspirin followed by dual antiplatelet therapy in the prevention of early stroke recurrence. 2014 , 14, 723-34		
1366	Impact of the efficacy of thrombolytic therapy on the mortality of patients with acute submassive pulmonary embolism: a meta-analysis. 2014 , 12, 1086-95		55
1365	Expert position paper on the management of antiplatelet therapy in patients undergoing coronary artery bypass graft surgery. <i>European Heart Journal</i> , 2014 , 35, 1510-4	9.5	58
1364	Prognostic indicators for recurrent thrombotic events in HIV-infected patients with acute coronary syndromes: use of registry data from 12 sites in Europe, South Africa and the United States. 2014 , 134, 558-64		36
1363	Diagnostic algorithm for syncope. 2014 , 184, 10-6		5
1362	Comparaci3n de stents de paclitaxel y stents de everolimus en el infarto agudo de miocardio con elevaci3n del segmento ST e influencia de la trombectom3a en los resultados. Estudio ESTROFA-IM. 2014 , 67, 999-1006		10
1361	Temporal trends in the use of intraaortic balloon pump associated with percutaneous coronary intervention in the United States, 1998-2008. 2014 , 168, 363-373.e12		7
1360	Antiplatelet therapy in patients after an acute coronary syndrome. Comparison of the Czech and Slovak Republics. Results of the ATHRO registry. 2014 , 56, e320-e324		1
1359	Cardiac magnetic resonance imaging: the new reference method for infarct characterization and prognostication after myocardial infarction?. 2014 , 15, 130-2		3
1358	Role of novel and emerging oral anticoagulants for secondary prevention of acute coronary syndromes. 2014 , 34, 590-604		5
1357	Optimization in stent implantation by manual thrombus aspiration in ST-segment-elevation myocardial infarction: findings from the EXAMINATION trial. 2014 , 7, 294-300		24
1356	Impact of long-term statin pretreatment on myocardial damage in ST elevation myocardial infarction (from the AIDA STEMI CMR Substudy). 2014 , 114, 503-9		9
1355	Oxygen in critical care. 2014 , 4, 102-108		5
1354	Natural history and risk factors of long-term mortality in acute coronary syndrome patients with cardiogenic shock. 2014 , 59, 156-60		4
1353	Gender differences in presentation, management and inhospital outcome in patients with ST-segment elevation myocardial infarction: data from 5000 patients included in the ORBI prospective French regional registry. 2014 , 107, 291-8		57

1352	Update: acute coronary syndromes (VI): treatment of acute coronary syndromes in the elderly and in patients with comorbidities. 2014 , 67, 564-73	9
1351	Prognosis and disease progression in patients under 50 years old undergoing PCI: the CRAGS (Coronary aRtery diseAse in younG adultS) study. 2014 , 235, 483-7	17
1350	Comparison of paclitaxel and everolimus-eluting stents in ST-segment elevation myocardial infarction and influence of thrombectomy on outcomes. ESTROFA-IM study. 2014 , 67, 999-1006	1
1349	Use of the CRUSADE bleeding risk score in the prediction of major bleeding for patients with acute coronary syndrome receiving enoxaparin in Thailand. 2014 , 23, 1051-8	3
1348	LVH and the diagnosis of STEMI - how should we apply the current guidelines?. 2014 , 47, 655-60	10
1347	Effect of renin-angiotensin system inhibitors on long-term survival in patients treated with beta blockers and antiplatelet agents after acute myocardial infarction (from the MONICA/KORA Myocardial Infarction Registry). 2014 , 114, 329-35	14
1346	Use of electrocardiogram indices of myocardial ischemia for risk stratification and decision making of reperfusion strategies. 2014 , 47, 520-4	2
1345	A transition of P2Y12 antagonists for acute coronary syndrome: benefits, risks and costs. 2014 , 37, 102-6	4
1344	Orally given gastroprotective capsaicin does not modify aspirin-induced platelet aggregation in healthy male volunteers (human phase I examination). 2014 , 101, 429-37	4
1343	A comparative cohort study on personalised antiplatelet therapy in PCI-treated patients with high on-clopidogrel platelet reactivity. Results of the ISAR-HPR registry. 2014 , 112, 342-51	34
1342	The effect of thrombus aspiration during primary percutaneous coronary intervention on clinical outcome in daily clinical practice. 2014 , 111, 165-71	14
1341	Third generation P2Y12 antagonists inhibit platelet aggregation more effectively than clopidogrel in a myocardial infarction registry. 2014 , 111, 266-72	21
1340	Prasugrel vs clopidogrel in cardiogenic shock patients undergoing primary PCI for acute myocardial infarction. Results of the ISAR-SHOCK registry. 2014 , 112, 1190-7	22
1339	A model-based analysis of the clinical and economic impact of personalising P2Y12-receptor inhibition with platelet function testing in acute coronary syndrome patients. 2014 , 111, 290-9	18
1338	Bleeding risk stratification in an era of aggressive management of acute coronary syndromes. 2014 , 6, 1140-8	12
1337	Thrombus aspiration in acute myocardial infarction: Rationale and indication. 2014 , 6, 924-8	7
1336	Comparison of clot lysis activity and biochemical properties of originator tenecteplase (Metalyse(®)) with those of an alleged biosimilar. 2014 , 5, 7	6
1335	Coronary thrombus in patients undergoing primary PCI for STEMI: Prognostic significance and management. 2014 , 6, 381-92	21

- 1334 Optimal oral antithrombotic regimes for patients with acute coronary syndrome: a network meta-analysis. **2014**, 9, e90986 5
- 1333 Predictors and clinical implications of minimal ST-segment elevation in patients with ST-segment elevation myocardial infarction. **2014**, 128, 273-81 2
- 1332 Management of Patients Presenting too Late for PTCA. **2014**, 137-145
- 1331 Newer Antiplatelet Agents for Interventional Indications. **2014**, 41-48
- 1330 Will cangrelor become the favored agent for acute coronary syndrome treatment?. **2014**, 6, 537-545
- 1329 Clinical utility and significance of intravascular ultrasound and optical coherence tomography in guiding percutaneous coronary interventions. **2015**, 79, 24-33 29
- 1328 Contraindications/special warnings and precautions for use of contemporary oral antiplatelet treatment in patients with acute coronary syndrome undergoing percutaneous coronary intervention. **2014**, 78, 180-7 15
- 1327 Extracorporeal low-energy shock-wave therapy exerts anti-inflammatory effects in a rat model of acute myocardial infarction. **2014**, 78, 2915-25 54
- 1326 Cardiogenic Shock. **2014**, 152-170
- 1325 Insights into the role of thrombin in the pathogenesis of recurrent ischaemia after acute coronary syndrome. **2014**, 112, 924-31 29
- 1324 Anticoagulants in an acute myocardial infarction: should we adopt a "back to the future" strategy?. **2014**, 6, 491-493
- 1323 Myokardiale Protektion und Konditionierung. **2014**, 28, 464-469
- 1322 Comparison of different strategies for acute ST-segment elevation myocardial infarction with high thrombus burden in clinical practice: Symptom-free outcome at one year. **2015**, 44, 487-93 5
- 1321 Clinical and angiographic profile of young patients undergoing primary percutaneous coronary intervention. **2015**, 23, 91-95
- 1320 Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: The EURHOBOP study. **2015**, 34, 449-456 3
- 1319 Improved treatment and prognosis after acute myocardial infarction in Estonia: cross-sectional study from a high risk country. **2015**, 15, 136 7
- 1318 Fatores preditivos de intervenç o coron ria percut nea de resgate ap s estrat gia farmac o-invasiva em mulheres. **2015**, 23, 12-16 1
- 1317 Microp rt culas de peque o tama o como indicadores del estado agudo en la insuficiencia cardiaca sist lica. **2015**, 68, 951-958 6

1316 Chest Pain Units. **2015**, 10, 321-336

1315 Aktuelle Ergebnisse notfallmedizinischer Forschung 2014/2015. **2015**, 10, 353-370

1314 Role of cardiovascular magnetic resonance in the guidelines of the European Society of Cardiology. **2016**, 18, 6 92

1313 Prognostic significance of transaminases after acute ST-elevation myocardial infarction: insights from a cardiac magnetic resonance study. **2015**, 127, 843-850 11

1312 Late percutaneous coronary intervention prevents left ventricular remodeling and improves clinical outcomes in patients with ST-elevation myocardial infarction. **2015**, 38, 82-91 6

1311 Gender-related mortality and in-hospital complications following ST-segment elevation myocardial infarction: data from a primary percutaneous coronary intervention cohort. **2015**, 38, 145-9 10

1310 Mineralocorticoid receptor antagonist pretreatment to MINIMISE reperfusion injury after ST-elevation myocardial infarction (the MINIMISE STEMI Trial): rationale and study design. **2015**, 38, 259-66 9

1309 Socio-economic Inequality in the Use of Procedures and Mortality Among AMI Patients: Quantifying the Effects Along Different Paths. **2015**, 24 Suppl 2, 102-15 10

1308 A Window on Geographic Variation in Health Care: Insights from EuroHOPE. **2015**, 24 Suppl 2, 164-77 8

1307 Rationale, Design, and Baseline Characteristics of the EPICOR Asia Study (Long-term follow-up of antithrombotic management patterns in Acute CORonary Syndrome patients in Asia). **2015**, 38, 511-9 21

1306 Comparison of Prasugrel and Ticagrelor Antiplatelet Effects in Korean Patients Presenting With ST-Segment Elevation Myocardial Infarction. **2015**, 79, 1248-54 16

1305 Relationship between beta-blocker and angiotensin-converting enzyme inhibitor dose and clinical outcome following acute myocardial infarction. **2015**, 79, 632-40 16

1304 Qualifying the use of common cardiovascular drugs in cardiology. **2015**, 79, 517-8

1303 Usefulness of cardiac arrest centers - extending lifesaving post-resuscitation therapies: the Arizona experience -. **2015**, 79, 1156-63 18

1302 Clinical Characteristics of Patients With Acute Myocardial Infarction Who Did Not Undergo Primary Percutaneous Coronary Intervention- Report From the MIYAGI-AMI Registry Study. **2015**, 79, 2009-16 14

1301 Is there an association between hospital costs and door-to-balloon time?. **2015**, 23, 195-200

1300 Hbelaß entre custos hospitalares e tempo porta-balß?. **2015**, 23, 195-200

1299 Multivessel Disease As A Prognostic Factor For Mortality In STEMI Patients. **2015**, 8, 30-34 1

1298	Structural and functional characterization of a specific antidote for ticagrelor. 2015 , 125, 3484-90	61
1297	Caring for patients post PPCI: examining a lack of evidence and standards. 2015 , 10, 541-547	3
1296	STREAM at one year: Further evidence supporting a pharmacoinvasive strategy in patients with STEMI. 2015 , 2015, 17	1
1295	Effectiveness of an early versus a conservative invasive treatment strategy in acute coronary syndromes: a nationwide cohort study. 2015 , 163, 737-46	4
1294	Class effect of beta-blockers in survivors of ST-elevation myocardial infarction: A nationwide cohort study using an insurance claims database. 2015 , 5, 13692	6
1293	Cost-effectiveness of a European ST-segment elevation myocardial infarction network: results from the Catalan Codi Infart network. 2015 , 5, e009148	14
1292	How to improve the concept of individualised antiplatelet therapy with P2Y12 receptor inhibitors--is an algorithm the answer?. 2015 , 113, 37-52	37
1291	The use of primary PCI for the treatment of STEMI. 2015 , 10, 354-360	2
1290	Randomised comparison of zofenopril and ramipril plus acetylsalicylic acid in postmyocardial infarction patients with left ventricular systolic dysfunction: a post hoc analysis of the SMILE-4 Study in patients according to levels of left ventricular ejection fraction at entry. 2015 , 2, e000195	3
1289	Ventricular Septal Rupture - A Critical Condition as a Complication of Acute Myocardial Infarction. 2015 , 1, 162-166	4
1288	Quality markers in cardiology: measures of outcomes and clinical practice – perspective of the Spanish Society of Cardiology and of Thoracic and Cardiovascular Surgery1. 2015 , 22, 315-324	
1287	Postoperativ persistierende Myokardischämie nach herzchirurgischen Eingriffen. 2015 , 29, 185-193	
1286	Postreanimationsbehandlung. 2015 , 18, 904-931	10
1285	Kommentar zu den 2014-Leitlinien der Europäischen Gesellschaft für Kardiologie (ESC) und der Europäischen Gesellschaft für Anästhesiologie (ESA) zum Management kardiovaskulärer Erkrankungen bei nicht-kardialen chirurgischen Eingriffen. 2015 , 9, 283-288	5
1284	Impact of the "ACT NOW. SAVE A LIFE" public awareness campaign on the performance of a European STEMI network. 2015 , 197, 110-2	8
1283	Indicadores de calidad en cardiología. Principales indicadores para medir la calidad de los resultados (indicadores de resultados) y parámetros de calidad relacionados con mejores resultados en la práctica clínica (indicadores de práctica asistencial). INCARDIO (Indicadores de Calidad en Unidades Asistenciales del Pea del Corazn): Declaraci3n de posicionamiento de	
1282	Practice Patterns for Outpatients With Stable Coronary Artery Disease: A Case Vignette-based Survey Among French Cardiologists. 2015 , 2, 1662-8	5
1281	Trends in referral patterns, invasive management, and mortality in elderly patients referred for exercise stress testing. 2015 , 26, 787-91	3

1280	Postinfarction posterior ventricular septal rupture mimicking a biventricular free wall rupture with extracardiac left-to-right shunt. 2015 , 9, 32-36	
1279	Acute and spontaneous coronary thrombosis in non-culprit artery during percutaneous coronary intervention in myocardial infarction with ST-segment elevation: A "shocking" case. 2015 , 9, 52-54	2
1278	Predictors of rescue percutaneous coronary intervention after pharmacoinvasive strategy in women. 2015 , 23, 12-16	
1277	[Cardiovascular assessment and management prior to non-cardiac surgery. Comment on the new 2014 ESC/ESA guidelines]. 2015 , 40, 1043-7	1
1276	Renal insufficiency was correlated with 2-year mortality for rural female patients with ST-segment elevation acute myocardial infarction after reperfusion therapy: a multicenter, prospective study. 2015 , 15, 179	2
1275	Assessment of adipokines, adenine nucleotides and uric acid in the dynamics of coronary intervention. 2015 , 10,	
1274	Editorial on PEGASUS-TIMI 54. 2015 , 1, 217-9	1
1273	The establishment of comprehensive cardiac care centre. 2015 , 17, E3-E4	
1272	Kurzdarstellung. 2015 , 18, 655-747	9
1271	HEAT-PPCI: fair criticism or resistance to change?. 2015 , 7, 5-8	1
1270	Ticagrelor and bradycardia: a nested case-control study. 2015 , 24, 1281-5	5
1269	Use and outcome of radial versus femoral approach for primary PCI in patients with acute ST elevation myocardial infarction without cardiogenic shock: results from the ALKK PCI registry. 2015 , 86 Suppl 1, S8-14	23
1268	The Appropriate Use of Percutaneous Coronary Intervention in Contemporary Clinical Practice. 2015 , 24, 29-34	0
1267	Fractional flow reserve of non-culprit vessel post-myocardial infarction: is it reliable?. 2015 , 15, 127	1
1266	Association between blood glucose variability and coronary plaque instability in patients with acute coronary syndromes. 2015 , 14, 111	60
1265	Markers of thrombin generation are associated with myocardial necrosis and left ventricular impairment in patients with ST-elevation myocardial infarction. 2015 , 13, 31	15
1264	Left ventricular global function index assessed by cardiovascular magnetic resonance for the prediction of cardiovascular events in ST-elevation myocardial infarction. 2015 , 17, 62	27
1263	Comparative efficacy and safety of anticoagulant strategies for acute coronary syndromes. Comprehensive network meta-analysis of 42 randomised trials involving 117,353 patients. 2015 , 114, 933-44	9

1262	How to improve the concept of individualised antiplatelet therapy with P2Y12 receptor inhibitors â is an algorithm the answer?. 2015 , 113, 37-52	26
1261	Platelet function testing in acute cardiac care - is there a role for prediction or prevention of stent thrombosis and bleeding?. 2015 , 113, 221-30	28
1260	Risk stratification by cardiac magnetic resonance imaging after ST-elevation myocardial infarction. 2015 , 30, 681-9	38
1259	Risk of no-reflow in culprit lesion versus culprit vessel PCI in acute STEMI. 2015 , 26, 510-5	1
1258	Association of lymphocyte-to-monocyte ratio with the no-reflow phenomenon in patients who underwent a primary percutaneous coronary intervention for ST-elevation myocardial infarction. 2015 , 26, 706-12	38
1257	Patient education after acute myocardial infarction: cardiologists should adapt their message--French registry of acute ST-elevation or non-ST-elevation myocardial infarction 2010 registry. 2015 , 16, 761-7	3
1256	Direct Transfer From the Referring Hospitals to the Catheterization Laboratory to Minimize Reperfusion Delays for Primary Percutaneous Coronary Intervention: Insights From the National Cardiovascular Data Registry. 2015 , 8, e002477	17
1255	Application of Intravascular Ultrasound in the Emergency Diagnosis and Treatment of Patients with ST-Segment Elevation Myocardial Infarction. 2015 , 32, 1003-8	0
1254	Epidural catheter removal for initiation of emergency anticoagulant therapy in acute coronary syndrome--when is the time right?. 2015 , 32, 582-4	4
1253	Ischaemic heart disease - a selected review of recent developments. 2015 , 30, 657-62	5
1252	The impact of initial and residual thrombus burden on the no-reflow phenomenon in patients with ST-segment elevation myocardial infarction. 2015 , 26, 245-53	9
1251	Acute myocardial infarction and cardiogenic shock: pharmacologic and mechanical hemodynamic support pathways. 2015 , 26, 535-44	4
1250	Quality of post arrest care does not differ by time of day at a specialized resuscitation center. 2015 , 94, e664	12
1249	Use of Extracorporeal Membrane Oxygenation to Rescue Patients With Refractory Ventricular Arrhythmia in Acute Myocardial Infarction. 2015 , 94, e1241	5
1248	Pulmonary Venous Diastolic Flow Reversal and Flash Pulmonary Edema During Management of Ongoing Myocardial Ischemia with Intraaortic Balloon Pump. 2015 , 5, 146-50	
1247	European Heart Rhythm Association/Heart Failure Association joint consensus document on arrhythmias in heart failure, endorsed by the Heart Rhythm Society and the Asia Pacific Heart Rhythm Society. 2015 , 17, 848-74	27
1246	The Predictive Value of Fragmented QRS and QRS Distortion for High-Risk Patients with STEMI and for the Reperfusion Success. 2015 , 20, 578-85	13
1245	A 12-month angiographic and optical coherence tomography follow-up after bioresorbable vascular scaffold implantation in patients with ST-segment elevation myocardial infarction. 2015 , 86, E180-9	17

1244	Effects of performing electrocardio-graphy in the community on overall coronary artery ischemia time in patients with acute myocardial infarction. 2015 , 42, 718-9	
1243	Choice of ICD-10 codes for the identification of acute coronary syndrome in the French hospitalization database. 2015 , 29, 586-91	36
1242	Aspiration Thrombectomy in Patients Undergoing Primary Angioplasty for ST Elevation Myocardial Infarction: An Updated Meta-Analysis. 2015 , 28, 503-13	8
1241	A Public-Private Partnership Improves Clinical Performance In A Hospital Network In Lesotho. 2015 , 34, 954-62	22
1240	Triple therapy for atrial fibrillation and percutaneous coronary intervention. 2015 , 30, 690-6	1
1239	Out-of-hospital cardiac arrest: defining the role of coronary angiography and intervention. 2015 , 26, 626-33	0
1238	Regional systems-of-care for primary percutaneous coronary intervention in ST-elevation myocardial infarction. 2015 , 26, 713-22	10
1237	Clinical Characteristics and Risk Factors of Left Ventricular Thrombus after Acute Myocardial Infarction: A Matched Case-control Study. 2015 , 128, 2415-9	14
1236	Thrombus aspiration during primary percutaneous coronary intervention associated with reduced platelet activation. 2015 , 36, 935-9	1
1235	Ventricular repolarization markers for predicting malignant arrhythmias in clinical practice. 2015 , 3, 705-20	75
1234	P2Y12 inhibitors for acute coronary syndromes: current perspectives. 2015 , 123	
1233	Cancer therapy and cardiovascular risk: focus on bevacizumab. 2015 , 7, 133-43	54
1232	Digoxin: A systematic review in atrial fibrillation, congestive heart failure and post myocardial infarction. 2015 , 7, 808-16	24
1231	Stroke prevention in the elderly atrial fibrillation patient with comorbid conditions: focus on non-vitamin K antagonist oral anticoagulants. 2015 , 10, 1431-44	14
1230	Clinical potential of vorapaxar in cardiovascular risk reduction in patients with atherosclerosis. 2015 , 11, 1133-8	6
1229	A Transfer for PCI versus Conservative Treatment at a Late Electrocardiographic Stage of Myocardial Infarction on Admission: Long-Term Outcomes. 2015 , 03,	
1228	INFLUENCE OF THE CYP3A4 ISOENZYME METABOLIC ACTIVITY AND CYP2C19 GENE POLYMORPHISMS ON CLOPIDOGREL ANTIPLATELET EFFECT IN PATIENTS WITH ACUTE CORONARY SYNDROME UNDERGOING PERCUTANEOUS CORONARY INTERVENTION. 2015 , 11, 344-354	
1227	Use of pharmacoinvasive approach to the treatment of patients with ST segment elevation acute coronary syndrome: state of the problem. 2015 , 11, 643-649	

1226	Overview of Reteplase, A Novel Thrombolytic Agent in Indian Context. 2015 , 04,	
1225	Antithrombotic therapy for long-term secondary prevention of acute coronary syndrome in high-risk patients. 2015 , 11, 263-77	5
1224	The search for optimal anticoagulation therapy in ACS: The gap between clinical trials and current clinical guidelines. 2015 , 114, 872-4	
1223	Use of medicines recommended for secondary prevention of acute coronary syndrome. 2015 , 49,	1
1222	High Killips Class as a Predictor of New-onset Atrial Fibrillation Following Acute Myocardial Infarction: Systematic Review and Meta-analysis. 2015 , 128, 1964-8	3
1221	Competency in ECG Interpretation Among Medical Students. 2015 , 21, 3386-94	16
1220	A comparison of direct and two-stage transportation of patients to hospital in Poland. 2015 , 12, 4572-86	4
1219	Does treatment impact health outcomes for patients after acute coronary syndrome?. 2015 , 12, 6136-47	3
1218	Relationship of platelet indices with acute stent thrombosis in patients with acute coronary syndrome. 2015 , 11, 224-9	3
1217	Dual Antiplatelet Therapy in Patients with Glucose-6-Phosphate Dehydrogenase Deficiency undergoing PCI with Drug-Eluting Stents. 2015 , 22, 535-41	10
1216	Prehospital administration of P2Y12 inhibitors and early coronary reperfusion in primary PCI: an observational comparative study. 2015 , 114, 623-31	13
1215	Direct oral anticoagulants: key considerations for use to prevent stroke in patients with nonvalvular atrial fibrillation. 2015 , 11, 317-32	9
1214	Feasibility and safety of rehabilitation after venous thromboembolism. 2015 , 11, 397-401	19
1213	Temporal Trends of In-Hospital Mortality in Patients Treated with Intra-Aortic Balloon Pumping: A Nationwide Population Study in Taiwan, 1998-2008. 2015 , 10, e0131575	3
1212	Are There Ethnic Inequalities in Revascularisation Procedure Rate after an ST-Elevation Myocardial Infarction?. 2015 , 10, e0136415	6
1211	Prognosis of STEMI Patients with Multi-Vessel Disease Undergoing Culprit-Only PCI without Significant Residual Ischemia on Non-Invasive Stress Testing. 2015 , 10, e0138474	4
1210	Management of adjunctive antithrombotic therapy in STEMI patients treated with fibrinolysis undergoing rescue or delayed PCI. 2015 , 114, 945-57	1
1209	[Pre hospital indicators in assessing the quality of care for patients with acute coronary syndrome]. 2015 , 36, 49-55	3

1208	The Impact of Thrombocytopenia on Outcome in Patients with Acute Coronary Syndromes: A Single Center Retrospective Study. 2015 , 2015, 907304		11
1207	Single Center Retrospective Analysis of Conventional and Radial TIG Catheters for Transradial Diagnostic Coronary Angiography. 2015 , 2015, 862156		4
1206	Bivalirudin for ST-segment elevation myocardial infarction. 2015 , 13, 344-351		
1205	Prehospital system delay in patients with ST-segment elevation myocardial infarction in Singapore. 2015 , 6, 277-82		9
1204	Severe thrombocytopenia soon after drug-eluting stent implantation in ST-elevation myocardial infarction. 2015 , 11, 354-6		
1203	Impact of pre-hospital electrocardiogram teletransmission on time delays in ST segment elevation myocardial infarction patients: a single-centre experience. 2015 , 11, 212-7		1
1202	Early occlusion of the non-infarct-related coronary artery following successful primary percutaneous coronary intervention in ST-elevation myocardial infarction. 2015 , 11, 136-40		2
1201	Comparing of light transmittance aggregometry and modified thrombelastograph in predicting clinical outcomes in Chinese patients undergoing coronary stenting with clopidogrel. 2015 , 128, 774-9		10
1200	Contemporary Antiplatelet Strategies in the Treatment of STEMI using Primary Percutaneous Coronary Intervention. 2015 , 10, 26-31		1
1199	Physical activity in women after an acute myocardial infarction. 2015 , 5,		1
1198	Successful early diagnosis and treatment in a case of <i>Toxocara canis</i> -induced eosinophilic myocarditis with eosinophil-rich pericardial effusion. 2015 , 2015,		
1197	Individualised dual antiplatelet therapy in a patient with short bowel syndrome after acute myocardial infarction with coronary artery stenting. 2015 , 2015,		2
1196	Protocols cure diseases, not patients: flaccid paresis in post-NSTEMI statin treatment. 2015 , 2015,		0
1195	Fractional flow reserve-guided management in stable coronary disease and acute myocardial infarction: recent developments. <i>European Heart Journal</i> , 2015 , 36, 3155-64	9.5	45
1194	Meta-Analysis of Relation Between Oral β -Blocker Therapy and Outcomes in Patients With Acute Myocardial Infarction Who Underwent Percutaneous Coronary Intervention. 2015 , 115, 1529-38		52
1193	Performance of ST and ventricular gradient difference vectors in electrocardiographic detection of acute myocardial ischemia. 2015 , 48, 498-504		11
1192	Unfractionated heparin-clopidogrel combination in ST-elevation myocardial infarction not receiving reperfusion therapy. 2015 , 241, 151-6		28
1191	Novel methodologies for biomarker discovery in atherosclerosis. <i>European Heart Journal</i> , 2015 , 36, 2635-42		133

1190	Ticagrelor protects the heart against reperfusion injury and improves remodeling after myocardial infarction. 2015 , 35, 1805-14	83
1189	Manual Thrombus Aspiration Is Not Associated With Reduced Mortality in Patients Treated With Primary Percutaneous Coronary Intervention: An Observational Study of 10,929 Patients With ST-Segment Elevation Myocardial Infarction From the London Heart Attack Group. 2015 , 8, 575-84	16
1188	Effectiveness of Pretreatment With Dual Oral Antiplatelet Therapy. 2015 , 116, 660-8	5
1187	Percutaneous Mechanical Support in Cardiogenic Shock: A Review. 2015 , 9, 23-8	7
1186	Ticagrelor: Pharmacokinetic, Pharmacodynamic and Pharmacogenetic Profile: An Update. 2015 , 54, 1125-38	74
1185	Echocardiographic Evaluation of Coronary Artery Disease. 2015 , 217-252	1
1184	Predictive Value of Gamma-Glutamyl Transferase Levels for Contrast-Induced Nephropathy in Patients With ST-Segment Elevation Myocardial Infarction Who Underwent Primary Percutaneous Coronary Intervention. 2015 , 116, 711-6	13
1183	Outcomes of primary percutaneous coronary interventions in nonagenarians with acute myocardial infarction. 2015 , 192, 24-9	22
1182	Conditioned medium from human amniotic mesenchymal stromal cells limits infarct size and enhances angiogenesis. 2015 , 4, 448-58	78
1181	Perioperative Anesthesia Management in Secondary Mitral Regurgitation and Heart Failure. 2015 , 73-95	
1180	Modified shock index is a predictor for 7-day outcomes in patients with STEMI. 2015 , 33, 1072-5	30
1179	Non-invasive myocardial work index identifies acute coronary occlusion in patients with non-ST-segment elevation-acute coronary syndrome. 2015 , 16, 1247-55	83
1178	Percutaneous Coronary Intervention and the Various Coronary Artery Disease Syndromes. 2015 , 597-620	
1177	Kriterien der Deutschen Gesellschaft für Kardiologie – Herz- und Kreislaufforschung für Chest Pain Units 2015 , 9, 171-181	20
1176	Risks and benefits of triple oral anti-thrombotic therapies after acute coronary syndromes and percutaneous coronary intervention. 2015 , 38, 481-91	6
1175	Current Approaches to Cardiopulmonary Resuscitation. 2015 , 40, 275-313	10
1174	Total ischaemic time and 9-year outcomes in STEMI patients treated with pPCI. 2015 , 184, 184-189	4
1173	Eroded Versus Ruptured Plaques at the Culprit Site of STEMI: In Vivo Pathophysiological Features and Response to Primary PCI. 2015 , 8, 566-575	71

1172	Comparison of model-based and expert-rule based electrocardiographic identification of the culprit artery in patients with acute coronary syndrome. 2015 , 48, 483-9		7
1171	A 2-year follow-up of oxidative stress levels in patients with ST-segment elevation myocardial infarction: a subanalysis of the ALPS-AMI study. 2015 , 66, 271-7		7
1170	Long-term mortality following interhospital transfer for acute myocardial infarction. 2015 , 101, 1032-40		19
1169	Antiplatelet Therapy Considerations in Ischemic Cardiogenic Shock: Implications of Metabolic Bioactivation. 2015 , 20, 370-7		7
1168	Age-related differences in glucose abnormalities in women with ST-elevation myocardial infarction submitted to percutaneous coronary intervention: a single-center experience. 2015 , 16, 321-5		1
1167	Acute ischemic events are frequent after primary coronary stenting. 2015 , 16, 178-88		2
1166	Association of bleeding, mortality and sex in acute coronary syndromes: the missing triangle. 2015 , 16, 347-54		5
1165	Are at least 12 months of dual antiplatelet therapy needed for all patients with drug-eluting stents? All patients with drug-eluting stents need at least 12 months of dual antiplatelet therapy. 2015 , 131, 2001-9; discussion 2009		2
1164	Reduced dose tenecteplase and outcomes in elderly ST-segment elevation myocardial infarction patients: Insights from the STRategic Reperfusion Early After Myocardial infarction trial. 2015 , 169, 890-898.e1		17
1163	Culprit lesion thrombus burden after manual thrombectomy or percutaneous coronary intervention-alone in ST-segment elevation myocardial infarction: the optical coherence tomography sub-study of the TOTAL (Thrombectomy versus PCI ALone) trial. <i>European Heart Journal</i> , 2015, 36, 1892-900	9.5	46
1162	Temporal trends in the use of reperfusion therapy and outcomes in elderly patients with first ST elevation myocardial infarction. 2015 , 4, 461-7		14
1161	Mortality and missed opportunities along the pathway of care for ST-elevation myocardial infarction: a national cohort study. 2015 , 4, 241-53		23
1160	End-systolic wall stress predicts post-discharge heart failure after acute myocardial infarction. 2015 , 108, 310-20		12
1159	Complete revascularisation or culprit artery only in cardiogenic shock: the real shock is the lack of data!. 2015 , 101, 1178-9		1
1158	Predictors of bleeding in patients with acute coronary syndromes treated with prasugrel. 2015 , 101, 1219-24		12
1157	Novel oral P2Y12 inhibitor prasugrel vs. clopidogrel in patients with acute coronary syndrome: evidence based on 6 studies. 2015 , 21, 1131-7		2
1156	Oxidized Low Density Lipoprotein and High Sensitive C-Reactive Protein in Non-Diabetic, Pre-Diabetic and Diabetic Patients in the Acute Phase of the First Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention. 2015 , 34, 160-169		5
1155	Optical coherence tomography assessment of efficacy of thrombus aspiration in patients undergoing a primary percutaneous coronary intervention for acute ST-elevation myocardial infarction. 2015 , 26, 567-72		7

1154	The GRACE registry: how real-life evidence contributes to acute coronary syndrome guidelines. 2015 , 17, D29-D31	3
1153	Adenosine and verapamil for no-reflow during primary percutaneous coronary intervention in people with acute myocardial infarction. 2015 , CD009503	12
1152	Effectiveness of regionalized systems for stroke and myocardial infarction. 2015 , 5, e00398	10
1151	Glycemic control and acute coronary syndrome: the debate continues. 2015 , 1, 229-31	3
1150	Lack of "obesity paradox" in patients presenting with ST-segment elevation myocardial infarction including cardiogenic shock: a multicenter German network registry analysis. 2015 , 15, 67	11
1149	Exploring the treatment delay in the care of patients with ST-elevation myocardial infarction undergoing acute percutaneous coronary intervention: a cross-sectional study. 2015 , 15, 340	12
1148	[ESC guidelines 2015. Non-ST-elevation acute coronary syndrome]. 2015 , 40, 1027-33	9
1147	Intra-coronary thrombus evolution during acute coronary syndrome: regression assessment by serial optical coherence tomography analyses. 2015 , 16, 433-40	32
1146	Temporal changes in the use and results of exercise echocardiography. 2015 , 16, 1207-12	16
1145	The high-degree atrioventricular block remains a severe prognostic marker in the primary percutaneous coronary intervention era. 2015 , 17, 167	
1144	Author reply: To PMID 23913594. 2015 , 17, 166-7	
1143	Cardioprotective role of zofenopril in patients with acute myocardial infarction: a pooled individual data analysis of four randomised, double-blind, controlled, prospective studies. 2015 , 2, e000220	8
1142	Survival curves to support quality improvement in hospitals with excess 30-day mortality after acute myocardial infarction, cerebral stroke and hip fracture: a before-after study. 2015 , 5, e006741	14
1141	Acute myocardial infarction or acute myocarditis? Discharge registry-based study of likelihood and associated features in hospitalised patients. 2015 , 5, e007555	2
1140	Developments in the invasive diagnostic-therapeutic cascade of women and men with acute coronary syndromes from 2005 to 2011: a nationwide cohort study. 2015 , 5, e007785	19
1139	The influence of system delay on 30-day and on long-term mortality in patients with anterior versus non-anterior ST-segment elevation myocardial infarction: a cohort study. 2015 , 2, e000201	9
1138	Serial assessment of the index of microcirculatory resistance during primary percutaneous coronary intervention comparing manual aspiration catheter thrombectomy with balloon angioplasty (IMPACT study): a randomised controlled pilot study. 2015 , 2, e000238	27
1137	Validation of High-Resolution Ultrasound Measurements of Intima-Media Thickness of the Radial Artery for the Assessment of Structural Remodeling. 2015 , 66, 574-7	7

1136	Monitoring the efficacy of ADP inhibitor treatment in patients with acute STEMI post-PCI by VASP-P flow cytometry assay. 2015 , 21, 334-8	9
1135	Gender-related differences in patients with ST-elevation myocardial infarction. 2015 , 127 Suppl 5, S263-9	2
1134	Atherosclerotic Renal Artery Stenosis Prevalence and Correlations in Acute Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Interventions: Data From Nonrandomized Single-Center Study (REN-ACS) – Single Center, Prospective, Observational Study. 2015 , 4, e002379	13
1133	Indicadores de calidad en cardiología. Principales indicadores para medir la calidad de los resultados (indicadores de resultados) y parámetros de calidad relacionados con mejores resultados en la práctica clínica (indicadores de práctica asistencial). INCARDIO (Indicadores de Calidad en Unidades Asistenciales del Área del Corazón): Declaración de posicionamiento de	33
1132	Infusión intracoronaria de tioflavina-S para el estudio de la obstrucción microvascular en un modelo de infarto de miocardio. 2015 , 68, 928-934	12
1131	Comparison of Approaches to Revascularization in Patients With Multivessel Coronary Artery Disease Presenting With ST-Segment Elevation Myocardial Infarction: Meta-analyses of Randomized Control Trials. 2015 , 4,	12
1130	Das initiale Management des akuten Koronarsyndroms. 2015 , 18, 984-1002	3
1129	The role of imaging in coronary artery disease - What do the ESC guidelines say. 2015 , 57, e405-e407	
1128	Prognostic impact of neutrophil gelatinase-associated lipocalin and B-type natriuretic in patients with ST-elevation myocardial infarction treated by primary PCI: a prospective observational cohort study. 2015 , 5, e006872	18
1127	Recent advances in invasive coronary treatment strategies for out-of-hospital cardiac arrest: are they working?. 2015 , 7, 395-402	
1126	Complete Versus Lesion-Only Primary PCI: The Randomized Cardiovascular MR CvLPRIT Substudy. 2015 , 66, 2713-2724	31
1125	The impact of clinical pharmacist support on patients receiving multi-drug therapy for coronary heart disease in China: a long-term follow-up study. 2015 , 22, 323-327	4
1124	Economic outcomes with prasugrel versus clopidogrel in acute coronary syndrome patients: observations from prasugrel users and matched clopidogrel users. 2015 , 18, 1074-84	
1123	What is the real prognostic value of abnormal P wave morphology and PR-segment displacement for mortality?. 2015 , 198, 138-9	
1122	The effect of metformin on cardiovascular risk profile in patients without diabetes presenting with acute myocardial infarction: data from the Glycometabolic Intervention as adjunct to Primary Coronary Intervention in ST Elevation Myocardial Infarction (GIPS-III) trial. 2015 , 3, e000090	18
1121	Culprit vessel versus immediate complete revascularization in patients with ST-segment myocardial infarction-a systematic review. 2015 , 170, 1133-9	22
1120	Guía ESC 2015 sobre el tratamiento de los síndromes coronarios agudos en pacientes sin elevación persistente del segmento ST: Grupo de Trabajo de la Sociedad Europea de Cardiología (ESC) para el tratamiento de los síndromes coronarios agudos en pacientes sin elevación persistente del segmento ST. 2015 , 68, 1125.e1-1125.e64	20
1119	Thrombus Aspiration to Reduce Cardiac Events; What About Medical Therapy?. 2015 , 116, 1319	

1118	Bivalirudin in stable angina and acute coronary syndromes. 2015 , 152, 1-10	5
1117	Importancia de la investigación clínica en intervencionismo coronario: el ejemplo de la trombectomía. 2015 , 68, 737-739	2
1116	Prognostic value of low QRS voltage in patients with acute coronary syndrome. 2015 , 197, 317	
1115	Transparency and benchmarking for sustainability of the health system. 2015 , 144, 449-451	
1114	Impact of atrial fibrillation type during acute coronary syndromes: Clinical features and prognosis. 2015 , 34, 403-410	5
1113	Medical management: the dark side of acute coronary syndromes. 2015 , 1, 179-81	6
1112	Contemporary registries on P2Y12 inhibitors in patients with acute coronary syndromes in Europe: overview and methodological considerations. 2015 , 1, 232-44	8
1111	Evaluation of Dynamic Ambulance Routing for the Transportation of Patients with Acute Coronary Syndrome in Saint-petersburg. 2015 , 66, 419-428	9
1110	[Noninvasive Mechanical Ventilation in Acute Respiratory Failure]. 2015 , 69, 719-756	41
1109	Cardiac Rehabilitation in the Elderly after a Recent Acute Coronary Syndrome: A Useful or Mandatory Tool?. 2015 , 132, 71-73	2
1108	Limitation of Infarct Size and No-Reflow by Intracoronary Adenosine Depends Critically on Dose and Duration. 2015 , 8, 1990-1999	25
1107	What have our patients learnt after being hospitalised for an acute myocardial infarction?. 2015 , 28, 134-9	12
1106	BET protein inhibition mitigates acute myocardial infarction damage in rats via the TLR4/TRAFF6/NF- κ B pathway. 2015 , 10, 2319-2324	45
1105	One-Year Clinical and Computed Tomography Angiographic Outcomes After Bioresorbable Vascular Scaffold Implantation During Primary Percutaneous Coronary Intervention for ST-Segment-Elevation Myocardial Infarction: The PRAGUE-19 Study. 2015 , 8, e002933	7
1104	Analysis of residual thrombotic burden after thrombus aspiration in acute ST elevation myocardial infarction: An optical coherence tomographic evaluation. 2015 , 181, 351-2	2
1103	Improved STEMI diagnosis by serial ECG analysis. 2015 , 48, 99-100	1
1102	In-hospital switching between adenosine diphosphate receptor inhibitors in patients with acute myocardial infarction treated with percutaneous coronary intervention: Insights into contemporary practice from the TRANSLATE-ACS study. 2015 , 4, 499-508	59
1101	Prevalence and outcome of patients with left bundle branch block and suspected acute myocardial infarction. 2015 , 182, 164-5	5

1100 Nouveautés dans la prise en charge de l'infarctus du myocarde. **2015**, 1, 26-32

1099 Lights and (Some) shadows in the management of acute coronary syndrome in Spain: the DIOCLES Study. **2015**, 68, 85-6

1098 Efficacy and safety of out-of-hospital intravenous metoprolol administration in anterior ST-segment elevation acute myocardial infarction: insights from the METOCARD-CNIC trial. **2015**, 65, 318-24 12

1097 Predictors and prognostic consequence of gastrointestinal bleeding in patients with ST-segment elevation myocardial infarction. **2015**, 184, 128-134 12

1096 Reasons for discontinuation of recommended therapies according to the patients after acute coronary syndromes. **2015**, 26, 56-62 31

1095 Updates to the ACCF/AHA and ESC STEMI and NSTEMI guidelines: putting guidelines into clinical practice. **2015**, 115, 23A-8A 22

1094 Acute coronary syndromes: applying practice guidelines and defining the unmet need in clinical practice. **2015**, 115, 1A-2A

1093 The end of an electrocardiographic dogma: a prominent R wave in V1 is caused by a lateral not posterior myocardial infarction-new evidence based on contrast-enhanced cardiac magnetic resonance-electrocardiogram correlations. *European Heart Journal*, **2015**, 36, 959-64 9.5 18

1092 Guía de práctica clínica de la ESC sobre revascularización miocárdica, 2014. **2015**, 68, 144.e1-144.e95 1

1091 Acute coronary syndromes and coronary intervention. *European Heart Journal*, **2015**, 36, 323-4 9.5

1090 Ticagrelor: a review of its use in adults with acute coronary syndromes. **2015**, 15, 51-68 17

1089 Ticagrelor versus high dose clopidogrel in ST-segment elevation myocardial infarction patients with high platelet reactivity post fibrinolysis. **2015**, 40, 261-7 22

1088 Admission hyperglycemia is associated with failed reperfusion following fibrinolytic therapy in patients with STEMI: results of a retrospective study. **2015**, 15, 35-42 4

1087 Challenges and solutions in medically managed ACS in the Asia-Pacific region: expert recommendations from the Asia-Pacific ACS Medical Management Working Group. **2015**, 183, 63-75 13

1086 ¿En la era actual existe beneficio pronóstico del tratamiento con bloqueadores beta tras un síndrome coronario agudo con función sistólica conservada?. **2015**, 68, 585-591 20

1085 Q waves and failed ST resolution: will intra-myocardial haemorrhage be a concern in reperfusing "late presenting" STEMIs?. **2015**, 182, 203-10 8

1084 Percutaneous circulatory assist devices for high-risk coronary intervention. **2015**, 8, 229-244 74

1083 Meta-analysis of multivessel versus culprit-only percutaneous coronary intervention in patients with non-ST-segment elevation acute coronary syndrome and multivessel coronary disease. **2015**, 115, 1027-32 12

1082	Luces y (algunas) sombras en el manejo del s�ndrome coronario agudo en Espa�a: el estudio DIOCLES. 2015 , 68, 85-86	1
1081	Prognostic impact of clopidogrel pretreatment in patients with acute coronary syndrome managed invasively. 2015 , 115, 1019-26	13
1080	Use, efficacy and safety of prasugrel in patients with ST segment elevation myocardial infarction scheduled for primary percutaneous coronary intervention in clinical practice. Results of the prospective ATACS-registry. 2015 , 184, 122-127	20
1079	Prognostic Benefit of Beta-blockers After Acute Coronary Syndrome With Preserved Systolic Function. Still Relevant Today?. 2015 , 68, 585-91	7
1078	Heart failure: the cardiovascular epidemic of the 21st century. <i>European Heart Journal</i> , 2015 , 36, 395-7	9.5 28
1077	Osteoglycin prevents cardiac dilatation and dysfunction after myocardial infarction through infarct collagen strengthening. 2015 , 116, 425-36	60
1076	Meta-analysis appraising high maintenance dose clopidogrel in patients who underwent percutaneous coronary intervention with and without high on-clopidogrel platelet reactivity. 2015 , 115, 592-601	5
1075	Acute stent thrombosis after primary percutaneous coronary intervention: insights from the EUROMAX trial (European Ambulance Acute Coronary Syndrome Angiography). 2015 , 8, 214-220	66
1074	Predictors of antiplatelet response to prasugrel during maintenance treatment. 2015 , 26, 53-8	16
1073	Impact of out-of-hospital cardiac arrest due to ventricular fibrillation in patients with ST-elevation myocardial infarction admitted for primary percutaneous coronary intervention: Impact of ventricular fibrillation in STEMI patients. 2015 , 4, 16-23	30
1072	Relationship between time to invasive assessment and clinical outcomes of patients undergoing an early invasive strategy after fibrinolysis for ST-segment elevation myocardial infarction: a patient-level analysis of the randomized early routine invasive clinical trials. 2015 , 8, 166-174	27
1071	Management of cardiogenic shock complicating acute myocardial infarction. 2015 , 4, 278-97	20
1070	Milrinone for the Treatment of Acute Heart Failure After Acute Myocardial Infarction: A Systematic Review and Meta-Analysis. 2015 , 117, 186-94	15
1069	Impact of hypoalbuminemia, frailty, and body mass index on early prognosis in older patients (�85 years) with ST-elevation myocardial infarction. 2015 , 66, 263-8	54
1068	Can coronary computed tomography angiography replace invasive angiography? Coronary computed tomography angiography cannot replace invasive angiography. 2015 , 131, 418-25; discussion 426	26
1067	Economic implications of intra-aortic balloon support for myocardial infarction with cardiogenic shock: an analysis from the IABP-SHOCK II-trial. 2015 , 104, 566-73	8
1066	Pharmacotherapy update on the use of vasopressors and inotropes in the intensive care unit. 2015 , 20, 249-60	82
1065	Influence of cardiogenic shock with or without the use of intra-aortic balloon pump on mortality in patients with ST-segment elevation myocardial infarction. 2015 , 6, 19-24	1

1064	Expected impact of applying new 2013 AHA/ACC cholesterol guidelines criteria on the recommended lipid target achievement after acute coronary syndromes. 2015 , 239, 118-24		25
1063	Double-blind, randomized, prospective comparison of loading doses of 600 mg clopidogrel versus 60 mg prasugrel in patients with acute ST-segment elevation myocardial infarction scheduled for primary percutaneous intervention: the ETAMI trial (early thienopyridine treatment to improve		35
1062	Morphine is associated with a delayed activity of oral antiplatelet agents in patients with ST-elevation acute myocardial infarction undergoing primary percutaneous coronary intervention. 2015 , 8,		125
1061	Presentation blood glucose and death, hospitalization, and future diabetes risk in patients with acute heart failure syndromes. <i>European Heart Journal</i> , 2015 , 36, 924-31	9.5	43
1060	Guideline-adherent therapy in patients with acute coronary syndromes. The EPICOR registry in Germany. 2015 , 40 Suppl 1, 27-35		15
1059	Contemporary antithrombotic strategies in patients with acute coronary syndrome admitted to cardiac care units in Italy: The EYESHOT Study. 2015 , 4, 441-52		66
1058	[Clinical practice of systemic lysis in prehospital resuscitation. Success and complication rates]. 2015 , 110, 445-51		
1057	Percutaneous Mechanical Ventricular Support in Acute Cardiac Care: A UK Quaternary Centre Experience Using 2.5L, 3.8L and 5.0L Impella Catheters. 2015 , 4, 47-58		11
1056	Does age modify the relationship between adherence to secondary prevention medications and mortality after acute myocardial infarction? A nested case-control study. 2015 , 71, 243-50		22
1055	Management of cardiogenic shock. <i>European Heart Journal</i> , 2015 , 36, 1223-30	9.5	299
1054	Zotarolimus-eluting versus bare-metal stents in uncertain drug-eluting stent candidates. 2015 , 65, 805-815		178
1053	Pretreatment with antiplatelet drugs in invasively managed patients with coronary artery disease in the contemporary era: review of the evidence and practice guidelines. 2015 , 8, e002301		46
1052	Comparison of cardiovascular magnetic resonance feature tracking and tagging for the assessment of left ventricular systolic strain in acute myocardial infarction. 2015 , 84, 840-8		81
1051	Choosing the right drug to fit the patient when selecting oral anticoagulation for stroke prevention in atrial fibrillation. 2015 , 278, 1-18		53
1050	Desenlaces clínicos en una cohorte de pacientes con síndrome coronario agudo y administración intracoronaria de tirofiban. 2015 , 22, 6-13		
1049	Immediate and midterm outcomes following primary PCI with bioresorbable vascular scaffold implantation in patients with ST-segment myocardial infarction: insights from the multicentre "Registro ABSORB Italiano" (RAI registry). 2015 , 11, 157-62		38
1048	First medical contact in patients with STEMI and its impact on time to diagnosis; an explorative cross-sectional study. 2015 , 5, e007059		27
1047	Impact of non-inhibited platelet supplementation on platelet reactivity in patients treated with prasugrel or ticagrelor for an acute coronary syndrome: An ex vivo study. 2015 , 26, 324-30		26

1046	The Effects of Oxygen Therapy on Myocardial Salvage in ST Elevation Myocardial Infarction Treated with Acute Percutaneous Coronary Intervention: The Supplemental Oxygen in Catheterized Coronary Emergency Reperfusion (SOCCER) Study. 2015 , 132, 16-21	17
1045	Copeptin in acute coronary syndromes and heart failure management: State of the art and future directions. 2015 , 108, 398-407	21
1044	Out-of-hospital cardiac arrest: contemporary management and future perspectives. 2015 , 101, 1505-16	10
1043	Acute myocardial infarction and inter-hospital transfer. 2015 , 101, 998-9	3
1042	Role of primary care physicians in treating patients with ST-segment elevation myocardial infarction located in remote areas (from the REseau Nord-Alpin des Urgences [RENAU], Network). 2015 , 4, 41-50	5
1041	Nationwide trends in use and timeliness of diagnostic coronary angiography in acute coronary syndromes from 2005 to 2011: Does distance to invasive heart centres matter?. 2015 , 4, 333-43	5
1040	Open questions for non-infarct-related arteries in STEMI. 2015 , 386, 630-2	4
1039	Metformine et post-infarctus du myocarde : intff sur la fonction ventriculaire gauche chez le patient non diabtique ?. 2015 , 9, 62-63	
1038	Rationale and design of the Cyclosporine to ImpRove Clinical oUtcome in ST-elevation myocardial infarction patients (the CIRCUS trial). 2015 , 169, 758-766.e6	22
1037	Time-dependent effects of unfractionated heparin in patients with ST-elevation myocardial infarction transferred for primary angioplasty. 2015 , 198, 70-4	7
1036	Ticagrelor, prasugrel, or clopidogrel in ST-segment elevation myocardial infarction: which one to choose?. 2015 , 16, 1983-95	9
1035	Renin-Angiotensin System Antagonists in Patients Without Left Ventricular Dysfunction After Percutaneous Intervention for ST-Segment Elevation Myocardial Infarction. 2015 , 116, 508-14	6
1034	Use of electronic health records to ascertain, validate and phenotype acute myocardial infarction: A systematic review and recommendations. 2015 , 187, 705-11	36
1033	A multicenter observational study on the management of hyperglycemia in patients with acute coronary syndrome. 2015 , 25, 916-23	3
1032	Moderate hypothermia initiated during oxygen-glucose deprivation preserves HL-1 cardiomyocytes. 2015 , 70, 101-8	7
1031	Esmolol for tight heart rate control in patients with STEMI: Design and rationale of the beta-blocker in acute myocardial infarction (BEAT-AMI) trial. 2015 , 190, 351-2	3
1030	Intra-individual ECG changes over 25 years: How long can elective ECGs be used as reference for acute ischemia detection?. 2015 , 48, 490-7	1
1029	Criteria of the German Society of Cardiology for the establishment of chest pain units: update 2014. 2015 , 104, 918-28	28

1028 Myocardial infarction. **2015**, 271-325

1027 Use of Heparin in Acute Ischemic Stroke: Is There Still a Role?. **2015**, 17, 51

8

1026 [Evolution since 2002 of the management of patients with ST elevated acute coronary syndrome (STEMI) in Île-de-France. E-MUST survey]. **2015**, 44, e273-81

4

1025 Complete Revascularization in Patients Undergoing Primary Percutaneous Coronary Intervention for STEMI: Is it Really What We Should Be Doing?. **2015**, 66, 331-332

1024 [Use of ECMO in adult patients with cardiogenic shock: a position paper of the Austrian Society of Cardiology]. **2015**, 110, 407-20

11

1023 Management of the patient with an acute coronary syndrome using oral anticoagulation. **2015**, 23, 407-14

3

1022 Comments on the Long-term Prognosis of Patients With Non-ST-segment Elevation Acute Myocardial Infarction and Coronary Arteries Without Significant Stenosis. Response. **2015**, 68, 821-2

1021 Clinical Comparison With Short-Term Follow-Up of Bioresorbable Vascular Scaffold Versus Everolimus-Eluting Stent in Primary Percutaneous Coronary Interventions. **2015**, 116, 705-10

36

1020 Response to Dual Antiplatelet Therapy Does Not Impact Bleeding Risks in Patients Undergoing Oral Surgery after Acute Coronary Syndromes. **2015**, 132, 119-123

5

1019 Coronary intervention: radial artery access comes of age. **2015**, 385, 2437-9

11

1018 More transparency for a therapeutic window in platelet P2Y12 inhibition?. *European Heart Journal*, **2015**, 36, 1714-7

9.5 2

1017 Stroke in the TOTAL trial: a randomized trial of routine thrombectomy vs. percutaneous coronary intervention alone in ST elevation myocardial infarction. *European Heart Journal*, **2015**, 36, 2364-72

9.5 74

1016 Disease complexity in acute coronary syndrome is related to the patient's immunological status. **2015**, 189, 115-23

7

1015 Percutaneous coronary intervention in the elderly. **2015**, 199, 342-55

20

1014 Spot urine albumin to creatinine ratio outperforms novel acute kidney injury biomarkers in patients with acute myocardial infarction. **2015**, 197, 48-55

17

1013 Organisation of reperfusion therapy for STEMI in a developing country. **2015**, 2, e000240

21

1012 Clinical picture and risk prediction of short-term mortality in cardiogenic shock. **2015**, 17, 501-9

321

1011 Síndrome de Wellens: reconociendo el peligro. **2015**, 22, 244-248

1

1010	Are hospital process quality indicators influenced by socio-demographic health determinants. 2015 , 25, 759-65		4
1009	Update: Acute Heart Failure (VII): Nonpharmacological Management of Acute Heart Failure. 2015 , 68, 794-802		0
1008	Consistency of benefit from an early invasive strategy after fibrinolysis: a patient-level meta-analysis. 2015 , 101, 1554-61		7
1007	Experts' recommendations for the management of adult patients with cardiogenic shock. 2015 , 5, 52		66
1006	Effect of Pericardial Effusion Complicating ST-Elevation Myocardial Infarction as Predictor of Extensive Myocardial Damage and Prognosis. 2015 , 116, 1010-6		8
1005	The impact of therapeutic hypothermia on on-treatment platelet reactivity and clinical outcome in cardiogenic shock patients undergoing primary PCI for acute myocardial infarction: Results from the ISAR-SHOCK registry. 2015 , 136, 87-93		20
1004	Effect of ranolazine on atrial fibrillation in patients with non-ST elevation acute coronary syndromes: observations from the MERLIN-TIMI 36 trial. 2015 , 17, 32-7		40
1003	Antithrombotic therapy in the elderly: expert position paper of the European Society of Cardiology Working Group on Thrombosis. <i>European Heart Journal</i> , 2015 , 36, 3238-49	9.5	129
1002	Modificaci3n de los criterios de Sgarbossa para el diagnostico de infarto agudo de miocardio en presencia de bloqueo de rama izquierda. 2015 , 63, 151-154		1
1001	Management Strategies for Clopidogrel Hypersensitivity. 2015 , 75, 999-1007		3
1000	Selective use of transradial access for endovascular treatment of severe intracranial vertebrobasilar artery stenosis. 2015 , 134, 116-21		16
999	GRACE Score among Six Risk Scoring Systems (CADILLAC, PAMI, TIMI, Dynamic TIMI, Zwolle) Demonstrated the Best Predictive Value for Prediction of Long-Term Mortality in Patients with ST-Elevation Myocardial Infarction. 2015 , 10, e0123215		32
998	Thrombus aspiration in patients with ST elevation myocardial infarction: meta-analysis of 16 randomized trials. 2015 , 15, 175-87		3
997	Acute Coronary Syndromes: Introduction and Pathophysiologic Classification. 2015 , 375-395		
996	Hospital variability in use of anticoagulant strategies during acute myocardial infarction treated with an early invasive strategy. 2015 , 4, e002009		1
995	Troponin I/ejection fraction ratio: a new index to differentiate Takotsubo cardiomyopathy from myocardial infarction. 2015 , 180, 255-7		9
994	Outcomes of Comatose Cardiac Arrest Survivors With and Without ST-Segment Elevation Myocardial Infarction: Importance of Coronary Angiography. 2015 , 8, 1031-1040		110
993	OSACS score-a new simple tool for identifying high risk for Obstructive Sleep Apnea Syndrome based on clinical parameters. 2015 , 15, 50-5		6

992	Platelet effect of prasugrel and ticagrelor in patients with ST-segment elevation myocardial infarction. 2015 , 108, 502-10	6
991	Influence of multivessel disease with or without additional revascularization on mortality in patients with ST-segment elevation myocardial infarction. 2015 , 170, 70-8	16
990	Long-Term Outcomes After Coronary Stent Implantation in Patients Presenting With Versus Without Acute Myocardial Infarction (an Observation from Coronary Revascularization Demonstrating Outcome Study-Kyoto Registry Cohort-2). 2015 , 116, 15-23	9
989	Cardiac Arrest: A Treatment Algorithm for Emergent Invasive Cardiac Procedures in the Resuscitated Comatose Patient. 2015 , 66, 62-73	108
988	Prasugrel increases the need for platelet transfusions and surgical reexploration rates compared with clopidogrel in coronary artery bypass surgery. 2015 , 63, 28-35	13
987	Meta-Analysis of the Impact on Mortality of Noninfarct-Related Artery Coronary Chronic Total Occlusion in Patients Presenting With ST-Segment Elevation Myocardial Infarction. 2015 , 116, 8-14	31
986	β-blocker use and mortality in COPD patients after myocardial infarction: a Swedish nationwide observational study. 2015 , 4,	37
985	Post-PCI Antithrombotic Therapy in Patients Requiring Long-Term Anticoagulation. 2015 , 17, 41	
984	Transradial Primary Percutaneous Coronary Intervention. 2015 , 4, 167-177	2
983	Shotgun analysis of plasma fibrin clot-bound proteins in patients with acute myocardial infarction. 2015 , 135, 754-9	9
982	Decision making in a presumptive case of STEMI-like myocarditis. 2015 , 186, 164-6	
981	Pretreatment of mesenchymal stem cells with angiotensin II enhances paracrine effects, angiogenesis, gap junction formation and therapeutic efficacy for myocardial infarction. 2015 , 188, 22-32	53
980	Strengthening preventive cardiology. 2015 , 24, 427-9	2
979	Lower mortality with pre-hospital electrocardiogram triage by telemedicine support in high risk acute myocardial infarction treated with primary angioplasty: Preliminary data from the Bari-BAT public Emergency Medical Service 118 registry. 2015 , 185, 224-8	16
978	Complete versus culprit-only revascularization in patients with multi-vessel disease undergoing primary percutaneous coronary intervention: A meta-analysis of randomized trials. 2015 , 186, 98-103	22
977	"Fishing" in the era of TOTAL: Thrombectomy in primary PCI. 2015 , 189, 91-3	2
976	Impacto de la fibrilaci3n ventricular que complica el curso de un s3ndrome coronario agudo en la incidencia a largo plazo de muerte s3bita cardiaca. 2015 , 68, 878-884	4
975	Feasibility and safety of an early discharge strategy after low-risk acute myocardial infarction treated with primary percutaneous coronary intervention: the EDAMI pilot trial. 2015 , 130, 120-9	26

974	Physicians' adherence to acute coronary syndrome prescribing guidelines in Vietnamese hospital practice: a cross-sectional study. 2015 , 20, 627-637	5
973	[S3-Guideline: Recommendations for intra-aortic balloon pumping in cardiac surgery]. 2015 , 63 Suppl 2, S131-96	14
972	Myocardial infarction: mechanisms, diagnosis, and complications. <i>European Heart Journal</i> , 2015 , 36, 947-955	9
971	Time-dependent changes of plasma adiponectin concentration in relation to coronary microcirculatory function in patients with acute myocardial infarction treated by primary percutaneous coronary intervention. 2015 , 65, 208-15	13
970	Outcomes of patients hospitalized for suspected acute coronary syndrome, in whom the diagnosis was not confirmed: Results from the CZECH-1 and CZECH-2 registries. 2015 , 57, e1-e5	
969	Is the use of risk scores an indicator of guideline adherence for patients with acute coronary syndromes? Insights from the EYESHOT Registry. 2015 , 187, 80-3	2
968	Characterization of platelet aggregation responses in microminipigs: Comparison with miniature pigs and the influence of dual antiplatelet administration of aspirin plus prasugrel. 2015 , 135, 933-8	4
967	17-year trends in incidence and prognosis of cardiogenic shock in patients with acute myocardial infarction in western Sweden. 2015 , 185, 256-62	47
966	Modeling of in hospital mortality determinants in myocardial infarction patients, with and without type 2 diabetes, undergoing pharmaco-invasive strategy: the first national report using two approaches in Iran. 2015 , 108, 216-22	15
965	The clinical care standards in ACS: towards an integrated approach to evidence translation in ACS care. 2015 , 24, 213-5	7
964	CYP2C19*2 genotype influence in acute coronary syndrome patients undergoing serial clopidogrel dose tailoring based on platelet function testing: Analysis from randomized controlled trial NCT02096419. 2015 , 186, 282-5	5
963	Effects of Rivaroxaban on Platelet Activation and Platelet-Coagulation Pathway Interaction: In Vitro and In Vivo Studies. 2015 , 20, 554-62	56
962	[Transparency and benchmarking for sustainability of the health system]. 2015 , 144, 449-51	3
961	Effective practical management of patients with atrial fibrillation when using new oral anticoagulants. 2015 , 47, 278-88	
960	Telemedicine for cardiovascular disease continuum: A position paper from the Italian Society of Cardiology Working Group on Telecardiology and Informatics. 2015 , 184, 452-458	33
959	Update on the guidelines for the management of ST-elevation myocardial infarction. 2015 , 115, 3A-9A	10
958	Small-size Microparticles as Indicators of Acute Decompensated State in Ischemic Heart Failure. 2015 , 68, 951-8	4
957	Heart-type fatty acid binding protein (H-FABP) in patients in an emergency department setting, suspected of acute coronary syndrome: optimal cut-off point, diagnostic value and future opportunities in primary care. 2015 , 21, 156-63	13

956	["Bridge to recovery"- implantation of an Impella [®] CP in infarct-related cardiogenic shock]. 2015 , 110, 225-30	1
955	Intravenous morphine administration and reperfusion success in ST-elevation myocardial infarction: insights from cardiac magnetic resonance imaging. 2015 , 104, 727-34	57
954	Leukocyte telomere length and left ventricular function after acute ST-elevation myocardial infarction: data from the glycometabolic intervention as adjunct to primary coronary intervention in ST elevation myocardial infarction (GIPS-III) trial. 2015 , 104, 812-21	6
953	Distinct cardioprotective mechanisms of immediate, early and delayed ischaemic postconditioning. 2015 , 110, 452	20
952	Improvement in prehospital time in acute coronary syndrome between 1985 and 2013 in the south-eastern area of Hungary. 2015 , 127, 218-21	1
951	[Use of ECMO in adult patients with cardiogenic shock: a position paper of the Austrian Society of Cardiology]. 2015 , 127, 169-84	4
950	Optical coherence tomography features of angiographic complex and smooth lesions in acute coronary syndromes. 2015 , 31, 927-34	11
949	Adherence to guidelines for the prescription of secondary prevention medication at hospital discharge after acute coronary syndrome: a multicentre study. 2015 , 23, 214-21	19
948	STEMI or non-STEMI: that is the question. 2015 , 23, 243-4	1
947	Multivessel revascularisation versus infarct-related artery only revascularisation during the index primary PCI in STEMI patients with multivessel disease: a meta-analysis. 2015 , 23, 224-31	19
946	Significant narrowing of the circumflex artery leads to worse outcomes than right coronary artery narrowing in patients with anterior myocardial infarction treated invasively. 2015 , 23, 258-62	2
945	Validity of a 5-minute focused echocardiography with A-F mnemonic performed by non-echocardiographers in the management of patients with acute chest pain. 2015 , 13, 16	13
944	Comparison of semi-automated methods to quantify infarct size and area at risk by cardiovascular magnetic resonance imaging at 1.5T and 3.0T field strengths. 2015 , 8, 52	23
943	Recent temporal trends in the presentation, management, and outcome of women hospitalized with acute coronary syndromes. 2015 , 128, 380-8	17
942	Impact of prolonged dual antiplatelet therapy after acute myocardial infarction on 5-year mortality in the FAST-MI 2005 registry. 2015 , 187, 354-60	7
941	Randomized phase 2 trial of intracoronary nitrite during acute myocardial infarction. 2015 , 116, 437-47	73
940	Le choc cardiogénique de l'infarctus du myocarde. 2015 , 27, 29-39	
939	Outcomes with cangrelor versus clopidogrel on a background of bivalirudin: insights from the CHAMPION PHOENIX (A Clinical Trial Comparing Cangrelor to Clopidogrel Standard Therapy in Subjects Who Require Percutaneous Coronary Intervention [PCI]). 2015 , 8, 424-433	27

938	Bivalirudin vs heparin with or without tirofiban during primary percutaneous coronary intervention in acute myocardial infarction: the BRIGHT randomized clinical trial. 2015 , 313, 1336-46	203
937	Preoperative rosuvastatin protects patients with coronary artery disease undergoing noncardiac surgery. 2015 , 131, 30-7	27
936	Pharmacological cardioprotection in diabetes. 2015 , 5, 89-101	
935	Anticoagulation strategies for primary percutaneous coronary intervention: current controversies and recommendations. 2015 , 8,	3
934	Clinical effect of postconditioning in ST-elevation myocardial infarction patients treated with primary percutaneous coronary intervention: a meta-analysis of randomized controlled trials. 2015 , 16, 198-207	2
933	Prognostic impact of established and novel renal function biomarkers in myocardial infarction with cardiogenic shock: A biomarker substudy of the IABP-SHOCK II-trial. 2015 , 191, 159-66	32
932	Sex-related differences after contemporary primary percutaneous coronary intervention for ST-segment elevation myocardial infarction. 2015 , 108, 428-36	11
931	Influence of Morphine on Pharmacokinetics and Pharmacodynamics of Ticagrelor in Patients with Acute Myocardial Infarction (IMPRESSION): study protocol for a randomized controlled trial. 2015 , 16, 198	14
930	CAESAR: one step beyond in the construction of a translational bridge for cardioprotection. 2015 , 116, 554-6	9
929	Sex-related differences in patients with ST-elevation myocardial infarction undergoing primary PCI: A long-term mortality study. 2015 , 16, 135-40	13
928	Impact of a pharmacoinvasive strategy when delays to primary PCI are prolonged. 2015 , 101, 692-8	16
927	Radial versus femoral access in patients with acute coronary syndromes undergoing invasive management: a randomised multicentre trial. 2015 , 385, 2465-76	790
926	Randomized trial of primary PCI with or without routine manual thrombectomy. 2015 , 372, 1389-98	396
925	Long-term use of ticagrelor in patients with prior myocardial infarction. 2015 , 372, 1791-800	1193
924	Development of a postgraduate interventional cardiac nursing curriculum. 2015 , 28, 184-8	6
923	Randomized trial of complete versus lesion-only revascularization in patients undergoing primary percutaneous coronary intervention for STEMI and multivessel disease: the CvLPRIT trial. 2015 , 65, 963-72	479
922	Mesenchymal stromal cells overexpressing vascular endothelial growth factor in ovine myocardial infarction. 2015 , 22, 449-57	21
921	Prasugrel hydrochloride for the treatment of acute coronary syndromes. 2015 , 16, 585-96	4

920	Direct stenting versus pre-dilation in ST-elevation myocardial infarction: a systematic review and meta-analysis. 2015 , 28, 119-31	18
919	Nationwide Analysis of Patients With ST-Segment-Elevation Myocardial Infarction Transferred for Primary Percutaneous Intervention: Findings From the American Heart Association Mission: Lifeline Program. 2015 , 8,	41
918	A multidisciplinary consensus document on follow-up strategies for patients treated with percutaneous coronary intervention. 2015 , 85, E129-39	5
917	Lack of Benefit of Ischemic Postconditioning After Routine Thrombus Aspiration During Reperfusion: Immediate and Midterm Results. 2015 , 20, 523-31	10
916	Selection of P2Y12 antagonist, treatment initiation, and predictors of high on-treatment platelet reactivity in a "Real World" registry. 2015 , 135, 1093-9	12
915	Early P2Y12 inhibition in ST-segment elevation myocardial infarction: Bridging the gap. 2015 , 170, 3-12	24
914	Therapeutic hypothermia in patients with out-of-hospital arrest. 2015 , 101, 1265-71	15
913	Dual antiplatelet therapy tailored on platelet function test after coronary stent implantation: a real-world experience. 2015 , 10, 805-14	4
912	Role of plaque calcification regulators osteoprotegerin and matrix Gla-proteins in stable angina and acute myocardial infarction. 2015 , 16, 156-62	3
911	Roles of the red cell distribution width and neutrophil/lymphocyte ratio in predicting thrombolysis failure in patients with an ST-segment elevation myocardial infarction. 2015 , 26, 274-8	14
910	Timing of percutaneous coronary intervention in troponin-negative patients with acute coronary syndrome without persistent ST-segment elevation: preliminary results and status quo in German chest pain units. 2015 , 14, 7-11	9
909	Outcomes following primary percutaneous coronary intervention for unprotected left main-related ST-segment elevation myocardial infarction. 2015 , 16, 163-9	6
908	Statin use after acute myocardial infarction by patient complexity: are the rates right?. 2015 , 53, 324-31	8
907	High on-treatment platelet reactivity with ticagrelor versus prasugrel: a systematic review and meta-analysis. 2015 , 13, 931-42	40
906	Prevention and treatment of atherosclerosis in haemophilia - how to balance risk of bleeding with risk of ischaemic events. 2015 , 94 Suppl 77, 23-9	8
905	The effect of rivaroxaban on myocardial infarction in the ATLAS ACS 2 - TIMI 51 trial. 2015 , 4, 468-74	15
904	Pharmacology of antithrombotic drugs: an assessment of oral antiplatelet and anticoagulant treatments. 2015 , 386, 281-91	156
903	Clinical evidence for oral antiplatelet therapy in acute coronary syndromes. 2015 , 386, 292-302	49

902	Optimization of door-to-electrocardiogram time within a critical pathway for the management of acute coronary syndromes at a teaching hospital in Colombia. 2015 , 14, 25-30	2
901	Italian Diffuse/Multivessel Disease ABSORB Prospective Registry (IT-DISAPPEARS). Study design and rationale. 2015 , 16, 253-8	8
900	Preinfarction angina: clinical significance and relationship with total ischemic time in patients with ST-elevation myocardial infarction. 2015 , 26, 22-9	5
899	Lateral MI Explains the Presence of Prominent R Wave (R α S) in V1. 2015 , 20, 570-7	3
898	Left Bundle Branch Block in Cardiovascular Disease: Clinical Significance and Remaining Controversies. 2015 , 66, 797-800	3
897	Balloon-to-door time: emerging evidence for shortening hospital stay after primary PCI for STEMI. 2015 , 65, 1172-1174	2
896	Towards a proactive therapy utilizing the modern spectrum of extracorporeal life support: a single-centre experience. 2015 , 30, 113-8	7
895	AhR expression and polymorphisms are associated with risk of coronary arterial disease in Chinese population. 2015 , 5, 8022	35
894	Long-term follow-up of the viability guided angioplasty after acute myocardial infarction (VIAMI) trial. 2015 , 186, 111-6	5
893	Use and impact of thrombectomy in primary percutaneous coronary intervention for acute myocardial infarction with persistent ST-segment elevation: results of the prospective ALKK PCI-registry. 2015 , 104, 803-11	7
892	Universal definition of myocardial infarction: clinical insights. 2015 , 131, 13-21	21
891	Intra-aortic balloon pump counterpulsation (IABP) for myocardial infarction complicated by cardiogenic shock. 2015 , CD007398	58
890	Aktuelle Ergebnisse notfallmedizinischer Forschung 2013/2014. 2015 , 10, 73-96	
889	One-year mortality in patients with acute ST-elevation myocardial infarction in the Vienna STEMI registry. 2015 , 127, 535-42	9
888	A Review of Current Diagnosis, Investigation, and Management of Acute Coronary Syndromes in Elderly Patients. 2015 , 4, 95-116	10
887	Role of the Renin-Angiotensin-Aldosterone System and Its Pharmacological Inhibitors in Cardiovascular Diseases: Complex and Critical Issues. 2015 , 22, 429-44	43
886	Zero-Flow Pressure Measured Immediately After Primary Percutaneous Coronary Intervention for ST-Segment Elevation Myocardial Infarction Provides the Best Invasive Index for Predicting the Extent of Myocardial Infarction at 6 Months: An OxAMI Study (Oxford Acute Myocardial Infarction). 2015 , 8, 1410-1421	35
885	Long-term dual antiplatelet therapy for secondary prevention of cardiovascular events in the subgroup of patients with previous myocardial infarction: a collaborative meta-analysis of randomized trials. <i>European Heart Journal</i> , 2016 , 37, 390-9	9.5 232

884	Quality of inpatient care in public and private hospitals in Sri Lanka. 2015 , 30 Suppl 1, i46-58	13
883	Door to Balloon Time: Is There a Point That Is Too Short?. 2015 , 58, 230-40	10
882	Investigational new drugs for the treatment of acute coronary syndrome. 2015 , 24, 1557-70	2
881	Thrombozytenhemmung auf der Intensivstation. 2015 , 11, 45-60	
880	Transradial versus transfemoral approach for percutaneous coronary intervention in cardiogenic shock: A radial-first centre experience and meta-analysis of published studies. 2015 , 108, 563-75	19
879	Granulocyte-colony stimulating factor for large anterior ST-elevation myocardial infarction: rationale and design of the prospective randomized phase III STEM-AMI OUTCOME trial. 2015 , 170, 652-658.e7 ⁹	
878	Exercise attenuates inflammation and limits scar thinning after myocardial infarction in mice. 2015 , 309, H345-59	28
877	Impact of arterial access site on outcomes after primary percutaneous coronary intervention: prespecified subgroup analysis from the EUROMAX trial. 2015 , 8, e002049	15
876	Interventional cardiology: in search of the balance between ischaemia and bleeding. <i>European Heart Journal</i> , 2015 , 36, 1197-9	9.5 2
875	2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: The Task Force for the Management of Patients with Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death of the European Society of Cardiology (ESC) and the Association for European Cardiac Physicians in the Field of Arrhythmology (AEAC). 2015 , 68, 976-995.e10	426
874	Quality Markers in Cardiology. Main Markers to Measure Quality of Results (Outcomes) and Quality Measures Related to Better Results in Clinical Practice (Performance Metrics). INCARDIO (Indicadores de Calidad en Unidades Asistenciales del Rea del Coraz�n): A SEC/SECTCV Consensus Position Paper. 2015 , 68, 976-995.e10	1
873	Gradual increase in thrombogenicity of juvenile platelets formed upon offset of prasugrel medication. 2015 , 100, 1131-8	13
872	Fractional Flow Reserve in Acute Myocardial Infarction: A Guide for Non-Culprit Lesions?. 2015 , 4, 39-46	2
871	Impact of multivessel revascularization on health status outcomes in patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease. 2015 , 66, 2104-2113	9
870	Long-term medication adherence in patients with ST-elevation myocardial infarction and primary percutaneous coronary intervention. 2015 , 22, 890-8	10
869	Increased expression of NAMPT in PBMC from patients with acute coronary syndrome and in inflammatory M1 macrophages. 2015 , 243, 204-10	35
868	Dolor tor�xico en Urgencias. 2015 , 11, 5167-5174	1
867	European Resuscitation Council Guidelines for Resuscitation 2015 Section 8. Initial management of acute coronary syndromes. 2015 , 95, 264-77	56

866	Accessibility to Reperfusion Therapy Among Women with Acute Myocardial Infarction: Impact on Hospital Mortality. 2015 , 24, 882-8	7
865	Predicting the Presence of an Acute Coronary Lesion Among Patients Resuscitated From Cardiac Arrest. 2015 , 8,	22
864	Immediate Percutaneous Coronary Intervention Is Associated With Improved Short- and Long-Term Survival After Out-of-Hospital Cardiac Arrest. 2015 , 8,	89
863	Post-Resuscitation ECG for Selection of Patients for Immediate Coronary Angiography in Out-of-Hospital Cardiac Arrest. 2015 , 8,	43
862	How Much Is Enough—What More Is Needed?. 2015 , 8,	5
861	BLT1 antagonist LSN2792613 reduces infarct size in a mouse model of myocardial ischaemia-reperfusion injury. 2015 , 108, 367-76	18
860	Trends in Gender Differences in Cardiac Care and Outcome After Acute Myocardial Infarction in Western Sweden: A Report From the Swedish Web System for Enhancement of Evidence-Based Care in Heart Disease Evaluated According to Recommended Therapies (SWEDEHEART). 2015 , 4,	55
859	Transcatheter aortic valve implantation - what the general physician needs to know. 2015 , 15, 420-5	4
858	Effect of Metformin on Renal Function After Primary Percutaneous Coronary Intervention in Patients Without Diabetes Presenting with ST-elevation Myocardial Infarction: Data from the GIPS-III Trial. 2015 , 29, 451-9	13
857	[Acute myocardial infarction in Morocco: FES-AMI registry data]. 2015 , 64, 434-8	2
856	Assessment of the safety and effectiveness of emergency department STEMI bypass by defibrillation-only emergency medical technicians/primary care paramedics. 2015 , 19, 191-201	13
855	Effects of New Antiplatelet Agents and Aldosterone Receptor Antagonists on Mortality in Patients with Myocardial Infarction. 2015 , 29, 495	2
854	Going beyond the hard endpoints: "quality of life" may be dependent on quality of available data. 2015 , 66, 2114-2115	3
853	Protocolo diagnóstico-terapéutico del síndrome coronario agudo con elevación del ST en Urgencias. 2015 , 11, 5214-5217	
852	Traitement médicamenteux du syndrome coronarien aigu du sujet âgé. 2015 , 2015, 8-11	
851	Primary PCI is associated with different cardiac autonomic patterns in relation to the site of myocardial infarction. 2015 , 26, 792-7	3
850	Tratamiento no farmacológico de la insuficiencia cardiaca aguda. 2015 , 68, 794-802	3
849	European Resuscitation Council and European Society of Intensive Care Medicine Guidelines for Post-resuscitation Care 2015: Section 5 of the European Resuscitation Council Guidelines for Resuscitation 2015. 2015 , 95, 202-22	648

848	Safety and health status following early discharge in patients with acute myocardial infarction treated with primary PCI: a randomized trial. 2015 , 22, 1427-34	33
847	Arterial stiffness as a predictor of recovery of left ventricular systolic function after acute myocardial infarction treated with primary percutaneous coronary intervention. 2015 , 31, 1545-51	9
846	Safety and Efficacy of Staged Percutaneous Coronary Intervention During Index Admission for ST-Elevation Myocardial Infarction With Multivessel Coronary Disease (Insights from the University of Ottawa Heart Institute STEMI Registry). 2015 , 116, 1157-62	15
845	Apixaban Plus Mono Versus Dual Antiplatelet Therapy in Acute Coronary Syndromes: Insights From the APPRAISE-2 Trial. 2015 , 66, 777-787	31
844	Long-term ischaemic and bleeding outcomes after primary percutaneous coronary intervention for ST-elevation myocardial infarction in the elderly. 2015 , 23, 477-482	4
843	A guideline for the use of variable rate intravenous insulin infusion in medical inpatients. 2015 , 32, 706-13	18
842	Worse outcome in women with STEMI: a systematic review of prognostic studies. 2015 , 45, 226-35	31
841	Comparison of the management and in-hospital outcomes of acute coronary syndrome patients in Australia and New Zealand: results from the binational SNAPSHOT acute coronary syndrome 2012 audit. 2015 , 45, 497-509	5
840	Exercise without digestive enzyme supplementation worsens nutritional status of frail older women. 2015 , 63, 386-8	
839	Primary percutaneous coronary intervention for ST elevation myocardial infarction in nonagenarians: a multicenter study. 2015 , 63, 384-6	1
838	Preventive versus culprit-only percutaneous coronary intervention in ST-elevation myocardial infarction patients with multivessel disease: a meta-analysis. 2015 , 28, 1-13	9
837	Outcomes by day and night for patients bypassing the emergency department presenting with ST-segment elevation myocardial infarction identified with a pre-hospital electrocardiogram. 2015 , 28, 24-31	3
836	Bypassing the emergency room to reduce door-to-balloon time and improve outcomes of ST elevation myocardial infarction patients: analysis of data from 2004-2010 ACSIS registry. 2015 , 28, 141-6	9
835	Dual antiplatelet therapy: optimal timing, management, and duration. 2015 , 1, 198-204	22
834	Management and decision-making process leading to coronary angiography and revascularization in octogenarians with coronary artery disease: Insights from a large single-center registry. 2015 , 15, 544-52	2
833	Changing Trends in, and Characteristics Associated with, Not Undergoing Cardiac Catheterization in Elderly Adults Hospitalized with ST-Segment Elevation Acute Myocardial Infarction. 2015 , 63, 925-31	9
832	Trends in 28-day and 1-year mortality rates in patients hospitalized for a first acute myocardial infarction in Norway during 2001-2009: a "Cardiovascular disease in Norway" (CVDNOR) project. 2015 , 277, 353-361	18
831	Culprit-Only vs. Complete Revascularization During ST-Segment Elevation Myocardial Infarction. 2015 , 58, 260-6	11

830	Assessment of the efficacy and tolerability of clopidogrel napadisilate in Korean patients with coronary stenting: a multicenter, prospective, open-label, randomized trial. 2015 , 31, 449-57		1
829	Impact of telemedicine support by remote pre-hospital electrocardiogram on emergency medical service management of subjects with suspected acute cardiovascular disease. 2015 , 199, 215-20		6
828	Management of Multivessel Coronary Disease in ST-segment Elevation Myocardial Infarction. 2015 , 17, 632		6
827	[Diagnostic value of left bundle branch block in patients with acute myocardial infarction. A prospective analysis]. 2015 , 40, 1107-14		4
826	Rapid and portable, lab-on-chip, point-of-care genotyping for evaluating clopidogrel metabolism. 2015 , 451, 240-6		19
825	[Acute coronary syndrome]. 2015 , 140, 97-103		0
824	The regional myocardial infarction registry of Saxony-Anhalt (RHESA) in Germany - rationale and study protocol. 2015 , 15, 45		4
823	Impact of atrial fibrillation type during acute coronary syndromes: Clinical features and prognosis. 2015 , 34, 403-10		15
822	European Resuscitation Council Guidelines for Resuscitation 2015: Section 1. Executive summary. 2015 , 95, 1-80		622
821	Acute coronary syndromes. 2015 , 351, h5153		28
820	Part 8: Post-Cardiac Arrest Care: 2015 American Heart Association Guidelines Update for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. 2015 , 132, S465-82		913
819	Efficacy and safety of ticagrelor for long-term secondary prevention of atherothrombotic events in relation to renal function: insights from the PEGASUS-TIMI 54 trial. <i>European Heart Journal</i> , 2016 , 37, 400-8	9.5	54
818	Underutilization of Radial Access in Patients Undergoing Percutaneous Coronary Intervention for ST-Segment-Elevation Myocardial Infarction: Insights From the Blue Cross Blue Shield of Michigan Cardiovascular Consortium. 2015 , 8,		13
817	Part 5: Acute Coronary Syndromes: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science With Treatment Recommendations. 2015 , 132, S146-76		32
816	Cost-effectiveness Analysis of Rivaroxaban in the Secondary Prevention of Acute Coronary Syndromes in Sweden. 2015 , 4, 131-53		4
815	Part 5: Acute coronary syndromes: 2015 International Consensus on Cardiopulmonary Resuscitation and Emergency Cardiovascular Care Science with Treatment Recommendations. 2015 , 95, e121-46		46
814	Repeated echocardiography after first ever ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention--is it necessary?. 2015 , 4, 528-36		15
813	Data quality issues impede comparability of hospital treatment delay performance indicators. 2015 , 23, 420-7		6

812	Initial complications and factors related to prehospital mortality in acute myocardial infarction with ST segment elevation. 2015 , 32, 559-63		8
811	Vagal nerve stimulation started just prior to reperfusion limits infarct size and no-reflow. 2015 , 110, 508		46
810	[Evolution of the interventional reperfusion strategy and reperfusion times in acute ST-segment elevation myocardial infarction]. 2015 , 64, 325-33		0
809	Usefulness of the Logistic Clinical Syntax Score in Prediction of Saphenous Vein Graft Failure in Patients Undergoing Coronary Artery Bypass Grafting. 2015 , 66, 714-20		2
808	Reperfusion therapy for acute myocardial infarction: Concepts and controversies from inception to acceptance. 2015 , 170, 971-80		45
807	Quantitative Dobutamine Stress Echocardiography Using Speckle-Tracking Analysis versus Conventional Visual Analysis for Detection of Significant Coronary Artery Disease after ST-Segment Elevation Myocardial Infarction. 2015 , 28, 1379-89.e1		23
806	Cyclosporine before PCI in Patients with Acute Myocardial Infarction. 2015 , 373, 1021-31		412
805	2015 ESC Guidelines for the management of patients with ventricular arrhythmias and the prevention of sudden cardiac death: The Task Force for the Management of Patients with Ventricular Arrhythmias and the Prevention of Sudden Cardiac Death of the European Society of Cardiology (ESC). Endorsed by: Association for European Paediatric and Congenital Cardiology	9.5	2187
804	Coronary atherosclerosis and adverse outcomes in patients with recent-onset atrial fibrillation and troponin rise. 2015 , 33, 1407-13		8
803	Bivalirudin or Unfractionated Heparin in Acute Coronary Syndromes. 2015 , 373, 997-1009		263
802	Prevention of Cardiovascular Diseases. 2015 ,		
801	Biomarkers in acute coronary syndrome. 2015 , 8, 20-23		12
800	Statin-Induced Cardioprotection Against Ischemia-Reperfusion Injury: Potential Drug-Drug Interactions. Lesson to be Learnt by Translating Results from Animal Models to the Clinical Settings. 2015 , 29, 461-7		15
799	Usefulness of two-dimensional longitudinal strain pattern to predict left ventricular recovery and in-hospital complications after acute anterior myocardial infarction treated successfully by primary angioplasty. 2015 , 28, 1366-75		10
798	Optimizing Early Rule-Out Strategies for Acute Myocardial Infarction: Utility of 1-Hour Copeptin. 2015 , 61, 1466-74		6
797	Controversies in Cardiology. 2015 ,		
796	Prise en charge de la fibrillation atriale en médecine d'urgence. Recommandations de la Société française de médecine d'urgence en partenariat avec la Société française de cardiologie. 2015 , 5, 260-279		3
795	Stroke: cardiac causes and their management. <i>European Heart Journal</i> , 2015 , 36, 2339-41	9.5	1

794	Advances in temporary mechanical support for treatment of cardiogenic shock. 2015 , 12, 689-702	3
793	Comparison of Changes in Global Longitudinal Peak Systolic Strain After ST-Segment Elevation Myocardial Infarction in Patients With Versus Without Diabetes Mellitus. 2015 , 116, 1334-9	12
792	Incidence, diagnostic methods, and evolution of left ventricular thrombus in patients with anterior myocardial infarction and low left ventricular ejection fraction: a prospective multicenter study. 2015 , 170, 256-62	51
791	Aspirin dosing in cardiovascular disease prevention and management: an update. 2015 , 40, 499-511	4
790	Enhanced Platelet Toll-like Receptor 2 and 4 Expression in Acute Coronary Syndrome and Stable Angina Pectoris. 2015 , 116, 1666-71	20
789	Should we reserve mechanical thrombectomy to patients with short (or long) ischemic time? A critical view at the data. 2015 , 7, 1-3	1
788	The no-reflow phenomenon: State of the art. 2015 , 108, 661-74	90
787	The coronary circulation: plaques, collaterals, and the microcirculation. <i>European Heart Journal</i> , 2015 , 36, 3125-7	9.5
786	Relationship between Neutrophil-to-Lymphocyte Ratio and Left Ventricular Free Wall Rupture in Acute Myocardial Infarction. 2015 , 132, 105-110	6
785	[ST elevation myocardial infarction (STEMI) in patients aged 85 and over. Invasive management versus exclusive medical treatment: Departmental study]. 2015 , 64, 345-51	1
784	Imaging in coronary artery disease. Cardiac magnetic resonance.. 2015 , 57, e453-e461	1
783	Impact of Acute Coronary Syndrome Complicated by Ventricular Fibrillation on Long-term Incidence of Sudden Cardiac Death. 2015 , 68, 878-84	1
782	Intracoronary Infusion of Thioflavin-S to Study Microvascular Obstruction in a Model of Myocardial Infarction. 2015 , 68, 928-34	6
781	Importance of Clinical Research in Percutaneous Coronary Interventions: the Case of Thrombectomy. 2015 , 68, 737-9	
780	Use of drug-eluting versus bare-metal stents after an acute coronary syndrome in Portugal: the EURHOBOP study. 2015 , 34, 449-56	4
779	Applicability of the Zwolle risk score for safe early discharge after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. 2015 , 34, 535-41	16
778	Applicability of the Zwolle risk score for safe early discharge after primary percutaneous coronary intervention in ST-segment elevation myocardial infarction. 2015 , 34, 535-541	6
777	Actualizaci3n en el manejo de f3rmacos vasoactivos en insuficiencia cardiaca aguda y shock cardiog3nico y mixto. 2015 , 15, 8-14	

776	Comentarios al pronóstico a largo plazo de pacientes con infarto agudo de miocardio sin elevación del segmento ST y arterias coronarias sin estenosis significativa. Respuesta. 2015 , 68, 821-822	
775	Chronicles of the end of the femoral-only era and the rise of radial access in the modern era of tailored vascular approaches in the catheterization laboratory. 2015 , 25, 714-6	
774	Comparison of Outcomes of Patients With ST-Segment Elevation Myocardial Infarction Treated by Primary Percutaneous Coronary Intervention Analyzed by Age Groups (85 Years); (Results from the Bremen STEMI Registry). 2015 , 116, 1802-9	42
773	[A case, a review: We have to promote radial approach for acute coronary syndrome]. 2015 , 64, 449-52	
772	[A case review: About a STEMI in the very elderly]. 2015 , 64, 492-8	
771	A cluster randomized trial of objective risk assessment versus standard care for acute coronary syndromes: Rationale and design of the Australian GRACE Risk score Intervention Study (AGRIS). 2015 , 170, 995-1004.e1	18
770	4-((R)-2-[[6-((S)-3-Methoxypyrrolidin-1-yl)-2-phenylpyrimidine-4-carbonyl]amino]-3-phosphonopropionyl)piperazine-1-carboxylic Acid Butyl Ester (ACT-246475) and Its Prodrug (ACT-281959), a Novel P2Y12 Receptor Antagonist with a Wider Therapeutic Window in the Rat Than Clopidogrel. 2015 , 58, 9133-53	32
769	Efficacy and Safety of Vorapaxar With and Without a Thienopyridine for Secondary Prevention in Patients With Previous Myocardial Infarction and No History of Stroke or Transient Ischemic Attack: Results from TRA 2°P-TIMI 50. 2015 , 132, 1871-9	30
768	Criterios de Sgarbossa: ¿es momento de actualizarlos?. 2015 , 22, 294-297	0
767	Major publications in the critical care pharmacotherapy literature: January-December 2014. 2015 , 72, 1974-85	4
766	The coronary angiography - An old-timer in great shape. 2015 , 57, e419-e424	6
765	Midterm outcomes of bare-metal stenting after primary stenting for ST-segment elevated myocardial infarctions in the drug-eluting stent era: a propensity score-matched comparison with sirolimus-eluting stent. 2015 , 30, 234-43	2
764	Effects of tirofiban on platelet activation and endothelial function in patients with ST-elevation myocardial infarction undergoing primary percutaneous coronary intervention. 2015 , 71, 135-42	11
763	Acute electrocardiographic differences between Takotsubo cardiomyopathy and anterior ST elevation myocardial infarction. 2015 , 48, 79-85	14
762	Importance of primary percutaneous coronary intervention for reducing mortality in ST-elevation myocardial infarction complicated by out of hospital cardiac arrest. 2015 , 4, 378-85	8
761	Native T1 in discrimination of acute and convalescent stages in patients with clinical diagnosis of myocarditis: a proposed diagnostic algorithm using CMR. 2015 , 8, 37-46	141
760	Prognostic implication of out-of-hospital cardiac arrest in patients with cardiogenic shock and acute myocardial infarction. 2015 , 87, 57-62	34
759	Microparticles and sudden cardiac death due to coronary occlusion. The TIDE (Thrombus and Inflammation in sudden DEath) study. 2015 , 4, 28-36	34

758	Agreement between cardiologists and fellows in interpretation of ischemic electrocardiographic changes in acute myocardial infarction. 2015 , 48, 213-7	5
757	Treatment of Kounis syndrome. 2015 , 181, 133-4	6
756	A review of a regional primary percutaneous coronary intervention service, with a focus on door to reperfusion times: the 2012 Auckland/Northland experience. 2015 , 24, 11-20	1
755	The German CPU Registry: Dyspnea independently predicts negative short-term outcome in patients admitted to German Chest Pain Units. 2015 , 181, 88-95	14
754	Impact of common ABCB1 polymorphism on pharmacokinetics and pharmacodynamics of clopidogrel and its metabolites. 2015 , 40, 226-31	19
753	Incidence and timing of serious arrhythmias after early revascularization in non ST-elevation myocardial infarction. 2015 , 4, 359-64	3
752	Support with intra-aortic balloon pump vs. Impella2.5 and blood flow to the heart, brain and kidneys - an experimental porcine model of ischaemic heart failure. 2015 , 178, 153-8	15
751	Comparison of exercise electrocardiogram and exercise echocardiography in intermediate-risk chest pain patients. 2015 , 33, 7-13	1
750	Treating thrombus in the coronary arteries. 2015 , 40, 60-5	2
749	Real world comparison of the MGuard Stent versus the bare metal stent for ST elevation myocardial infarction (the REWARD-MI study). 2015 , 85, E1-9	11
748	Glucemia en los síndromes coronarios agudos. ¿Hasta qué nivel debe reducirse?. 2015 , 68, 25-30	4
747	Blood glucose in acute coronary syndromes. How low should you go?. 2015 , 68, 25-30	
746	Prognosis and management of acute coronary syndrome in Spain in 2012: the DIOCLES study. 2015 , 68, 98-106	7
745	Early discharge (within 72 h) in low risk patients after acute ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. Single centre experience. 2015 , 57, e45-e49	1
744	COMparison of Platelet reactivity following prasugrel and ticagrelor loading dose in ST-Segment elevation myocardial infarction patients: The COMPASSION study. 2015 , 26, 570-2	12
743	[Atypical MRI image of Tako-Tsubo syndrome: a case report]. 2015 , 64, 54-8	
742	Secondary Mitral Valve Regurgitation. 2015 ,	
741	Safety and efficacy of in-hospital clopidogrel-to-prasugrel switching in patients with acute coronary syndrome. An analysis from the 'real world'. 2015 , 39, 499-507	17

740	Everolimus-eluting stent versus bare-metal stent in elderly (≥75 years) versus non-elderly (. 2015 , 179, 73-8	15
739	The cellular immune system in the post-myocardial infarction repair process. 2015 , 179, 240-7	37
738	Effects of upstream administration of tirofiban before percutaneous coronary intervention on spontaneous reperfusion and clinical outcomes in acute ST-segment elevation myocardial infarction. 2015 , 66, 70-8	6
737	Pronóstico y manejo del síndrome coronario agudo en España en 2012: estudio DIOCLES. 2015 , 68, 98-106	80
736	No long-term clinical benefit from manual aspiration thrombectomy in ST-elevation myocardial infarction patients. Data from NRDES registry. 2015 , 85, E16-22	4
735	The Utility of the Platelet-Lymphocyte Ratio for Predicting No Reflow in Patients With ST-Segment Elevation Myocardial Infarction. 2015 , 21, 223-8	55
734	Dyspnoea management in acute coronary syndrome patients treated with ticagrelor. 2015 , 4, 555-60	33
733	Five years of Stent for Life in Portugal. 2021 , 40, 81-90	2
732	Primary percutaneous coronary intervention is appropriate in transient ST-elevation myocardial infarction. 2021 ,	
731	Paramedic versus physician-staffed ambulances and prehospital delays in the management of patients with ST-segment elevation myocardial infarction. 2021 , 28, 110-117	1
730	CHECKING THE ASSOCIATION OF FIVE SNP WITH UNVALVED ATRIAL FIBRILLATION IN PATIENTS WITH ACUTE CORONARY SYNDROME. 42-52	
729	Pretreatment with antiplatelet drugs improves the cardiac function after myocardial infarction without reperfusion in a mouse model. 2021 , 28, 118-128	3
728	Anticoagulants Used in Cardiac Catheterization of Patients With Chronic Lymphocytic Leukemia: A Case Report and Overview. 2021 , 13, e13633	
727	CMR for myocardial characterization in ischemic heart disease: state-of-the-art and future developments. 2021 , 5, 14	7
726	Efficacy and safety of colchicine for the prevention of major cardiovascular and cerebrovascular events in patients with coronary artery disease: a systematic review and meta-analysis on 12'869 patients. 2021 ,	8
725	Cost-effectiveness of percutaneous coronary intervention versus medical therapy in patients with acute myocardial infarction: real-world and lifetime-horizon data from Taiwan. 2021 , 11, 5608	
724	Comparison of the efficacy and safety of ticagrelor and clopidogrel in patients with acute coronary syndrome after risk stratification. 2021 , 97 Suppl 2, 1032-1039	0
723	Fibrinogen-to-albumin ratio predicts long-term outcomes for patients with ST-elevation myocardial infarction and multivessel disease: A prospective observational cohort study. 2021 , 21, 465	2

722	Management of Patient with Simultaneous Overt Gastrointestinal Bleeding and Myocardial Infarction with ST-Segment Elevation - Priority Endoscopy. 2021 , 17, 123-133	1
721	Improved Practical Synthesis of DY-038, an Oral Available Antiplatelet Agent. 2021 , 6, 3183-3186	
720	Impact of Morphine Treatment With and Without Metoclopramide Coadministration on Myocardial and Microvascular Injury in Acute Myocardial Infarction: Insights From the Randomized MonAMI Trial. 2021 , 10, e018881	4
719	In Comparison to Pathological Q Waves, Selvester Score is a Superior Diagnostic Indicator of Increased Long-Term Mortality Risk in ST Elevation Myocardial Infarction Patients Treated with Primary Coronary Intervention. 2021 , 11,	
718	An update on levosimendan in acute cardiac care: applications and recommendations for optimal efficacy and safety. 2021 , 19, 325-335	4
717	Case Report: Successful primary percutaneous coronary intervention in octogenarian with acute-on-chronic kidney disease and total atrioventricular block after acute myocardial infarction. 10, 267	
716	Electrical storm reveals worse prognosis compared to myocardial infarction complicated by ventricular tachyarrhythmias in ICD recipients. 2021 , 36, 1701-1711	0
715	Risk Prediction Model Based on Biomarkers of Remodeling in Patients with Acute Anterior ST-Segment Elevation Myocardial Infarction. 2021 , 27, e927404	1
714	Influence of left ventricular systolic function on the long-term benefit of beta-blockers after ST-segment elevation myocardial infarction. 2021 , 40, 285-290	6
713	Influence of left ventricular systolic function on the long-term benefit of beta-blockers after ST-segment elevation myocardial infarction. 2021 , 40, 285-290	
712	Estimation copeptin level and some biological criteria in induced male atherogenic rat. 2021 ,	
711	Effects of Different Exercise Interventions on Cardiac Function in Rats With Myocardial Infarction. 2021 , 30, 773-780	1
710	The Association between Multi-Vessel Coronary Artery Disease and High On-Aspirin Platelet Reactivity. 2021 , 1	1
709	Direct Oral Anticoagulants vs Vitamin K Antagonists in Left Ventricular Thrombi: A Systematic Review and Meta-analysis. 2021 , 3, 1169-1181	5
708	Analysis of the hospitalization time impact on hospital mortality from acute myocardial infarction. 2021 , 88-94	
707	Outcomes after delayed primary percutaneous coronary intervention versus pharmaco-invasive strategy in ST-segment elevation myocardial infarction in Norway. 2021 ,	1
706	Is there an optimal dose of cardiac rehabilitation in coronary artery disease patients?. 2021 , 330, 7-11	2
705	Changes in non-culprit lesion severity on follow-up coronary angiography after primary percutaneous coronary intervention.	

704	Non-Persistence With Antiplatelet Medications Among Older Patients With Peripheral Arterial Disease. 2021 , 12, 687549	1
703	Morphine enhances LPS-induced macrophage apoptosis through a PPAR α -dependent mechanism. 2021 , 22, 714	1
702	Impact of Acute Insulin Resistance on Myocardial Blush in Non-Diabetic Patients Undergoing Primary Percutaneous Coronary Intervention. 2021 , 8, 647366	
701	Trends in ST-elevation myocardial infarction. 2022 , 31, 1-8	0
700	Relationship between blood viscosity and no-reflow phenomenon in ST-segment elevation myocardial infarction performed in primary percutaneous coronary interventions. 2021 , 15, 659-667	1
699	Associations of Lipoprotein(a) With Coronary Atherosclerotic Burden and All-Cause Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. 2021 , 8, 638679	0
698	Cost-Effectiveness of Ticagrelor Compared with Clopidogrel in Patients with Acute Coronary Syndrome from Vietnamese Healthcare Payers' Perspective. 2021 , 38, 4026-4039	1
697	Evidence-based oral antiplatelet therapy among hospitalized Chinese patients with acute myocardial infarction: results from the Chinese acute myocardial infarction registry. 2021 , 21, 299	0
696	Total numbers and in-hospital mortality of patients with myocardial infarction in Germany during the FIFA soccer world cup 2014. 2021 , 11, 11330	0
695	Prognostic Value of Multilayer Left Ventricular Global Longitudinal Strain in Patients with ST-segment Elevation Myocardial Infarction with Mildly Reduced Left Ventricular Ejection Fractions. 2021 , 152, 11-18	0
694	Dynamics of Myocardial Remodeling Activity Markers in Patients with Myocardial Infarction with Persistent ST-Segment Elevation on the Background of Multivascular Coronary Artery Disease Depending on Diagnostic and Treatment Tactics. 2021 , 29-34	
693	Feasibility and safety of cangrelor in patients with suboptimal P2Y inhibition undergoing percutaneous coronary intervention: rationale of the Dutch Cangrelor Registry. 2021 , 21, 292	0
692	Evaluation of shock index and modified shock index in estimation of MACE parameters in patients with ST elevated myocardial infarction. 2021 , 46, 410-417	
691	Intra-aortic balloon pump on in-hospital outcomes of cardiogenic shock: findings from a nationwide registry, China. 2021 , 8, 3286-3294	2
690	Aspiration Thrombectomy. 2021 , 10, 317-322	
689	Impact of Percutaneous Coronary Intervention and Implantation of Intra-Aortic Balloon Pump on the Outcome of an Acute Total Obstruction of the Left Main Coronary Artery. 2021 , 2021, 5522501	
688	Initiation of and persistence with P2Y12 inhibitors in patients with myocardial infarction according to revascularization strategy: a nationwide study. 2021 , 10, 774-786	
687	Association between Plasma Thiol Parameters and Troponin Levels in Patients with Acute Coronary Syndrome and Prediction of In-Hospital Ventricular Arrhythmia. 2021 , 117, 465-473	0

686	Association between thrombolysis in myocardial infarction grade and clinical outcome after emergent percutaneous coronary intervention in patients with acute myocardial infarction who have suffered out-of-hospital cardiac arrest: the Yamagata AMI registry. 2021 , 1			1
685	[Anticoagulation and platelet aggregation inhibition : What needs to be considered in the ophthalmological practice]. 2021 , 118, 1287-1300			
684	Influence of Factors Affecting Quality of Life on in-Hospital Cardiovascular Events of Patients with Acute Myocardial Infarction with and without ST-segment Elevation. 2021 ,			
683	Randomized comparison of early supplemental oxygen versus ambient air in patients with confirmed myocardial infarction: Sex-related outcomes from DETO2X-AMI. 2021 , 237, 13-24			1
682	Did inter-hospital transfer reduce mortality in patients with acute myocardial infarction in the real world? A nationwide patient cohort study. 2021 , 16, e0255839			0
681	Fatigue Is Associated With Diminished Cardiovascular Response to Anticipatory Stress in Patients With Coronary Artery Disease. 2021 , 12, 692098			0
680	Prognostic impact of iron deficiency in acute coronary syndromes. 2021 , 40, 525-536			1
679	Antiplatelet therapy and outcomes following endovascular therapy for acute ischemic stroke: A systemic review and meta-analysis. 2021 , 90, 332-344			
678	Reperfusion therapies and in-hospital outcomes for ST-elevation myocardial infarction in Europe: the ACVC-EAPCI EORP STEMI Registry of the European Society of Cardiology. <i>European Heart Journal</i> , 2021 , 42, 4536-4549	9.5		5
677	Ticagrelor or clopidogrel dual antiplatelet therapy following a pharmacoinvasive strategy in ST-segment elevation myocardial infarction. 2021 , 44, 1543-1550			2
676	Assessment Framework for Recognizing Clinical Deterioration in Patients With ACS Undergoing PCI. 2021 , 41, 18-28			
675	Transient ST-elevation myocardial infarction versus persistent ST-elevation myocardial infarction. An appraisal of patient characteristics and functional outcome. 2021 , 336, 22-28			1
674	Clinical efficacy and safety of tirofiban combined with conventional dual antiplatelet therapy in ACS patients undergoing PCI. 2021 , 11, 17144			0
673	Impacto prognóstico do dfice de ferro nas sñdromes coronÁrias agudas. 2021 , 40, 525-536			1
672	ANMCO POSITION PAPER: Role of intra-aortic balloon pump in patients with acute advanced heart failure and cardiogenic shock. 2021 , 23, C204-C220			1
671	Diagnosis and Management of Heart Failure in Elderly Patients from Hospital Admission to Discharge: Position Paper. 2021 , 10,			1
670	Risks of Recurrent Cardiovascular Events and Mortality in 1-Year Survivors of Acute Myocardial Infarction Implanted with Newer-Generation Drug-Eluting Stents. 2021 , 10,			0
669	Non-opioid analgesics in patients undergoing percutaneous coronary intervention: hype or hope?. <i>European Heart Journal</i> , 2021 , 42, 4037-4039	9.5		1

668	Comparative effect of statin intensity between prediabetes and type 2 diabetes mellitus after implanting newer-generation drug-eluting stents in Korean acute myocardial infarction patients: a retrospective observational study. 2021 , 21, 386	1
667	Ventricular arrhythmias. Ventricular tachycardias and sudden cardiac death. 2020 Clinical guidelines. 2021 , 26, 4600	9
666	Early Diagnosis of Complications of ST-elevation Myocardial Infarction with 2D Echocardiography. 2021 , 6, 17-20	
665	Correlates of Delayed Initial Contact to Emergency Services among Patients with Suspected ST-Elevation Myocardial Infarction. 2021 , 2021, 8483817	
664	The Capacity of APOB-Depleted Plasma in Inducing ATP-Binding Cassette A1/G1-Mediated Macrophage Cholesterol Efflux-But Not Gut Microbial-Derived Metabolites-Is Independently Associated with Mortality in Patients with ST-Segment Elevation Myocardial Infarction. 2021 , 9,	0
663	Morphine in acute coronary syndrome and myocardial infarction: pro et contra. 2021 , 3, 13-29	
662	Prognostic value of admission high-sensitivity troponin in patients with ST-elevation myocardial infarction. 2021 , 107, 1881-1888	1
661	Association between medication adherence and cardiovascular outcomes among acute coronary syndrome patients. 2021 , 17, 1631-1635	0
660	Epicardial adipose tissue may predict new-onset atrial fibrillation in patients with ST-segment elevation myocardial infarction. 2021 , 22, 917-923	0
659	Comparison of Efficacy and Safety of Recombinant Human Prourokinase and Alteplase in the Treatment of STEMI and Analysis of Influencing Factors of Efficacy. 2021 , 2021, 6702965	
658	Factors affecting STEMI performance in six hospitals within one healthcare system. 2021 , 50, 693-699	1
657	Measuring Activated Clotting Time during Cardiac Catheterization and PCI: The Effect of the Sampling Site. 2021 , 2021, 4091289	
656	Clinical Outcomes Following Emergent Percutaneous Coronary Intervention for Acute Total/Subtotal Occlusion of the Left Main Coronary Artery. 2021 , 85, 1789-1796	1
655	Myocardial strain by cardiac magnetic resonance: A valuable predictor of outcome after infarct revascularization. 2021 , 144, 109989	0
654	Diagnostic performance of a new ECG algorithm for reducing false positive cases in patients suspected acute coronary syndrome. 2021 , 69, 60-64	0
653	ST-Segment Elevation Myocardial Infarction. 2022 , 395-411	
652	Modulators of Mortality Benefit From Peri-Angioplasty Adjunctive Tirofiban in Patients With ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. 2021 , 85, 166-174	
651	Evaluation of optimal medical therapy in acute myocardial infarction patients with prior stroke. 2021 , 12, 20406223211046999	

650	The Assessment of Actions of the Environment and the Impact of Preventive Medicine for Public Health in Poland. 2021 , 809-822		
649	Literatur. 2021 , 371-372		
648	Impact of pharmacist-led medication therapy management in ambulatory elderly patients with chronic diseases. 2021 , 87, 2937-2944		2
647	Coronary Artery Interventions in Cardiogenic Shock. 2015 , 2173-2203		2
646	Left Ventricular Rest and Unloading During VA ECMO. 2014 , 193-206		4
645	Evidence in Guidelines for Treatment of Coronary Artery Disease. 2020 , 1177, 37-73		20
644	Longitudinal two-dimensional strain for the diagnosis of left ventricular segmental dysfunction in patients with acute myocardial infarction. 2018 , 34, 237-249		2
643	Oral factor Xa inhibitors for the treatment of left ventricular thrombus: a case series. 2017 , 44, 519-524		21
642	Clinical management and hospital outcomes of acute coronary syndrome patients in Mexico: The Third National Registry of Acute Coronary Syndromes (RENASICA III). 2016 , 86, 221-32		7
641	National Registry of Cardiac Rehabilitation Programs in Mexico II (RENAPREC II). 2017 , 87, 270-277		5
640	Reperfusion therapy of myocardial infarction in Mexico: A challenge for modern cardiology. 2017 , 87, 144-150		3
639	[Epidemiological characteristics of ST-segment elevation myocardial infarction in Peru: Results of the PERuvian Registry of ST-segment Elevation Myocardial Infarction (PERSTEMI)]. 2018 , 88, 403-412		3
638	Long-term impact of acute kidney injury on prognosis in patients with acute myocardial infarction. 2019 , 283, 48-54		17
637	Estrategia de tratamiento de lesiones en bifurcaci3n tratadas con ICP primaria en el contexto del IAMCEST. Registro COBIS II. 2018 , 71, 811-819		4
636	Impacto en la mortalidad tras la implantaci3n de una red de atenci3n al infarto agudo de miocardio con elevaci3n del segmento ST. Estudio IPHENAMIC. 2020 , 73, 632-642		6
635	Una historia resumida. Impacto de los avances en cardiopat3a isqu3mica. 2017 , 17, 2-6		1
634	Intracoronary autologous bone marrow cell transfer after myocardial infarction: the BOOST-2 randomised placebo-controlled clinical trial. <i>European Heart Journal</i> , 2017 , 38, 2936-2943	9.5	64
633	Exercise-based cardiac rehabilitation for patients following open surgical aortic valve replacement and transcatheter aortic valve implant: a systematic review and meta-analysis. 2019 , 6, e000922		8

632	Left ventricular ejection fraction adds value over the GRACE score in prediction of 6-month mortality after ACS: the MADDEC study. 2019 , 6, e001007	4
631	Assessment of bleeding risk in patients with coronary artery disease on dual antiplatelet therapy. 2015 , 114,	1
630	Multivessel Versus Culprit Vessel-Only Percutaneous Coronary Intervention Among Patients With Acute Myocardial Infarction: Insights From the TRANSLATE-ACS Observational Study. 2017 , 6,	9
629	Left Ventricular Thrombi in Takotsubo Syndrome: Incidence, Predictors, and Management: Results From the GEIST (German Italian Stress Cardiomyopathy) Registry. 2017 , 6,	55
628	Circulating resistin protein and mRNA concentrations and clinical severity of coronary artery disease. 2015 , 25, 242-51	10
627	Lifetime cost-effectiveness analysis of ticagrelor in patients with acute coronary syndromes based on the PLATO trial: a Singapore healthcare perspective. 2013 , 54, 169-75	15
626	Microvascular resistance of the culprit coronary artery in acute ST-elevation myocardial infarction. 2016 , 1, e85768	31
625	Discordance Between VASP Phosphorylation and Platelet Aggregation in Defining High On-Clopidogrel Platelet Reactivity After ST-Segment Elevation Myocardial Infarction. 2018 , 24, 47-54	1
624	ECG criteria for the detection of high-risk cardiovascular conditions in master athletes. 2020 , 27, 1529-1538	3
623	Rationale and design of the randomised Treatment of sleep apnoea Early After Myocardial infarction with Adaptive Servo-Ventilation trial (TEAM-ASV I). 2020 , 21, 129	11
622	Expression characteristics of neutrophil and mononuclear-phagocyte related genes mRNA in the stable angina pectoris and acute myocardial infarction stages of coronary artery disease. 2015 , 12, 279-86	7
621	Acute coronary syndrome in the older adults. 2016 , 13, 101-8	40
620	Update on pharmacological treatment of acute coronary syndrome without persistent ST segment elevation myocardial infarction in the elderly. 2017 , 14, 457-464	1
619	Impact of Mobile Cloud Electrocardiography System on Door-to-Balloon Time in Patients With Acute Coronary Syndrome in Oita Prefecture. 2019 , 1, 241-247	2
618	Simultaneous double coronary thrombosis in a 47-year-old male patient with acute myocardial infarction. 2013 , 14, 430-4	3
617	Circulating Long Noncoding RNA LIPCAR Acts as a Novel Biomarker in Patients with ST-Segment Elevation Myocardial Infarction. 2018 , 24, 5064-5070	33
616	The management of acute myocardial infarction in the Russian Federation: protocol for a study of patient pathways. 2017 , 2, 89	3
615	Mechanical circulatory support in acute cardiogenic shock. 2014 , 6, 91	15

614	Temporal trends of system of care for STEMI: insights from the Jakarta Cardiovascular Care Unit Network System. 2014 , 9, e86665	10
613	Culprit vessel only versus multivessel percutaneous coronary intervention in patients presenting with ST-segment elevation myocardial infarction and multivessel disease. 2014 , 9, e92316	15
612	Can exercise capacity assessed by the 6 minute walk test predict the development of major adverse cardiac events in patients with STEMI after fibrinolysis?. 2014 , 9, e99035	9
611	Release of Intracoronary Microparticles during Stent Implantation into Stable Atherosclerotic Lesions under Protection with an Aspiration Device. 2015 , 10, e0124904	13
610	High Platelet Reactivity in Patients with Acute Coronary Syndromes Undergoing Percutaneous Coronary Intervention: Randomised Controlled Trial Comparing Prasugrel and Clopidogrel. 2015 , 10, e0135037	10
609	Percutaneous Coronary Intervention after Fibrinolysis for ST-Segment Elevation Myocardial Infarction Patients: An Updated Systematic Review and Meta-Analysis. 2015 , 10, e0141855	2
608	A Study of Platelet Inhibition, Using a 'Point of Care' Platelet Function Test, following Primary Percutaneous Coronary Intervention for ST-Elevation Myocardial Infarction [PINPOINT-PPCI]. 2015 , 10, e0144984	12
607	Revascularization Treatment of Emergency Patients with Acute ST-Segment Elevation Myocardial Infarction in Switzerland: Results from a Nationwide, Cross-Sectional Study in Switzerland for 2010-2011. 2016 , 11, e0153326	5
606	Troponin I Assay for Identification of a Significant Coronary Stenosis in Patients with Suspected Acute Myocardial Infarction and Wide QRS Complex. 2016 , 11, e0154724	1
605	Impact of the Type of First Medical Contact within a Guideline-Conform ST-Elevation Myocardial Infarction Network: A Prospective Observational Registry Study. 2016 , 11, e0156769	7
604	Demographics, Management Strategies, and Problems in ST-Elevation Myocardial Infarction from the Standpoint of Emergency Medicine Specialists: A Survey-Based Study from Seven Geographical Regions of Turkey. 2016 , 11, e0164819	1
603	Helicobacter pylori Seropositivity in Patients with Interleukin-1 Polymorphisms Is Significantly Associated with ST-Segment Elevation Myocardial Infarction. 2016 , 11, e0166240	12
602	Incidence, Mortality and Positive Predictive Value of Type 1 Cardiorenal Syndrome in Acute Coronary Syndrome. 2016 , 11, e0167166	12
601	Inhibition of Interleukin-6 Receptor in a Murine Model of Myocardial Ischemia-Reperfusion. 2016 , 11, e0167195	28
600	Morphine Does Not Affect Myocardial Salvage in ST-Segment Elevation Myocardial Infarction. 2017 , 12, e0170115	14
599	Contemporary use of P2Y12-inhibitors in patients with acute coronary syndrome undergoing percutaneous coronary intervention in Austria: A prospective, multi-centre registry. 2017 , 12, e0179349	7
598	Comparison of bioavailability and antiplatelet action of ticagrelor in patients with ST-elevation myocardial infarction and non-ST-elevation myocardial infarction: A prospective, observational, single-centre study. 2017 , 12, e0186013	14
597	Prevalence and predictors of dual antiplatelet therapy prolongation beyond one year in patients with acute coronary syndrome. 2017 , 12, e0186961	15

596	Assessment of the relationship between reperfusion success and T-peak to T-end interval in patients with ST elevation myocardial infarction treated with percutaneous coronary intervention. 2018 , 19, 50-57	2
595	Out-of-Hospital Cardiac Arrest in Acute Myocardial Infarction and STEMI Networks. 2016 , 2, 3-5	1
594	Molecular Biomarkers for Prediction of Neurological Outcome after Sudden Circulatory Arrest (Review). 2018 , 14, 68-81	5
593	Current Antithrombotic Therapy in Patients with Acute Coronary Syndromes Undergoing Percutaneous Coronary Interventions. 2014 , 9, 94-101	2
592	Optimum Utilisation of Novel Antiplatelet Agents in Clinical Practice. 2014 , 9, 164-167	1
591	Preventive Percutaneous Coronary Intervention in ST-elevation Myocardial Infarction - The Primacy of Randomised Trials. 2015 , 10, 32-34	2
590	The Role of Percutaneous Haemodynamic Support in High-risk Percutaneous Coronary Intervention and Cardiogenic Shock. 2015 , 10, 39-44	2
589	Transradial Approach in Primary Percutaneous Coronary Intervention: Lessons from a High-volume Centre. 2016 , 11, 88-92	3
588	Prognostic value of C-reactive protein/albumin ratio in ST-segment elevation myocardial infarction. 2020 , 11, 168-171	1
587	[Impact of hyperglycemia on the results of percutaneous coronary interventions in patients with acute ST-segment elevation myocardial infarction]. 2017 , 89, 25-29	4
586	The efficacy and safety of statin in combination with ezetimibe compared with double-dose statin in patients with high cardiovascular risk: A meta-analysis. 2020 , 20, 169-182	3
585	[The Strategy of Management Patients with non-ST Elevation Acute Coronary Syndrome]. 2019 , 59, 40-51	0
584	[Double antiplatelet therapy in patients with acute coronary syndrome after percutaneous coronary intervention: individual efficacy and hemorrhagic safety of P2Y12 blockers of ticagrelor and clopidogrel in actual clinical practice]. 2019 , 59, 27-36	1
583	Hsp-27 levels and thrombus burden relate to clinical outcomes in patients with ST-segment elevation myocardial infarction. 2017 , 8, 73733-73744	4
582	Analysis of region specific gene expression patterns in the heart and systemic responses after experimental myocardial ischemia. 2017 , 8, 60809-60825	9
581	Radial artery intima-media thickness regresses after secondary prevention interventions in patients' post-acute coronary syndrome and is associated with cardiac and kidney biomarkers. 2017 , 8, 53419-53431	2
580	ACTION (acute coronary treatment and intervention outcomes network) registry-GWTG (get with the guidelines) risk score predicts long-term mortality in acute myocardial infarction. 2017 , 8, 102559-102572	2
579	Usefulness of plasma matrix metalloproteinase-9 levels in prediction of in-hospital mortality in patients who received emergent percutaneous coronary artery intervention following myocardial infarction. 2017 , 8, 105809-105818	7

578	Aldehyde dehydrogenase 2 inhibits inflammatory response and regulates atherosclerotic plaque. 2016 , 7, 35562-35576	35
577	Ideal coronary stent: development, characteristics, and vessel size impact. 2020 , 74, 191-197	1
576	Editorial on low-dose acetylsalicylic acid treatment and impact on short-term mortality in Staphylococcus aureus bloodstream infection: a propensity score-matched cohort study. 2016 , 4, 199	1
575	Circulating micro-RNAs as biomarkers of coronary artery disease: is it ready for primetime or still a work in progress?. 2017 , 5, 10	1
574	Vitamin D Deficiency in Acute Coronary Syndrome - Clinically Relevant or Incidental Finding?. 2017 , 25, 185-190	3
573	Effects of Low-Dose Recombinant Human Brain Natriuretic Peptide on Anterior Myocardial Infarction Complicated by Cardiogenic Shock. 2017 , 32, 96-103	3
572	A Brief Review of Cardiovascular Diseases, Associated Risk Factors and Current Treatment Regimes. 2019 , 25, 4063-4084	65
571	Will global transcriptome analysis allow the detection of novel prognostic markers in coronary artery disease and heart failure?. 2013 , 14, 388-96	6
570	Efficacy of P2Y12 Receptor Blockers After Myocardial Infarction and Genetic Variability of their Metabolic Pathways. 2019 , 17, 35-40	6
569	Clinical Presentation, Quality of Care, Risk Factors and Outcomes in Women with Acute ST-Elevation Myocardial Infarction (STEMI): An Observational Report from Six Middle Eastern Countries. 2019 , 17, 388-395	5
568	Common Data Elements for Acute Coronary Syndrome: Analysis Based on the Unified Medical Language System. 2019 , 7, e14107	4
567	Treatment of Acute Coronary Syndrome by Telemedically Supported Paramedics Compared With Physician-Based Treatment: A Prospective, Interventional, Multicenter Trial. 2016 , 18, e314	21
566	Using Smart Technology to Improve Outcomes in Myocardial Infarction Patients: Rationale and Design of a Protocol for a Randomized Controlled Trial, The Box. 2017 , 6, e186	13
565	FEATURES OF THE CLINICAL COURSE, OF THE DIAGNOSTIC APPROACH AND OF THE TREATMENT OF PATIENTS WITH THE INFERIOR WALL MYOCARDIAL INFARCTION INVOLVING THE RIGHT VENTRICLE. LITERATURE REVIEW. 2019 , 19, 67-72	2
564	Clinical manual for diagnosis, prevention and treatment of cardiovascular complications of cancer therapy. Parts VI-VII. 2018 , 15, 6-20	3
563	Patient after myocardial infarction: how to reduce the risk of recurrent ischemic events?. 2015 , 6, 12-19	6
562	Russian clinical guidelines Coronary artery bypass grafting in patients with ischemic heart disease: rehabilitation and secondary prevention. 2016 , 7, 5-71	35
561	COMPARISON OF MANUAL THROMBUS ASPIRATION WITH DIRECT STENTING IN PATIENTS WITH ST-SEGMENT ELEVATION MYOCARDIAL INFARCTION AND TOTALLY OCCLUDED CULPRIT ARTERIES. 2019 , 33, 62-68	0

560	Metaanalysis of Multivessel vs Culprit Artery Only Percutaneous Coronary Intervention in ST Elevation Myocardial Infarction. 2019 , 19, 107-115	3
559	The Diagnosis of Chronic Coronary Heart Disease. 2017 , 114, 712-719	11
558	The REFLO-STEMI (REperfusion Facilitated by LOcal adjunctive therapy in ST-Elevation Myocardial Infarction) trial: a randomised controlled trial comparing intracoronary administration of adenosine or sodium nitroprusside with control for attenuation of microvascular obstruction during primary percutaneous coronary intervention. 2016 , 3, 1-48	7
557	Variation in outcome of hospitalised patients with out-of-hospital cardiac arrest from acute coronary syndrome: a cohort study. 2018 , 6, 1-116	2
556	Prasugrel (Efient®) with percutaneous coronary intervention for treating acute coronary syndromes (review of TA182): systematic review and economic analysis. 2015 , 19, 1-130	3
555	Using nationwide "big data" from linked electronic health records to help improve outcomes in cardiovascular diseases: 33 studies using methods from epidemiology, informatics, economics and social science in the Clinical disease research using Linked Bespoke studies and Electronic health Records (CALIBER) programme. 2017 , 5, 1-330	10
554	Diagnostic and prognostic biomarkers in acute coronary syndrome. 2017 , 63, 935-944	1
553	Management of Acute Heart Failure during an Early Phase. 2020 , 2, 91	2
552	Mechanical Circulatory Support for Acute Heart Failure Complicated by Cardiogenic Shock. 2020 , 2, 23	5
551	Optimal Time Repair of Ventricular Septal Rupture Post Myocardial Infarction. 2020 , 32, 288-294	7
550	Immediate multivessel revascularization may increase cardiac death and myocardial infarction in patients with ST-elevation myocardial infarction and multivessel coronary artery disease: data analysis from real world practice. 2016 , 31, 488-500	2
549	A pharmacodynamic study of the optimal P2Y12 inhibitor regimen for East Asian patients with acute coronary syndrome. 2015 , 30, 620-8	11
548	Angiotensin converting enzyme inhibitors remain the first treatment of choice. 2016 , 31, 237-41	2
547	A score for decision making during percutaneous coronary intervention in acute myocardial infarction patients with multivessel disease. 2019 , 34, 324-334	1
546	Current status of acute myocardial infarction in Korea. 2019 , 34, 1-10	48
545	Pre-hospital delay and emergency medical services in acute myocardial infarction. 2020 , 35, 119-132	5
544	The relationship of coronary flow to neutrophil/lymphocyte ratio in patients undergoing primary percutaneous coronary intervention. 2013 , 5, 258-64	22
543	High residual platelet reactivity on clopidogrel: its significance and therapeutic challenges overcoming clopidogrel resistance. 2013 , 3, 23-37	20

542	M-Health in Prehospital Emergency Medicine. 2016 , 197-212	9
541	Mobile Health Applications in Prehospital Emergency Medicine. 2019 , 117-135	1
540	Can a Mobile Video Communication Improve Patient Safety in Prehospital Emergency Medicine?. 2017 , 6, 27-36	5
539	Anticoagulation in Heart Failure: a Review. 2015 , 8, 1250	6
538	Myocardial infarction in Norway in 2013. 2014 , 134, 1841-6	15
537	[Myocardial infarction now and then - a 50-year perspective]. 2016 , 136, 833-6	1
536	Equal treatment for myocardial infarction patients?. 2016 , 136, 1181	1
535	Impact of Angiotensin II Receptor Blockers on Clinical Outcomes after Percutaneous Coronary Intervention in Patients with Acute Myocardial Infarction Based on Data from the Korean National Health Insurance Database (2005-2014). 2020 , 50, 984-994	1
534	The Impact of Clinical Pharmacist Support on Patients Receiving Multi-drug Therapy for Coronary Heart Disease in China. 2015 , 77, 306-11	15
533	Assessment of No-Reflow Phenomenon by Myocardial Blush Grade and Pulsed Wave Tissue Doppler Imaging in Patients with Acute Coronary Syndrome. 2014 , 24, 52-56	1
532	Distal transradial access in the anatomical snuffbox for balloon guide-assisted stentriever mechanical thrombectomy: Technical note and case report. 2020 , 6, 60-64	5
531	Disparity in ST-segment Elevation Myocardial Infarction Practices and Outcomes in Arabian Gulf Countries (Gulf COAST Registry). 2017 , 18, 41-46	11
530	Do practice gaps exist in evidence-based medication prescription at hospital discharge in patients undergoing coronary artery bypass surgery & coronary angioplasty?. 2017 , 146, 722-729	1
529	Preintensive care: Thrombolytic (streptokinase or tenecteplase) in ST elevated acute myocardial infarction at peripheral hospital. 2019 , 8, 62-71	8
528	Coronary Angiography in Patients with and without STEMI Following Out-of-Hospital Cardiac Arrest. 2014 , 04, 115-122	1
527	Call-to-balloon time dashboard in patients with ST-segment elevation myocardial infarction results in significant improvement in the logistic chain. 2017 , 13, e564-e571	8
526	Complete or incomplete coronary revascularisation in patients with myocardial infarction and multivessel disease: a propensity score analysis from the "real-life" BleeMACS (Bleeding complications in a Multicenter registry of patients discharged with diagnosis of Acute Coronary Syndrome) registry. 2017 , 13, 407-414	22
525	The effect of Ticagrelor administered through a nasogastric tube to COMAtose patients undergoing acute percutaneous coronary intervention: the TICOMA study. 2017 , 12, 1782-1788	12

524	France: coronary and structural heart interventions from 2010 to 2015. 2017 , 13, Z25-Z31	1
523	Impact of presentation and transfer delays on complete ST-segment resolution before primary percutaneous coronary intervention: insights from the ATLANTIC trial. 2017 , 13, 69-77	13
522	Intravenous beta-blocker therapy in ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention is not associated with benefit regarding short-term mortality: a Swedish nationwide observational study. 2017 , 13, e210-e218	4
521	Reduced periprocedural mortality and bleeding rates of radial approach in ST-segment elevation myocardial infarction. Propensity score analysis of data from the ORPKI Polish National Registry. 2017 , 13, 843-850	18
520	One-year clinical results of the Italian diffuse/multivessel disease ABSORB prospective registry (IT-DISAPPEARS). 2017 , 13, 424-431	13
519	First serial optical coherence tomography assessment at baseline, 12 and 24 months in STEMI patients treated with the second-generation Absorb bioresorbable vascular scaffold. 2018 , 13, e2201-e2209	5
518	State of the art: non-invasive imaging in ischaemic heart disease. 2017 , 13, 654-665	4
517	Clopidogrel or ticagrelor in acute coronary syndrome patients treated with newer-generation drug-eluting stents: CHANGE DAPT. 2017 , 13, 1168-1176	34
516	Invasive coronary treatment strategies for out-of-hospital cardiac arrest: a consensus statement from the European association for percutaneous cardiovascular interventions (EAPCI)/stent for life (SFL) groups. 2014 , 10, 31-7	164
515	Heart & brain: STEMI-like network for ischaemic stroke?. 2014 , 10, 778-80	1
514	Fractional flow reserve and the index of microvascular resistance in patients with acute coronary syndromes. 2014 , 10 Suppl T, T55-63	23
513	The conundrum of antithrombotic drugs before, during and after primary PCI. 2014 , 10 Suppl T, T64-73	5
512	Shock management in acute myocardial infarction. 2014 , 10 Suppl T, T74-82	8
511	A review of the role of nurses and technicians in ST-elevation myocardial infarction (STEMI). 2014 , 10 Suppl T, T83-6	3
510	The national infarct angioplasty project: UK experience and subsequent developments. 2014 , 10 Suppl T, T96-T104	5
509	Percutaneous coronary interventions during ST-segment elevation myocardial infarction: current status and future perspectives. 2014 , 10 Suppl T, T13-22	4
508	Management of ST-elevation myocardial infarction according to European and American guidelines. 2014 , 10 Suppl T, T23-31	23
507	Aspiration thrombectomy in ST-elevation myocardial infarction. 2014 , 10 Suppl T, T35-8	4

506	Primary PCI: time to change focus from epicardial reperfusion towards protection of the microvasculature. 2014 , 10 Suppl T, T39-46	3
505	Multivessel PCI in STEMI: ready to be the recommended strategy?. 2014 , 10 Suppl T, T47-54	3
504	Will this trial change my practice? TOTAL: a randomised trial of thrombus aspiration in ST-elevation myocardial infarction. 2015 , 11, 361-3	1
503	Time, space and leaps of faith. 2015 , 11, 491-5	3
502	What determines long-term outcomes using fully bioresorbable scaffolds - the device, the operator or the lesion?. 2017 , 12, 1684-1687	22
501	Interventional post-myocardial infarction ventricular septal defect closure: a systematic review of current evidence. 2016 , 12, 94-102	48
500	Novel oral anticoagulants in acute coronary syndrome: re-evaluating the thrombin hypothesis. 2014 , 9, 1333-41	4
499	Incidence and predictors of stent thrombosis: a single-centre study of 5,833 consecutive patients undergoing coronary artery stenting. 2013 , 9, 62-9	50
498	Antithrombotic therapy in PCI: why not heparin?. 2013 , 9, 423-6	4
497	The role of the emergency services in the optimisation of primary angioplasty: experience from London and the Heart Attack Team. 2013 , 9, 517-23	5
496	The European Heart Journal and EuroIntervention: information and education in interventional cardiology. 2013 , 9, 669-80	1
495	STEMI patients and non-culprit lesions: what to do and when?. 2013 , 9, 895, 897	2
494	Multivessel versus culprit vessel percutaneous coronary intervention in ST-elevation myocardial infarction: is more worse?. 2013 , 9, 909-15	21
493	Early outcome after implantation of Absorb bioresorbable drug-eluting scaffolds in patients with acute coronary syndromes. 2014 , 9, 1036-41	78
492	Gender, TIMI risk score and in-hospital mortality in STEMI patients undergoing primary PCI: results from the Belgian STEMI registry. 2014 , 9, 1095-101	40
491	Immediate multivessel percutaneous coronary intervention versus culprit lesion intervention in patients with acute myocardial infarction complicated by cardiogenic shock: results of the ALKK-PCI registry. 2015 , 11, 280-5	36
490	Cardiac arrhythmias in acute coronary syndromes: position paper from the joint EHRA, ACCA, and EAPCI task force. 2015 , 10, 1095-108	25
489	2014 ESC/EACTS guidelines on myocardial revascularization. 2015 , 10, 1024-94	195

488	Optical coherence tomography appraisal of residual thrombus burden in patients with ST-segment elevation myocardial infarction undergoing intraprocedural versus post-stenting prolonged bivalirudin infusion. Rationale and design of the MATRIX (Minimizing Adverse Haemorrhagic Events by TRansradial Access Site and angioX) OCT substudy. 2015 , 10, 1311-7	6
487	Acute myocardial infarction and lesion location in the left circumflex artery: importance of coronary artery dominance. 2016 , 12, 441-8	6
486	The SYNERGY II Everolimus elutiNg stent In patients Older than 75 years undergoing coronary Revascularisation associated with a short dual antiplatelet therapy (SENIOR) trial: rationale and design of a large-scale randomised multicentre study. 2017 , 12, 1614-1622	9
485	ADP receptor antagonists in patients with acute myocardial infarction complicated by cardiogenic shock: a post hoc IABP-SHOCK II trial subgroup analysis. 2016 , 12, e1395-e1403	14
484	Fifteen years of bone marrow mononuclear cell therapy in acute myocardial infarction. 2017 , 9, 68-76	11
483	Timely reperfusion for ST-segment elevation myocardial infarction: Effect of direct transfer to primary angioplasty on time delays and clinical outcomes. 2014 , 6, 424-33	14
482	Does manual thrombus aspiration help optimize stent implantation in ST-segment elevation myocardial infarction?. 2014 , 6, 1030-7	5
481	Concepts of hypoxic NO signaling in remote ischemic preconditioning. 2015 , 7, 645-51	15
480	Inequalities in care in patients with acute myocardial infarction. 2015 , 7, 895-901	8
479	Global myocardial strain assessment by different imaging modalities to predict outcomes after ST-elevation myocardial infarction: A systematic review. 2015 , 7, 948-60	16
478	Does heart rate variability correlate with long-term prognosis in myocardial infarction patients treated by early revascularization?. 2017 , 9, 27-38	7
477	Assessment of stable coronary artery disease by cardiovascular magnetic resonance imaging: Current and emerging techniques. 2017 , 9, 92-108	13
476	Trends in evidence-based treatment and mortality for ST elevation myocardial infarction in Malaysia from 2006 to 2013: time for real change. 2016 , 36, 184-9	5
475	Plasma urotensin II and neurokinin B levels in acute myocardial infarction and stable coronary artery disease. 2015 , 15, 628-33	3
474	Dissolution of an apical thrombus by apixaban in a patient with old anteroseptal myocardial infarction. 2015 , 15, 671-2	10
473	Incremental Prognostic Value of Anemia in Acute Coronary Syndrome from A Rural Hospital in India. 2020 , 15, 16	1
472	Experience and Outcomes of Primary Percutaneous Coronary Intervention for Patients with ST-Segment Elevation Myocardial Infarction of Tertiary Care Center in Bosnia and Herzegovina. 2017 , 71, 183-187	5
471	Class I and III antiarrhythmic drugs for prevention of sudden cardiac death and management of postmyocardial infarction arrhythmias. A review. 2013 , 157, 114-24	4

470	Safety of early discharge in low risk patients after acute ST-segment elevation myocardial infarction, treated with primary percutaneous coronary intervention. Open label, randomized trial. 2019 , 163, 61-66	3
469	Survival benefit from recent changes in management of men and women with ST-segment elevation myocardial infarction treated with percutaneous coronary interventions. 2019 , 26, 459-468	1
468	Factors Related to Delay in Seeking Medical Care Among Patients with Acute Myocardial Infarction in Dhaka. 2019 , 10,	1
467	The proportion of South Africans living within 60 and 120 minutes of a percutaneous coronary intervention facility. 2018 , 29, 6-11	6
466	Case of morphine-induced ventricular fibrillation. 2017 , 8, 310-312	1
465	Femoral versus radial access in primary angioplasty. Analysis of the ACCEPT registry. 2014 , 102, 566-70	5
464	Diabetes mellitus and glucose as predictors of mortality in primary coronary percutaneous intervention. 2014 , 103, 323-30	7
463	First- Versus Second-Generation Drug-Eluting Stents in Acute Coronary Syndromes (Katowice-Zabrze Registry). 2016 , 106, 373-81	7
462	Epidemiological Profile and Quality Indicators in Patients with Acute Coronary Syndrome in Northern Minas Gerais - Minas Telecardio 2 Project. 2016 , 107, 106-15	4
461	Predictors of in-hospital mortality in patients with ST-segment elevation myocardial infarction undergoing pharmacoinvasive treatment. 2013 , 68, 1516-20	16
460	The Association between Monocyte HDL-C Ratio and SYNTAX Score and SYNTAX Score II in STEMI Patients Treated with Primary PCI. 2018 , 34, 23-30	13
459	Integrated probability of coronary heart disease subject to the -308 tumor necrosis factor-alpha SNP: a Bayesian meta-analysis. 2015 , 3, e1236	1
458	Zofenopril: Blood pressure control and cardio-protection. 2021 ,	1
457	Levosimendan administration is not associated with increased risk of bleeding and blood transfusion requirement in patients undergoing off-pump coronary artery bypass grafting: a retrospective study from single center. 2021 , 2676591211049022	0
456	Acute Myocardial Infarction and Percutaneous Coronary Intervention: What does the Epidemiological Data of the Last Years Indicate?. 2021 ,	
455	Mesenchymal stem cells seeded onto nanofiber scaffold for myocardial regeneration. 2021 , 1-12	2
454	Incident Heart Failure in Patients With Coronary Artery Disease Undergoing Percutaneous Coronary Intervention. 2021 , 8, 727727	2
453	Correlation between the Clinical Profile and Angiographic Severity of Coronary Artery Disease in ST Elevation Myocardial Infarction and Non-ST Elevation Myocardial Infarction Patients. 2021 , 06, 145-154	

452	Aldosterone Blockade in Acute Myocardial Infarction: A Systematic Review and Meta-Analysis. 2021 , 2021, 1710731	0
451	Intensified antiplatelet therapy in patients after percutaneous coronary intervention with high on-treatment platelet reactivity: the OPTimal Management of Antithrombotic Agents (OPTIMA)-2 Trial. 2021 ,	1
450	European Society of Cardiology ST-segment Elevation Myocardial Infarction Guidelines in Perspective - Focused on Primary Percutaneous Coronary Intervention. 2014 , 9, 7-10	
449	[Novel agents for antithrombotic therapy in cardiology]. 2012 , 153, 2016-20	
448	A man in his 50s with electrical storm after myocardial infarction. 2013 , 133, 1602-6	
447	The Role of the Transradial Approach for Complex Coronary Interventions in Patients with Acute Coronary Syndrome. 2013 , 8, 81-86	1
446	Healthcare Utilization of Patients With Acute Coronary Syndrome in Germany. 2013 , 4, 89-100	
445	Predictive value of CHA2DS2-VASc and CHA2DS2-VASc-HS scores for failed reperfusion after thrombolytic therapy in patients with ST-segment elevation myocardial infarction. 2019 , 26, 169-175	4
444	Stent Choice in Patients Undergoing Primary Percutaneous Coronary Intervention. 2013 , 313-320	1
443	Effectiveness of a myocardial infarction protocol in reducing door-to-ballon time. 2013 , 101, 26-34	7
442	Kardiale Notfälle. 2013 , 217-242	
441	Review of the three-years work of catheterization laboratory in General hospital Valjevo. 2013 , 32, 208-213	1
440	Kardiologische Therapie bei Hochbetagten. 2013 , 433-446	
439	Primary PCI: how can we improve outcome?. 2013 , 8, 1115-7	
438	L'infarctus du myocarde, une pathologie à traiter sans délai. 2013 , 58, 17-19	1
437	Clinical assessment, platelet reactivity measurement or genetic testing after acute coronary syndrome? What benefits the patient?. 2013 , 9, 299-301	3
436	How should I treat stent dislodgement in a STEMI patient resulting in dissection of left main and left circumflex arteries?. 2013 , 9, 527-31	2
435	Anti-ischemic Therapy. 2014 , 1-30	

- 434 Triple Therapy: Risky but Sometimes Necessary. **2014**, 185-212
- 433 Antiplatelet Therapy. New Potent P2Y12 Inhibitors. **2014**, 31-57
- 432 The Relation between Electrocardiogram Damage Rating and Hospitalization Outcome in Myocardial Infarction. **2013**, 2, 52-5 1
- 431 Post-Resuscitation Hypothermia and Monitoring. **2014**, 219-229
- 430 PERIOPERACINIS MIOKARDO INFARKTAS. **2013**, 23, 29-34
- 429 Perioperative Antiplatelet Drugs with Coronary Stents and Dancing with Surgeons. **2013**, 117, 58-65
- 428 Acute coronary syndromes. **2014**, 119-136
- 427 Treatment Options for End-Stage Cardiac Failure. **2014**, 217-235
- 426 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2014**, 1-43
- 425 Leitsymptom Thoraxschmerz. **2014**, 1-69
- 424 Relationship between neutrophil-to-lymphocyte ratio and electrocardiographic ischemia grade in STEMI. **2015**, 104, 112-9 10
- 423 Monitoring the Sequelae of Coronary Microembolization on Myocardium Using Noninvasive Imaging (Review). **2014**, 04, 601-622 1
- 422 Are the guidelines for treatment of myocardial infarction complied with?. **2014**, 134, 412-6 0
- 421 Shock. **2014**, 159-271
- 420 [Antithrombotic treatment in atrial fibrillation and cardiovascular disease]. **2014**, 134, 923
- 419 L'infarctus du myocarde en France m'tropolitaine de 1995 ^ 2010 : volution de la typologie des patients, de la prise en charge et du pronostic ^ court terme. **2014**, 198, 85-100
- 418 Coronary Artery Interventions in Cardiogenic Shock. **2014**, 1-36
- 417 Management of multivessel coronary disease after primary angioplasty: staged reintervention versus optimized clinical treatment and two-year follow-up. **2014**, 29, 177-85

- 416 Percutaneous Coronary Interventional Treatment for Coronary Artery Disease and the Role of Antiplatelet Therapy: A Review of the Literature. **2014**, 05, 275-283
- 415 Acute cardiac syndromes, investigations and interventions. **2014**, 167-190.e4
- 414 Primary angioplasty in the ACCEPT registry: Why has it been difficult to accept and implement the radial artery access as preferential?. **2014**, 103, 268-71 1
- 413 Is treatment of acute myocardial infarction in compliance with new guidelines?. **2014**, 134, 379-80
- 412 [A man in his 60's with chest pain with chest pain and functional dyspnea]. **2014**, 134, 2167-71
- 411 Stellenwert der Lyse im Rettungswesen.
- 410 [Relationship between early myocardial reperfusion assessed by videodensitometry and late left ventricular function. Results following invasive treatment of acute myocardial infarction]. **2014**, 155, 187-93
- 409 β -blockers: the lack of task implementation or the unwillingness of doctors in the Russian Federation to optimize the treatment?. **2014**, 11, 56-63 0
- 408 Presentation of a Quality Management Program in Off-Pump Coronary Bypass Surgery. **2014**, 9, 317-321
- 407 Akute Herzinsuffizienz und kardiogener Schock, Herzbeutel tamponade. **2015**, 649-669
- 406 Kardiozirkulatorische Notfälle. **2015**, 245-258
- 405 [A woman in her 60s with acute chest pain and ST-elevations]. **2015**, 135, 1958-61
- 404 Interventional Strategies in Thrombus Management for ST Elevation Myocardial Infarction. **2015**, 10, 35-38 1
- 403 Cardiogenic Shock. **2015**, 95-107
- 402 ST Elevation Related to the Site of Coronary Occlusion. **2015**, 3-15
- 401 Missing Right Coronary Artery in a Patient with Acute Inferior ST Segment Elevation Myocardial Infarction: A Case of Extremely Rare Variation of Coronary Anatomy. **2015**, 4, 131
- 400 [Silent myocardial ischemia in acute coronary syndrome]. **2015**, 87, 97-101
- 399 Interventional Management of Coronary Artery Disease: Acute Coronary Syndromes. **2015**, 2071-2107

- 398 Is There Still a Place for Post-Resuscitation Electrocardiogram for Therapeutic Management and Coronary Angiogram Indication after Out-of-Hospital Cardiac Arrest?. **2015**, 05, 203-210
- 397 Department of invasive cardiology Zajecar: First results and experiences. **2015**, 34, 68-71
- 396 Petogodišnji rezultati rada angiosale Opšte bolnice Valjevo. **2015**, 34, 73-76
- 395 [Contrast-induced acute kidney injury after primary percutaneous coronary interventions: Prevalence, predictive factors, and outcomes]. **2015**, 87, 50-55
- 394 PCI in Post Thrombolysis Stable STEMI Patients: A Timeline in Question. **2015**, 05, 335-342 2
- 393 The simpler, the better: culprit-only intervention is beneficial in patients with chronic kidney disease with concurrent acute myocardial infarction and multivessel disease. **2015**, 30, 161-2
- 392 Evidence for Preventing Cardiovascular Disease. **2015**, 301-308
- 391 Beta-Blockers. **2015**, 57-77
- 390 Surgical revascularization for multivessel disease in patients with acute coronary syndromes. **2015**, 22, 9-13 1
- 389 Glucose-insulin-potassium therapy in acute myocardial infarction: Ten years follow-up. **2015**, 34, 163-173
- 388 Specific Clinic Problems in Cancer Therapy Cardiac Toxicity Complications. **2015**, 187-235
- 387 Does Transradial Approach become a Golden Standard for Percutaneous Coronary Interventions?. **2015**, 2,
- 386 Le parcours de soins du patient coronarien. **2015**, 60, 47-51
- 385 [Benefit of the implementation of a ST-segment elevation myocardial infarction network on women]. **2015**, 85, 96-104
- 384 Significance of an isolated new right bundle branch block in a patient with chest pain. **2015**, 2015, 0
- 383 How should I treat an acute anterior myocardial infarction associated with a myocardial rupture? Between the devil and the deep blue sea. **2015**, 11, e1-7
- 382 Role of tirofiban with dual antiplatelet therapy in patients with STEMI undergoing primary PCI. **2015**, 15, 956
- 381 Current approaches for the diagnosis, risk stratification and interventional treatment of patients with acute coronary syndromes without st-segment elevation. **2015**, 6, 59-84

- 380 Tirofiban usage and prognosis after myocardial infarction. **2015**, 15, 958
- 379 The correlation between traditional risk factors and the severity of acute coronary syndrome and long-term prognosis. **2015**, 6, 6-10
- 378 Complete Treatment Versus Residual Lesion - Long-Term Evolution After Acute Coronary Syndrome. **2016**, 107, 550-556
- 377 Acute Myocardial Infarction (Coronary Syndrome) (Heart Attack). **2016**, 15-62
- 376 Cardiac Arrest Centers. **2016**, 241-254
- 375 Is the evidence base for post-myocardial infarction beta-blockers outdated?. **2016**, 136, 624-7
- 374 Pharmaka mit Wirkung auf die Hämostase. **2016**, 445-472
- 373 Assessment of coronary flow reserve by Doppler flow wire in patients with acute coronary syndrome undergoing percutaneous coronary intervention: differences between the Loading dose of Ticagrelor versus prasugrel (DILATE): study protocol for a randomized controlled trial. **2016**, 1, 154
- 372 'Triple therapy' in high risk patient after primary PCI: Case report and practical application of current ESC and ACC/AHA guidelines. **2016**, 35, 6-9
- 371 The randomised Complete versus Lesion-only Primary percutaneous coronary Intervention Trial: Cardiovascular Magnetic Resonance imaging substudy (CvLPRIT-CMR). **2016**, 3, 1-72 1
- 370 Is Turkey a prothrombin gene mutation region similar to the Mediterranean countries?. **2016**, 16, 228
- 369 Leitsymptom akuter Bauchschmerz. **2016**, 32-102
- 368 Pre- and in-hospital antithrombotic management patterns and in-hospital outcomes in patients with acute coronary syndrome: data from the Turkish arm of the EPICOR study. **2016**, 16, 900-915 5
- 367 A Risk-Adjusted Retrospective Data Analysis between Younger and Elderly Patients with Acute Coronary Syndromes—Long-Term Prognosis. **2016**, 04, 53-61 1
- 366 Expertise in Interpretation of 12-Lead Electrocardiograms of Staff and Residents Physician: Current Knowledge and Comparison between Two Different Teaching Methods. **2016**, 5,
- 365 Registry of "early latecomer" patients with acute ST-segment elevation myocardial infarction at the Instituto Nacional Cardiovascular INCOR - Peru. **2016**, 86, 130-9
- 364 How should I treat a massive left main coronary artery thrombosis in a 49-year-old woman in the context of cardiogenic shock?. **2016**, 11, e1687-90
- 363 Limb salvage following iatrogenic arterial injury: complications of cardiac support using intra-aortic balloon pumps. **2016**, 2016,

- 362 Women and Invasive Diagnostic Procedures. **2017**, 3-21
- 361 Interventional Treatment of Acute Coronary Syndrome: ST-Segment Elevation Myocardial Infarction (STEMI). **2017**, 61-71
- 360 Cardiac function in hypertensive patients with metabolic syndrome and microalbuminuria. **2016**, 18, 184-190
- 359 Chest Pain of Uncertain Aetiology: Role of Contrast Enhanced Computed Tomography in the Emergency Department. **2016**, 10, 205-211
- 358 Chapter 7 Cardiac Disease. **2016**, 191-220
- 357 Mechanical complications of acute myocardial infarction – case report. **2016**, 11, 443-444
- 356 Management of patients with acute myocardial infarction with ST-elevation presenting late. **2016**, 11, 461-461
- 355 What is the optimal strategy of prehospital pretreatment of STEMI patients with P2Y12 inhibitors?. **2016**, 15, 162-164
- 354 Very Early versus Early Invasive Strategy after Successful Thrombolysis in Patients with ST Segment Elevation Myocardial Infarction. **2016**, 7,
- 353 Atrial Fibrillation on Vitamin K Antagonist Oral Anticoagulant Undergoing Primary Percutaneous Coronary Intervention for ST-Elevation Acute Myocardial Infarction. **2017**, 95-120
- 352 Clinical utility of novel biomarkers in acute myocardial infarction. **2016**, 4, 491
- 351 Akute Koronarsyndrome. **2017**, 255-273
- 350 [Urgent cardiovascular conditions in dental practice]. **2017**, 96, 56-59
- 349 Leitsymptom Dyspnoe, Leistungsschwäche. **2017**, 115-226
- 348 P2Y12 inhibition after thrombotic thrombocytopenic purpura remission. **2017**, 17, 416-417
- 347 Acute Heart Failure Syndromes. **2017**, 81-162
- 346 Urban legend or real fact: Coronary artery size varies with demographics. **2018**, 5, 20-24
- 345 Cardiogenic Shock. **2017**, 163-207

- 344 Homocysteine enhances the predictive value of the GRACE risk score in patients with ST-elevation myocardial infarction. **2017**, 18, 182-193 5
- 343 Cardiac Rehabilitation After Acute Myocardial Infarction: The Influence of Psychosocial Disorders. **2017**, 169-179
- 342 Trans Radial Excimer Laser Coronary Atherectomy Application During Complex PCI. **2017**, 259-272
- 341 Successful Outcome with Transradial Primary Percutaneous Coronary Intervention During Cardiopulmonary Resuscitation. **2017**, 11, OD01-OD02
- 340 Kausale und symptomatische Therapie. **2017**, 157-210
- 339 Gesamtliteraturverzeichnis. **2017**, 1-153
- 338 Management of Cardiogenic Shock. **2017**, 95-102
- 337 Acute Right Heart Failure. **2017**, 209-271
- 336 In Vivo Reprogramming Towards Pluripotency for Tissue Repair and Regeneration. **2017**, 83-98
- 335 Platelet Inhibition as a Therapeutic Approach in Intravascular Intervention. **2017**, 99-109
- 334 The History and Evolution of Transradial Coronary Interventions. **2017**, 3-7 0
- 333 Management of Acute Coronary Syndrome. **2017**, 111-120
- 332 Antiplatelet thromboprophylaxis of arterial vascular diseases and organovascular ischemic diseases. **2017**, 63, 124-132 1
- 331 Primary versus secondary transport in patients with acute ST-segment elevation myocardial infarction, times and mortality rates. **2017**, 16, 6-10
- 330 Early Thrombosuction and Tirofiban Use in Knee and Below-Knee Arterial Thrombosis. **2017**, 23, 2072-2077
- 329 Intravenous beta-blockers in patients with ST-elevation myocardial infarction treated with primary PCI. **2017**, 13, e149-e151
- 328 Registries, reality and complete revascularisation. **2017**, 13, 383-385
- 327 Perioperatives Management von Menschen mit Diabetes bei elektiven Eingriffen. **2017**, 10, 67-76

- 326 PCR Peripheral @ GISE: a unique educational link between peripheral endovascular solutions and interventional cardiologists. **2017**, 13, e1013-e1017
- 325 Does Frequency of ST-Segment Elevation Myocardial Infarction Presentation Impact Quality of Care?. **2017**, 9, e1879
- 324 Myocardial revascularisation in high-risk subjects. **2018**, 104, 166-179
- 323 A rare cause of acute myocardial infarction in a 20-year-old patient diagnosed with severe ketoacidosis. **2017**, 16, 152-155
- 322 2017âDE ST YKSELMELE MYOKARD ENFARKTINDE YENL KLER. 0
- 321 Influence of eplerenone on the brain natriuretic peptide dynamics and long-term prognosis of patients with myocardial infarction of the right ventricle. **2017**, 27, 30-36
- 320 Literatur. **2018**, 371-372
- 319 Comparative performance of Anticoagulation and Risk factors In Atrial fibrillation and Global Registry of Acute Coronary Events risk scores in predicting long-term adverse events in patients with acute myocardial infarction. **2018**, 20, 77-84 5
- 318 Implementation of an ST-Segment Elevation Myocardial Infarction Bypass Protocol in the Northern United Arab Emirates. **2018**, 19, 121-127
- 317 Expert Consensus Document on Management of ST-Elevation Myocardial Infarction: Adaptation of 2012 ESC Guidelines. **2018**, 22, 274-282 1
- 316 The Assessment of Actions of the Environment and the Impact of Preventive Medicine for Public Health in Poland. **2018**, 106-119
- 315 FEMALE GENDER AS AN ADDITIONAL RISK FACTOR FOR ATHEROTHROMBOTIC COMPLICATIONS OF IHD. **2018**, 14, 065
- 314 Temporary mechanical circulatory support in heart transplant candidates. **2018**, 19, 113-123
- 313 Out-of-Hospital Cardiac Arrest. **2018**, 327-340
- 312 Correlation of rs1122608 SNP with acute myocardial infarction susceptibility and clinical characteristics in a Chinese Han population: A case-control study. **2018**, 19, 249-258 4
- 311 Modern treatment of acute myocardial infarction with ST-segment elevation complicated with out-of-hospital cardiac arrest. **2018**, 37, 6-8
- 310 Guideline for the management of patients with non-ST-elevation acute coronary syndromes (part 2). **2018**, 13, 59 2
- 309 Allele and Genotype Frequency of Polymorphous Variants of AT1R1 and CYP11b2 Genes in Patients with STEMI with the Presence of Anxiety and Depressive Conditions. **2018**, 3, 178-182

- 290 Mechanical circulatory support in high-risk percutaneous coronary intervention. **2019**, 7, 54-65 2
- 289 Short-and Long-term Follow-up in the Elderly Patients With ST-elevation Myocardial Infarction Receiving Primary Angioplasty or Thrombolytic Therapy. **2019**, 4, 10-15
- 288 DRUG THERAPY IN PATIENTS WITH ACUTE CORONARY SYNDROME: TARGET PATIENT GROUPS AND DRUG THERAPY POSSIBILITIES. **2019**, 8, 80-89 1
- 287 Common Data Elements for Acute Coronary Syndrome: Analysis Based on the Unified Medical Language System (Preprint).
- 286 Consequences of escalation and de-escalation of double antiplatelet therapy in patients with acute coronary syndrome in real clinical practice. **2019**, 24, 90-97 1
- 285 Young patients with myocardial infarction – particularities of cardiovascular rehabilitation. **2019**, 10, 124-128
- 284 Cardiac rehabilitation today: opportunities and challenges. **2019**, 23, 17-26
- 283 To Whom Thrombus Aspiration May Concern?. **2019**, 7, 1774-1781 1
- 282 Predicting factors for long-term survival in patients with out-of-hospital cardiac arrest – propensity score-matched analysis.
- 281 A national registry to assess the value of cardiovascular magnetic resonance imaging after primary percutaneous coronary intervention pathway activation: a feasibility cohort study. **2019**, 7, 1-134
- 280 Accuracy of ECG Chest Electrode Placements by Paramedics; an observational study.
- 279 Evaluating possible acute coronary syndrome in primary care: the value of signs, symptoms, and plasma heart-type fatty acid-binding protein (H-FABP). A diagnostic study. **2019**, 3, 2
- 278 Lidocaine protects H9c2 cells from hypoxia-induced injury through regulation of the MAPK/ERK/NF- κ B signaling pathway. **2019**, 18, 4125-4131 4
- 277 Evaluation of cytochrome P450 3A4-mediated drug-drug interaction potential between P2Y12 inhibitors and statins. **2019**, 20, 4713-4722 2
- 276 Educational process in patients after myocardial infarction. **2019**, 10, 1026-1034 0
- 275 Frequency of Left Bundle Branch Block in Patients with Acute Myocardial Infarction; A Cross-Sectional Study. **2019**, 8, e1576
- 274 [Relation of Functional Activity of Platelets to Prognosis of Unfavorable Cardiovascular Events in Patients with Acute Coronary Syndrome. Results of a Registry Study]. **2019**, 59, 5-13 1
- 273 PREDICTORS OF THE ADVERSE COURSE AT HOSPITAL STAGE OF Q-MYOCARDIAL INFARCTION TREATMENT. **2019**, 42, 56-63

- 272 Acute Coronary Syndrome in Patients With 2 Type Diabetes Mellitus (Review of Literature; Description of the Clinical Case). **2019**, 2-3, 47-62 1
- 271 Clinical outcome of intracoronary versus intravenous high-dose bolus administration of tirofiban in diabetic patients undergoing primary percutaneous coronary intervention. **2019**, 30, 285-289 1
- 270 Association of SNP rs17465637 with Acute Myocardial Infarction in the Chinese Han Population. **2019**, 21,
- 269 Use of mobile applications assessing motor activity of patients after myocardial infarction for improving indicators of physical rehabilitation. **2019**, 2, 28-33
- 268 CHADS2-VASc skorunun primer percutan koroner girilim yapılan ST elevasyonlu miyokart enfarktüsü hastalarda ST segment rezolusyonunu etkilediği yarılları. **2019**, 47-855
- 267 Long-Term Outcome of Acute Coronary Syndromes in Patients on Chronic Oral Anticoagulants: Data from the EPICOR Study. **2020**, 18, 92-99
- 266 Leitsymptom Dyspnoe, Leistungsschwäche. **2020**, 117-229
- 265 INTERNISTISCHE INTENSIVMEDIZIN. **2020**, K-1-K9-4
- 264 Is there a role for ischemia detection after an acute myocardial infarction?. **2020**, 12, 1-6
- 263 The value of heat shock protein (HSP) 60 on in-hospital and short-term prognosis in patients with acute ST segment elevation myocardial infarction.
- 262 Strategia di gestione delle sindromi coronariche acute. **2020**, 24, 1-13
- 261 Outcome at Six Months After Primary Percutaneous Coronary Interventions Performed at a Rural Satellite Center of Sindh Province of Pakistan. **2020**, 12, e8345 0
- 260 Multivessel Coronary Artery Disease and Subsequent Thrombolysis in Myocardial Infarction Flow Grade After Primary Percutaneous Coronary Intervention. **2020**, 12, e8752 1
- 259 Association between mild thyroid dysfunction and clinical outcome in acute coronary syndrome undergoing percutaneous coronary intervention. **2020**, 27, 262-271 1
- 258 Association between the Door-to-balloon Time and Mid-term Clinical Outcomes in Patients with ST-Segment Elevation Myocardial Infarction. **2020**, 59, 1597-1603 1
- 257  **2020**, 195-201
- 256 Pre-hospital delay among patients with acute myocardial infarction in Saudi Arabia. A cross-sectional study. **2020**, 41, 819-827 0
- 255 Intra-aortic balloon pump entrapment without rupture: a case series. **2020**, 16, 425-432

- 254 [Our enemy: the clot. Coronary thrombosis: strategy and therapeutic arsenal]. **2021**, 70, 380-387
- 253 The age-specific prognostic impact of the platelet-to-lymphocyte ratio on long-term outcome after acute coronary syndrome. 0
- 252 Perioperative management of patients with valvular heart disease. **2020**, 6
- 251 The Age-Specific Impact of Cellular Immunity on Long-Term Outcome after Acute Coronary Syndrome. **2021**, 121, 1246-1254
- 250 Effects of myocardial ischemia/reperfusion injury on plasma metabolomic profile during aging. **2021**, 20, e13284 2
- 249 Creatinine variation improves Zwolle score in selecting low-risk patients after ST-segment elevation myocardial infarction. **2021**, 32, 489-499 1
- 248 Chronic Obstructive Pulmonary Disease and Risk of Atrial Arrhythmias After ST-Segment Elevation Myocardial Infarction.. **2020**, 13, 2360
- 247 D-dimers are associated with coronary artery disease severity assessed using Syntax and Syntax II scores in patients with ST elevation myocardial infarction. **2020**, 39, 687-693
- 246 Prognostic Value of Total Bilirubin in Patients With ST-Segment Elevation Acute Myocardial Infarction Undergoing Primary Coronary Intervention. **2020**, 7, 615254 4
- 245 Analysis and evaluation of healthcare delivery to patients with coronary artery disease using PC-based medical data. **2020**, 19, 2546 1
- 244 Effect of an education program and traditional music on anxiety in patients with myocardial infarction. **2020**, 30, 52-56 1
- 243 Copeptin levels predict left ventricular systolic function in STEMI patients: A 2D speckle tracking echocardiography-based prospective observational study. **2020**, 99, e23514 0
- 242 Relaxometry: Applications in the Heart. **2020**, 1, 239-265
- 241 M-Health in Prehospital Emergency Medicine. **2020**, 843-858
- 240 Pharmaka mit Wirkung auf die Hämostase. **2020**, 469-499
- 239 The Impact of Morphine or Methadone Administration on the Heart and Cardiovascular System. **2020**, 817-827
- 238 Acute Coronary Syndrome with Persistent ST Segment Elevation Isolated in aVR: A Case Study. **2020**, 10, 67-71
- 237 Cardiac Rehabilitation: Future of Heart Health in Saudi Arabia, a Perceptual View. **2020**, 10, 666-677 2

- 236 THE DYNAMICS OF NEUROHUMORAL MEDIATORS OF VASOCONSTRICTION AND VASODILATION AND TROPONIN I IN PATIENTS WITH ACUTE MYOCARDIAL INFARCTION DEPENDING ON THE DEGREE OF CONCOMITANT OBESITY. **2020**, 73, 1940-1943 0
- 235 Desfechos clínicos de pacientes após uso de terapia fibrinolítica pré-hospitalar: revisão sistemática. **2020**, 33, 0
- 234 Study of Adverse Events of Streptokinase Therapy in Patients with Acute ST Elevation Myocardial Infarction. **2020**, 10, 500-508
- 233 The Evolution of Coronary Intervention and Its Impact on Cardiac Arrhythmias. **2020**, 229-237
- 232 Percutaneous interventional cardiac procedures. **2020**, 3655-3666
- 231 M-Health Telemedicine and Telepresence in Oral and Maxillofacial Surgery. **2020**, 963-976
- 230 [Impact of endothelial dysfunction on the course of acute ST-elevation myocardial infarction and its correction by remote ischemic preconditioning]. **2020**, 92, 10-14 1
- 229 LONG-TERM CONSEQUENCES OF PRIMARY PERCUTANEOUS CORONARY INTERVENTION IN PATIENTS WITH ST-ELEVATION MYOCARDIAL INFARCTION. **2020**, 73, 662-667
- 228 Association between Adherence to Guideline-Recommended Preventive Medications and In-Hospital Mortality among Non-Reperfused ST-Elevation Myocardial Infarction Patients Admitted to a Tertiary Care Academic Center in a Developing Country. **2020**, 15, 8 1
- 227 Coexistence of calcified- and lipid-containing plaque components and their association with incidental rupture points in acute coronary syndrome-causing culprit lesions: results from the prospective OPTICO-ACS study.. **2021**,
- 226 P2Y12 inhibition in acute coronary syndromes treated with percutaneous intervention - Understanding the debate on Prasugrel or Ticagrelor. **2021**, 108029 0
- 225 Direct Oral Anticoagulants Versus Vitamin K Antagonists in the Treatment of Left Ventricular Thrombi. **2021**, 1
- 224 A co-designed telehealth-based model of care to improve attendance and completion to cardiac rehabilitation of rural and remote Australians: The Country Heart Attack Prevention (CHAP) project. **2021**, 27, 685-690 0
- 223 Beta-blockers in patients without heart failure after myocardial infarction. **2021**, 11, CD012565 1
- 222 Type II Myocardial Infarction: Predisposing Factors, Precipitating Elements, and Outcomes. **2020**, 12, e9254 3
- 221 Liquid Chromatography-Tandem Mass Spectrometry Method for Ticagrelor and its Active Metabolite Determination in Human Plasma: Application to a Pharmacokinetic Study. **2020**, 16, 602-608
- 220 Usefulness of whole blood viscosity estimated by de Simone's formula to predict left ventricular thrombus formation within one year following acute anterior myocardial infarction. **2020**, 57, 37-51 1
- 219 Insights Into the Spatiotemporal Patterns of Complexity of Ventricular Fibrillation by Multilead Analysis of Body Surface Potential Maps. **2020**, 11, 554838 3

218	Relative impact of bleedings over ischaemic events in patients with heart failure: insights from the CARDIONOR registry. 2020 ,	1
217	Resumption of sexual activity after acute myocardial infarction and long-term survival. 2020 ,	1
216	Established and emerging cardiovascular magnetic resonance techniques for the assessment of stable coronary heart disease and acute coronary syndromes. 2014 , 4, 330-44	7
215	Routine pretreatment with abciximab versus standard periprocedural therapy in mechanically ventilated cardiogenic shock patients undergoing primary percutaneous coronary intervention: Subanalysis of the PRAGUE-7 study. 2013 , 18, 81-4	5
214	A successful team treatment for left main shock syndrome. 2013 , 10, 302-4	1
213	Fractional flow reserve measurements to identify justified targets for PCI in patients with stable angina: FAME 2 and beyond. 2012 , 2, 261-3	
212	Levosimendan: current data, clinical use and future development. 2013 , 5, 227-45	42
211	Difference between Outcome of Left Circumflex Artery and Right Coronary Artery Related Acute Inferior Wall Myocardial Infarction in Patients Undergoing Adjunctive Angioplasty after Fibrinolysis. 2014 , 6, 101-4	8
210	Early surgery after coronary revascularization: a fine line between bleeding and thrombosis. 2015 , 11, 14-23	
209	Particularities of coronary artery disease in hypertensive patients with left bundle branch block. 2014 , 9, 333-7	
208	Interdisciplinary Approach in a Complex Case of STEMI. 2014 , 9, 382-6	
207	High tenascin-C levels cause inadequate myocardial blush grade in patients with acute myocardial infarction. 2015 , 8, 2554-61	3
206	Transcatheter aortic valve implantation in very elderly patients: immediate results and medium term follow-up. 2015 , 12, 340-5	4
205	Prognosis of patients with coronary artery disease treated in different therapy units at department of cardiology: a retrospective cohort study. 2015 , 8, 15657-65	0
204	Long term prognosis of acute coronary syndrome with chronic renal dysfunction treated in different therapy units at department of cardiology: a retrospective cohort study. 2015 , 8, 18335-42	
203	Aspiration thrombectomy in 2015: a TOTAL defeat?. 2016 , 8, 10-3	1
202	Early Administration of Intracoronary Nitroprusside Compared with Thrombus Aspiration in Myocardial Perfusion for Acute Myocardial Infarction: A 3-Year Clinical Follow-Up Study. 2015 , 31, 373-80	1
201	Impact of Prolonged Door-to-Balloon Times on the Diastolic Function in Acute ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention. 2015 , 31, 281-91	2

200	Thrombolysis Followed by Early Percutaneous Coronary Intervention via Transradial Artery Approach in Patients with ST-Segment Elevation Infarction. 2014 , 30, 284-91	3
199	Effects of Door-to-Balloon Times on Outcomes in Taiwanese Patients Receiving Primary Percutaneous Coronary Intervention: A Report of Taiwan Acute Coronary Syndrome Full Spectrum Registry. 2015 , 31, 215-25	6
198	What Could be Changed in the 2012 Taiwan ST-Segment Elevation Myocardial Infarction Guideline?. 2014 , 30, 360-4	6
197	Bivalirudin in Patients Undergoing PCI: State of Art and Future Perspectives. 2016 , 14, 54-63	1
196	Cytomegalovirus in Plasma of Acute Coronary Syndrome Patients. 2016 , 8, 102-7	1
195	A new cooperative approach for ST-elevation myocardial infarction patients to receive timely and effective percutaneous coronary reperfusion in China. 2016 , 13, 602-7	1
194	Percutaneous Ventricular Assist Devices: A Novel Approach in the Management of Patients With Acute Cardiogenic Shock. 2016 , 16, 243-9	21
193	Optimizing care for ST-elevation myocardial infarction patients: application of systems engineering. 2016 , 13, 883-887	1
192	Author's Reply. 2015 , 15, 956-8	
191	Long-term clinical outcomes of patients with rheumatoid arthritis and concomitant coronary artery disease. 2017 , 7, 9-18	6
190	Atrial fibrillation causing ST elevation myocardial infarction due to coronary embolism: case report and review of the literature. 2016 , 20, 160-162	2
189	ANMCO/GICR-IACPR/SICI-GISE Consensus Document: the clinical management of chronic ischaemic cardiomyopathy. 2017 , 19, D163-D189	
188	Local Intracoronary Infusion of Glycoprotein IIb/IIIa Inhibitors via a Perfusion Catheter versus Intracoronary Guiding Catheter Injection during Primary Percutaneous Coronary Intervention: A Pilot Observational Study. 2017 , 33, 258-265	1
187	The Management and Prognostic Factors of Acute Coronary Syndrome: Evidence from the Taiwan Acute Coronary Syndrome Full Spectrum Registry. 2017 , 33, 329-338	18
186	Antithrombotic treatment tailoring and risk score evaluation in elderly patients diagnosed with an acute coronary syndrome. 2017 , 14, 442-456	6
185	Patients with ST-segment elevation of myocardial infarction miss out on early reperfusion: when to undergo delayed revascularization. 2017 , 14, 524-531	4
184	Impact of Intra-Aortic Balloon Counterpulsation on Prognosis of Patients with Acute Myocardial Infarction: A Meta-Analysis. 2017 , 33, 567-577	4
183	The Value of CHADSVASC Score in Predicting All-Cause Mortality in Patients with ST-Segment Elevation Myocardial Infarction Who Have Undergone Primary Percutaneous Coronary Intervention. 2017 , 33, 598-604	8

182	Effect of Selective Thrombus Aspiration on Serum Lipoprotein-Associated Phospholipase A2 in Patients with ST-Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention with High Thrombus Burden. 2018 , 34, 233-241	4
181	Contemporary Prescription Patterns of Adenosine Diphosphate Receptor Inhibitors in Acute Coronary Syndrome. 2018 , 43, 667-674	1
180	Does 'super-responder' patients to cardiac resynchronization therapy still have indications for neuro-hormonal antagonists? Evidence from long-term follow-up in a single center. 2019 , 16, 251-258	2
179	PURL: Should you switch the DAPT agent one month after ACS?. 2019 , 68, 162;164	
178	Intracoronary arterial retrograde thrombolysis with percutaneous coronary intervention: a novel use of thrombolytic to treat acute ST-segment elevation myocardial infarction. 2019 , 16, 458-467	
177	Association of Serum Copeptin Levels with Patency of Infarct-Related Arteries in Patients with ST-Segment Elevation Myocardial Infarction. 2019 , 35, 360-368	1
176	[Expression of connexin 43 in peripheral blood monocytes from patients with acute coronary syndrome]. 2019 , 39, 471-476	
175	Terminal QRS Distortion in ST Elevation Myocardial Infarction as a Prediction of Mortality: Systematic Review and Meta-Analysis. 2019 , 35, 445-458	1
174	Association of Epicardial Adipose Tissue Thickness with Extent and Complexity of Coronary Artery Disease in Patients with Acute Coronary Syndrome. 2019 , 35, 459-467	2
173	Revascularization strategies for patients with myocardial infarction and multi-vessel disease: A critical appraisal of the current evidence. 2019 , 16, 717-723	2
172	Switching from Ticagrelor to Clopidogrel in Asian Patients with ST-Elevated Myocardial Infarction - A Time Dependent Analysis Study. 2020 , 36, 8-15	1
171	Influence of rs1746048 SNPs on clinical manifestations and incidence of acute myocardial infarction in Guangxi Han population. 2019 , 12, 282-294	
170	Association of rs1333040 SNPs with susceptibility, risk factors, and clinical characteristics of acute myocardial infarction patients in a Chinese Han population. 2018 , 11, 727-738	
169	The Treatment of Arterial Hypertension. 2019 , 45, 358-365	
168	A Pilot Study to Predict Future Cardiovascular Events by Novel Four-dimensional Echocardiography Global Area Strain in ST-Elevation Myocardial Infarction Patients Managed by Primary Percutaneous Coronary Intervention. 2020 , 30, 82-87	o
167	Individual nursing promotes rehabilitation of patients with acute myocardial infarction complicated with arrhythmia. 2021 , 13, 9306-9314	
166	Hypoxia-primed monocytes/macrophages enhance postinfarction myocardial repair.. 2022 , 12, 307-323	o
165	Predictive Value of Cardiac Magnetic Resonance Feature Tracking after Acute Myocardial Infarction: A Comparison with Dobutamine Stress Echocardiography. 2021 , 10,	o

- 164 Real-Life Outcomes of Coronary Bifurcation Stenting in Acute Myocardial Infarction (Zabrze-Opole Registry). **2021**, 8, 1
- 163 How to treat left ventricular thrombi- warfarin or direct oral anti-coagulants?. **2021**, 13, 100075
- 162 Evaluation of Clinical Efficiency of Cardioprotective Therapy in Patients with Acute Myocardial Infarction. **2021**, 10, 493-503
- 161 Impact of respiratory infectious epidemics on STEMI incidence and care. **2021**, 11, 23066
- 160 Temporal Trends of Antithrombotic Therapy in Patients With Acute Myocardial Infarction and Atrial Fibrillation: Insight From the KAMIR-NIH Registry.. **2021**, 8, 762090 1
- 159 Otimizando o Tratamento para o Infarto Agudo do Miocárdio, um Esforço Contínuo. **2021**, 117, 1079-1080
- 158 Clinical Impact of Single and Dual Antiplatelet Therapy Beyond 12 Months on Ischemic Risk in Patients With Acute Myocardial Infarction.. **2021**, 8, 783344 1
- 157 Acute Occlusion of the Infarct-Related Artery as a Predictor of Very Long-Term Mortality in Patients with Acute Myocardial Infarction. **2021**, 2021, 6647626
- 156 Impact of the SARS-CoV-2 Pandemic on Primary Percutaneous Coronary Intervention for Patients with ST-Elevation Myocardial Infarction. **2021**, 62, 1230-1234 2
- 155 Effect of Timing of Staged Percutaneous Coronary Intervention on Clinical Outcomes in Patients With Acute Coronary Syndromes. **2021**, 10, e023129
- 154 CHA DS -VASc impact on risk following percutaneous coronary intervention in atrial fibrillation. **2021**, e13717
- 153 How to treat left ventricular thrombi - Warfarin or direct oral anti-coagulants?. **2021**, 13, 100078
- 152 Disparities by sex in P2Y inhibitor therapy duration, or differences in the balance of ischaemic-benefit and bleeding-risk clinical outcomes in older women versus comparable men following acute myocardial infarction? A P2Y inhibitor new user retrospective cohort analysis of US Medicare claims data. **2021**, 11, e050236
- 151 Encyclopedia of Gerontology and Population Aging. **2021**, 5346-5358
- 150 Air pollution and recurrence of cardiovascular events after ST-segment elevation myocardial infarction.. **2021**, 342, 1-8
- 149 Predictors Of Left Ventricular Apical Thrombus Formation in Patients With Acute Anterior Myocardial Infarction and Treated Primary Percutaneous Coronary Intervention: Importance of Syntax Score.
- 148 The relationship between infarct-related arteries patency with c-reactive protein/albumin ratio before primary percutaneous coronary intervention in patients with st-segment elevation myocardial infarction.
- 147 Dynamic Sensing Detection and Numerical Analysis of Exercise Training for Patients with Stable Coronary Heart Disease in The Rehabilitation Process. **2021**,

146	Adjunctive Catheter-Directed Thrombolysis during Primary PCI for ST-Segment Elevation Myocardial Infarction with High Thrombus Burden.. 2022 , 11,	1
145	A New Predictor of Mortality in ST-Elevation Myocardial Infarction: The Uric Acid Albumin Ratio.. 2022 , 33197211066362	4
144	Prognostic Value of the Pattern of Non-Adherence to Anti-Platelet Regimen in Stented Patients (PARIS) Bleeding Risk Score for Long-Term Mortality After Percutaneous Coronary Intervention.. 2022 , 63, 15-22	
143	CVIT expert consensus document on primary percutaneous coronary intervention (PCI) for acute myocardial infarction (AMI) update 2022.. 2022 , 37, 1	4
142	The feasibility of smartphone-based application on cardiac rehabilitation for Chinese patients with percutaneous coronary intervention in Macau: a qualitative evaluation.. 2022 , 17, 2023940	
141	"Our Hands Are Tied Until Your Doctor Gets Here": Nursing Perspectives on Inter-hospital Transfers.. 2022 , 1	1
140	Acute Coronary Syndromes in Sub-Saharan Africa: A 10-Year Systematic Review.. 2021 , e021107	1
139	Female gender and mortality in ST-segment-elevation myocardial infarction treated with primary PCI.. 2022 , 23,	1
138	Impact of Total Ischemic Time on the Recovery of Regional Wall Motion Abnormality after STEMI in the Modern Reperfusion Era.. 2022 , 2022, 2447707	
137	Persistently elevated levels of sST2 after acute coronary syndrome are associated with recurrent cardiac events.. 2022 , 1-17	0
136	Effect of Coronary Thrombus Aspiration in Non ST Elevation Acute Coronary Syndrome Patients on Three-Year Survival- Does it add any Benefit?. 2022 , 33197211053404	1
135	Excimer laser technology in percutaneous coronary interventions: Cardiovascular laser society's position paper.. 2022 ,	1
134	Chest computed tomography features of heart failure: A prospective observational study in patients with acute dyspnea.. 2022 ,	1
133	Case Report: Successful primary percutaneous coronary intervention in octogenarian with acute-on-chronic kidney disease and total atrioventricular block after acute myocardial infarction. 10, 267	
132	Process Evaluation of a Randomised Controlled Trial for TeleClinical Care, a Smartphone-App Based Model of Care.. 2021 , 8, 780882	
131	Sex-Specific Impact of Different Obesity/Metabolic Phenotypes on Long-Term Cardiovascular Outcomes in Acute Coronary Syndrome Patients.. 2022 , 10,	1
130	The Box-eHealth in the Outpatient Clinic Follow-up of Patients With Acute Myocardial Infarction: Cost-Utility Analysis.. 2022 , 24, e30236	0
129	Prognostic value of divergent pattern detection by 99mTc-sestamibi gated SPECT in patients with anterior acute myocardial infarction.. 2021 , 1	1

- 128 [Analysis of clinical phenomena and changes in physico-chemical properties of the blood in mentally ill children]. **1975**, 17, 313-28
- 127 The SharedHeart Approach: Technology-Supported Shared Decision Making to Increase Physical Activity in Cardiac Patients. **2022**, 469-488
- 126 Biomarkers of Inflammation and Oxidative stress in the Prediction and Management of Acute Coronary Syndrome. 3,
- 125 Love and lifestyle: how 'relational healthism' structures couples' talk of engagement with lifestyle advice associated with a new diagnosis of coronary heart disease.. **2022**, 1-17
- 124 Use of Anticoagulant Therapy in Patients with Acute Myocardial Infarction and Atrial Fibrillation.. **2022**, 58,
- 123 Do We Really Need Aspirin Loading for STEMI?. **2022**, 1 ○
- 122 Prediction of Myocardial Infarction From Patient Features With Machine Learning.. **2022**, 9, 754609 1
- 121 Effects of COPD on Left Ventricular and Left Atrial Deformation in Patients with Acute Myocardial Infarction: Strain Analysis Using Speckle-Tracking Echocardiography.. **2022**, 11, 1
- 120 [Evolution of epidemiology and management of acute coronary syndromes in Abidjan :A cross-sectional study of 1011 patients.]. **2022**,
- 119 Risk Factors for No-Reflow in Patients with ST-Elevation Myocardial Infarction Who Underwent Percutaneous Coronary Intervention: A Case-Control Study.. **2022**, 2022, 3482518
- 118 Factors Associated With Prehospital Delay Among Patients With Acute Myocardial Infarction in the Era of Percutaneous Coronary Intervention - Insights From the OACIS Registry.. **2021**, 86, ○
- 117 Role of Intravascular Ultrasound-Guided Percutaneous Coronary Intervention in Optimizing Outcomes in Acute Myocardial Infarction.. **2022**, e023481 1
- 116 The relationship between symptom onset-to-needle time and ischemic outcomes in patients with acute myocardial infarction treated with primary PCI: Observations from Prague-18 Study.. **2021**,
- 115 Regional variations in the process of care for patients undergoing percutaneous coronary intervention in Japan.. **2022**, 22, 100425 ○
- 114 Electrocardiographic Predictors of Primary Ventricular Fibrillation and 30-Day Mortality in Patients Presenting with ST-Segment Elevation Myocardial Infarction.. **2021**, 10, ○
- 113 Consideration regarding the Analysis of Randomized Controlled Trials in the era of Evidence-Based Medicine.. **2021**, ○
- 112 Patient characteristics and safety outcomes in new users of ticagrelor and clopidogrel-An observational cohort study in Sweden. **2021**, ○
- 111 Predictors of death within 6 months after non-ST elevation myocardial infarction in post-COVID-19 patients. **2022**, 25, 47

- 110 Reperfusion therapy for ST-elevation myocardial infarction complicated by cardiogenic shock: the European Society of Cardiology EurObservational programme acute cardiovascular care-European association of PCI ST-elevation myocardial infarction registry.. **2022**,
- 109 Antiplatelet response to clopidogrel is associated with a haplotype in CYP2C19 gene in Pakistani patients.. **2022**, 12, 6171 ○
- 108 Long-term effects of baseline on-treatment platelet reactivity in patients with acute coronary syndrome and thrombocytopenia undergoing percutaneous coronary intervention.. **2022**, 50, 3000605221081725
- 107 Effect of High-Intensity Interval Training, Moderate Continuous Training, or Guideline-Based Physical Activity on Peak Oxygen Uptake and Myocardial Fibrosis in Patients With Myocardial Infarction: Protocol for a Randomized Controlled Trial.. **2022**, 9, 860071 1
- 106 Data_Sheet_1.PDF. **2020**,
- 105 Table_1.DOCX. **2020**,
- 104 Multivessel versus Culprit-Only Revascularization Strategies in Cardiac Arrest Survivors.. **2022**, 38, 175-186
- 103 D-dimer to Creatinine Ratio: A Novel Biomarker Associated with Gensini Score in ST-Segment Elevation Myocardial Infarction Patients.. **2022**, 28, 10760296221099938
- 102 Historical Context of Cardiac Rehabilitation: Learning From the Past to Move to the Future.. **2022**, 9, 842567 ○
- 101 Variabilidad interregional en el uso de tecnologías cardiovasculares (2011-2019). Correlaci3n con 3ndices econ3micos y frecuentaci3n y mortalidad hospitalarias. **2022**, ○
- 100 Case Report: Successful primary percutaneous coronary intervention in octogenarian with acute-on-chronic kidney disease and total atrioventricular block after acute myocardial infarction. 10, 267
- 99 Fallacy of Median Door-to-ECG Time: Hidden Opportunities for STEMI Screening Improvement.. **2022**, 11, e024067 1
- 98 Gender specific performance of one- compared to two-catheter concepts in transradial coronary angiography - Insights from the randomized UDDC-Radial-Trial.. **2022**,
- 97 The Impact of Hypoglycemic Therapy on the Prognosis for Acute Coronary Syndrome in Patients with Type 2 Diabetes. **2022**, 12, 845
- 96 Comparison of tenecteplase versus alteplase in STEMI patients treated with ticagrelor: A cross-sectional study. **2022**, 58, 52-56 ○
- 95 The Relationship between Hypoglycaemic Episodes and Arrhythmias in Type 2 Diabetes Subjects after Acute Myocardial Infarction with ST-Segment Elevation—A Case Series. **2022**, 12, 141-152
- 94 Adherence to Secondary Prevention Measures after Acute Coronary Syndrome in Patients Associated Exclusively with the Public and Private Healthcare Systems in Brazil.
- 93 Assessing myocardial infarction severity from the urban environment perspective in Wuhan, China. **2022**, 317, 115438

92	Outcomes of Coronary Artery By-Pass Grafting Under Dual Antiplatelet Therapy in ST Elevated Myocardial Infarction. 000331972211106	
91	Interregional variability in the use of cardiovascular technologies (2011-2019). Correlation with economic indicators, admissions, and in-hospital mortality. 2022 ,	
90	Prognostic Value of Metabolic Syndrome in Patients With Non-ST Elevated Myocardial Infarction Undergoing Percutaneous Coronary Intervention. 9,	0
89	Astragaloside IV attenuate MI-induced myocardial fibrosis and cardiac remodeling by inhibiting ROS/caspase-1/GSDMD signaling pathway. 1-14	2
88	How real can we get in generating real world evidence? Exploring the opportunities of routinely collected administrative data for evaluation of medical devices.	1
87	Dabigatran for intracardiac thrombus, yet another promising role of a direct oral anticoagulant: a case report and short review of literature. 2022 , 9, 75-79	
86	Optimization and Characterization of a Liposomal Azithromycin Formulation for Alternative Macrophage Activation. 2,	
85	Study the Association of Nucleotide Polymorphisms in Platelet Receptor and Cytochrome P450 Genes with the Development of Resistance to Antiplatelet Drugs in Patients with Coronary Artery Disease. 2022 , 18, 289-296	
84	Relationship Between Work Mode, Time of Admission, and Mortality in St-Segment Elevation Myocardial Infarction: Results From the TURKMI Registry. 000331972211131	
83	Socioeconomic environment and survival in patients after ST-segment elevation myocardial infarction (STEMI): a longitudinal study for the City of Vienna. 2022 , 12, e058698	
82	Effect of hospital assignment on mortality for AMI patients.	
81	Development and Validation of a Prediction Rule for Major Adverse Cardiac and Cerebrovascular Events in High-Risk Myocardial Infarction Patients After Primary Percutaneous Coronary Intervention. Volume 17, 1099-1111	0
80	Safety and Efficacy of Contemporary Drug-Eluting Stents in Patients With ST-Segment Elevation Myocardial Infarction and a High Ischemic Risk. 9,	
79	Vascular Complications with Intra-Aortic Balloon Pump (IABP) – Experience from a large Canadian metropolitan centre.. 2022 ,	
78	Time trends in incidence, treatment, and outcome in acute myocardial infarction in Norway 2013-2019.	1
77	Adherence to secondary prevention measures after acute coronary syndrome in patients associated exclusively with the public and private healthcare systems in Brazil. 2022 , 29, 101973	0
76	Spillover effects and other determinants of medical device uptake in the presence of a medical guideline: An analysis of drug-eluting stents in Germany and Italy. 2022 , 31, 157-178	1
75	Irisin Regulates Cardiac Responses to Exercise in Health and Diseases: a Narrative Review.	1

74	The Differences in Clinical Characteristic and Outcomes of New Onset Typical versus Atypical Right Branch Bundle Block in Acute Myocardial Infarction. 2022 , 2022, 1-8	0
73	Nebivolol for the Treatment of Arrhythmias: a Narrative Review.	0
72	Clinical usefulness of the pattern of non-adherence to anti-platelet regimen in stented patients (PARIS) thrombotic risk score to predict long-term all-cause mortality and heart failure hospitalization after percutaneous coronary intervention. 2022 , 17, e0274287	1
71	Adherence with cardiovascular medications and the outcomes in patients with coronary arterial disease: âReal-worldâEvidence.	0
70	Selective protein kinase C inhibition switches time-dependent glucose cardiotoxicity to cardioprotection. 9,	0
69	Recurrent biventricular takotsubo cardiomyopathy with fatal outcome. 2022 , 15, e249910	0
68	Techniques to treat slow/no-reflow during primary percutaneous coronary intervention. 2022 ,	0
67	No Association of Early Postoperative Heart Rate With Outcomes After Coronary Artery Bypass Grafting. 2022 , 31, 402-410	0
66	Association between operator volume and mortality in primary percutaneous coronary intervention. 2022 , 9, e002072	0
65	Efficacy and safety of direct oral anticoagulants in the treatment of left ventricular thrombus after acute anterior myocardial infarction in patients who underwent percutaneous coronary intervention.. 2022 , 20,	0
64	Association of epicardial adipose tissue with coronary CT angiography plaque parameters on cardiovascular outcome in patients with and without diabetes mellitus. 2022 ,	1
63	Artificial intelligence-assisted remote detection of ST-elevation myocardial infarction using a mini-12-lead electrocardiogram device in prehospital ambulance care. 9,	0
62	Timing of angiography and outcomes in patients with non-ST-segment elevation myocardial infarction: Insights from the evaluation and management of patients with acute chest pain in China registry. 9,	0
61	Mechanical complications in STEMI: prevalence and mortality trends in the primary PCI era. The Ruti-STEMI registry. 2022 ,	0
60	Prognosis in Patients With Cardiogenic Shock Who Received Temporary Mechanical Circulatory Support. 2022 ,	0
59	MCA-net: A multi-task channel attention network for Myocardial infarction detection and location using 12-lead ECGs. 2022 , 150, 106199	2
58	Measurement of left ventricular end-diastolic pressure improves the prognostic utility of the Global Registry of Acute Coronary Events score in patients with ST-segment elevation myocardial infarction. 2019 , 5, 134-140	0
57	Care of patients with ST-Elevation MI: an international analysis of Quality Indicators in the Acute Coronary Syndrome (ACS) STEMI Registry of the EURObservational Research Programme (EORP) and ACVC and EAPCI Associations of the European Society of Cardiology (ESC) in 11,462 patients.	0

56	Is 3-6 months anticoagulation with warfarin necessary after left ventricular thrombectomy with left ventricular aneurysm surgery?.	0
55	Bivalirudin in patients with ST-segment elevation myocardial infarction. 2022,	0
54	Cortisol response to psychosocial stress, mental distress, fatigue and quality of life in coronary artery disease patients. 2022, 12,	0
53	Two cases of left ventricular apical aneurysm associated with severe aortic stenosis: case report. 2022, 46,	0
52	Trajectories of cardiac function following treatment with Impella in patients with acute anterior ST-elevation myocardial infarction. 2022,	0
51	Emergency Interhospital Transfer of Patients With ST-Segment Elevation Myocardial Infarction: Call 9-1-1 The American Heart Association Mission: Lifeline Program. 2022, 11,	0
50	Short-term efficacy of angiotensin receptor-neprilysin inhibitor treatment in patients with ST-segment elevation myocardial infarction with reduced ejection fraction after primary percutaneous coronary intervention: a propensity score matching study. 2022, 22,	1
49	Prognostic value of syntax score, intravascular ultrasound and near-infrared spectroscopy to identify low-risk patients with coronary artery disease 5-year results from the ATHEROREMO and IBIS-3 cohorts. 2022, 17, e0275592	0
48	Temporal Trends in Acute Coronary Syndrome Mortality in Serbia in 2005-2019: An Age-Period-Cohort Analysis Using Data from the Serbian Acute Coronary Syndrome Registry (RAACS). 2022, 19, 14457	0
47	Narrowing disparities in PCI outcomes in women; From risk assessment, to referral pathways and outcomes. 2022, 24, 100225	0
46	Prognosis After First-Ever Myocardial Infarction in Type 1 Diabetes Is Strongly Affected by Chronic Kidney Disease.	1
45	Identification of Coronary Culprit Lesion in ST Elevation Myocardial Infarction by Using Deep Learning. 2023, 11, 70-79	0
44	Structure, Process, and Mortality Associated with Acute Coronary Syndrome Management in Guatemala National Healthcare System: The ACS-GT Registry. 2022, 17,	0
43	Predictive value of oxidative, antioxidative, and inflammatory status for left ventricular systolic recovery after percutaneous coronary intervention for ST-segment elevation myocardial infarction. 2022, 68, 1369-1375	0
42	Circadian Variations and Associated Factors in Patients with Ischaemic Heart Disease. 2022, 19, 15628	1
41	Characteristics of Patients Referred to Basrah Cardiac Center for Primary Percutaneous Coronary Intervention. 2022, 21, 178-182	0
40	New Approaches in P2Y12 Receptor Blocker Drugs Use. 2022, 141-190	0
39	Aspirin use in ST-elevation myocardial infarction (STEMI) patients transported by emergency medical services (EMS). 2022,	0

- 38 Hypothermia and its role in patients with ST-segment-elevation myocardial infarction and cardiac arrest. 9, ○
- 37 Management of Post-Myocardial Infarction Right Ventricular Failure. **2022**, 100526 ○
- 36 Comparing the Effectiveness of Two Cardiac Rehabilitation Exercise Therapy Programs. **2022**, ○
- 35 Complicaciones mecánicas en el IAMCEST: tendencias de prevalencia y mortalidad en la era de la angioplastia primaria. Registro Ruti-STEMI. **2022**, ○
- 34 Beta-blocker prescription and outcomes in uncomplicated acute myocardial infarction: Insight from the ePARIS registry. **2022**, ○
- 33 Case report: Oral anticoagulant combined with percutaneous coronary intervention for peripheral embolization of left ventricular thrombus caused by myocardial infarction in a patient with diabetes mellitus. 9, ○
- 32 Contemporary incidence and predictors of left ventricular thrombus in patients with anterior acute myocardial infarction. ○
- 31 Comparative effectiveness of Cangrelor in patients with acute coronary syndrome undergoing percutaneous coronary intervention: Insights from the multicenter M.O.Ca. registry. ○
- 30 Information Needs and Communication Strategies for People with Coronary Heart Disease: A Scoping Review. **2023**, 20, 1723 ○
- 29 Consistency of left ventricular ejection fraction measurements in the early time course of STEMI. ○
- 28 Dilemmas in Haematology: Consults in patients with arterial thrombosis. **2023**, ○
- 27 Increased expression of inactive rhomboid protein 2 in circulating monocytes after acute myocardial infarction. ○
- 26 ST-segment elevation myocardial infarction. **2023**, 13-33 ○
- 25 Beyond chest pain: Incremental value of other variables to identify patients for an early ECG. **2023**, 67, 70-78 ○
- 24 Immediate versus staged complete revascularization in patients with ST-segment elevation myocardial infarction and multivessel coronary artery disease: results from a prematurely discontinued randomized multicenter trial. **2023**, 259, 58-67 ○
- 23 Characterization of early myocardial inflammation in ischemia-reperfusion injury. 13, ○
- 22 Clinical Outcomes after Percutaneous Coronary Intervention for Cardiogenic Shock Secondary to Total Occlusive Unprotected Left Main Coronary Artery Lesion-Related Acute Myocardial Infarction. **2023**, 12, 1311 ○
- 21 Real world evidence: Perspectives from a European Society of Cardiology Cardiovascular Round Table with contribution from the European Medicines Agency. **2023**, 9, 109-118 ○

20	Various Expressions of PIK3C2A and TXNIP Genes and Their Potential Role as Independent Risk Factors for Chronic Stable Angina and Acute Coronary Syndrome. 2023 , 13, 302	0
19	Data Compression of Photoplethysmogram Signal for IoT Application. 2022 ,	0
18	Comparative analysis of percutaneous revascularization practice in the United States and the United Kingdom: Insights from the BMC2 and BCIS databases. 2023 , 101, 495-504	1
17	Implementation of the ESC STEMI guidelines in female and elderly patients over a 20-year period in a large German registry.	0
16	Consistency of left ventricular ejection fraction measurements in the early time course of STEMI. 2023 , 1-13	0
15	Prognostic impact of hypercoagulability and impaired fibrinolysis in acute myocardial infarction.	0
14	Feasibility of patch-type wireless 12-lead electrocardiogram in laypersons. 2023 , 13,	0
13	Adherence to guideline-directed medical therapy and 3-year clinical outcome following acute myocardial infarction. 2023 , 3,	0
12	Akut Koroner Sendrom ile BaWuran Hastalarda Bklu Damar HastalOranlarññ Akut Koroner Sendrom Alt Tiplerine Gñe Karñlñmas=56-61	0
11	Synergistic role of circulating CD14++CD16+ monocytes and fibrinogen in predicting the cardiovascular events after myocardial infarction.	0
10	Clinical outcomes in ST-segment elevation myocardial infarction patients undergoing percutaneous coronary interventions later than 48 h after symptom onset.	0
9	Percutaneous Coronary Intervention Versus Coronary Artery Bypass Grafting in NonST-Elevation Coronary Syndromes and Multivessel Disease: A Systematic Review and Meta-Analysis. 2023 , 195, 70-76	0
8	Comprehensive review on patulin and Alternaria toxins in fruit and derived products. 14,	0
7	Person-Centered Cardiology. 2023 , 501-538	0
6	Electrocardiogram Interpretation Competency of Medical Interns in Saudi Arabia: A Cross-Sectional Study. 2023 ,	0
5	Surgical Complications After Acute Myocardial Infarction: Ventricular Septal Defect and Free Wall Rupture. 2023 , 477-496	0
4	The effect of point-of-care ultrasound on length of stay and mortality in patients with chest pain/dyspnea.	0
3	Revealing concealed cardioprotection by platelet Mfsd2b-released S1P in human and murine myocardial infarction. 2023 , 14,	0

- 2 Predicting 30-Day Mortality Using ST-Segment Elevation Resolution in ST-Elevation Myocardial Infarction Patients Undergoing Primary Percutaneous Coronary Intervention: An Indian Scenario. **2023,** ○
- 1 Comparative analysis of level of evidence and class of recommendation for 50 clinical practice guidelines released by the European Society of Cardiology from 2011 to 2022. **2023,** ○