

# Return-to-Sport Outcomes at 2 to 7 Years After Anterior Reconstruction Surgery

American Journal of Sports Medicine

40, 41-48

DOI: [10.1177/0363546511422999](https://doi.org/10.1177/0363546511422999)

Citation Report

#	ARTICLE	IF	CITATIONS
1	The Definition of Block "Success" in the Contemporary Literature. <i>Regional Anesthesia and Pain Medicine</i> , 2012, 37, 545-553.	1.1	18
2	Volleyball Injuries. <i>Current Sports Medicine Reports</i> , 2012, 11, 251-256.	0.5	46
3	Return or Retirement?. <i>American Journal of Sports Medicine</i> , 2012, 40, 2437-2439.	1.9	6
5	The Challenge of Return to Sports for Patients Post-ACL Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2012, 42, 300-301.	1.7	19
6	Return to High School" and College-Level Football After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2012, 40, 2523-2529.	1.9	254
8	Return to sport following anterior cruciate ligament reconstruction. <i>International Orthopaedics</i> , 2013, 37, 285-290.	0.9	75
9	Return to sports after Anterior Cruciate Ligament reconstruction in women. <i>Sports Orthopaedics and Traumatology</i> , 2013, 29, 22-28.	0.1	5
10	Anatomic Double-Bundle Anterior Cruciate Ligament Reconstruction. <i>Operative Techniques in Sports Medicine</i> , 2013, 21, 47-54.	0.2	1
11	Evaluation of Information Available on the Internet Regarding Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1101-1107.	1.3	31
12	Abnormal Frontal Plane Knee Mechanics During Sidestep Cutting in Female Soccer Athletes After Anterior Cruciate Ligament Reconstruction and Return to Sport. <i>American Journal of Sports Medicine</i> , 2013, 41, 918-923.	1.9	55
13	Patient-Reported Knee Function, Quality of Life, and Activity Level After Bilateral Anterior Cruciate Ligament Injuries. <i>American Journal of Sports Medicine</i> , 2013, 41, 2805-2813.	1.9	67
14	Reviewing definitions of urinary continence in the contemporary spina bifida literature: A call for clarity. <i>Journal of Pediatric Urology</i> , 2013, 9, 567-574.	0.6	22
15	The Importance of Tibial Tunnel Placement in Anatomic Double-Bundle Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1072-1078.	1.3	29
17	ACL Graft Healing and Biologics. <i>Clinics in Sports Medicine</i> , 2013, 32, 93-109.	0.9	63
18	Fear of Reinjury (Kinesiophobia) and Persistent Knee Symptoms Are Common Factors for Lack of Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2013, 29, 1322-1329.	1.3	157
19	Kinesiophobia After Anterior Cruciate Ligament Rupture and Reconstruction: Noncopers Versus Potential Copers. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013, 43, 821-832.	1.7	73
20	Reposition Acuity and Postural Control after Exercise in Anterior Cruciate Ligament Reconstructed Knees. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 2314-2321.	0.2	24
21	Factors Related to Return to Sport After ACL Reconstruction: When Is It Safe?. , 2013, , 169-181.		2

#	ARTICLE	IF	CITATIONS
22	Anatomic Anterior Cruciate Ligament Reconstruction. <i>Cartilage</i> , 2013, 4, 27S-37S.	1.4	38
23	Operative and Nonoperative Treatment Options for ACL Tears in the Adult Patient: A Conceptual Review. <i>Physician and Sportsmedicine</i> , 2013, 41, 33-40.	1.0	19
24	Functional outcomes following a non-operative treatment algorithm for anterior cruciate ligament injuries in skeletally immature children 12 years and younger. A prospective cohort with 2 years follow-up. <i>British Journal of Sports Medicine</i> , 2013, 47, 488-494.	3.1	83
25	Two-year Outcome With the AperFix System for ACL Reconstruction. <i>Orthopedics</i> , 2013, 36, e159-64.	0.5	13
26	Knee Biomechanics during a Jump-Cut Maneuver. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 942-951.	0.2	47
27	From the Gait Laboratory to the Rehabilitation Clinic: Translation of Motion Analysis and Modeling Data to Interventions That Impact Anterior Cruciate Ligament Loads in Gait and Drop Landing. <i>Critical Reviews in Biomedical Engineering</i> , 2013, 41, 243-258.	0.5	7
28	Resultados da reconstrucao do ligamento cruzado anterior em atletas amadores de futebol. <i>Revista Brasileira De Medicina Do Esporte</i> , 2014, 20, 65-69.	0.1	0
29	Quadriceps Muscle Function After Exercise in Men and Women With a History of Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2014, 49, 740-746.	0.9	18
30	We Can Do Better. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2014, 44, 634-635.	1.7	8
31	Reconstruction of the Medial Patellofemoral Ligament. <i>American Journal of Sports Medicine</i> , 2014, 42, 1661-1668.	1.9	113
32	Fifty-five per cent return to competitive sport following anterior cruciate ligament reconstruction surgery: an updated systematic review and meta-analysis including aspects of physical functioning and contextual factors. <i>British Journal of Sports Medicine</i> , 2014, 48, 1543-1552.	3.1	920
33	Factors Affecting Return to Play After Anterior Cruciate Ligament Reconstruction: A Review of the Current Literature. <i>Physician and Sportsmedicine</i> , 2014, 42, 71-79.	1.0	16
36	Functional bracing of ACL injuries: current state and future directions. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2014, 22, 1131-1141.	2.3	43
37	A Qualitative Investigation of the Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2014, 42, 336-342.	1.9	138
38	The impact of psychological readiness to return to sport and recreational activities after anterior cruciate ligament reconstruction. <i>British Journal of Sports Medicine</i> , 2014, 48, 1613-1619.	3.1	315
39	Incidence of Second ACL Injuries 2 Years After Primary ACL Reconstruction and Return to Sport. <i>American Journal of Sports Medicine</i> , 2014, 42, 1567-1573.	1.9	593
41	Correlation between the result from arthroscopic reconstruction of the anterior cruciate ligament of the knee and the return to sports activity. <i>Revista Brasileira De Ortopedia</i> , 2014, 49, 240-244.	0.6	1
42	Return to Sport after Anterior Cruciate Ligament Reconstruction: A Literature Review. <i>Journal of Novel Physiotherapies</i> , 2014, 04, .	0.1	4

#	ARTICLE	IF	CITATIONS
43	ACL Injury Risk in the Physically Active: Why are Females More Susceptible?. <i>Kinesiology Review</i> , 2015, 4, 52-62.	0.4	3
44	Incidence and Predictors of Second Anterior Cruciate Ligament Injury After Primary Reconstruction and Return to Sport. <i>Journal of Athletic Training</i> , 2015, 50, 1097-1099.	0.9	51
45	An Exploration of Sports Rehabilitatorsâ€™™ and Athletic Rehabilitation Therapistsâ€™™ Views on Fear of Reinjury After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 140-150.	0.4	5
46	Knee extension torque variability after exercise in ACL reconstructed knees. <i>Journal of Orthopaedic Research</i> , 2015, 33, 1165-1170.	1.2	16
47	Psychological Aspects of Recovery Following Anterior Cruciate Ligament Reconstruction. <i>Journal of the American Academy of Orthopaedic Surgeons, The</i> , 2015, 23, 501-509.	1.1	124
48	Anterior Cruciate Ligament Repair Revisited. Preliminary Results of Primary Repair with Internal Brace Ligament Augmentation: A Case Series. , 2015, 04, .		12
49	A conceptual framework for a sports knee injury performance profile (SKIPP) and return to activity criteria (RTAC). <i>Brazilian Journal of Physical Therapy</i> , 2015, 19, 340-359.	1.1	26
50	Anterior Cruciate Ligament Reconstructionâ€™™Not Exactly a One-Way Ticket Back to the Preinjury Level. <i>Sports Health</i> , 2015, 7, 224-230.	1.3	137
51	Changes in Quadriceps and Hamstring Cocontraction Following Landing Instruction in Patients With Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 273-280.	1.7	29
52	Consensus criteria for defining â€™successful outcomeâ€™™ after ACL injury and reconstruction: a Delaware-Oslo ACL cohort investigation. <i>British Journal of Sports Medicine</i> , 2015, 49, 335-342.	3.1	222
53	Sports Participation 2 Years After Anterior Cruciate Ligament Reconstruction in Athletes Who Had Not Returned to Sport at 1 Year. <i>American Journal of Sports Medicine</i> , 2015, 43, 848-856.	1.9	204
54	Predictive parameters for return to pre-injury level of sport 6â€™™months following anterior cruciate ligament reconstruction surgery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 3623-3631.	2.3	136
55	Neuroplasticity Following Anterior Cruciate Ligament Injury: A Framework for Visual-Motor Training Approaches in Rehabilitation. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 381-393.	1.7	154
56	Functional assessments for decision-making regarding return to sports following ACL reconstruction. Part II: clinical application of a new test battery. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1283-1291.	2.3	106
57	Drop-Landing Performance and Knee-Extension Strength After Anterior Cruciate Ligament Reconstruction. <i>Journal of Athletic Training</i> , 2015, 50, 596-602.	0.9	31
58	Clinical Thresholds for Quadriceps Assessment After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2015, 24, 36-46.	0.4	70
59	Return to recreational sports activity after anterior cruciate ligament reconstruction: a one- to six-year follow-up study. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2015, 135, 1117-1122.	1.3	34
60	Assessing participation in the ACL injured population: Selecting a patient reported outcome measure on the basis of measurement properties. <i>Knee</i> , 2015, 22, 262-269.	0.8	15

#	ARTICLE	IF	CITATIONS
61	Return to Play Following Anterior Cruciate Ligament Reconstruction. <i>Journal of the American Academy of Orthopaedic Surgeons</i> , The, 2015, 23, 283-296.	1.1	102
62	Comparison of Physical Impairment, Functional, and Psychosocial Measures Based on Fear of Reinjury/Lack of Confidence and Return-to-Sport Status After ACL Reconstruction. <i>American Journal of Sports Medicine</i> , 2015, 43, 345-353.	1.9	200
63	Redirecting the Thrust to Put "Therapeutic" Back Into Therapeutic Exercise. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2015, 45, 148-150.	1.7	6
64	Reference Values for the Marx Activity Rating Scale in a Young Athletic Population. <i>Sports Health</i> , 2015, 7, 403-408.	1.3	23
65	Incidence and Predictors of Second Anterior Cruciate Ligament Injury After Primary Reconstruction and Return to Sport. <i>Journal of Athletic Training</i> , 0, , .	0.9	0
66	Young Athletes With Quadriceps Femoris Strength Asymmetry at Return to Sport After Anterior Cruciate Ligament Reconstruction Demonstrate Asymmetric Single-Leg Drop-Landing Mechanics. <i>American Journal of Sports Medicine</i> , 2015, 43, 2727-2737.	1.9	175
67	A two- and five-year follow-up of clinical outcome after ACL reconstruction using BPTB or hamstring tendon grafts: a prospective intervention outcome study. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 799-807.	2.3	36
68	Tendon and Ligament Tissue Engineering. , 2015, , 553-565.		4
69	Risk of Anterior Cruciate Ligament Injury in Athletes on Synthetic Playing Surfaces. <i>American Journal of Sports Medicine</i> , 2015, 43, 1798-1804.	1.9	45
70	Anterior cruciate ligament injury alters preinjury lower extremity biomechanics in the injured and uninjured leg: the JUMP-ACL study. <i>British Journal of Sports Medicine</i> , 2015, 49, 188-195.	3.1	94
71	Psychological predictors of anterior cruciate ligament reconstruction outcomes: a systematic review. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 752-762.	2.3	207
72	Translation, cross-cultural adaptation and validation of the French version of the Anterior Cruciate Ligament-Return to Sport after Injury (ACL-RSI) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 1192-1196.	2.3	106
73	Factors associated with returning to football after anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2015, 23, 2514-2521.	2.3	43
74	USE OF SPATIOTEMPORAL GAIT PARAMETERS TO DETERMINE RETURN TO SPORTS AFTER ACL RECONSTRUCTION. <i>Acta Ortopedica Brasileira</i> , 2016, 24, 73-76.	0.2	4
76	Returning to sport after anterior cruciate ligament reconstruction in amateur sports men: a retrospective study. <i>Muscles, Ligaments and Tendons Journal</i> , 2016, 6, 486-491.	0.1	20
77	What is the evidence to support a psychological component to rehabilitation programs after anterior cruciate ligament reconstruction?. <i>Current Orthopaedic Practice</i> , 2016, 27, 263-268.	0.1	13
78	Factors associated with playing football after anterior cruciate ligament reconstruction in female football players. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2016, 26, 1343-1352.	1.3	46
79	An Ecological Study of Anterior Cruciate Ligament Reconstruction, Part 1. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711667220.	0.8	13

#	ARTICLE	IF	CITATIONS
80	Return to play post-Achilles tendon rupture: a systematic review and meta-analysis of rate and measures of return to play. <i>British Journal of Sports Medicine</i> , 2016, 50, 1325-1332.	3.1	103
81	2016 Consensus statement on return to sport from the First World Congress in Sports Physical Therapy, Bern. <i>British Journal of Sports Medicine</i> , 2016, 50, 853-864.	3.1	552
82	Evidence-based clinical practice update: practice guidelines for anterior cruciate ligament rehabilitation based on a systematic review and multidisciplinary consensus. <i>British Journal of Sports Medicine</i> , 2016, 50, 1506-1515.	3.1	512
83	Muscle function is associated with future patient-reported outcomes in young adults with ACL injury. <i>BMJ Open Sport and Exercise Medicine</i> , 2016, 2, e000154.	1.4	28
84	Psychosocial factors associated with outcomes of sports injury rehabilitation in competitive athletes: a mixed studies systematic review. <i>British Journal of Sports Medicine</i> , 2016, 50, 537-544.	3.1	144
85	The Utility of Limb Symmetry Indices in Return-to-Sport Assessment in Patients With Bilateral Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2016, 44, 2030-2038.	1.9	69
86	The Role of Imaging in Determining Return to Play. <i>Radiologic Clinics of North America</i> , 2016, 54, 979-988.	0.9	4
87	Mechanoreceptor Reinnervation of Autografts Versus Allografts After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2016, 4, 232596711666878.	0.8	30
88	ACL reconstruction in youth athletes results in an improved rate of return to athletic activity when compared with non-operative treatment: a systematic review of the literature. <i>Journal of ISAKOS</i> , 2016, 1, 62-69.	1.1	27
89	Rates and Determinants of Return to Play After Anterior Cruciate Ligament Reconstruction in National Collegiate Athletic Association Division I Soccer Athletes. <i>American Journal of Sports Medicine</i> , 2016, 44, 433-439.	1.9	47
90	Anterior cruciate ligament injuries in elite and high school rugby players: a 11-year review. <i>Physician and Sportsmedicine</i> , 2016, 44, 53-58.	1.0	15
91	Knee instability scores for ACL reconstruction. <i>Current Reviews in Musculoskeletal Medicine</i> , 2016, 9, 170-177.	1.3	11
92	The influence of medial patellofemoral ligament reconstruction on clinical results and sports activity level. <i>Physician and Sportsmedicine</i> , 2016, 44, 133-140.	1.0	23
93	Functional recovery following primary ACL repair with dynamic intraligamentary stabilization. <i>Knee</i> , 2016, 23, 549-553.	0.8	56
94	Return to Sport Among French Alpine Skiers After an Anterior Cruciate Ligament Rupture. <i>American Journal of Sports Medicine</i> , 2016, 44, 324-330.	1.9	34
95	The old knee in the young athlete: knowns and unknowns in the return to play conversation. <i>British Journal of Sports Medicine</i> , 2016, 50, 505-506.	3.1	7
96	It is time for consensus on return to play after injury: five key questions. <i>British Journal of Sports Medicine</i> , 2016, 50, 506-508.	3.1	51
97	Use of Objective Neurocognitive Measures to Assess the Psychological States that Influence Return to Sport Following Injury. <i>Sports Medicine</i> , 2016, 46, 299-303.	3.1	21

#	ARTICLE	IF	CITATIONS
98	Risk of Reinjury or Subsequent Injury After Anterior Cruciate Ligament Reconstruction. Operative Techniques in Sports Medicine, 2016, 24, 65-72.	0.2	1
99	Postoperative Rehabilitation and Return to Play After Anterior Cruciate Ligament Reconstruction. Operative Techniques in Sports Medicine, 2016, 24, 35-44.	0.2	9
100	The effect of limb dominance on lower limb functional performance – a systematic review. Journal of Sports Sciences, 2016, 34, 289-302.	1.0	106
101	Factors influencing high school coaches' adoption of injury prevention programs. Journal of Science and Medicine in Sport, 2016, 19, 299-304.	0.6	83
102	Return to sport: Does excellent 6-month strength and function following ACL reconstruction predict midterm outcomes?. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1356-1363.	2.3	84
103	Functional performance 2-9 years after ACL reconstruction: cross-sectional comparison between athletes with bone-patellar tendon-bone, semitendinosus/gracilis and healthy controls. Knee Surgery, Sports Traumatology, Arthroscopy, 2017, 25, 1412-1423.	2.3	18
104	Factorial validity and measurement invariance of the Perceived Susceptibility to Sport Injury scale. Scandinavian Journal of Medicine and Science in Sports, 2017, 27, 754-761.	1.3	4
105	Higher Fat Mass Is Associated With a History of Knee Injury in Youth Sport. Journal of Orthopaedic and Sports Physical Therapy, 2017, 47, 80-87.	1.7	49
106	Do Patients Failing Return-to-Activity Criteria at 6 Months After Anterior Cruciate Ligament Reconstruction Continue Demonstrating Deficits at 2 Years?. American Journal of Sports Medicine, 2017, 45, 1037-1048.	1.9	69
107	An Ecological Study of Anterior Cruciate Ligament Reconstruction, Part 2. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711668844.	0.8	12
108	Reduced step length reduces knee joint contact forces during running following anterior cruciate ligament reconstruction but does not alter inter-limb asymmetry. Clinical Biomechanics, 2017, 43, 79-85.	0.5	33
109	Objectively Measured Physical Activity in Patients After Anterior Cruciate Ligament Reconstruction. American Journal of Sports Medicine, 2017, 45, 1893-1900.	1.9	87
110	Factors Associated With Improved Function and Maintenance of Sports Activities at 5 to 10 Years After Autologous Hamstring ACL Reconstruction in Young Men. Orthopaedic Journal of Sports Medicine, 2017, 5, 232596711770084.	0.8	6
111	Return to Play and Patient Satisfaction After ACL Reconstruction. Journal of Bone and Joint Surgery - Series A, 2017, 99, 720-725.	1.4	80
112	Relationships Between Knee Extension Moments During Weighted and Unweighted Gait and Strength Measures That Predict Knee Moments After ACL Reconstruction. Sports Health, 2017, 9, 356-363.	1.3	4
113	Return to Sport and Recreational Activity After Osteochondral Allograft Transplantation in the Knee. American Journal of Sports Medicine, 2017, 45, 1608-1614.	1.9	87
114	ACL injury reduces satellite cell abundance and promotes fibrogenic cell expansion within skeletal muscle. Journal of Orthopaedic Research, 2017, 35, 1876-1885.	1.2	46
115	High rate of return to activity after ACL reconstruction in patients over 40 years of age: a systematic review. Journal of ISAKOS, 2017, 2, 200-204.	1.1	2

#	ARTICLE	IF	CITATIONS
116	Preoperative Short Form Health Survey Score Is Predictive of Return to Play and Minimal Clinically Important Difference at a Minimum 2-Year Follow-up After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2017, 45, 2784-2790.	1.9	108
117	Functional Brace in ACL Surgery: Force Quantification in an In Vivo Study. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711771424.	0.8	5
118	The Lower Extremity Athlete: Postrehabilitation Performance and Injury Prevention Training. <i>Operative Techniques in Sports Medicine</i> , 2017, 25, 231-240.	0.2	1
119	ACL Return to Sport Guidelines and Criteria. <i>Current Reviews in Musculoskeletal Medicine</i> , 2017, 10, 307-314.	1.3	127
120	ACL Injury Prevention: What Does Research Tell Us?. <i>Current Reviews in Musculoskeletal Medicine</i> , 2017, 10, 281-288.	1.3	68
121	Arthroscopic Shoulder Surgery in Female Professional Tennis Players. <i>Clinical Journal of Sport Medicine</i> , 2017, 27, 357-360.	0.9	17
122	Return to Play of Rugby Players After Anterior Cruciate Ligament Reconstruction Using Hamstring Autograft: Return to Sports and Graft Failure According to Age. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2017, 33, 181-189.	1.3	31
123	The Cost-Effectiveness of Anterior Cruciate Ligament Reconstruction in Competitive Athletes. <i>American Journal of Sports Medicine</i> , 2017, 45, 23-33.	1.9	43
124	Return to Sport following ACL Reconstruction: The Australian Experience. , 2017, , 413-426.		1
125	Utilization of Osseous Landmarks for Anatomic Anterior Cruciate Ligament Femoral Tunnel Placement. <i>Journal of Knee Surgery</i> , 2017, 30, 359-363.	0.9	6
126	Tuck Jump Assessment: An Exploratory Factor Analysis in a College Age Population. <i>Journal of Strength and Conditioning Research</i> , 2017, 31, 653-659.	1.0	19
128	The Utility of Objective Strength and Functional Performance to Predict Subjective Outcomes After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2017, 5, 232596711774475.	0.8	23
129	Translation, cultural adaptation and validation of simplified Chinese version of the anterior cruciate ligament return to sport after injury (ACL-RSI) scale. <i>PLoS ONE</i> , 2017, 12, e0183095.	1.1	20
130	Acceptability of a digital health intervention alongside physiotherapy to support patients following anterior cruciate ligament reconstruction. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 471.	0.8	33
131	Decision to Return to Sport After Anterior Cruciate Ligament Reconstruction, Part I: A Qualitative Investigation of Psychosocial Factors. <i>Journal of Athletic Training</i> , 2018, 53, 452-463.	0.9	69
132	Quadriceps Strength Deficit at 6 Months After ACL Reconstruction Does Not Predict Return to Preinjury Sports Level. <i>Sports Health</i> , 2018, 10, 266-271.	1.3	25
133	ACL reconstruction with hamstring tendon autograft and accelerated brace-free rehabilitation: a systematic review of clinical outcomes. <i>BMJ Open Sport and Exercise Medicine</i> , 2018, 4, e000301.	1.4	26
134	Low 1-Year Return-to-Sport Rate After Anterior Cruciate Ligament Reconstruction Regardless of Patient and Surgical Factors: A Prospective Cohort Study of 272 Patients. <i>American Journal of Sports Medicine</i> , 2018, 46, 1551-1558.	1.9	44



#	ARTICLE	IF	CITATIONS
135	Return to Military Duty After Anterior Cruciate Ligament Reconstruction. <i>Military Medicine</i> , 2018, 183, e83-e89.	0.4	34
136	Limb asymmetry during recovery from anterior cruciate ligament reconstruction. <i>Journal of Orthopaedic Research</i> , 2018, 36, 1887-1893.	1.2	40
137	Translation and validation of the simplified Chinese version of the anterior cruciate ligament-return to sport after injury (ACL-RSI). <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 2997-3003.	2.3	12
138	Aptitude physique et psychologique pour la reprise du sport après reconstruction du ligament croisé antérieur du genou: score ACL-RSI et tests fonctionnels. <i>Journal De Traumatologie Du Sport</i> , 2018, 35, 15-24.	0.1	2
139	Self-Reported Fear Predicts Functional Performance and Second ACL Injury After ACL Reconstruction and Return to Sport: A Pilot Study. <i>Sports Health</i> , 2018, 10, 228-233.	1.3	179
140	Special Consideration: Female Athlete and ACL Injury Prevention. , 2018, , 251-283.		1
141	Return to Sports After Tibial Tubercle Osteotomy for Patellofemoral Pain and Osteoarthritis. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2018, 34, 1022-1029.	1.3	39
142	Factors Affecting Subjective and Objective Outcomes and Return to Play in Anterior Cruciate Ligament Reconstruction: A Retrospective Cohort Study. <i>Joints</i> , 2018, 06, 023-032.	1.5	34
143	Return to pivoting sport after ACL reconstruction: association with osteoarthritis and knee function at the 15-year follow-up. <i>British Journal of Sports Medicine</i> , 2018, 52, 1199-1204.	3.1	36
144	Psychological Factors Influencing Return to Sport After Anterior Cruciate Ligament Reconstruction. , 2018, , 73-83.		5
145	Clinical Efficacy of Jump Training Augmented With Body Weight Support After ACL Reconstruction: A Randomized Controlled Trial. <i>American Journal of Sports Medicine</i> , 2018, 46, 1650-1660.	1.9	8
146	Impact of treatment strategy and physical performance on future knee-related self-efficacy in individuals with ACL injury. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 50.	0.8	10
147	A Test Battery for Return to Play in Football. , 2018, , 99-109.		0
148	Return to sport and knee functional scores after anterior cruciate ligament reconstruction: 2 to 10 years' follow-up. <i>Asia-Pacific Journal of Sports Medicine, Arthroscopy, Rehabilitation and Technology</i> , 2018, 12, 22-29.	0.4	5
149	Functional testing and return to sport following stabilization surgery for recurrent lateral patellar instability in competitive athletes. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2018, 26, 711-718.	2.3	62
150	Epidemiology of injuries in judo: a cross-sectional survey of severe injuries based on time loss and reduction in sporting level. <i>British Journal of Sports Medicine</i> , 2018, 52, 1109-1115.	3.1	47
151	Return to Sport-Specific Performance After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>American Journal of Sports Medicine</i> , 2018, 46, 3307-3316.	1.9	60
152	20-Year Outcomes of Anterior Cruciate Ligament Reconstruction With Hamstring Tendon Autograft: The Catastrophic Effect of Age and Posterior Tibial Slope. <i>American Journal of Sports Medicine</i> , 2018, 46, 531-543.	1.9	197

#	ARTICLE	IF	CITATIONS
153	Return to Sport After Surgical Management of Proximal Hamstring Avulsions: A Systematic Review and Meta-analysis. <i>Clinical Journal of Sport Medicine</i> , 2020, 30, 598-611.	0.9	13
154	Return to Sport after ACL Reconstruction using Hamstring Tendon: Analyzing 51 Cases from Malta's Hospital in Dakar. , 2018, 08, .		0
155	Rate of return to agility competition for dogs with cranial cruciate ligament tears treated with tibial plateau leveling osteotomy. <i>Journal of the American Veterinary Medical Association</i> , 2018, 253, 1439-1444.	0.2	15
156	Quadriceps Function and Patient-Reported Outcomes After Anterior Cruciate Ligament Reconstruction in Patients With or Without Knee Osteoarthritis. <i>Journal of Athletic Training</i> , 2018, 53, 965-975.	0.9	14
157	3D-Printed Patient-Specific ACL Femoral Tunnel Guide from MRI. <i>The Open Orthopaedics Journal</i> , 2018, 12, 59-68.	0.1	8
159	Decision to Return to Sport Participation After Anterior Cruciate Ligament Reconstruction, Part II: Self-Reported and Functional Performance Outcomes. <i>Journal of Athletic Training</i> , 2018, 53, 464-474.	0.9	31
160	Criteria for Return to Play After Anterior Cruciate Ligament Reconstruction. , 2018, , 480-484.e2.		0
161	Psychological Predictors of Anterior Cruciate Ligament Recovery Outcomes. , 2018, , 498-500.e2.		0
162	Return to American Football after Anterior Cruciate Ligament Reconstruction. , 2018, , 510-512.e1.		0
163	Return to Level I Sports After Anterior Cruciate Ligament Reconstruction: Evaluation of Age, Sex, and Readiness to Return Criteria. <i>Orthopaedic Journal of Sports Medicine</i> , 2018, 6, 232596711878804.	0.8	70
164	Specific Changes in Young Soccer Player's Fitness After Traditional Bilateral vs. Unilateral Combined Strength and Plyometric Training. <i>Frontiers in Physiology</i> , 2018, 9, 265.	1.3	31
165	Validation of a Composite Test for Assessment of Readiness for Return to Sports After Anterior Cruciate Ligament Reconstruction: The K-STARTS Test. <i>Sports Health</i> , 2018, 10, 515-522.	1.3	27
166	A Biomechanical Perspective on Rehabilitation of ACL Injuries in Handball. , 2018, , 493-504.		0
167	Ten-Year Risk Factors for Inferior Knee Injury and Osteoarthritis Outcome Score After Anterior Cruciate Ligament Reconstruction: A Study of 874 Patients From the Swedish National Knee Ligament Register. <i>American Journal of Sports Medicine</i> , 2018, 46, 2851-2858.	1.9	18
168	Factors affecting return to sport following hamstrings anterior cruciate ligament reconstruction in non-elite athletes. <i>European Journal of Orthopaedic Surgery and Traumatology</i> , 2019, 29, 1771-1779.	0.6	19
169	Examination of ankle function in individuals with a history of ACL reconstruction. <i>Physical Therapy in Sport</i> , 2019, 36, 55-61.	0.8	4
170	Return to Play and Long-term Participation in Pivoting Sports After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 3339-3346.	1.9	65
171	Psychosocial Barriers After Anterior Cruciate Ligament Reconstruction: A Clinical Review of Factors Influencing Postoperative Success. <i>Sports Health</i> , 2019, 11, 528-534.	1.3	35

#	ARTICLE	IF	CITATIONS
172	Anterior Cruciate Ligament Research Retreat VIII Summary Statement: An Update on Injury Risk Identification and Prevention Across the Anterior Cruciate Ligament Injury Continuum, March 14â€“16, 2019, Greensboro, NC. <i>Journal of Athletic Training</i> , 2019, 54, 970-984.	0.9	28
173	Return to Sports and Clinical Outcomes After Arthroscopic Anatomic Posterior Cruciate Ligament Reconstruction With Remnant Preservation. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2019, 35, 2658-2668.e1.	1.3	21
174	Prior history of anterior cruciate ligament (ACL) reconstruction is associated with a greater risk of subsequent ACL injury in female collegiate athletes. <i>Journal of Science and Medicine in Sport</i> , 2019, 22, 1309-1313.	0.6	5
175	Sporting activity is reduced following medial reefing performed for patellar dislocation. <i>BMC Musculoskeletal Disorders</i> , 2019, 20, 34.	0.8	1
176	How Much Do Psychological Factors Affect Lack of Return to Play After Anterior Cruciate Ligament Reconstruction? A Systematic Review. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711984531.	0.8	110
177	Clinical translation of biomedical sensors for sports medicine. <i>Journal of Medical Engineering and Technology</i> , 2019, 43, 66-81.	0.8	15
178	Horizontal jumping biomechanics among elite male handball players with and without anterior cruciate ligament reconstruction. An inertial sensor unit-based study. <i>Physical Therapy in Sport</i> , 2019, 39, 52-63.	0.8	6
179	Relationship Between Sports Participation After Revision Anterior Cruciate Ligament Reconstruction and 2-Year Patient-Reported Outcome Measures. <i>American Journal of Sports Medicine</i> , 2019, 47, 2056-2066.	1.9	9
180	Running Biomechanics in Individuals with Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Sports Medicine</i> , 2019, 49, 1411-1424.	3.1	44
181	Anterior Cruciate Ligament Tear Promotes Skeletal Muscle Myostatin Expression, Fibrogenic Cell Expansion, and a Decline in Muscle Quality. <i>American Journal of Sports Medicine</i> , 2019, 47, 1385-1395.	1.9	28
182	Knee strength, hop performance and self-efficacy at 4 months are associated with symmetrical knee muscle function in young athletes 1 year after an anterior cruciate ligament reconstruction. <i>BMJ Open Sport and Exercise Medicine</i> , 2019, 5, e000504.	1.4	10
183	A research update on the state of play for return to sport after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedics and Traumatology</i> , 2019, 20, 10.	1.0	40
184	Psychology of Return to Play After Anterior Cruciate Ligament Injury. , 2019, , 95-109.		3
185	Knee Function, Strength, and Resumption of Preinjury Sports Participation in Young Athletes Following Anterior Cruciate Ligament Reconstruction. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2019, 49, 145-153.	1.7	55
186	Neuromuscular activity during stair descent in ACL reconstructed patients: A pilot study. <i>Knee</i> , 2019, 26, 310-316.	0.8	13
187	How to Get Started: From Idea to Research Question. , 2019, , 57-63.		0
188	Association Between Isokinetic Knee Strength and Perceived Function and Patient Satisfaction With Sports and Recreational Ability After Matrix-Induced Autologous Chondrocyte Implantation. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711988587.	0.8	7
189	Influence of Graft Bending Angle on Graft Maturation, the Femoral Tunnel, and Functional Outcomes by 12 Months After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2019, 7, 232596711988266.	0.8	15

#	ARTICLE	IF	CITATIONS
190	Medium-Term (Least 5 Years) Comparative Outcomes in Anterior Cruciate Ligament Reconstruction Using 4SHG, Allograft, and LARS Ligament. <i>Clinical Journal of Sport Medicine</i> , 2021, 31, e101-e110.	0.9	18
191	Structure and Function of the Knee. , 2019, , 278-310.		1
192	Health-related Outcomes after a Youth Sport-related Knee Injury. <i>Medicine and Science in Sports and Exercise</i> , 2019, 51, 255-263.	0.2	38
193	Expectations for Return to Preinjury Sport Before and After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2019, 47, 578-583.	1.9	67
194	Supervised physiotherapy leads to a better return to physical activity after anterior cruciate ligament reconstruction. <i>Journal of Sports Medicine and Physical Fitness</i> , 2019, 59, 1551-1557.	0.4	10
195	Outcome of isolated posterior cruciate ligament reconstruction at mean 6.3-year follow up: a consecutive case series. <i>Physician and Sportsmedicine</i> , 2019, 47, 60-64.	1.0	6
196	Pre-operative Static Anterior Tibial Translation Assessed on MRI Does Not Influence Return to Sport or Satisfaction After Anterior Cruciate Ligament Reconstruction. <i>HSS Journal</i> , 2020, 16, 475-481.	0.7	3
197	Return to sport activity after anterior cruciate ligament reconstruction: A 6-10 years follow-up. <i>Journal of Clinical Orthopaedics and Trauma</i> , 2020, 11, S319-S325.	0.6	12
198	How Much Time Is Needed Between Serial "Return to Play" Assessments to Achieve Clinically Important Strength Gains in Patients Recovering From Anterior Cruciate Ligament Reconstruction?. <i>American Journal of Sports Medicine</i> , 2020, 48, 70-77.	1.9	22
199	No Relationship Between Strength and Power Scores and Anterior Cruciate Ligament Return to Sport After Injury Scale 9 Months After Anterior Cruciate Ligament Reconstruction. <i>American Journal of Sports Medicine</i> , 2020, 48, 78-84.	1.9	40
200	Online Videos Provide Poor Information Quality, Reliability, and Accuracy Regarding Rehabilitation and Return to Sport After Anterior Cruciate Ligament Reconstruction. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2020, 36, 3037-3047.	1.3	31
201	BACK iN the Game (BANG) - a smartphone application to help athletes return to sport following anterior cruciate ligament reconstruction: protocol for a multi-centre, randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2020, 21, 523.	0.8	15
202	Translation, cross-cultural adaptation and validation of the Italian version of the anterior cruciate ligament-return to sport after injury (ACL-RSI) scale. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1180-1186.	2.3	7
203	Longitudinal Analysis of Inter-Limb Coordination Before and After Anterior Cruciate Ligament Injury: The JUMP-ACL Study. <i>Journal of Science in Sport and Exercise</i> , 2020, 2, 265-271.	0.4	1
204	Injury prevention programmes with plyometric and strengthening exercises improve on-field performance: a systematic review. <i>Journal of ISAKOS</i> , 2020, 5, 48-59.	1.1	3
205	Return to Sport After ACL Reconstruction With a BTB Versus Hamstring Tendon Autograft: A Systematic Review and Meta-analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712096491.	0.8	65
206	Retorno Deportivo Luego de Reconstrucción Primaria de Ligamento Cruzado Anterior con Injerto Hueso-Tendón Patelar-Hueso Autólogo: Análisis de Factores Relacionados. <i>Revista Chilena De Ortopedia Y Traumatología</i> , 2020, 61, 002-010.	0.0	0
207	Return to Sport After Anterior Cruciate Ligament Injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Orthopaedic Journal of Sports Medicine</i> , 2020, 8, 232596712093082.	0.8	43

#	ARTICLE	IF	CITATIONS
208	Psychological, social and contextual factors across recovery stages following a sport-related knee injury: a scoping review. <i>British Journal of Sports Medicine</i> , 2020, 54, 1149-1156.	3.1	86
209	Effect of leg dominance on early functional outcomes and return to sports after anterior cruciate ligament reconstruction. <i>Journal of Orthopaedic Surgery</i> , 2020, 28, 230949901989623.	0.4	12
210	Measurement of Quasi-Static 3-D Knee Joint Movement Based on the Registration From CT to US. <i>IEEE Transactions on Ultrasonics, Ferroelectrics, and Frequency Control</i> , 2020, 67, 1141-1150.	1.7	6
211	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 2403-2414.	2.3	53
212	Intra- and inter-rater reliability of ultrasound measures of the anterior cruciate ligament. <i>Journal of Ultrasound</i> , 2021, 24, 49-55.	0.7	4
213	Canine cruciate ligament ruptures: Implications for financial costs and human health. <i>Anatomical Record</i> , 2021, 304, 222-230.	0.8	5
214	Patient-reported evaluation on giving way is important for return to preinjury activity level after Anterior Cruciate Ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 1128-1136.	2.3	5
215	Patient expectations and perceived social support related to return to sport after anterior cruciate ligament reconstruction in adolescent athletes. <i>Physical Therapy in Sport</i> , 2021, 47, 72-77.	0.8	8
216	Quadriceps Strength and Kinesiophobia Predict Long-Term Function After ACL Reconstruction: A Cross-Sectional Pilot Study. <i>Sports Health</i> , 2021, 13, 251-257.	1.3	17
218	ACL Study Group survey reveals the evolution of anterior cruciate ligament reconstruction graft choice over the past three decades. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3871-3876.	2.3	74
219	The Utilization of the Theory of Planned Behavior and Self-Determination Theory to Improve Physical Activity Following Anterior Cruciate Ligament Reconstruction. <i>International Journal of Athletic Therapy and Training</i> , 2022, 27, 25-30.	0.1	0
220	Suture tape augmentation ACL repair, stable knee, and favorable PROMs, but a re-rupture rate of 11% within 2 years. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2021, 29, 3706-3714.	2.3	25
221	Volleyball (Indoor, Beach)., 2021, , 163-173.		0
222	Optimizing outcomes of anterior cruciate ligament (ACL) reconstruction in female athletes: from graft choice to return to sport criteria. <i>Annals of Joint</i> , 0, 6, 40-40.	1.0	1
223	Quadriceps muscle volume positively contributes to ACL volume. <i>Journal of Orthopaedic Research</i> , 2022, 40, 268-276.	1.2	7
224	Italian version of the anterior cruciate ligament-return to sport after injury scale (IT ACL-RSI): translation, cross-cultural adaptation, validation and ability to predict the return to sport at medium-term follow-up in a population of sport patients. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> . 2022. 30. 270-279.	2.3	8
225	The Influence of Mode-of-Injury on Psychological Readiness for Return-To-Sport Following Anterior Cruciate Ligament Reconstruction: A Matched-Controlled Study. <i>International Journal of Sports Physical Therapy</i> , 2021, 16, 177-184.	0.5	5
226	Return to sport after anterior cruciate ligament injury: Panther Symposium ACL Injury Return to Sport Consensus Group. <i>Journal of ISAKOS</i> , 2021, 6, 138-146.	1.1	16

#	ARTICLE	IF	CITATIONS
227	Double-Bundle Anterior Cruciate Ligament Reconstruction With Lateral Extra-Articular Tenodesis Is Effective in Restoring Knee Stability in a Chronic, Complex Anterior Cruciate Ligament-Injured Knee Model: A Cadaveric Biomechanical Study. <i>Arthroscopy - Journal of Arthroscopic and Related Surgery</i> , 2021, 37, 2220-2234.	1.3	14
228	Effect of Leg Dominance on Medium- to Long-Term Functional Outcomes, Quality of Life, and Revision Rates After Isolated ACL Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712199580.	0.8	2
229	Test Batteries After Primary Anterior Cruciate Ligament Reconstruction: A Systematic Review. <i>Sports Health</i> , 2022, 14, 205-215.	1.3	15
230	Coach Education Improves Adherence to Anterior Cruciate Ligament Injury Prevention Programs: A Cluster-Randomized Controlled Trial. <i>Clinical Journal of Sport Medicine</i> , 2022, 32, 348-354.	0.9	5
231	Should return to pivoting sport be avoided for the secondary prevention of osteoarthritis after anterior cruciate ligament reconstruction? A prospective cohort study with MRI, radiographic and symptomatic outcomes. <i>Osteoarthritis and Cartilage</i> , 2021, 29, 1673-1681.	0.6	9
232	Return to preinjury sports after anterior cruciate ligament reconstruction is predicted by five independent factors. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 84-92.	2.3	14
233	Ä–n Ä†apraz BaÄŸ RekonstrÄ¼ksiyonu SonrasÄ± Operasyonun Fonksiyonel SonuÄŸlarÄ±nÄ±n Sportif Aktivitelerle Ä°liÄŸkisi. <i>Medical Journal of Western Black Sea</i> , 2021, 5, 188-192.	0.2	0
234	Return to Play After Patellar Tendon Autograft for Primary Anterior Cruciate Ligament Reconstruction in Rugby Players. <i>Orthopaedic Journal of Sports Medicine</i> , 2021, 9, 232596712110004.	0.8	3
235	ACL Study Group presents the global trends in ACL reconstruction: biennial survey of the ACL Study Group. <i>Journal of ISAKOS</i> , 2021, 6, 322-328.	1.1	36
236	Do ACL Injury Risk Reduction Exercises Reflect Common Injury Mechanisms? A Scoping Review of Injury Prevention Programs. <i>Sports Health</i> , 2022, 14, 592-600.	1.3	7
237	Retrospective experiences of individuals two decades after anterior cruciate ligament injury â€œ a process of re-orientation towards acceptance. <i>Disability and Rehabilitation</i> , 2022, 44, 6267-6276.	0.9	4
238	Assessment of Quadriceps Corticomotor and Spinal-Reflexive Excitability in Individuals with a History of Anterior Cruciate Ligament Reconstruction: A Systematic Review and Meta-analysis. <i>Sports Medicine</i> , 2021, 51, 961-990.	3.1	27
239	Neuroscience Principles for ACL Rehabilitation and Reinjury Risk Reduction. , 2019, , 359-381.		3
240	Common Symptom, Psychological, and Psychosocial Barriers to Return to Sport. , 2019, , 25-35.		1
241	Computer Graphics Based Analysis of Loading Patterns in the Anterior Cruciate Ligament of the Human Knee. <i>Advances in Intelligent Systems and Computing</i> , 2019, , 1175-1180.	0.5	2
242	Anterior cruciate ligament reconstruction with boneâ€“patellar tendonâ€“bone graft is associated with higher and earlier return to sports as compared to hamstring tendon graft. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2020, 28, 3659-3665.	2.3	9
243	Practitioner Perspectives on the Barriers Associated With Youth-to-Senior Transition in Elite Youth Soccer Academy Players. <i>International Sport Coaching Journal</i> , 2020, 7, 273-282.	0.5	8
244	Whatâ€™s New in Sports Medicine. <i>Journal of Bone and Joint Surgery - Series A</i> , 2012, 94, 757-765.	1.4	2

#	ARTICLE	IF	CITATIONS
245	The Evolution of Anatomic Anterior Cruciate Ligament Reconstruction. The Open Orthopaedics Journal, 2012, 6, 287-294.	0.1	28
246	Ligament Injury and Healing: A Review of Current Clinical Diagnostics and Therapeutics. The Open Rehabilitation Journal, 2013, 6, 1-20.	0.8	48
247	Return to sports and re-rupture rate following anterior cruciate ligament reconstruction in amateur sportsman: long-term outcomes. Journal of Sports Medicine and Physical Fitness, 2019, 59, 1902-1907.	0.4	22
248	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. International Journal of Sports Physical Therapy, 2018, 13, 561-574.	0.5	20
249	Changes in Self-reported Physical Activity Following Knee Injury in Active Females. Athletic Training & Sports Health Care, 2013, 5, 106-114.	0.4	1
250	Depression and psychiatric disease associated with outcomes after anterior cruciate ligament reconstruction. World Journal of Orthopedics, 2016, 7, 709.	0.8	35
251	Return to Motor Activity after Anterior Cruciate Ligament Reconstruction "Pilot Study. Ortopedia Traumatologia Rehabilitacja, 2014, 16, 477-486.	0.1	2
252	The Role of Resistance Training in Strategies to Reduce Injury Risk. Lecture Notes in Bioengineering, 2022, , 279-291.	0.3	0
253	Epidemiology of Injuries in Olympic Sports. International Journal of Sports Medicine, 2022, 43, 473-481.	0.8	11
254	Association Between Self-Reported Kinesiophobia and Single-Leg Hop for Distance in Patients With ACL Reconstruction: A Systematic Review. Sports Health, 2022, 14, 674-680.	1.3	1
255	Anterior Cruciate Ligament Tear: Rationale and Indications for Anatomic ACL Reconstruction. , 2013, , 237-257.		0
256	Return to the Field for Football (Soccer) After Anterior Cruciate Ligament Reconstruction: Guidelines. , 2015, , 1503-1515.		1
257	ACL Risk of Reinjury: When Is It Safe to Return (Time or Criteria). , 2017, , 581-592.		1
258	Dependence of the outcomes of anterior cruciate ligament reconstruction on the tunnel positioning. N N Priorov Journal of Traumatology and Orthopedics, 2018, 25, 5-12.	0.1	0
259	DEPENDENCE OF THE OUTCOMES OF ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION ON THE TUNNEL POSITIONING. N N Priorov Journal of Traumatology and Orthopedics, 2018, , 5-12.	0.1	0
260	COLLAGEN ANALYSIS OF GRAFT IN BONE TUNNEL MODEL ANTERIOR CRUCIATE LIGAMENT (ACL) RECONSTRUCTION WITH INTRATUNNEL ALLOGENIC BONE MARROW MESENCHYMAL STEM CELLS (MSCs) AND VASCULAR ENDOTHELIAL GROWTH FACTOR (VEGF). Journal of Stem Cell Research and Tissue Engineering, 2018, 2, .	0.0	0
261	Preoperative Issues. , 2019, , 30-33.		0
262	Return to Sport After Primary ACL Reconstruction in Amateur, Children, and Elite Athletes: Feasibility and Reinjury Concerns. , 2019, , 79-118.		0

#	ARTICLE	IF	CITATIONS
263	Ä–n Ä†apraz BaÄŸ RekonstrÄ¼ksiyonu YapÄ±lan Hastalarda Kinezyofobi. Sakarya Medical Journal, 0, , .	0.1	0
264	Differences in Health-Related Quality of Life Among Patients After Knee Injury. International Journal of Athletic Therapy and Training, 2020, 25, 247-253.	0.1	2
265	CRITERION-BASED REHABILITATION PROGRAM WITH RETURN TO SPORT TESTING FOLLOWING ACL RECONSTRUCTION: A CASE SERIES. International Journal of Sports Physical Therapy, 2020, 15, 1151-1173.	0.5	14
266	Internal Bracing of the Anterior Cruciate Ligament and Posterior Cruciate Ligament with Suture Tape Augmentation. , 2021, , 161-169.		0
267	Comment to the Article â€œMid-Term Results of Simultaneous Reconstruction of Anterior Cruciate and Anterolateral Ligaments in Athletesâ€•. TravmatologiÄ† I OrtopediÄ† Rossii, 2020, 26, 72-75.	0.1	0
268	Investigation of Anterior Cruciate Ligament of the Knee with Relevance to Surgical Reconstructionâ€”A Planar Mathematical Analysis. , 2021, , 43-50.		0
269	Returning to Sport After Anterior Cruciate Ligament Reconstruction in Physically Active Individuals. Cureus, 2020, 12, e10466.	0.2	5
270	Return of normal gait as an outcome measurement in acl reconstructed patients. A systematic review. International Journal of Sports Physical Therapy, 2013, 8, 441-51.	0.5	38
271	Whole Body Vibration Exercise Protocol versus a Standard Exercise Protocol after ACL Reconstruction: A Clinical Randomized Controlled Trial with Short Term Follow-Up. Journal of Sports Science and Medicine, 2014, 13, 580-9.	0.7	15
272	HIGH REPETITION JUMP TRAINING COUPLED WITH BODY WEIGHT SUPPORT IN A PATIENT WITH KNEE PAIN AND PRIOR HISTORY OF ANTERIOR CRUCIATE LIGAMENT RECONSTRUCTION: A CASE REPORT. International Journal of Sports Physical Therapy, 2015, 10, 1035-49.	0.5	1
273	PATIENT-SPECIFIC AND SURGERY-SPECIFIC FACTORS THAT AFFECT RETURN TO SPORT AFTER ACL RECONSTRUCTION. International Journal of Sports Physical Therapy, 2016, 11, 264-78.	0.5	22
274	INFLUENCE OF PATIENT DEMOGRAPHICS AND GRAFT TYPES ON ACL SECOND INJURY RATES IN IPSILATERAL VERSUS CONTRALATERAL KNEES: A SYSTEMATIC REVIEW AND META-ANALYSIS. International Journal of Sports Physical Therapy, 2018, 13, 561-574.	0.5	6
275	Psychological Assessment Tools Utilized in Sports Injury Treatment Outcomes Research: A Review. Journal of Sports Science and Medicine, 2020, 19, 408-419.	0.7	5
276	Association between Functional Performance and Return to Performance in High-Impact Sports after Lower Extremity Injury: A Systematic Review. Journal of Sports Science and Medicine, 2020, 19, 564-576.	0.7	4
277	Effect of Patient Resilience and the Single Assessment Numeric Evaluation (SANE) Score on Return to Sport Following Anterior Cruciate Ligament Reconstruction Surgery. Archives of Bone and Joint Surgery, 2021, 9, 512-518.	0.1	0
278	Lived Experiences of an Elite Performance Management Team Through Injury Rehabilitation: An Interpretative Phenomenological Analysis. Journal of Sport Rehabilitation, 2022, 31, 199-210.	0.4	1
279	Analysis of Return to Play After Modified BrostrÄ¼m Lateral Ankle Ligament Reconstruction. Orthopaedic Journal of Sports Medicine, 2022, 10, 232596712110685.	0.8	11
280	Effects of Blood Flow Restriction Training on Clinical Outcomes for Patients With ACL Reconstruction: A Systematic Review. Sports Health, 2023, 15, 260-273.	1.3	5



#	ARTICLE	IF	CITATIONS
281	Translation, cross-cultural adaptation, and validation of the Italian version of the anterior cruciate ligamentâ€“return to sport after injury (ACL-RSI) scale and its integration into the K-STARTS test. <i>Journal of Orthopaedics and Traumatology</i> , 2022, 23, 11.	1.0	2
282	Adolescents Are Less Physically Active Than Adults After Anterior Cruciate Ligament Reconstruction. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210756.	0.8	3
283	Post-operative rehabilitation following traumatic anterior shoulder dislocation: A systematic scoping review. <i>Shoulder and Elbow</i> , 0, , 175857322210896.	0.7	2
284	Individualized Exercise Prescription for Athletes Using a Construct-Based Model. <i>Sports Medicine</i> , 2022, , 1.	3.1	4
285	Does a history of youth sport-related knee injury still impact accelerometer-measured levels of physical activity after 3â€“12 years?. <i>Physical Therapy in Sport</i> , 2022, 55, 90-97.	0.8	5
286	Patients return to sports and to work after successful treatment of septic arthritis following anterior cruciate ligament reconstruction. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2022, 30, 1871-1879.	2.3	8
287	Safer Return to Play After Anterior Cruciate Ligament Reconstruction: Evaluation of a Return-to-Play Checklist. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210904.	0.8	3
289	Anterior Cruciate Ligament Reconstruction in 107 Competitive Wrestlers: Outcomes, Reoperations, and Return to Play at 6-Year Follow-up. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712210927.	0.8	5
290	Effect of Judo Athletesâ€™ Psychological Function on Sports Coping Skills: Moderated Mediating Effect of Tension. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 6634.	1.2	1
291	Are 6-Month Functional and Isokinetic Testing Measures Risk Factors for Second Anterior Cruciate Ligament Injuries at Long-T Follow-Up?. <i>Journal of Knee Surgery</i> , 2023, 36, 1060-1068.	0.9	3
292	The Health-Related Quality of Life of Patients Waiting for Anterior Cruciate Ligament Reconstruction Is Worse Than an Age- and Sex-Matched Population: Increasing Time on Waiting List for Surgery Was Independently Associated with a Worse Quality of Life. <i>Advances in Orthopedics</i> , 2022, 2022, 1-7.	0.4	0
293	BMSC-derived exosomes promote tendon-bone healing after anterior cruciate ligament reconstruction by regulating M1/M2 macrophage polarization in rats. <i>Stem Cell Research and Therapy</i> , 2022, 13, .	2.4	41
294	Increased Risk of ACL Injury for Female but Not Male Soccer Players on Artificial Turf Versus Natural Grass: A Systematic Review and Meta-Analysis. <i>Orthopaedic Journal of Sports Medicine</i> , 2022, 10, 232596712211143.	0.8	5
296	Injury surveillance in English youth basketball: A 5-season cohort study to inform injury prevention strategies. <i>Physical Therapy in Sport</i> , 2022, 58, 34-40.	0.8	2
297	Interventions for increasing return to sport rates after an anterior cruciate ligament reconstruction surgery: A systematic review. <i>Frontiers in Psychology</i> , 0, 13, .	1.1	4
298	Revision anterior cruciate ligament reconstruction: Return to sports at a minimum 5-year follow-up. <i>World Journal of Orthopedics</i> , 2022, 13, 812-824.	0.8	1
299	ACL Blasts From Past to Present. <i>American Journal of Sports Medicine</i> , 2022, 50, 3169-3173.	1.9	1
300	Psychological readiness of elite rugby players at return to play after severe knee injury. <i>African Journal for Physical Activity and Health Sciences</i> , 2022, 28, 185-202.	0.0	0

#	ARTICLE	IF	CITATIONS
301	Epidemiology of cruciate ligament reconstruction in the Australian Defence Force and predictors of outcome. <i>BMJ Military Health</i> , 0, , e002150.	0.4	0
303	Patients that maintain their pre-injury level of physical activity 3â€“5 years after ACL reconstruction are, 18Âmonths after surgery, characterised by higher levels of readiness to return to sport. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2023, 31, 596-607.	2.3	4
304	Spontaneous healing of acute ACL ruptures: rate, prognostic factors and short-term outcome. <i>Archives of Orthopaedic and Trauma Surgery</i> , 2023, 143, 4291-4298.	1.3	3
305	Sex Differences in the Association between Risk of Anterior Cruciate Ligament Rupture and COL5A1 Polymorphisms in Elite Footballers. <i>Genes</i> , 2023, 14, 33.	1.0	2
306	Current study on the influence of psychological factors on returning to sports after ACLR. <i>Heliyon</i> , 2022, 8, e12434.	1.4	4
307	Beginning With the End in Mind: Implementing Backward Design to Improve Sports Injury Rehabilitation Practices. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2022, 52, 770-776.	1.7	0
308	Quantitative MRI Biomarkers to Predict Risk of Reinjury Within 2 Years After Bridge-Enhanced ACL Restoration. <i>American Journal of Sports Medicine</i> , 2023, 51, 413-421.	1.9	5
309	Relationships between Jumping Performance and Psychological Readiness to Return to Sport 6 Months Following Anterior Cruciate Ligament Reconstruction: A Cross-Sectional Study. <i>Journal of Clinical Medicine</i> , 2023, 12, 626.	1.0	3
310	A comparison of the outcomes of anterior curciate ligament reconstruction with large-size graft versus reconstruction with average-size graft combined with extraarticular tenodesis. <i>Injury</i> , 2023, 54, 976-982.	0.7	5
311	A comparison of preoperative scores prior to anterior cruciate ligament reconstruction with optimal preinjury scores and final scores at two-year follow up. <i>Bone &amp; Joint Open</i> , 2023, 4, 46-52.	1.1	1
312	Hip Abductor and External Rotator Strengths Correlate With Hop Symmetry in Men Athletes 2 Years After Anterior Cruciate Ligament Reconstruction. <i>Journal of Sport Rehabilitation</i> , 2023, 32, 572-580.	0.4	0
313	Functional Anterior Knee Pain and Return to Sport Following Bone-Patellar Tendon-Bone Anterior Cruciate Ligament Reconstruction. <i>Ochsner Journal</i> , 2023, 23, 27-33.	0.5	1
314	Prevention of Secondary Injury after Anterior Cruciate Ligament Reconstruction: Relationship between Pelvic-Drop and Dynamic Knee Valgus. <i>International Journal of Environmental Research and Public Health</i> , 2023, 20, 3063.	1.2	1
315	Recurrence quantification analysis of isokinetic strength tests: A comparison of the anterior cruciate ligament reconstructed and the uninjured limb. <i>Clinical Biomechanics</i> , 2023, 104, 105929.	0.5	1
316	Use of Fantasy Points in Evaluating Professional Athlete Performance After Anterior Cruciate Ligament (ACL) Reconstruction. <i>Cureus</i> , 2023, , .	0.2	0
317	Only 10% of Patients With a Concomitant MCL Injury Return to Their Preinjury Level of Sport 1 Year After ACL Reconstruction: A Matched Comparison With Isolated ACL Reconstruction. <i>Sports Health</i> , 2024, 16, 124-135.	1.3	3
318	Arthrogenic muscle inhibition after anterior cruciate ligament injury: Injured and uninjured limb recovery over time. <i>Frontiers in Sports and Active Living</i> , 0, 5, .	0.9	6
319	Surface electromyography characteristics of patients with anterior cruciate ligament injury in different rehabilitation phases. <i>Frontiers in Physiology</i> , 0, 14, .	1.3	0

#	ARTICLE	IF	CITATIONS
322	Individualized Anatomical Anterior Cruciate Ligament Reconstruction. , 2023, , 1-13.		0
330	Structured Rehabilitation Considerations to Improve Outcomes After Complex Athletic Knee Injury. , 2024, , 1-18.		0