An investigation of the validity of six measures of physicion joint replacement surgery of the hip or knee

Clinical Rehabilitation 26, 945-951

DOI: 10.1177/0269215511434993

Citation Report

#	Article	IF	CITATIONS
1	Does self-efficacy influence recovery and well-being in osteoarthritis patients undergoing joint replacement? A systematic review. Clinical Rehabilitation, 2014, 28, 835-846.	1.0	98
2	Translation and validation of the simplified Chinese new Knee Society Scoring System. BMC Musculoskeletal Disorders, 2015, 16, 391.	0.8	18
3	The Patient-Specific Functional Scale: Its Reliability and Responsiveness in Patients Undergoing a Total Knee Arthroplasty. Journal of Orthopaedic and Sports Physical Therapy, 2015, 45, 550-556.	1.7	17
4	Physical performance measurement in persons with patellofemoral osteoarthritis: A pilot study. Journal of Back and Musculoskeletal Rehabilitation, 2015, 28, 335-342.	0.4	7
5	Does the addition of hip strengthening exercises improve outcomes following total knee arthroplasty? A study protocol for a randomized trial. BMC Musculoskeletal Disorders, 2016, 17, 259.	0.8	19
6	Physical Functioning and Prediction of Physical Activity After Total Hip Arthroplasty: Fiveâ€Year Followup of a Randomized Controlled Trial. Arthritis Care and Research, 2016, 68, 454-462.	1.5	25
7	Efficacy of Cabbage Leaf Wraps in the Treatment of Symptomatic Osteoarthritis of the Knee. Clinical Journal of Pain, 2016, 32, 961-971.	0.8	22
8	The current practice of handling and reporting missing outcome data in eight widely used PROMs in RCT publications: a review of the current literature. Quality of Life Research, 2016, 25, 1613-1623.	1.5	53
9	A Systematic Review of Measurement Properties of Patient-Reported Outcome Measures Used in Patients Undergoing Total Knee Arthroplasty. Journal of Arthroplasty, 2017, 32, 1688-1697.e7.	1.5	69
10	Development of a falls reduction yoga program for older adults—A pilot study. Complementary Therapies in Medicine, 2017, 31, 118-126.	1.3	13
11	Functional Standards for Optimal Aging. Topics in Geriatric Rehabilitation, 2017, 33, 224-230.	0.2	4
12	How Do Physical Therapists in the United Kingdom Manage Patients With Hip Osteoarthritis? Results of a Cross-Sectional Survey. Physical Therapy, 2018, 98, 461-470.	1.1	19
13	Measurement Properties of Patient-Reported Outcome Measures Used in Patients Undergoing Total Hip Arthroplasty. JBJS Reviews, 2018, 6, e2-e2.	0.8	28
14	The centre of mass trajectory is a sensitive and responsive measure of functional compensations in individuals with knee osteoarthritis performing the five times sit-to-stand test. Gait and Posture, 2018, 62, 140-145.	0.6	16
15	Comparing adductor canal block with local infiltration analgesia in total knee arthroplasty: A prospective, blinded and randomized clinical trial. Journal of Clinical Anesthesia, 2018, 46, 39-43.	0.7	48
16	The comparison of the effectiveness of conventional therapeutic exercises and Pilates on pain and function in patients with knee osteoarthritis. Complementary Therapies in Clinical Practice, 2018, 31, 343-348.	0.7	10
17	Physical Function After Total Knee Replacement: An Observational Study Describing Outcomes in a Small Group of Women From China and the United States. Archives of Physical Medicine and Rehabilitation, 2018, 99, 194-197.	0.5	2
18	Functions, disabilities and perceived health in the first year after total knee arthroplasty; a prospective cohort study. BMC Musculoskeletal Disorders, 2018, 19, 250.	0.8	20

#	Article	IF	CITATIONS
19	The Validity, Reliability, Measurement Error, and Minimum Detectable Change of the 30â€Second Fastâ€Paced Walk Test in Persons with Knee Osteoarthritis: A Novel Test of Shortâ€Distance Walking Ability. ACR Open Rheumatology, 2019, 1, 279-286.	0.9	5
20	Physiotherapist as primary assessor for patients with suspected knee osteoarthritis in primary care—a randomised controlled pragmatic study. BMC Musculoskeletal Disorders, 2019, 20, 329.	0.8	4
21	Evaluation for Adjustment of Exercise and Outcomes. , 2019, , 215-239.		0
22	Improving Physical Activity Through Adjunct Telerehabilitation Following Total Knee Arthroplasty: Randomized Controlled Trial Protocol. Physical Therapy, 2019, 99, 37-45.	1.1	14
23	Measures of Physical Performance. Arthritis Care and Research, 2020, 72, 452-485.	1.5	8
24	Measures of Adult Knee Function. Arthritis Care and Research, 2020, 72, 219-249.	1.5	14
25	Role of Rehabilitation Department for Adult Individuals With COVID-19: The Experience of the San Raffaele Hospital of Milan. Archives of Physical Medicine and Rehabilitation, 2020, 101, 1656-1661.	0.5	58
26	Pre-Conditioning and Post-Operative Photobiomodulation Therapy by a Novel Light Patch System for Knee Arthroplasty: A Protocol for a Phase 1 Study. Photobiomodulation, Photomedicine, and Laser Surgery, 2020, 38, 206-214.	0.7	2
27	Movement pattern biofeedback training after total knee arthroplasty: Randomized clinical trial protocol. Contemporary Clinical Trials, 2020, 91, 105973.	0.8	5
28	A Narrative Review on Measurement Properties of Fixed-distance Walk Tests Up to 40 Meters for Adults With Knee Osteoarthritis. Journal of Rheumatology, 2021, 48, 638-647.	1.0	5
29	Physical fitness in older adults: Is there a relationship with the modified Functional Movement Screenâ,,¢?. Journal of Bodywork and Movement Therapies, 2021, 25, 28-34.	0.5	7
30	Effectiveness of Internet-Based Exercises Aimed at Treating Knee Osteoarthritis. JAMA Network Open, 2021, 4, e210012.	2.8	59
31	Association between 30-s Chair Stand-Up Test and Anthropometric Values, Vibration Perception Threshold, FHSQ, and 15-D in Patients with Type 2 Diabetes Mellitus. Biology, 2021, 10, 246.	1.3	2
32	Construct Validity, Test-Retest Reliability, Sensitivity to Change, and Feasibility of the Patient-Specific Functional Scale in Acutely Hospitalized Older Patients With and Without Cognitive Impairment. Journal of Geriatric Physical Therapy, 2022, 45, 134-144.	0.6	3
33	The Hip Instructional Prehabilitation Program for Enhanced Recovery (HIPPER) as an eHealth Approach to Presurgical Hip Replacement Education: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e29322.	0.5	0
36	Technologies to Support Assessment of Movement During Video Consultations: Exploratory Study. Jmirx Med, 2021, 2, e30233.	0.2	9
37	Evaluating the efficacy of Internet-Based Exercise programme Aimed at Treating knee Osteoarthritis (iBEAT-OA) in the community: a study protocol for a randomised controlled trial. BMJ Open, 2019, 9, e030564.	0.8	9
38	Medical Marijuana and Opioids (MEMO) Study: protocol of a longitudinal cohort study to examine if medical cannabis reduces opioid use among adults with chronic pain. BMJ Open, 2020, 10, e043400.	0.8	9

#	Article	IF	CITATIONS
39	Establishing the Reliability and Validity of Health in Motion <sup> Automated Falls Screening Tool. Advances in Aging Research, 2018, 07, 39-51.</sup>	0.3	5
40	Reliability and Validity of the Osteoarthritis Research Society International Minimal Core Set of Recommended Performance-Based Tests of Physical Function in Knee Osteoarthritis in Community-Dwelling Adults. The Malaysian Journal of Medical Sciences, 2020, 27, 77-89.	0.3	3
41	Measurement Properties of the Patient-Specific Functional Scale and Its Current Uses: An Updated Systematic Review of 57 Studies Using COSMIN Guidelines. Journal of Orthopaedic and Sports Physical Therapy, 2022, 52, 262-275.	1.7	13
42	Assessing mobility in primary brain tumor patients: A descriptive feasibility study using two established mobility tests. Neuro-Oncology Practice, 0, , .	1.0	3
43	The Efficacy of High-Intensity Preoperative Physiotherapy Training on Postoperative Outcomes in Greek Patients Undergoing Total Knee Arthroplasty: A Quasi-Experimental Study. Cureus, 2022, 14, e23191.	0.2	3
44	Physiotherapist or physician as primary assessor for patients with suspected knee osteoarthritis in primary care $\hat{a} \in \mathbb{C}$ a cost-effectiveness analysis of a pragmatic trial. BMC Musculoskeletal Disorders, 2022, 23, 260.	0.8	4
45	Evaluation of unsupervised 30-second chair stand test performance assessed by wearable sensors to predict fall status in multiple sclerosis. Gait and Posture, 2022, 94, 19-25.	0.6	13
46	Knee Osteoarthritis: Kinesiophobia and Isometric Strength of Quadriceps in Women. Pain Research and Management, 2022, 2022, 1-6.	0.7	1
47	Assessment of a Downloadable Application with Avatar Guidance for PT-Prescribed Home Exercise after Total Knee Arthroplasty: A 30-Day Usability and Feasibility Study. Advances in Aging Research, 2022, 11, 98-115.	0.3	0
48	Patient-reported outcomes measurement information system physical function and knee injury and osteoarthritis outcome score relationship on performance measures in people undergoing total knee arthroplasty. Disability and Rehabilitation, 0, , 1-9.	0.9	2
51	Physical mobility determinants among older adults: a scoping review of self-reported and performance-based measures. European Journal of Physiotherapy, 2023, 25, 360-377.	0.7	3
52	Clinical utility of markerless motion capture for kinematic evaluation of sit-to-stand during 30Âs-CST at one year post total knee arthroplasty: a retrospective study. BMC Musculoskeletal Disorders, 2023, 24, .	0.8	0
53	Development and measurement properties of the PEM/PESE activity questionnaire (PAQ). Work, 2023, 74, 1187-1197.	0.6	1
54	High variation among clinical studies in the assessment of physical function after knee replacement: a systematic review. Knee Surgery, Sports Traumatology, Arthroscopy, 2023, 31, 3854-3860.	2.3	3
55	The effect of robotic therapy on patient function after total hip arthroplasty due to developmental dysplasia of the hip: a case study. Journal of Korean Physical Therapy Science, 2023, 30, 1-9.	0.3	0
56	Restoring Balance: A Physical Activity Intervention for Native American Cancer Survivors and Their Familial Support Persons. , 2023, 1, .		0