

Reliability and validity of a screen time-based sedentary adolescents: The HELENA study

European Journal of Public Health

22, 373-377

DOI: [10.1093/eurpub/ckr040](https://doi.org/10.1093/eurpub/ckr040)

Citation Report

#	ARTICLE	IF	CITATIONS
1	Food Consumption and Screen-Based Sedentary Behaviors in European Adolescents. <i>JAMA Pediatrics</i> , 2012, 166, 1010.	3.6	62
2	Sedentary behaviours and its association with bone mass in adolescents: the HELENA cross-sectional study. <i>BMC Public Health</i> , 2012, 12, 971.	1.2	41
3	Objectively measured sedentary time and physical activity time across the lifespan: a cross-sectional study in four age groups. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2012, 9, 149.	2.0	100
4	Physical activity does not attenuate the obesity risk of <sc>TV</sc> viewing in youth. <i>Pediatric Obesity</i> , 2012, 7, 240-250.	1.4	34
5	Modern Sedentary Behaviors Favor Energy Consumption in Children and Adolescents. <i>Current Obesity Reports</i> , 2013, 2, 50-57.	3.5	33
6	Daily energy balance in children and adolescents. Does energy expenditure predict subsequent energy intake?. <i>Appetite</i> , 2013, 60, 58-64.	1.8	54
8	Development and evaluation of the Motivation to Limit Screen-time Questionnaire (MLSQ) for adolescents. <i>Preventive Medicine</i> , 2013, 57, 561-566.	1.6	20
9	Clustering of Multiple Lifestyle Behaviors and Health-related Fitness in European Adolescents. <i>Journal of Nutrition Education and Behavior</i> , 2013, 45, 549-557.	0.3	45
10	Factors associated with media use among adolescents: a multilevel approach. <i>European Journal of Public Health</i> , 2014, 24, 5-10.	0.1	26
11	Body weight misperception patterns and their association with health-related factors among adolescents in South Korea. <i>Obesity</i> , 2013, 21, 2596-2603.	1.5	76
12	Fluid Intake of European Children and Adolescents. <i>Nutrition Today</i> , 2013, 48, S25-S30.	0.6	5
13	Screen Time Viewing Behaviors and Isometric Trunk Muscle Strength in Youth. <i>Medicine and Science in Sports and Exercise</i> , 2013, 45, 1975-1980.	0.2	6
14	Association of breakfast consumption with objectively measured and self-reported physical activity, sedentary time and physical fitness in European adolescents: the HELENA (Healthy Lifestyle in Europe by) Tj ETQq0 0.10 rgBT /Overlock 1	0.1	6
15	Associations between macronutrient intake and serum lipid profile depend on body fat in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) study. <i>British Journal of Nutrition</i> , 2014, 112, 2049-2059.	1.2	8
16	Is dairy consumption associated with low cardiovascular disease risk in <sc>E</sc>uropean adolescents? Results from the <sc>HELENA S</sc>tudy. <i>Pediatric Obesity</i> , 2014, 9, 401-410.	1.4	45
17	Increased sedentary behaviour is associated with unhealthy dietary patterns in European adolescents participating in the HELENA study. <i>European Journal of Clinical Nutrition</i> , 2014, 68, 300-308.	1.3	39
18	Rationale and study protocol for the â€Active Teen Leaders Avoiding Screen-timeâ€™™ (ATLAS) group randomized controlled trial: An obesity prevention intervention for adolescent boys from schools in low-income communities. <i>Contemporary Clinical Trials</i> , 2014, 37, 106-119.	0.8	48
19	Video game genre preference, physical activity and screenâ€™time in adolescent boys from lowâ€™income communities. <i>Journal of Adolescence</i> , 2014, 37, 1345-1352.	1.2	10

#	ARTICLE	IF	CITATIONS
20	Older adultsâ€™ reporting of specific sedentary behaviors: validity and reliability. BMC Public Health, 2014, 14, 734.	1.2	57
21	The role of dietary fat on the association between dietary amino acids and serum lipid profile in European adolescents participating in the HELENA Study. European Journal of Clinical Nutrition, 2014, 68, 464-473.	1.3	6
22	Leisure time computer use and adolescent bone healthâ€”findings from the Tromso Study, Fit Futures: a cross-sectional study. BMJ Open, 2015, 5, e006665-e006665.	0.8	28
23	Are context-specific measures of parental-reported physical activity and sedentary behaviour associated with accelerometer data in 9-year-old European children?. Public Health Nutrition, 2015, 18, 860-868.	1.1	41
24	The combined effect of physical activity and sedentary behaviors on a clustered cardio-metabolic risk score: The Helena study. International Journal of Cardiology, 2015, 186, 186-195.	0.8	36
25	A prospective study of screen time in adolescence and depression symptoms in young adulthood. Preventive Medicine, 2015, 81, 108-113.	1.6	47
27	Prevalence of sedentary behavior and its correlates among primary and secondary school students. Revista Paulista De Pediatria (English Edition), 2016, 34, 56-63.	0.3	21
28	Dietary sources and sociodemographic and lifestyle factors affecting vitamin D and calcium intakes in European adolescents: the Healthy Lifestyle in Europe by Nutrition in Adolescence (HELENA) Study. Public Health Nutrition, 2017, 20, 1593-1601.	1.1	6
29	Sedentary behaviour and bone health in children, adolescents and young adults: a systematic review. Osteoporosis International, 2017, 28, 2507-2519.	1.3	43
30	Physical Activity in Boys With Duchenne Muscular Dystrophy Is Lower and Less Demanding Compared to Healthy Boys. Journal of Child Neurology, 2017, 32, 450-457.	0.7	23
31	Systematic Review of Childhood Sedentary Behavior Questionnaires: What do We Know and What is Next?. Sports Medicine, 2017, 47, 677-699.	3.1	47
32	Caregiver involvement in interventions for improving children's dietary intake and physical activity behaviors. The Cochrane Library, 2017, , .	1.5	3
33	The Role of Physical Activity and Exercise in Managing Obesity and Achieving Weight Loss. , 2018, , 215-230.		3
34	An instrumental variables approach to assess the effect of class size reduction on student screen time. Social Science and Medicine, 2018, 201, 63-70.	1.8	2
35	Mediators of aggression in a school-based physical activity intervention for low-income adolescent boys. Mental Health and Physical Activity, 2018, 14, 39-46.	0.9	9
36	Clustering of multiple energy balance related behaviors is associated with body fat composition indicators in adolescents: Results from the HELENA and ELANA studies. Appetite, 2018, 120, 505-513.	1.8	12
37	Correlates of ideal cardiovascular health in European adolescents: The HELENA study. Nutrition, Metabolism and Cardiovascular Diseases, 2018, 28, 187-194.	1.1	20
38	Reliability and validity of the Youth Leisure-time Sedentary Behavior Questionnaire (YLSBQ). Journal of Science and Medicine in Sport, 2018, 21, 69-74.	0.6	44

#	ARTICLE	IF	CITATIONS
39	Lifestyle patterns and endocrine, metabolic, and immunological biomarkers in European adolescents: The HELENA study. <i>Pediatric Diabetes</i> , 2019, 20, 23-31.	1.2	10
40	Association of eating behaviors, lifestyle, and maternal education with adherence to the Mediterranean diet in Spanish children. <i>Appetite</i> , 2018, 130, 279-285.	1.8	24
41	Taxonomy-based content analysis of sedentary behavior questionnaires: A systematic review. <i>PLoS ONE</i> , 2018, 13, e0193812.	1.1	11
42	Diet as a moderator in the association of sedentary behaviors with inflammatory biomarkers among adolescents in the HELENA study. <i>European Journal of Nutrition</i> , 2019, 58, 2051-2065.	1.8	17
43	The Many Channels of Screen Media Technology in ADHD: a Paradigm for Quantifying Distinct Risks and Potential Benefits. <i>Current Psychiatry Reports</i> , 2019, 21, 90.	2.1	8
44	Validation study of the Spanish version of the Last-7-d Sedentary Time Questionnaire (SIT-Q-7d-Sp) in young adults. <i>PLoS ONE</i> , 2019, 14, e0217362.	1.1	6
45	Promoting healthy teenage behaviour across three European countries through the use of a novel smartphone technology platform, PEGASO fit for future: study protocol of a quasi-experimental, controlled, multi-Centre trial. <i>BMC Medical Informatics and Decision Making</i> , 2019, 19, 278.	1.5	14
46	How do energy balance-related behaviors cluster in adolescents?. <i>International Journal of Public Health</i> , 2019, 64, 195-208.	1.0	9
47	Media Use, Sleep Quality, and ADHD Symptoms in a Community Sample and a Sample of ADHD Patients Aged 8 to 18 Years. <i>Journal of Attention Disorders</i> , 2020, 24, 576-589.	1.5	27
48	Study protocol of a population-based cohort investigating Physical Activity, Sedentarism, lifestyles and Obesity in Spanish youth: the PASOS study. <i>BMJ Open</i> , 2020, 10, e036210.	0.8	22
49	One size does not fit all: identifying clusters of physical activity, screen time, and sleep behaviour co-development from childhood to adolescence. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2020, 17, 58.	2.0	19
50	Cluster Analysis of Physical Activity Patterns, and Relationship with Sedentary Behavior and Healthy Lifestyles in Prepubertal Children: Genobox Cohort. <i>Nutrients</i> , 2020, 12, 1288.	1.7	25
51	Prediction of cardiorespiratory fitness by screen time in schoolchildrens. <i>Journal of Physical Education (Maringa)</i> , 2020, 31, .	0.1	0
52	Is change in mental distress among adolescents predicted by sedentary behaviour or screen time? Results from the longitudinal population study The TromsÅ, Study: Fit Futures. <i>BMJ Open</i> , 2020, 10, e035549.	0.8	9
53	Magnitude of sedentary behavior and associated factors among secondary school adolescents in Debre Berhan town, Ethiopia. <i>BMC Public Health</i> , 2020, 20, 86.	1.2	7
54	Reliability and validity of a sedentary behavior questionnaire for South American pediatric population: SAYCARE study. <i>BMC Medical Research Methodology</i> , 2020, 20, 5.	1.4	12
55	Association between sedentary behavior and bone mass in adolescents. <i>Osteoporosis International</i> , 2020, 31, 1733-1740.	1.3	7
56	Mediterranean Diet, Screen-Time-Based Sedentary Behavior and Their Interaction Effect on Adiposity in European Adolescents: The HELENA Study. <i>Nutrients</i> , 2021, 13, 474.	1.7	9

#	ARTICLE	IF	CITATIONS
57	Sedentary behavior, unhealthy food consumption and dental caries in 12-year-old schoolchildren: a population-based study. <i>Brazilian Oral Research</i> , 2021, 35, e041.	0.6	7
58	Screen Time and Parents' Education Level Are Associated with Poor Adherence to the Mediterranean Diet in Spanish Children and Adolescents: The PASOS Study. <i>Journal of Clinical Medicine</i> , 2021, 10, 795.	1.0	29
59	Organized Sport Participation, Physical Activity, Sleep and Screen Time in 16-Year-Old Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 3162.	1.2	2
60	The effects of screen time and social media on depressed feelings and suicidal thoughts among undergraduates. <i>Journal of Student Research</i> , 2021, 10, .	0.0	0
61	Screen time and Sleep Quality among College and University Students of Karachi. <i>Journal of Health & Biological Sciences</i> , 2021, 9, 1-14.	0.0	0
62	Study protocol for the Sino-Canadian Healthy Life Trajectories Initiative (SCHeLTI): a multicentre, cluster-randomised, parallel-group, superiority trial of a multifaceted community-family-mother-child intervention to prevent childhood overweight and obesity. <i>BMJ Open</i> , 2021, 11, e045192.	0.8	9
63	Prospective Associations between Maternal and Child Diet Quality and Sedentary Behaviors. <i>Nutrients</i> , 2021, 13, 1713.	1.7	8
64	Family-based intervention to prevent childhood obesity among school-age children of low socioeconomic status: study protocol of the FIVALIN project. <i>BMC Pediatrics</i> , 2021, 21, 246.	0.7	5
65	Contemporaneous trajectories of physical activity and screen time in adolescents. <i>Applied Physiology, Nutrition and Metabolism</i> , 2021, 46, 676-684.	0.9	4
66	Screen time-based sedentary behaviour, eating regulation and weight status of university students during the COVID-19 lockdown. <i>Nutrition and Food Science</i> , 2022, 52, 281-291.	0.4	14
67	Handgrip strength and associated factors among Brazilian adolescents: A cross-sectional study. <i>Journal of Bodywork and Movement Therapies</i> , 2021, 28, 75-81.	0.5	4
68	Physical activity, sedentary time, TV viewing, physical fitness and cardiovascular disease risk in adolescents: The HELENA study. <i>International Journal of Cardiology</i> , 2018, 254, 303-309.	0.8	61
70	Impact of Time Spent in Front of Screens and Frequency of Risk Behaviours According to Type of Screen: A Cross Sectional Study in Teenagers. <i>Psychology</i> , 2019, 10, 1776-1789.	0.3	1
71	High waist-to-height ratio and associated factors in adolescents from a city in Southern Brazil: a cross-sectional study. <i>Revista Paulista De Pediatria</i> , 2021, 40, e2020468.	0.4	0
72	Combined Body Mass Index and Waist-to-Height Ratio and Its Association with Lifestyle and Health Factors among Spanish Children: The PASOS Study. <i>Nutrients</i> , 2022, 14, 234.	1.7	3
73	Associations between cardiorespiratory fitness, fatness, hemodynamic characteristics, and sedentary behaviour in primary school-aged children. <i>BMC Sports Science, Medicine and Rehabilitation</i> , 2022, 14, 16.	0.7	8
74	Comparison of bone mineral density according to domains of sedentary behavior in children and adolescents. <i>BMC Pediatrics</i> , 2022, 22, 72.	0.7	8
75	Determinants of Adherence to the Mediterranean Diet in Spanish Children and Adolescents: The PASOS Study. <i>Nutrients</i> , 2022, 14, 738.	1.7	12

#	ARTICLE	IF	CITATIONS
76	Meeting 24-hour movement behavior guidelines in young children: Improved quantity estimation and self-regulation. <i>Early Education and Development</i> , 2023, 34, 762-789.	1.6	5
77	Family aspects, physical fitness, and physical activity associated with mental-health indicators in adolescents. <i>BMC Public Health</i> , 2021, 21, 2324.	1.2	13
78	Prospective Association of Maternal Educational Level with Child's Physical Activity, Screen Time, and Diet Quality. <i>Nutrients</i> , 2022, 14, 160.	1.7	8
79	Are Physical Activity and Sedentary Screen Time Levels Associated With Food Consumption in European Adolescents? The HELENA Study. , 2022, , 1-12.		2
80	Problematic use of digital media in children and adolescents with a diagnosis of attention-deficit/hyperactivity disorder compared to controls. A meta-analysis. <i>Journal of Behavioral Addictions</i> , 2022, 11, 305-325.	1.9	6
81	A review of the genetic basis of problematic Internet use. <i>Current Opinion in Behavioral Sciences</i> , 2022, 46, 101149.	2.0	9
82	Association between Recreational Screen Time and Sleep Quality among Adolescents during the Third Wave of the COVID-19 Pandemic in Canada. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 9019.	1.2	12
83	Effect of the Intake of Lean Red-Meat from Beef-(Pirenaica Breed) versus Lean White-Meat on Body Composition, Fatty Acids Profile and Cardiovascular Risk Indicators: A Randomized Cross-Over Study in Healthy Young Adults. <i>Nutrients</i> , 2022, 14, 3724.	1.7	0
84	Questionnaires Measuring 24-Hour Movement Behaviors in Childhood and Adolescence: Content Description and Measurement Properties—A Systematic Review. <i>Journal of Physical Activity and Health</i> , 2023, 20, 50-76.	1.0	3
85	Validity and Reliability of Questionnaires That Assess Barriers and Facilitators of Sedentary Behavior in the Pediatric Population: A Systematic Review. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16834.	1.2	1
86	Psychosocial Correlates of Recreational Screen Time among Adolescents. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 16719.	1.2	2
87	Adolescents' reports of chaos within the family home environment: Investigating associations with lifestyle behaviours and obesity. <i>PLoS ONE</i> , 2023, 18, e0280737.	1.1	0
88	Dissemination, Implementation, and Evaluation of an Effective School-Based Intervention to Promote Physical Activity in Adolescents: A Study Protocol. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2023, 13, 290.	1.0	0
89	Sedentary behaviour and traumatic dental injuries in adolescents: A population-based study. <i>Dental Traumatology</i> , 0, , .	0.8	1